

This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 10/01/10

Version 2010.30a

naged categories

THERAPEUTIC			
DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ACNE AGENTS (To			
ACINE AGENTS (10	ANTI-INI	FECTIVE	
	AKNE-MYCIN (erythromycin) AZELEX (azelaic acid) clindamycin erythromycin sodium sulfacetamide	ACZONE (dapsone) CLEOCIN-T (clindamycin) EVOCLIN (clindamycin) KLARON (sodium sulfacetamide)	Thirty (30) day trials each of one preferred retinoid and two unique chemical entities in two other subclasses, including the generic version of a requested non- preferred product, are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. (In cases of pregnancy, a trial of retinoids will not be required.)
	RETIN	NOIDS	
	RETIN A liquid & Micro (tretinoin) TAZORAC (tazarotene) tretinoin cream, gel	adapalene AVITA (tretinoin) DIFFERIN (adapalene) RETIN-A cream, gel (tretinoin) TRETIN-X (tretinoin) ^{NR}	PA required after 17 years of age for tretinoin products.
	KERATOLYTICS (E	Benzoyl Peroxides)	
	benzoyl peroxide ETHEXDERM (benzoyl peroxide) OSCION (benzoyl peroxide)	BENZAC WASH (benzoyl peroxide) BENZEFOAM (benzoyl peroxide) ^{NR} BREVOXYL (benzoyl peroxide) DESQUAM (benzoyl peroxide) LAVOCLEN (benzoyl peroxide) TRIAZ (benzoyl peroxide)	Acne kits are non-preferred.
	COMBINATI	ON AGENTS	
	benzoyl peroxide/urea erythromycin/benzoyl peroxide	ACANYA (clindamycin phosphate/benzoyl peroxide)	

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



This is not an all-inclusive list of available covered drugs and includes only

managed categories

EFFECTIVE 10/01/10

Version 2010.30a

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	sulfacetamide sodium/sulfur wash/cleanser	 BENZACLIN GEL (benzoyl peroxide/ clindamycin) BENZAMYCIN PAK (benzoyl peroxide/ erythromycin) benzoyl peroxide/clindamycin gel CLENIA (sulfacetamide sodium/sulfur) DUAC CS (benzoyl peroxide/ clindamycin) EPIDUO (adapalene/benzoyl peroxide) INOVA 4/1 (benzoyl peroxide/salicylic acid) NUOX (benzoyl peroxide/sulfur) PLEXION (sulfacetamide sodium/sulfur) PRASCION (sulfacetamide sodium/sulfur) ROSAC (sulfacetamide sodium/sulfur) ROSADERM (sulfacetamide sodium/sulfur) ROSADERM (sulfacetamide sodium/sulfur) ROSULA (sulfacetamide sodium/sulfur) ROSULA (sulfacetamide sodium/sulfur) SULFOXYL (benzoyl peroxide/sulfur) SULFATOL (sulfacetamide sodium/sulfur) SULFATOL (sulfacetamide sodium/sulfur) SULFATOL (sulfacetamide sodium/sulfur) 	
ALZHEIMER'S AGE	-		
	ARICEPT (donepezil) EXELON (rivastigmine)	ARICEPT 23mg (donepezil) ARICEPT ODT(donepezil) COGNEX (tacrine) galantamine galantamine ER	A thirty (30) day trial of a preferred agent is required before a non- preferred agent in this class will be authorized unless one of the exceptions on the PA form is

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



10/01/10

Version 2010.30a

EFFECTIVE

This is not an all-inclusive list of available covered drugs and includes only

managed categories

THEDADEUTIC			
THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		RAZADYNE (galantamine) RAZADYNE ER (galantamine) rivastigmine	present. Aricept 23mg tablets will be approved when there is a diagnosis of moderate-to-severe Alzheimer's Disease, a trial of Aricept 10mg daily for at least three (3) months, and Aricept 20mg daily for an additional one (1) month.
		DR ANTAGONIST	
	NAMENDA (memantine)		
ANALGESICS, NAF	RCOTIC - SHORT ACTING (Non-par	renteral) ^{AP}	
	APAP/codeine ASA/codeine codeine dihydrocodeine/ APAP/caffeine hydrocodone/APAP hydrocodone/ibuprofen hydromorphone levorphanol morphine oxycodone oxycodone/APAP oxycodone/APAP oxycodone/APAP pentazocine/APAP pentazocine/naloxone propoxyphene/APAP ROXICET (oxycodone/acetaminophen) tramadol tramadol/APAP	ACTIQ (fentanyl) butalbital/APAP/caffeine/codeine butalbital/ASA/caffeine/codeine butorphanol COMBUNOX (oxycodone/ibuprofen) DARVOCET (propoxyphene/APAP) DARVON (propoxyphene) DEMEROL (meperidine) DILAUDID (hydromorphone) fentanyl FENTORA (fentanyl) FIORICET W/ CODEINE (butalbital/APAP/caffeine/codeine) FIORINAL W/ CODEINE (butalbital/APAP/caffeine/codeine) FIORINAL W/ CODEINE (butalbital/ASA/caffeine/codeine) LORCET (hydrocodone/APAP) LORTAB (hydrocodone/APAP) MAGNACET (oxycodone/APAP) meperidine NUCYNTA (tapentadol) OPANA (oxymorphone)	Six (6) day trials of at least four (4) chemically distinct preferred agents (based on narcotic ingredient only), including the generic formulation of a requested non-preferred product, are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. Fentanyl lozenges and Onsolis will only be approved for a diagnosis of cancer and as an adjunct to a long- acting agent. Neither will be approved for monotherapy. Limits: Unless the patient has escalating cancer pain or another diagnosis supporting increased quantities of short-acting opioids, all short acting solid forms of the

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

- $^{\sf NR}$ New drug has not been reviewed by P & T Committee
- ^{AP} Non-preferred drugs and selected preferred drugs, where indicated, are subject to auto-PA criteria. See PA Criteria column.



This is not an all-inclusive list of available covered drugs and includes only

managed categories

EFFECTIVE 10/01/10

Version 2010.30a

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		ONSOLIS (fentanyl) oxycodone/ibuprofen OXYFAST (oxycodone) OXYIR (oxycodone) PANLOR (dihydrocodeine/ APAP/caffeine) PERCOCET (oxycodone/APAP) PERCODAN (oxycodone/APAP) PERCODAN (oxycodone/ASA) propoxyphene ROXANOL (morphine) RYBIX ODT (tramadol) ^{NR} TALACEN (pentazocine/APAP) TALACEN (pentazocine/APAP) TALWIN NX (pentazocine/naloxone) TYLENOL W/CODEINE (APAP/codeine) ULTRACET (tramadol/APAP) ULTRAM (tramadol) VICODIN (hydrocodone/APAP) VICOPROFEN (hydrocodone/ibuprofen) VOPAC (codeine/acetaminophen) XODOL (hydrocodone/APAP) ZYDONE (hydrocodone/APAP)	narcotic analgesics are limited to 120 tablets per 30 days for the purpose of maximizing the use of longer acting medications to prevent unnecessary breakthrough pain in chronic pain therapy.
ANALGESICS, NAF	RCOTIC - LONG ACTING (Non-pare		
	fentanyl transdermal KADIAN (morphine) 10mg, 20mg, 30mg, 50mg, 60mg, 100mg methadone morphine ER OPANA ER (oxymorphone)	AVINZA (morphine) DOLOPHINE (methadone) DURAGESIC (fentanyl) EXALGO ER (hydromorphone) ^{NR} EMBEDA (morphine/naltrexone) KADIAN (morphine) 80mg, 200mg MS CONTIN (morphine) ORAMORPH SR (morphine) oxycodone ER OXYCONTIN (oxycodone) RYZOLT ER (tramadol)	Six (6) day trials each of two preferred unique long acting chemical entities are required before a non-preferred agent will be approved unless one of the exceptions on the PDL form is present. The generic form of the requested non-preferred agent, if available, must be tried before the non-preferred agent will be approved.

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



This is not an all-inclusive list of available covered drugs and includes only

managed categories

10/01/10
Version 2010.30a

EFFECTIVE

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		tramadol ER ULTRAM ER (tramadol)	Dose optimization is required for achieving equivalent doses of Kadian 80mg and 200mg. AP does not apply. Exception: Oxycodone ER will be authorized if a diagnosis of cancer is submitted without a trial of the preferred agents.
ANALGESICS (Top	vical) ^{AP}		
	capsaicin lidocaine lidocaine/prilocaine xylocaine	EMLA (lidocaine/prilocaine) FLECTOR PATCH (diclofenac) LIDODERM PATCH (lidocaine) LIDAMANTLE (lidocaine) LIDAMANTLE HC (lidocaine/hydrocortisone) LMX 4 (lidocaine) PENNSAID (diclofenac) ^{NR} SYNERA (lidocaine/tetracaine) VOLTAREN GEL (diclofenac) ZOSTRIX (capsaicin)	Ten (10) day trials of each of the preferred topical anesthetics (lidocaine, lidocaine/prilocaine, and xylocaine) are required before a non-preferred topical anesthetic will be approved unless one of the exceptions on the PA form is present. Lidoderm patches will be approved for a diagnosis of post-herpetic neuralgia. Thirty (30) day trials of each of the preferred oral NSAIDS and capsaicin are required before Voltaren Gel will be approved unless one of the exceptions on the PA form is present. Flector patches will be approved only for a diagnosis of acute strain, sprain or injury after a five (5) day

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp .

^{NR} – New drug has not been reviewed by P & T Committee



EFFECTIVE 10/01/10

This is not an all-inclusive list of available covered drugs and includes only

managed categories

Version 2010.30a

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
			trial of one of the preferred oral NSAIDs and for a maximum duration of 14 days unless one of the exceptions on the PA form is present.
ANDROGENIC AGE	ENTS		
	ANDRODERM (testosterone) ANDROGEL (testosterone)	TESTIM (testosterone)	The non-preferred agent will be approved only if one of the exceptions on the PA form is present.
ANGIOTENSIN MO			
	ACE INF	IIBITORS	
	benazepril captopril enalapril fosinopril lisinopril quinapril ramipril	ACCUPRIL (quinapril) ACEON (perindopril) ALTACE (ramipril) CAPOTEN (captopril) LOTENSIN (benazepril) MAVIK (trandolapril) moexipril MONOPRIL (fosinopril) perindopril PRINIVIL (lisinopril) trandolapril UNIVASC (moexipril) VASOTEC (enalapril) ZESTRIL (lisinopril)	Fourteen (14) day trials of each of the preferred agents in the corresponding group, with the exception of the Direct Renin Inhibitors, are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
		MBINATION DRUGS	
	benazepril/amlodipine benazepril/HCTZ captopril/HCTZ enalapril/HCTZ	ACCURETIC (quinapril/HCTZ) CAPOZIDE (captopril/HCTZ) LEXXEL (enalapril/felodipine) LOTENSIN HCT (benazepril/HCTZ)	

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



This is not an all-inclusive list of available covered drugs and includes only

managed categories

EFFECTIVE 10/01/10

Version 2010.30a

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	fosinopril/HCTZ lisinopril/HCTZ quinapril/HCTZ	LOTREL (benazepril/amlodipine) moexipril/HCTZ PRINZIDE (lisinopril/HCTZ) TARKA (trandolapril/verapamil) trandolapril/verapamil UNIRETIC (moexipril/HCTZ) VASERETIC (enalapril/HCTZ) ZESTORETIC (lisinopril/HCTZ)	
	ANGIOTENSIN II RECEP	TOR BLOCKERS (ARBs)	
	AVAPRO (irbesartan) BENICAR (olmesartan) COZAAR (losartan) 25mg DIOVAN (valsartan) MICARDIS (telmisartan)	ATACAND (candesartan) COZAAR (losartan) 50mg, 100mg losartan TEVETEN (eprosartan)	
	ARB COM	BINATIONS	
	AVALIDE (irbesartan/HCTZ) AZOR (olmesartan/amlodipine) BENICAR-HCT (olmesartan/HCTZ) DIOVAN-HCT (valsartan/HCTZ) EXFORGE (valsartan/amlodipine) EXFORGE HCT (valsartan/amlodipine/HCTZ) HYZAAR (losartan/HCTZ) MICARDIS-HCT (telmisartan/HCTZ)	ATACAND-HCT (candesartan/HCTZ) losartan/HCTZ TEVETEN-HCT (eprosartan/HCTZ) TRIBENZOR (olmesartan/amlodipine/HCTZ) ^{NR} TWYNSTA (telmisartan/amlodipine)	
		N INHIBITORS	
	TEKTURNA (aliskiren) ^{AP} TEKTURNA HCT (aliskiren/HCTZ) ^{AP} VALTURNA (aliskiren/valsartan) ^{AP}		A thirty (30) day trial of one preferred ACE, ARB, or combination agent, at the maximum tolerable dose, is required before Tekturna or Valturna will be approved.

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



EFFECTIVE 10/01/10

This is not an all-inclusive list of available covered drugs and includes only Version 2010.30a

managed categories

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTICOAGULANT	S (Injectable) ^{cL}		
	ARIXTRA (fondaparinux) FRAGMIN (dalteparin) LOVENOX (enoxaparin)	enoxaparin INNOHEP (tinzaparin)	Trials of each of the preferred agents will be required before a non-preferred agent will be approved unless one of the exceptions on the PA form is present.
ANTICONVULSAN	TS		
	ADJU	VANTS	
	carbamazepine CARBATROL (carbamazepine) DEPAKOTE SPRINKLE (divalproex) divalproex EC divalproex DR EPITOL (carbamazepine) FELBATOL (felbamate) gabapentin GABITRIL (tiagabine) levetiracetam lamotrigine lamotrigine chewable LYRICA (pregabalin) oxcarbazepine tablets topiramate TRILEPTAL SUSPENSION (oxcarbazepine) valproic acid zonisamide	BANZEL(rufinamide) carbamazepine XR DEPAKENE (valproic acid) DEPAKOTE (divalproex) DEPAKOTE ER (divalproex) EQUETRO (carbamazepine) FANATREX SUSPENSION (gabapentin) ^{NR} KEPPRA (levetiracetam) LAMICTAL (lawotrigine) LAMICTAL CHEWABLE (lamotrigine) LAMICTAL ODT (lamotrigine) LAMICTAL ACHEWABLE (lamotrigine) LAMICTAL XR (lamotrigine) NEURONTIN (gabapentin) SABRIL (vigabatrin) STAVZOR (valproic acid) TEGRETOL (carbamazepine) TEGRETOL XR (carbamazepine) TOPAMAX (topiramate) TRILEPTAL TABLETS (oxcarbazepine) VIMPAT (lacosamide) ZONEGRAN (zonisamide)	A fourteen (14) day trial of one of the preferred agents in the corresponding group is required for treatment naïve patients with a diagnosis of a seizure disorder before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. A thirty (30) day trial of one of the preferred agents in the corresponding group is required for patients with a diagnosis other than seizure disorders unless one of the exceptions on the PA form is present. Non-preferred anticonvulsants will be approved for patients on established therapies with a diagnosis of seizure disorders with no trials of preferred agents required. In situations where AB-

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

- The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.
- ^{CL} Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.
- $^{\sf NR}$ New drug has not been reviewed by P & T Committee
- ^{AP} Non-preferred drugs and selected preferred drugs, where indicated, are subject to auto-PA criteria. See PA Criteria column.



EFFECTIVE 10/01/10

This is not an all-inclusive list of available covered drugs and includes only Version 2010.30a

managed categories

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
			rated generic equivalent products are available, "Brand Medically Necessary" must be hand-written by the prescriber on the prescription in order for the brand name product to be reimbursed. Members established on Keppra XR may continue current therapy.
	BARBITU	RATES	
	mephobarbital phenobarbital primidone	MEBARAL (mephobarbital) MYSOLINE (primidone)	
	BENZODIA	ZEPINES ^{AP}	
	clonazepam DIASTAT (diazepam rectal) diazepam	KLONOPIN (clonazepam)	
	HYDAN	TOINS ^{AP}	
	DILANTIN INFATABS (phenytoin) PEGANONE (ethotoin) phenytoin	CEREBYX (fosphenytoin) DILANTIN (phenytoin) PHENYTEK (phenytoin)	
	SUCCIN	IIMIDES	
	CELONTIN (methsuximide) ethosuximide ZARONTIN (ethosuximide)		
ANTIDEPRESSANT	S, OTHER		
	SNF	RIS ^{AP}	
	CYMBALTA (duloxetine) VENLAFAXINE ER Tablets (venlafaxine) – <mark>Upstate Pharma, Labeler code 65580</mark>	EFFEXOR (venlafaxine) EFFEXOR XR (venlafaxine) PRISTIQ (desvenlafaxine) venlafaxine venlafaxine ER capsules	A six (6) week trial each of a preferred agent and an SSRI is required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
	he listing of a particular brand or generic name inclu ly in addition to general Drug Utilization Review poli		

appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



This is not an all-inclusive list of available covered drugs and includes only

managed categories

EFFECTIVE 10/01/10

Version 2010.30a

THERABELITIO			
THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	SECOND GENERATIO	N NON-SSRI, OTHER ^{AP}	
	bupropion SR bupropion XL mirtazapine SAVELLA (milnacipran) ^{AP*} trazodone	APLENZIN (bupropion hbr) bupropion IR DESYREL (trazodone) EMSAM (selegiline) nefazodone OLEPTRO ER (trazodone) ^{NR} REMERON (mirtazapine) WELLBUTRIN (bupropion) WELLBUTRIN SR (bupropion) WELLBUTRIN XL (bupropion)	* Savella will be approved for a diagnosis of fibromyalgia or a previous thirty (30) day trial of a drug that infers fibromyalgia: gabapentin, Cymbalta, Lyrica, amitriptyline or nortriptyline.
	SELECT	ED TCAs	
	imipramine hcl	imipramine pamoate TOFRANIL (imipramine hcl) TOFRANIL PM (imipramine pamoate)	A twelve (12) week trial of imipramine hcl is required before a non-preferred TCA will be authorized.
ANTIDEPRESSANT	S, SSRIs ^{ap}		
	citalopram fluoxetine fluvoxamine LEXAPRO (escitalopram) paroxetine sertraline	CELEXA (citalopram) LUVOX (fluvoxamine) LUVOX CR (fluvoxamine) PAXIL (paroxetine) PAXIL CR (paroxetine) paroxetine ER PEXEVA (paroxetine) PROZAC (fluoxetine) RAPIFLUX (fluoxetine) SARAFEM (fluoxetine) ZOLOFT (sertraline)	Thirty (30) day trials each of two (2) of the preferred agents are required before a non-preferred agent will be approved unless one of the exceptions on the PA form is present. Upon hospital discharge, patients admitted with a primary mental health diagnosis and have been stabilized on a non-preferred SSRI will receive an authorization to continue that drug.

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee

THE WEST VIRGE
HERONAL SERVICE LINES

This is not an all-inclusive list of available covered drugs and includes only

list of available covered drugs an managed categories EFFECTIVE 10/01/10

Version 2010.30a

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	5HT3 RECEPT	OR BLOCKERS	
	ondansetron ondansetron ODT	ANZEMET (dolasetron) KYTRIL (granisetron) granisetron SANCUSO (granisetron) ZOFRAN (ondansetron) ZOFRAN ODT (ondansetron) ZUPLENZ (ondansetron) ^{NR}	A 3-day trial of a preferred agent is required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. PA is required for all agents when limits are exceeded.
	CANNA	BINOIDS	
		CESAMET (nabilone) dronabinol MARINOL (dronabinol)	Cesamet will be authorized only for the treatment of nausea and vomiting associated with cancer chemotherapy for patients who have failed to respond adequately to 3- day trials of conventional treatments such as promethazine or ondansetron and are over 18 years of age. Marinol will be authorized only for the treatment of anorexia associated with weight loss in patients with AIDS or cancer and unresponsive to megestrol; or for the prophylaxis of chemotherapy induced nausea and vomiting unresponsive to 3-day trials of ondansetron or promethazine for patients between the ages of 18 and 65.

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



This is not an all-inclusive list of available covered drugs and includes only managed categories EFFECTIVE 10/01/10

Version 2010.30a

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	SUBSTANCE P	ANTAGONISTS	
	EMEND (aprepitant)		
ANTIFUNGALS (Or	al)		
	clotrimazole fluconazole [*] ketoconazole ^{CL} nystatin terbinafine ^{CL}	ANCOBON (flucytosine) DIFLUCAN (fluconazole) GRIFULVIN V TABLET (griseofulvin) griseofulvin GRIS-PEG (griseofulvin) itraconazole LAMISIL (terbinafine) MYCELEX (clotrimazole) MYCOSTATIN Tablets (nystatin) NIZORAL (ketoconazole) NOXAFIL (posaconazole) ORAVIG BUCCAL (miconazole) ^{NR} SPORANOX (itraconazole) VFEND (voriconazole)	Non-preferred agents will be approved only if one of the exceptions on the PA form is present. *PA is required when limits are exceeded. PA is not required for griseofulvin suspension for children up to 6 years of age for the treatment of tinea capitis.
ANTIFUNGALS (To	. ,		
		INGALS	
	econazole ketoconazole MENTAX (butenafine) NAFTIN (naftifine) nystatin	ciclopirox ERTACZO (sertaconazole) EXELDERM (sulconazole) LOPROX (ciclopirox) MYCOSTATIN (nystatin) NIZORAL (ketoconazole) OXISTAT (oxiconazole) PENLAC (ciclopirox) SPECTAZOLE (econazole) VUSION (miconazole/petrolatum/zinc oxide) XOLEGEL (ketoconazole)	Fourteen (14) day trials of two (2) of the preferred agents are required before one of the non-preferred agents will be authorized unless one of the exceptions on the PA form is present. If a non-preferred shampoo is requested, a fourteen (14) day trial of one preferred product (ketoconazole shampoo) is required. Oxistat cream will be approved for children 12 and under for tinea

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



THERAPEUTIC

DRUG CLASS

BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

EFFECTIVE 10/01/10

This is not an all-inclusive list of a

	o <mark>f available covered drugs and includes only</mark> naged categories	Version 2010.30a			
D AGENTS	NON-PREFERRED AGENTS	PA CRITERIA			
		corporis, tinea cruris, tinea pedis, and tinea (pityriasis) versicolor.			
ANTIFUNGAL/STER	DID COMBINATIONS				
sone	KETOCAN PLUS (ketoconazole/hydrocortisone) ^{NR} LOTRISONE (clotrimazole/betamethasone) ^{AP} MYCOLOG (nystatin/triamcinolone) ^{AP}				
ATING ^{AP}					
ANTIHIS	TAMINES				
	ALLEGRA (fexofenadine)	Thirty (30) day trials of at least two			

ANTIHISTAMINES,					
	ANTIHIS	TAMINES			
	ALAVERT (loratadine) cetirizine loratadine TAVIST-ND (loratadine)	ALLEGRA (fexofenadine) CLARINEX Tablets (desloratadine) CLARINEX REDITABS (desloratadine) CLARINEX Syrup (desloratadine) CLARITIN (loratadine) fexofenadine XYZAL (levocetirizine) ZYRTEC (Rx and OTC) (cetirizine) ZYRTEC SYRUP (cetirizine)	Thirty (30) day trials of at least two (2) chemically distinct preferred agents (in the age appropriate form), including the generic formulation of a requested non- preferred product, are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.		
	ANTIHISTAMINE/DECONO	GESTANT COMBINATIONS			
	ALAVERT-D (loratadine/pseudoephedrine) cetirizine/pseudoephedrine loratadine/pseudoephedrine SEMPREX-D (acrivastine/ pseudoephedrine)	ALLEGRA-D (fexofenadine/ pseudoephedrine) CLARINEX-D (desloratadine/ pseudoephedrine) CLARITIN-D (loratadine/pseudoephedrine) ZYRTEC-D (cetirizine/pseudoephedrine)			

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp .

^{NR} – New drug has not been reviewed by P & T Committee

^{AP} – Non-preferred drugs and selected preferred drugs, where indicated, are subject to auto-PA criteria. See PA Criteria column.

PREFERRED AGENTS

clotrimazole/betamethasone nystatin/triamcinolone

managed categories

This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 10/01/10

Version 2010.30a

	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIMIGRAINE AG			
			These (2) devisible of each unique
	IMITREX NASAL SPRAY(sumatriptan) IMITREX INJECTION (sumatriptan) ^{CL} naratriptan sumatriptan	AMERGE (naratriptan) AXERT (almotriptan) FROVA (frovatriptan) IMITREX tablets (sumatriptan) MAXALT (rizatriptan) MAXALT MLT (rizatriptan) RELPAX (eletriptan) sumatriptan nasal spray/injection [*] ZOMIG (zolmitriptan)	Three (3) day trials of each unique chemical entity of the preferred agents are required before a non- preferred agent will be approved unless one of the exceptions on the PA form is present. Quantity limits apply for this drug class. *AP does not apply to nasal spray or injectable sumatriptan.
	TRIPTAN CO	MBINATIONS	
		TREXIMET (sumatriptan/naproxen sodium)	
ANTIPARKINSON'S		INERCICS	
			Deficiente etertine de como en deveni in
	benztropine trihexyphenidyl	COGENTIN (benztropine)	Patients starting therapy on drugs in this class must show a documented allergy to all of the preferred agents, in the corresponding class, before a non-preferred agent will be authorized.
	COMT IN	HIBITORS	
		COMTAN (entacapone) TASMAR (tolcapone)	
DOPAMINE AGONISTS			
	ropinirole	MIRAPEX (pramipexole) MIRAPEX ER (pramipexole) pramipexole REQUIP (ropinirole) REQUIP XL (ropinirole)	Mirapex, Mirapex ER, Requip, and Requip XL will be approved for a diagnosis of Parkinsonism with no trials of preferred agents required.

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



EFFECTIVE 10/01/10

This is not an all-inclusive list of available covered drugs and includes only managed categories Version 2010.30a

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		KINSON'S AGENTS	
	amantadine ^{AP} bromocriptine carbidopa/levodopa selegiline STALEVO (levodopa/carbidopa/entacapone)	AZILECT (rasagiline) ELDEPRYL (selegiline) levodopa/carbidopa ODT PARCOPA (levodopa/carbidopa) SINEMET (levodopa/carbidopa) ZELAPAR (selegiline)	Amantadine will be approved only for a diagnosis of Parkinsonism.
ANTIPSYCHOTICS	, ATYPICAL (Oral)		
	OF	RAL	
	clozapine GEODON (ziprasidone) INVEGA (paliperidone) risperidone ODT risperidone solution SEROQUEL (quetiapine)	ABILIFY (aripiprazole) CLOZARIL (clozapine) FANAPT (iloperidone) ^{NR} FAZACLO (clozapine) RISPERDAL (risperidone) RISPERDAL ODT (risperidone) RISPERDAL SOLUTION (risperidone) SAPHRIS (asenapine) SEROQUEL XR (quetiapine) ZYPREXA (olanzapine)	A fourteen (14) day trial of a preferred agent is required for treatment naïve patients before a non-preferred agent will be approved unless one of the exceptions on the PA form is present. Upon discharge, a hospitalized patient stabilized on a non-preferred agent may receive authorization to continue this drug for labeled indications and at recommended dosages. Claims for Seroquel 25 mg will be approved: 1. for a diagnosis of schizophrenia or 2. for a diagnosis of bipolar disorder or 3. when prescribed concurrently with other strengths of Seroquel in order to achieve therapeutic treatment levels.

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

- $^{\sf NR}$ New drug has not been reviewed by P & T Committee
- ^{AP} Non-preferred drugs and selected preferred drugs, where indicated, are subject to auto-PA criteria. See PA Criteria column.



EFFECTIVE 10/01/10

Version 2010.30a

This is not an all-inclusive list of available covered drugs and includes only

managed categories

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
			Seroquel 25 mg. will not be approved for use as a sedative hypnotic.
			Members established on Seroquel XR with a diagnosis of schizophrenia may continue current therapy through 11/30/2010.
			Abilify will be approved for children between the ages of 6-17 for irritability associated with autism.
			Abilify will be prior authorized forMDD if the following criteria are met:1. The patient is at least 18 years of age.
			 Diagnosis of Major Depressive Disorder (MDD), Evidence of trials of appropriate
			therapeutic duration (30 days), at the maximum tolerable dose, of at least one agent in two of the following classes: SSRI, SNRI or bupropion in conjunction with Seroquel at doses of 150 mg or more
			 Prescribed in conjunction with an SSRI, SNRI, or bupropion The daily dose does not exceed 15 mg.

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



managed categories

This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 10/01/10

Version 2010.30a

THERAPEUTIC PREFERRED AGENTS **NON-PREFERRED AGENTS PA CRITERIA DRUG CLASS ATYPICAL ANTIPSYCHOTIC/SSRI COMBINATIONS** SYMBYAX (olanzapine/fluoxetine) **ANTIVIRALS (Oral) ANTI HERPES** famciclovir Five (5) day trials each of the acvclovir VALTREX (valacyclovir) FAMVIR (famciclovir) preferred agents are required before the non-preferred agents will be valacyclovir ZOVIRAX (acyclovir) authorized unless one of the exceptions on the PA form is present. **ANTI INFLUENZA RELENZA** (zanamivir) FLUMADINE (rimantadine) The anti influenza agents will be TAMIFLU (oseltamivir) rimantadine approved only for a diagnosis of SYMMETREL (amantadine) influenza. amantadineAP ANTIVIRALS (Topical) AP ABREVA (docosanol) ZOVIRAX (acyclovir) Five day trials of each of the **DENAVIR** (penciclovir) preferred agents are required before the non-preferred agent will be approved. **ATOPIC DERMATITIS** ELIDEL (pimecrolimus) **PROTOPIC** (tacrolimus)

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

^{NR} – New drug has not been reviewed by P & T Committee



This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 10/01/10

Version 2010.30a

managed categories

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BETA BLOCKERS	(Oral) & MISCELLANEOUS ANTIAN		
	BETA BL		
	acebutolol atenolol betaxolol bisoprolol metoprolol ER nadolol propranolol propranolol ER sotalol timolol	BETAPACE (sotalol) BLOCADREN (timolol) BYSTOLIC (nebivolol) CARTROL (carteolol) CORGARD (nadolol) INDERAL LA (propranolol) INNOPRAN XL (propranolol) KERLONE (betaxolol) LEVATOL (penbutolol) LOPRESSOR (metoprolol) SECTRAL (acebutolol) TENORMIN (atenolol) TOPROL XL (metoprolol) ZEBETA (bisoprolol)	Fourteen (14) day trials each of three (3) chemically distinct preferred agents, including the generic formulation of a requested non-preferred product, are required before one of the non-preferred agents will be approved unless one of the exceptions on the PA form is present.
	BETA BLOCKER/DIURET	IC COMBINATION DRUGS	
	atenolol/chlorthalidone bisoprolol/HCTZ metoprolol/HCTZ nadolol/bendroflumethiazide propranolol/HCTZ	CORZIDE (nadolol/bendroflumethiazide) INDERIDE (propranolol/HCTZ) LOPRESSOR HCT (metoprolol/HCTZ) TENORETIC (atenolol/chlorthalidone) ZIAC (bisoprolol/HCTZ)	
	BETA- AND ALF	PHA-BLOCKERS	
	carvedilol labetalol	COREG (carvedilol) COREG CR (carvedilol) TRANDATE (labetalol)	
	RANEXA (ranolazine) ^{AP}		Ranexa will be approved for patients with angina who are also taking a calcium channel blocker, a beta blocker, or a nitrite as single agents or a combination agent containing one of these ingredients.

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 10/01/10

Version 2010.30a

managed categories

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA		
BLADDER RELAX	ANT PREPARATIONS ^{AP}				
	ENABLEX (darifenacin) oxybutynin oxybutynin ER SANCTURA (trospium) TOVIAZ (fesoterodine) VESICARE (solifenacin)	DETROL (tolterodine) DETROL LA (tolterodine) DITROPAN (oxybutynin) DITROPAN XL (oxybutynin) GELNIQUE (oxybutynin) OXYTROL (oxybutynin) SANCTURA XR (trospium) trospium	A thirty (30) day trial each of the chemically distinct preferred agents is required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.		
BONE RESORPTIO	N SUPPRESSION AND RELATED	AGENTS			
		PHONATES			
	alendronate FOSAMAX SOLUTION (alendronate)	ACTONEL (risedronate) ACTONEL WITH CALCIUM (risedronate/ calcium) BONIVA (ibandronate) DIDRONEL (etidronate) FOSAMAX TABLETS (alendronate) FOSAMAX PLUS D (alendronate/vitamin D)	A 30-day trial of the preferred agent is required before a non-preferred agent will be approved.		
	OTHER BONE RESORPTION SUPPRESSION AND RELATED AGENTS				
	MIACALCIN (calcitonin)	calcitonin EVISTA (raloxifene) FORTEO (teriparatide) FORTICAL (calcitonin)	Evista will be approved for postmenopausal women with osteoporosis or at high risk for invasive breast cancer.		
BPH AGENTS ^{AP}					
	5-ALPHA-REDUCTAS	SE (5AR) INHIBITORS			
	AVODART (dutasteride) finasteride	PROSCAR (finasteride)	Thirty (30) day trials each of at least two (2) chemically distinct preferred agents, including the generic formulation of a requested non- preferred agent, are required before		
Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc. The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior					

evaluating the member tory for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>. ^{NR} – New drug has not been reviewed by P & T Committee



EFFECTIVE 10/01/10

Version 2010.30a

This is not an all-inclusive list of available covered drugs and includes only

managed categories

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
			a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
	ALPHA BI	LOCKERS	P
	doxazosin tamsulosin terazosin UROXATRAL (alfuzosin)	CARDURA (doxazosin) CARDURA XL (doxazosin) FLOMAX (tamsulosin) HYTRIN (terazosin) RAPAFLO (silodosin)	
	5-ALPHA-REDUCTASE (5AR) INHIBITO		
		JALYN (dutasteride/tamsulosin) ^{NR}	
BRONCHODILATO	RS, ANTICHOLINERGIC		
	ANTICHO	LINERGIC	
	ATROVENT HFA (ipratropium) ipratropium SPIRIVA (tiotropium)		Thirty (30) day trials each of the preferred agents in the corresponding group are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
	ANTICHOLINERGIC-BETA	AGONIST COMBINATIONS	
	COMBIVENT (albuterol/ipratropium)	albuterol/ipratropium DUONEB (albuterol/ipratropium)	For severely compromised patients, albuterol/ipratropium will be approved if the combined volume of albuterol and ipratropium nebules is inhibitory.

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



This is not an all-inclusive list of available covered drugs and includes only

managed categories

EFFECTIVE 10/01/10

Version 2010.30a

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
RONCHODILATOR	S, BETA AGONIST ^{AP}		
	INHALATIO	N SOLUTION	
	albuterol 2.5mg/0.5mL	ACCUNEB (albuterol)** albuterol 0.63mg & 1.25mg/3mL ^{AP} BROVANA (arformoterol) levalbuterol metaproterenol PERFOROMIST (formoterol) PROVENTIL (albuterol) XOPENEX (levalbuterol)	Thirty (30) day trials each of the chemically distinct preferred agents in their corresponding groups are required before a non-preferred agent in that group will be authorized unless one of the exceptions on the PA form is present. **No PA is required for ACCUNEB for children up to 5 years of age.
	FORADIL (formoterol) SEREVENT (salmeterol)		
	INHALERS, S	HORT-ACTING	
I	MAXAIR (pirbuterol) PROAIR HFA (albuterol) PROVENTIL HFA (albuterol) VENTOLIN HFA (albuterol)	XOPENEX HFA (levalbuterol)	Xopenex Inhalation Solution will be approved for 12 months for a diagnosis of asthma or COPD for patients on concurrent asthma controller therapy (either oral or inhaled) with documentation of failure on a trial of albuterol or documented intolerance of albuterol or for concurrent diagnosis of heart disease.
	OF	AL	
t	albuterol erbutaline	BRETHINE (terbutaline) metaproterenol VOSPIRE ER (albuterol) udes all legend forms of that drug. OTC are not cove	

non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



This is not an all-inclusive list of available covered drugs and includes only managed categories EFFECTIVE 10/01/10

Version 2010.30a

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CALCIUM CHANNE			
	LONG-	ACTING	
	amlodipine diltiazem XR, XT felodipine ER nifedipine ER nisoldipine verapamil ER	ADALAT CC (nifedipine) CALAN SR (verapamil) CARDENE SR (nicardipine) CARDIZEM CD, LA, SR (diltiazem) COVERA-HS (verapamil) DILACOR XR (diltiazem) DYNACIRC CR (isradipine) ISOPTIN SR (verapamil) NORVASC (amlodipine) PLENDIL (felodipine) PROCARDIA XL (nifedipine) SULAR (nisoldipine) TIAZAC (diltiazem) VERELAN/VERELAN PM (verapamil)	Fourteen (14) day trials each of the preferred agents are required before a non-preferred agent will be approved unless one of the exceptions on the PA form is present.
	SHORT-	ACTING	
	diltiazem verapamil	ADALAT (nifedipine) CALAN (verapamil) CARDENE (nicardipine) CARDIZEM (diltiazem) DYNACIRC (isradipine) isradipine nicardipine nimodipine nifedipine NIMOTOP (nimodipine) PROCARDIA (nifedipine)	

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 10/01/10

Version 2010.30a

managed categories

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
CEPHALOSPORINS	S AND RELATED ANTIBIOTICS (Or	ral) ^{ap}		
	BETA LACTAMS AND BETA LACTAM/BETA	A-LACTAMASE INHIBITOR COMBINATIONS		
	amoxicillin/clavulanate	amoxicillin/clavulanate ER AUGMENTIN XR (amoxicillin/clavulanate) MOXATAG (amoxicillin)	A five (5) day trial of the preferred agent is required before a non- preferred agent is authorized unless one of the exceptions on the PA form is present.	
	CEPHALC	OSPORINS		
	cefaclor cefadroxil cefdinir cefditoren cefpodoxime cefprozil cefuroxime cephalexin SPECTRACEF (cefditoren)	CECLOR (cefaclor) CEDAX (ceftibuten) CEFTIN (cefuroxime) CEFZIL (cefprozil) DURICEF (cefadroxil) KEFLEX (cephalexin) OMNICEF (cefdinir) PANIXINE (cephalexin) RANICLOR (cefaclor) SUPRAX (cefixime) VANTIN (cefpodoxime)		
COUGH & COLD/1 ^s	^t GENERATION ANTIHISTAMINES			
	ANTIHISTAMINES,	, 1 ST GENERATION		
	chlorpheniramine clemastine diphenhydramine		See posted list of covered NDCs.	
	ANTITUSSIVE-ANTIHISTAMINE COMBINATIONS			
	codeine/promethazine dextromethorphan HBR/promethazine		See posted list of covered NDCs.	

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 10/01/10

Version 2010.30a

managed categories

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ANTIHISTAMINE-ANTITUSSIVE-D	ECONGESTANT COMBINATIONS	
	brompheniramine/dextromethorphan HBR/pseudoephedrine chlorpheniramine/dextromethorphan/ pseudoephedrine promethazine/codeine/phenylephrine		
	ANTITUSSIVE-DECONGE	ESTANT COMBINATIONS	
		ESTANTS	
	phenylephrine pseudoephedrine		
	ANTITUSSIVES/I	EXPECTORANTS	
	benzonatate guaifenesin guaifenesin/dextromethorphan		
	DECONGESTANT-ANTIHISTAMINE-	ANTICHOLINERGIC COMBINATIONS	
	phenylephrine/chlorpheniramine/ scopolamine syrup & chewable		
	DECONGESTANT-ANTIHI	STAMINE COMBINATIONS	
	phenylephrine HCL/chlorpheniramine maleate syrup/drops phenylephrine HCL/phenyltoloxamine/ chlorpheniramine liquid phenylephrine HCL/promethazine syrup phenylephrine HCL/pyrilamine		See posted list of covered NDCs.

appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



EFFECTIVE

This is not an all-inclusive list of available covered drugs and includes only

managed categories

IERIA	10/01/10
only	Version 2010.30a

THERAPEUTIC	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
DRUG CLASS			
	maleate/chlorpheniramine liquid		
	NARCOTIC ANTITUSSIVE-EX	(PECTORANT COMBINATION	
	guaifenesin/codeine		Guaifenesin/codeine will only be approved for children \leq 12 years old.
CYTOKINE & CAM			
	CIMZIA (certolizumab/pegol) ENBREL (etanercept) HUMIRA (adalimumab) KINERET (anakinra)	SIMPONI (golimumab)	Thirty day trials of each of the preferred agents are required before a non-preferred agent will be approved.
ERYTHROPOIESIS	STIMULATING PROTEINS ^{CL}		
	PROCRIT (rHuEPO)	ARANESP (darbepoetin) EPOGEN (rHuEPO)	A thirty (30) day trial of the preferred agent is required before a non- preferred agent will be authorized unless one of the exceptions on the PA form is present.
FLUOROQUINOLO	NES (Oral) ^{₄⊳}		
	AVELOX (moxifloxacin) CIPRO (ciprofloxacin) Suspension ciprofloxacin ciprofloxacin ER LEVAQUIN (levofloxacin)	CIPRO (ciprofloxacin) Tablets CIPRO XR (ciprofloxacin) FACTIVE (gemifloxacin) FLOXIN (ofloxacin) NOROXIN (norfloxacin) ofloxacin PROQUIN XR (ciprofloxacin)	A five (5) day trial of one of the preferred agents is required before a non-preferred agent will be approved unless one of the exceptions on the PA form is present.
GENITAL WARTS	AGENTS		
	ALDARA (imiquimod)	CONDYLOX (podofilox) imiquimod podofilox VEREGEN (sinecatechins)	A thirty (30) day trial of the preferred agent is required before a non- preferred agent will be authorized unless one of the exceptions on the PA form is present.

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

^{NR} – New drug has not been reviewed by P & T Committee



This is not an all-inclusive list of available covered drugs and includes only managed categories EFFECTIVE 10/01/10

Version 2010.30a

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
GLUCOCORTICOID	S (Inhaled) ^{₄⊳}		
	GLUCOCO	RTICOIDS	
	AEROBID (flunisolide) AEROBID-M (flunisolide) ASMANEX (mometasone) AZMACORT (triamcinolone) FLOVENT HFA (fluticasone) FLOVENT Diskus (fluticasone) QVAR (beclomethasone)	ALVESCO (ciclesonide) budesonide PULMICORT (budesonide)*	 Thirty (30) day trials each of the preferred agents are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. Pulmicort Respules do not require a prior authorization for children through 8 years of age or for individuals unable to use an MDI. When children who have been stabilized on Pulmicort Respules reach age 9, prescriptions for the Pulmicort inhaler will be authorized for them. *For children less than 9 years of age and for those who meet the PA requirements, brand Pulmicort is preferred over the generic.
	GLUCOCORTICOID/BRONCH	IODILATOR COMBINATIONS	protonica over the generic.
	ADVAIR (fluticasone/salmeterol) ADVAIR HFA (fluticasone/salmeterol) SYMBICORT(budesonide/formoterol)	DULERA (mometasone/formoterol) ^{NR}	
GLUCOCORTICOID	OS (Topical)		
	VERY HIGH & F	IIGH POTENCY	
	betamethasone dipropionate cream/ointment betamethasone dipropionate/propylene glycol betamethasone valerate ointment	amcinonide APEXICON (diflorasone diacetate) APEXICON E (diflorasone diacetate)	Five day trials of one form of each preferred unique active ingredient in the corresponding potency group

appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



This is not an all-inclusive list of available covered drugs and includes only

managed categories

EFFECTIVE 10/01/10

Version 2010.30a

THERAPEUTIC PREFERRED AGENTS **NON-PREFERRED AGENTS PA CRITERIA DRUG CLASS** clobetasol propionate betamethasone dipropionate gel are required before a non-preferred cream/gel/ointment/solution clobetasol propionate foam agent will be approved. CLOBEX (clobetasol propionate) clobetasol propionate/emollient desoximetasone cream/gel/ointment CORMAX (clobetasol propionate) fluocinonide diflorasone diacetate halobetasol propionate diflorasone diacetate/emollient triamcinolone acetonide 0.5% **DIPROLENE** (betamethasone dipropionate/propylene glycol) **DIPROLENE AF** (betamethasone dipropionate/propylene glycol) DIPROSONE (betamethasone dipropionate) fluocinonide/emollient halcinonide HALOG (halcinonide) KENALOG 0.5% (triamcinolone acetonide) LIDEX (fluocinonide) LIDEX-E (fluocinonide) LUXIQ (betamethasone valerate) OLUX (clobetasol propionate) OLUX-E (clobetasol propionate/emollient) PSORCON (diflorasone diacetate) TEMOVATE (clobetasol propionate) **TEMOVATE-E** (clobetasol propionate/emollient) TOPICORT (desoximetasone) ULTRAVATE (halobetasol propionate) VANOS (fluocinonide) **MEDIUM POTENCY** ARISTOCORT (triamcinolone) betamethasone dipropionate lotion betamethasone valerate cream betamethasone valerate lotion BETA-VAL (betamethasone valerate) desoximetasone 0.05%cream fluocinolone acetonide 0.025% CLODERM (clocortolone pivalate) CORDRAN/CORDRAN SP (flurandrenolide) fluticasone propionate hydrocortisone valerate CUTIVATE (fluticasone propionate)

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

^{NR} – New drug has not been reviewed by P & T Committee



This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 10/01/10

Version 2010.30a

managed categories

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	mometasone furoate triamcinolone acetonide 0.025% and 0.1%	DERMATOP (prednicarbate) ELOCON (mometasone furoate) hydrocortisone butyrate hydrocortisone butyrate/emollient KENALOG 0.1% (triamcinolone acetonide) LOCOID (hydrocortisone butyrate) LOCOID LIPOCREAM (hydrocortisone butyrate/emollient) prednicarbate TOPICORT LP (desoximetasone) TRIDERM (triamcinolone acetonide) WESTCORT (hydrocortisone valerate)	
	LOW PC	DTENCY	
	desonide fluocinolone acetonide 0.01% hydrocortisone 0.5%, 1%, 2.5% hydrocortisone acetate 0.5%, 1% (Rx & OTC)	ACLOVATE (alclometasone dipropionate) alclometasone dipropionate CAPEX (fluocinolone acetonide) DERMA-SMOOTHE FS (fluocinolone acetonide) DESONATE (desonide) DESOWEN (desonide) LOKARA (desonide) PANDEL (hydrocortisone probutate) VERDESO (desonide)	
GROWTH HORMO	NE ^{c∟}		
	GENOTROPIN (somatropin) NORDITROPIN (somatropin) NUTROPIN (somatropin) NUTROPIN AQ (somatropin)	HUMATROPE (somatropin) INCRELEX (mecasermin) OMNITROPE (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin) TEV-TROPIN (somatropin) ZORBTIVE (somatropin)	The preferred agents must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. Patients already on a non-preferred agent will receive authorization to continue therapy on that agent for the duration of the existing PA.

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



EFFECTIVE 10/01/10

This is not an all-inclusive list of available covered drugs and includes only managed categories Version 2010.30a

THERAPEUTIC **PREFERRED AGENTS NON-PREFERRED AGENTS PA CRITERIA DRUG CLASS HEPATITIS B TREATMENTS** EPIVIR HBV (lamivudine) BARACLUDE (entecavir) A thirty (30) day trial of one of the HEPSERA (adefovir) preferred agents is required before TYZEKA (telbivudine) the non-preferred agent will be authorized unless one of the exceptions on the PA form is present. HEPATITIS C TREATMENTS^{CL} PEGASYS (pegylated interferon) COPEGUS (ribavirin) Patients starting therapy in this PEG-INTRON (pegylated interferon) INFERGEN (consensus interferon) class must try the preferred agent of ribavirin **REBETOL** (ribavirin) a dosage form before a non-**RIBAPAK DOSEPACK (ribavirin)** preferred agent of that dosage form **RIBASPHERE** (ribavirin) will be authorized. HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS **INJECTABLE** BYETTA (exenatide) Bvetta, Svmlin, and Victoza will be subject to the following clinical edits: SYMLIN (pramlintide) VICTOZA (liraglutide) Byetta and Victoza will be approved with a previous history of a thirty (30) day trial of an oral agent (sulfonylurea, thiazolindinedione (TZD) and/ or metformin) and no evidence of concurrent insulin therapy. Symlin- History of insulin utilization in the past 90 days. No gaps in insulin therapy greater than 30 days.

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

^{NR} – New drug has not been reviewed by P & T Committee



EFFECTIVE 10/01/10

This is not an all-inclusive list of available covered drugs and includes only managed categories Version 2010.30a

THERAPEUTIC			
DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	OR	AL ^{AP}	
	JANUMET (sitagliptin/metformin) JANUVIA (sitagliptin) ONGLYZA (saxagliptin)		 Januvia/Janumet, and Onglyza will be subject to the following clinical edits: 1. Previous history of a 30-day trial of an oral agent (sulfonylurea, thiazolindinedione (TZD) or metformin) and 2. No evidence of concurrent insulin therapy.
HYPOGLYCEMICS,	INSULINS		
	HUMALOG (insulin lispro) vials only HUMALOG MIX (insulin lispro/lispro protamine) vials only HUMULIN (insulin) vials only LANTUS (insulin glargine) all forms LEVEMIR (insulin detemir) all forms NOVOLIN (insulin) all forms NOVOLOG (insulin aspart) all forms NOVOLOG MIX all forms (insulin aspart/aspart protamine)	APIDRA (insulin glulisine) ^{AP} HUMALOG PEN/KWIKPEN (insulin lispro) HUMALOG MIX PENS (insulin lispro/lispro protamine) HUMULIN PEN (insulin)	 To receive Apidra, patients must meet the following criteria: be 4 years or older; be currently on a regimen including a longer-acting or basal insulin. have had a trial of a similar preferred agent, Novolog or Humalog, with documentation that the desired results were nor achieved.
HYPOGLYCEMICS,	MEGLITINIDES		
		TINIDES	
	STARLIX (nateglinide)	nateglinide PRANDIN (repaglinide) ^{AP}	A thirty (30) day trial of the preferred agent is required before a non- preferred agent will be authorized, unless one of the exceptions on the PA form is present.

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



This is not an all-inclusive list of available covered drugs and includes only managed categories

EFFECTIVE 10/01/10

Version 2010.30a

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	MEGLITINIDE C	COMBINATIONS		
		PRANDIMET (repaglinide/metformin) ^{NK}		
HYPOGLYCEMICS,	TZDS			
	THIAZOLID	INEDIONES		
	ACTOS 15mg (pioglitazone)	ACTOS 30mg, 45mg (pioglitazone) AVANDIA (rosiglitazone) ^{AP}	Dose optimization of Actos 15mg tablets is required for achieving equivalent doses of Actos 30mg and 45mg. Treatment naïve patients require a two (2) week trial of Actos15mg before Avandia will be authorized, unless one of the exceptions on the PA form is present.	
	TZD COME	BINATIONS		
		ACTOPLUS MET (pioglitazone/ metformin) ACTOPLUS MET XR (pioglitazone/ metformin) AVANDAMET (rosiglitazone/metformin) ^{AP} AVANDARYL (rosiglitazone/glimepiride) ^{AP} DUETACT (pioglitazone/glimepiride)	Patients are required to use the components of Actoplus Met and Duetact separately. Exceptions will be handled on a case-by-case basis.	
IMPETIGO AGENTS (Topical)				
	bacitracin gentamicin sulfate mupirocin	ALTABAX (retapamulin) BACTROBAN (mupirocin) CORTISPORIN (bacitracin/neomycin/ polymyxin/HC)	Ten (10) day trials of at least one preferred agent, including the generic formulation of a requested non-preferred agent, are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.	

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee

*

This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 10/01/10

Version 2010.30a

managed categories

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
INTRANASAL RHIN			
	ANTICHOL	INERGICS	
	ipratropium	ATROVENT(ipratropium)	Thirty (30) day trials of the preferred nasal anti-cholinergic, an antihistamine, and corticosteroid groups are required before a non- preferred anti-cholinergic will be approved unless one of the exceptions on the PA form is present
	ANTIHIS	TAMINES	
	ASTELIN (azelastine)	ASTEPRO (azelastine) PATANASE (olopatadine)	Thirty (30) day trials of both preferred intranasal antihistamines and a thirty (30) day trial of one of the preferred intranasal corticosteroids are required before the non-preferred agent will be approved unless one of the exceptions on the PA form is present.
	CORTICO	STEROIDS	
	fluticasone propionate NASACORT AQ (triamcinolone) NASONEX (mometasone)	BECONASE AQ (beclomethasone) flunisolide FLONASE (fluticasone propionate) NASALIDE (flunisolide) NASAREL (flunisolide) OMNARIS (ciclesonide) RHINOCORT AQUA (budesonide) VERAMYST (fluticasone furoate)	Thirty (30) day trials of each preferred agent in the corticosteroid group are required before a non- preferred corticosteroid agent will be authorized unless one of the exceptions on the PA form is present. Veramyst will be approved for children under 12 years of age.

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



EFFECTIVE 10/01/10

This is not an all-inclusive list of available covered drugs and includes only managed categories Version 2010.30a

THERAPEUTIC						
DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA			
LEUKOTRIENE MODIFIERS						
	ACCOLATE (zafirlukast) SINGULAIR (montelukast)	ZYFLO (zileuton)	Thirty (30) day trials each of the preferred agents are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.			
LIPOTROPICS, OTI	LIPOTROPICS, OTHER (Non-statins) ^{AP}					
	BILE ACID SE	QUESTRANTS				
	cholestyramine colestipol	COLESTID (colestipol) QUESTRAN (cholestyramine) WELCHOL (colesevelam)	A twelve (12) week trial of one of the preferred agents is required before a non-preferred agent in the corresponding category will be authorized. Welchol will be approved for add-on therapy only after an insufficient response to the maximum tolerable dose of a statin after 12 weeks of therapy.			
CHOLESTEROL ABSORPTION INHIBITORS						
		ZETIA (ezetimibe)	Zetia, as monotherapy, will only be approved for patients who cannot take statins or other preferred agents. AP does not apply. Zetia will be approved for add-on therapy only after an insufficient response to the maximum tolerable dose of a statin after 12 weeks of therapy. AP does not apply.			

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



managed categories

This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 10/01/10

Version 2010.30a

THERAPEUTIC			
DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	LOVAZA (omega-3-acid ethyl esters) ^{AP}		Lovaza will be approved when the patient is intolerant or not responsive to, or not a candidate for nicotinic acid or fibrate therapy.
	FIBRIC ACID	DERIVATIVES	
	fenofibrate gemfibrozil TRICOR (fenofibrate) TRILIPIX (fenofibric acid)	ANTARA (fenofibrate) FENOGLIDE (fenofibrate) FIBRICOR (fenofibric acid) LIPOFEN (fenofibrate) LOFIBRA (fenofibrate) LOPID (gemfibrozil) TRIGLIDE (fenofibrate)	
	niacin NIASPAN (niacin)	NIACELS (niacin) NIACOR (niacin) NIADELAY (niacin) SLO-NIACIN (niacin)	
LIPOTROPICS, ST	ATINSAP		
	STA	TINS	
	CRESTOR (rosuvastatin) LESCOL (fluvastatin) LIPITOR (atorvastatin) lovastatin pravastatin simvastatin	ALTOPREV (lovastatin) LESCOL XL (fluvastatin) LIVALO (pitavastatin) MEVACOR (lovastatin) PRAVACHOL (pravastatin) ZOCOR (simvastatin)	Twelve (12) week trials each of two (2) of the preferred statins, including the generic formulation of a requested non-preferred agent, are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



This is not an all-inclusive list of available covered drugs and includes only managed categories EFFECTIVE 10/01/10

Version 2010.30a

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ADVICOR (lovastatin/niacin) CADUET (atorvastatin/amlodipine) SIMCOR 500/20mg, 750/20mg, 1000/20mg (simvastatin/niacin ER)	SIMCOR 500/40mg, 1000/40mg (simvastatin/niacin ER) VYTORIN (simvastatin/ ezetimibe)	Vytorin will be approved only after an insufficient response to the maximum tolerable dose of Lipitor (atorvastatin) or Crestor (rosuvastatin) after 12 weeks, unless one of the exceptions on the PA form is present.
MACROLIDES/KET	OLIDES (Oral)		
	KETO	LIDES	
		KETEK (telithromycin)	Requests for telithromycin will be authorized if there is documentation of the use of any antibiotic within the past 28 days.
	MACR	OLIDES	
	azithromycin clarithromycin erythromycin	BIAXIN (clarithromycin) BIAXIN XL (clarithromycin) clarithromycin ER E.E.S. (erythromycin ethylsuccinate) E-MYCIN (erythromycin) ERYC (erythromycin) ERYPED (erythromycin ethylsuccinate) ERY-TAB (erythromycin) ERYTHROCIN (erythromycin stearate) erythromycin estolate PCE (erythromycin) ZITHROMAX (azithromycin) ZMAX (azithromycin)	Five (5) day trials each of the preferred agents are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



managed categories

This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 10/01/10

Version 2010.30a

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA				
MULTIPLE SCLER							
	AVONEX (interferon beta-1a) BETASERON (interferon beta-1b) REBIF (interferon beta-1a)	EXTAVIA (interferon beta-1b)	A 30-day trial of a preferred agent will be required before a non- preferred agent will be approved.				
	NON-INT	ERFERONS					
	COPAXONE (glatiramer)	AMPYRA (dalfampridine) ^{CL} * TYSABRI (natalizumab)	 A 30-day trial of the preferred agent will be required before a non-preferred agent will be approved. *Amypra will be prior authorized if the following conditions are met: Diagnosis of multiple sclerosis No history of seizures No evidence of moderate or severe renal impairment Initial prescription will be approved for 30 days only. Tysabri will only be approved for members who are enrolled in the TOUCH Prescribing Program. AP does not apply. 				
MUSCLE RELAXA	NTS (Oral) ^{₄⊳}						
	chlorzoxazone cyclobenzaprine methocarbamol	AMRIX (cyclobenzaprine) carisoprodol carisoprodol/ASA carisoprodol/ASA/codeine FEXMID (cyclobenzaprine) FLEXERIL (cyclobenzaprine)	Thirty (30) day trials of the preferred acute musculoskeletal relaxants are required before a non-preferred acute musculoskeletal agent will be approved, with the exception of carisoprodol.				

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



This is not an all-inclusive list of available covered drugs and includes only

managed categories

EFFECTIVE 10/01/10

Version 2010.30a

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		metaxalone methocarbamol/ASA orphenadrine orphenadrine/ASA/caffeine PARAFON FORTE DSC (chlorzoxazone) ROBAXIN (methocarbamol) SKELAXIN (metaxalone) SOMA (carisoprodol) SOMA COMPOUND (carisoprodol /ASA) SOMA COMP w/ COD (carisoprodol/ASA/ codeine)	Thirty (30) day trials of the preferred acute musculoskeletal relaxants and Skelaxin are required before carisoprodol will be approved.
	MUSCULOSKELETAL RELAXANT	AGENTS USED FOR SPASTICITY	
	baclofen dantrolene tizanidine	DANTRIUM (dantrolene) ZANAFLEX (tizanidine)	Thirty (30) day trials of the preferred skeletal muscle relaxants associated with the treatment of spasticity (are required before non- preferred agents will be approved unless one of the exceptions on the PA form is present.
	NON-SE	LECTIVE	
	diclofenac etodolac fenoprofen flurbiprofen ibuprofen (Rx and OTC) INDOCIN (indomethacin) (suspension only) indomethacin ketorolac naproxen (Rx only) oxaprozin piroxicam	ADVIL (ibuprofen) ANAPROX (naproxen) ANSAID (flurbiprofen) CAMBIA (diclofenac) CATAFLAM (diclofenac) CLINORIL (sulindac) DAYPRO (oxaprozin) FELDENE (piroxicam) INDOCIN (indomethacin) ketoprofen ketoprofen ER	Thirty (30) day trials of each of the preferred agents are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
non-preferred agents app appropriate dosing, duplic The use of pharmaceutical s authorization.	bly in addition to general Drug Utilization Review pol cation of therapy, etc. amples will not be considered when evaluating the r	udes all legend forms of that drug. OTC are not cover icy that is in effect for the entire pharmacy program, members' medial condition or prior prescription histo	including, but not limited to, pry for drugs that require prior

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>. ^{NR} – New drug has not been reviewed by P & T Committee



This is not an all-inclusive list of available covered drugs and includes only

managed categories

EFFECTIVE 10/01/10

Version 2010.30a

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	sulindac	LODINE (etodolac) meclofenamate mefenamic acid MOTRIN (ibuprofen) nabumetone NALFON (fenoprofen) NAPRELAN (naproxen) NAPROSYN (naproxen) NUPRIN (ibuprofen) ORUDIS (ketoprofen) PONSTEL (meclofenamate) tolmetin VOLTAREN (diclofenac) ZIPSOR (diclofenac potassium)	
	NSAID/GI PROTECT	ANT COMBINATIONS	
		ARTHROTEC (diclofenac/misoprostol) PREVACID/NAPRAPAC (naproxen/ lansoprazole) VIMOVO (naproxen/esomeprazole) ^{NR}	
	COX-II SE	ELECTIVE	
	CELEBREX (celecoxib) ^{CL} meloxicam	MOBIC (meloxicam)	Celebrex will be approved for treatment of a chronic condition if the patient is ≥70 years of age, or is currently on anticoagulation therapy, or has a history or risk of a serious GI complication.
OPHTHALMIC ANT			
	ciprofloxacin ofloxacin VIGAMOX (moxifloxacin) ZYMAR (gatifloxacin)	AZASITE (azithromycin) BESIVANCE (besifloxacin) CILOXAN (ciprofloxacin) OCUFLOX (ofloxacin)	Five (5) day trials of each of the preferred agents are required before non-preferred agents will be authorized unless one of the
•		udes all legend forms of that drug. OTC are not cove	•

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



A 10/01/10

Version 2010.30a

EFFECTIVE

This is not an all-inclusive list of available covered drugs and includes only

managed categories

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		QUIXIN (levofloxacin) ZYMAXID (gatifloxacin) ^{NR}	exceptions on the PA form is present.
			This class is limited to patients age 21 years and over. Age exceptions will be handled on a case-by-case basis.
OPHTHALMIC ANT	I-INFLAMMATORIES		
	flurbiprofen <mark>ketorolac 0.4%</mark> NEVANAC (nepafenac) XIBROM (bromfenac)	ACULAR LS/PF (ketorolac) ACUVAIL 0.45% (ketorolac tromethamine) ^{AP} diclofenac ^{AP} DUREZOL (difluprednate) ^{AP}	Five (5) day trials of each of the preferred ophthalmic anti- inflammatory agents are required before nonpreferred agents will be authorized unless one of the exceptions on the PA form is present.
OPHTHALMICS FO	R ALLERGIC CONJUNCTIVITIS		
	ALAWAY (ketotifen) ALREX (loteprednol) cromolyn ketorolac 0.5% OPTIVAR (azelastine) PATADAY (olopatadine) PATANOL (olopatadine) ZADITOR OTC (ketotifen)	ACULAR (ketorolac) ALAMAST (pemirolast) ^{AP} ALOCRIL (nedocromil) ^{AP} ALOMIDE (lodoxamide) ^{AP} azelastine BEPREVE (bepotastine) ^{AP} CROLOM (cromolyn) ^{AP} ELESTAT (epinastine) ^{AP} EMADINE (emedastine) ^{AP} ketotifen OPTICROM (cromolyn) ^{AP} ZYRTEC ITCHY EYE (ketotifen) ^{AP}	Thirty (30) day trials of each of two (2) of the preferred agents are required before non-preferred agents will be authorized, unless one of the exceptions on the PA form is present.

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



This is not an all-inclusive list of available covered drugs and includes only managed categories EFFECTIVE 10/01/10

Version 2010.30a

THERAPEUTIC	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
DRUG CLASS			
OPHTHALMICS, GI	LAUCOMA AGENTS		
		ON AGENTS	
	COMBIGAN (brimonidine/timolol) COSOPT (dorzolamide/timolol)	dorzolamide/timolol	Authorization for a non-preferred agent will only be given if there is an allergy to the preferred agents.
	BETA BL	OCKERS	
	betaxolol BETOPTIC S (betaxolol) carteolol levobunolol metipranolol timolol	BETAGAN (levobunolol) BETIMOL (timolol) ISTALOL (timolol) OPTIPRANOLOL (metipranolol) TIMOPTIC (timolol)	
	CARBONIC ANHY	DRASE INHIBITORS	
	AZOPT (brinzolamide) TRUSOPT (dorzolamide)	dorzolamide	
	PARASYMPA	THOMIMETICS	
	CARBOPTIC (carbachol) ISOPTO CARBACHOL (carbachol) PHOSPHOLINE IODIDE (echothiophate iodide) pilocarpine	ISOPTO CARPINE (pilocarpine) PILOPINE HS (pilocarpine)	
	PROSTAGLAN	IDIN ANALOGS	
	LUMIGAN (bimatoprost) TRAVATAN-Z (travoprost)	XALATAN (latanoprost)	
	SYMPATHO	OMIMETICS	
	ALPHAGAN P (brimonidine) brimonidine 0.2% dipivefrin	brimonidine 0.15% PROPINE (dipivefrin)	

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



EFFECTIVE 10/01/10

This is not an all-inclusive list of available covered drugs and includes only

managed categories

Version 2010.30a

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
OTIC FLUOROQUIN				
	CIPRODEX (ciprofloxacin/dexamethasone) ofloxacin	CIPRO HC (ciprofloxacin/hydrocortisone) CETRAXAL 0.2% SOLUTION (ciprofloxacin) FLOXIN (ofloxacin)	Five (5) day trials of each of the preferred agents are required before a non-preferred agent will be approved unless one of the exceptions on the PA form is present.	
PANCREATIC ENZ	YMES ^{ap}			
	CREON	PANCREAZE PANCRELIPASE 5000 ZENPEP ^{NR}	A thirty (30) day trial of the preferred agent is required before a non- preferred agent will be authorized unless one of the exceptions on the PA form is present. Non-preferred agents will be approved for members with cystic fibrosis.	
PARATHYROID AG	ENTS ^{AP}			
	calcitriol HECTOROL (doxercalciferol) vitamin d 2 (ergocalciferol) (Rx and OTC)* vitamin d 3 (cholecalciferol) (Rx and OTC)* ZEMPLAR (paricalcitol)	DRISDOL (ergocalciferol) ROCALTROL (calcitriol) SENSIPAR (cinacalcet)	A thirty (30) day trial of a preferred agent will be required before a non- preferred agent will be approved. *See Covered List	
PEDICULICIDES/SO	CABICIDES (Topical)			
	EURAX (crotamiton) OVIDE (malathion) permethrin (Rx and OTC) pyrethrins-piperonyl butoxide	lindane malathion 0.5% lotion ULESFIA 5% LOTION (benzyl alcohol)	Trials of the preferred agents (which are age and weight appropriate) are required before lindane will be approved unless one of the exceptions on the PA form is present.	
Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.				
		nembers' medial condition or prior prescription histo	bry for drugs that require prior	

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>. ^{NR} – New drug has not been reviewed by P & T Committee



EFFECTIVE 10/01/10

Version 2010.30a

This is not an all-inclusive list of available covered drugs and includes only

managed categories

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA			
PHOSPHATE BIND						
	FOSRENOL (lanthanum) PHOSLO (calcium acetate) RENAGEL (sevelamer) RENVELA (sevelamer carbonate)	calcium acetate ELIPHOS (calcium acetate)	Thirty (30) day trials of at least two preferred agents are required unless one of the exceptions on the PA form is present.			
PLATELET AGGRE						
	AGGRENOX (dipyridamole/ASA) cilostazol PLAVIX (clopidogrel)	dipyridamole EFFIENT (prasugrel) PERSANTINE (dipyridamole) PLETAL (cilostazol) TICLID (ticlopidine) ticlopidine	A thirty (30) day trial of a preferred agent is required before a non- preferred agent will be approved unless one of the exceptions on the PA form is present. Effient will be approved for acute coronary syndrome when it is to be managed by acute or delayed percutaneous coronary intervention (PCI). Three -day emergency supplies of Effient are available when necessary.			
PRENATAL VITAM	INS					
	prenatal vitamin 27 w/calcium/ferrous fumarate/folic acid prenatal vitamins 28 w/calcium/iron ps complex/folic acid prenatal vitamins/ferrous fumarate/docusate/folic acid prenatal vitamins/ferrous fumarate/folic acid prenatal vitamins/ferrous fumarate/folic acid/selenium prenatal vitamins/iron, carbonyl/folic acid prenatal vitamin no. 15/iron, carbonyl/folic acid/docusate sod	CARENATAL DHA CITRANATAL DHA COMBI RX FOLBECAL DUET/DUET DHA FOLTABS PLUS DHA NATACHEW NATAFORT NATELLE PLUS W/DHA NEEVO NOVANATAL OB-NATAL ONE	See posted list of covered NDCs.			

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



This is not an all-inclusive list of available covered drugs and includes only

managed categories

EFFECTIVE 10/01/10

Version 2010.30a

THERAPEUTIC PREFERRED AGENTS **NON-PREFERRED AGENTS PA CRITERIA DRUG CLASS** prenatal vitamin no. 16/iron, carbonyl/folic OPTINATE acid/docusate sod PRECARE/PRECARE PREMIER prenatal vitamin no. 17/iron, carbonyl/folic PREMESIS acid/docusate sod PRENATAL RX prenatal vitamin no. 18/iron, carbonyl/folic PRENATAL RX 1 acid/docusate sod PRENATAL U prenatal vitamin w-o calcium/ferrous prenatal vitamins/ferrous bis-glycinate fumarate/folic acid chelate/folic acid prenatal vitamin w-o vit a/fe carbonyl-fe prenatal vitamins/iron, carbonyl/omegafumarate/fa 3/FA/fat combo no. 1 prenatal vitamins comb no. 20/iron bisgly/folic acid/DHA prenatal vitamins no. 22/iron, carbonyl/FA/docusate/DHA prenatal vitamins w-CA, FE, FA (<1 mg) prenatal vitamins w-o calcium/iron ps complex/FA prenatal vitamins w-o CA no. 5/ferrous fumarate/folic acid prenatal vitamins CMB w-o CA no. 2 prenatal vitamins w-o calcium no. 9/iron/folic acid PRENATE DHA/PRENATE ELITE PRENAVITE PRENEXA PRIMACARE **RENATE/RENATE DHA** SELECT-OB TANDEM DHA/TANDEM OB **PROTON PUMP INHIBITORS**AP DEXILANT (dexlansoprazole)* ACIPHEX (rabeprazole) Sixty (60) day trials of each of the NEXIUM (esomeprazole) lansoprazole preferred agents, inclusive of a NEXIUM PACKETS (esomeprazole) concurrent thirty (30) day trial at the omeprazole maximum dose of an H₂ antagonist Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

^{NR} – New drug has not been reviewed by P & T Committee



This is not an all-inclusive list of available covered drugs and includes only

managed categories

EFFECTIVE 10/01/10

Version 2010.30a

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		omeprazole/sodium bicarbonate ^{NR} pantoprazole PREVACID capsules (lansoprazole) (Rx and OTC) PREVACID Solu-Tabs (lansoprazole) PRILOSEC (omeprazole) PROTONIX (pantoprazole) ZEGERID OTC (omeprazole)	are required before a non-preferred agent will be approved unless one of the exceptions on the PA form is present Prior authorization is not required for Prevacid Solu-Tabs for patients ≤8 years of age. *Formerly listed as KAPIDEX
PULMONARY ANTI			
	ENDOTHELIN RECEI	PTOR ANTAGONISTS	
	LETAIRIS (ambrisentan) TRACLEER (bosentan)		Letairis will be approved for the treatment of pulmonary artery hypertension (PAH) World Health Organization (WHO) Group I in patients with Class II or III symptoms to improve exercise capacity and decrease the rate of clinical deterioration. Tracleer will be approved for the treatment of pulmonary artery hypertension (PAH) (WHO Group I) in patients with World Health Organization (WHO) Class II, III, or IV symptoms to improve exercise capacity and decrease the rate of clinical deterioration.
	PD	E5s	
	REVATIO (sildenafil)	ADCIRCA (tadalafil)	A 14-day trial of the preferred agent is required before the non-preferred agent will be approved unless one of the exceptions on the PA form is present.

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



EFFECTIVE 10/01/10

Version 2010.30a

This is not an all-inclusive list of available covered drugs and includes only

managed categories

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	PROSTA	CYCLINS	
	epoprostenol VENTAVIS (iloprost)	FLOLAN (epoprostenol) REMODULIN (treprostinil sodium) TYVASO (treprostinil)	Ventavis will only be approved for the treatment of pulmonary artery hypertension (WHO Group 1) in patients with NYHA Class III or IV symptoms. Remodulin and Tyvaso will be approved only after a 30-day trial of Ventavis unless one of the exceptions on the PA form is present.
SEDATIVE HYPNO	TICS ^{AP}		
	BENZODI	AZEPINES	
	temazepam	DALMANE (flurazepam) DORAL (quazepam) estazolam flurazepam HALCION (triazolam) RESTORIL (temazepam) triazolam	Fourteen (14) day trials of the preferred agents in both categories are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
	OTH	IERS	
	zolpidem	AMBIEN (zolpidem) AMBIEN CR (zolpidem) chloral hydrate EDLUAR SL (zolpidem) LUNESTA (eszopiclone) ROZEREM (ramelteon) SILENOR (doxepin) ^{NR} SOMNOTE (chloral hydrate) SONATA (zaleplon) zaleplon	

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 10/01/10

Version 2010.30a

	and a		
mana	igea	categ	jories

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	RELATED AGENTS		
STINICLANTS AND			
	AMPRE ADDERALL XR (amphetamine salt combination) amphetamine salt combination dextroamphetamine VYVANSE (lisdexamfetamine)	ADDERALL (amphetamine salt combination) amphetamine salt combination ER DESOXYN (methamphetamine) DEXEDRINE (dextroamphetamine) DEXTROSTAT (dextroamphetamine) methamphetamine PROCENTRA (dextroamphetamine) ^{NR}	Except for Strattera, PA is required for adults >18 years. One of the preferred agents in each group (amphetamines and non- amphetamines) must be tried for thirty (30) days before a non- preferred agent will be authorized. Thirty (30) day trials of at least three (3) antidepressants are required before amphetamines will be approved for depression. Provigil will only be approved for patients >16 years of age with a diagnosis of narcolepsy. Strattera will not be approved for concurrent administration with amphetamines or methylphenidates, except for 30 days or less for tapering purposes. Strattera is
			limited to a maximum of 100mg per day.
	CONCERTA (methylphenidate) DAYTRANA (methylphenidate) FOCALIN (dexmethylphenidate) FOCALIN XR (dexmethylphenidate) METADATE CD (methylphenidate)	dexmethylphenidate INTUNIV (guanfacine) METADATE ER (methylphenidate) NUVIGIL (armodafinil) pemoline	Intuniv will be approved only after thirty (30) day trials of at least one preferred product from each stimulant class (amphetamines and non-amphetamines), as well as a

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



This is not an all-inclusive list of available covered drugs and includes only

managed categories

EFFECTIVE 10/01/10

Version 2010.30a

THERAPEUTIC	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
DRUG CLASS		NORTH REFERRED AGENTO	
	methylphenidate methylphenidate ER STRATTERA (atomoxetine)	PROVIGIL (modafinil) RITALIN (methylphenidate) RITALIN LA (methylphenidate) RITALIN-SR (methylphenidate)	trial of Strattera and generic guanfacine unless one of the exceptions on the PA form is present.
TETRACYCLINES	2		
	doxycycline hyclate minocycline capsules tetracycline	ADOXA (doxycycline monohydrate) demeclocycline* DORYX (doxycycline hyclate) doxycycline hyclate delayed release doxycycline monohydrate DYNACIN (minocycline) MINOCIN (minocycline) minocycline SR capsules minocycline tablets MONODOX (doxycycline monohydrate) ORACEA (doxycycline monohydrate) SOLODYN (minocycline) SUMYCIN (tetracycline) VIBRAMYCIN SYRUP (doxycycline calcium) VIBRAMYCIN (doxycycline hyclate) VIBRAMYCIN (doxycycline monohydrate) VIBRAMYCIN (doxycycline monohydrate) VIBRAMYCIN (doxycycline monohydrate)	A ten-day trial of each of the preferred agents is required before a non-preferred agent will be approved. *Demeclocycline will be approved for conditions caused by susceptible strains of organisms designated in the product information supplied by the manufacturer. A C&S report must accompany this request. *Demeclocycline will also be approved for SIADH.
ULCERATIVE COLI	TIS AGENTS ^{AP}		
	OR		
	APRISO (mesalamine) ASACOL (mesalamine) 400mg COLAZAL (balsalazide) DIPENTUM (olsalazine) PENTASA (mesalamine) 250mg sulfasalazine	ASACOL HD (mesalamine) 800mg AZULFIDINE (sulfasalazine) balsalazide LIALDA (mesalamine) PENTASA (mesalamine) 500mg	Thirty (30) day trials of each of the preferred agents of a dosage form must be tried before a non-preferred agent of that dosage form will be authorized unless one of the exceptions on the PA form is present.

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee



EFFECTIVE 10/01/10

This is not an all-inclusive list of available covered drugs and includes only managed categories Version 2010.30a

THERAPEUTIC PREFERRED AGENTS **NON-PREFERRED AGENTS PA CRITERIA DRUG CLASS** RECTAL CANASA (mesalamine) mesalamine SF ROWASA (mesalamine) **VAGINAL ANTIBACTERIALS** A trial, the duration of the clindamycin cream AVC (sulfanilamide) METROGEL (metronidazole) CLEOCIN CREAM (clindamycin) manufacturer's recommendation, of CLEOCIN OVULE (clindamycin) each of the preferred agents is CLINDESSE (clindamycin) required before a non-preferred metronidazole agent will be approved unless one VANDAZOLE (metronidazole) of the exceptions on the PA form is present. **MISC BRAND/GENERIC TRANSDERMAL CLONIDINE** CATAPRES-TTS (clonidine) clonidine patch Thirty (30) day trials each of the preferred agents, in the corresponding therapeutic category, are required before a non-preferred agent will be authorized. **MEGESTROL** MEGACE ES (megestrol) MEGACE (megestrol) megestrol SUBLINGUAL NITROGLYCERIN nitroglycerin sublingual NITROLINGUAL (nitroglycerin) NITROSTAT SUBLINGUAL (nitroglycerin) NITROMIST (nitroglycerin) **OCTREOTIDE** octreotide SANDOSTATIN (octreotide)

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

^{NR} – New drug has not been reviewed by P & T Committee



This is not an all-inclusive list of available covered drugs and includes only managed categories EFFECTIVE 10/01/10

Version 2010.30a

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	COLLAG	GENASE	
	SANTYL (collagenase)		
	EPINEF	PHRINE	
	TWINJECT (epinephrine) EPIPEN (epinephrine)		
	ORAL CONT	RACEPTIVES	
	YASMIN (ethinyl estradiol/drospirenone)	Gianvi (ethinyl estradiol/drospirenone) Ocella (ethinyl estradiol/drospirenone) YAZ (ethinyl estradiol/drospirenone)	
	SUBSTANCE ABU	ISE TREATMENTS	
	SUBOXONE (buprenorphine) ^{CL}		Suboxone PA criteria is available at http://www.wvdhhr.org/bms/sPharm acy/drugs/drugs_Suboxone_Subute x.pdf

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.

The use of pharmaceutical samples will not be considered when evaluating the members' medial condition or prior prescription history for drugs that require prior authorization.

^{CL} – Requires Clinical PA. For detailed clinical criteria, please refer to: <u>http://www.wvdhhr.org/bms/sPharmacy/Drugs/bms_drugs_main.asp</u>.

 $^{\sf NR}$ – New drug has not been reviewed by P & T Committee