





In Honor of
Those We Have Lost, Those Who
Have Lost Their Loved Ones and
Those Who Struggle with Suicide

Barri Sky Faucett, MA

words matter.





The way
we talk
about suicide
matters.

The way we speak about suicide can be healing or harmful.



TERMS TO USE	AVOID	WHY?
Died by suicide Took his/her/their own life Killed himself/herself/their self	Successful suicide Completed suicide	Because it suggests suicide is a desired outcome
Took his/her/their own life Died by suicide	Committed suicide	Because it associates suicide with crime or sin
Increasing rates Higher rates	Suicide epidemic	Because it sensationalizes suicide
Suicide attempt	Failed suicide attempt	Because it can glamorize suicide
Refrain from using the term 'suicide' out of context	Political suicide suicide mission	Because it is an inaccurate use of the term "suicide"



- Ranks as the 10th leading cause of death in the United States
- In 2020 45,855 individuals died by suicide in the United States
- Decrease 2 subsequent years for the first time in over 30 years

2019- **47,511**- 3% decrease

2018-**48,344**- 2% decrease

 In 2019, WV ranked 16th in the US in suicide deaths.

2018-7th in the Nation

 In 2019, there were 330 deaths by suicide
 Decrease from 2018-403

 In WV 18.4 people per 100,000 vs US rate of 14.5



Identifying and Using Data: Sources

- Centers for Disease Control & Prevention (CDC):
 - National Violent Death
 Reporting System (NVDRS)
 https://www.cdc.gov/violence
 prevention/datasources/nvdrs/
 - Web-based Injury Statistics
 Query and Reporting System
 (WISQARS)
 https://www.cdc.gov/injury/wisqars/
 - Youth Risk Behavior Survey
 (YRBS)
 https://www.cdc.gov/healthyy
 outh/data/yrbs/index.htm


National Syndromic Surveillance Program's BioSense Platform ESSENCE* Surveillance Tool


Vital Statistics (State Health Departments)


Child Fatality Review Team (State)


Domestic Violence Fatality Review Team (State)


Local Reports















^{*}Rate is unreliable when it is calculated with a numerator of 20 or less.

Data source: Centers for Disease Control and Prevention, National Center for Health Statistics. Underlying Cause of Death 1999-2019 on CDC WONDER Online Database, released in 2020. Data are from the Multiple Cause of Death Files, 1999-2019, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program



Data Source: West Virginia Health Statistics Center, Vital Statistics System Rates based on 10 or fewer events are suppressed due to low statistical reliability



Source: West Virginia Health Statistics Center,

Vital Statistics Center, March 2021 Note: 2019 data are preliminary

Application of Data

- Geographical Locations Maps
- Targeted efforts to age populations
- Means Campaigns
- Targeted training
- Program Implementation



Prevent Suicide WV

Prevent Suicide WV is the statewide suicide prevention program, funded through the Bureau for Behavioral Health (BBH) as a result of SAMHSA's Garrett Lee Smith Memorial and State Opioid Response grants.

It provides an array of services to a lifespan population including, but not limited to:

- Suicide prevention and intervention education
- Implementation of evidence-based programs and best practices
- Improving identification, referral, and engagement interventions for at-risk individuals
- Providing for technical assistance and consultation services for suicide prevention, intervention, and postvention measures across systems and agencies
- Building organizations' capacity to deliver coordinated care
- Working towards producing a statewide infrastructure for culturally competent, caring, comprehensive, sustainable suicide prevention, intervention, and follow-up system of care




National Models: SAMHSA's National Strategy for Suicide Prevention; Zero Suicide





Regional Intervention Specialists



#KEEPGOING- Meet people Where They Are

Dissemination Efforts

- Carryout Orders
- Food Pantries
- Blessing Boxes
- SSAC Basketball

YOU CAN DO HARD THINGS

you've survived 100% of your toughest days

this is a reminder

YOU MATTER





#KEEPGOING Adapting Training Strategies During COVID-19

Virtual Presentations

- Camera on
- Partner to monitor chat
- Acknowledgment of resources prior to training

Virtual Trainings for Youth – Signs of Suicide

- Camera on
- Small groups
- Trusted adult to monitor chat
- Acknowledgment of resources prior to training
- Referral mechanism for at-risk youth identified



In-person trainings

ASIST; safeTALK


Follow CDC Guidelinesphysical distancing, temperature checks, etc.

Use individual slips for activities versus shared materials




The objectives of the Regional Youth Suicide Intervention Specialist program are:


- Increase the implementation of suicide prevention evidence-based practices
- Improve identification, referral, and engagement interventions for youths and young adults aged 10-24
- Increase the number of youths and youth-serving agencies that implement screening and gatekeeping programs
- Build the capacity of organizations serving vulnerable subpopulations to deliver coordinated care effectively
- Provide follow-up services to attempt survivors and their families




Data Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Underlying Cause of Death 1999-2019 on CDC WONDER Online Database, released in 2020. Data are from the Multiple Cause of Death Files, 1999-2019, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program. Accessed at http://wonder.cdc.gov/ucd-icd10.htm





Data Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Underlying Cause of Death 1999-2019 on CDC WONDER Online Database, released in 2020. Data are from the Multiple Cause of Death Files, 1999-2019, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program. Accessed at http://wonder.cdc.gov/ucd-icd10.htm













Monthly Data Counts WV Emergency Department Visits for Suicide Attempt, Ideation Jan 2020 - Dec 2020 Ages 12 -25



Data Source: National Syndromic Surveillance Program


Follow-up Caring Contacts

- Timeline- within 24-72 hours
- Methods:
 - Texts
 - Phone Calls
 - Postcards
 - Letters





Suicide Care Pathway



Surviving SUICIDE Loss

Grief is LOVE... with no place to go.

a place of understanding for SURVIVORS of Suicide Loss

THE KEEPING ROOM

GRIEF SUPPORT GROUP

A GUIDED GRIEF SUPPORT GROUP - ALONGSIDE OTHERS WHO UNDERSTAND



Websites

www.preventsuicidewv.com

www.suicidepreventionlifeline.org

www.sprc.org

www.help4wv.com

www.meansmatter.org

www.thetrevorproject.org

www.Zerosuicide.org

www.mantherapy.org

www.jedfoundation.org

www.glsen.org





1-844-**HELP4WV**







Resources





BARRI FAUCETT, MA

Executive Director barri.faucett@prestera.org 304.415.5787

