REVISED 7/5/05 Reposted: 7/6/05 Originally Posted 6/9/05

THERAPEUTIC DRUG CLASS PREFERRED AGENTS NON-PREFERRED AGENTS PA ACE INHIBITORS ACCUPRIL (quinapril) Four of the preferred agent will be author before a non-preferred agent will be author	
ACEON (perindopril) ACCUPRIL (quipapril) before a non-preferred agent will be author	or at least 30 days each
	rized unless one of the
Implement 1/3/05 ALTACE (ramipril) CAPOTEN (captopril) exceptions on the PA form is present.	
benazepril fosinopril	
captopril LOTENSIN (benazepril)	
enalapril MONOPRIL (fosinopril)	
lisinopril PRINIVIL (lisinopril)	
MAVIK (trandolapril) quinapril	
moexepril VASOTEC (enalapril)	
UNIVASC (moexepril) ZESTRIL (lisinopril)	
ACE INHIBITOR/DIURETIC COMBINATIONS	
benazepril/HCTZ ACCURETIC (quinapril/HCTZ)	
captopril/HCTZ CAPOZIDE (captopril/HCTZ)	
enalapril/HCTZ LOTENSIN HCT (benazepril/HCTZ)	
lisinopril/HCTZ MONOPRIL HCT (fosinopril/HCTZ)	
UNIRETIC (moexepril/HCTZ) PRINZIDE (lisinopril/HCTZ)	
quinapril/HCTZ	
VASERETIC (enalapril/HCTZ)	
ZESTORETIC (lisinopril/HCTZ)	
ACE INHIBITOR/CALCIUM LOTREL (benazepril/amlodipine) LEXXEL (enalapril/felodipine) Each of the preferred agents must be tried for	
CHANNEL BLOCKER TARKA (trandolapril/verapamil) before a non-preferred agent in that group woone of the exceptions on the PA form is prese	
Effective 7/1/05	
ALZHEIMER'S AGENTS CHOLINESTERASE INHIBITORS Patients starting therapy in this class must	st show a documented
ARICEPT (donepezil) COGNEX (tacrine) allergy to the preferred agents before a non	
Implement 10/1/04 EXELON (rivastigmine) RAZADYNE ER (galantamine) ^{NR} authorized.	1
RAZADYNE (galantamine)	
REMINYL (galantamine)	
NMDA RECEPTOR ANTAGONIST	
NAMENDA (memantine)	

REVISED 7/5/05 Reposted: 7/6/05 Originally Posted 6/9/05

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
ANALGESICS, NARCOTIC	SHORT ACTING		Three of the preferred agents must be tried for at least 72 hours
(Non-parenteral)	acetaminophen/codeine	ACTIQ (fentanyl)	before a non-preferred agent will be authorized unless one of the
	aspirin/codeine	ANEXSIA (hydrocodone/APAP)	exceptions on the PA form is present. (The three agents tried must include at least one of the long-acting agents when requesting a PA
Effective 7/1/05	codeine	BANCAP HC (hydrocodone/APAP)	for a non-preferred long acting agent.)
	hydrocodone/APAP	butalbital/APAP/caffeine/codeine	
	hydrocodone/ibuprofen	butalbital/ASA/caffeine/codeine	Actig will only be approved as an adjunct to a long-acting agent. No
	hydromorphone	COMBUNOX (oxycodone/ibuprofen) ^{NR}	Actiq for monotherapy will be approved.
	levorphanol	DARVOCET (propoxyphene/APAP)	
	methadone	DARVON (propoxyphene)	Limits: Quantities exceeding 240 tablets per 30 days (8 tablets/day)
	morphine	DARVON N (propoxyphene)	for agents containing 500 mg of acetaminophen will require a prior
	oxycodone	DEMEROL (meperidine)	authorization
	oxycodone/APAP	DILAUDID (hydromorphone)	
	oxycodone/aspirin	FIORICET W/ CODEINE	
	pentazocine/APAP	(butalbital/APAP/caffeine/codeine)	
	pentazocine/naloxone	FIORINAL W/ CODEINE	
	propoxyphene/APAP	(butalbital/ASA/caffeine/codeine)	
	tramadol	LORCET, LORTAB (hydrocodone/APAP)	
	tramadol/APAP	MAXIDONE (hydrocodone/APAP)	
		meperidine	
		MSIR (morphine)	
		NORCO (hydrocodone/APAP)	
		OXYFAST, OXYIR (oxycodone) PANLOR (dihydrocodeine/APAP/caffeine)	
		PERCOCET (oxycodone/APAP)	
		PERCODAN (oxycodone/aspirin)	
		PERCOLONE (oxycodone)	
		PHRENILIN W/ CAFFEINE AND CODEINE	
		(butalbital/ASA/caffeine/codeine)	
		propoxyphene	
		propoxyphene/ASA/caffeine	
		propoxyphene napsylate	
		REPREXAIN (hydrocodone/ibuprofen)	
		SYNALGOS-DC (dihydrocodeine/ASA/caffeine)	
		TALACEN (pentazocine/APAP)	
		TALWIN NX (pentazocine/naloxone)	
		TYLENOL W/CODEINE (APAP/codeine)	

REVISED 7/5/05 Reposted: 7/6/05 Originally Posted 6/9/05

			Originally Posted 6/9/05
THERAPEUTIC	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA
DRUG CLASS	AGEN13		CRITERIA
		ULTRACET (tramadol/APAP)	
		ULTRAM (tramadol)	
		VICODIN (hydrocodone/APAP)	
		VICOPROFEN (hydrocodone/ibuprofen)	
		ZYDONE (hydrocodone/APAP)	
		LONG-ACTING	
	DURAGESIC (fentanyl)	AVINZA (morphine)	
	KADIAN (morphine)	fentanyl patches	
	morphine SR	MS CONTIN (morphine)	
		ORAMORPH SR (morphine)	
		oxycodone ER	
		OXYCONTIN (oxycodone)	
		PALLADONE (hydromorphone ER)	
ANGIOTENSIN II RECEPTOR	ANGIOTEN	SIN RECEPTOR BLOCKERS	Each of the preferred agents in the corresponding group must be tried
BLOCKERS (ARBs)	AVAPRO (irbesartan)	ATACAND (candesartan)	for at least two weeks each before a non-preferred agent in that group
	COZAAR (losartan)	BENICAR (olmesartan)	will be authorized, unless one of the exceptions on the PA form is
Effective 7/1/05	DIOVAN (valsartan)	TEVETEN (eprosartan)	present.
	MICARDIS (telmisartan)		
	ARB/DI	JRETIC COMBINATIONS	
	AVALIDE (irbesartan/HCTZ)	ATACAND-HCT (candesartan/HCTZ)	
	DIOVAN-HCT (valsartan/HCTZ)	BENICAR-HCT (olmesartan/HCTZ)	
	HYZAAR (losartan/HCTZ)	TEVETEN-HCT (eprosartan/HCTZ)	
	MICARDIS-HCT (telmisartan/HCTZ)		
ANTICOAGULANTS,	FRAGMIN (dalteparin)	ARIXTRA (fondaparinux)	A non-preferred agent will only be authorized if one of the exceptions
	LOVENOX (enoxaparin)	INNOHEP (tinzaparin)	on the PA form is present for each preferred agent.
Effective 7/1/05			
ANTIDEPRESSANTS, OTHER	bupropion SR	bupropion IR	A non-preferred agent will only be authorized if there has been a six-
(non-SSRI)	CYMBALTA (duloxetine)	DESYREL (trazodone)	week trial of a preferred agent in this class unless one of the
	EFFEXOR XR (venlafaxine)	EFFEXOR (venlafaxine)	exceptions on the PA form is present.
Effective 7/1/05	mirtazapine	nefazodone	
	trazodone	REMERON (mirtazapine)	
		SERZONE (nefazodone)	
		WELLBUTRIN (bupropion)	
		WELLBUTRIN SR (bupropion)	
		WELLBUTRIN XL (bupropion)	

REVISED 7/5/05 Reposted: 7/6/05 Originally Posted 6/9/05

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
ANTIDEPRESSANTS, SSRIs	citalopram	CELEXA (citalopram)	None of the non-preferred dosage forms will be authorized unless
	fluoxetine	LUVOX (fluvoxamine)	there is documentation showing that the preferred dosage forms of
Implement 1/3/05	fluvoxamine	paroxetine	the corresponding agents are inappropriate for the patient.
	LEXAPRO (escitalopram)	PAXIL (paroxetine)	
	ZOLOFT (sertraline)	PAXIL CR (paroxetine)	
		PEXEVA (paroxetine)	
		PROZAC (fluoxetine)	
		RAPIFLUX (fluoxetine)	
		SARAFEM (fluoxetine)	
ANTIEMETICS	5HT3 REC	EPTOR BLOCKERS	A trial of the preferred agent is required before a non-preferred agent
(Oral)	ZOFRAN (ondansetron)	ANZEMET (dolasetron)	will be approved unless one of the exceptions on the PA form is
	ZOFRAN ODT (ondansetron)	EMEND (aprepitant)	present.
Implement 4/1/04		KYTRIL (granisetron)	
			Quantity limits apply for this drug class.
ANTIFUNGALS, ORAL	clotrimazole	ANCOBON (flucytosine)	Non-preferred agents will be approved only if one of the exceptions on the PA form is present.
	fluconazole	DIFLUCAN (fluconazole)	the PA form is present.
Implement 1/3/05	ketoconazole ^{CL}	FULVICIN (griseofulvin)	RA is required when limits are exceeded
	LAMISIL (terbinafine) ^{CL}	GRIFULVIN V (griseofulvin)	PA is required when limits are exceeded.
	MYCOSTATIN Pastilles (nystatin)	GRISACTIN (griseofulvin)	PA is not required for Grifulvin-V Suspension for children up to 6
	nystatin	griseofulvin	years of age.
		GRIS-PEG (griseofulvin)	you o o ugo.
		MYCELEX (clotrimazole)	
		MYCOSTATIN Tablets (nystatin)	
		NIZORAL (ketoconazole)	
		SPORANOX (itraconazole)	
		VFEND (voriconazole)	
ANTIFUNGALS, TOPICAL			Three of the preferred agents must be tried for at least two weeks each before one of the non-preferred agents will be authorized unless
	EXELDERM (sulconazole)	ciclopirox	one of the exceptions on the PA form is present.
Implement 1/3/05	ketoconazole	econazole	
	LOPROX Cream, Gel, Shampoo (ciclopirox)	ERTACZO (sertaconazole)	
	MENTAX (butenafine)	LOPROX TS (ciclopirox)	
	NAFTIN (naftifine)	MYCOSTATIN (nystatin)	
	nystatin	NIZORAL (ketoconazole)	
	OXISTAT (oxiconazole)	PENLAC (ciclopirox)	
		SPECTAZOLE (econazole)	

REVISED 7/5/05 Reposted: 7/6/05 Originally Posted 6/9/05

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ANTIFUNGAL/STEROID COMBINATIONS		
	nystatin/triamcinolone	clotrimazole/betamethasone	
		LOTRISONE (clotrimazole/betamethasone)	
		MYCOLOG (nystatin/triamcinolone)	
ANTIHISTAMINES,	AN	TIHISTAMINES	A preferred agent must be tried before a non-preferred agent will be
MINIMALLY SEDATING	loratadine	ALLEGRA (fexofenadine)	authorized unless one of the exceptions on the PA form is present.
	CLARINEX Syrup (desloratadine)	CLARINEX tablets (desloratadine)	
Effective 7/1/05	ALAVERT (loratadine)	CLARITIN (loratadine)	
	TAVIST-ND (loratadine)	ZYRTEC (cetirizine)	
	ANTIHISTAMINE/DEC	CONGESTANT COMBINATIONS	
	ALAVERT D (loratadine/psuedoephedrine)	ALLEGRA-D (fexofenadine/pseudoephedrine)	
	loratadine/pseudoephedrine	CLARITIN-D (loratadine/pseudoephedrine)	
		ZYRTEC-D (cetirizine/pseudoephedrine)	
ANTIMIGRAINE AGENTS,	AXERT (almotriptan)	AMERGE (naratriptan)	Two of the oral agents must be tried before a non-preferred agent will
TRIPTANS	IMITREX Injection (sumatriptan)	FROVA (frovatriptan)	be approved, unless one of the exceptions on the PA form is present.
	MAXALT (rizatriptan)	IMITREX Nasal (sumatriptan)	
Effective 7/1/05	ZOMIG (zolmitriptan)	IMITREX Tablets (sumatriptan)	Quantity limits apply for this drug class.
		RELPAX (eletriptan)	
ANTIPARKINSON'S AGENTS	ANTICHOLINERGICS		Patients starting therapy on drugs in this class must show a
(Oral)	benztropine	COGENTIN (benztropine)	documented allergy to all of the preferred agents before a non-
	KEMADRIN (procyclidine)		preferred agent will be authorized.
Implement 10/1/04	trihexyphenidyl		
	COM	IT INHIBITORS	
	COMTAN (entacapone)	TASMAR (tolcapone)	
	DOPA	MINE AGONISTS	
	MIRAPEX (pramipexole)	pergolide	
	REQUIP (ropinirole)	PERMAX (pergolide)	
	OTHER ANTI	PARKINSON'S AGENTS	
	LARODOPA (levodopa)	ELDEPRYL (selegiline)	
	levodopa/carbidopa	SINEMET (levodopa/carbidopa)	
	selegiline		
	STALEVO		
	(levodopa/carbidopa/entacapone)		

REVISED 7/5/05 Reposted: 7/6/05 Originally Posted 6/9/05

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIPSYCHOTICS,		ORAL	Upon discharge, hospitalized patients stabilized on non-preferred
ATYPICAL	clozapine	ABILIFY (aripiprazole)	agents will receive authorization to continue these drugs.
(Oral)	GEODON (ziprasidone)	CLOZARIL (clozapine)	
	RISPERDAL (risperidone)	FAZACLO (clozapine) ^{NR}	New patients for this class of drugs will be required to try a preferred
Implement 10/1/04	SEROQUEL (quetiapine)	ZYPREXA (olanzapine)	agent for two weeks unless one of the exceptions on the PA form is present.
		INJECTABLE	present.
		GEODON (ziprasidone) ^{NR}	
		RISPERDAL CONSTA (risperidone) ^{NR}	
		ZYPREXA (olanzapine) ^{NR}	
	ATYPICAL A	ANTIPSYCHOTIC/SSRI COMBINATIONS	
1		SYMBYAX (olanzapine/fluoxetine)	
ANTIVIRALS	acyclovir	CYTOVENE (ganciclovir)	All of the appropriate preferred agents with the applicable indication
(Oral)	amantadine	FLUMADINE (rimantadine)	must be tried before the non-preferred agents will be authorized
	FAMVIR (famciclovir)	ganciclovir	unless one of the exceptions on the PA form is present.
Implement 10/1/04	rimantadine	RELENZA (zanamivir)	
	VALTREX (valacyclovir)	SYMMETREL (amantadine)	
		TAMIFLU (oseltamivir)	
		VALCYTE (valganciclovir)	
		ZOVIRAX (acyclovir)	
ANXIOLYTICS	alprazolam	ATIVAN (lorazepam)	All of the preferred agents in the class must be tried before a non-
(Oral)	buspirone	BUSPAR (buspirone)	preferred agent will be authorized unless one of the exceptions on the
	chlordiazepoxide	clorazepate (Tranxene)	PA form is present.
Implement 1/2/04	diazepam	EQUANIL (meprobamate)	Xanax XR will only be approved for patients with a documented
	lorazepam	LIBRIUM (chlordiazepoxide)	diagnosis of panic disorder and for whom compliance is an issue.
	oxazepam	meprobamate	
		SERAX (oxazepam)	
		TRANXENE (clorazepate)	
		VALIUM (diazepam)	
		XANAX (alprazolam)	
		XANAX XR (alprazolam)	
ATOPIC DERMATITIS	ELIDEL (pimecrolimus)	PROTOPIC (tacrolimus)	The preferred agent must be tried for at least 30 days before the non- preferred agent will be authorized.
Implement 4/1/04			

REVISED 7/5/05 Reposted: 7/6/05 Originally Posted 6/9/05

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BETA BLOCKERS	BET	A BLOCKERS	If one of the exceptions on the PA form is present or if the physician
(Oral)	atenolol	acebutolol	feels that the patient cannot be stabilized with any of the preferred
	INDERAL LA (propranolol)	BETAPACE (sotalol)	agents, one of the non-preferred agents will be approved.
Effective 7/1/05	INNOPRAN XL (propranolol)	betaxolol	
	metoprolol	bisoprolol	
	nadolol	BLOCADREN (timolol)	
	propranolol	CARTROL (carteolol)	
	sotalol	CORGARD (nadolol)	
	timolol	KERLONE (betaxolol)	
	TOPROL XL (metoprolol)	LEVATOL (penbutolol)	
		LOPRESSOR (metoprolol)	
		pindolol	
		SECTRAL (acebutolol)	
		TENORMIN (atenolol)	
		ZEBETA (bisoprolol)	
	BETA- AND	ALPHA- BLOCKERS	
	COREG (carvedilol)	NORMODYNE (labetalol)	
	labetalol	TRANDATE (labetalol)	
BLADDER RELAXANT	DITROPAN XL (oxybutynin)	DETROL (tolterodine)	Two chemical entities in the class must be tried before a non-
PREPARATIONS	ENABLEX (darifenacin)	DETROL LA (tolterodine)	preferred agent will be authorized, unless one of the exceptions on
	oxybutynin	DITROPAN (oxybutynin)	the PA form is present.
Effective 7/1/05	OXYTROL (oxybutynin)	SANCTURA (trospium)	
		VESICARE (solifenacin)	
BONE RESORPTION	BISPI	HOSPHONATES	Forteo will be approved for patients with a history of osteoporotic
	fractures or if one of the exceptions on the PA form is present.		
RELATED AGENTS	DIDRONEL (etidronate)		
Implement 10/1/04	FOSAMAX (alendronate)		
	FOSAMAX PLUS D (alendronate/vitamin D)		
	OTHER BONE RESORPTION	SUPPRESSION AND RELATED AGENTS	
	EVISTA (raloxifene)	FORTEO (teriparatide)	
	MIACALCIN (calcitonin)		

REVISED 7/5/05 Reposted: 7/6/05 Originally Posted 6/9/05

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BPH AGENTS			One of the preferred agents must be tried before a non-preferred
	doxazosin	CARDURA (doxazosin)	agent will be authorized unless one of the exceptions on the PA form is present.
Effective 7/1/05	FLOMAX (tamsulosin)	HYTRIN (terazosin)	is present.
	terazosin		
	UROXATRAL (alfuzosin)		
	5-ALPHA-RE	DUCTASE (5AR) INHIBITORS	
	PROSCAR (finasteride)	AVODART (dutasteride)	
BRONCHODILATORS,	Al	NTICHOLINERGIC	The preferred agents in the class must be tried before the non-
ANTICHOLINERGIC	ATROVENT Inhaler (ipratropium)	ATROVENT Inhalation Solution (ipratropium)	preferred agent will be authorized unless one of the exceptions on the
	ATROVENT HFA (ipratropium)		PA form is present.
Implement 1/3/05	ipratropium		
	SPIRIVA (tiotropium)		
	ANTICHOLINERGI	C-BETA AGONIST COMBINATIONS	
	COMBIVENT (albuterol/ipratropium)		
	DUONEB (albuterol/ipratropium)		
BRONCHODILATORS, BETA	INHALERS, SHORT-ACTING		All of the preferred agents in a group must be tried before a nor
AGONIST	albuterol	ALUPENT (metaproterenol)	preferred agent in that group will be authorized unless one of the
	MAXAIR (pirbuterol)	PROVENTIL (albuterol)	exceptions on the PA form is present.
Implement 1/3/05	PROVENTIL HFA (albuterol)	VENTOLIN HFA (albuterol)	
	INHA	LERS, LONG-ACTING	
	FORADIL (formoterol)		
	SEREVENT (salmeterol)		
	INHA	ALATION SOLUTION	
	ACCUNEB (albuterol)	metaproterenol	
	albuterol	PROVENTIL (albuterol)	
	XOPENEX (levalbuterol)		
		ORAL	
	albuterol	BRETHINE (terbutaline)	
	terbutaline	metaproterenol	
		VOSPIRE ER (albuterol)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} - Requires Clinical PA ^{NR} – New drug has not been reviewed by P & T Committee

REVISED 7/5/05 Reposted: 7/6/05 Originally Posted 6/9/05

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
CALCIUM CHANNEL	SH	ORT-ACTING	One of the preferred agents must be tried before a non-prefe	
BLOCKERS	diltiazem	ADALAT (nifedipine)	agent will be authorized unless one of the exceptions on the PA form	
(Oral)	verapamil	CALAN (verapamil)	is present.	
		CARDENE (nicardipine)	Nime divise will be expressed with the expression diverse	
Effective 7/1/05		CARDIZEM (diltiazem)	Nimodipine will be approved with the appropriate diagnosis.	
		DYNACIRC (isradipine)		
		nicardipine		
		nifedipine		
		NIMOTOP (nimodipine)		
		PROCARDIA (nifedipine)		
	LC	NG-ACTING		
	CARDIZEM LA (diltiazem)	ADALAT CC (nifedipine)		
	diltiazem	CALAN SR (verapamil)		
	DYNACIRC CR (isradipine)	CARDENE SR (nicardipine)		
	felodipine	CARDIZEM CD (diltiazem)		
	nifedipine	CARDIZEM SR (diltiazem)		
	SULAR (nisoldipine)	COVERA-HS (verapamil)		
	verapamil	DILACOR XR (diltiazem)		
	VERELAN PM (verapamil)	ISOPTIN SR (verapamil)		
		NORVASC (amlodipine)		
		PLENDIL (felodipine)		
		PROCARDIA XL (nifedipine)		
		TIAZAC (diltiazem)		
		VERELAN (verapamil)		
CEPHALOSPORINS AND		TAMASE INHIBITOR COMBINATIONS	The preferred agents must be tried before a non-preferred agent will	
RELATED ANTIBIOTICS	amoxicillin/clavulanate	AUGMENTIN (amoxicillin/clavulanate)	be authorized unless one of the exceptions on the PA form is present.	
(Oral)	AUGMENTIN XR (amoxicillin/clavulanate)	AUGMENTIN ES-600 (amoxicillin/clavulanate)		
Implement 4/1/04				

REVISED 7/5/05 Reposted: 7/6/05 Originally Posted 6/9/05

THERAPEUTIC	PREFERRED AGENTS	NON-PREFERRED AGENTS	РА
DRUG CLASS			CRITERIA
	CEDAX (ceftibuten)	CECLOR (cefaclor)	
	cefaclor	CEFTIN (cefuroxime)	
	cefadroxil	DURICEF (cefadroxil)	
	cefpodoxime	KEFLEX (cephalexin)	
	CEFZIL (cefprozil)	PANIXINE (cephalexin) ^{NR}	
	cephalexin	RANICLOR (cefaclor) ^{NR}	
	cephradine	SUPRAX (cefixime)	
	OMNICEF (cefdinir)	VANTIN (cefpodoxime)	
	SPECTRACEF (cefditoren)	VELOSEF (cephradine)	
ERYTHROPOIESIS STIMULATING PROTEINS ^{CL}	ARANESP (darbepoetin)	EPOGEN (rHuEPO)	The preferred agents must be tried before a non-preferred agent will
STIMULATING PROTEINS	PROCRIT (rHuEPO)		be authorized unless one of the exceptions on the PA form is present.
Implement 7/1/05			
ESTROGEN AGENTS,		ORAL	The preferred agents of a dosage form must be tried for at least 90
COMBINATIONS	ACTIVELLA (17ß-estradiol/norethindrone		days before a non-preferred agent of that dosage form will be
	acetate)		authorized unless one of the exceptions on the PA form is present.
Implement 7/1/05	FEMHRT (EE/norethindrone acetate)		
,	PREFEST (17ß-estradiol/norgestimate)		
	PREMPHASE (CE/MPA)		
	PREMPRO (CE/MPA)		
		TOPICAL	
	COMBIPATCH (17ß-estradiol/norethindrone	CLIMARA PRO (estradiol/levonorgestrel)	
	acetate)		
FLUROQUINOLONES, ORAL	ciprofloxacin	AVELOX (moxifloxacin)	The preferred agents must be tried before a non-preferred agent will
	LEVAQUIN (levofloxacin)	CIPRO (ciprofloxacin)	be authorized unless one of the exceptions on the PA form is present.
Implement 10/1/04	TEQUIN (gatifloxacin)	CIPRO XR (ciprofloxacin extended-release)	
		FACTIVE (gemifloxacin) ^{NR}	
		FLOXIN (ofloxacin)	
		FLOXIN (ofloxacin) MAXAQUIN (lomefloxacin) NOROXIN (norfloxacin)	

REVISED 7/5/05 Reposted: 7/6/05 Originally Posted 6/9/05

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
GLUCOCORTICOIDS,	GLUCOCORTICOIDS		All of the preferred agents of a dosage form must be tried before a
INHALED	AEROBID (flunisolide)	PULMICORT (budesonide)	non-preferred agent of that dosage form will be authorized unless one of the exceptions on the PA form is present.
	AEROBID-M (flunisolide)		or the exceptions on the PA form is present.
Implement 1/3/05	AZMACORT (triamcinolone)		Dubricant Desculas de not require a prior authorization far shildren
	FLOVENT (fluticasone)		Pulmicort Respules do not require a prior authorization for children through 8 years of age.
	FLOVENT HFA (fluticasone)		
	QVAR (beclomethasone)		
	GLUCOCORTICOID/BR	ONCHODILATOR COMBINATIONS	
	ADVAIR (fluticasone/salmeterol)		
GROWTH HORMONE ^{CL}	NORDITROPIN (somatropin)	GENOTROPIN (somatropin)	The preferred agents must be tried before a non-preferred agent will
	NUTROPIN AQ (somatropin)	HUMATROPE (somatropin)	be authorized unless one of the exceptions on the PA form is present.
Implement 7/1/05	TEV-TROPIN (somatropin)	NUTROPIN (somatropin)	
		SAIZEN (somatropin)	
		SEROSTIM (somatropin)	
HEPATITIS C	PEG-INTRON (pegylated IFN)	COPEGUS (ribavirin)	Patients already on a non-preferred agent will receive authorization to
	REBETOL (ribavirin)	INFERGEN (consensus IFN)	continue therapy on that agent. Patients starting therapy in this class must try the preferred agent of
		PEGASYS (pegylated IFN)	a dosage form before a non-preferred agent of that dosage form will
Implement 7/1/05		REBETRON (IFNα/ribavirin)	be authorized, with the exception of the following conditions: (1)
		ribavirin	Hepatitis B infection or (2) co-infection with Hepatitis C and HIV.
HYPOGLYCMICS, ALPHA- GLUCOSIDASE INHIBITORS	GLYSET (miglitol)	PRECOSE (acarbose)	The preferred agent must be tried before the non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
Implement 10/1/04			
HYPOGLYCEMICS,	IN	SULIN VIALS	Non-preferred insulins will be available for pediatric patients requiring
INSULINS AND RELATED	LANTUS (insulin glargine)	HUMALOG (insulin lispro)	diluted doses.
AGENTS	NOVOLIN (insulin)	HUMALOG MIX (insulin lispro/lispro protamine)	
	NOVOLOG (insulin aspart)	HUMULIN (insulin)	Non-preferred insulins will only be authorized with documented proof
Implement 10/1/04	NOVOLOG MIX (insulin aspart/aspart		of an allergic reaction to the preferred insulins.
	protamine)		Less I's David Maximum formed from the south one of the state has south ordered.
	RELION (insulin)	l	Insulin Pens: Non-preferred insulin systems will only be authorized with documented proof of an allergic reaction to the preferred insulins,
		SULIN PENS	unless one of the exceptions on the PA form is present.
	NOVOLIN INNOLET (N, R, 70/30)	All other insulin pens and insulin pen systems	
	REL	ATED AGENTS	
		BYETTA (exenatide) ^{NR}	
		SYMLIN (amylin) ^{NR}	

REVISED 7/5/05 Reposted: 7/6/05 Originally Posted 6/9/05

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
HYPOGLYCEMICS, MEGLITINIDES	STARLIX (nateglinide)	PRANDIN (repaglinide)	The preferred agent must be tried before the non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
Implement 7/1/05			
HYPOGLYCEMICS,		METFORMIN	The preferred agents must be tried before a non-preferred agent will
METFORMINS	metformin	FORTAMET	be authorized, unless one of the exceptions on the PA form is
	RIOMET	GLUCOPHAGE	present.
Implement 10/1/04	METFORMIN-C	ONTAINING COMBINATIONS	
	AVANDAMET (metformin/rosiglitazone) METAGLIP (metformin/glipizide) metformin/glyburide	GLUCOVANCE (metformin/glyburide)	
HYPOGLYCEMICS,	AMARYL (glimepiride)	acetohexamide	A two-month trial of the maximum dose of each of the preferred
SULFONYLUREAS	glipizide	chlorpropamide	agents is required before authorization will be given for a non-
	glyburide	DIABETA (glyburide)	preferred product.
Implement 10/1/04		DIABINESE (chlorpropamide)	Requests for acetohexamide, chlorpropamide, tolazamide, and
		GLUCOTROL (glipizide)	tolbutamide must be approved by the BMS Medical Director.
		GLYNASE (glyburide)	······
		MICRONASE (glyburide)	
		tolazamide	
		tolbutamide TOLINASE (tolazamide)	
HYPOGLYCEMICS, TZDS		(**********************************	The preferred agent must be tried before the non-preferred agent will
HTPOGLTCEMICS, 12DS	ACTOS (pioglitazone)	AVANDIA (rosiglitazone)	be authorized unless one of the exceptions on the PA form is present.
Implement 7/1/05			
INTRANASAL RHINITIS	AN	TICHOLINERGICS	All of the preferred agents must be tried before a non-preferred agent
AGENTS		ATROVENT (ipratropium)	will be authorized unless one of the exceptions on the PA form is
		ipratropium	present.
Implement 1/3/05	A	NTIHISTAMINES	
	ASTELIN (azelastine)		
	СО	RTICOSTEROIDS	
	FLONASE (fluticasone)	BECONASE AQ (beclomethasone)	
	NASACORT AQ (triamcinolone)	flunisolide	
	NASONEX (mometasone)	NASALIDE (flunisolide)	
		NASAREL (flunisolide)	
		RHINOCORT AQUA (budesonide)	

REVISED 7/5/05 Reposted: 7/6/05 Originally Posted 6/9/05

TUEDADEUTIO	DEFENDED		Originally Posted 6/9/05
THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LEUKOTRIENE RECEPTOR	SINGULAIR (montelukast)	ACCOLATE (zafirlukast)	The preferred agent must be tried before the non-preferred agent will
BLOCKERS	SINGULAIR (Inonielukasi)	ACCOLATE (Zainukasi)	be approved unless one of the exceptions on the PA form is present.
Implement 1/3/05			
LIPOTROPICS, OTHER	BILE	ACID SEQUESTRANTS	The preferred agents must be tried before a non-preferred agent will
(non-statins)	cholestyramine	QUESTRAN (cholestyramine)	be authorized unless one of the exceptions on the PA form is present.
	COLESTID (colestipol)	WELCHOL (colesevalam)	
Implement 7/1/05			Zetia, as monotherapy, will only be approved for patients who cannot take statins or other preferred agents.
			take statills of other preferred agents.
			Zetia and Welchol will be approved for add-on therapy only after an
			insufficient response to the maximum tolerable dose of a statin after
			12 weeks of therapy.
	ZETIA (ezetimibe) FIBRIC ACID DERIVATIVES		If patients require the addition of Zetia to Zocor to achieve goal, use of the combination product, Vytorin, will be required. If patients are on
	gemfibrozil	ANTARA (fenofibrate)	other statins and require the addition of Zetia, patients will not be
	TRICOR (fenofibrate)	LOFIBRA (fenofibrate)	required to switch the statin that they have been using.
		LOPID (gemfibrozil)	
		TRIGLIDE (fenofibrate) ^{NR}	
		NIACIN	
	niacin	NIACELS (niacin)	
	NIASPAN (niacin)	NIADELAY (niacin)	
		SLO-NIACIN (niacin)	
LIPOTROPICS, STATINS	STATINS		One of the preferred statins must be tried before a non-preferred
ALTOPREV (lovastatin)		LIPITOR (atorvastatin)	agent will be authorized unless one of the exceptions on the PA form
Implement 7/1/05	CRESTOR (rosuvastatin)	lovastatin	is present.
	LESCOL (fluvastatin)	MEVACOR (lovastatin)	
	LESCOL XL (fluvastatin)	PRAVACHOL (pravastatin)	
	ZOCOR (simvastatin)		
	STATIN COMBINATIONS		
	ADVICOR (lovastatin/niacin)	CADUET (atorvastatin/amlodipine)	
	VYTORIN (ezetimibe/stimvastatin)	PRAVIGARD PAC (pravastatin/ASA)	

REVISED 7/5/05 Reposted: 7/6/05 Originally Posted 6/9/05

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
MACROLIDES/KETOLIDES	MACROLIDES		The preferred agents must be tried before a non-preferred agent will
(Oral)	BIAXIN XL (clarithromycin)	BIAXIN (clarithromycin)	be authorized unless one of the exceptions on the PA form is present.
	clarithromycin	DYNABAC (dirithromycin)	
Implement 4/1/04	erythromycin base	E.E.S. (erythromycin ethylsuccinate)	
	erythromycin ethylsuccinate	E-MYCIN (erythromycin)	
	erythromycin stearate	ERYC (erythromycin)	
	ZITHROMAX (azithromycin)	ERYPED (erythromycin ethylsuccinate)	
		ERY-TAB (erythromycin)	
		ERYTHROCIN (erythromycin stearate)	
		erythromycin estolate	
		PCE (erythromycin)	
		(ETOLIDES	
		KETEK (telithromycin) ^{NR}	
MULTIPLE SCLEROSIS	AVONEX (interferon beta-1a)	COPAXONE (glatiramer)	Patients already on non-preferred agents will receive authorization for
	BETASERON (interferon beta-1b)		those agents for one year.
	REBIF (interferon beta-1a)		
Implement 7/1/05			Patients starting therapy in this class will be required to try the
			preferred agents unless one of the exceptions on the PA form is present.

REVISED 7/5/05 Reposted: 7/6/05 Originally Posted 6/9/05

THERAPEUTIC	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA ODJESTIN
DRUG CLASS NSAIDS		NSELECTIVE	CRITERIA Non-preferred agents will only be approved after the preferred agents
NSAIDS	diclofenac	ADVIL (ibuprofen)	have been tried unless one of the exceptions on the PA form is
Implement 1/3/05	etodolac	ALEVE (naproxen)	present.
Implement 1/3/03	flurbiprofen	ANAPROX (naproxen)	
	ibuprofen	ANSAID (flurbiprofen)	
	indomethacin	CATAFLAM (diclofenac)	
	ketoprofen	CLINORIL (sulindac)	
	ketorolac	DAYPRO (oxaprozin)	
	naproxen	FELDENE (piroxicam)	
	oxaprozin	INDOCIN (indomethacin)	
	piroxicam	LODINE (etodolac)	
	sulindac	meclofenamate	
		MOTRIN (ibuprofen)	
		nabumetone	
		NALFON (fenoprofen)	
		NAPRELAN (naproxen)	
		NAPROSYN (naproxen)	
		NUPRIN (ibuprofen)	
		ORUDIS (ketoprofen)	
		ORUVAIL (ketoprofen)	
		PONSTEL (meclofenamate)	
		RELAFEN (nabumetone)	
		TOLECTIN (tolmetin)	
		tolmetin	
		TORADOL (ketorolac)	
		VOLTAREN (diclofenac)	
	NSAID/GI PROTECTANT COMBINATIONS		
	PREVACID NAPRAPAC	ARTHROTEC (diclofenac/misoprostol)	
	(naproxen/lansoprazole)		
		II SELECTIVE ^{CL}	4
	CELEBREX (celecoxib)		
	MOBIC (meloxicam)		
OPHTHALMIC ANTIBIOTICS		ROQUINOLONES	All of the preferred agents must be tried before non-preferred agents
	ciprofloxacin	CILOXAN (ciprofloxacin)	will be authorized unless one of the exceptions on the PA form is
Implement 10/1/04	VIGAMOX (moxifloxacin)	OCUFLOX (ofloxacin)	present.
		ofloxacin	

REVISED 7/5/05 Reposted: 7/6/05 Originally Posted 6/9/05

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
		QUIXIN (levofloxacin)	
		ZYMAR (gatifloxacin)	
	OTHER	SINGLE AGENTS	
	bacitracin	BLEPH-10 (sulfacetamide)	
	erythromycin	CETAMIDE (sulfacetamide)	
	gentamicin	CHLOROMYCETIN (chloramphenicol)	
	polymyxin B	CHLOROPTIC (chloramphenicol)	
	sulfacetamide	GARAMYCIN (gentamicin)	
	tobramycin	GENOPTIC (gentamicin)	
		ILOTYCIN (erythromycin)	
		TOBREX (tobramycin)	
	СОМВІ	NATION AGENTS	
	neomycin/polymyxin/bacitracin	NEOSPORIN (neomycin/polymyxin/bacitracin)	
	neomycin/polymyxin/gramicidin	NEOSPORIN (neomycin/polymyxin/gramicidin)	
	polymyxin/bacitracin	POLYSPORIN (polymyxin/bacitracin)	
	polymyxin/trimethoprim	POLYTRIM (polymyxin/trimethoprim)	
		TERAK W/ POLYMYXIN (oxytetracycline/polymyxin)	
		TERRAMYCIN W/ POLYMYXIN	
		(oxytetracycline/polymyxin)	
OPHTHALMICS FOR	ALOCRIL (nedocromil)	ACULAR (ketorolac)	All of the preferred agents must be tried before non-preferred agents
ALLERGIC CONJUNCTIVITIS	ALREX (loteprednol)	ALAMAST (pemirolast)	will be authorized, unless one of the exceptions on the PA form is
	ELESTAT (epinastine)	ALOMIDE (lodoxamide)	present.
Implement 10/1/04	EMADINE (emedastine)	CROLOM (cromolyn)	
	OPTIVAR (azelastine)	cromolyn	
	PATANOL (olopatadine)	LIVOSTIN (levocabastine)	
	ZADITOR (ketotifen)	OPTICROM (cromolyn)	
OPHTHALMICS, GLAUCOMA	PARASY	MPATHOMIMETICS	Authorization for a non-preferred agent will only be given if there is an
AGENTS	CARBOPTIC (carbachol)	ISOPTO CARPINE (pilocarpine)	allergy to the preferred agents.
	ISOPTO CARBACHOL (carbachol)	PILOCAR (pilocarpine)	
Implement 10/1/04	MIOSTAT (carbachol)	PILOPINE HS (pilocarpine)	
	PHOSPHOLINE IODIDE (echothiophate		
	iodide)		
	pilocarpine		

REVISED 7/5/05 Reposted: 7/6/05 Originally Posted 6/9/05

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	SYMPATHOMIMETICS		
	ALPHAGAN P (brimonidine)	ALPHAGAN (brimonidine)	
	brimonidine	EPIFRIN (epinephrine)	
	dipivefrin	PROPINE (dipivefrin)	
	BET	ABLOCKERS	
	BETIMOL (timolol)	BETAGAN (levobunolol)	
	BETOPTIC S (betaxolol)	BETOPTIC (betaxolol)	
	betaxolol	ISTALOL (timolol) ^{NR}	
	carteolol	OCUPRESS (carteolol)	
	levobunolol	OPTIPRANOLOL (metipranolol)	
	metipranolol	TIMOPTIC (timolol)	
	timolol		
	CARBONIC A	NHYDRASE INHIBITORS	
	AZOPT (brinzolamide)		
	TRUSOPT (dorzolamide)		
	PROSTA	GLANDIN ANALOGS	
	LUMIGAN (bimatoprost)	RESCULA (unoprostone)	
	TRAVATAN (travoprost)	XALATAN (latanoprost)	
	СОМВ	NATION AGENTS	
	COSOPT (dorzolamide/timolol)	E-PILO-1 (pilocarpine/epinephrine)	
OTIC ANTIBIOTIC	CIPRODEX (ciprofloxacin/dexamethasone)	CIPRO HC (ciprofloxacin/hydrocortisone)	All of the preferred agents must be tried before a non-preferred agent
PREPARATIONS	COLY-MYCIN S (neomycin/hydrocortisone)	CORTISPORIN (neomycin/polymyxin/hydrocortisone)	will be approved unless one of the exceptions on the PA form is
	FLOXIN (ofloxacin)	CORTISPORIN TC (neomycin/hydrocortisone)	present.
Effective 7/1/05	neomycin/polymyxin/hydrocortisone	PEDIOTIC (neomycin/polymyxin/hydrocortisone)	
PHOSPHATE BINDERS	FOSRENOL (lanthanum)		
	MAGNEBIND 400 (magnesium/calcium		
Implement 7/1/05	carbonate)		
	PHOSLO (calcium acetate)		
	RENAGEL (sevelamer)		

REVISED 7/5/05 Reposted: 7/6/05 Originally Posted 6/9/05

		1	Originally Posted 0/9/05
THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
PROTON PUMP INHIBITORS	PREVACID (lansoprazole)	ACIPHEX (rabeprazole)	The preferred agent must be tried before a non-preferred agent will be
(Oral)		NEXIUM (esomeprazole)	approved unless one of the exceptions on the PA form is present.
		omeprazole	
Implement 7/1/05		PRILOSEC (omeprazole)	Prevacid given more than once daily does require a prior
		PRILOSEC OTC (omeprazole)	authorization.
		PROTONIX (pantoprazole)	
		ZEGERID (omeprazole)	
SEDATIVE HYPNOTICS	BEN	ZODIAZEPINES	Prior authorization is required for these agents for patients over 65
	RESTORIL 7.5 mg (temazepam)	DALMANE (flurazepam)	years of age.
Implement 7/1/05	temazepam	DORAL (quazepam)	
		estazolam	*Prescriptions for members currently on Ambien therapy will not
		flurazepam	require prior authorization for an additional sixty days, in order to allow for tapering or switching to an appropriate preferred agent. All Ambien
		HALCION (triazolam)	prescriptions will require prior authorization beginning on September
		PROSOM (estazolam)	1, 2005.)
		RESTORIL 15, 22.5, 30 mg (temazepam)	
		triazolam	
		OTHERS	
	SONATA (zaleplon)	AMBIEN (zolpidem)*	
		AQUA CHLORAL (chloral hydrate)	
		chloral hydrate	
		LUNESTA (eszolpiclone) NR	
		SOMNOTE (chloral hydrate)	

REVISED 7/5/05 Reposted: 7/6/05 Originally Posted 6/9/05

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
STIMULANTS AND RELATED	AMPHETAMINES		Except for Strattera, PA is required for adults >18 years.
AGENTS Implement 1/3/05	ADDERALL XR (amphetamine salt combination) amphetamine salt combination dextroamphetamine	ADDERALL (amphetamine salt combination) DESOXYN (methamphetamine) DEXEDRINE (dextroamphetamine) DEXTROSTAT(dextroamphetamine) methamphetamine	One of the preferred agents in each group (amphetamines and non- amphetamines) must be tried before a non-preferred agent will be authorized.
			after documented failure of multiple antidepressants.
	CONCERTA (methylphenidate) FOCALIN (dexmethylphenidate) METADATE CD (methylphenidate) methylphenidate RITALIN LA (methylphenidate) STRATTERA (atomoxetine)	CYLERT (pemoline) METADATE ER (methylphenidate) pemoline PROVIGIL (modafanil) RITALIN (methylphenidate) RITALIN-SR (methylphenidate)	Provigil will only be approved for patients >16 years of age with a diagnosis of narcolepsy. Straterra will not be approved for concurrent administration with amphetamines or methyphenidates, exept for 30 days or less for tapering purposes. Only two doses of each strength, or two concurrent doses of any strength, and a maximum of one dose of a 60 mg capsule, will be approved in a 34-day period.
ULCERATIVE COLITIS		ORAL	The preferred agents of a dosage form must be tried before a non-
AGENTS Implement 7/1/05	COLAZAL (balsalazide) PENTASA (mesalamine) sulfasalazine	ASACOL (mesalamine) AZULFIDINE (sulfasalazine) DIPENTUM (olsalazine)	preferred agent of that dosage form will be authorized unless one of the exceptions on the PA form is present.
		RECTAL	
	mesalamine	CANASA (mesalamine) ROWASA (mesalamine)	