

EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

- Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. A current listing of all covered OTC products may be found at the BMS Website by clicking the hyperlink.
- Prior authorization (PA) of any non-preferred agent requires that class criteria, and in some cases drug-specific criteria, be followed unless documentation is provided indicating that the use of these agents would be medically contraindicated.
 "Exceptions" to the PA criteria should be detailed on the PA form for consideration these include relative contraindications, such as potential drug-drug interactions, adverse effects, intolerance, and drug-disease interactions.
- Required trials of preferred agents are defined as "failed" or otherwise satisfied only when efficacy has not been observed
 despite patient adherence to a dose and duration which should have produced therapeutic effects.
- Unless otherwise specified, all requests to "grandfather" existing drug therapy will require clinical reasoning from the prescriber detailing why the patient cannot be transitioned to a preferred agent from the Medicaid PDL. Please note that this requirement includes therapy that may have been previously preferred on the Medicaid PDL but has since changed to non-preferred status.
- The use of pharmaceutical samples will not be considered when evaluating the members' medical condition or prior prescription history for drugs that require prior authorization.
- Other drug utilization review restrictions may apply, including, but not limited to, therapeutic duplication, drug-drug interaction, ingredient duplication, etc.
- Quantity limits may apply. Refer to the Limits List on the BMS Website by clicking the hyperlink.
- Unless otherwise indicated, non-preferred combination products require medical reasoning beyond convenience or enhanced compliance as to why the clinical need cannot be met with a preferred agent or combination of preferred single-ingredient agents containing the same, or similar, active ingredient.
- Acronyms
 - o CL Requires clinical PA. For detailed clinical criteria, please go to the PA criteria page by clicking the hyperlink.
 - NR Denotes a new drug which has not yet been reviewed by the P & T Committee. These agents are available only on appeal to the BMS Medical Director.
 - AP Non-preferred and selected preferred drugs, where indicated, are subject to auto-PA criteria. See PA criteria column.



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

CLASSES CHANGING	Status Changes	PA Criteria Changes	New Drugs
ALZHEIMER'S AGENTS	X	Changes	New Drugs
ANTIOBIOTICS, GI AND RELATED AGENTS	X		
ANTIBIOTICS VAGINAL	X		
ANTICONVULSANTS			X
ANTIDEPRESSANTS, OTHER	X		Λ
ANTIPARKINSONS AGENTS	^		X
ANTIPSYCHOTICS, ATYPICAL	X		
ANTIVIRALS, TOPICAL	X		
BLADDER RELAXANT PREPARATIONS	^		X
COPD AGENTS			X
DIABETES AGENTS, DPP-4 INHIBITORS			X
DIABETES AGENTS, DFF-4 INHIBITORS DIABETES AGENTS, GLP1 INHIBITORS			X
DIABETES AGENTS, GLFT INHIBITORS DIABETES AGENTS, SGLT2 INHIBITORS			X
DRY EYE PRODUCTS	V		^
ERTYTHROPOEISIS STIMULATING AGENTS	X		X
	^		X
IMMUNOSUPPRESSIVES, ORAL		V	Λ
LIPOTROPICS, OTHER	V	X	
MACROLIDES	X		V
NEUROPATHIC PAIN			X
NSAIDS	X		
OPHTHALMIC ALLERGIC CONJUNCTIVITIS	X		X
OPIATE DEPENDENCE TREATMENTS			Χ
ORAL AND TOPICAL CONTRACEPTIVES	X		
PANCREATIC ENZYMES	X		
PITUITARY SUPPRESSIVE AGENTS, LHRH	X		
SKELETAL MUSCLE RELAXANTS			Χ
STIMULANTS AND RELATED AGENTS	X		



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
ACNE AGENTS, TOPICALAP			
CLASS PA CRITERIA: Non-preferred agents re	equire a thirty (30) day trial of one (1) preferred retinoi requested non-preferred product, before they will be a	d and two (2) unique chemical entities in two (2) other approved, unless one (1) of the exceptions on the PA form is	
In cases of pregnancy, a trial of retinoids will <i>not</i> Acne kits are non-preferred.	be required. For members eighteen (18) years of ag	e or older, a trial of retinoids will <i>not</i> be required.	
Specific Criteria for subclass will be listed be (30)-day trial of all preferred agents in that subc	class.	ubclass are available only on appeal and require at least a thirty	
	ANDROGEN RECEPTOR INHIBITORS	S	
	WINLEVI CREAM (clascoterone)		
OLINIDA OFI (III I	ANTI-INFECTIVE		
CLINDAGEL (clindamycin) clindamycin lotion, medicated swab, solution erythromycin gel, solution	AMZEEQ FOAM (minocycline) CLEOCIN-T (clindamycin) CLINDACIN ETZ KIT, MEDICATED SWAB (clindamycin) CLINDACIN P (clindamycin) CLINDACIN PAC (clindamycin) clindamycin foam, gel dapsone ERYGEL (erythromycin) erythromycin medicated swab EVOCLIN (clindamycin) FABIOR (tazarotene) KLARON (sulfacetamide) OVACE/PLUS (sulfacetamide) sodium sulfacetamide 10% cleansing gel sulfacetamide		
	RETINOIDS		
adapalene gel RETIN-A (tretinoin) RETIN-A MICRO (tretinoin)	adapalene cream, lotion ALTRENO LOTION (tretinoin) ARAZLO (tazarotene) ATRALIN (tretinoin) AVITA (tretinoin) tazarotene cream, foam, gel tretinoin cream, gel tretinoin gel micro	In addition to the Class Criteria: PA required for members eighteen (18) years of age or older.	
KERATOLYTICS			
benzoyl peroxide cleanser Rx and OTC, 10% cream OTC, gel Rx and OTC, lotion OTC, wash OTC PANOXYL-4 OTC (benzoyl peroxide)	BENZEFOAM benzoyl peroxide) BP 10-1 (benzoyl peroxide) BPO (benzoyl peroxide)		



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BENZAMYCIN PAK (benzoyl peroxide/ erythromycin) benzoyl peroxide/clindamycin gel (generic DUAC only) clindamycin phosphate.benzoyl peroxide (generic ACANYA) ONEXTON (clindamycin phosphate/benzoyl peroxide)	COMBINATION AGENTS ACANYA (clindamycin phosphate/benzoyl peroxide) adapalene-benzoyl peroxide* AVAR/-E/LS (sulfur/sulfacetamide) benzoyl peroxide/clindamycin gel (all generics other than DUAC) benzoyl peroxide/erythromycin benzoyl peroxide/urea	In addition to the Class Criteria: Non-preferred combination agents require thirty (30) day trials of the corresponding preferred single agents before they will be approved. *PA required for combination agents with Retinoid products for members eighteen (18) years of age or older.
sulfacetamide sodium/sulfur suspension ZIANA (clindamycin/tretinoin)*	CABTREO (clindamycin/adapalene/benzoyl peroxide) clindamycin-tretinoin gel* NEUAC (clindamycin phosphate/benzoyl peroxide) SSS 10-4 (sulfacetamide /sulfur) SSS 10-5 foam (sulfacetamide /sulfur) sulfacetamide sodium/sulfur cloths, lotion, pads sulfacetamide/sulfur cleanser, wash sulfacetamide/sulfur wash kit sulfacetamide sodium/sulfur/urea SUMADAN/XLT (sulfacetamide/sulfur) SUMAXIN/TS (sulfacetamide sodium/sulfur) ZMA CLEAR (sulfacetamide sodium/sulfur)	
azelaic acid gel FINACEA GEL (azelaic acid) metronidazole cream metronidazole gel 0.75% (NDCs 00115-1474- 46, 00713-0637-37, 51672-4116-06, 66993-0962-45 only)	ROSACEA AGENTS FINACEA FOAM (azelaic acid) ivermectin metronidazole gel (all other NDCs) metronidazole lotion NORITATE CREAM (metronidazole) RHOFADE (oxymetazoline) ROSADAN (metronidazole) ZILXI FOAM (minocycline)	Subclass criteria: Non-preferred agents are available only on appeal and require evidence of thirty-(30)-day trials of all chemically unique preferred agents in the sub-class.



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ALZHEIMER'S AGENTSAP		
CLASS PA CRITERIA: Non-preferred agents rethe exceptions on the PA form is present.	equire a thirty (30) day trial of a preferred agent in the	e same subclass before they will be approved, unless one (1) of
Prior authorization is required for members up to	o forty-five (45) years of age if there is no diagnosis of	f Alzheimer's disease.
	CHOLINESTERASE INHIBITORS	
donepezil 5 mg and 10 mg donepezil ODT EXELON PATCHES (rivastigmine) galantamine tablets galantamine ER capsules RAZADYNE ER (galantamine) rivastigmine capsules	ADLARITY PATCHES (donepezil) ARICEPT (donepezil) donepezil 23 mg* galantamine solution rivastigmine patches	*Donepezil 23 mg tablets will be authorized if the following criteria are met: 1. There is a diagnosis of moderate-to-severe Alzheimer's Disease <u>AND</u> 2. There has been a trial of donepezil 10 mg daily for at least three (3) months and donepezil 20 mg daily for an additional one (1) month.
	NMDA RECEPTOR ANTAGONIST	
memantine memantine ER	memantine solution NAMENDA (memantine) solution, titration pak NAMENDA XR (memantine)*	*Namenda XR requires ninety (90) days of compliant therapy with Namenda.
CHOLINI	ESTERASE INHIBITOR/NMDA RECEPTOR ANTAG	ONIST COMBINATIONS
	NAMZARIC (donepezil/memantine)	Combination agents require thirty (30) day trials of each corresponding preferred single agent.
ANALGESICS, NARCOTIC LONG ACTING (Non-parenteral)		
CLASS PA CRITERIA: Non-preferred agents require six (6) day trials of three (3) chemically distinct preferred agents (excluding fentanyl) AND a six (6) day trial of the generic form of the requested non-preferred agent (if available) before they will be approved, unless one (1) of the exceptions on the PA form is present. If no generic form is available for the requested non-preferred brand agent, then another generic non-preferred agent must be trialed instead. NOTE: All long-acting opioid agents require prior authorization for children under eighteen (18) years of age. Requests must be for an FDA approved age and indication and specify previous opioid and non-opioid therapies attempted.		
BUTRANS (buprenorphine) fentanyl transdermal 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr, 100 mcg/hr ^{CL/PA} morphine ER tablets	ARYMO ER (morphine sulfate) BELBUCA (buprenorphine buccal film)* buprenorphine buccal film buprenorphine patches (all labelers including	*Belbuca prior authorization requires manual review. Full PA criteria may be found on the <u>PA Criteria</u> page by clicking the hyperlink.
tramadol ER tablets (generic ULTRAM ER) XTAMPZA ER (oxycodone)	00093) CONZIP ER (tramadol) fentanyl transdermal 37.6mcg/hr, 62.5 mcg/hr, 87.5 mcg/hr hydrocodone ER capsules and tablets	**Methadone will be authorized without a trial of the preferred agents if a diagnosis of cancer is submitted. ***Tramadol ER (generic Conzip) requires a manual review and may be authorized for ninety (90) days with submission
	hydrocodorie ER capsules and tablets hydromorphone ER HYSINGLA ER (hydrocodone) KADIAN (morphine) methadone**	of a detailed treatment plan including anticipated duration of treatment and scheduled follow-ups with the prescriber.



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	MORPHABOND ER (morphine sulfate) morphine ER capsules (generic for AVINZA) morphine ER capsules (generic for KADIAN) MS CONTIN (morphine) NUCYNTA ER (tapentadol)**** oxycodone ER OXYCONTIN (oxycodone) oxymorphone ER tramadol ER (generic CONZIP ER)*** ULTRAM ER (tramadol) ZOHYDRO ER (hydrocodone)	*****Nucynta requires six (6) day trials of three (3) chemically distinct preferred agents
ANALGESICS, NARCOTIC SHOR	, , , , , , , , , , , , , , , , , , ,	
NOTE: All tramadol and codeine products reage and indication and specify non-opioid there APAP/codeine butalbital/APAP/caffeine/codeine 50-325-30 mg	equire a prior authorization for children under eight apies attempted. ABSTRAL (fentanyl) ACTIQ (fentanyl) butalbital/APAP/caffeine/codeine 50-300-30 mg	unless one (1) of the exceptions on the PA form is present. teen (18) years of age. Requests must be for an FDA approve Fentanyl buccal, nasal, and sublingual products will only be authorized for a diagnosis of cancer and as an adjunct to long-acting agent. These dosage forms will not be authorized.
codeine hydrocodone/APAP 2.5/325 mg, 5/325 mg, 7.5/325 mg, and 10/325 mg hydrocodone/APAP solution hydromorphone tablets meperidine oral solution morphine NUCYNTA (tapentadol) oxycodone capsules, solution, tablets	butalbital/ASA/caffeine/codeine butorphanol DEMEROL (meperidine) dihydrocodeine/ APAP/caffeine DILAUDID (hydromorphone) fentanyl FENTORA (fentanyl) FIORICET W/ CODEINE (butalbital/APAP/caffeine/codeine)	for monotherapy. Limits: Unless the patient has escalating cancer pain of another diagnosis supporting increased quantities of short acting opioids, all short acting solid forms of the narcot analgesics are limited to 120 tablets per thirty (30) days. Longer-acting medications should be maximized to prevenuencessary breakthrough pain in chronic pain therapy.
oxycodone/APAP oxycodone/ASA tramadol tablets	FIORINAL W/ CODEINE (butalbital/ASA/caffeine/codeine) hydrocodone/APAP 5/300 mg, 7.5/300 mg and	Immediate release tramadol is limited to 240 tablets per thir (30) days.
tramadol/APAP	10/300 mg hydrocodone/ibuprofen hydromorphone liquid, suppositories levorphanol LORCET (hydrocodone/APAP) LORTAB (hydrocodone/APAP)	*Seglentis requires medical reasoning beyond convenience enhanced compliance as to why the clinical need cannot be met with a preferred agent or combination of preferred sing ingredient agents

A2

(hydrocodone/acetaminophen)

morphine rectal suppository NORCO (hydrocodone/APAP)

LORTAB SOLUTION

oxycodone concentrate

meperidine tablets



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	oxycodone/ibuprofen oxymorphone pentazocine/naloxone PERCOCET (oxycodone/APAP) QDOLO SOLUTION (tramadol) ROXICODONE (oxycodone) ROXYBOND (oxycodone) SEGLENTIS (celecoxib/tramadol)* tramadol solution ULTRACET (tramadol/APAP) VICOPROFEN (hydrocodone/ibuprofen)	
ANDROGENIC AGENTS		
CLASS PA CRITERIA: A non-preferred agent of ANDRODERM (testosterone) CL/PA* ANDROGEL PUMP (testosterone) CL/PA* TESTIM (testosterone) testosterone cypionate vial CL/PA* testosterone enanthate vial CL/PA* testosterone gel 1.62%	will only be authorized if one (1) of the exceptions on t ANDROGEL PACKETS (testosterone) ANDROID (methyltestosterone) AVEED (testosterone undecanoate) FORTESTA (testosterone) JATENZO (testosterone undecanoate) METHITEST (methyltestosterone) methyltestosterone capsule NATESTO (testosterone) testosterone gel testosterone solution pump TESTRED (methyltestosterone) TLANDO (testosterone undecanoate) VOGELXO (testosterone) XYOSTED (testosterone enanthate)	he PA form is present. *Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
ANESTHETICS, TOPICALAP		
CLASS PA CRITERIA: Non-preferred agents re PA form is present.	equire ten (10) day trials of each preferred agent before	e they will be approved, unless one (1) of the exceptions on the
lidocaine lidocaine/prilocaine xylocaine	lidocaine/hydrocortisone LIDOTRAL CREAM (lidocaine) LIDOZION LOTION (lidocaine) SYNERA (lidocaine/tetracaine)	
ANGIOTENSIN MODULATORSAP		
	require fourteen (14) day trials of each preferred age one (1) of the exceptions on the PA form is present.	nt in the same subclass, with the exception of the Direct Renin
	ACE INHIBITORS	
benazepril captopril enalapril	ACCUPRIL (quinapril) ALTACE (ramipril) enalapril solution	*Epaned will be authorized with a diagnosis of hypertension, symptomatic heart failure or asymptomatic left ventricular dysfunction provided that the patient is less than (<) seven



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

	THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
fosinopril lisinopril quinapril ramipril trandolapril	EPANED (enalapril)* LOTENSIN (benazepril) moexipril perindopril PRINIVIL (lisinopril) QBRELIS SOLUTION (lisinopril)** VASOTEC (enalapril) ZESTRIL (lisinopril)	 (7) years of age OR is unable to ingest a solid dosage form due to documented oral-motor difficulties or dysphagia. **Qbrelis solution may be authorized for children six (6) to-(10) years of age who are unable to tolerate a solid dosage form. Qbrelis may also be authorized for older patients with clinical documentation indicating oral-motor difficulties or dysphagia. 	
	ACE INHIBITOR COMBINATION DRU		
benazepril/amlodipine benazepril/HCTZ captopril/HCTZ enalapril/HCTZ fosinopril/HCTZ lisinopril/HCTZ quinapril/HCTZ	ACCURETIC (quinapril/HCTZ) LOTENSIN HCT (benazepril/HCTZ) LOTREL (benazepril/amlodipine) TARKA (trandolapril/verapamil) trandolapril/verapamil VASERETIC (enalapril/HCTZ) ZESTORETIC (lisinopril/HCTZ)		
	ANGIOTENSIN II RECEPTOR BLOCKERS	S (ARBs)	
irbesartan losartan olmesartan telmisartan valsartan	ATACAND (candesartan) AVAPRO (irbesartan) BENICAR (olmesartan) candesartan COZAAR (losartan) DIOVAN (valsartan) EDARBI (azilsartan) MICARDIS (telmisartan)		
	ARB COMBINATIONS		
irbesartan/HCTZ losartan/HCTZ olmesartan/amlodipine olmesartan/amlodipine/HCTZ olmesartan/HCTZ valsartan/amlodipine valsartan/amlodipine/HCTZ valsartan/HCTZ	ATACAND-HCT (candesartan/HCTZ) AVALIDE (irbesartan/HCTZ) AZOR (olmesartan/amlodipine) BENICAR-HCT (olmesartan/HCTZ) candesartan/HCTZ DIOVAN-HCT (valsartan/HCTZ) EDARBYCLOR (azilsartan/chlorthalidone) EXFORGE (valsartan/amlodipine) EXFORGE HCT (valsartan/amlodipine/HCTZ) HYZAAR (losartan/HCTZ) MICARDIS-HCT (telmisartan/HCTZ) telmisartan/amlodipine telmisartan/HCTZ TRIBENZOR (olmesartan/amlodipine/HCTZ) DIRECT RENIN INHIBITORS		
	aliskiren	Substitute for Class Criteria: Tekturna requires a thirty (30)	
	TEKTURNA (aliskiren)	day trial of one (1) preferred ACE, ARB, or combination agent,	

A2



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	TEKTURNA HCT (aliskiren/HCTZ)	at the maximum tolerable dose, before it will be authorized unless one (1) of the exceptions on the PA form is present.	
ANTIANGINAL & ANTI-ISCHEM			
CLASS PA CRITERIA: Agents in this class as single agents or a combination agent con ranolazine ^{AP}		also taking a calcium channel blocker, a beta blocker, or a nitrite	
ANTIBIOTICS, GI & RELATED A			
CLASS PA CRITERIA: Non-preferred ager		efore they will be approved, unless one (1) of the exceptions on	
the PA form is present. metronidazole tablets neomycin tinidazole VANCOCIN (vancomycin) vancomycin capsules XIFAXAN 200 mg (rifaximin)*	AEMCOLO (rifamycin) tablets** DIFICID (fidaxomicin)* FIRVANQ (vancomycin) solution FLAGYL (metronidazole) LIKMEZ (metronidazole)*** metronidazole capsules paromomycin vancomycin solution VOWST CAPSULES (fecal microbiota spores) capsules* XIFAXAN 550 mg (rifaximin)*	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink. **Aemcolo may be authorized after a trial of Xifaxan 200mg tablets. ***Likmez may be authorized for those who are unable to ingest solid dosage forms of metronidazole due to documented oral motor difficulties or dysphagia.	
ANTIBIOTICS, INHALED	All AAAN 330 mg (maximin)		
·		nt and documentation of therapeutic failure before they will be	
KITABIS PAK (tobramycin) tobramycin 300 mg/5 ml	BETHKIS (tobramycin) CAYSTON (aztreonam) TOBI (tobramycin) TOBI PODHALER (tobramycin) tobramycin 300 mg/4 ml		
ANTIBIOTICS, TOPICAL	.cz.ayo ood mg. i m		
CLASS PA CRITERIA: Non-preferred ager	nts require ten (10) day trials of at least one (1) preferred a	agent, including the generic formulation of the requested non- ent.	
bacitracin (Rx, OTC) gentamicin sulfate mupirocin ointment	CENTANY (mupirocin) CORTISPORIN (bacitracin/neomycin/polymyxin/HC) mupirocin cream neomycin/polymyxin/pramoxine		



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	XEPI CREAM (ozenoxacin)		
ANTIBIOTICS, VAGINAL			
CLASS PA CRITERIA: Non-preferred agents rebe approved, unless one (1) of the exceptions of		nt at the manufacturer's recommended duration, before they will	
CLEOCIN OVULE (clindamycin) CLEOCIN CREAM (clindamycin) metronidazole gel SOLOSEC (secnidazole)	clindamycin cream CLINDESSE (clindamycin) METROGEL (metronidazole) NUVESSA (metronidazole) VANDAZOLE (metronidazole) XACIATO GEL (clindamycin)		
ANTICOAGULANTS			
CLASS PA CRITERIA: Non-preferred agents represent.	equire a trial of each preferred agent in the same sub	class, unless one (1) of the exceptions on the PA form is	
	INJECTABLE ^{CL/PA}		
enoxaparin	ARIXTRA (fondaparinux) fondaparinux FRAGMIN (dalteparin) LOVENOX (enoxaparin)		
ELIQUIS (apixaban)	ORAL dabigatran		
PRADAXA (dabigatran) warfarin XARELTO TABLETS (rivaroxaban)	PRADAXA ORAL PELLETS (dabigatran etexilate) SAVAYSA (edoxaban) XARELTO SUSPENSION (rivaroxaban)		
ANTICONVULSANTS	· ·		
	ure disorder, non-preferred agents require a fourteen eptions on the PA form is present; patients currently o	(14) day trial of a preferred agent in the same subclass before on established therapies shall be grandfathered.	
For all other diagnoses, non-preferred agents re the exceptions on the PA form is present.	quire a thirty (30) day trial of a preferred agent in the	same subclass before they will be approved, unless one (1) of	
In situations where AB-rated generic equivalent the brand name product to be reimbursed.		must be hand-written by the prescriber on the prescription for	
PDIVIACT (brivaragetam)	ADJUVANTS	*Toniromate ED will be outborized often a thirty (20) day trief of	
BRIVIACT (brivaracetam) carbamazepine carbamazepine ER	APTIOM (eslicarbazepine) BANZEL (rufinamide) carbamazepine oral suspension	*Topiramate ER will be authorized after a thirty (30) day trial of topiramate IR.	
CARBATROL (carbamazepine) DEPAKOTE SPRINKLE CAPSULES (divalproex)	DEPAKOTE (divalproex) DEPAKOTE DR (divalproex DEPAKOTE ER (divalproex)	**Diacomit may only be approved as adjunctive therapy for diagnosis of Dravet Syndrome when prescribed by,	



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
divalproex divalproex ER divalproex sprinkle capsules EPITOL (carbamazepine) lacosamide solution, tablets LAMICTAL (lamotrigine) LAMICTAL CHEWABLE (lamotrigine) lamotrigine lamotrigine ODT levetiracetam IR levetiracetam IR suspension oxcarbazepine tablets QUDEXY XR (topiramate ER) TEGRETOL SUSPENSION (carbamazepine) TEGRETOL XR (carbamazepine) topiramate IR tablets topiramate IR sprinkle capsules topiramate ER sprinkle capsules (generic QUDEXY) TRILEPTAL SUSPENSION (oxcarbazepine) valproic acid zonisamide	DIACOMIT CAPSULES,/POWDER PACK (STRIPENTOL)** ELEPSIA XR (levetiracetam) EPRONTIA SOLUTION (topiramate)**** EQUETRO (carbamazepine) felbamate FELBATOL (felbamate) FINTEPLA SOLUTION (fenfluramine)***** FYCOMPA (perampanel) KEPPRA (levetiracetam) KEPPRA SOLUTION (levetiracetam) KEPPRA XR (levetiracetam) LAMICTAL ODT (lamotrigine) lamotrigine dose pack lamotrigine ER methsuximide MOTPOLY XR (lacosamide)******* oxcarbazepine suspension OXTELLAR XR (oxcarbazepine) rufinamide oral suspension, tablets SABRIL (vigabatrin) SPRITAM (levetiracetam) TEGRETOL TABLETS (carbamazepine) tiagabine TOPAMAX SPRINKLE CAPSULES (topiramate) TOPAMAX TABLETS (topiramate) TRILEPTAL TABLETS (oxcarbazepine) TROKENDI XR (topiramate)*** vigabatrin tablet/powder pack VIGAFYDE (vigabatrin solution) VIMPAT SOLUTION, TABLETS (lacosamide) XCOPRI (cenobamate) ZONISADE SOLUTION (zonisamide)******	or in consultation with, a neurologist AND requires a thirty (30) day trial of valproate and clobazam unless one (1) of the exceptions on the PA form is present. Diacomit must be used concurrently with clobazam. ****Trokendi XR is available only on appeal. ****Eprontia requires medical reasoning beyond convenience or enhanced compliance as to why the medical need cannot be met by using the preferred Topamax (topiramate) sprinkle capsules. *****Full PA criteria for Fintepla may be found on the PA Criteria page by clicking the hyperlink. ******Zonisade may only be authorized for those who are unable to ingest solid dosage forms due to documented oralmotor difficulties or dysphagia AND have had a fourteen (14) day trial with a preferred agent available in a non-solid dosage form resulting in an inadequate treatment response. *******Motpoly XR capsules may be authorized after a medical reason beyond convenience or enhanced compliance, as to why the clinical need cannot be met by using a preferred lacosamide agent, is provided.	
phenobarbital	MYSOLINE (primidone)		
primidone	DENIZODIA ZEDINICAS		
clonazepam DIASTAT (diazepam rectal) diazepam rectal gel diazepam tablets NAYZILAM NASAL SPRAY (midazolam) VALTOCO NASAL SPRAY (diazepam)	clobazam* clonazepam ODT DIASTAT ACUDIAL (diazepam) KLONOPIN (clonazepam) LIBERVANT BUCCAL FILM (diazepam)** ONFI (clobazam)*	*Onfi shall be authorized as adjunctive therapy for treatment of Lennox-Gastaut Syndrome and Dravet Syndrome without further restrictions. All other indications require an appeal to the Medical Director. NOTE: generic clobazam is preferred over brand ONFI.	



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	ONFI SUSPENSION (clobazam)* SYMPAZAN (clobazam film)*	**Libervant requires review by the Medical Director and is available only on appeal.	
	CANNABINOIDS		
EPIDIOLEX SOLUTION (cannabidiol)*AP		*Epidiolex may be authorized after fourteen (14) day trials of two (2) of the following agents within the past twelve 12 months: clobazam, levetiracetam, valproate, lamotrigine, topiramate, rufinamide or felbamate.	
	HYDANTOINSAP		
DILANTIN CAPSULES, SUSPENSION, CHEW TABS (phenytoin sodium extended) PEGANONE (ethotoin) phenytoin capsules, chewable tablets, suspension	PHENYTEK (phenytoin)		
	SUCCINIMIDES		
CELONTIN (methsuximide) ethosuximide capsules ethosuximide syrup	ZARONTIN (ethosuximide) capsules ZARONTIN (ethosuximide) syrup		
ANTIDEPRESSANTS, OTHER			
CLASS PA CRITERIA: See below for individua	l sub-class criteria.		
	MAOIsAP		
	MARPLAN (isocarboxazid) NARDIL (phenelzine) phenelzine tranylcypromine	Patients stabilized on MAOI agents will be grandfathered.	
	SNRISAP		
desvenlafaxine succinate ER (generic Pristiq) duloxetine capulses venlafaxine ER capsules venlafaxine IR tablets	CYMBALTA (duloxetine) desvenlafaxine fumarate ER EFFEXOR XR (venlafaxine) FETZIMA (levomilnacipran) PRISTIQ (desvenlafaxine) venlafaxine ER tablets	Non-preferred agents require separate thirty (30) day trials of a preferred agent in this sub-class AND an SSRI before they will be approved, unless one (1) of the exceptions on the PA form is present.	
	SECOND GENERATION NON-SSRI, OTHERAP		
bupropion IR bupropion SR bupropion XL mirtazapine trazodone	APLENZIN (bupropion hbr) AUVELITY (dextromethorphan HBr/bupropion)* EMSAM (selegiline) FORFIVO XL (bupropion) nefazodone REMERON (mirtazapine) TRINTELLIX (vortioxetine) VIIBRYD (vilazodone HCI)	Non-preferred agents require separate thirty (30) day trials of a preferred agent in this sub-class AND an SSRI before they will be approved, unless one (1) of the exceptions on the PA form is present. *Auvelity may be approved after the following has been met:	



EFFECTIVE 01/01/2025 **Version 2025.1a**

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

manag	ed categories. Neier to cover page for complete list of	Tules governing this FDL.
THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	vilazodone WELLBUTRIN SR (bupropion) WELLBUTRIN XL (bupropion)	1. Documentation is provided giving medical reasoning beyond convenience as to why the clinical need cannot be met with using a combination of the preferred individual components; AND 2. A trial of 30 days resulting in an inadequate clinical response, with each of the following: ONE dopamine/norepinephrine reuptake inhibitor (DNRI); AND ONE selective norepinephrine reuptake inhibitor (SNRI); AND ONE Tricyclic antidepressant (TCA); AND TWO selective serotonin reuptake inhibitors (SSRIs); AND vilazodone (Viibryd); AND
	SELECTED TCAs	vortioxetine (Trintellix)
imipramine HCI	imipramine pamoate	Non-preferred agents require a twelve (12) week trial of imipramine HCl before they will be approved, unless one (1) of the exceptions on the PA form is present.
ANTIDEPRESSANTS, SSRISAP		
exceptions on the PA form is present.		ferred agents before they will be approved, unless one (1) of the stabilized on a non-preferred SSRI will receive an authorization to
continue that drug.	a pilitary maria nadan diagnosis who have been e	Addition on a non-protottod contrattin rocotto diri datifolization to
citalopram	CELEXA (citalopram)	

-it-lesses	OFLEVA (statement)	
citalopram	CELEXA (citalopram)	
escitalopram tablets	citalopram capsules	
fluoxetine capsules, solution	escitalopram solution	
fluvoxamine	fluoxetine tablets	
paroxetine	fluoxetine DR capsules	
sertraline	fluvoxamine ER	
	LEXAPRO (escitalopram)	
	paroxetine 7.5 mg capsules	
	paroxetine ER	
	paroxetine suspension	
	PAXIL (paroxetine)	
	PAXIL CR (paroxetine)	
	PEXEVA (paroxetine)	
	PROZAC (fluoxetine)	
	SARAFEM (fluoxetine)	
	sertraline capsules	
	ZOLOFT (sertraline)	

A2 13



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIEMETICSAP		
CLASS PA CRITERIA: See below for sub-class		
	5HT3 RECEPTOR BLOCKERS	
granisetron tablets ondansetron ODT, solution, tablets	ondansetron vials SANCUSO (granisetron) SUSTOL (granisetron) ZOFRAN (ondansetron) ZUPLENZ (ondansetron)	Non-preferred agents require a three (3) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
	CANNABINOIDS	
	dronabinol* MARINOL (dronabinol)*	*Dronabinol will only be authorized for: 1. The treatment of anorexia associated with weight loss in patients with AIDS or cancer and unresponsive to megestrol or 2. The prophylaxis of chemotherapy induced nausea and vomiting unresponsive to three (3) day trials of ondansetron or promethazine for patients from eighteen (18) up to sixty-five (65) years of age.
	SUBSTANCE P ANTAGONISTS	
aprepitant EMEND 125mg capsules EMEND suspension (aprepitant)	EMEND (arprepitant) 80mg caps, dosepak VARUBI (rolapitant)	Non-preferred agents require a three (3) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
, , , ,	COMBINATIONS	
doxylamine/pyridoxine (generic Diclegis)	AKYNZEO (netupitant/palonosetron) BONJESTA (doxylamine/pyridoxine) DICLEGIS (doxylamine/pyridoxine)	Non-preferred agents may only be approved after a trial and failure of a preferred agent unless one (1) of the exceptions on the PA form is present.
ANTIFUNGALS, ORAL		
•	will only be authorized if one (1) of the exceptions on t	he PA form is present.
Clotrimazole	ANCOBON (flucytosine)	*PA is required when limits are exceeded.
fluconazole* griseofulvin*** nystatin terbinafine ^{CL/PA}	CRESEMBA (isovuconazonium) ^{CL/PA**} BREXAFEMME (ibrexafungerp) DIFLUCAN (fluconazole) flucytosine	**Full PA criteria may be found on the PA Criteria page by clicking the hyperlink. ***PA is not required for griseofulvin suspension for children
terminanie	itraconazole ketoconazole****	up to eighteen (18) years of age for the treatment of tinea capitis.
	MYCELEX (clotrimazole) NOXAFIL (posaconazole) ORAVIG (miconazole) posaconazole tablet SPORANOX (itraconazole) TOLSURA (itraconazole) VFEND (voriconazole)	****Ketoconazole will be authorized if the following criteria are met: 1. Diagnosis of one of the following fungal infections: blastomycosis, coccidioidomycosis, histoplasmosis, chromomycosis, or paracoccidioidomycosis and



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	VIVJOA (oteseconazole) voriconazole suspension voriconazole tablets	 Documented failure or intolerance of all other diagnosis-appropriate antifungal therapies, i.e. itraconazole, fluconazole, flucytosine, etc and Baseline assessment of the liver status including alanine aminotransferase (ALT), aspartate aminotransferase (AST), total bilirubin, alkaline phosphatase, prothrombin time, and international normalized ratio (INR) before starting treatment and Weekly monitoring of serum ALT for the duration of treatment (If ALT values increase to a level above the upper limit of normal or 30% above baseline, or if the patient develops symptoms of abnormal liver function, treatment should be interrupted and a full set of liver tests be obtained. Liver tests should be repeated to ensure normalization of values.) and Assessment of all concomitant medications for potential adverse drug interactions with ketoconazole. Ketoconazole will not be authorized for treatment for fungal infections of the skin and nails.
ANTIFUNGALS, TOPICALAP		
	preferred shampoo is requested, a fourteen (14) day t	ents before they will be approved, unless one (1) of the rial of one (1) preferred product (i.e. ketoconazole shampoo) is
	ANTIFUNGALS	
econazole ketoconazole cream, shampoo miconazole (OTC) nystatin	CICLODAN (ciclopirox) ciclopirox ERTACZO (sertaconazole) EXELDERM (sulconazole) EXTINA (ketoconazole) GYNAZOLE 1 CREAM (butoconazole) JUBLIA (efinaconazole)* KERYDIN (tavaborole) ketoconazole foam KETODAN (ketoconazole)	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink. **Oxistat cream will be authorized for children up to thirteen (13) years of age for tinea corporis, tinea cruris, tinea pedis, and tinea (pityriasis) versicolor.
	LOPROX (ciclopirox) luliconazole cream LUZU (luliconazole) miconazole/petrolatum/zinc oxide naftifine cream NAFTIN GEL (naftifine) oxiconazole cream OXISTAT (oxiconazole)**	



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS				
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA		
	sulconazole nitrate solution, cream tavaborole 5% topical solution VUSION (miconazole/petrolatum/zinc oxide) ANTIFUNGAL/STEROID COMBINATIONS			
clotrimazole/betamethasone cream	clotrimazole/betamethasone lotion nystatin/triamcinolone			
CLASS PA CRITERIA: All agents will require a preferred product.	ANTIHEMOPHILIA FACTOR AGENTS ^{CL/PA} CLASS PA CRITERIA: All agents will require prior-authorization, and non-preferred agents require medical reasoning explaining why the need cannot be met using a preferred product.			
All currently established regimens shall be gra	andfathered with documentation of adherence to therapy.			
	FACTOR VIII			
AFSTYLA ALPHANATE HEMOFIL M HUMATE-P JIVI KOATE KOGENATE FS KOVALTRY NOVOEIGHT NUWIQ WILATE XYNTHA XYNTHA SOLOFUSE	ADVATE ADYNOVATE ALTUVIIIO ELOCTATE ESPEROCT RECOMBINATE VONVENDI			
BYPASSING AGENTS				
	FEIBA NOVOSEVEN SEVENFACT			
	FACTOR IX			



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

ANTIHYPERURICEMICS LASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of one (1) of the preferred agents for the prevention of gouty arthritis attacks colchicine/probenecid, or allopurinol) Colchicine tablets ANTIMITOTIC-URICOSURIC COMBINATION ANTIMITOTIC-URICOSURIC COMBINATION OLICANICAL SULPSION OL	THERAPEUTIC DRUG CLASS				
ANTIHYPERURICEMICS LASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of one (1) of the preferred agents for the prevention of gouty arthritis attacks colchicine/probenecid, or allopurinol) Colchicine tablets ANTIMITOTIC-URICOSURIC COMBINATION ANTIMITOTIC-URICOSURIC COMBINATION OLICANICAL SULPSION OL	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA		
ANTIHYPERTENSIVES, SYMPATHOLYTICS LASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of each preferred unique chemical entity in the corresponding formulation before they will be approved, unless one (1) of the exceptions on the PA form is present. ANTIHYPERURICEMICS LASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of one (1) of the preferred agents for the prevention of gouty arthritis attacks colchicine/probenecid, probenecid, or allopurinol) before they will be approved, unless one (1) of the exceptions on the PA form is present. ANTIMITOTICS colchicine tablets COLCRYS (colchicine) tablets MITIGARE (colchicine) (Wenty (20) units) of the preferred agents for the prevention of gouty arthritis attacks colchicine tablets COLCRYS (colchicine) tablets COLCRYS (colchicine) tablets MITIGARE (colchicine) (Wenty (20) units) of the preferred agent(s) in this subclass will be authorized per ninety (90) days. "Gloperba may only be authorized for those who are unable to ingest solid dosage forms due to documented oral-motor difficulties or dysphagia. ANTIMITOTIC-URICOSURIC COMBINATION Colchicine/probenecid XANTHINE OXIDASE INHIBITORS ULORIC (tebuxostat) ZYLOPRIM (allopurinol)	ALPHANINE SD ALPROLIX BENEFIX IXINITY MONONINE PROFILNINE RIXUBIS				
ANTIHYPERTENSIVES, SYMPATHOLYTICS CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of each preferred unique chemical entity in the corresponding formulation before they will be approved, unless one (1) of the exceptions on the PA form is present. ANTIHYPERURICEMICS CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of one (1) of the preferred agents for the prevention of gouty arthritis attacks colchicine/probenecid, probenecid, or allopurinol) before they will be approved, unless one (1) of the exceptions on the PA form is present. ANTIMITOTICS Colchicine capsules COLCRYS (colchicine) tablets MITIGARE (colchicine) GLOPERBA (co		FACTOR IXa/IX			
CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of each preferred unique chemical entity in the corresponding formulation before they will be approved, unless one (1) of the exceptions on the PA form is present. ANTIHYPERURICEMICS CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of one (1) of the preferred agents for the prevention of gouty arthritis attacks colchicine/probenecid, probenecid, or allopurinol) before they will be approved, unless one (1) of the exceptions on the PA form is present. ANTIMITOTICS Colchicine capsules COLCRYS (colchicine) tablets MITIGARE (colchicine) GLOPERBA (colchicine) GLOPERBA (colchicine)* **Colchicine agents for the prevention of gouty arthritis attacks contains the preferred agents for the prevention of gouty arthritis attacks colchicine in the preferred agent (2) of the exceptions on the PA form is present. ANTIMITOTICS In the case of acute gouty attacks, a ten (10) day supply (twenty (20) units) of the preferred agent(s) in this subclass will be authorized per ninety (90) days. **Gloperba may only be authorized for those who are unable to ingest solid dosage forms due to documented oral-motor difficulties or dysphagia. **ANTIMITOTIC-URICOSURIC COMBINATION** URICOSURIC** **URICOSURIC** **URICOSURIC** **URICOSURIC** **URICOSURIC** **URICOSURIC** **URICOSURIC** **URICOSURIC** **ULORIC** **ULORIC**	HEMLIBRA (emicizumab-kxwh)				
ANTIHYPERURICEMICS CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of one (1) of the preferred agents for the prevention of gouty arthritis attacks colchicine/probenecid, probenecid, or allopurinol) before they will be approved, unless one (1) of the exceptions on the PA form is present. ANTIMITOTICS colchicine capsules	CLASS PA CRITERIA: Non-preferred agents to be approved, unless one (1) of the exceptions of clonidine patch	require thirty (30) day trials of each preferred unique cl	hemical entity in the corresponding formulation before they will		
CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of one (1) of the preferred agents for the prevention of gouty arthritis attacks colchicine/probenecid, probenecid, or allopurinol) before they will be approved, unless one (1) of the exceptions on the PA form is present. ANTIMITOTICS colchicine capsules					
colchicine/probenecid, probenecid, or allopurinol) before they will be approved, unless one (1) of the exceptions on the PA form is present. ANTIMITOTICS colchicine capsules					
colchicine tablets COLCRYS (colchicine) tablets MITIGARE (colchicine) GLOPERBA (colchicine)* ANTIMITOTIC-URICOSURIC COMBINATION Colchicine/probenecid URICOSURIC XANTHINE OXIDASE INHIBITORS AUGUSTION ULORIC (febuxostat) ZYLOPRIM (allopurinol)	CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of one (1) of the preferred agents for the prevention of gouty arthritis attacks (colchicine/probenecid, probenecid, or allopurinol) before they will be approved, unless one (1) of the exceptions on the PA form is present.				
COLCRYS (colchicine) tablets MITIGARE (colchicine) GLOPERBA (colchicine)* *Gloperba may only be authorized for those who are unable to ingest solid dosage forms due to documented oral-motor difficulties or dysphagia. *ANTIMITOTIC-URICOSURIC COMBINATION *Colchicine/probenecid *URICOSURIC *ANTHINE OXIDASE INHIBITORS *ULORIC (febuxostat) ZYLOPRIM (allopurinol)		111111111111111111111111111111111111111			
ANTIMITOTIC-URICOSURIC COMBINATION Colchicine/probenecid URICOSURIC Strobenecid XANTHINE OXIDASE INHIBITORS ULORIC (febuxostat) Ebuxostat tablets ZYLOPRIM (allopurinol)	colchicine tablets	COLCRYS (colchicine) tablets MITIGARE (colchicine)	(twenty (20) units) of the preferred agent(s) in this subclass will be authorized per ninety (90) days. *Gloperba may only be authorized for those who are unable to ingest solid dosage forms due to documented oral-motor		
URICOSURIC Strobenecid XANTHINE OXIDASE INHIBITORS Illopurinol Ebuxostat tablets ULORIC (febuxostat) ZYLOPRIM (allopurinol)		ANTIMITOTIC-URICOSURIC COMBINAT	· · · ·		
XANTHINE OXIDASE INHIBITORS Illopurinol ULORIC (febuxostat) Ebuxostat tablets ZYLOPRIM (allopurinol)	colchicine/probenecid				
XANTHINE OXIDASE INHIBITORS Illopurinol ULORIC (febuxostat) 2YLOPRIM (allopurinol)	URICOSURIC				
ullopurinol ULORIC (febuxostat) ebuxostat tablets ZYLOPRIM (allopurinol)	probenecid				
ebuxostat tablets ZYLOPRIM (allopurinol)		XANTHINE OXIDASE INHIBITORS			
	allopurinol febuxostat tablets	ZYLOPRIM (allopurinol)			
ANTIMIGRAINE AGENTS, PROPHYLAXISCLIPA					

CLASS PA CRITERIA: All agents require a prior authorization. Full PA criteria may be found on the <u>PA Criteria</u> page by clicking the hyperlink. Non-preferred agents require a 90-day trial of all preferred agents.



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
AlMOVIG (erenumab) AJOVY (fremanezumab) EMGALITY (galcanezumab) auto-injector, 120 mg syringes	EMGALITY (galcanezumab)* 300 mg syringes NURTEC ODT (rimegepant)** QULIPTA (atogepant)	*Emgality 300 mg/3 mL requires review by the Medical Director and is available only on appeal. **Nurtec ODT for a diagnosis of Migraine prophylaxis: Maximum Quantity limit of 16 tablets per 32 days.
ANTIMIGRAINE AGENTS, ACUTE	AP	
	equire three (3) day trials of each preferred unique cheable), before they will be approved, unless one (1) of	emical entity as well as a three (3) day trial using the same route the exceptions on the PA form is present.
	TRIPTANS	
IMITREX NASAL SPRAY (sumatriptan) naratriptan rizatriptan ODT rizatriptan tablet sumatriptan injection vials, pens sumatriptan nasal spray sumatriptan tablets zolmitriptan tablets zolmitriptan ODT	almotriptan AMERGE (naratriptan) Eletriptan FROVA (frovatriptan) frovatriptan MAXALT (rizatriptan) MAXALT MLT (rizatriptan) ONZETRA XSAIL (sumatriptan)* RELPAX (eletriptan) sumatriptan cartridges TOSYMRA NASAL SPRAY (sumatriptan)* ZEMBRACE SYMTOUCH (sumatriptan) zolmitriptan nasal spray ZOMIG (zolmitriptan) ZOMIG ZMT (zolmitriptan) TRIPTAN COMBINATIONS	*In addition to the Class Criteria: Onzetra Xsail and Tosymra require three (3) day trials of each preferred oral, nasal and injectable forms of sumatriptan.
	sumatriptan/naproxen sodium TREXIMET (sumatriptan/naproxen sodium)	
	OTHER	
NURTEC ODT (rimegepant)*	CAMBIA (diclofenac) D.H.E 45 AMPULE (dihydroergotamine)** dihydroergotamine injection, nasal spray** ELYXYB (celecoxib) MIGERGOT RECTAL SUPPOSITORY (ergotamine/caffeine)** MIGRANAL SPRAY (dihydroergotamine)** REYVOW (lasmiditan)** TRUDHESA SPRAY (dihydroergotamine)** UBRELVY (ubrogepant)*** ZAVZPRET (zavegepant) nasal spray****	*Nurtec ODT For a diagnosis of Migraine treatment: requires three (3) day trials of two (2) preferred chemically distinct triptans before it may be approved, unless one (1) of the exceptions on the PA form is present. Maximum Quantity limit of 8 tablets per 30 days. **All non-preferred Ergot alkaloid agents require three (3) day trials of (2) preferred triptans as well as a three (3) day trial of a preferred triptan using the same route of administration as the requested agent (if available), before they will be approved, unless one (1) of the exceptions on the PA form is present. Note: Ergot derivatives should not be used with

A2



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIPARASITICS, TOPICALAP		**Additional Ergot Alkaloid criteria: Nasal spray: dihydroergotamine nasal spray and Trudhesa spray may only be authorized after a trial and failure of Migranal spray. Rectal suppository: Migerot rectal suppository may only be authorized after a trial and failure of a preferred triptan nasal spray. Injection: dihydroergotamine injection and D.H.E 45 ampule may only be approved for cluster headaches. ***Ubrelvy and Reyvow require three (3) day trials of two (2) preferred chemically distinct triptans as well as a three (3) day trial of Nurtec ODT before they may be approved, unless one (1) of the exceptions on the PA form is present. Zavzpret may be authorized after a trial and failure of a preferred CGRP agent used for acute treatment AND a trial and failure of two (2) chemically distinct preferred triptans, including sumatriptan nasal spray (unless contraindicated).
CLASS PA CRITERIA: Non-preferred agents re		nd weight appropriate) before they will be approved, unless one
(1) of the exceptions on the PA form is present NATROBA (spinosad) permethrin 5% cream pyrethrins-piperonyl butoxide OTC	ELIMITE CREAM (permethrin) EURAX (crotamiton) ivermectin 0.5% lotion LICE EGG REMOVER OTC (benzalkonium chloride) lindane malathion OVIDE (malathion) SKLICE (ivermectin) spinosad VANALICE (piperonyl/pyrethin)	
ANTIPARKINSON'S AGENTS		

A2



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	CLASS PA CRITERIA: Patients starting therapy on drugs in this class must show a documented allergy to all preferred agents in the corresponding sub-class, before a non-preferred agent will be authorized.		
	ANTICHOLINERGICS		
benztropine trihexyphenidyl			
	COMT INHIBITORS	A	
entacapone	COMTAN (entacapone) ONGENTYS (opicapone) TASMAR (tolcapone) tolcapone	COMT Inhibitor agents will only be approved as add-on therapy to a levodopa-containing regimen for treatment of documented motor complications.	
	DOPAMINE AGONISTS		
APOKYN (apomorphine) PEN bromocriptine pramipexole ropinirole	apomorphine pen, cartridge KYNMOBI (apomorphine) FILM MIRAPEX ER (pramipexole)* NEUPRO (rotigotine) pramipexole ER ropinirole ER	*Mirapex ER will be authorized for a diagnosis of Parkinsonism without a trial of preferred agents.	
and a discard AD	OTHER ANTIPARKINSON'S AGENT		
amantadine*AP carbidopa/levodopa levodopa/carbidopa/entacapone selegiline	AZILECT (rasagiline) Carbidopa CREXONT (carbidopa/levodopa) GOCOVRI ER (amantadine) INBRIJA (levodopa) levodopa/carbidopa ODT LODOSYN (carbidopa) NOURIANZ (istradefylline) OSMOLEX ER (amantadine) PARLODEL (bromocriptine) rasagiline RYTARY (levodopa/carbidopa) SINEMET (levodopa/carbidopa) STALEVO (levodopa/carbidopa/entacapone) XADAGO (safinamide) ZELAPAR (selegiline)	*Amantadine will not be authorized for the treatment or prophylaxis of influenza.	
ANTIPSORIATICS, TOPICAL			
CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of a preferred agent. Documentation describing the reason for failure of the preferred agent must be provided. The required trial may be overridden when documented evidence is provided that the use of these preferred agent(s) would be medically contraindicated.			
calcipotriene solution ENSTILAR (calcipotriene/betamethasone) TACLONEX (calcipotriene/ betamethasone)	calcipotriene cream calcipotriene ointment calcipotriene/betamethasone ointment, suspension		



managed categories. Refer to cover page for complete list of rules governing this PDL.

This is not an all-inclusive list of available covered drugs and includes only

01/01/2025 Version 2025.1a

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	calcitriol SORILUX (calcipotriene) tazarotene cream VTAMA (tapinarof) ZORYVE (roflumilast) cream	

ANTIPSYCHOTICS, ATYPICAL

CLASS PA CRITERIA: All antipsychotic agents require prior authorization for children up to eighteen (18) years of age. All PA requests for antipsychotics for children 6 years of age and younger will be reviewed by Medicaid's consultant psychiatrist.

Non-preferred agents require thirty (30) day trials of two (2) preferred Atypical Antipsychotics approved or medically accepted for the member's diagnosis or indication, including the generic formulation of the requested agent (if available), before they will be approved unless one (1) of the exceptions on the PA form is present. When determining requests for non-preferred products, any trial utilizing a preferred agent whose dose or duration was limited due to adverse effects or clear lack of efficacy will be considered complete only if the agent was being taken within the FDA-approved therapeutic range. *

Patients shall be grandfathered onto their existing therapy, provided the requested agent is being used according to the manufacturer label. Continuation of therapy for an off-label indication or non-standard dosage may be granted a thirty (30) day prior-authorization while the Medical Director reviews the request.

*According to manufacturer dosing recommendations

SINGLE INGREDIENT

ABILIFY ASIMTUFII (aripiprazole) CL/PA ABILIFY MAINTENA (aripiprazole)CL/PA aripiprazole tablets ARISTADA (aripiprazole)CL/PA ARISTADA INITIO (aripiprazole)CL/PA asenapine sublingual tablets clozapine INVEGA HAFYERA (paliperidone)*CL/PA INVEGA SUSTENNA (paliperidone) CL/PA INVEGA TRINZA (paliperidone)** CL/PA **lurasidone** olanzapine olanzapine ODT paliperidone ER PERSERIS (risperidone)CL/PA quetiapine** AP for the 25 mg Tablet Only quetiapine ER RYKINDO (risperidone)***** risperidone solution, tablet, ODT VRAYLAR (capriprazine)***** ziprasidone

ABILIFY MYCITE (aripiprazole) ABILIFY TABLETS (aripiprazole) ADASUVE (loxapine) aripiprazole ODT aripiprazole solution CAPLYTA (lumateperone) clozapine ODT CLOZARIL (clozapine) FANAPT (iloperidone) GEODON (ziprasidone) GEODON IM (ziprasidone) INVEGA ER (paliperidone) LATUDA (lurasidone) LYBALVI (olanzapine and samidorphan)*** NUPLAZID (pimavanserin) **** olanzapine IMCL/PA REXULTI (brexipiprazole) RISPERDAL (risperidone) RISPERDAL CONSTA (risperidone) CL/PA SAPHRIS (asenapine) SECUADO (asenapine) SEROQUEL (quetiapine) SEROQUEL XR (quetiapine)

The following criteria exceptions apply to the specified products:

*Invega Hafyera may only be authorized after four months' treatment with Invega Sustenna or at least a one three-month cycle with Invega Trinza.

**Invega Trinza will be authorized after four months' treatment with Invega Sustenna

**Quetiapine 25 mg will be authorized:

- 1. For a diagnosis of schizophrenia or
- 2. For a diagnosis of bipolar disorder or
- When prescribed concurrently with other strengths of Seroquel in order to achieve therapeutic treatment levels.

Quetiapine 25 mg will not be authorized for use as a sedative hypnotic.

***Patient must have had a positive response with olanzapine and experienced clinically significant weight gain (documentation must be provided) which necessitated disruption of treatment. Patient must also have had an intolerance, inadequate treatment response or



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	UZEDY (risperidone) VERSACLOZ (clozapine) ZYPREXA (olanzapine) ZYPREXA IM (olanzapine) ZYPREXA RELPREVV (olanzapine)	contraindication to 2 preferred antipsychotics, which have a lower potential of weight gain, prior to Lybalvi approval. <i>Prior to initiating Lybalvi, there should be at least a 7-day opioid-free interval from the last use of short-acting opioids, and at least a 14-day opioid-free interval from the last use of long-acting opioids to avoid precipitation of opioid withdrawal.</i>
		****Nuplazid may only be authorized for the treatment of Parkinson Disease Induced Psychosis after documented treatment failure with quetiapine.
		***** Vraylar may be authorized for the indication of major depressive disorder only after a 30-day trial and failure of 2 two preferred antidepressants. For all other indications a 30 day trial and failure of one preferred antipsychotic is required.
		******Rykindo may be authorized after fulfilling class criteria.
		One of the trial requirements <u>MUST</u> be met with Risperdal Consta.
	ATYPICAL ANTIPSYCHOTIC/SSRI COMBIN	ATIONS
	olanzapine/fluoxetine	

ANTIRETROVIRALS^{AP}

CLASS PA CRITERIA: Non-preferred drugs require medical reasoning beyond convenience or enhanced compliance as to why the clinical need cannot be met with a preferred agent or combination of preferred agents. <u>NOTE</u>: Regimens consisting of preferred agents will result in no more than one additional unit per day over equivalent regimens composed of non-preferred agents. Patients already on a non-preferred regimen shall be grandfathered.

	SINGLE TABLET REGIMENS			
BIKTARVY (bictegravir/emtricitabine/ tenofovir alafenamide) COMPLERA(emtricitabine/rilpivirine/tenofovir) DELSTRIGO (doravirine/lamivudine/	ATRIPLA (efavirenz/emtricitabine/tenofovir) efavirenz/lamivudine/tenofovir JULUCA (dolutegravir/rilpivirine) SYMFI (efavirenz/lamivudine/tenofovir)	*Stribild requires medical reasoning beyond convenience or enhanced compliance as to why the medical need cannot be met with the preferred agent Genvoya.		
tenofovir df)	SYMFI LO (efavirenz/lamivudine/tenofovir)			
DOVATO (dolutegravir/lamivudine)	STRIBILD (elvitegravir/cobicistat/			
efavirenz/emtricitabine/tenofovir	emtricitabine/tenofovir)*			
GENVOYA (elvitegravir/cobicistat/	SYMTUZA (darunavir/cobicistat/			
emtricitabine/tenofovir)	emtricitabine/tenofovir alafenamide)			
ODEFSEY (emtricitabine/rilpivirine/tenofovir)	TRIUMEQ PD (abacavir/lamivudine/ dolutegravir)			
TRIUMEQ (abacavir/lamivudine/ dolutegravir)				
INTEGRASE STRAND TRANSFER INHIBITORS				



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
ISENTRESS (raltegravir potassium) TIVICAY (dolutegravir sodium) TIVICAY PD (dolutegravir sodium)	ISENTRESS HD (raltegravir potassium)		
· ·	NUCLEOSIDE REVERSE TRANSCRIPTASE INHIB	BITORS (NRTI)	
abacavir sulfate tablet EMTRIVA (emtricitabine) EPIVIR SOLUTION (lamivudine) lamivudine tenofovir disoproxil fumarate VIREAD ORAL POWDER (tenofovir disoproxil fumarate) ZIAGEN SOLUTION (abacavir sulfate) zidovudine	abacavir sulfate solution didanosine DR capsule emtricitabine capsule EPIVIR TABLET (lamivudine) RETROVIR (zidovudine) stavudine VIDEX EC (didanosine) VIDEX SOLUTION (didanosine) VIREAD TABLETS (tenofovir disoproxil fumarate) ZIAGEN TABLET (abacavir sulfate)		
NO	ON-NUCLEOSIDE REVERSE TRANSCRIPTASE INI	HIBITOR (NNRTI)	
efavirenz	EDURANT (rilpivirine) etravirine INTELENCE (etravirine) nevirapine nevirapine ER PIFELTRO (doravirine) SUSTIVA (efavirenz) VIRAMUNE ER 24H (nevirapine) VIRAMUNE SUSPENSION (nevirapine)		
	PHARMACOENHANCER - CYTOCHROME P450	INHIBITOR	
TYBOST (cobicistat)			
	PROTEASE INHIBITORS (PEPTIDIC		
atazanavir EVOTAZ (atazanavir/cobicistat) REYATAZ POWDER PACK (atazanavir) ritonavir tablet	fosamprenavir LEXIVA (fosamprenavir) NORVIR (ritonavir) REYATAZ CAPSULE (atazanavir) VIRACEPT (nelfinavir mesylate)	Norvir powder pack may be authorized for those who are unable to ingest solid dosage forms due to documented oral motor difficulties or dysphagia.	
PROTEASE INHIBITORS (NON-PEPTIDIC)			
darunavir ethanolate PREZCOBIX (darunavir/cobicistat)	APTIVUS (tipranavir) PREZISTA (darunavir ethanolate)		
	ENTRY INHIBITORS - CCR5 CO-RECEPTOR AN	TAGONISTS	
	maraviroc SELZENTRY (maraviroc)		
ENTRY INHIBITORS – FUSION INHIBITORS			



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	FUZEON (enfuvirtide)*	Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.	
	COMBINATION PRODUCTS - NRTIS		
abacavir/lamivudine lamivudine/zidovudine	abacavir/lamivudine/zidovudine CIMDUO (lamivudine/tenofovir) COMBIVIR (lamivudine/zidovudine) EPZICOM (abacavir/lamivudine) TEMIXYS (lamivudine/tenofovir) TRIZIVIR (abacavir/lamivudine/zidovudine)		
CC	MBINATION PRODUCTS - NUCLEOSIDE & NUCLEO	OTIDE ANALOG RTIS	
DESCOVY (emtricitabine/tenofovir) emtricitabine/tenofovir	TRUVADA (emtricitabine/tenofovir)		
	COMBINATION PRODUCTS - PROTEASE IN	HIBITORS	
lopinavir/ritonavir	KALETRA (lopinavir/ritonavir)		
	PRODUCTS FOR PRE-EXPOSURE PROPHYLA	AXIS (PrEP)	
APRETUDE (cabotegravir) DESCOVY (emtricitabine/tenofovir) emtricitabine/tenofovir	TRUVADA (emtricitabine/tenofovir)		
ANTIVIRALS, ORAL			
CLASS PA CRITERIA: Non-preferred agent of the exceptions on the PA form is present.	s require five (5) day trials of each preferred agent in the	e same sub-class before they will be approved, unless one (1)	
	ANTI HERPES		
acyclovir valacyclovir	famciclovir SITAVIG (acyclovir) VALTREX (valacyclovir) ZOVIRAX (acyclovir)		
	ANTI-INFLUENZA		
oseltamivir	FLUMADINE (rimantadine) RELENZA (zanamivir) rimantadine TAMIFLU (oseltamivir) XOFLUZA (baloxavir)	In addition to the Class Criteria: The anti-influenza agents will be authorized only for a diagnosis of influenza.	
ANTIVIRALS, TOPICALAP			
CLASS PA CRITERIA: Non-preferred agent PA form is present.	s require a five (5) day trial of the preferred agent before	they will be approved, unless one (1) of the exceptions on the	
acyclovir ointment ZOVIRAX CREAM (acyclovir) DENAVIR (penciclovir)	acyclovir cream docosanol cream penciclovir cream ZOVIRAX OINTMENT (acyclovir)		



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
BETA BLOCKERSAP			
	require fourteen (14) day trials of three (3) chemically of will be approved, unless one (1) of the exceptions on t	distinct preferred agents, including the generic formulation of he PA form is present.	
	BETA BLOCKERS		
acebutolol atenolol betaxolol bisoprolol HEMANGEOL (propranolol)* metoprolol ER nadolol nebivolol pindolol propranolol ER SORINE (sotalol) sotalol timolol	BETAPACE (sotalol) BYSTOLIC (nebivolol) CORGARD (nadolol) INDERAL LA (propranolol) INDERAL XL (propranolol) INNOPRAN XL (propranolol) KAPSPARGO SPRINKLE (metoprolol) LOPRESSOR (metoprolol) TENORMIN (atenolol) TOPROL XL (metoprolol)	*Hemangeol will be authorized for the treatment of proliferating infantile hemangioma requiring systemic therapy.	
	BETA BLOCKER/DIURETIC COMBINATION	DRUGS	
atenolol/chlorthalidone bisoprolol/HCTZ metoprolol/HCTZ propranolol/HCTZ	nadolol/bendroflumethiazide TENORETIC (atenolol/chlorthalidone) ZIAC (bisoprolol/HCTZ)		
	BETA- AND ALPHA-BLOCKERS		
carvedilol labetalol	carvedilol ER capsule COREG (carvedilol) COREG CR (carvedilol)		
BLADDER RELAXANT PREPARA	BLADDER RELAXANT PREPARATIONS ^{AP}		
CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of each chemically distinct preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present			
DETROL LA (tolterodine) fesoterodine ER GELNIQUE (oxybutynin) MYRBETRIQ TABLET (mirabegron) oxybutynin IR oxybutynin ER OXYTROL (oxybutynin)	darifenacin ER DETROL (tolterodine) DITROPAN XL (oxybutynin) ENABLEX (darifenacin) flavoxate GEMTESA (vibegron) mirabegron ER		



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
solifenacin	MYRBETRIQ SUSPENSION (mirabegron) tolterodine tolterodine ER TOVIAZ (fesoterodine) trospium trospium ER VESICARE (solifenacin) VESICARE LS (solifenacin)	
BONE RESORPTION SUPPRESSI		
CLASS PA CRITERIA: See below for class crit		
	BISPHOSPHONATES	
alendronate tablets ibandronate	ACTONEL (risedronate) alendronate solution ATELVIA (risedronate) BINOSTO (alendronate) BONIVA (ibandronate) FOSAMAX TABLETS (alendronate) FOSAMAX PLUS D (alendronate/vitamin D) risedronate THER BONE RESORPTION SUPPRESSION AND RI	Non-preferred agents require thirty (30) day trials of each preferred Bisphosphonate agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
OI.		
	calcitonin EVISTA (raloxifene)* FORTEO (teriparatide) MIACALCIN (calcitonin) raloxifene* teriparatide TYMLOS (abaloparatide)	Non-preferred agents require a thirty (30) day trial of a preferred Bisphosphonate agent before they will be approved, unless one (1) of the exceptions on the PA form is present. *Raloxifene will be authorized for postmenopausal women with osteoporosis who are at high risk for invasive breast cancer.
BPH TREATMENTS		
CLASS PA CRITERIA: See below for individu	ual sub-class criteria.	
	5-ALPHA-REDUCTASE (5AR) INHIBITORS AND	PDF-5 AGENTS
finasteride	AVODART (dutasteride) CIALIS 5 mg (tadalafil) Dutasteride ENTADFI (finasteride/tadalafil) capsules* PROSCAR (finasteride) tadalafil	Non-preferred 5-ALPHA-REDUCTASE (5AR) agents require a thirty (30) day trial of finasteride before they will be approved, unless one (1) of the exceptions on the PA form is present. Non-preferred PDE-5 agents require thirty (30) day trials of finasteride AND a preferred alpha blocker before they will be approved, unless one (1) of the exceptions on the PA form is present.



PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		*Documentation of medical reasoning beyond convnience must be provided as to why the clinical need cannot be met with finasteride used in combination with tadalafil.
	ALPHA BLOCKERS	
alfuzosin doxazosin tamsulosin terazosin	CARDURA (doxazosin) CARDURA XL (doxazosin) FLOMAX (tamsulosin) RAPAFLO (silodosin) silodosin	Non-preferred alpha blockers require thirty (30) day trials of at least two (2) preferred agents in this subclass, including the generic formulation of the requested non-preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
5-A	LPHA-REDUCTASE (5AR) INHIBITORS/ALPHA BLO	OCKER COMBINATION
	dutasteride/tamsulosin JALYN (dutasteride/tamsulosin)	Substitute for Class Criteria : Concurrent thirty (30) day trials of dutasteride and tamsulosin are required before the non-preferred agent will be authorized.
BRONCHODILATORS, BETA AG	ONISTAP	
CLASS PA CRITERIA: Non-preferred agents of the exceptions on the PA form is present.		preferred agent in their corresponding sub-class unless one (1)
	INHALATION SOLUTION	***
albuterol	arformoterol BROVANA (arformoterol) formoterol levalbuterol metaproterenol PERFOROMIST (formoterol) XOPENEX (levalbuterol)*	*Xopenex Inhalation Solution will be authorized for twelve (12) months for a diagnosis of asthma or COPD for patients on concurrent asthma controller therapy (either oral or inhaled) with documentation of failure on a trial of albuterol or documented intolerance of albuterol, or for concurrent diagnosis of heart disease.
	INHALERS, LONG-ACTING	
SEREVENT (salmeterol)	STRIVERDI RESPIMAT (olodaterol)	
	INHALERS, SHORT-ACTING	
albuterol HFA PROAIR HFA (albuterol) PROAIR RESPICLICK (albuterol) PROVENTIL HFA (albuterol) VENTOLIN HFA (albuterol)	PROAIR DIGIHALER (albuterol) XOPENEX HFA (levalbuterol)	*Airsupra can be found in Glucocorticoids, Inhaled section of PDL.
	ORAL	
CALCIUM CHANNEL BLOCKEDS	albuterol ER albuterol IR metaproterenol terbutaline	

CALCIUM CHANNEL BLOCKERSAP

CLASS PA CRITERIA: Non-preferred agents require fourteen (14) day trials of each preferred agent within the corresponding sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present.

LONG-ACTING



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
amlodipine diltiazem ER/CD felodipine ER nifedipine ER verapamil ER	CALAN SR (verapamil) CARDIZEM CD, LA (diltiazem) DILT-XR diltiazem LA KATERZIA SUSPENSION (amlodipine)* levamlodipine maleate MATZIM LA (diltiazem) nisoldipine NORLIQVA (amlodipine)* NORVASC (amlodipine) PROCARDIA XL (nifedipine) SULAR (nisoldipine) TIAZAC (diltiazem) verapamil ER PM VERELAN/VERELAN PM (verapamil)	*Katerzia and Norliqva may be authorized for children who are 6-10 years of age who are unable to ingest solid dosage forms. Therapy may be authorized for older patients with clinical documentation indicating oral-motor difficulties or dysphagia. In addition, Norliqva may only be authorized for patients who have a documented allergy or are unable to tolerate Katerzia.	
1914	SHORT-ACTING		
diltiazem verapamil	CARDIZEM (diltiazem) isradipine nicardipine nifedipine nimodipine NYMALIZE SOLUTION (nimodipine) PROCARDIA (nifedipine)		

CEPHALOSPORINS AND RELATED ANTIBIOTICS

CLASS PA CRITERIA: Non-preferred agents require a five (5) day trial of a preferred agent within the corresponding sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present.

one (1) of the exceptions of the 17 from the process.			
BETA LAC	BETA LACTAMS AND BETA LACTAM/BETA-LACTAMASE INHIBITOR COMBINATIONS		
amoxicillin/clavulanate IR	amoxicillin/clavulanate ER AUGMENTIN (amoxicillin/clavulanate)		
	CEPHALOSPORINS		
cefaclor capsule cefadroxil tablet cefdinir cefuroxime tablet cephalexin capsule, suspension	cefaclor suspension cefaclor ER tablet cefadroxil capsule cefadroxil suspension cefixime cefpodoxime cefprozil cefuroxime suspension cephalexin tablet KEFLEX (cephalexin) SUPRAX (cefixime)		



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
COPD AGENTS			
CLASS PA CRITERIA: Non-preferred agents runless one (1) of the exceptions on the PA form	is present.	from the corresponding sub-class before they will be approved,	
	ANTICHOLINERGICAP		
ATROVENT HFA (ipratropium) INCRUSE ELLIPTA (umeclidinium) ipratropium nebulizer solution SPIRIVA (tiotropium) SPIRIVA RESPIMAT (tiotropium)	LONHALA MAGNAIR (glycopyrrolate) TUDORZA (aclidinium) YUPELRI SOLUTION (revefenacin)		
	ANTICHOLINERGIC-BETA AGONIST COMBIN		
albuterol/ipratropium nebulizer solution ANORO ELLIPTA (umeclidinium/vilanterol) COMBIVENT RESPIMAT (albuterol/ipratropium) STIOLTO RESPIMAT (tiotropium/olodaterol)	BEVESPI (glycopyrrolate/formoterol) DUAKLIR PRESSAIR (aclidinium/formoterol)*	*In addition to the Class PA criteria, Duaklir Pressair requires sixty (60) day trials of each long acting preferred agent, as well as a 60-day trial of Stiolto Respimat.	
ANTI	CHOLINERGIC-BETA AGONIST-GLUCOCORTICO	DID COMBINATIONS	
	BREZTRI AEROSPHERE (budesonide/glycopyrrolate/formoterol)** TRELEGY ELLIPTA (fluticasone/umeclidinium/vilanterol)*	* Trelegy Ellipta may be prior authorized for patients currently established on the individual components for at least 30 days. **Breztri may be prior authorized for patients currently	
	PHOSPHODIESTERASE INHIBITORS	established on the individual components for at least 30 days.	
roflumilast	DALIRESP (roflumilast)* OHTUVAYRE (ensifentrine)		
CROHNS DISEASE ORAL STEROI	DS		
	ORAL		
budesonide ER capsule (generic Entocort EC)	ENTOCORT EC (budesonide)* ORTIKOS (budesonide)*	*Please see the following PDL classes for PDL status of additional agents used for induction and remission (Cytokine and CAM Antagonists/ Immunosuppressives, Oral/ Ulcerative Colitis Agents)	
		*Entocort EC and Ortikos may only be authorized if the patient has a documented allergy or intolerance to the generic budesonide 3mg 24-hour capsules.	
CYTOKINE & CAM ANTAGONISTS	CL/PA		
CLASS PA CRITERIA: Non-preferred agents require ninety (90) day trials of all preferred agents which are indicated for the diagnosis, unless one (1) of the exceptions on the PA form is present. Patients stabilized for at least 6-months on their existing non-preferred regimen shall be grandfathered (provided the current therapy is for a labeled indication AND a more cost-effective biosimilar product is not available). In cases where a biosimilar exists but is also non-preferred, the PA vendor shall advise the provider which product is the most cost-effective agent. All off-label requests require review by the Medical Director. Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.			
ANTI-TNFs			
AVSOLA (infliximab)	ABRILADA (adalimumab-afzb)adalimumab-aacf		



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

RNREL (clanercept) HUMIRA (adalimumab) infliximab SIMPONI subcutaneous (golimumab) SIMPONI subcutaneous (golimumab-aday) SIMPONI s	THERAPEUTIC DRUG CLASS		
HUMIRA (adalimumab) adalimumab-adaz adalimumab-adaz adalimumab-atlo) CIMZIA (certolizumab pegol) CYLTEZO (adalimumab-adbm) HADLIMA (adalimumab-adbm) HADLIMA (adalimumab-adbm) HADLIMA (adalimumab-adbm) HADLIMA (adalimumab-adbr) HAULIO (adalimumab-adcr) IDACIO (adalimumab-adcr) INFLECTRA (infliximab) REMICADE (infliximab) REMICAD	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
KINERET (anakinra) ORENCIA CLICKJET/VIAL (abatacept) OTEZLA (apremilast) TALTZ (ixekizumab)* TYENNE (tocilizumab-aazg) XELJANZ (tofacitinib) ACTEMRA ACTPEN (tocilizumab) BIMZELX (bimekizumab-bkzx) COSENTYX (secukinumab) ENTYVIO (vedolizumab) ILARIS (canakinumab) ILUMYA (tildrakizumab) KEVZARA (sarilumab) OLUMIANT (barictinib) OMVOH (mirikizumab-mrkz) ORENCIA SYRINGE (abatacept) RINVOQ ER (upadacitinib) SILIQ (brodalumab) SKYRIZI (risankizumab) SOTYKTU (deucravacitinib) STELARA subcutaneous (ustekinumab) TOFIDENCE (tocilizumab-bavi) TREMFYA (guselkumab) VELSIPITY (estrasimod) *Taltz will be authorized for treatment of plaque psoriasis, psoriatic arthritis, and ankylosing spondylitis only after inadequate response to a ninety (90) day trial of one preferred ANTI-TNF agent. *Taltz will be authorized for treatment of plaque psoriasis, psoriatic arthritis, and ankylosing spondylitis only after inadequate response to a ninety (90) day trial of one preferred ANTI-TNF agent. *Taltz will be authorized for treatment of plaque psoriasis, psoriatic arthritis, and ankylosing spondylitis only after inadequate response to a ninety (90) day trial of one preferred ANTI-TNF agent. *Taltz will be authorized for treatment of plaque psoriatic arthritis, and ankylosing spondylitis only after inadequate response to a ninety (90) day trial of one preferred ANTI-TNF agent. *Taltz will be authorized for treatment of plaque psoriatic arthritis, and ankylosing spondylities only after inadequate response to a ninety (90) day trial of one preferred ANTI-TNF agent.	HUMIRA (adalimumab) infliximab	adalimumab-adbm adalimumab-adaz adalimumab-fkjp AMJEVITA (adalimumab-atto) CIMZIA (certolizumab pegol) CYLTEZO (adalimumab-adbm) HADLIMA (adalimumab-bwwd) HULIO (adalimumab-fkjp) HYRIMOZ (adalimumab-adaz) IDACIO (adalimumab-aacf) INFLECTRA (infliximab) REMICADE (infliximab) RENFLEXIS (infliximab) SIMLANDI (adalimumab-ryvk) SIMPONI ARIA (golimumab) YUFLYMA (adalimumab-aaty) YUSIMRY (adalimumab-aqvh) ZYMFENTRA (infliximab-dyyb)	
ORENCIA CLICKJĒT/VIAL (abatacept) OTEZLA (apremilast) TALTZ (ixekizumab)* TYENNE (tocilizumab-aazg) XELJANZ (tofacitinib) ILARIS (canakinumab) ILUMYA (tildrakizumab) KEVZARA (sarilumab) OLUMIANT (baricitinib) OLUMIANT (baricitinib) ORENCIA SYRINGE (abatacept) RINVOQ ER (upadacitinib) SILIQ (brodalumab) SKYRIZI (risankizumab) SKYRIZI (risankizumab) SOTYKTU (deucravacitinib) TOFIDENCE (tocilizumab-bavi) TREMFYA (guselkumab) VELSIPITY (estrasimod) VELSIPITY (estrasimod)	KINEDET (L.)		AT 10 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
DIABETES AGENTS, BIGUANIDES	ORENCIA CLICKJET/VIAL (abatacept) OTEZLA (apremilast) TALTZ (ixekizumab)* TYENNE (tocilizumab-aazg) XELJANZ (tofacitinib)	ACTEMRA subcutaneous (tocilizumab) BIMZELX (bimekizumab-bkzx) COSENTYX (secukinumab) ENTYVIO (vedolizumab) ILARIS (canakinumab) ILUMYA (tildrakizumab) KEVZARA (sarilumab) OLUMIANT (baricitinib) OMVOH (mirikizumab-mrkz) ORENCIA SYRINGE (abatacept) RINVOQ ER (upadacitinib) SILIQ (brodalumab) SKYRIZI (risankizumab) SOTYKTU (deucravacitinib) STELARA subcutaneous (ustekinumab) TOFIDENCE (tocilizumab-bavi) TREMFYA (guselkumab) VELSIPITY (estrasimod) XELJANZ XR (tofacitinib)	psoriatic arthritis, and ankylosing spondylitis only after inadequate response to a ninety (90) day trial of one preferred



BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICALD PREFERENCE DELICATION CRITERIA

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

01/01/2025 Version 2025.1a

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CLASS PA CRITERIA: Non-preferred agents exceptions on the PA form is present.	s require a ninety (90) day trial of a preferred agent of sir	milar duration before they will be approved, unless one (1) of the
metformin metformin ER (generic Glucophage XR)	FORTAMET (metformin ER) GLUCOPHAGE XR (metformin ER) GLUMETZA (metformin ER)* metformin solution (generic Riomet) metformin ER (generic Glumetza & Fortamet) RIOMET (metformin)	*Glumetza will be approved only after a 30-day trial of Fortamet.
DIABETES AGENTS, DPP-4 INH	IBITORS	
		will NOT be approved in combination with a GLP-1 agonist.
JANUMET (sitagliptin/metformin) JANUMET XR (sitagliptin/metformin)	alogliptin alogliptin/metformin	
JANUVIA (sitagliptin)	alogliptin/pioglitazone	
JENTADUETO (linagliptin/metformin)	JENTADUETO XR (linagliptin/metformin)	
TRADJENTA (linagliptin)	KAZANO (alogliptin/metformin)	
	KOMBIGLYZE XR (saxagliptin/metformin) NESINA (alogliptin)	
	ONGLYZA (saxagliptin)	
	OSENI (alogliptin/pioglitazone)	
	sitagliptin sitagliptin/metformin	
	ZITUVIO (sitagliptin)	

DIABETES AGENTS, GLP-1 AGONISTSCL/PA

Preferred agents may be authorized with a diagnosis of Diabetes Mellitus Type II.

CLASS PA CRITERIA: Non-preferred agents will only be approved (in 6-month intervals) if ALL of the following criteria has been met:

- 1) Diagnosis of Diabetes Mellitus Type II.
- 2) Current A1C must be submitted. Agents in this class will not be approved for patients with a starting A1C of less than (<) 7%.
- 3) Documentation demonstrating 90 days of compliance on all current diabetic therapies is provided.
- 4) Documentation demonstrating treatment failure with all unique preferred agents in the same class.

Re-authorizations will require documentation of <u>continued</u> compliance on all diabetic therapies and A1C levels must reach goal, (either an A1C of ≤8%, or demonstrated continued improvement).

NOTE: GLP-1 agents will NOT be approved in combination with a DPP-4 inhibitor.



PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

01/01/2025 Version 2025.1a

EFFECTIVE

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
OZEMPIC (semaglutide) TRULICITY (dulaglutide) VICTOZA (liraglutide)	ADLYXIN (lixisenatide) BYDUREON BCISE (exenatide) BYETTA (exenatide) liraglutide MOUNJARO (tirzepatide) RYBELSUS (semaglutide)		
DIABETES AGENTS, INSULIN AN	D RELATED AGENTS		
		similar agent before they will be approved, unless one (1) of the	
APIDRA (insulin glulisine) HUMALOG (insulin lispro) HUMALOG JR KWIKPEN (insulin lispro) HUMALOG KWIKPEN U-100 (insulin lispro) HUMALOG MIX PENS (insulin lispro/lispro protamine) HUMALOG MIX VIALS (insulin lispro/lispro protamine) HUMULIN 70/30 (insulin) HUMULIN R U-500 VIAL (insulin) HUMULIN R U-500 KWIKPEN (insulin) insulin aspart flexpen, penfill, vial insulin aspart/aspart protamine pens, vials insulin glargine (labeler 00955 only) insulin lispro kwikpen U-100, vial LANTUS (insulin glargine) NOVOLOG (insulin aspart) NOVOLOG MIX (insulin aspart/aspart protamine) NOVOLIN N (insulin) TOUJEO SOLOSTAR (insulin glargine) TOUJEO MAX SOLOSTAR (insulin glargine)	ADMELOG (insulin lispro) AFREZZA (insulin) ^{CL/PA} BASAGLAR (insulin glargine) FIASP (insulin aspart) HUMALOG KWIKPEN U-200 (insulin lispro) HUMULIN PENS (insulin) HUMULIN R VIAL (insulin) HUMULIN N VIAL (insulin) insulin glargine insulin lispro junior kwikpen insulin lispro protamine mix LYUMJEV (insulin lispro) NOVOLIN (insulin) REZVOGLAR (insulin glargine-aglr) SEMGLEE (insulin glargine) SOLIQUA (insulin glargine/lixisenatide)* TRESIBA (insulin degludec)** TRESIBA FLEXTOUCH (insulin degludec)** XULTOPHY (insulin degludec/liraglutide)*	* Non-preferred insulin combination products require that the patient must already be established on the individual agents at doses not exceeding the maximum dose achievable with the combination product, and require medical reasoning beyond convenience or enhanced compliance as to why the clinical need cannot be met with a combination of preferred single-ingredient agents. **Patients stabilized on Tresiba may be grandfathered at the request of the prescriber, if the prescriber considers the preferred products to be clinically inappropriate. **Tresiba U-100 may be approved only for: Patients who have demonstrated at least a 6-month history of compliance on a preferred long-acting insulin and who continue to have regular incidents of hypoglycemia. **Tresiba U-200 may be approved only for: Patients who require once-daily doses of at least 60 units of long-acting insulin and have demonstrated at least a 6-month history of compliance on preferred long-acting insulin and who continue to have regular incidents of hypoglycemia.	
DIABETES AGENTS, MEGLITINID	ES		
CLASS PA CRITERIA: Non-preferred agents			
MEGLITINIDES			
nateglinide repaglinide	PRANDIN (repaglinide) STARLIX (nateglinide)		
	MEGLITINIDE COMBINATIONS		
	repaglinide/metformin		

DIABETES AGENTS, MISCELLANEOUS AGENTS

CLASS PA CRITERIA: Welchol will be authorized for add-on therapy for type 2 diabetes when there is a previous history of a thirty (30) day trial of an oral diabetic agent.



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THED A DELITIC DOLLC CLASS

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
colesevelam	SYMLIN (pramlintide)* WELCHOL (colesevelam) ^{AP}	*Symlin will be authorized with a history of bolus insulin utilization in the past ninety (90) days with no gaps in insulin therapy greater than thirty (30) days.
DIABETES AGENTS, SGLT2 INH	BITORS	(() () () () () () () () () (
	will only be approved (in 6-month intervals) if ALL of the	ne following criteria has been met:
 2) Documentation demonstrating 90 days of 3) Documentation demonstrating treatment for Re-authorizations will require documentation of 	n this class will not be approved for patients with a star compliance on all current diabetic therapies is provider ailure with all unique preferred agents in the same class of continued compliance on all diabetic therapies and A	d. ss.
demonstrated continued improvement).	SOLT2 INILIBITORS	
FARXIGA (dapagliflozin) JARDIANCE (empagliflozin)	SGLT2 INHIBITORS dapagliflozin INVOKANA (canagliflozin) STEGLATRO (ertugliflozin)	
	SGLT2 COMBINATIONS	
SYNJARDY (empagliflozin/metformin) XIGDUO XR (dapagliflozin/metformin)	dapagliflozin/metformin GLYXAMBI (empagliflozin/linagliptin) INVOKAMET (canagliflozin/metformin) INVOKAMET XR (canagliflozin/metformin) QTERN (dapagliflozin/saxagliptin) SEGLUROMET (ertugliflozin/metformin STEGLUJAN (ertugliflozin/sitagliptin) SYNJARDY XR (empagliflozin/metformin) TRIJARDY XR (empagliflozin/linagliptin/metformin)	
DIABETES AGENTS, TZD		
CLASS PA CRITERIA: Non-preferred agent	s are available only on appeal. THIAZOLIDINEDIONES	
pioglitazone	ACTOS (pioglitazone) AVANDIA (rosiglitazone)	
	TZD COMBINATIONS	
	ACTOPLUS MET (pioglitazone/ metformin) DUETACT (pioglitazone/glimepiride) pioglitazone/glimepiride pioglitazone/ metformin	Patients are required to use the components of Actoplus Me and Duetact separately. Exceptions will be handled on a case by-case basis.
DRY EYE PRODUCTSCL/PA	p.ogacono, modomini	



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CLASS PA CRITERIA: All agents require a pr RESTASIS (cyclosporine) XIIDRA (lifitegrast)	rior authorization. Non-preferred agents require a 60 CEQUA (cyclosporine) cyclosporine droperette RESTASIS MULTIDOSE (cyclosporine)* TYRVAYA (varenicline) VEVYE (cyclosporine)	All agents must meet the following prior-authorization criteria: 1. Patient must be sixteen (16) years of age or greater; AND 2. Prior Authorization must be requested by an ophthalmologist or optometrist; AND 3. Clinically diagnosed tear deficiency due to ocular inflammation in patients with keratoconjunctivitis sicca or dry eye syndrome (also known as dry eye); AND 4. Patient must have a functioning lacrimal gland; AND 5. Patient using artificial tears at least four (4) times a day over the last thirty (30) days; AND 6. Patient must not have an active ocular infection
EPINEPHRINE, SELF-INJECTED		
CLASS PA CRITERIA: A non-preferred agent to understand the training for the preferred agen		atient's inability to follow the instructions, or the patient's failure
epinephrine (labeler 49502 only) EPIPEN (epinephrine) EPIPEN JR (epinephrine)	AUVI-Q (epinepherine) epinephrine (all labelers except 49502) SYMJEPI (epinephrine)	
ERYTHROPOIESIS STIMULATING	PROTFINSCL/PA	
		re they will be approved, unless one (1) of the exceptions on the
EPOGEN (rHuEPO) RETACRIT (epoetin alfa)	ARANESP (darbepoetin) MIRCERA (methoxy PEG-epoetin) (rHuEPO)	Erythropoiesis agents will be authorized if the following criteria are met: 1. Hemoglobin or Hematocrit less than 10/30 respectively. For renewal, hemoglobin or hematocrit levels greater than 12/36 will require dosage reduction or discontinuation. Exceptions will be considered on an individual basis after medical documentation is reviewed. (Lab oratory values must be dated within six (6) weeks of request.) and 2. Transferrin saturation ≥ 20%, ferritin levels ≥100 mg/ml, or on concurrent therapeutic iron therapy. (Laboratory values must be dated within three (3) weeks of request. For re-authorization, transferrin



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
		 saturation or ferritin levels are not required if the patient has been responsive to the erythropoietin agent and 3. For HIV-infected patients, endogenous serum erythropoietin level must be ≤ 500mU/ml to initiate therapy and 4. No evidence of untreated GI bleeding, hemolysis, or Vitamin B-12, iron or folate deficiency. 	
FLUOROQUINOLONES, ORALAP			
CLASS PA CRITERIA: Non-preferred agents require a five (5) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA			
form is present.			
CIPRO SUSPENSION (ciprofloxacin) ciprofloxacin levofloxacin tablet	BAXDELA (delafloxacin) CIPRO TABLETS (ciprofloxacin) ciprofloxacin suspension levofloxacin solution moxifloxacin ofloxacin		
GLUCOCORTICOIDS, INHALEDAP			
CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of each chemically unique preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.			
GLUCOCORTICOIDS			
ARNUITY ELLIPTA (fluticasone) ASMANEX TWISTHALER (mometasone) budesonide nebulizer 0.5 mg/2 ml & 0.25 mg/2 ml solution PULMICORT FLEXHALER (budesonide)	ALVESCO (ciclesonide) ARMONAIR DIGIHALER (fluticasone) ASMANEX HFA (mometasone) budesonide nebulizer 1 mg/2ml solution fluticasone HFA PULMICORT NEBULIZER SOLUTION (budesonide) QVAR REDIHALER (beclomethasone)		
GLUCOCORTICOID/BRONCHODILATOR COMBINATIONS			
ADVAIR DISKUS (fluticasone/salmeterol) ADVAIR HFA (fluticasone/salmeterol) DULERA (mometasone/formoterol) SYMBICORT (budesonide/formoterol)	AIRDUO DIGIHALER (fluticasone/salmeterol) AIRDUO RESPICLICK (fluticasone/salmeterol) AIRSUPRA (albuterol/budesonide) BREO ELLIPTA (fluticasone/vilanterol) budesonide/formoterol fluticasone/salmeterol fluticasone/vilanterol WIXELA (fluticasone/salmeterol)		

GROWTH HORMONES AND ACHONDROPLASIA AGENTSCLIPA

CLASS PA CRITERIA: Non-preferred agents require three (3) month trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
GENOTROPIN (somatropin) NORDITROPIN (somatropin)	HUMATROPE (somatropin) INCRELEX (mecasermin) NGENLA (somatrogon-ghla) NUTROPIN AQ (somatropin) OMNITROPE (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin) SKYTROFA (lonapegsomatropin) SOGROYA (somapacitan-beco) VOXZOGO (vosoritide)** ZOMACTON (somatropin) ZORBTIVE (somatropin)	Patients already on a non-preferred agent will receive authorization to continue therapy on that agent for the duration of the existing PA. *Full PA criteria for Voxzogo may be found on the PA Criteria page by clicking the hyperlink.	
H. PYLORI TREATMENT			
CLASS PA CRITERIA: Non-preferred agents require a trial of the combination of individual preferred components of the requested non-preferred agent and must be used at the recommended dosages, frequencies, and duration of the non-preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.			
Please use individual components: preferred PPI (omeprazole or pantoprazole) amoxicillin tetracycline metronidazole clarithromycin bismuth PYLERA (bismuth/metronidazole/tetracycline)	HELIDAC (bismuth/metronidazole/tetracycline) lansoprazole/amoxicillin/clarithromycin OMECLAMOX-PAK (omeprazole/amoxicillin/clarithromycin) TALICIA (omeprazole/amoxicillin/rifabutin) VOQUEZNA DUAL PAK (vonoprazan/amoxicillin) VOQUEZNA TRIPLE PAK (vonoprazan/amoxicillin/clarithromycin)		
HEART FAILURE TREATMENTS			
This is not an all-inclusive list of agents available ENTRESTO (sacubitril/valsartan)*	e for the treatment of heart failure. Please see beta bl ENTRESTO SPRIKLE CAPS (sacubitril/valsartan)** INPEFA (sotagliflozin)*** VERQUVO (vericiguat)****	ockers and SGLT-2 agents.) *Entresto may be authorized only for patients ≥ 1 year of age diagnosed with chronic heart-failure. **Entresto sprinkle capsules may be authorized for children 1 years of age up to age nine (9) who are unable to ingest solid dosage forms. Therapy may be authorized for older	



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

	THERAPEUTIC DRUG CLAS	SS CONTRACTOR OF THE CONTRACTO
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		patients with clinical documentation indicating oral-motor difficulties or dysphagia. **Inpefa may be authorized for an FDA approved indication AND clinical reasoning must be provided as to why the medical need cannot be met with a preferred SGLT2 agent. ***Full PA criteria for Verquvo may be found on the PA Criteria page by clicking the hyperlink.
HEPATITIS B TREATMENTS		
CLASS PA CRITERIA: Non-preferred agents the PA form is present.	require ninety (90) day trials of each preferred agent b	efore they will be approved, unless one (1) of the exceptions on
BARACLUDE SOLUTION (entecavir) * entecavir lamivudine HBV	adefovir BARACLUDE TABLET (entecavir) EPIVIR HBV (lamivudine) HEPSERA (adefovir) VEMLIDY (tenofovir alafenamide fumarate)	*Baraclude solution will be authorized only for patients with documentation of dysphagia.
HEPATITIS C TREATMENTSCL/PA	VENIELET (GIOTOVII didionalinae fattatale)	
		I on the <u>PA Criteria</u> page. Requests for non-preferred regimens
MAVYRET (pibrentasvir/glecaprevir)* ribavirin sofosbuvir/velpatasvir (labeler 72626)*	EPCLUSA (sofosbuvir/velpatasvir)* HARVONI (ledipasvir/sofosbuvir)* ledipasvir/sofosbuvir* PEGASYS (pegylated interferon) PEG-INTRON (pegylated interferon) RIBASPHERE RIBAPAK (ribavirin) RIBASPHERE 400 mg, 600 mg (ribavirin) SOVALDI (sofosbuvir)* VIEKIRA XR (dasabuvir/ombitasvir/ paritaprevir/ritonavir)* VOSEVI (sofosbuvir/velpatasvir/voxilaprevir) ZEPATIER (elbasvir/grazoprevir)	*Full PA criteria may be found on the <u>PA Criteria</u> page by clicking the hyperlink.
HYPERPARATHYROID AGENTS		
CLASS PA CRITERIA: Non-preferred agents the PA form is present.	require thirty (30) day trials of each preferred agent b	efore they will be approved, unless one (1) of the exceptions on
cinacalcet paricalcitol capsule	doxercalciferol HECTOROL (doxercalciferol) paricalcitol injection RAYALDEE (calcifediol) SENSIPAR (cinacalcet)	



managed categories. Refer to cover page for complete list of rules governing this PDL.

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA
This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 01/01/2025 Version 2025.1a

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ZEMPLAR (paricalcitol)	
HYPERPHOSPHATEMIA AGENTS	· · · · · · · · · · · · · · · · · · ·	
exceptions on the PA form is present.		rred agents before they will be approved, unless one (1) of the
calcium acetate capsules CALPHRON (calcium acetate) MAGNEBIND RX (calcium carbonate, folic acid, magnesium carbonate) PHOSLYRA (calcium acetate) sevelamer carbonate	AURYXIA (ferric citrate) calcium acetate tablets FOSRENOL (lanthanum) lanthanum chewable RENAGEL (sevelamer) RENVELA (sevelamer carbonate) sevelamer carbonate powder packet sevelamer hcl VELPHORO (sucroferric oxyhydroxide) XPHOZAH (tenapanor)	
HYPOGLYCEMIA TREATMENTS		
CLASS PA CRITERIA: Non-preferred agents re-	quire clinical reasonining beyond convenience why th	e preferred glucagon products cannot be used.
BAQSIMI SPRAY (glucagon) glucagon vial glucagon emergency kit ZEGALOGUE (dasiglucagon)	GLUCAGEN HYPOKIT (glucagon) GVOKE (glucagon)	
IMMUNOMODULATORS, ATOPIC		
CLASS PA CRITERIA: Non-preferred agents re (1) of the exceptions on the PA form is present. skin folds.	quire 30-day trial of a medium to high potency topical Requirement for topical corticosteroids may be excl	corticosteroid AND all preferred agents in this class unless one luded with involvement of sensitive areas such as the face and
ADBRY (tralokinumab)* DUPIXENT (dupilumab)* ELIDEL (pimecrolimus)	CIBINQO (abrocitinib)* EUCRISA (crisaborole) ^{AP**} OPZELURA CREAM (ruxolitinib)*	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink
PROTOPIC (tacrolimus) tacrolimus ointment	pimecrolimus cream	**Eucrisa requires a 30-day trial of Elidel OR a medium to high potency corticosteroid unless contraindicated.
IMMUNOMODULATORS, GENITAL WARTS & ACTINIC KERATOSIS AGENTS		
CLASS PA CRITERIA: Non-preferred agents rethe PA form is present.	equire thirty (30) day trials of each preferred agent be	efore they will be approved, unless one (1) of the exceptions on
CONDYLOX GEL (podofilox) EFUDEX (fluorouracil) imiquimod cream	ALDARA (imiquimod) CARAC (fluorouracil) diclofenac 3% gel fluorouracil 0.5% cream fluorouracil 5% cream	*Zyclara will be authorized for a diagnosis of actinic keratosis.



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	imiquimod pump podofilox TOLAK (fluorouracil 4% cream) VEREGEN (sinecatechins) ZYCLARA CREAM, PUMP (imiquimod)*		
IMMUNOSUPPRESSIVES, ORAL			
CLASS PA CRITERIA: Non-preferred agents rethe PA form is present.	equire a fourteen (14) day trial of a preferred agent be	efore they will be approved, unless one (1) of the exceptions on	
azathioprine cyclosporine cyclosporine, modified mycophenolate mofetil sirolimus tacrolimus capsule	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) CELLCEPT (mycophenolate mofetil) ENVARSUS XR (tacrolimus) everolimus tablet IMURAN (azathioprine) LUPKYNIS (voclosporin)* mycophenolic acid mycophenolic mofetil suspension MYFORTIC (mycophenolic acid) MYHIBBIN (mycophenolate mofetil suspension) NEORAL (cyclosporine, modified) PROGRAF (tacrolimus) RAPAMUNE (sirolimus) REZUROCK (belumosudil)** SANDIMMUNE (cyclosporine) ZORTRESS (everolimus)	*Lupkynis requires a ninety (90) day trial of Benlysta prior to approval. Full PA criteria for Lupkynis may be found on the PA Criteria page by clicking the hyperlink. **Rezurock may be authorized after a trial of two systemic treatments for chronic graft-versus-host disease. Examples of systemic therapy may include methylprednisolone, Imbruvica® (ibrutinib capsules and tablets), cyclosporine, tacrolimus, sirolimus, mycophenolate mofetil and imatinib.	
INTRANASAL RHINITIS AGENTS	Р		
CLASS PA CRITERIA: See below for individua	CLASS PA CRITERIA: See below for individual sub-class criteria.		
	ANTICHOLINERGICS		
ipratropium	ATROVENT (ipratropium)	Non-preferred agents require thirty (30) day trials of one (1) preferred nasal anti-cholinergic agent, AND one (1) preferred antihistamine AND one (1) preferred intranasal corticosteroid agent before they will be approved, unless one (1) of the exceptions on the PA form is present.	
ANTIHISTAMINES			
azelastine olopatadine	PATANASE (olopatadine)		
COMBINATIONS			



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	azelastine/fluticasone DYMISTA (azelastine / fluticasone) RYALTRIS (olopatadine HCl/mometasone)*	Dymista requires a concurrent thirty (30) day trial of each preferred component before it will be approved, unless one (1) of the exceptions on the PA form is present.
		*Ryaltris requires a thirty (30) day trial of each individual component before it may be approve
	CORTICOSTEROIDS	
fluticasone propionate OMNARIS (ciclesonide) QNASL HFA (beclomethasone) ZETONNA (ciclesonide)	BECONASE AQ (beclomethasone) flunisolide mometasone NASONEX (mometasone)	Non-preferred agents require thirty (30) day trials of each preferred agent in this sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present
IRRITABLE BOWEL SYNDROME/S	SHORT BOWEL SYNDROME/SELECT	ED GI AGENTS
CLASS PA CRITERIA: All agents are approval	ole only for patients age eighteen (18) and older. See	below for additional sub-class criteria.
	CONSTIPATION	
LINZESS 145 and 290 mcg (linaclotide) lubiprostone capsule MOVANTIK (naloxegol) TRULANCE (plecanatide)	AMITIZA (lubiprostone) IBSRELA (tenapanor) LINZESS 72 mcg (linaclotide) lubiprostone capsule MOTEGRITY (prucalopride) RELISTOR INJECTION (methylnaltrexone) RELISTOR TABLET (methylnaltrexone)	No agent shall be approved to treat opioid induced constipation (OIC) without evidence of at least 90-days of opioid use preceding the request. Continuation of coverage shall be granted with evidence of continuous and concurrent opioid use.
	SYMPROIC (naldemedine)	Agents may be authorized only for their FDA-approved labeled indication. The following agent-specific criteria shall also apply, unless one (1) of the exceptions on the PA form is present:
		<u>Ibsrela</u> requires thirty (30) day trials of each preferred agent for IBS-C, however for <u>males</u> , a trial of lubiprostone is not required. <u>Linzess 72mcg</u> may only be approved for a diagnosis of chronic idiopathic constipation (CIC) AND for those who
		cannot tolerate the 145mcg dose. Linzess may also be approvable for a diagnosis of functional constipation for pediatric patients 6 to 17 years of age. Motegrity requires a 30-day trial of both lubiprostone and

A2 40

Linzess.



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		Relistor and Symproic are indicated for OIC and require thirty (30) day trials of both Movantik and lubiprostone.
	DIARRHEA	
	alosetron LOTRONEX (alosetron) MYTESI (crofelemer) VIBERZI (eluxadoline)	Full PA criteria may be found on the PA Criteria page by clicking the hyperlink
LAXATIVES AND CATHARTICS		
CLASS PA CRITERIA: Non-preferred agents of the PA form is present	require thirty (30) day trials of each preferred agent be	efore they will be approved, unless one (1) of the exceptions on
CLENPIQ (sodium picosulfate, magnesium oxide, citric acid) COLYTE GOLYTELY MOVIPREP NULYTELY OSMOPREP peg 3350 sod sulfate-pot sulf-mag sulf (generic SUPREP)	peg 3350-sod sulf-NaCL-KCL-asb powder SUFLAVE (peg 350-sod sulf, chl-pot-mag) SUPREP SUTAB (magnesium sulfate, potassium sulfate, sodium sulfate)	
LEUKOTRIENE MODIFIERS		
CLASS PA CRITERIA: Non-preferred agents of the PA form is present.	require thirty (30) day trials of each preferred agent be	efore they will be approved, unless one (1) of the exceptions on
montelukast zafirlukast	ACCOLATE (zafirlukast) SINGULAIR (montelukast) zileuton ZYFLO (zileuton)	
LIPOTROPICS, OTHER (Non-stati	ns)	
CLASS PA CRITERIA: Non-preferred agents rethe PA form is present.		efore they will be approved, unless one (1) of the exceptions on
	BEMPEDOIC ACIDS	
	NEXLIZET (bempedoic acid/ezetimibe) NEXLETOL (bempedoic acid)	NEXLIZET AND NEXLETOL may be approved if the following criteria is met:
		1. Patient must meet all age and indication restrictions imposed by the current FDA approved label; AND



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		2. Documentation must be submitted indicating that the patient failed to reach an LDL<70 mg/dL after an 8-week trial of either atorvastatin 40 - 80 mg + ezetimibe OR rosuvastatin 20 - 40 mg + ezetimibe. Note: If the patient failed to tolerate the first statin, then they must be trialed on the second statin for 8 weeks or until intolerance occurs.
	BILE ACID SEQUESTRANTS ^{AP}	
cholestyramine colesevelam colestipol tablets	COLESTID (colestipol) colestipol granules QUESTRAN (cholestyramine) WELCHOL (colesevelam)*	*Welchol will be authorized for add-on therapy for type 2 diabetes when there is a previous history of a thirty (30) day trial of an oral agent (metformin, sulfonylurea or thiazolidinedione (TZD)). See HYPOGLYCEMICS, MISCELLANEOUS.
	CHOLESTEROL ABSORPTION INHIBIT	ORS
ezetimibe	ZETIA (ezetimibe)	
	FATTY ACIDS	
omega-3 acid ethyl esters	icosapent ethyl capsules LOVAZA (omega-3-acid ethyl esters)	Icosapent ethyl capsules may be approved if the following criteria is met: 1. The patient has a triglyceride level ≥ 500 mg/dL prior to the start of therapy OR 2. The patient has an initial triglyceride level of ≥ 150 mg/dL prior to start of therapy; AND3.The patient has established cardiovascular disease or diabetes; AND 4.The patient is concomitantly receiving a statin.
	FIBRIC ACID DERIVATIVES ^{AP}	
fenofibrate 54 and 160 mg fenofibrate micronized 67mg, 134mg & 200mg fenofibrate nanocrystallized 48 mg, 145 mg gemfibrozil	ANTARA (fenofibrate) fenofibrate 40 mg tablet fenofibrate 150 mg capsules fenofibrate 43, 50, 120 and 130 mg fenofibrate micronized 30 and 90 mg fenofibric acid FENOGLIDE (fenofibrate) FIBRICOR (fenofibric acid) LIPOFEN (fenofibrate) LOPID (gemfibrozil) TRICOR (fenofibrate nanocrystallized) TRILIPIX (fenofibric acid)	
	MTP INHIBITORS	AF II DA 16 1 1 1 1 2 2 2 2 1 1
	JUXTAPID (lomitapide)*	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
	PCSK-9 INHIBITORS	



managed categories. Refer to cover page for complete list of rules governing this PDL.

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 01/01/2025 Version 2025.1a

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PRALUENT (alirocumab)* REPATHA (evolocumab)*	LEQVIO (inclisiran)*	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
LIPOTROPICS, STATINSAP		
CLASS PA CRITERIA: See below for individual	dual sub-class criteria.	
	STATINS	
atorvastatin lovastatin pravastatin rosuvastatin simvastatin**	ALTOPREV (lovastatin) ATORVALIQ (atorvastatin)*** CRESTOR (rosuvastatin) EZALLOR SPRINKLE (rosuvastatin)* fluvastatin fluvastatin ER LESCOL XL (fluvastatin) LIPITOR (atorvastatin) LIVALO (pitavastatin) PRAVACHOL (pravastatin) ZOCOR (simvastatin)** ZYPITAMAG (pitavastatin)	Non-preferred agents require twelve (12) week trials of two (2) preferred agents, including the generic formulation of the requested non-preferred agent, before they will be approved, unless one (1) of the exceptions on the PA form is present. *Ezallor SPRINKLE will only be authorized for those who are unable to ingest solid dosage forms due to documented oral-motor difficulties or dysphagia. **Zocor/simvastatin 80mg tablets will require a clinical PA. ***Atorvaliq may be authorized for children who are 6-10 years of age who are unable to ingest solid dosage forms. Therapy may be authorized for older patients with clinical documentation indicating oral-motor difficulties or dysphagia.
	STATIN COMBINATIONS	documentation indicating oral-motor difficulties of dyspriagia.
	amlodipine/atorvastatin CADUET (atorvastatin/amlodipine) ezetimibe/simvastatin* VYTORIN (simvastatin/ezetimibe)*	Non-preferred agents require thirty (30) day concurrent trials of the corresponding preferred single agents before they will be approved, unless one (1) of the exceptions on the PA form is present. *Vytorin will be authorized only after an insufficient response to a twelve (12) week trial of the maximum tolerable dose of atorvastatin or rosuvastatin, unless one (1) of the exceptions on the PA form is present.
		Victoria 90/10mg tableta will require a clinical DA
MABS, ANTI-IL/IgE		Vytorin 80/10mg tablets will require a clinical PA.
CLASS PA CRITERIA: Non-preferred agents require ninety (90) day trials of all preferred agents which are indicated for the diagnosis. Full PA Criteria		
may be found on the PA Criteria page by	clicking the hyperlink.	J
DUPIXENT (dupilumab) FASENRA (benralizumab) NUCALA AUTO INJECTOR/SYRINGE (mepolizumab) XOLAIR VIAL (omalizumab)	NUCALA VIAL (mepolizumab) TEZSPIRE (tezepelumab-ekko) XOLAIR SYRINGES (omalizumab)	
MACROLIDES		



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CLASS PA CRITERIA: Non-preferred agents in PA form is present.		re they will be approved, unless one (1) of the exceptions on the
azithromycin tablet, suspension, packet clarithromycin tablets	clarithromycin ER clarithromycin suspension E.E.S. (erythromycin ethylsuccinate) ERYPED (erythromycin ethylsuccinate) ERY-TAB (erythromycin) ERYTHROCIN (erythromycin stearate) erythromycin tablet/capsule DR erythromycin tablet erythromycin estolate ZITHROMAX (azithromycin)	
	prior authorization and documented diagnosis of magnetic preferred agents require ninety (90) day trials of two (2	nultiple sclerosis. Preferred oral agents require a ninety (90) 2) chemically unique preferred agents (in the same sub-class)
AVONEX (interferon beta-1a) BETASERON (interferon beta-1b) REBIF (interferon beta-1a) REBIF REBIDOSE (interferon beta-1a)	EXTAVIA VIAL (interferon beta-1b) PLEGRIDY (peginterferon beta-1a)	
	NON-INTERFERONS	
COPAXONE 20 mg (glatiramer) dalfampridine ER** dimethyl fumerate*** fingolimod KESIMPTA INJECTION (ofatumumab)**** teriflunomide*	AMPYRA (dalfampridine)** AUBAGIO (teriflunomide)* BAFIERTAM CAPSULES (monomethyl fumarate) COPAXONE 40 mg (glatiramer)***** GILENYA (fingolimod) glatiramer GLATOPA (glatiramer) MAVENCLAD (cladribine) MAYZENT (siponimod)****** PONVORY (ponesimod) TASCENSO ODT TABLETS (fingolimod lauryl sulfate) TECFIDERA (dimethyl fumarate)*** VUMERITY (diroximel) ZEPOSIA (ozanimod)	In addition to class PA criteria, the following conditions and criteria may also apply: *Aubagio (teriflunomide) requires the following additional criteria to be met: 1. Diagnosis of relapsing multiple sclerosis and 2. Measurement of transaminase and bilirubin levels within the (6) months before initiation of therapy and ALT levels at least monthly for six (6) months after initiation of therapy and 3. Complete blood cell count (CBC) within six (6) months before initiation of therapy and 4. Female patients must have a negative pregnancy test before initiation of therapy and be established on a reliable method of contraception if appropriate and



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		 5. Patient is between eighteen (18) up to sixty-five (65) years of age and 6. Negative tuberculin skin test before initiation of therapy
		**Dalfampridine ER and Ampyra require the following additional criteria to be met: 1. Diagnosis of multiple sclerosis and 2. No history of seizures and 3. No evidence of moderate or severe renal impairment. 4. Initial authorization will be issued for thirty (30) days, with a limit of two (2) tablets per day. If the patient shows improvement, additional quantities may be authorized.
		***Dimethyl fumerate and Tecfidera require the following additional criteria to be met: 1. Diagnosis of relapsing multiple sclerosis and 2. Complete blood count (CBC) within six (6) months of initiation of therapy and six (6) months after initiation and 3. Complete blood count (CBC) annually during therapy.
		****Kesimpta may be approved with documentation of treatment failure/inadequate treatment response after a 90-day trial of at least one preferred MS agent. Documentation of a negative Hepatits B test must be provided.
		******Copaxone 40mg will only be authorized for documented injection site issues.
		******Mayzent may be authorized with no additional requirement beyond the diagnosis for patients with documented secondary progressive MS.
NEUROPATHIC PAIN		
CLASS PA CRITERIA: Non-preferred agents re approved, unless one (1) of the exceptions on the		e corresponding dosage form (oral or topical) before they will be
capsaicin OTC duloxetine gabapentin lidocaine patch 5%	CYMBALTA (duloxetine) DRIZALMA SPRINKLE (duloxetine)* gabapentin ER (generic Gralise) GRALISE (gabapentin)**	*Drizalma SPRINKLE will only be authorized for those who are unable to ingest solid dosage forms due to documented oral-motor difficulties or dysphagia.
LYRICA CAPSULE/SOLUTION (pregabalin)	HORIZANT (gabapentin)***	**Gralise will be authorized only if the following criteria are met:



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
pregabalin capsule	lidocaine patch 4% LIDODERM (lidocaine) LYRICA CR (pregabalin)**** NEURONTIN (gabapentin) pregabalin ER tablet (generic Lyrica CR) pregabalin solution SAVELLA (milnacipran)**** ZTLIDO PATCH (lidocaine)	 Diagnosis of post herpetic neuralgia and Trial of a tricyclic antidepressant for a least thirty (30) days and 90-day trial of gabapentin immediate release formulation (positive response without adequate duration) and Request is for once daily dosing with 1800 mg maximum daily dosage. ****Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
		****Lyrica CR requires medical reasoning beyond convenience as to why the need cannot be met using preferred pregabalin capsules. ****Savella will be authorized for a diagnosis of fibromyalgia only after a 90-day trial of one preferred agent
NSAIDS ^{AP}		
CLASS PA CRITERIA: See below for sub-class		
distate as a (ID, OD)	NON-SELECTIVE	Non-professional assessment distriction (200)
diclofenac (IR, SR) flurbiprofen ibuprofen tablet, capsule, suspension,	DAYPRO (oxaprozin) diclofenac potassium capsule, tablets diflunisal DUEXIS (famotidine/ibuprofen) EC-naproxen DR tablet etodolac IR etodolac SR famotidine/ibuprofen FELDENE (piroxicam) fenoprofen INDOCIN SUSPENSION (indomethacin) INDOCIN SUPPOSITORIES (indomethacin) indomethacin ER ketoprofen ER ketorolac spray LOFENA (diclofenac) meclofenamate mefenamic acid meloxicam submicronized capsule (generic Vivlodex)	Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	meloxicam suspension MOBIC TABLET (meloxicam) NALFON (fenoprofen) NAPRELAN (naproxen) naproxen suspension naproxen CR oxaprozin RELAFEN DS (nabumetone) SPRIX (ketorolac) TIVORBEX (indomethacin) tolmetin VIVLODEX (meloxicam) VOLTAREN (diclofenac) ZIPSOR (diclofenac potassium)	
	ZORVOLEX (diclofenac) NSAID/GI PROTECTANT COMBINATIO	ONE
	ARTHROTEC (diclofenac/misoprostol) diclofenac/misoprostol ibuprofen/famotidine naproxen/esomeprazole VIMOVO (naproxen/esomeprazole)	Non-preferred agents are only available on appeal and require medical reasoning beyond convenience as to why the need cannot be met with the combination of preferred single agents.
	COX-II SELECTIVE	
celecoxib	CELEBREX (celecoxib)	1.
	TOPICAL	
diclofenac gel (RX)*	diclofenac patch diclofenac solution LICART PATCH (diclofenac) PENNSAID (diclofenac)	*diclofenac gel will be limited to 100 grams per month. Non-preferred agents require a thirty (30) day trial of the preferred Topical agent and thirty (30) day trials of each preferred oral NSAID before they will be approved, unless one(1) of the exceptions on the PA form is present.
OPHTHALMIC ANTIBIOTICSAP		
	nts require three (3) day trials of each preferred agent before	ore they will be approved, unless one (1) of the exceptions on the
bacitracin/polymyxin ointment ciprofloxacin* erythromycin gentamicin moxifloxacin* neomycin/bacitracin/polymyxin ofloxacin*	AZASITE (azithromycin) bacitracin BESIVANCE (besifloxacin)* BLEPH-10 (sulfacetamide) CILOXAN (ciprofloxacin) gatifloxacin neomycin/polymyxin/gramicidin	*Prior authorization of any fluoroquinolone agent requires three (3) day trials of all other preferred agents unless definitive laboratory cultures exist indicating the need to use a fluoroquinolone. **Xdemvy may be authorized for the treatment of demodex blepharitis without further restrictions.



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

	THERAPEUTIC DRUG CLASS	
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
polymyxin/trimethoprim tobramycin TOBREX OINT (tobramycin)	OCUFLOX (ofloxacin) POLYTRIM (polymyxin/trimethoprim) sulfacetamide drops sulfacetamide ointment TOBREX (tobramycin) VIGAMOX (moxifloxacin) XDEMVY (lotilaner)** ZYMAXID (gatifloxacin)	
OPHTHALMIC ANTIBIOTIC/STER	OID COMBINATIONS ^{AP}	
	equire three (3) day trials of each preferred agent before the	hey will be approved, unless one (1) of the exceptions on the
PA form is present. BLEPHAMIDE (prednisolone/sulfacetamide) MAXITROL ointment/suspension (neomycin/polymyxin/ dexamethasone) neomycin/bacitracin/polymyxin/hydrocortisone neomycin/polymyxin/dexamethasone PRED-G SUSPENSION (prednisolone/gentamicin) sulfacetamide/prednisolone TOBRADEX OINTMENT (tobramycin/ dexamethasone) TOBRADEX SUSPENSION (tobramycin/ dexamethasone) TOBRADEX ST (tobramycin/ dexamethasone) tobramycin/dexamethasone suspension ZYLET (loteprednol/tobramycin)	BLEPHAMIDE S.O.P. (prednisolone/sulfacetamide) neomycin/polymyxin/hydrocortisone PRED-G OINTMENT (prednisolone/gentamicin)	
OPHTHALMICS FOR ALLERGIC (housing a scata before the could be approved unless one (4)
of the exceptions on the PA form is present.	equire trinty (30) day trials of three (3) preferred chemicall	ly unique agents before they will be approved, unless one (1)
ALAWAY (ketotifen) ALREX (loteprednol) azelastine BEPREVE (bepotastine) cromolyn EYSUVIS (loteprednol) ketotifen ZADITOR OTC (ketotifen)	ALOCRIL (nedocromil) ALOMIDE (lodoxamide) bepotastine epinastine loteprednol LUMIFY (brimonidine) olopatadine 0.1% olopatadine 0.2% PATADAY ONCE AND TWICE DAILY (olopatadine) ZERVIATE (cetirizine)	

OPHTHALMICS, ANTI-INFLAMMATORIES



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

	THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA		
CLASS PA CRITERIA: Non-preferred agents re on the PA form is present. Trials must include a Dexamethasone diclofenac DUREZOL (difluprednate) FLAREX (fluorometholone) FML (fluorometholone) FML FORTE (fluorometholone) FML S.O.P. (fluorometholone) ketorolac LOTEMAX GEL, OINTMENT, SUSPENSION (loteprednol) MAXIDEX (dexamethasone) NEVANAC (nepafenac) PRED FORTE (prednisolone) PRED MILD (prednisolone) prednisolone acetate prednisolone sodium phosphate	equire five (5) day trials of at least two (2) preferred agent to least one agent with the same mechanism of action at least one agent with the same mechanism of action at ACULAR (ketorolac) ACULAR LS (ketorolac) ACUVAIL (ketorolac tromethamine) bromfenac BROMSITE (bromfenac) difluprednate fluorometholone flurbiprofen ILEVRO (nepafenac) INVELTYS (loteprednol) LOTEMAX SM (loteprednol etabonate) loteprednol drops, gel OMNIPRED (prednisolone) OZURDEX (dexamethasone) PROLENSA (bromfenac) RETISERT (fluocinolone) TRIESENCE (triamcinolone)	ts before they will be approved, unless one (1) of the exceptions the requested non-preferred agent.		
OPHTHALMICS, GLAUCOMA AG	ENTS			
CLASS PA CRITERIA: Non-preferred agents will only be authorized if there is an allergy to all preferred agents in the corresponding sub-class.				
	COMBINATION AGENTS			
COMBIGAN (brimonidine/timolol) dorzolamide/timolol SIMBRINZA (brinzolamide/brimonidine)	brimonidine-timolol COSOPT PF (dorzolamide/timolol)			
BETA BLOCKERS				
BETOPTIC S (betaxolol) carteolol levobunolol timolol drops	betaxolol ISTALOL (timolol) timolol gel TIMOPTIC (timolol) CARBONIC ANHYDRASE INHIBITORS			
AZODT (haire-cloreide)				
AZOPT (brinzolamide) dorzolamide	brinzolamide TRUSOPT (dorzolamide)			
	PARASYMPATHOMIMETICS			
pilocarpine				

A2 49

PROSTAGLANDIN ANALOGS



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
latanoprost TRAVATAN-Z (travoprost)	bimatoprost IYUZEH (latanoprost) LUMIGAN (bimatoprost) tafluprost travoprost VYZULTA (latanoprostene)* XALATAN (latanoprost) XELPROS (latanoprost) ZIOPTAN (tafluprost)	*Vyzulta – prior authorization requires failure on a 3-month trial of at least one preferred prostaglandin eye drop used in combination with an agent from another subclass.
	RHO-KINASE INHIBITORS	
RHOPRESSA (netarsudil) ROCKLATAN (netarsudil/latanoprost)		
	SYMPATHOMIMETICS	
ALPHAGAN P Solution (brimonidine) brimonidine 0.2%	apraclonidine brimonidine 0.15% IOPIDINE (apraclonidine)	
OPIATE DEPENDENCE TREATME	NTS	
CLASS PA CRITERIA: Bunavail and Zubsolv n tablets.	nay only be approved with a documented intolerance	or allergy to Suboxone strips AND buprenorphine/naloxone
*WV Medicaid's buprenorphine coverage policy	may be viewed by clicking on the following hyperlink:	Buprenorphine Coverage Policy and Related Forms
BRIXADI (buprenorphine) ^{CL/PA} buprenorphine/naloxone tablets* KLOXXADO SPRAY (naloxone) naloxone vial/syringe/cartridge naloxone nasal spray (OTC) NARCAN NASAL SPRAY (naloxone) OPVEE (nalmefene) REXTOVY NASAL SPRAY (naloxone) SUBLOCADE (buprenorphine soln) ^{CL/PA*} SUBOXONE FILM (buprenorphine/naloxone)* VIVITROL (naltrexone)	BUNAVAIL (buprenorphine/naloxone)* buprenorphine tablets* buprenorphine/naloxone film* lofexidine LUCEMYRA (lofexidine)** naloxone nasal spray (RX) ZIMHI (naloxone hydrochloride) ZUBSOLV (buprenorphine/naloxone)*	** Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.

ORAL AND TOPICAL CONTRACEPTIVES

CLASS PA CRITERIA: Non-preferred agents require a trial with three (3) preferred contraceptive products including a trial with a preferred product with the same route of administration as the requested non-preferred agent, before they will be approved, unless one (1) of the exceptions on the PA form is present.



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

	THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
AFIRMELLE ALTAVERA AMETHYST APRI AUBRA AUBRA EQ AUROVELA AVIANE AYUNA AZURETTE BALZIVA BEYAZ BLISOVI FE CAMILA CAMRESE 3MO CHATEAL CHATEAL EQ CYRED CYRED EQ DEBLITANE desogestrel-ethinyl estradiol desogestrel-ethinyl estradiol ENSKYCE ERRIN ESTARYLLA FALMINA HAILEY FE HEATHER HER STYLE INCASSIA ISIBLOOM JENCYCLA JOLESSA 3MO JULEBER JUNEL FE	ALYACEN AMETHIA 3MO ARANELLE ASHLYNA 3MO AUROVELA 24 FE AUROVELA FE BALCOLTRA BLISOVI 24 FE BRIELLYN CAMRESE LO 3MO CHARLOTTE 24 FE CHEW TAB CRYSELLE CURAE DASETTA DAYSEE 3MO drospirenone-ethy estra-levomef ECONTRA EZ ECONTRA ONE-STEP ELINEST ELLA ENPRESSE ethynodiol-ethinyl estradiol FAYOSIM 3MO FINZALA GEMMILY HAILEY HAILEY 24 FE ICLEVIA 3MO INTROVALE 3MO JAIMIESS 3MO JASMIEL JOYEAUX JUNEL JUNEL FE 24 KAITLIB FE KALLIGA KELNOR 1-35	*Phexxi may be approvable when it is prescribed for the prevention of pregnancy; AND reasoning is provided as to why the clinical need cannot be met with a preferred agent. Phexxi will not be approved for use by patients who are also using hormonal contraceptive vaginal rings.	



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
KARIVA	KELNOR 1-50	
KURVELO	LARIN	
LARIN FE LESSINA	LARIN 24 FE	
LEVONEST	LAYOLIS FE CHEW TAB	
levonorgestrel	LEENA	
levonorgestrel-ethinyl estradiol	levonorgestrel-ethinyl estradiol (generic Jolessa) 3	
levonorgestrel-ethinyl estradiol (generic	MO	
Loseasonique) 3MO	LEVORA-28	
levonorgestrel-ethinyl estradiol-ferrous	LOESTRIN	
bisglycinate	LOESTRIN FE	
LILLOW	LOJAIMIESS 3MO	
LO LOESTRIN FE	LOSEASONIQUE 3MO	
LORYNA LUTERA	LOW-OGESTREL	
LYLEQ	LO-ZUMANDIMINE	
LYZA	MERZEE	
MARLISSA	MICROGESTIN	
MIBELAS 24 FE	MICROGESTIN 24 FE	
MICROGESTIN FE	MINASTRIN 24 FE CHEW TAB	
MILI	MIRCETTE	
MONO-LINYAH	NECON	
MY CHOICE	NEXTSTELLIS	
MY WAY	norethindrone-e.estradiol-iron cap	
NATAZIA	norethindrone-e.estradiol-iron chew tab	
NEW DAY	NORTREL	
NIKKI	OPTION 2	
NORA-BE	PHEXXI VAGINAL GEL*	
norethindrone	PHILITH	
norethindrone-e.estradiol-iron tab	PIMTREA	
norethindrone-ethinyl estradiol	QUARTETTE	
norgestimate-ethinyl estradiol	RECLIPSEN	
NORLYDA	RIVELSA 3MO	
NYLIA	SAFYRAL	
NYMYO	SEASONIQUE 3MO	
OCELLA	SETLAKIN 3MO	
OPCICON ONE-STEP	SIMPESSE 3MO	
PORTIA	SLYND	
SHAROBEL	SYEDA	



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
SIMLIYA SPRINTEC SRONYX TARINA FE TARINA FE TARINA FE 1-20 EQ TAYTULLA TRI-ESTARYLLA TRI FEMYNOR TRI-LINYAH TRI-LO-ESTARYLLA TRI-LO-MARZIA TRI-LO-MILI TRI-LO-SPRINTEC TRI-MILI TRI-NYMYO TRI-SPRINTEC TRI-VYLIBRA TRI-VYLIBRA TRI-VYLIBRA TWIRLA PATCH VIENVA VIORELE VOLNEA VYLIBRA YASMIN 28 YAZ ZAFEMY PATCHZOVIA 1-35 ZOVIA 1-35E ZUMANDIMINE	TARINA 24 FE TAYSOFY TILIA FE TRI-LEGEST FE TRIVORA-28 TURQOZ TYBLUME CHEW TAB TYDEMY VELIVET VESTURA VYFEMLA WERA WYMZYA FE CHEW TAB XULANE PATCH	
OTIC ANTIBIOTICSAP CLASS PA CRITERIA: Non-preferred agents	require five (5) day trials of each preferred agent before	re they will be approved, unless one (1) of the exceptions on the
PA form is present.		re they will be approved, utiless one (1) of the exceptions on the
CIPRO HC (ciprofloxacin/hydrocortisone) ciprofloxacin/dexamethasone	ciprofloxacin ciprofloxacin/fluocinolone OTOVEL (ciprofloxacin/fluocinolone)	



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CORTISPORIN-TC (colistin/hydrocortisone/ neomycin) neomycin/polymyxin/HC solution/suspension ofloxacin		
PAH AGENTSCL/PA		
	require a thirty (30) day trial of a preferred agent before	re they will be approved, unless one (1) of the exceptions on the
. , , , , , , , , , , , , , , , , , , ,	ACTIVIN SIGNALING INHIBITOR	
	WINREVAIR (sotatercept-csrk)	
	COMBINATIONS	
	OPSYNVI (macitentan/tadalafil)*	*Opsynvi requires review by the Medical Director and is available only on appeal.
	ENDOTHELIN RECEPTOR ANTAGONIS	STS
bosentan LETAIRIS (ambrisentan)	ambrisentan OPSUMIT (macitentan) TRACLEER SUSP (bosentan) TRACLEER TABLET (bosentan)	
	GUANYLATE CYCLASE INHIBITOR	
	ADEMPAS (riociguat)*	*Adempas requires a thirty (30) day trial of a preferred agent from any other PAH Class before it may be approved, unless one (1) of the exceptions on the PA form is present.
	PAH AGENTS – PDE5s	
sildenafil tablets	ADCIRCA (tadalafil) LIQREV (sildenafil)* REVATIO IV (sildenafil) REVATIO SUSPENSION (sildenafil) REVATIO TABLETS (sildenafil) sildenafil suspension (generic Revatio)** TADLIQ SUSPENSION (tadalafil)***	*Liqrev may be authorized for those who are unable to ingest solid dosage forms due to documented oral-motor difficulties or dysphagia AND documentation is provided as to why the clinical need cannot be met with either Revatio or sildenafil suspension. **sildenafil suspension may be authorized for those who are unable to ingest solid dosage forms due to documented oral-
		motor difficulties or dysphagia AND documentation is provided as to why the clinical need cannot be met with Revatio. ***Tadliq may be authorized for those who are unable to ingest solid dosage forms due to documented oral-motor difficulties or dysphagia AND after a thirty (30) day trial of Revatio resulting in an inadequate treatment response.



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	PAH AGENTS – PROSTACYCLINS		
epoprostenol (generic Flolan) epoprostenol (generic Veletri) VENTAVIS (iloprost)*	FLOLAN (epoprostenol) ORENITRAM ER (treprostinil) REMODULIN (treprostinil sodium) treprostinil (generic Remodulin) TYVASO (treprostinil) TYVASO DPI (treprostinil) UPTRAVI (selexipag) VELETRI (epoprostenol)	*Ventavis will only be authorized for the treatment of pulmonary artery hypertension (WHO Group 1) in patients with NYHA Class III or IV symptoms.	
PANCREATIC ENZYMESAP			
		e they will be approved, unless one (1) of the exceptions on the	
CREON PERTZYE ZENPEP	brosis, a trial of a preferred agent will not be required. PANCREAZE VIOKACE		
PITUITARY SUPPRESSIVE AGEN	TS, LHRH ^{CL/PA}		
CLASS PA CRITERIA: Unless otherwise note	d, non-preferred agents are available only on appeal.		
FENSOLVI SYRINGE (leuprolide acetate) LUPANETA (leuprolide) LUPRON DEPOT KIT (leuprolide) LUPRON DEPOT-PED KIT (leuprolide) MYFEMBREE (relugolix, estradiol, norethindrone)* ORILISSA (elagolix)* SYNAREL (nafarelin) TRELSTAR (triptorelin) TRIPTODUR (triptorelin)	leuprolide ORIAHNN (elagolix-estradiol-norethindrone)* SUPPRELIN LA KIT (histrelin)	*Full PA criteria for Myfembree, Orilissa and Oriahnn may be found on the PA Criteria page by clicking the hyperlink. Ir addition, Orilissa and Oriahnn may only be approved if there is a documented side effect, allergy, or treatment failure with Myfembree. Use of GnRH receptor antagonists will be limited to 24 months.	
PLATELET AGGREGATION INHIE	BITORS		
CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.			
BRILINTA (ticagrelor) clopidogrel dipyridamole prasugrel	clopidogrel kit dipyridamole/aspirin EFFIENT (prasugrel) PLAVIX (clopidogrel) ZONTIVITY (vorapaxar)		
POTASSIUM REMOVING AGENTS			
CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.			
LOKELMA (sodium zirconium cyclosilicate)	KIONEX (sodium polystyrene sulfonate) SPS (sodium polystyrene sulfonate)		



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	VELTASSA (patiromer calcium sorbitex)		
PROGESTINS FOR CACHEXIA			
CLASS PA CRITERIA: Non-preferred agents re PA form is present.	equire a thirty (30) day trial of a preferred agent before	e they will be approved, unless one (1) of the exceptions on the	
megestrol			
PROTON PUMP INHIBITORSAP			
of a concurrent thirty (30) day trial at the maximum omeprazole (Rx) pantoprazole tablets PROTONIX GRANULES (pantoprazole)**	ACIPHEX (rabeprazole) ACIPHEX (rabeprazole) ACIPHEX SPRINKLE (rabeprazole) DEXILANT (dexlansoprazole) dexlansoprazole DR capsule esomeprazole magnesium KONVOMEP (omeprazole/sodium bicarbonate) lansoprazole Rx NEXIUM (esomeprazole) NEXIUM PACKETS (esomeprazole)** omeprazole/sodium bicarbonate (Rx) pantoprazole granules packet PREVACID CAPSULES (lansoprazole) PREVACID SOLUTABS (lansoprazole)** PRILOSEC Rx (omeprazole) PROTONIX DR TABLETS (pantoprazole) Rabeprazole VOQUEZNA (vonoprazan) *** ZEGERID Rx (omeprazole/sodium bicarbonate)	and pantoprazole at the maximum recommended dose*, inclusive ved, unless one (1) of the exceptions on the PA form is present. *Maximum recommended doses of the PPIs and H2-receptor antagonists may be located at the BMS Pharmacy PA criteria page titled "Max PPI and H2RA" by clicking on the hyperlink. **Prior authorization is required for members nine (9) years of age or older for these agents. *** VOQUEZNA (vonoprazan) is NOT a PROTON PUMP INHIBITOR but will remain on the PDL in this class due to similar indications	
the exceptions on the PA form is present. All ago		OTH sub-classes before they will be approved, unless one (1) or olets in a thirty (30) day period. NOTE: WV Medicaid covers d if available, however all NDCs are payable.	



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	OTHERS	
BELSOMRA (suvorexant)* melatonin ROZEREM (ramelteon) zolpidem 5, 10 mg	AMBIEN (zolpidem) AMBIEN CR (zolpidem) DAYVIGO (lemborexant) doxepin 3mg and 6mg EDLUAR (zolpidem) eszopiclone HETLIOZ (tasimelteon) ^{CL*} LUNESTA (eszopiclone) QUVIVIQ (daridorexant) ramelteon SILENOR (doxepin) tasimelteon zaleplon zolpidem ER 6.25, 12.5 mg	For treatment naïve female patients, zolpidem and zolpidem ER maximum dosages will be limited to 5 mg and 6.25 mg respectively per day. *Full PA criteria may be found on the PA Criteria page by clicking the hyperlink. *Belsomra may be approved after a trial of zolpidem or temazepam, unless one of the exceptions on the PA form is present.
SKELETAL MUSCLE RELAXANTS	AP	
CLASS PA CRITERIA: See below for individua		
ablamatic DADAEON FORTE)	ACUTE MUSCULOSKELETAL RELAXANT A	
chlorzoxazone (generic PARAFON FORTE) cyclobenzaprine IR 5, 10 mg methocarbamol	AMRIX (cyclobenzaprine) carisoprodol* carisoprodol/ASA* carisoprodol/ASA/codeine* chlorzoxazone (generic LORZONE)	Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present, with the exception of carisoprodol.
	cyclobenzaprine ER cyclobenzaprine IR 7.5 mg FEXMID (cyclobenzaprine) LORZONE (chlorzoxazone) metaxalone orphenadrine orphenadrine ER ROBAXIN (methocarbamol) SKELAXIN (metaxalone) SOMA (carisoprodol)	*Carisoprodol requires thirty (30) day trials of each of the preferred acute musculoskeletal relaxants and Skelaxin before it will be approved.
	USCULOSKELETAL RELAXANT AGENTS USED F	
baclofen tizanidine tablets	baclofen solution*, suspension DANTRIUM (dantrolene) dantrolene FLEQSUVY (baclofen)*	Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
	LYVISPAH GRANULÉ PACKET (baclofen)* tizanidine capsules	*Oral baclofen solution, Fleqsuvy (baclofen suspension) and Lyvispah granules may only be authorized for those who are



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

PREFERRED AGENTS ZANAFLEX (tizanidine) anable to ingest sold desage forms due to documented oral-motor difficulties or dysphagia. In addition, Fleqsuvy and Lyvispah may only be authorized if there is a documented intolerance to oral bactofen solution. STEROIDS, TOPICAL CLASS PA CRITERIA: Non-preferred agents require five (5) day trials of one (1) form of EACH preferred unique active ingredient in the corresponding potency group before they will be approved, unless one (1) of the exceptions on the PA form is present. VERY HIGH & HIGH POTENCY amcinonide APEXICON E (difforasone diacetate) betamethasone valerate lotion clobetasol propionate shampoo fluccinonide gel triamcinolone acetonide cream, ointment triamcinolone acetonide cream, ointment triamcinolone acetonide lotion DIAM (clobetasol propionate) DIPROLENE (betamethasone dipropionate) DIPROLENE (betamethasone dipropionate) Tuccinonides ointment Tuccinonides optionate) LEXETTE FORM (habbetasol) OLUX (clobetasol propionate) ULYE (clobetasol propionate) TOPICORT (SREAM, GEL, OINTMENT) (desoximatosone) TOPICORT SREAY (desoximatosone)	THERAPEUTIC DRUG CLASS			
STEROIDS, TOPICAL CLASS PA CRITERIA: Non-preferred agents require five (5) day trials of one (1) form of EACH preferred unique active ingredient in the corresponding potency group before they will be approved, unless one (1) of the exceptions on the PA form is present. VERY HIGHS A HIGH POTENCY betamethasone valerate cream betamethasone valerate lotion betamethasone valerate lotion betamethasone valerate lotion clobetasol propionate gream, gel, ointment, solution clobetasol propionate cream, gel, ointment, solution clobetasol propionate gel triamcinolone acetonide cream, ointment triamcinolone acetonide lotion BRYHALI LOTION (halbotasol) propionate) clobetasol propionate foream, gel, ointment triamcinolone acetonide lotion BRYHALI LOTION (halbotasol) propionate) clobetasol propionate (propionate) clobetasol propionate) clobetasol propionate (propionate) clobetasol propionate) cl	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
CLASS PA CRITERIA: Non-preferred agents require five (5) day trials of one (1) form of EACH preferred unique active ingredient in the corresponding potency group before they will be approved, unless one (1) of the exceptions on the PA form is present. VERY HIGH & HIGH POTENCY betamethasone dipropionate cream betamethasone valerate cream betamethasone valerate cream betamethasone valerate oint clobetasol emollient clobetasol propionate deam. Spray CLODAN KIT (clobetasol propionate bampoo fluocinonide gel triamcinolone acetonide cream, ointment triamcinolone acetonide lotion clobetasol propionate form, gel, ointment triamcinolone acetonide lotion desoximetasone cream, gel, ointment triamcinolone acetonide lotion desoximetasone cream, gel, ointment, spray difforasone diacetate DIPROLENE (betamethasone dipropionate) CLODAN STIAMPOO (clobetasol propionate) CLODAN STIAMPOO (clobetasol propionate) discontined cream fluocinonide cream fluocinonide criam fluocinonide criam fluocinonide criam halobetasol propionate) HALOG (halionoride) IMPRICO UNION (clobetasol propionate) CLEXETTE FOAM (halobetasol) OLUX (clobetasol propionate) CLEXETTE FOAM (halobetasol) OLUX (clobetasol propionate) TOPICORT CREAM, GEL, OINTMENT (desoximetasone) TOPICORT SPRAY (desoximetasone) TOPICORT SPRAY (desoximetasone) TOPICORT SPRAY (desoximetasone) TOVET FOAM (clobetasol) ULTRAVATE (labbetasol) propionate) ULTRAVATE (labbetasol) propionate) ULTRAVATE (labbetasol) propionate)		ZANAFLEX (tizanidine)	motor difficulties or dysphagia. In addition, Fleqsuvy and Lyvispah may only be authorized if there is a documented	
group before they will be approved, unless one (1) of the exceptions on the PA form is present. VERY HIGH & HIGH POTENCY betamethasone valerate rearm betamethasone valerate totion betamethasone valerate totion betamethasone valerate oint clobetasol propionate cream, gel, ointment, solution clobetasol propionate shampoo fluocinonide gel riamicniolone acetonide cream, ointment triamicnolone acetonide cream, ointment triamicnolone acetonide lotion DIPROLENE (betamethasone dipropionate plyco) fluocinonide gel DIPROLENE (betamethasone dipropionate) fluocinonide cream fluocinonide deram fluocinonide deram halobetasol propionate) fluocinonide solution fluocinonide cream halobetasol propionate) fluocinonide cream halobetasol propionate) fluocinonide propionate halco (halcinonide) impekto to Tion (clobetasol propionate) LEXETTE FOAM (halobetasol) OLUX - (dobetasol propionate) CLUDX-E (dobetasol propionate) LEXETTE FOAM (halobetasol) OLUX-E (dobetasol propionate) TEMOVATE (dobetasol propionate) TOPICORT CREAM, GEL, OINTMENT (desoximetasone) TOPICORT SPRAY (desoximetasone) TOPICORT SPRAY (desoximetasone) TOVET FOAM (clobetasol) ULTRAVATE (halobetasol) ULTRAVATE (halobetasol) ULTRAVATE PAC cream VANOS (fluocinonide)	STEROIDS, TOPICAL			
betamethasone valerate cream betamethasone valerate lotion betamethasone valerate lotion betamethasone valerate lotion betamethasone valerate lotion clobetase lemblient clobetasol propionate cream, gel, ointment, solution clobetasol propionate shampoo fluccinonide gel triamcinolone acetonide lotion clobetasol propionate shampoo fluccinonide gel triamcinolone acetonide lotion clobetasol propionate shampoo fluccinonide gel triamcinolone acetonide lotion clobetasol propionate from triamcinolone acetonide solution fluccinonide/emollient halcinonide cream halobetasol propionate halobetasol propionate from triamcinolone acetonide lotion clobetasol prop		1) of the exceptions on the PA form is present.	erred unique active ingredient in the corresponding potency	
betamethasone valerate cream betamethasone valerate lotion betamethasone valerate oint clobetasol emollient clobetasol propionate cream, gel, ointment, solution clobetasol propionate shampoo fluocinonide gel triamcinolone acetonide cream, ointment triamcinolone acetonide lotion BryHALI LOTION (halobetasol) clobetasol propionate) clobetasol propionate shampoo fluocinonide gel triamcinolone acetonide lotion DIPROLENE (betamethasone dipropionate/propylene glycol) fluocinonide solution fluocinonide solution fluocinonide intment fluocinonide intment fluocinonide propionate halobetasol propionate) KENALOG (Iriamcinolone acetonide) LEXETTE FOAM (halobetasol) OLUX-E (clobetasol propionate) OLUX-E (clobetasol propionate) TOPICORT CREAM, GEL, OINTMENT (desoximetasone) TOPICORT SPRAY (desoximetasone)	hetamethasone dipropionate cream			
MEDIUM POTEMOV	betamethasone valerate cream betamethasone valerate lotion betamethasone valerate oint clobetasol emollient clobetasol propionate cream, gel, ointment, solution clobetasol propionate shampoo fluocinonide gel triamcinolone acetonide cream, ointment	APEXICON E (diflorasone diacetate) betamethasone dipropionate gel, lotion, ointment BRYHALI LOTION (halobetasol) clobetasol lotion clobetasol propionate foam, spray CLODAN KIT (clobetasol propionate) CLODAN SHAMPOO (clobetasol propionate) desoximetasone cream, gel, ointment, spray diflorasone diacetate DIPROLENE (betamethasone dipropionate/propylene glycol) fluocinonide cream fluocinonide ointment fluocinonide/emollient halcinonide cream halobetasol propionate HALOG (halcinonide) IMPEKLO LOTION (clobetasol propionate) KENALOG (triamcinolone acetonide) LEXETTE FOAM (halobetasol) OLUX (clobetasol propionate) OLUX-E (clobetasol propionate/emollient) PSORCON (diflorasone diacetate) TEMOVATE (clobetasol propionate) TOPICORT CREAM, GEL, OINTMENT (desoximetasone) TOPICORT SPRAY (desoximetasone) TOVET FOAM (clobetasol) ULTRAVATE (halobetasol propionate) ULTRAVATE PAC cream VANOS (fluocinonide)		



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
fluticasone propionate cream, ointment mometasone furoate triamcinolone acetonide 0.025% and 0.1% cream	BESER LOTION (fluticasone) betamethasone valerate foam clocortolone cream CLODERM (clocortolone pivalate) CORDRAN (flurandrenolide) CUTIVATE (fluticasone propionate) fluocinolone acetonide cream, ointment, solution flurandrenolide lotion, ointment, cream fluticasone propionate lotion hydrocortisone butyrate cream hydrocortisone butyrate ointment, solution hydrocortisone valerate LOCOID (hydrocortisone butyrate) LOCOID LIPOCREAM (hydrocortisone butyrate/emollient) LUXIQ (betamethasone valerate) PANDEL (hydrocortisone probutate) prednicarbate	
	LOW POTENCY	
fluocinolone oil hydrocortisone acetate (Rx, OTC) hydrocortisone cream (Rx, OTC) hydrocortisone lotion hydrocortisone ointment (Rx, OTC) hydrocortisone solution OTC hydrocortisone-aloe cream OTC hydrocortisone-aloe ointment OTC	alclometasone dipropionate AQUA GLYCOLIC HC (hydrocortisone) DERMA-SMOOTHE FS (fluocinolone acetonide) DESONATE (desonide) desonide cream, ointment desonide lotion hydrocortisone/mineral oil/petrolatum hydrocortisone acetate/urea hydrocortisone/aloe gel SCALPICIN OTC (hydrocortisone) SYNALAR (fluocinolone) TEXACORT (hydrocortisone)	
STIMULANTS AND RELATED AGI		
agent in the same subclass and with a similar du	ults eighteen (18) years of age or older. Non-preferre uration of effect and mechanism of action, unless one existing therapy at the discretion of the prescriber. AMPHETAMINES	d agents require a thirty (30) day trial of at least one preferred (1) of the exceptions on the PA form is present. NOTE :
ADDERALL XR (amphetamine salt	ADDERALL (amphetamine salt combination)	In addition to the Class Criteria: Thirty (30) day trials of at
combination) amphetamine salt combination ER amphetamine salt combination IR	ADZENYS XR ODT (amphetamine) ADZENYS ER SUSP (amphetamine) amphetamine tablets	least three (3) antidepressants are required before amphetamines will be authorized for depression.
dextroamphetamine ER dextroamphetamine IR DYANAVEL XR SUSP (amphetamine)	DESOXYN (methamphetamine) DEXEDRINE ER (dextroamphetamine) dextroamphetamine solution	*Mydayis requires a 30-day trial of at least one long-acting preferred agent in this subclass and a trial of Adderall XR.



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
PROCENTRA solution (dextroamphetamine)	DYANAVEL XR TABLETS (amphetamine) EVEKEO (amphetamine) EVEKEO ODT (amphetamine) lisdexamfetamine methamphetamine MYDAYIS (dextroamphetamine/amphetamine salt)* VYVANSE CHEWABLE (lisdexamfetamine) VYVANSE CAPSULE (lisdexamfetamine) XELSTRYM (dextroamphetamine) patches ZENZEDI (dextroamphetamine) NON-AMPHETAMINE		
atomoxetine*	ADHANSIA XR (methylphenidate)	*Strattera (atomoxetine) is limited to a maximum of 100 mg per	
clonidine IR clonidine ER CONCERTA (methylphenidate) dexmethylphenidate IR dexmethylphenidate XR guanfacine ER guanfacine IR methylphenidate IR methylphenidate IR methylphenidate CD capsules methylphenidate ER 24 tablet (generic CONCERTA) methylphenidate ER tablet (generic RITALIN SR) methylphenidate ER CD capsules methylphenidate ER CD capsules methylphenidate Solution QUILLICHEW ER (methylphenidate) QUILLIVANT XR (methylphenidate) RITALIN LA (methylphenidate)	APTENSIO XR (methylphenidate) AZSTARYS (dexmethylphenidate/serdexmethylphenidate) COTEMPLA XR ODT (methylphenidate) DAYTRANA (methylphenidate) FOCALIN IR (dexmethylphenidate) FOCALIN XR (dexmethylphenidate) INTUNIV (guanfacine extended-release) JORNAY PM (methylphenidate) METHYLIN SOLUTION (methylphenidate) methylphenidate ER capsule methylphenidate ER 72 mg tablet methylphenidate ER LA capsule methylphenidate ER LA capsule methylphenidate LA capsule methylphenidate patches QELBREE (viloxazine)** RELEXXII (methylphenidate extended-release) RITALIN (methylphenidate) STRATTERA (atomoxetine)*	day. **Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.	
NARCOLEPTIC AGENTS			
armodafinil* modafinil* NUVIGIL (armodafinil)* PROVIGIL (modafinil)*	sodium oxybate** SUNOSI (solriamfetol)* WAKIX (pitolisant)*** XYREM (sodium oxybate)** XYWAV (calcium, magnesium, potassium, and sodium oxybate)**	*Full PA criteria for narcoleptic agents may be found on the PA Criteria page by clicking the hyperlink. **Full PA criteria for Xyrem/Xywav may be found on the PA Criteria page by clicking the hyperlink. ***Wakix is approvable only with documentation of treatment failure after 30-day trials of armodafinil, modafinil and Sunosi.	



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
TETRACYCLINES			
CLASS PA CRITERIA: Non-preferred agents r PA form is present.	equire ten (10) day trials of each preferred agent befo	re they will be approved, unless one (1) of the exceptions on the	
doxycycline hyclate capsules doxycycline hyclate 100 mg tablets doxycycline monohydrate 50, 100 mg capsules minocycline capsules	demeclocycline** DORYX (doxycycline hyclate) doxycycline hyclate 50, 75, 150 mg tablets doxycycline hyclate tablet DR 75, 100, 150, 200 mg doxycycline hyclate tablet DR 50 mg doxycycline monohydrate 40, 75, 150 mg capsule doxycycline monohydrate tablet doxycycline monohydrate suspension MINOCIN (minocycline) minocycline ER capsules minocycline tablets MINOLIRA ER (minocycline) MORGIDOX KIT (doxycycline) NUZYRA (omadacycline)* SOLODYN (minocycline) tetracycline VIBRAMYCIN CAPSULES, SUSPENSION, SYRUP (doxycycline) XIMINO (minocycline)	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink. **Demeclocycline will be authorized for conditions caused by susceptible strains of organisms designated in the product information supplied by the manufacturer. A C&S report must accompany this request. Demeclocycline will also be authorized for SIADH.	
ULCERATIVE COLITIS AGENTS			
	be approved, unless one (1) of the exceptions on the	orm or chemical entity before the corresponding non-preferred PA form is present.	
APRISO (mesalamine)	ORAL AZULFIDINE (sulfasalazine)		
ASACOL HD (mesalamine) balsalazide PENTASA (mesalamine) 250 mg PENTASA (mesalamine) 500 mg sulfasalazine	budesonide ER tablet COLAZAL (balsalazide) DELZICOL (mesalamine) DIPENTUM (olsalazine) LIALDA (mesalamine) mesalamine		



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	UCERIS (budesonide) ZEPOSIA (ozanimod)		
RECTAL			
mesalamine	DELZICOL DR (mesalamine) mesalamine kit ROWASA (mesalamine) SF ROWASA (mesalamine) UCERIS (budesonide)		
VAGINAL RING CONTRACEPTIVES			
a preferred agent.	equire medical reasoning beyond convenience or enhar	nced compliance as to why the clinical need cannot be met with	
NUVARING (etonogestrel/ethinyl estradiol)	ANNOVERA (segesterone/ethinyl estradiol) ELURYNG (etonogestrel/ethinyl estradiol) etonogestrel/ethinyl estradiol vaginal rings		
VASODILATORS, CORONARY			
CLASS PA CRITERIA: Non-preferred agents on the PA form is present.	require thirty (30) day trials of each preferred dosage form	m before they will be approved, unless one (1) of the exceptions	
SUBLINGUAL NITROGLYCERIN			
nitroglycerin spray (generic NITROLINGUAL) nitroglycerin sublingual NITROSTAT SUBLINGUAL (nitroglycerin)	GONITRO SPRAY POWDER (nitroglycerin) nitroglycerin spray (generic NITROMIST) NITROLINGUAL SPRAY (nitroglycerin) NITROMIST (nitroglycerin)		
TOPICAL NITROGLYCERIN			
MINITRAN (nitroglycerin) patches NITRO-BID ointment nitroglycerin patches	NITRO-DUR (nitroglycerin) patches		
VMAT INHIBITORS			
CLASS PA CRITERIA: All agents require a prior authorization. Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.			
AUSTEDO TABLET (deutetrabenazine) AUSTEDO XR (deutetrabenazine) INGREZZA CAPSULE (valbenazine) INGREZZA SPRINKLE CAP (valbenazine) tetrabenazine tablet	xenazine tablet		

MISCELLANEOUS COVERED AGENTS



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

This category contains covered agents which either did not easily fit into a single PDL category or had criteria that was too lengthy to cite within the PDL itself. Full criteria for the agents listed below may be found by following this hyperlink: (https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx). Please note that some agents may be available only by billing the appropriate HCPCS code noted in the criteria.

Adbry

Afinitor

Albenza and Emverm

Amondvs 45

Antifungal Agents

Atypical Antipsychotic Agents for Children up to age 18

Belbuca

Benlysta

Botox

Cabenuva

Camzyos

Carbaglu

CGRP Receptor Antagonists (antmigraine agents, prophylaxis)

Cibingo

Continuous Glucose Monitors

Corlanor

Cresemba

Cuvposa

Cytokine & CAM Antagonists

Diclegis

Dificid

Dojolvi

Droxidopa

Duavee

Dupixent

Emflaza

Enspryng

Esbriet Evrysdi

ExJade

Exondys 51

Fasenra

Ferriprox

Fuzeon

Gattex

Growth Hormone for Adults

Growth Hormone for Children

Hepatitis C PA Criteria

Hereditary Angioedema Agents (prophylaxis)

Hereditary Angioedema Agents (treatment)

Hetlioz

Home Infusion Drugs and Supplies

Horizant



HP Acthar

BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

HyQvia Increlex Ingrezza Jublia Juxtapid Kalydeco Kerendia Ketoconazole Korlym Kuvan **Kymriah** Kynamro Legvio Lucemyra Lutathera Lupkynis Luxturna Max PPI an H2RA Mozobil Myalept Myfembree Mytesi Narcoleptic Agents Natpara Nexletol and Nexlizet Non-Sedating Antihistamines Nucala Nuzyra OFÉV Oforta Omnipod Opzelura Orilissa Oralair Oriahnn Orkambi Osphena Oxlumo Palforzia Palynziq PCSK9 Inhibitor Qelbree Rectiv Restasis

Riluzole



EFFECTIVE 01/01/2025 Version 2025.1a

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

Risperdal Consta

Sirturo

Spinraza

Spravato

Sprycel

Suboxone Policy

Symdeko

Synagis

Testosterone

Tezspire

Thalomid

Tobacco Cessation Policy

Trikafta

Tryvio

V-Go

Viberzi and Lotronex

Veozah

Verquvo

Vowst

Voxzogo

Vyondys 53

Wegovy

Winrevair

Xanax XR

Xenazine

Xhance

Xifaxan

Xolair

Xyrem and Xywav

Yescarta

Zolgensma

Zulresso

Zurampic

Zyvox