

EFFECTIVE 01/01/2019 Version 2019.1

- Prior authorization for a non-preferred agent in any class will be given only if there has been a trial of the preferred brand/generic equivalent or preferred formulation of the active ingredient, at a therapeutic dose, that resulted in a partial response with a documented intolerance.
- Prior authorization of a non-preferred isomer, pro-drug, or metabolite will be considered with a trial of a preferred parent drug of the same chemical entity, at a therapeutic dose, that resulted in a partial response with documented intolerance or a previous trial and therapy failure, at a therapeutic dose, with a preferred drug of a different chemical entity indicated to treat the submitted diagnosis. (The required trial may be overridden when documented evidence is provided that the use of these preferred agent(s) would be medically contraindicated.)
- Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC drugs are not covered unless specified.
- PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.
- The use of pharmaceutical samples will not be considered when evaluating the members' medical condition or prior prescription history for drugs that require prior authorization.
- Quantity limits may apply. Refer to the Limits List on the BMS Website by clicking the hyperlink.
- Unless otherwise indicated, non-preferred combination products require medical reasoning beyond convenience or enhanced compliance as to why the clinical need cannot be met with a preferred agent or combination of preferred single-ingredient agents.
- Acronyms
  - CL Requires clinical PA. For detailed clinical criteria, please go to the PA criteria page by clicking the hyperlink.
  - NR Denotes a new drug which has not yet been reviewed by the P & T Committee. These agents are available only on appeal to the BMS Medical Director.
  - o AP Non-preferred and selected preferred drugs, where indicated, are subject to auto-PA criteria. See PA criteria column.



EFFECTIVE 01/01/2019 Version 2019.1

	Status	PA Criteria	
CLASSES CHANGING	Changes	Changes	<b>New Drugs</b>
ACNE AGENTS, TOPICAL	XXXX		XXXX
ALZHEIMER'S AGENTS	XXXX		XXXX
ANALGESICS, NARCOTIC SHORT ACTING (Non-parenteral)	XXXX		
ANGIOTENSIN MODULATORS	XXXX		
ANTICONVULSANTS	XXXX		
ANTIEMETICS	XXXX		XXXX
ANTIFUNGALS, TOPICAL	XXXX		
ANTIHYPERURICEMICS	XXXX		
ANTIPARKINSON'S AGENTS	XXXX		XXXX
ANTIRETROVIRALS	XXXX		XXXX
ANTIVIRALS, TOPICAL	XXXX		
BETA BLOCKERS	XXXX		XXXX
BRONCHODILATORS, BETA AGONIST	XXXX		
COPD AGENTS	XXXX		
ERYTHROPOIESIS STIMULATING PROTEINS			XXXX
H. PYLORI TREATMENT	XXXX		
HEPATITIS B AGENTS	XXXX		
HYPERPARATHYROID AGENTS	XXXX		
LIPOTROPICS, OTHER (Non-statins)	XXXX		
LIPOTROPICS, STATINS			XXXX
MACROLIDES	XXXX		
NEUROPATHIC PAIN	XXXX		
NSAIDS	XXXX		
OPHTHALMIC ANTIBIOTICS	XXXX		
OPHTHALMICS, ANTI-INFLAMMATORIES	XXXX		



EFFECTIVE 01/01/2019 Version 2019.1

OPHTHALMICS,GLAUCOMA AGENTS		XXXX
PLATELET AGGREGATION INHIBITORS	XXXX	
STIMULANTS AND RELATED AGENTS	XXXX	





EFFECTIVE 01/01/2019 Version 2019.1

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
ACNE AGENTS, TOPICAL <sup>AP</sup> CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of one (1) preferred retinoid and two (2) unique chemical entities in two (2) other subclasses, including the generic version of the requested non-preferred product, before they will be approved, unless one (1) of the exceptions on the PA form is present.  In cases of pregnancy, a trial of retinoids will <i>not</i> be required. For members eighteen (18) years of age or older, a trial of retinoids will <i>not</i> be required.			
Acne kits are non-preferred.	e required. To intembers eighteen (10) years of age	of older, a that of fethloids will hot be required.	
Specific Criteria for sub-class will be listed bel day trial of all preferred agents in that sub-class.	·	ub-class are available only on appeal and require at least a 30-	
	ANTI-INFECTIVE		
clindamycin gel, lotion, medicated swab, solution erythromycin gel, solution	ACZONE (dapsone) AKNE-MYCIN (erythromycin) AZELEX (azelaic acid) CLEOCIN-T (clindamycin) CLINDACIN PAC (clindamycin) CLINDAGEL (clindamycin) clindamycin foam erythromycin medicated swab EVOCLIN (clindamycin) FABIOR (tazarotene) KLARON (sulfacetamide) OVACE/PLUS (sulfacetamide) sodium sulfacetamide 10% cleansing gel sulfacetamide cleanser sulfacetamide cleanser ER sulfacetamide suspension		
	RETINOIDS		
RETIN-A (tretinoin) TAZORAC (tazarotene)	adapalene ATRALIN (tretinoin) AVITA (tretinoin) DIFFERIN (adapalene) RETIN-A MICRO (tretinoin) tazarotene cream tretinoin cream, gel tretinoin gel micro	In addition to the Class Criteria: PA required for members eighteen (18) years of age or older.	
KERATOLYTICS			
benzoyl peroxide cleanser Rx & OTC, 10% cream OTC, gel Rx & OTC, lotion OTC, wash OTC  PANOXYL-4 OTC (benzoyl peroxide)	BENZEFOAM ULTRA (benzoyl peroxide) BENZEPRO (benzoyl peroxide) benzoyl peroxide cloths, medicated pads, microspheres cleanser BP 10-1 (benzoyl peroxide)		



EFFECTIVE 01/01/2019 Version 2019.1

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	BP WASH 7% LIQUID PACNEX/HP/LP (benzoyl peroxide) PANOXYL-8 OTC (benzoyl peroxide) PERSA-GEL OTC (benzoyl peroxide) SULPHO-LAC (sulfur)		
	COMBINATION AGENTS		
benzoyl peroxide/clindamycin gel EPIDUO (adapalene/benzoyl peroxide)* EPIDUO FORTE (adapalene/benzoyl peroxide)* erythromycin/benzoyl peroxide	ACANYA (clindamycin phosphate/benzoyl peroxide)  AVAR/-E/LS (sulfur/sulfacetamide)  BENZACLIN GEL (benzoyl peroxide/ clindamycin)  BENZAMYCIN PAK (benzoyl peroxide/ erythromycin)  benzoyl peroxide/urea  CERISA (sulfacetamide sodium/sulfur)  CLARIFOAM EF (sulfacetamide/sulfur)  CLENIA (sulfacetamide sodium/sulfur)  DUAC (benzoyl peroxide/clindamycin)  INOVA 4/1, 5/2benzoyl peroxide/salicylic acid)  NEUAC (clindamycin phosphate/benzoyl peroxide)  NUOX (benzoyl peroxide/sulfur)  ONEXTON (clindamycin phosphate/benzoyl peroxide)  PRASCION (sulfacetamide sodium/sulfur)  SE 10-5 SS (sulfacetamide/sulfur)  SSS 10-4 (sulfacetamide /sulfur)  SSS 10-5 foam (sulfacetamide /sulfur)  sulfacetamide sodium/sulfur cloths, lotion, pads, suspension  sulfacetamide/sulfur wash kit  sulfacetamide/sulfur wash kit  sulfacetamide sodium/sulfur/ urea  SUMADAN/XLT (sulfacetamide/sulfur)	In addition to the Class Criteria: Non-preferred combination agents require thirty (30) day trials of the corresponding preferred single agents before they will be approved.  *PA required for combination agents with Retinoid products for members eighteen (18) years of age or older.	
	SUMAXIN/TS (sulfacetamide sodium/sulfur) VELTIN (clindamycin/tretinoin)*		
	ZIANA (clindamycin/tretinoin)*  ROSACEA AGENTS		
FINACEA GEL (azelaic acid)	FINACEA FOAM (azelaic acid)	Subclass criteria: Non-preferred agents are available only on	
MIRVASO GEL (brimonidine) metronidazole cream metronidazole gel (NDCs 00115-1474-46, 00168-0275-45, 00713-0637-37, 51672-	METROCREAM (metronidazole) METROGEL GEL (metronidazole) METROLOTION (metronidazole) metronidazole lotion	appeal and require evidence of 30-day trials of all chemically-unique preferred agents in the sub-class.	



EFFECTIVE 01/01/2019 Version 2019.1

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
4116-06, 66993-0962-45 only)	metronidazole gel (all other NDCs) NORITATE CREAM (metronidazole) RHOFADE (oxymetazoline) ROSADAN (metronidazole) SOOLANTRA CREAM (ivermectin)	
ALZHEIMER'S AGENTSAP		
<b>CLASS PA CRITERIA:</b> Non-preferred agents re the exceptions on the PA form is present.	quire a thirty (30) day trial of a preferred agent in th	e same sub-class before they will be approved, unless one (1) of
Prior authorization is required for members up to f	orty-five (45) years of age if there is no diagnosis of	Alzheimer's disease.
	CHOLINESTERASE INHIBITORS	
donepezil 5 and 10 mg	ARICEPT (donepezil) donepezil 23 mg* EXELON CAPSULE (rivastigmine) EXELON PATCH (rivastigmine) galantamine galantamine ER RAZADYNE (galantamine) rivastigmine	*Donepezil 23 mg tablets will be authorized if the following criteria are met:  1. There is a diagnosis of moderate-to-severe Alzheimer's Disease and  2. There has been a trial of donepezil 10 mg daily for at least three (3) months and donepezil 20 mg daily for an additional one (1) month.
	NMDA RECEPTOR ANTAGONIST	
memantine	memantine ER memantine solution NAMENDA (memantine) NAMENDA XR (memantine)*	*Namenda XR requires ninety (90) days of compliant therapy with Namenda.
CHOLINE	STERASE INHIBITOR/NMDA RECEPTOR ANTAG	
	NAMZARIC (donepezil/memantine)	Combination agents require thirty (30) day trials of each corresponding preferred single agent.
ANALGESICS, NARCOTIC LONG A		
CLASS PA CRITERIA: Non-preferred agents re- requested non-preferred agent (if available) before the requested non-preferred brand agent, then a authorization for children under 18 years of a attempted.	quire six (6) day trials of two (2) chemically distinct pe they will be approved, unless one (1) of the except nother generic non-preferred agent must be trialed ge. Requests must be for an FDA approved age an	preferred agents <b>AND</b> a six (6) day trial of the generic form of the tions on the PA form is present. If no generic form is available for instead. <b>NOTE: All long-acting opioid agents require a prior</b> d indication and specify previous opioid and non-opioid therapies
buprenorphine patch (labeler 00093 only) BUTRANS (buprenorphine) EMBEDA (morphine/naltrexone) fentanyl transdermal 12, 25, 50, 75, 100 mcg/hr	ARYMO ER (morphine sulfate) BELBUCA (buprenorphine buccal film)* buprenorphine patch (all labelers excl 00093) CONZIP ER (tramadol)	*Belbuca prior authorization requires manual review. Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
morphine ER tablets	DOLOPHINE (methadone)	**Methadone, oxycodone ER and oxymorphone ER will be



EFFECTIVE 01/01/2019 Version 2019.1

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	DURAGESIC (fentanyl) EXALGO ER (hydromorphone) fentanyl transdermal 37.5, 62.5, 87.5 mcg/hr hydromorphone ER HYSINGLA ER (hydrocodone) KADIAN (morphine) LAZANDA SPRAY (fentanyl) methadone** MORPHABOND ER (morphine sulfate) morphine ER capsules (generic for Avinza) morphine ER capsules (generic for Kadian) MS CONTIN (morphine) NUCYNTA ER (tapentadol) OPANA ER (oxymorphone) oxycodone ER** OXYCONTIN (oxycodone) oxymorphone ER** tramadol ER*** ULTRAM ER (tramadol) XARTEMIS XR (oxycodone/ acetaminophen) XTAMPZA ER (oxycodone) ZOHYDRO ER (hydrocodone)	authorized without a trial of the preferred agents if a diagnosis of cancer is submitted.  ***Tramadol ER requires a manual review and may be authorized for ninety (90) days with submission of a detailed treatment plan including anticipated duration of treatment and scheduled follow-ups with the prescriber.	

### ANALGESICS, NARCOTIC SHORT ACTING (Non-parenteral) AP

CLASS PA CRITERIA: Non-preferred agents require six (6) day trials of at least four (4) chemically distinct preferred agents (based on the narcotic ingredient only), including the generic formulation of the requested non-preferred agent, before they will be approved, unless one (1) of the exceptions on the PA form is present.

NOTE: All tramadol and codeine products require a prior authorization for children under 18 years of age. Requests must be for an FDA approved age and indication and specify non-opioid therapies attempted.

indication and specify non-opioid therapies attempted.

APAP/codeine

butalbital/APAP/caffeine/codeine

codeine

hydrocodone/APAP 2.5/325 mg, 5/325 mg,

7.5/325 mg,10/325 mg hydrocodone/APAP solution hydrocodone/ibuprofen hydromorphone tablets

**LORTAB SOLUTION** 

(hydrocodone/acetaminophen)

morphine

oxycodone tablets, concentrate, solution oxycodone/APAP

ABSTRAL (fentanyl)

ACTIQ (fentanyl)

butalbital/ASA/caffeine/codeine

butorphanol

CAPITAL W/CODEINE (APAP/codeine)

DEMEROL (meperidine) dihydrocodeine/ APAP/caffeine DILAUDID (hydromorphone)

fentanyl

FENTORA (fentanyl)

FIORICET W/ CODEINE

(butalbital/APAP/caffeine/codeine)

FIORINAL W/ CODEINE

Fentanyl buccal, nasal and sublingual products will only be authorized for a diagnosis of cancer and as an adjunct to a long-acting agent. These dosage forms will not be authorized for monotherapy.

Limits: Unless the patient has escalating cancer pain or another diagnosis supporting increased quantities of short-acting opioids, all short acting solid forms of the narcotic analgesics are limited to 120 tablets per thirty (30) days. Longer-acting medications should be maximized to prevent unnecessary breakthrough pain in chronic pain therapy.

Immediate-release tramadol is limited to 240 tablets per thirty



EFFECTIVE 01/01/2019 Version 2019.1

THERAPEUTIC DRUG CLASS			
NON-PREFERRED AGENTS	PA CRITERIA		
(butalbital/ASA/caffeine/codeine) hydrocodone/APAP 5/300 mg, 7.5/300 mg, 10/300 mg hydromorphone liquid, suppositories IBUDONE (hydrocodone/ibuprofen) LAZANDA (fentanyl) levorphanol LORCET (hydrocodone/APAP) LORTAB (hydrocodone/APAP) meperidine NORCO (hydrocodone/APAP) NUCYNTA (tapentadol) ONSOLIS (fentanyl) OPANA (oxymorphone) OXECTA (oxycodone) oxycodone capsules oxycodone/ibuprofen oxymorphone pentazocine/naloxone PERCOCET (oxycodone/APAP) REPREXAIN (hydrocodone/ibuprofen) ROXICODONE (oxycodone) RYBIX ODT (tramadol) SUBSYS (fentanyl) SYNALGOS-DC (dihydrocodeine/ASA/ caffeine) TYLENOL W/CODEINE (APAP/codeine) ULTRACET (tramadol/APAP) ULTRAM (tramadol) VERDROCET (hydrocodone/APAP) VICODIN (hydrocodone/APAP) VICOPROFEN (hydrocodone/ibuprofen) XODOL (hydrocodone/acetaminophen) XYLON (hydrocodone/ibuprofen) ZAMICET (hydrocodone/APAP)	(30) days.		
Lankska andkariand if any (A) of the annual i	- DA form is greated		
	e PA form is present.		
AVEED VIAL (testosterone undecanoate) AXIRON (testosterone) FORTESTA (testosterone)			
	(butalbital/ASA/caffeine/codeine) hydrocodone/APAP 5/300 mg, 7.5/300 mg, 10/300 mg hydromorphone liquid, suppositories IBUDONE (hydrocodone/ibuprofen) LAZANDA (fentanyl) levorphanol LORCET (hydrocodone/APAP) LORTAB (hydrocodone/APAP) meperidine NORCO (hydrocodone/APAP) NUCYNTA (tapentadol) ONSOLIS (fentanyl) OPANA (oxymorphone) OXECTA (oxycodone) oxycodone capsules oxycodone/ibuprofen oxymorphone pentazocine/naloxone PERCOCET (oxycodone/APAP) REPREXAIN (hydrocodone/ibuprofen) ROXICODONE (oxycodone) RYBIX ODT (tramadol) SUBSYS (fentanyl) SYNALGOS-DC (dihydrocodeine/ASA/ caffeine) TYLENOL W/CODEINE (APAP/codeine) ULTRACET (tramadol/APAP) ULTRAM (tramadol) VERDROCET (hydrocodone/APAP) VICOPROFEN (hydrocodone/acetaminophen) XYLON (hydrocodone/acetaminophen) XYLON (hydrocodone/APAP)  I only be authorized if one (1) of the exceptions on th ANDROID (methyltestosterone) AVED VIAL (testosterone undecanoate) AXIRON (testosterone)		



EFFECTIVE 01/01/2019 Version 2019.1

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	NATESTO (testosterone) STRIANT BUCCAL (testosterone) TESTIM (testosterone) TESTRED (methyltestosterone) testosterone gel VOGELXO (testosterone)	
	quire ten (10) day trials of each preferred agent before	ore they will be approved, unless one (1) of the exceptions on the
PA form is present. lidocaine lidocaine/prilocaine xylocaine	EMLA (lidocaine/prilocaine) LIDAMANTLE (lidocaine) LIDAMANTLE HC (lidocaine/hydrocortisone) lidocaine/hydrocortisone LIDOTRAL CREAM (lidocaine) SYNERA (lidocaine/tetracaine) VOPAC MDS (ketoprofen/lidocaine)	
ANGIOTENSIN MODULATORSAP		
	equire fourteen (14) day trials of each preferred age to (1) of the exceptions on the PA form is present.	ent in the same sub-class, with the exception of the Direct Renin
	ACE INHIBITORS	
benazepril captopril enalapril fosinopril lisinopril quinapril ramipril	ACCUPRIL (quinapril) ACEON (perindopril) ALTACE (ramipril) EPANED (enalapril)* LOTENSIN (benazepril) MAVIK (trandolapril) moexipril perindopril PRINIVIL (lisinopril) QBRELIS SOLUTION (lisinopril)** trandolapril UNIVASC (moexipril) VASOTEC (enalapril) ZESTRIL (lisinopril)	*Epaned will be authorized with a diagnosis of hypertension, symptomatic heart failure or asymptomatic left ventricular dysfunction provided that the patient is less than seven (7) years of age <b>OR</b> is unable to ingest a solid dosage form due to documented oral-motor difficulties or dysphagia.  **Qbrelis solution may be authorized for children ages 6-10 who are unable to tolerate a solid dosage form. Qbrelis may also be authorized for older patients with clinical documentation indicating oral-motor difficulties or dysphagia.
77 1 5	ACE INHIBITOR COMBINATION DRU	GS
benazepril/amlodipine benazepril/HCTZ captopril/HCTZ enalapril/HCTZ	ACCURETIC (quinapril/HCTZ) CAPOZIDE (captopril/HCTZ) LOTENSIN HCT (benazepril/HCTZ) LOTREL (benazepril/amlodipine)	



EFFECTIVE 01/01/2019 Version 2019.1

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
fosinopril/HCTZ lisinopril/HCTZ quinapril/HCTZ	moexipril/HCTZ PRESTALIA (perindopril/amlodipine) PRINZIDE (lisinopril/HCTZ) TARKA (trandolapril/verapamil) trandolapril/verapamil VASERETIC (enalapril/HCTZ) ZESTORETIC (lisinopril/HCTZ)	
	ANGIOTENSIN II RECEPTOR BLOCKERS	(ARBs)
irbesartan Iosartan valsartan olmesartan	ATACAND (candesartan) AVAPRO (irbesartan) BENICAR (olmesartan) candesartan COZAAR (losartan) DIOVAN (valsartan) EDARBI (azilsartan) eprosartan MICARDIS (telmisartan) telmisartan TEVETEN (eprosartan)	
	ARB COMBINATIONS	
ENTRESTO (valsartan/sucubitril) <sup>CL*</sup> irbesartan/HCTZ losartan/HCTZ olmesartan/amlodipine olmesartan/HCTZ valsartan/amlodipine valsartan/HCTZ	ATACAND-HCT (candesartan/HCTZ) AVALIDE (irbesartan/HCTZ) AZOR (olmesartan/amlodipine) BENICAR-HCT (olmesartan/HCTZ) BYVALSON (nebivolol/valsartan) candesartan/HCTZ DIOVAN-HCT (valsartan/HCTZ) EDARBYCLOR (azilsartan/chlorthalidone) EXFORGE (valsartan/amlodipine) EXFORGE HCT (valsartan/amlodipine/HCTZ) HYZAAR (losartan/HCTZ) MICARDIS-HCT (telmisartan/HCTZ) olmesartan/amlodipine/HCTZ telmisartan/amlodipine telmisartan HCTZ TEVETEN-HCT (eprosartan/HCTZ) TRIBENZOR (olmesartan/amlodipine/HCTZ) TWYNSTA (telmisartan/amlodipine) valsartan/amlodipine/HCTZ DIRECT RENIN INHIBITORS	*Entresto will only be authorized for patients diagnosed with chronic heart-failure (NYHA classification 2-4) with an EF ≤ 40%.
	AMTURNIDE (aliskiren/amlodipine/HCTZ)	Substitute for Class Criteria: Tekturna requires a thirty (30)
	TEKAMLO (aliskiren/amlodipine) TEKTURNA (aliskiren)	day trial of one (1) preferred ACE, ARB, or combination agent, at the maximum tolerable dose, before it will be authorized



EFFECTIVE 01/01/2019 Version 2019.1

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	TEKTURNA HCT (aliskiren/HCTZ) VALTURNA (aliskiren/valsartan)	unless one (1) of the exceptions on the PA form is present.  Amturnide, Tekamlo, Tekturna HCT or Valturna will be authorized if the criteria for Tekturna are met and the patient also needs the other agents in the combination.
<b>ANTIANGINAL &amp; ANTI-ISCHEMIC</b>	C	also fleeds the other agents in the combination.
CLASS PA CRITERIA: Ranexa will be author or a combination agent containing one (1) of the		alcium channel blocker, a beta blocker, or a nitrite as single agents
RANEXA (ranolazine) <sup>AP</sup>		
<b>ANTIBIOTICS, GI &amp; RELATED AG</b>	GENTS	
<b>CLASS PA CRITERIA:</b> Non-preferred agents PA form is present.	require a fourteen (14) day trial of a preferred agent b	before they will be approved, unless one (1) of the exceptions on the
FIRVANQ (vancomycin) metronidazole tablet neomycin tinidazole	ALINIA (nitazoxanide) DIFICID (fidaxomicin)* FLAGYL (metronidazole) FLAGYL ER (metronidazole ER) metronidazole capsule paromomycin TINDAMAX (tinidazole) VANCOCIN (vancomycin) vancomycin XIFAXAN (rifaximin)*	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
ANTIBIOTICS, INHALED		
<b>CLASS PA CRITERIA:</b> Non-preferred agents approved, unless one (1) of the exceptions on		ent and documentation of therapeutic failure before they will be
BETHKIS (tobramycin) KITABIS PAK (tobramycin)	CAYSTON (aztreonam) TOBI (tobramycin) TOBI PODHALER (tobramycin) tobramycin	
ANTIBIOTICS, TOPICAL		
CLASS PA CRITERIA: Non-preferred agents preferred agent, before they will be approved,	require ten (10) day trials of at least one preferred ag unless one (1) of the exceptions on the PA form is pre	ent, including the generic formulation of the requested non- esent.
bacitracin (Rx, OTC) gentamicin sulfate mupirocin ointment	BACTROBAN (mupirocin) CENTANY (mupirocin) CORTISPORIN (bacitracin/neomycin/polymyxin/HC) mupirocin cream neomycin/polymyxin/pramoxine	



EFFECTIVE 01/01/2019 Version 2019.1

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
ANTIBIOTICS, VAGINAL			
CLASS PA CRITERIA: Non-preferred agents approved, unless one (1) of the exceptions on	the PA form is present.	at the manufacturer's recommended duration, before they will be	
clindamycin cream CLINDESSE (clindamycin) metronidazole	AVC (sulfanilamide) CLEOCIN CREAM (clindamycin) CLEOCIN OVULE (clindamycin) METROGEL (metronidazole) NUVESSA (metronidazole) SOLOSEC (secnidazole) VANDAZOLE (metronidazole)		
ANTICOAGULANTS			
CLASS PA CRITERIA: Non-preferred agents	require a trial of each preferred agent in the same sub-cla	ass, unless one (1) of the exceptions on the PA form is present.	
	INJECTABLECL		
enoxaparin	ARIXTRA (fondaparinux) fondaparinux FRAGMIN (dalteparin) LOVENOX (enoxaparin)		
	ORAL		
COUMADIN (warfarin) ELIQUIS (apixaban) PRADAXA (dabigatran) warfarin XARELTO (rivaroxaban)	SAVAYSA (edoxaban)		
ANTICONVULSANTS			
CLASS DA CRITERIA: For a diagnosis of sai	zure disorder non-preferred agents require a fourteen (1/	1) day trial of a preferred agent in the same sub-class before	

**CLASS PA CRITERIA:** For a diagnosis of seizure disorder, non-preferred agents require a fourteen (14) day trial of a preferred agent in the same sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present; patients currently on established therapies shall be grandfathered.

For all other diagnoses, non-preferred agents require a thirty (30) day trial of a preferred agent in the same sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present.

In situations where AB-rated generic equivalent products are available, "Brand Medically Necessary" must be hand-written by the prescriber on the prescription for the brand name product to be reimbursed.

	ADJUVANTS	
carbamazepine carbamazepine ER	APTIOM (eslicarbazepine) BANZEL(rufinamide)	*Topiramate ER will be authorized after a thirty (30) day trial of topiramate IR.



EFFECTIVE 01/01/2019 Version 2019.1

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
carbamazepine XR divalproex divalproex ER divalproex sprinkle EPITOL (carbamazepine) GABITRIL (tiagabine) lamotrigine levetiracetam IR levetiracetam ER oxcarbazepine suspension and tablets topiramate IR topiramate ER* valproic acid VIMPAT(lacosamide) <sup>AP</sup> zonisamide	BRIVIACT (brivaracetam) CARBATROL (carbamazepine) DEPAKENE (valproic acid) DEPAKOTE (divalproex) DEPAKOTE ER (divalproex) DEPAKOTE SPRINKLE (divalproex) EQUETRO (carbamazepine) FANATREX SUSPENSION (gabapentin) felbamate FELBATOL (felbamate) FYCOMPA (perampanel) KEPPRA (levetiracetam) KEPPRA XR (levetiracetam) LAMICTAL (lamotrigine) LAMICTAL ODT (lamotrigine) LAMICTAL XR (lamotrigine) lamotrigine dose pack lamotrigine ER OXTELLAR XR (oxcarbazepine) POTIGA (ezogabine) QUDEXY XR (topiramate ER)** SABRIL (vigabatrin) SPRITAM (levetiracetam) STAVZOR (valproic acid) TEGRETOL (carbamazepine) TEGRETOL XR (carbamazepine) TEGRETOL XR (topiramate) TRILEPTAL SUSPENSION and TABLETS (oxcarbazepine) TROKENDI XR (topiramate)** ZONEGRAN (zonisamide)	**Qudexy XR and Trokendi XR are only approvable on appeal.
	BARBITURATESAP	
phenobarbital primidone	MYSOLINE (primidone)	
	BENZODIAZEPINES <sup>AP</sup>	
clonazepam diazepam rectal gel diazepam tablets	clonazepam ODT  DIASTAT (diazepam rectal)  KLONOPIN (clonazepam)  ONFI (clobazam)*  ONFI SUSPENSION (clobazam)*  VALIUM TABLETS (diazepam)	*Onfi shall be authorized as adjunctive therapy for treatment of Lennox-Gastaut Syndrome without further restrictions. Offlabel use requires an appeal to the Medical Director.



EFFECTIVE 01/01/2019 Version 2019.1

	THERAPEUTIC DRUG CLA	SS	
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	HYDANTOINSAP		
DILANTIN (phenytoin sodium, extended) PEGANONE (ethotoin) phenytoin capsules, chewable tablets, suspension	DILANTIN INFATABS (phenytoin) PHENYTEK (phenytoin)		
·	SUCCINIMIDES		
CELONTIN (methsuximide) ethosuximide capsules ethosuximide syrup	ZARONTIN (ethosuximide) capsules ZARONTIN (ethosuximide) syrup		
ANTIDEPRESSANTS, OTHER			
CLASS PA CRITERIA: See below for individu	ual sub-class criteria.		
	MAOIsAP		
	MARPLAN (isocarboxazid) NARDIL (phenelzine) PARNATE (tranylcypromine) phenelzine tranylcypromine	Patients stabilized on MAOI agents will be grandfathered.	
	SNRIS <sup>AP</sup>		
duloxetine capulses venlafaxine ER capsules	CYMBALTA (duloxetine) desvenlafaxine ER desvenlafaxine fumarate ER EFFEXOR XR (venlafaxine) FETZIMA (levomilnacipran) KHEDEZLA (desvenlafaxine) PRISTIQ (desvenlafaxine) venlafaxine IR VENLAFAXINE ER TABLETS (venlafaxine)	Non-preferred agents require separate thirty (30) day trials of a preferred agent in this sub-class <b>AND</b> an SSRI before they will be approved, unless one (1) of the exceptions on the PA form is present.	
SECOND GENERATION NON-SSRI, OTHERAP			
bupropion IR bupropion SR bupropion XL mirtazapine trazodone	APLENZIN (bupropion hbr) EMSAM (selegiline) FORFIVO XL (bupropion) nefazodone OLEPTRO ER (trazodone) REMERON (mirtazapine) TRINTELLIX (vortioxetine) VIIBRYD (vilazodone HCI) WELLBUTRIN (bupropion) WELLBUTRIN SR (bupropion) WELLBUTRIN XL (bupropion)	Non-preferred agents require separate thirty (30) day trials of a preferred agent in this sub-class <b>AND</b> an SSRI before they will be approved, unless one (1) of the exceptions on the PA form is present.	



EFFECTIVE 01/01/2019 Version 2019.1

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	SELECTED TCAs		
imipramine HCI	imipramine pamoate TOFRANIL (imipramine HCI) TOFRANIL PM (imipramine pamoate)	Non-preferred agents require a twelve (12) week trial of imipramine HCl before they will be approved, unless one (1) of the exceptions on the PA form is present.	
ANTIDEPRESSANTS, SSRISAP			
<b>CLASS PA CRITERIA:</b> Non-preferred agents re exceptions on the PA form is present.	equire thirty (30) day trials of at least two (2) prefe	rred agents before they will be approved, unless one (1) of the	
Upon hospital discharge, patients admitted with a continue that drug.	orimary mental health diagnosis who have been stab	oilized on a non-preferred SSRI will receive an authorization to	
citalopram escitalopram tablets fluoxetine capsules, solution fluvoxamine paroxetine sertraline	BRISDELLE (paroxetine) CELEXA (citalopram) escitalopram solution fluoxetine tablets fluvoxamine ER LEXAPRO (escitalopram) LUVOX CR (fluvoxamine) paroxetine 7.5 mg capsules paroxetine ER PAXIL (paroxetine) PAXIL CR (paroxetine) PEXEVA (paroxetine) PROZAC (fluoxetine) SARAFEM (fluoxetine) ZOLOFT (sertraline)		
ANTIEMETICSAP			
CLASS PA CRITERIA: See below for sub-class of	riteria.		
5HT3 RECEPTOR BLOCKERS			
granisetron ondansetron ODT, solution, tablets	ANZEMET (dolasetron) GRANISOL (granisetron) ondansetron vials SANCUSO (granisetron) SUSTOL (granisetron) ZOFRAN (ondansetron) ZUPLENZ (ondansetron)	Non-preferred agents require a three (3) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.	
	CANNABINOIDS		
	CESAMET (nabilone)* dronabinol** MARINOL (dronabinol)**	*Cesamet will be authorized only for the treatment of nausea and vomiting associated with cancer chemotherapy for patients who have failed to respond adequately to three (3) day trials of	



EFFECTIVE 01/01/2019 Version 2019.1

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	SYNDROS SOLUTION (dronabinol)	conventional treatments such as promethazine or ondansetron and are eighteen (18) years of age or older.  **Dronabinol will only be authorized for:  1. The treatment of anorexia associated with weight loss in patients with AIDS or cancer and unresponsive to megestrol or  2. The prophylaxis of chemotherapy induced nausea and vomiting unresponsive to three (3) day trials of ondansetron or promethazine for patients from eighteen (18) up to sixty-five (65) years of age.
	SUBSTANCE P ANTAGONISTS	
EMEND (aprepitant)	aprepitant CINVANTI (aprepitant) VARUBI (rolapitant)	Non-preferred agents require a three (3) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
	COMBINATIONS	
	AKYNZEO (netupitant/palonosetron) BONJESTA (doxylamine/pyridoxine)	Non-preferred agents will only be approved on appeal.
ANTIFUNGALS, ORAL		
CLASS PA CRITERIA: Non-preferred agents will	only be authorized if one (1) of the exceptions on th	e PA form is present.
clotrimazole fluconazole* nystatin terbinafine <sup>CL</sup>	ANCOBON (flucytosine) CRESEMBA (isovuconazonium)CL** DIFLUCAN (fluconazole) flucytosine GRIFULVIN V TABLET (griseofulvin) griseofulvin*** GRIS-PEG (griseofulvin) itraconazole ketoconazole**** LAMISIL (terbinafine) MYCELEX (clotrimazole) MYCOSTATIN Tablets (nystatin) NIZORAL (ketoconazole) NOXAFIL (posaconazole) ONMEL (itraconazole) ORAVIG (miconazole) SPORANOX (itraconazole) VFEND (voriconazole) voriconazole suspension voriconazole tablets	**PA is required when limits are exceeded.  **Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.  ***PA is not required for griseofulvin suspension for children up to eighteen (18) years of age for the treatment of tinea capitis.  ****Ketoconazole will be authorized if the following criteria are met:  1. Diagnosis of one of the following fungal infections: blastomycosis, coccidioidomycosis, histoplasmosis, chromomycosis, or paracoccidioidomycosis and  2. Documented failure or intolerance of all other diagnosis-appropriate antifungal therapies, i.e. itraconazole, fluconazole, flucytosine, etc and  3. Baseline assessment of the liver status including alanine aminotransferase (ALT), aspartate aminotransferase (AST), total bilirubin, alkaline phosphatase, prothrombin time, and international normalized ratio (INR) before starting treatment and  4. Weekly monitoring of serum ALT for the duration of



EFFECTIVE 01/01/2019 Version 2019.1

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		treatment (If ALT values increase to a level above the upper limit of normal or 30% above baseline, or if the patient develops symptoms of abnormal liver function, treatment should be interrupted and a full set of liver tests be obtained. Liver tests should be repeated to ensure normalization of values.) and  5. Assessment of all concomitant medications for potential adverse drug interactions with ketoconazole.  Ketoconazole will not be authorized for treatment for fungal infections of the skin and nails.
ANTIFUNGALS, TOPICALAP		
		nts before they will be approved, unless one (1) of the exceptions preferred product (i.e. ketoconazole shampoo) is required.
	ANTIFUNGALS	
econazole ketoconazole cream, shampoo MENTAX (butenafine) miconazole (OTC) nystatin	CICLODAN (ciclopirox) ciclopirox ERTACZO (sertaconazole) EXELDERM (sulconazole) EXTINA (ketoconazole) JUBLIA (efinaconazole) ketoconazole foam KERYDIN (tavaborole) KETODAN (ketoconazole) LOPROX (ciclopirox) LUZU (luliconazole) MYCOSTATIN (nystatin) NAFTIN CREAM (naftifine) NAFTIN GEL (naftifine) NIZORAL (ketoconazole) OXISTAT (oxiconazole)* PEDIPIROX-4 (ciclopirox) PENLAC (ciclopirox) VUSION (miconazole/petrolatum/zinc oxide) XOLEGEL (ketoconazole)	*Oxistat cream will be authorized for children up to thirteen (13) years of age for tinea corporis, tinea cruris, tinea pedis, and tinea (pityriasis) versicolor.
	ANTIFUNGAL/STEROID COMBINATIO	NS
clotrimazole/betamethasone cream	clotrimazole/betamethasone lotion KETOCON PLUS (ketoconazole/hydrocortisone) LOTRISONE (clotrimazole/betamethasone) nystatin/triamcinolone	



EFFECTIVE 01/01/2019 Version 2019.1

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
<b>ANTIHEMOPHILIA FACTOR AG</b>			
<b>CLASS PA CRITERIA:</b> All agents will requir preferred product.	re prior-authorization, and non-preferred agents require medica	al reasoning explaining why the need cannot be met using a	
All currently established regimens shall be gra	andfathered with documentation of adherence to therapy.  FACTOR VIII		
ALPHANATE			
HEMOFIL M	ADVATE ADYNOVATE		
HUMATE-P	ELOCTATE		
KOATE DVI	KOGENATE FS		
KOATE-DVI MONOCLATE-P	KOVALTRY		
NOVOEIGHT	NUWIQ		
WILATE	RECOMBINATE		
XYNTHA	VONVENDI		
XYNTHA SOLOFUSE			
	FACTOR IX		
ALPHANINE SD	ALPROLIX		
BEBULIN BENEFIX	IDELVION REBINYN		
IXINITY	REDIIVIIV		
MONONINE			
PROFILNINE			
RIXUBIS			
	FACTOR IXa/IX		
HEMLIBRA (emicizumab-kxwh)			
ANTIHYPERTENSIVES, SYMPA	THOLYTICS		
	s require thirty (30) day trials of each preferred unique chemica	al entity in the corresponding formulation before they will be	
approved, unless one (1) of the exceptions or			
CATAPRES-TTS (clonidine)	CATAPRES TABLETS (clonidine)		
clonidine tablets	clonidine patch NEXICLON XR (clonidine)		
	NEXICEON AR (GOIIIIIIIE)		



EFFECTIVE 01/01/2019 Version 2019.1

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIHYPERURICEMICS		
	uire a thirty (30) day trial of one (1) of the preferred a before they will be approved, unless one (1) of the e	
	ANTIMITOTICS	
colchicine capsules	colchicine tablets COLCRYS (colchicine) MITIGARE (colchicine)*	*In the case of acute gouty attacks, a ten (10) day supply (twenty (20) capsules) of Mitigare will be authorized per ninety (90) days.
	ANTIMITOTIC-URICOSURIC COMBINAT	TION
colchicine/probenecid		
	URICOSURIC	
probenecid	ZURAMPIC (lesinurad)*	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
	XANTHINE OXIDASE INHIBITORS	
allopurinol	ULORIC (febuxostat) ZYLOPRIM (allopurinol)	
	URICOSURIC – XANTHINE OXIDASE INHIE	BITORS
	DUZALLO (allopurinol/lesinurad)	Non-preferred agents will only be approved on appeal.
ANTIMIGRAINE AGENTS, OTHERAP		
CLASS PA CRITERIA: Non-preferred agents red approved, unless one (1) of the exceptions on the		ty of the preferred Antimigraine Triptan Agents before they will be
	CAMBIA (diclofenac)	
ANTIMIGRAINE AGENTS, TRIPTAN	SAP	
CLASS PA CRITERIA: Non-preferred agents require three (3) day trials of each preferred unique chemical entity before they will be approved, unless one (1) of the exceptions on the PA form is present.		
TRIPTANS		
naratriptan rizatriptan ODT rizatriptan tablet sumatriptan injection <sup>CL</sup> sumatriptan nasal spray sumatriptan tablets	almotriptan AMERGE (naratriptan) AXERT (almotriptan) eletriptan FROVA (frovatriptan) frovatriptan	*In addition to the Class Criteria: Onzetra Xsail requires three (3) day trials of each preferred oral, nasal and injectable forms of sumatriptan.



EFFECTIVE 01/01/2019 Version 2019.1

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	IMITREX INJECTION (sumatriptan)CL IMITREX NASAL SPRAY (sumatriptan) IMITREX tablets (sumatriptan) MAXALT MLT (rizatriptan) MAXALT (rizatriptan) ONZETRA XSAIL (sumatriptan)* RELPAX (eletriptan) SUMAVEL (sumatriptan) ZECUITY PATCH (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan) zolmitriptan zolmitriptan ODT ZOMIG (zolmitriptan) ZOMIG ZMT (zolmitriptan) TRIPTAN COMBINATIONS TREXIMET (sumatriptan/naproxen sodium)	
ANTIPARASITICS, TOPICALAP		
•		d weight appropriate) before they will be approved, unless one
NATROBA (spinosad) permethrin 5% cream permethrin 1% lotion (OTC) pyrethrins-piperonyl butoxide OTC SKLICE (ivermectin)	EURAX (crotamiton) LICE EGG REMOVER OTC (benzalkonium chloride) lindane malathion OVIDE (malathion) spinosad	
ANTIPARKINSON'S AGENTS		
CLASS PA CRITERIA: Patients starting therapy a non-preferred agent will be authorized.	on drugs in this class must show a documented aller	gy to all preferred agents in the corresponding sub-class, before
	ANTICHOLINERGICS	
benztropine trihexyphenidyl	COGENTIN (benztropine)	
	COMT INHIBITORS	COMTILITY
entacapone	COMTAN (entacapone) TASMAR (tolcapone)	COMT Inhibitor agents will only be approved as add-on therapy to a levodopa-containing regimen for treatment of documented motor complications.



EFFECTIVE 01/01/2019 Version 2019.1

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	DOPAMINE AGONISTS		
pramipexole ropinirole	MIRAPEX (pramipexole) MIRAPEX ER (pramipexole)* NEUPRO (rotigotine) pramipexole ER REQUIP (ropinirole) REQUIP XL (ropinirole)* ropinirole ER	*Mirapex ER and Requip XL will be authorized for a diagnosis of Parkinsonism without a trial of preferred agents.	
	OTHER ANTIPARKINSON'S AGENTS		
amantadine*AP bromocriptine carbidopa/levodopa levodopa/carbidopa/entacapone selegiline	AZILECT (rasagiline) carbidopa ELDEPRYL (selegiline) levodopa/carbidopa ODT LODOSYN (carbidopa) OSMOLEX ER (amantadine) PARCOPA (levodopa/carbidopa) PARLODEL (bromocriptine) rasagiline RYTARY (levodopa/carbidopa) SINEMET (levodopa/carbidopa) STALEVO (levodopa/carbidopa/entacapone) XADAGO (safinamide) ZELAPAR (selegiline)	*Amantadine will not be authorized for the treatment or prophylaxis of influenza.	
ANTIPSORIATICS, TOPICAL			
CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of two (2) preferred unique chemical entities before they will be approved, unless one (1) of the exceptions on the PA form is present.			
TACLONEX OINT (calcipotriene/ betamethasone) TAZORAC (tazarotene) VECTICAL (calcitriol)	calcipotriene cream calcipotriene ointment calcipotriene solution calcipotriene/betamethasone ointment CALCITRENE (calcipotriene) calcitriol DOVONEX (calcipotriene) ENSTILAR (calcipotriene/betamethasone) SORILUX (calcipotriene) tazarotene cream (tazarotene)		



### BUREAU FOR MEDICAL SERVICES **WEST VIRGINIA MEDICAID**

managed categories. Refer to cover page for complete list of rules governing this PDL.

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA This is not an all-inclusive list of available covered drugs and includes only

**EFFECTIVE** 01/01/2019 **Version 2019.1** 

### THERAPEUTIC DRUG CLASS

**PREFERRED AGENTS** 

#### **NON-PREFERRED AGENTS**

#### **PA CRITERIA**

#### ANTIPSYCHOTICS, ATYPICAL

CLASS PA CRITERIA: All antipsychotic agents require prior authorization for children up to eighteen (18) years of age. All PA requests for antipsychotics for children 6 years of age and younger will be reviewed by Medicaid's consultant psychiatrist.

Non-preferred agents require thirty (30) day trials of two (2) preferred agents, including the generic formulation of the requested agent (if available), before they will be approved unless one (1) of the exceptions on the PA form is present. All trials must be at the maximum recommended dose for the diagnosis provided before they would be considered a failure unless an adverse reaction is documented necessitating a change in therapy.

Upon discharge, a hospitalized patient stabilized on a non-preferred agent may receive authorization to continue this drug for labeled indications and at FDA recommended dosages. For off-label indications or dosages, a thirty (30) day prior-authorization shall be granted pending BMS review.

#### SINGLE INGREDIENT

ABILIFY MAINTENA (aripiprazole)<sup>CL</sup> aripiprazole tablets ARISTADA (aripiprazole)<sup>CL</sup> clozapine INVEGA SUSTENNA (paliperidone)CL INVEGA TRINZA (paliperidone)\* CL olanzapine olanzapine ODT quetiapine\*\* AP for the 25 mg Tablet Only quetiapine ER RISPERDAL CONSTA (risperidone)CL risperidone ziprasidone

ADASUVE (loxapine) clozapine ODT CLOZARIL (clozapine) FANAPT (iloperidone) FAZACLO (clozapine) GEODON (ziprasidone) GEODON IM (ziprasidone) INVEGA ER (paliperidone) LATUDA (lurasidone)\*\*\* AP NUPLAZID (pimavanserin) \*\*\*\* olanzapine IMCL paliperidone ER REXULTI (brexipiprazole) RISPERDAL (risperidone) SAPHRIS (asenapine) SEROQUEL (quetiapine) SEROQUEL XR (quetiapine) VERSACLOZ (clozapine) VRAYLAR (capriprazine) VRAYLAR DOSE PAK (capriprazine) ZYPREXA (olanzapine) ZYPREXA IM (olanzapine)CL ZYPREXA RELPREVV (olanzapine)

ABILIFY TABLETS (aripiprazole)

### In addition to class criteria:

\*Invega Trinza will be authorized after four months' treatment with Invega Sustenna

\*\*Quetiapine 25 mg will be authorized:

- 1. For a diagnosis of schizophrenia or
- 2. For a diagnosis of bipolar disorder or
- 3. When prescribed concurrently with other strengths of Seroquel in order to achieve therapeutic treatment

#### Quetiapine 25 mg will not be authorized for use as a sedative hypnotic.

\*\*\*For the indication of bipolar depression only, prior authorization of Latuda requires failure of 30-day trial of quetiapine and failure of 30-day trial with a combination of olanzapine + fluoxetine. All trials must be at the maximum recommended dose for the diagnosis provided before they would be considered a failure unless an adverse reaction is documented necessitating a change in therapy. All other indications follow class criteria. Patients already stabilized on Latuda shall be grandfathered.

\*\*\*\*Nuplazid will only be authorized for the treatment of Parkinson Disease Induced Psychosis after documented treatment failure with quetiapine.

#### ATYPICAL ANTIPSYCHOTIC/SSRI COMBINATIONS

olanzapine/fluoxetine SYMBYAX (olanzapine/fluoxetine)



EFFECTIVE 01/01/2019 Version 2019.1

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
ANTIRETROVIRALS			
CLASS PA CRITERIA: Non-preferred drugs require medical reasoning beyond convenience or enhanced compliance as to why the clinical need cannot be met with a preferred agent or combination of preferred agents. NOTE: Regimens consisting of preferred agents will result in no more than one additional unit per day over equivalent regimens composed of non-preferred agents. Patients already on a non-preferred regimen shall be grandfathered.			
	INTEGRASE STRAND TRANSFER INHIBI	TORS	
ISENTRESS (raltegravir potassium) TIVICAY (dolutegravir sodium) VITEKTA (elvitegravir)	ISENTRESS HD (raltegravir potassium)		
, ,	NUCLEOSIDE REVERSE TRANSCRIPTASE INHIB	SITORS (NRTI)	
abacavir sulfate tablet EMTRIVA (emtricitabine) EPIVIR SOLUTION (lamivudine) lamivudine tenofovir disoproxil fumarate VIREAD SOLUTION (tenofovir disoproxil fumarate) ZIAGEN SOLUTION (abacavir sulfate) zidovudine  N EDURANT (rilpivirine) SUSTIVA (efavirenz)	abacavir sulfate solution didanosine DR capsule EPIVIR TABLET (lamivudine) RETROVIR (zidovudine) stavudine VIDEX EC (didanosine) VIDEX SOLUTION (didanosine) VIREAD TABLETS (tenofovir disoproxil fumarate) ZERIT (stavudine) ZIAGEN TABLET (abacavir sulfate) ON-NUCLEOSIDE REVERSE TRANSCRIPTASE INI efavirenz INTELENCE (etravirine) nevirapine nevirapine ER RESCRIPTOR (delavirdine mesylate) VIRAMUNE ER 24H (nevirapine)	HBITOR (NNRTI)	
	VIRAMUNE ER 24H (Nevirapine) VIRAMUNE SUSPENSION (nevirapine)		
	PHARMACOENHANCER – CYTOCHROME P450	INHIBITOR	
TYBOST (cobicistat)			
PROTEASE INHIBITORS (PEPTIDIC)			
atazanavir EVOTAZ (atazanavir/cobicistat) NORVIR (ritonavir) REYATAZ POWDER PACK (atazanavir)	CRIXIVAN (indinavir) INVIRASE (saquinavir mesylate) fosamprenavir LEXIVA (fosamprenavir) REYATAZ CAPSULE (atazanavir) VIRACEPT (nelfinavir mesylate)		



EFFECTIVE 01/01/2019 Version 2019.1

	THERAPEUTIC DRUG CLAS	S
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	PROTEASE INHIBITORS (NON-PEPTIL	DIC)
PREZCOBIX (darunavir/cobicistat)	APTIVUS (tipranavir)	
PREZISTA (darunavir ethanolate)		
	ENTRY INHIBITORS – CCR5 CO-RECEPTOR AN	ITAGONISTS
	SELZENTRY (maraviroc)	
	ENTRY INHIBITORS – FUSION INHIBIT	ORS
	FUZEON (enfuvirtide)	
	(3.11.11.11.11.11.11.11.11.11.11.11.11.11	
	COMBINATION PRODUCTS - NRTIS	
abacavir/lamivudine	abacavir/lamivudine/zidovudine	
CIMDUO (lamivudine/tenofovir)	COMBIVIR (lamivudine/zidovudine)	
lamivudine/zidovudine	EPZICOM (abacavir/lamivudine)	
	TRIZIVIR (abacavir/lamivudine/zidovudine)	
COMBINATION PRODI	UCTS – INTEGRASE STRAND TRANSFER INHIBIT	TOPS & NUCLEOSIDE ANALOG PTIC
BIKTARVY (bictegravir/emtricitabine/tenofovir	SOTO - INTEGRACE OTRAND TRANSFER INTIBE	TORO & NOCECOSIDE ANALOG KTIS
alafenamide)		
COMBINATION PRODUCTS - INTEGRASE	STRAND TRANSFER INHIBITORS & NON-NUCLE	EOSIDE REVERSE TRANSCRIPTASE INHIBITOR (NNRTI)
	JULUCA (dolutegravir/rilpivirine)	,
COME	BINATION PRODUCTS - NUCLEOSIDE & NUCLEO	OTIDE ANALOG RTIS
DESCOVY (emtricitabine/tenofovir) TRUVADA (emtricitabine/tenofovir)		
	RODUCTS - NUCLEOSIDE & NUCLEOTIDE ANAL	OGS & INTEGRASE INHIBITORS
GENVOYA	STRIBILD	*Stribild requires medical reasoning beyond convenience or
(elvitegravir/cobicistat/emtricitabine/tenofovir)	(elvitegravir/cobicistat/emtricitabine/tenofovir)*	enhanced compliance as to why the medical need cannot be
	TRIUMEQ (abacavir/lamivudine/ dolutegravir)**	met with the preferred agent Genvoya.
		**Triumeq requires medical reasoning beyond convenience or
		enhanced compliance as to why the medical need cannot be
		met with the preferred agents Epzicom and Tivicay.
	RODUCTS - NUCLEOSIDE & NUCLEOTIDE ANAL	OGS & NON-NUCLEOSIDE RTIS
ATRIPLA (efavirenz/emtricitabine/tenofovir)	COMPLERA (emtricitabine/rilpivirine/tenofovir)*	*Complera requires medical reasoning beyond convenience or
ODEFSEY (emtricitabine/rilpivirine/tenofovir)		enhanced compliance as to why the medical need cannot be
SYMFI (efavirenz/lamivudine/tenofovir)		met with the preferred agents Truvada and Edurant.
SYMFI (efavirenz/lamivudine/tenofovir)		



EFFECTIVE 01/01/2019 Version 2019.1

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	COMBINATION PRODUCTS - PROTEASE IN	HIBITORS
KALETRA (lopinavir/ritonavir)	lopinavir/ritonavir	
ANTIVIRALS, ORAL		
<b>CLASS PA CRITERIA:</b> Non-preferred agents red the exceptions on the PA form is present.	quire five (5) day trials of each preferred agent in the	same sub-class before they will be approved, unless one (1) of
	ANTI HERPES	
acyclovir valacyclovir	famciclovir FAMVIR (famciclovir) SITAVIG (acyclovir) VALTREX ZOVIRAX (acyclovir)	
	ANTI-INFLUENZA	
oseltamivir RELENZA (zanamivir)	FLUMADINE (rimantadine) rimantadine TAMIFLU (oseltamivir)	In addition to the Class Criteria: The anti-influenza agents will be authorized only for a diagnosis of influenza.
ANTIVIRALS, TOPICALAP		
<b>CLASS PA CRITERIA:</b> Non-preferred agents reform is present.	quire a five (5) day trial of the preferred agent before	they will be approved, unless one (1) of the exceptions on the PA
ABREVA (docosanol) ZOVIRAX CREAM (acyclovir) ZOVIRAX OINTMENT (acyclovir)	acyclovir ointment DENAVIR (penciclovir)	
BETA BLOCKERSAP		
CLASS PA CRITERIA: Non-preferred agents require fourteen (14) day trials of three (3) chemically distinct preferred agents, including the generic formulation of the requested non-preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.		
	BETA BLOCKERS	
acebutolol atenolol betaxolol bisoprolol CORGARD (nadolol) metoprolol metoprolol ER pindolol propranolol sotalol timolol	BETAPACE (sotalol) BYSTOLIC (nebivolol) HEMANGEOL (propranolol)* INDERAL LA (propranolol) INDERAL XL (propranolol) INNOPRAN XL (propranolol) KAPSPARGO SPRINKLE (metoprolol) KERLONE (betaxolol) LEVATOL (penbutolol) LOPRESSOR (metoprolol) nadolol	*Hemangeol will be authorized for the treatment of proliferating infantile hemangioma requiring systemic therapy.  **Propranolol ER shall be authorized for patients with a diagnosis of migraines. Existing users will be grandfathered for use in migraine prophylaxis.



EFFECTIVE 01/01/2019 Version 2019.1

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	propranolol ER** SECTRAL (acebutolol) SORINE (sotalol) TENORMIN (atenolol) TOPROL XL (metoprolol) ZEBETA (bisoprolol)	
	BETA BLOCKER/DIURETIC COMBINATION DRU	UGS
atenolol/chlorthalidone bisoprolol/HCTZ metoprolol/HCTZ propranolol/HCTZ	CORZIDE (nadolol/bendroflumethiazide) DUTOPROL (metoprolol ER/HCTZ ER) LOPRESSOR HCT (metoprolol/HCTZ) metoprolol/HCTZ ER nadolol/bendroflumethiazide TENORETIC (atenolol/chlorthalidone) ZIAC (bisoprolol/HCTZ)	
	BETA- AND ALPHA-BLOCKERS	
carvedilol labetalol	COREG (carvedilol) COREG CR (carvedilol) TRANDATE (labetalol)	
<b>BLADDER RELAXANT PREPAR</b>	ATIONS <sup>AP</sup>	
CLASS PA CRITERIA: Non-preferred agents exceptions on the PA form is present	s require thirty (30) day trials of each chemically distinct prefer	rred agent before they will be approved, unless one (1) of the
oxybutynin IR oxybutynin ER TOVIAZ (fesoterodine)	DETROL (tolterodine) DETROL LA (tolterodine) DITROPAN XL (oxybutynin) ENABLEX (darifenacin) flavoxate GELNIQUE (oxybutynin) MYRBETRIQ (mirabegron) OXYTROL (oxybutynin) SANCTURA (trospium) SANCTURA XR (trospium)	

tolterodine tolterodine ER trospium trospium ER

VESICARE (solifenacin)



EFFECTIVE 01/01/2019 Version 2019.1

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BONE RESORPTION SUPPRESS	SION AND RELATED AGENTS	
CLASS PA CRITERIA: See below for class of	riteria.	
	BISPHOSPHONATES	
alendronate tablets ibandronate	ACTONEL (risedronate) ACTONEL WITH CALCIUM (risedronate/ calcium) alendronate solution ATELVIA (risedronate) BINOSTO (alendronate) BONIVA (ibandronate) DIDRONEL (etidronate) etidronate FOSAMAX TABLETS (alendronate) FOSAMAX PLUS D (alendronate/vitamin D) risedronate	Non-preferred agents require thirty (30) day trials of <b>each</b> preferred Bisphosphonate agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
	OTHER BONE RESORPTION SUPPRESSION AND	RELATED AGENTS
	calcitonin EVISTA (raloxifene)* FORTEO (teriparatide) FORTICAL (calcitonin) MIACALCIN (calcitonin) raloxifene* TYMLOS (abaloparatide)	Non-preferred agents require a thirty (30) day trial of a preferred Bisphosphonate agent before they will be approved, unless one (1) of the exceptions on the PA form is present.  *Raloxifene generic will be authorized for postmenopausal women with osteoporosis or at high risk for invasive breast cancer.
BPH TREATMENTS		
	s require thirty (30) day trials of at least two (2) chemically will be approved, unless one (1) of the exceptions on	ally distinct preferred agents, including the generic formulation of the PA form is present.
	5-ALPHA-REDUCTASE (5AR) INHIBITORS AN	ID PDE-5 AGENTS
finasteride	AVODART (dutasteride) CIALIS 5 mg (tadalafil) dutasteride PROSCAR (finasteride)	
alfuzosin	ALPHA BLOCKERS  CARDURA (doxazosin)	
artuzosin doxazosin tamsulosin terazosin	CARDURA (doxazosin) CARDURA XL (doxazosin) FLOMAX (tamsulosin) HYTRIN (terazosin) RAPAFLO (silodosin) UROXATRAL (alfuzosin)	



EFFECTIVE 01/01/2019 Version 2019.1

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
5-ALI	PHA-REDUCTASE (5AR) INHIBITORS/ALPHA BLC	
	dutasteride/tamsulosin JALYN (dutasteride/tamsulosin)	Substitute for Class Criteria: Concurrent thirty (30) day trials of dutasteride and tamsulosin are required before the non-preferred agent will be authorized.
BRONCHODILATORS, BETA AGON	IIST <sup>ap</sup>	
<b>CLASS PA CRITERIA:</b> Non-preferred agents red the exceptions on the PA form is present.	uire thirty (30) day trials of each chemically distinct p	preferred agent in their corresponding sub-class unless one (1) of
	INHALATION SOLUTION	
albuterol	BROVANA (arformoterol) levalbuterol metaproterenol PERFOROMIST (formoterol) XOPENEX (levalbuterol)*	*Xopenex Inhalation Solution will be authorized for twelve (12) months for a diagnosis of asthma or COPD for patients on concurrent asthma controller therapy (either oral or inhaled) with documentation of failure on a trial of albuterol or documented intolerance of albuterol, or for concurrent diagnosis of heart disease.
	INHALERS, LONG-ACTING	
FORADIL (formoterol) SEREVENT (salmeterol)	ARCAPTA (indacaterol maleate) STRIVERDI RESPIMAT (olodaterol)	
PROAIR HFA (albuterol)	INHALERS, SHORT-ACTING MAXAIR (pirbuterol)	
PROAIR RESPICLICK (albuterol) PROVENTIL HFA (albuterol)	VENTOLIN HFA (albuterol) XOPENEX HFA (levalbuterol)	
	ORAL	
	albuterol ER albuterol IR metaproterenol VOSPIRE ER (albuterol) terbutaline	
CALCIUM CHANNEL BLOCKERSAP		
CLASS PA CRITERIA: Non-preferred agents require fourteen (14) day trials of each preferred agent within the corresponding sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present.		
LONG-ACTING		
amlodipine diltiazem ER felodipine ER nifedipine ER verapamil ER	ADALAT CC (nifedipine) CALAN SR (verapamil) CARDENE SR (nicardipine) CARDIZEM CD, LA (diltiazem) COVERA-HS (verapamil) diltiazem LA DYNACIRC CR (isradipine)	



EFFECTIVE 01/01/2019 Version 2019.1

	THERAPEUTIC DRUG CLASS	
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ISOPTIN SR (verapamil) MATZIM LA (diltiazem) nisoldipine NORVASC (amlodipine) PLENDIL (felodipine) PROCARDIA XL (nifedipine) SULAR (nisoldipine) TIAZAC (diltiazem) verapamil ER PM VERELAN/VERELAN PM (verapamil)	
	SHORT-ACTING	
diltiazem verapamil	CALAN (verapamil) CARDIZEM (diltiazem) isradipine nicardipine nifedipine nimodipine NIMOTOP (nimodipine) NYMALIZE SOLUTION (nimodipine) PROCARDIA (nifedipine)	
CEPHALOSPORINS AND RELAT	ED ANTIBIOTICS <sup>AP</sup>	
CLASS PA CRITERIA: Non-preferred agents one (1) of the exceptions on the PA form is pre-	require a five (5) day trial of a preferred agent within the corresponds.	

one (1) of the exceptions on the PA form is preser	it.		
BETA LACT	BETA LACTAMS AND BETA LACTAM/BETA-LACTAMASE INHIBITOR COMBINATIONS		
amoxicillin/clavulanate IR	amoxicillin/clavulanate ER AUGMENTIN (amoxicillin/clavulanate) AUGMENTIN XR (amoxicillin/clavulanate) MOXATAG (amoxicillin)		
	CEPHALOSPORINS		
cefaclor capsule cefadroxil capsule, tablet cefdinir cefuroxime tablet cephalexin capsule, suspension	CEDAX (ceftibuten) cefaclor suspension cefaclor ER tablet cefadroxil suspension cefditoren cefpodoxime cefprozil ceftibuten capsule, suspension CEFTIN (cefuroxime) cefuroxime suspension cephalexin tablet		



EFFECTIVE 01/01/2019 Version 2019.1

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	DAXABIA (cephalexin) KEFLEX (cephalexin) OMNICEF (cefdinir) RANICLOR (cefaclor) SPECTRACEF (cefditoren) SUPRAX (cefixime)	
COPD AGENTS		
CLASS PA CRITERIA: Non-preferred agents reunless one (1) of the exceptions on the PA form is		from the corresponding sub-class before they will be approved,
	ANTICHOLINERGIC <sup>AP</sup>	
Ipratropium nebulizer solution SPIRIVA (tiotropium)	ATROVENT HFA (ipratropium) INCRUSE ELLIPTA (umeclidinium) LONHALA MAGNAIR (glycopyrrolate) SEEBRI NEOHALER(glycopyrrolate) SPIRIVA RESPIMAT (tiotropium) TUDORZA (aclidinium)	IATIONS IN
	ANTICHOLINERGIC-BETA AGONIST COMBIN	
ANORO ELLIPTA (umeclidinium/vilanterol) albuterol/ipratropium nebulizer solution BEVESPI (glycopyrrolate/formoterol) UTIBRON (indacaterol/glycopyrrolate)	COMBIVENT RESPIMAT (albuterol/ipratropium) DUONEB (albuterol/ipratropium) STIOLTO RESPIMAT (tiotropium/olodaterol)*	*In addition to the Class PA criteria, Stiolto Respimat requires a sixty (60) day trial of Anoro Ellipta.
	CHOLINERGIC-BETA AGONIST-GLUCOCORTICO	DID COMBINATIONS
	Trelegy Ellipta (fluticasone/umeclidinium/vilanterol)*	* Trelegy Ellipta may be prior authorized for patients currently established on the individual components for at least 30 days.
	PDE4 INHIBITOR	
	DALIRESP (roflumilast)*	*Daliresp will be authorized if the following criteria are met:  1. Patient is forty (40) years of age or older and  2. Diagnosis of severe chronic obstructive pulmonary disease (COPD) associated with chronic bronchitis and multiple exacerbations requiring systemic glucocorticoids in the preceding six (6) months and  3. Concurrent therapy with an inhaled corticosteroid and long-acting bronchodilator and evidence of compliance and  4. No evidence of moderate to severe liver impairment (Child-Pugh Class B or C) and  5. No concurrent use with strong cytochrome P450 inducers (rifampicin, phenobarbital, carbamazepine or phenytoin)



EFFECTIVE 01/01/2019 Version 2019.1

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>CYTOKINE &amp; CAM ANTAGONISTS</b>	3cr	
CLASS PA CRITERIA: Non-preferred agents r FDA-approved indications, an additional ninety (		el unless one (1) of the exceptions on the PA form is present. For
ANTI-TNFs		
ENBREL (etanercept)* HUMIRA (adalimumab)*	CIMZIA (certolizumab pegol) REMICADE (infliximab) RENFLEXIS (infliximab) SIMPONI subcutaneous (golimumab)	*Full PA criteria may be found on the <u>PA Criteria</u> page by clicking the hyperlink.
	OTHERS	
COSENTYX (secukinumab)	ACTEMRA subcutaneous (tocilizumab) ENTYVIO (vedolizumab) ILARIS (canakinumab) KEVZARA (sarilumab) KINERET (anakinra) ORENCIA subcutaneous (abatacept) OTEZLA (apremilast) SILIQ (brodalumab) STELARA subcutaneous (ustekinumab) TALTZ (ixekizumab) TREMFYA (guselkumab) XELJANZ (tofacitinib) XELJANZ XR (tofacitinib)	*Cosentyx will be authorized for treatment of plaque psoriasis, psoriatic arthritis and ankylosing spondylitis only after inadequate response to a ninety (90) day trial of Humira.
EPINEPHRINE, SELF-INJECTED		
CLASS PA CRITERIA: A non-preferred agent of understand the training for the preferred agent(s		atient's inability to follow the instructions, or the patient's failure to
epinephrine (labeler 49502 only)	ADRENACLICK (epinephrine) epinephrine (labeler 54505 and 00115) EPIPEN (epinephrine) EPIPEN JR (epinephrine)	
ERYTHROPOIESIS STIMULATING PROTEINSCL		
<b>CLASS PA CRITERIA:</b> Non-preferred agents PA form is present.	require a thirty (30) day trial of a preferred agent befo	are they will be approved, unless one (1) of the exceptions on the
EPOGEN (rHuEPO) PROCRIT (rHuEPO)	ARANESP (darbepoetin)  MIRCERA (methoxy PEG-epoetin)	Erythropoiesis agents will be authorized if the following criteria are met:  1. Hemoglobin or Hematocrit less than 10/30 respectively. For renewal, hemoglobin or hematocrit levels greater than 12/36 will require dosage reduction



EFFECTIVE 01/01/2019 Version 2019.1

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
FLUOROQUINOLONES (Oral)		or discontinuation. Exceptions will be considered on an individual basis after medical documentation is reviewed. (Lab oratory values must be dated within six (6) weeks of request.) and  2. Transferrin saturation ≥ 20%, ferritin levels ≥100 mg/ml, or on concurrent therapeutic iron therapy. (Laboratory values must be dated within three (3) weeks of request. For re-authorization, transferrin saturation or ferritin levels are not required if the patient has been responsive to the erythropoietin agent and  3. For HIV-infected patients, endogenous serum erythropoietin level must be ≤ 500mU/ml to initiate therapy and  4. No evidence of untreated GI bleeding, hemolysis, or Vitamin B-12, iron or folate deficiency.
CLASS PA CRITERIA: Non-preferred agents red form is present.	quire a five (5) day trial of a preferred agent before the	hey will be approved, unless one (1) of the exceptions on the PA
CIPRO SUSPENSION (ciprofloxacin) ciprofloxacin levofloxacin tablet	AVELOX (moxifloxacin) BAXDELA (delafloxacin) CIPRO TABLETS (ciprofloxacin) CIPRO XR (ciprofloxacin) ciprofloxacin ER ciprofloxacin suspension FACTIVE (gemifloxacin) LEVAQUIN (levofloxacin) levofloxacin solution moxifloxacin NOROXIN (norfloxacin) ofloxacin	
GLUCOCORTICOIDS, INHALEDAP		
CLASS PA CRITERIA: Non-preferred agents req exceptions on the PA form is present.	uire thirty (30) day trials of each chemically unique p	referred agent before they will be approved, unless one (1) of the
	GLUCOCORTICOIDS	
FLOVENT DISKUS (fluticasone) FLOVENT HFA (fluticasone) PULMICORT FLEXHALER (budesonide) PULMICORT RESPULES (budesonide)*	AEROSPAN (flunisolide)** ALVESCO (ciclesonide) ARMONAIR RESPICLICK (fluticasone) ARNUITY ELLIPTA (fluticasone)	*Pulmicort Respules are only preferred for children up to nine (9) years of age. For patients nine (9) and older, prior authorization is required and will be approved only for a diagnosis of severe nasal polyps.



EFFECTIVE 01/01/2019 Version 2019.1

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
QVAR REDIHALER (beclomethasone)	ASMANEX HFA (mometasone) ASMANEX TWISTHALER (mometasone) budesonide GLUCOCORTICOID/BRONCHODILATOR COM	**Aerospan will be authorized for children ages 6 through 11 years old without a trial of a preferred agent.
ADVAIR DISKUS (fluticasone/salmeterol) ADVAIR HFA (fluticasone/salmeterol) DULERA (mometasone/formoterol) SYMBICORT(budesonide/formoterol)	AIRDUO RESPICLICK (fluticasone/salmeterol) BREO ELLIPTA (fluticasone/vilanterol) fluticasone/salmeterol	Substitute for Class Criteria: For a diagnosis of COPD only, non-preferred agents require sixty (60) day trials of each chemically unique preferred agent in this sub-class before they will be authorized, unless one (1) of the exceptions on the PA form is present. NOTE: Agents without an FDA-approved indication for COPD do not need to be trialed.
GROWTH HORMONE <sup>CL</sup>		
<b>CLASS PA CRITERIA:</b> Non-preferred agents retthe PA form is present.	quire three (3) month trials of each preferred agent b	pefore they will be approved, unless one (1) of the exceptions on
GENOTROPIN (somatropin) NORDITROPIN (somatropin)	HUMATROPE (somatropin) INCRELEX (mecasermin) NUTROPIN AQ (somatropin) OMNITROPE (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin) ZOMACTON (somatropin) ZORBTIVE (somatropin)	Patients already on a non-preferred agent will receive authorization to continue therapy on that agent for the duration of the existing PA.
H. PYLORI TREATMENT		
		components of the requested non-preferred agent and must be vill be approved, unless one (1) of the exceptions on the PA form
Please use individual components:     preferred PPI (omeprazole or pantoprazole)     amoxicillin     tetracycline     metronidazole     clarithromycin     bismuth  PYLERA (bismuth/metronidazole/tetracycline)  HEPATITIS B TREATMENTS	HELIDAC (bismuth/metronidazole/tetracycline) lansoprazole/amoxicillin/clarithromycin OMECLAMOX-PAK (omeprazole/amoxicillin/clarithromycin) PREVPAC (lansoprazole/amoxicillin/clarithromycin)	
	uire ninety (90) day trials of each preferred agent before	ore they will be approved, unless one (1) of the exceptions on the
PA form is present.		(.) = =
BARACLUDE SOLUTION (entecavir) entecavir	adefovir  BARACLUDE TABLET (entecavir)	



EFFECTIVE 01/01/2019 Version 2019.1

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
lamivudine HBV	EPIVIR HBV (lamivudine) HEPSERA (adefovir) VEMLIDY (tenofovir alafenamide fumarate)	
HEPATITIS C TREATMENTS <sup>CL</sup>		
<b>CLASS PA CRITERIA:</b> For patients starting the require medical reasoning why a preferred regime	rapy in this class, preferred regimens may be found on cannot be used.	I on the <u>PA Criteria</u> page. Requests for non-preferred regimens
EPCLUSA (sofosbuvir/velpatasvir)* HARVONI (ledipasvir/sofosbuvir)* MAVYRET (pibrentasvir/glecaprevir)* ribavirin ZEPATIER (elbasvir/grazoprevir)*	COPEGUS (ribavirin)  DAKLINZA (daclatasvir)*  MODERIBA 400 mg, 600 mg  MODERIBA DOSE PACK  PEGASYS (pegylated interferon)  PEG-INTRON (pegylated interferon)  OLYSIO (simeprevir)*  REBETOL (ribavirin)  RIBASPHERE RIBAPAK (ribavirin)  RIBASPHERE 400 mg, 600 mg (ribavirin)  SOVALDI (sofosbuvir)*  TECHNIVIE (ombitasvir/paritaprevir/ritonavir)*  VIEKIRA PAK (dasabuvir/ombitasvir/  paritaprevir/ritonavir)*  VIEKIRA XR (dasabuvir/ombitasvir/  paritaprevir/ritonavir)*  VOSEVI (sofosbuvir/velpatasvir/voxilaprevir)	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
HYPERPARATHYROID AGENTSAP		
CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.		
paricalcitol capsule	doxercalciferol HECTOROL (doxercalciferol) paricalcitol injection RAYALDEE (calcifediol) SENSIPAR (cinacalcet) ZEMPLAR (paricalcitol)	
HYPOGLYCEMICS, BIGUANIDES		
	quire a ninety (90) day trial of a preferred agent of si	milar duration before they will be approved, unless one (1) of the
metformin metformin ER (generic Glucophage XR)	FORTAMET (metformin ER) GLUCOPHAGE (metformin) GLUCOPHAGE XR (metformin ER) GLUMETZA (metformin ER)* metformin ER (generic Glumetza & Fortamet)	*Glumetza will be approved only after a 30-day trial of Fortamet.



### BUREAU FOR MEDICAL SERVICES **WEST VIRGINIA MEDICAID**

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

01/01/2019 **Version 2019.1** 

**EFFECTIVE** 

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

HYPOGLYCEMICS, DPP-4 INHIBITORS  CLASS PA CRITERIA: Non-preferred agents are available only  NOTE: DPP-4 inhibitors will NOT be approved in combination  JANUMET (sitagliptin/metformin)  JANUVIA (sitagliptin)  JENTADUETO (linagliptin/metformin)  TRADJENTA (linagliptin)  JENTADUETO  RIOMET (metformin)  alogliptin  alogliptin  alogliptin/metformin)  JANUMET XR  JENTADUETO	
HYPOGLYCEMICS, DPP-4 INHIBITORS CLASS PA CRITERIA: Non-preferred agents are available only NOTE: DPP-4 inhibitors will NOT be approved in combination  JANUMET (sitagliptin/metformin) JANUVIA (sitagliptin) JENTADUETO (linagliptin/metformin) TRADJENTA (linagliptin)  JANUMET XR JENTADUETO	
CLASS PA CRITERIA: Non-preferred agents are available only  NOTE: DPP-4 inhibitors will NOT be approved in combination of the standard of the	ıly on appeal.
NOTE: DPP-4 inhibitors will NOT be approved in combination of the standard	nly on appeal.
JANUMET (sitagliptin/metformin) alogliptin JANUVIA (sitagliptin) alogliptin/metformin) JENTADUETO (linagliptin/metformin) alogliptin/piogli TRADJENTA (linagliptin) JANUMET XR JENTADUETO	
JANUVIA (sitagliptin)  JENTADUETO (linagliptin/metformin)  TRADJENTA (linagliptin)  JANUMET XR  JENTADUETO	n with a GLP-1 agonist.

#### HYPOGLYCEMICS, GLP-1 AGONISTS<sup>CL</sup>

CLASS PA CRITERIA: Agents in this class will not be approved for patients with a starting A1C < 7%. Non-preferred agents are available only on appeal. Preferred agents in this class shall be approved in six (6) month intervals if the following criteria are met:

- Initial starts require a diagnosis of Type 2 Diabetes and an A1C taken within the last 30 days reflecting the patient's current and stabilized regimen.
- No agent in this class shall be approved except as add on therapy to a regimen consisting of at least one (1) other agent prescribed at the maximum tolerable dose for at least 90 days.
- Re-authorizations require continued maintenance on a regimen consisting of at least one (1) other agent at the maximum tolerable dose AND an A1C of ≤8%.

NOTE: GLP-1 agents will NOT be approved in combination with a DPP-4 inhibitor.

BYDUREON (exenatide) ADLYXIN (lixisenatide) BYETTA (exenatide) BYDUREON BCISE (exenatide) OZEMPIC (semaglutide) VICTOZA (liraglutide) TANZEUM (albiglutide) TRULICITY (dulaglutide)

#### HYPOGLYCEMICS, INSULIN AND RELATED AGENTS

CLASS PA CRITERIA: Non-preferred agents require a ninety (90) day trial of a pharmacokinetically similar agent before they will be approved, unless one (1) of the exceptions on the PA form is present.

Humulin pens and Humalog Mix pens will be authorized only for patients who cannot utilize vials due to impaired vision or dexterity.

HUMALOG (insulin lispro)	ADMELOG (insulin lispro)	Apidra will be authorized if the following criteria are met:
HUMALOG MIX VIALS (insulin lispro/lispro	AFREZZA (insulin) <sup>CL</sup>	<ol> <li>Patient is four (4) years of age or older; and</li> </ol>
protamine)	APIDRA (insulin glulisine) <sup>AP*</sup>	2. Patient is currently on a regimen including a longer



EFFECTIVE 01/01/2019 Version 2019.1

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
HUMULIN VIALS (insulin) LANTUS (insulin glargine) LEVEMIR (insulin detemir) NOVOLOG (insulin aspart) NOVOLOG MIX (insulin aspart/aspart protamine)	BASAGLAR (insulin glargine) FIASP (insulin aspart) HUMALOG JR KWIKPEN (insulin lispro) HUMALOG PEN/KWIKPEN (insulin lispro/lispro protamine) HUMULIN PENS (insulin) NOVOLIN (insulin) SOLIQUA (insulin glargine/lixisenatide)*** TOUJEO SOLOSTAR (insulin glargine)** TRESIBA (insulin degludec)** XULTOPHY (insulin degludec/liraglutide)***	acting or basal insulin, and  3. Patient has had a trial of a similar preferred agent, Novolog or Humalog, with documentation that the desired results were not achieved.  **Tresiba U-100 will be authorized only for patients who have demonstrated at least a 6-month history of compliance on preferred long-acting insulin and who continue to have regular incidents of hypoglycemia.  Tresiba U-200, Toujeo Solostar and Toujeo Max Solostar will only be approved for patients who require once-daily doses of at least 60 units of long-acting insulin and have demonstrated at least a 6-month history of compliance on preferred long-acting insulin and who continue to have regular incidents of hypoglycemia.  ***Non-preferred insulin combination products require that the patient must already be established on the individual agents at doses not exceeding the maximum dose achievable with the combination product, and require medical reasoning beyond convenience or enhanced compliance as to why the clinical need cannot be met with a combination of preferred single-ingredient agents.
HYPOGLYCEMICS, MEGLITINIDES  CLASS PA CRITERIA: Non-preferred agents are available only on appeal.		
MEGLITINIDES		
nateglinide repaglinide	PRANDIN (repaglinide) STARLIX (nateglinide) MEGLITINIDE COMBINATIONS	
	PRANDIMET (repaglinide/metformin) repaglinide/metformin	
HYPOGLYCEMICS, MISCELLANEOUS AGENTS		
CLASS PA CRITERIA: Welchol will be authorized for add-on therapy for type 2 diabetes when there is a previous history of a thirty (30) day trial of an oral diabetic agent.		
WELCHOL (colesevelam) <sup>AP</sup>	SYMLIN (pramlintide)*	*Symlin will be authorized with a history of bolus insulin utilization in the past ninety (90) days with no gaps in insulin therapy greater than thirty (30) days.



EFFECTIVE 01/01/2019 Version 2019.1

THERAPEUTIC DRUG CLASS					
PREFERRED AGENTS	PREFERRED AGENTS PA CRITERIA				
<b>HYPOGLYCEMICS, SGLT2 INHIBIT</b>	ORS <sup>CL</sup>				
	vill not be approved for patients with a starting an six (6) month intervals if the following criteria are me	A1C < 7%. Non-preferred agents are available only on appeal. et.			
must be ≤ 9%.	·	flecting the patient's current and stabilized regimen. Current A1C			
dose for at least 90 days.		east one (1) other agent prescribed at the maximum tolerable			
Re-authorizations require <u>continued</u> mainter	nance on a regimen consisting of at least one (1) other	r agent at the maximum tolerable dose AND an A1C of ≤8%.			
	SGLT2 INHIBITORS				
FARXIGA (dapagliflozin) JARDIANCE (empagliflozin)	INVOKANA (canagliflozin) STEGLATRO (ertugliflozin)				
	SGLT2 COMBINATIONS				
SYNJARDY (empagliflozin/metformin) SYNJARDY XR (empagliflozin/metformin)	GLYXAMBI (empagliflozin/linagliptin) INVOKAMET (canagliflozin/metformin) INVOKAMET XR (canagliflozin/metformin) SEGLUROMET (ertugliflozin/metformin STEGLUJAN (ertugliflozin/sitagliptin) QTERN (dapagliflozin/saxagliptin) XIGDUO XR (dapagliflozin/metformin)				
HYPOGLYCEMICS, TZD					
CLASS PA CRITERIA: Non-preferred agents a					
	THIAZOLIDINEDIONES				
pioglitazone	ACTOS (pioglitazone) AVANDIA (rosiglitazone)				
	TZD COMBINATIONS				
	ACTOPLUS MET (pioglitazone/ metformin) ACTOPLUS MET XR (pioglitazone/ metformin) AVANDAMET (rosiglitazone/metformin) AVANDARYL (rosiglitazone/glimepiride) DUETACT (pioglitazone/glimepiride) pioglitazone/glimepiride pioglitazone/ metformin	Patients are required to use the components of Actoplus Met and Duetact separately. Exceptions will be handled on a case-by-case basis.			
IMMUNOMODULATORS, ATOPIC D					
CLASS PA CRITERIA: Non-preferred agents require 30-day trial of a medium to high potency topical corticosteroid AND all preferred agents in this class unless one (1) of the exceptions on the PA form is present. Requirement for topical corticosteroids may be excluded with involvement of sensitive areas such as the face and skin folds.					
ELIDEL (pimecrolimus) EUCRISA (crisaborole) <sup>AP*</sup>	DUPIXENT (dupilumab)** PROTOPIC (tacrolimus)***	*Eucrisa requires a 30-day trial of Elidel <b>OR</b> a medium to high potency corticosteroid unless contraindicated.			



EFFECTIVE 01/01/2019 Version 2019.1

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	tacrolimus ointment	**Full PA criteria for Dupixent may be found on the PA Criteria page by clicking the hyperlink
		***Protopic brand is preferred over its generic equiviliant.
<b>IMMUNOMODULATORS, GENITA</b>	L WARTS & ACTINIC KERATOSIS AGE	ENTS
<b>CLASS PA CRITERIA:</b> Non-preferred agents PA form is present.	require thirty (30) day trials of each preferred agent bef	ore they will be approved, unless one (1) of the exceptions on the
CONDYLOX GEL (podofilox) EFUDEX (fluorouracil) imiquimod	ALDARA (imiquimod) CARAC (fluorouracil) diclofenac 3% gel fluorouracil 0.5% cream fluorouracil 5% cream podofilox SOLARAZE (diclofenac) TOLAK (fluorouracil 4% cream) VEREGEN (sinecatechins) ZYCLARA (imiquimod)*	*Zyclara will be authorized for a diagnosis of actinic keratosis.
IMMUNOSUPPRESSIVES, ORAL		
<b>CLASS PA CRITERIA:</b> Non-preferred agents PA form is present.	require a fourteen (14) day trial of a preferred agent bet	fore they will be approved, unless one (1) of the exceptions on the
azathioprine cyclosporine cyclosporine, modified mycophenolate mofetil sirolimus tacrolimus capsule	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) CELLCEPT (mycophenolate mofetil) ENVARSUS XR (tacrolimus) IMURAN (azathioprine) mycophenolic acid mycophenolic mofetil suspension MYFORTIC (mycophenolic acid) NEORAL (cyclosporine, modified) PROGRAF (tacrolimus) RAPAMUNE (sirolimus) SANDIMMUNE (cyclosporine) ZORTRESS (everolimus)	



EFFECTIVE 01/01/2019 Version 2019.1

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
INTRANASAL RHINITIS AGENTSAP		
CLASS PA CRITERIA: See below for individual s	sub-class criteria.	
	ANTICHOLINERGICS	
ipratropium	ATROVENT(ipratropium)	Non-preferred agents require thirty (30) day trials of one (1) preferred nasal anti-cholinergic agent, <b>AND</b> one (1) preferred antihistamine <b>AND</b> one (1) preferred intranasal corticosteroid agent before they will be approved, unless one (1) of the exceptions on the PA form is present
	ANTIHISTAMINES	
azelastine	ASTEPRO (azelastine) olopatadine PATANASE (olopatadine)	Non-preferred agents require thirty (30) day trials of one (1) preferred antihistamine <b>AND</b> one (1) preferred intranasal corticosteroid before they will be approved, unless one (1) of the exceptions on the PA form is present.
	COMBINATIONS	
	DYMISTA (azelastine / fluticasone)	Dymista requires a concurrent thirty (30) day trial of each preferred component before it will be approved, unless one (1) of the exceptions on the PA form is present.
	CORTICOSTEROIDS	
fluticasone propionate	BECONASE AQ (beclomethasone) budesonide FLONASE (fluticasone propionate) flunisolide mometasone NASACORT AQ (triamcinolone) NASONEX (mometasone) OMNARIS (ciclesonide) QNASL HFA (beclomethasone) RHINOCORT AQUA (budesonide) triamcinolone VERAMYST (fluticasone furoate) ZETONNA (ciclesonide)	Non-preferred agents require thirty (30) day trials of the preferred agent in this sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present
IRRITABLE BOWEL SYNDROME/SI	HORT BOWEL SYNDROME/SELECTI	ED GI AGENTS <sup>CL</sup>
CLASS PA CRITERIA: All agents are approvable	e only for patients age eighteen (18) and older. See	below for additional sub-class criteria.
	CONSTIPATION	
AMITIZA (lubiprostone)* MOVANTIK (naloxegol)**	LINZESS (linaclotide)*** RELISTOR INJECTION (methylnaltrexone)**** RELISTOR TABLET (methylnaltrexone)**** SYMPROIC (naldemedine)	All agents require documentation of the current diagnosis and evidence that the patient has failed to find relief with dietary modification and a fourteen (14) day trial of an osmotic laxative.



EFFECTIVE 01/01/2019 Version 2019.1

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	TRULANCE (plecanatide)*****	In addition:  * Amitiza is indicated for CIC, IBS-C (females only) and OIC. Approval for the diagnosis of OIC requires a concurrent and continuous 90-day history of opioid claims on record.  ** Movantik will be approved per the FDA-approved label for OIC with a concurrent and continuous 90-day history of opioid claims on record.  *** Linzess is indicated for CIC and IBS-C and requires a thirty (30) day trial of Amitiza For the indication of IBS-C in males, a trial of Amitiza is not required.  **** Relistor is indicated for OIC and requires thirty (30) day trials of both Movantik and Amitiza.  ***** Trulance is indicated for CIC and requires a thirty (30) day trial of Amitiza. For the indication of IBS-C in males, a trial of Amitiza is not required.
	DIARRHEA	a trial of Amitiza is not required.
	alosetron* MYTESI (crofelemer)* LOTRONEX (alosetron)* VIBERZI (eluxadoline)*	* Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
LAXATIVES AND CATHARTICS		
CLASS PA CRITERIA: Non-preferred agents re PA form is present	equire thirty (30) day trials of each preferred agent be	efore they will be approved, unless one (1) of the exceptions on the
COLYTE GOLYTELY NULYTELY peg 3350	HALFLYTELY-BISACODYL KIT MOVIPREP OSMOPREP PREPOPIK SUPREP	
LEUKOTRIENE MODIFIERS		<u></u>
CLASS PA CRITERIA: Non-preferred agents re PA form is present.	equire thirty (30) day trials of each preferred agent be	efore they will be approved, unless one (1) of the exceptions on the
montelukast zafirlukast	ACCOLATE (zafirlukast) SINGULAIR (montelukast) zileuton ZYFLO (zileuton)	



EFFECTIVE 01/01/2019 Version 2019.1

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LIPOTROPICS, OTHER (Non-statin	s)	
CLASS PA CRITERIA: Non-preferred agents re- PA form is present.	quire a twelve (12) week trial of a preferred agent be	fore they will be approved, unless one (1) of the exceptions on the
	BILE ACID SEQUESTRANTS <sup>AP</sup>	
cholestyramine colestipol tablets	COLESTID (colestipol) colestipol granules KYNAMRO (mipomersen)* QUESTRAN (cholestyramine) WELCHOL (colesevelam)**	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.  **Welchol will be authorized for add-on therapy for type 2 diabetes when there is a previous history of a thirty (30) day trial of an oral agent (metformin, sulfonylurea or thiazolidinedione (TZD)). See HYPOGLYCEMICS, MISCELLANEOUS.
	CHOLESTEROL ABSORPTION INHIBIT	
ZETIA (ezetimibe) AP	ezetimibe	Zetia will be authorized with prior use of a HMG-CoA reductase inhibitor within the previous six (6) months.
	FATTY ACIDSAP	(-)
omega-3 acid ethyl esters	LOVAZA (omega-3-acid ethyl esters) omega-3 acid ethyl esters VASCEPA (icosapent ethyl)	These agents shall only be authorized when the patient has an initial triglyceride level ≥ 500 mg/dL and has had inadequate response or intolerance to trials of BOTH a nicotinic acid and a fibrate, unless otherwise contraindicated.
	FIBRIC ACID DERIVATIVES <sup>AP</sup>	
fenofibrate 54 and 160 mg fenofibrate micronized 67mg, 134mg & 200mg fenofibrate nanocrystallized 48 mg, 145 mg gemfibrozil	ANTARA (fenofibrate) FENOGLIDE (fenofibrate) FIBRICOR (fenofibric acid) fenofibrate 40 mg tablet fenofibrate 150 mg capsules fenofibrate 43, 50, 120 and 130 mg fenofibric acid LIPOFEN (fenofibrate) LOFIBRA (fenofibrate) LOPID (gemfibrozil) TRICOR (fenofibrate nanocrystallized) TRIGLIDE (fenofibrate) TRILIPIX (fenofibric acid)  MTP INHIBITORS	
	JUXTAPID (lomitapide)*	*Full PA criteria may be found on the PA Criteria page by
		clicking the hyperlink.
ninnin	NIACIN	
niacin NIACOR (niacin) NIASPAN (niacin)	niacin ER	



EFFECTIVE 01/01/2019 Version 2019.1

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	PCSK-9 INHIBITORS		
	PRALUENT (alirocumab)* REPATHA (evolocumab)*	*Full PA criteria may be found on the <u>PA Criteria</u> page by clicking the hyperlink.	
LIPOTROPICS, STATINSAP			
CLASS PA CRITERIA: See below for individual s	sub-class criteria.		
	STATINS		
atorvastatin lovastatin pravastatin rosuvastatin simvastatin*	ALTOPREV (lovastatin) CRESTOR (rosuvastatin) fluvastatin fluvastatin ER LESCOL (fluvastatin) LESCOL XL (fluvastatin) LIPITOR (atorvastatin) LIVALO (pitavastatin) MEVACOR (lovastatin) PRAVACHOL (pravastatin) ZOCOR (simvastatin)* ZYPITAMAG (pitavastatin)	Non-preferred agents require twelve (12) week trials of two (2) preferred agents, including the generic formulation of the requested non-preferred agent, before they will be approved, unless one (1) of the exceptions on the PA form is present.  *Zocor/simvastatin 80mg tablets will require a clinical PA.	
	STATIN COMBINATIONS		
	ADVICOR (lovastatin/niacin) amlodipine/atorvastatin CADUET (atorvastatin/amlodipine) ezetimibe/simvastatin LIPTRUZET (atorvastatin/ezetimibe) SIMCOR (simvastatin/niacin ER) VYTORIN (simvastatin/ezetimibe)*	Non-preferred agents require thirty (30) day concurrent trials of the corresponding preferred single agents before they will be approved, unless one (1) of the exceptions on the PA form is present.  *Vytorin will be authorized only after an insufficient response to a twelve (12) week trial of the maximum tolerable dose of atorvastatin or rosuvastatin, unless one (1) of the exceptions on the PA form is present.  Vytorin 80/10mg tablets will require a clinical PA.	
MACROLIDES		Tyterin 66, 18thly tableto will require a climbal 17th	
CLASS PA CRITERIA: Non-preferred agents require a five (5) day trial of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.			
	MACROLIDES		
azithromycin erythromycin base	BIAXIN (clarithromycin) clarithromycin tablets clarithromycin ER clarithromycin suspension E.E.S. (erythromycin ethylsuccinate) E-MYCIN (erythromycin)		



EFFECTIVE 01/01/2019 Version 2019.1

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ERYC (erythromycin) ERYPED (erythromycin ethylsuccinate) ERY-TAB (erythromycin) ERYTHROCIN (erythromycin stearate) erythromycin estolate PCE (erythromycin) ZITHROMAX (azithromycin) ZMAX (azithromycin)	
MULTIPLE SCLEROSIS AGENTS <sup>CL</sup>		
CLASS PA CRITERIA: Non-preferred agents red sub-class before they will be approved, unless one		day trials of each chemically unique preferred agent in the same
	INTERFERONS <sup>AP</sup>	
AVONEX (interferon beta-1a) AVONEX PEN (interferon beta-1a) BETASERON (interferon beta-1b)	EXTAVIA KIT (interferon beta-1b) EXTAVIA VIAL (interferon beta-1b) PLEGRIDY (peginterferon beta-1a) REBIF (interferon beta-1a) REBIF REBIDOSE (interferon beta-1a)	
CODA VONE 20 mg (glotinamor)	NON-INTERFERONS AMPYRA (dalfampridine)**	In addition to class PA criteria, the following conditions
COPAXONE 20 mg (glatiramer) GILENYA (fingolimod) *	AUBAGIO (teriflunomide)*** COPAXONE 40 mg (glatiramer)**** glatiramer GLATOPA (glatiramer) TECFIDERA (dimethyl fumarate)**** ZINBRYTA (daclizumab)	**Ampyra will be authorized if the following criteria are met:  1. Diagnosis of multiple sclerosis and  2. No history of seizures and  3. No evidence of moderate or severe renal impairment and  4. Initial prescription will be authorized for thirty (30) days only.  ***Aubagio will be authorized if the following criteria are met:  1. Diagnosis of relapsing multiple sclerosis and  2. Measurement of transaminase and bilirubin levels within the (6) months before initiation of therapy and ALT levels at least monthly for six (6) months after initiation of therapy and  3. Complete blood cell count (CBC) within six (6) months before initiation of therapy and  4. Female patients must have a negative pregnancy test



EFFECTIVE 01/01/2019 Version 2019.1

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		before initiation of therapy and be established on a reliable method of contraception if appropriate <b>and</b> 5. Patient is from eighteen (18) up to sixty-five (65) years of age <b>and</b> 6. Negative tuberculin skin test before initiation of therapy
		****Copaxone 40mg will only be authorized for documented injection site issues.
		*****Tecfidera will be authorized if the following criteria are met:  1. Diagnosis of relapsing multiple sclerosis <b>and</b> 2. Complete blood count (CBC) within six (6) months of initiation of therapy and six (6) months after initiation and
NEUROPATHIC PAIN		Complete blood count (CBC) annually during therapy.
		e corresponding dosage form (oral or topical) before they will be
capsaicin OTC duloxetine gabapentin lidocaine patch LYRICA CAPSULE (pregabalin) <sup>AP**</sup>	CYMBALTA (duloxetine) GRALISE (gabapentin)* HORIZANT (gabapentin) IRENKA (duloxetine) LIDODERM (lidocaine)  LYRICA CR (pregabalin) <sup>AP**</sup> LYRICA SOLUTION (pregabalin) <sup>AP**</sup> NEURONTIN (gabapentin) <sup>AP</sup> QUTENZA (capsaicin) SAVELLA (milnacipran)*** ZOSTRIX OTC (capsaicin)	*Gralise will be authorized only if the following criteria are met:  1. Diagnosis of post herpetic neuralgia and 2. Trial of a tricyclic antidepressant for a least thirty (30) days and 3. 90-day trial of gabapentin immediate release formulation (positive response without adequate duration) and 4. Request is for once daily dosing with 1800 mg maximum daily dosage.  **Lyrica will be authorized only if the following criteria are met: 1. Diagnosis of seizure disorders or neuropathic pain associated with a spinal cord injury or 2. Diagnosis of fibromyalgia, postherpetic neuralgia, or diabetic neuropathy AND a history of a 90-day trial of duloxetine at the generally accepted maximum therapeutic dose of 60 mg/day AND a 90-day trial of gabapentin at a therapeutic dose range between 900 mg and 2,400 mg per day for ninety (90) days within the previous twenty-four (24) month period or an intolerance due to a potential adverse drug-drug interaction, drug-disease interaction, or intolerable side effect (In cases of renal impairment, doses may



EFFECTIVE 01/01/2019 Version 2019.1

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		be adjusted based on the degree of impairment.)
		***Savella will be authorized for a diagnosis of fibromyalgia only after a 90-day trial of one preferred agent
NSAIDS <sup>AP</sup>		
CLASS PA CRITERIA: See below for sub-class F	PA criteria.	
	NON-SELECTIVE	
diclofenac (IR, SR) flurbiprofen ibuprofen (Rx and OTC) INDOCIN SUSPENSION (indomethacin) indomethacin ketoprofen ketorolac meloxicam tablet nabumetone naproxen (Rx and OTC) piroxicam sulindac	ANAPROX (naproxen) ANSAID (flurbiprofen) CATAFLAM (diclofenac) CLINORIL (sulindac) DAYPRO (oxaprozin) diflunisal DUEXIS (famotidine/ibuprofen) etodolac IR etodolac SR FELDENE (piroxicam) fenoprofen INDOCIN SUPPOSITORIES (indomethacin) indomethacin ER ketoprofen ER LODINE (etodolac) meclofenamate mefenamic acid meloxicam suspension MOBIC TABLET (meloxicam) MOTRIN (ibuprofen) NALFON (fenoprofen) NAPRELAN (naproxen) NAPROSYN (naproxen) naproxen CR oxaprozin PONSTEL (meclofenamate) SPRIX (ketorolac) TIVORBEX (indomethacin) tolmetin VIVLODEX (meloxicam) VOLTAREN (diclofenac) ZIPSOR (diclofenac potassium) ZORVOLEX (diclofenac)	Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.



EFFECTIVE 01/01/2019 Version 2019.1

	THERAPEUTIC DRUG CLA	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	NSAID/GI PROTECTANT COMBINAT	TIONS
	ARTHROTEC (diclofenac/misoprostol) diclofenac/misoprostol VIMOVO (naproxen/esomeprazole) COX-II SELECTIVE	Non-preferred agents are only available on appeal and require medical reasoning beyond convenience as to why the need cannot be met with the combination of preferred single agents.
	CELEBREX (celecoxib)	COX-II Selective agents require thirty (30) day trials of each
	celecoxib	preferred Non-Selective Oral NSAID, <b>UNLESS</b> the following criteria are met:
		Patient has a history or risk of a serious GI complication; <b>OR</b> Agent is requested for treatment of a chronic condition <b>and</b> 1. Patient is seventy (70) years of age or older, <b>or</b> 2. Patient is currently on anticoagulation therapy.
	TOPICAL	,,
FLECTOR PATCH (diclofenac)** VOLTAREN GEL (diclofenac)*	diclofenac gel diclofenac solution PENNSAID (diclofenac)	*Voltaren Gel will be limited to 100 grams per month.  Non-preferred agents require a thirty (30) day trial of the preferred Topical agent and thirty (30) day trials of each preferred oral NSAID before they will be approved, unless one (1) of the exceptions on the PA form is present.
		**Flector patches will only be authorized for a diagnosis of acute strain, sprain or injury after a five (5) day trial of one (1) of the preferred oral NSAIDs and for a maximum duration of fourteen (14) days unless one (1) of the exceptions on the PA form is present.
OPHTHALMIC ANTIBIOTICSAP		
<b>CLASS PA CRITERIA:</b> Non-preferred agents PA form is present.	require three (3) day trials of each preferred agent be	efore they will be approved, unless one (1) of the exceptions on the
bacitracin/polymyxin ointment ciprofloxacin* erythromycin gentamicin levofloxacin*	AZASITE (azithromycin) bacitracin BLEPH-10 (sulfacetamide) BESIVANCE (besifloxacin)* CILOXAN (ciprofloxacin)	*Prior authorization of any fluoroquinolone agent requires three (3) day trials of all other preferred agents unless definitive laboratory cultures exist indicating the need to use a fluoroquinolone.
MOXEZA (moxifloxacin)** neomycin/bacitracin/polymyxin ofloxacin* polymyxin/trimethoprim tobramycin TOBREX OINT (tobramycin)	GARAMYCIN (gentamicin) gatifloxacin ILOTYCIN (erythromycin) moxifloxacin** NATACYN (natamycin) neomycin/polymyxin/gramicidin NEOSPORIN (neomycin/polymyxin/gramicidin) OCUFLOX (ofloxacin)	**Brand Vigamox will be preferred over Brand Moxeza, and both brands are preferred over their generic equivalent.



EFFECTIVE 01/01/2019 Version 2019.1

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

	THERAPEUTIC DRUG CLAS	S
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	POLYTRIM (polymyxin/trimethoprim) sulfacetamide drops sulfacetamide ointment TOBREX (tobramycin) VIGAMOX (moxifloxacin)** ZYMAR (gatifloxacin) ZYMAXID (gatifloxacin)	
OPHTHALMIC ANTIBIOTIC/STEROI	D COMBINATIONS <sup>AP</sup>	
<b>CLASS PA CRITERIA:</b> Non-preferred agents rec PA form is present.	uire three (3) day trials of each preferred agent befo	re they will be approved, unless one (1) of the exceptions on the
BLEPHAMIDE (prednisolone/sulfacetamide) neomycin/polymyxin/dexamethasone sulfacetamide/prednisolone TOBRADEX OINTMENT (tobramycin/ dexamethasone) TOBRADEX SUSPENSION (tobramycin/ dexamethasone)	BLEPHAMIDE S.O.P. (prednisolone/ sulfacetamide)  MAXITROL ointment (neomycin/polymyxin/ dexamethasone)  MAXITROL suspension (neomycin/polymyxin/ dexamethasone) neomycin/bacitracin/polymyxin/ hydrocortisone neomycin/polymyxin/hydrocortisone PRED-G (prednisolone/gentamicin) TOBRADEX ST (tobramycin/ dexamethasone) tobramycin/dexamethasone suspension ZYLET (loteprednol/tobramycin)	

#### OPHTHALMICS FOR ALLERGIC CONJUNCTIVITISAP

**CLASS PA CRITERIA:** Non-preferred agents require thirty (30) day trials of three (3) preferred chemically unique agents before they will be approved, unless one (1) of the exceptions on the PA form is present.

ALAWAY (ketotifen)	ALAMAST (pemirolast)	
cromolyn	ALOCRIL (nedocromil)	
ketotifen	ALOMIDE (lodoxamide)	
olopatadine (Sandoz brand labeler 61314)	ALREX (loteprednol)	
ZADITOR OTC (ketotifen)	azelastine	
	BEPREVE (bepotastine)	
	CROLOM (cromolyn)	
	ELESTAT (epinastine)	
	EMADINE (emedastine)	
	epinastine	
	LASTACAFT (alcaftadine)	
	olopatadine (all labelers except Sandoz)	
	OPTICROM (cromolyn)	



EFFECTIVE 01/01/2019 Version 2019.1

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	OPTIVAR (azelastine) PATADAY (olopatadine) PATANOL (olopatadine) PAZEO (olopatadine)	
OPHTHALMICS, ANTI-INFLAMMA	ATORIES- IMMUNOMODULATORS	
CLASS PA CRITERIA: See below for individu	al sub-class criteria.	
	RESTASIS (cyclosporine) XIIDRA (lifitegrast)	<ol> <li>The following prior authorization criteria apply to both Restasis and Xiidra:         <ol> <li>Patient must be sixteen (16) years of age or greater; AND</li> <li>Prior Authorization must be requested by an ophthalmologist or optometrist; AND</li> <li>Clinically diagnosed tear deficiency due to ocular inflammation in patients with keratoconjunctivitis sicca or dry eye syndrome (also known as dry eye); AND</li> <li>Patient must have a functioning lacrimal gland; AND</li> </ol> </li> <li>Patient using artificial tears at least four (4) times a day over the last thirty (30) days; AND</li> <li>Patient must not have an active ocular infection</li> </ol>
OPHTHALMICS, ANTI-INFLAMM	ATORIES	
	ts require five (5) day trials of at least two (2) prefust include at least one agent with the same mechanic	ferred agents before they will be approved, unless one (1) of the sm of action as the requested non-preferred agent.
dexamethasone diclofenac DUREZOL (difluprednate) fluorometholone flurbiprofen ILEVRO (nepafenac) ketorolac prednisolone acetate prednisolone sodium phosphate	ACULAR (ketorolac) ACULAR LS (ketorolac) ACUVAIL (ketorolac tromethamine) BROMDAY (bromfenac) bromfenac BROMSITE (bromfenac) FLAREX (fluorometholone) FML (fluorometholone) FML FORTE (fluorometholone) FML S.O.P. (fluorometholone) LOTEMAX DROPS, OINTMENT (loteprednol) LOTEMAX GEL (loteprednol)	

MAXIDEX (dexamethasone) NEVANAC (nepafenac)



EFFECTIVE 01/01/2019 Version 2019.1

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
OPHTHALMICS, GLAUCOMA AGEI	OMNIPRED (prednisolone) OZURDEX (dexamethasone) PRED FORTE (prednisolone) PRED MILD (prednisolone) PROLENSA (bromfenac) RETISERT (fluocinolone) TRIESENCE (triamcinolone) VEXOL (rimexolone) XIBROM (bromfenac)	
•	only be authorized if there is an allergy to all preferre	ed agents in the corresponding sub-class
on the state of th	COMBINATION AGENTS	a agoine in the solitopoliumy out oldoor
COMBIGAN (brimonidine/timolol) dorzolamide/timolol SIMBRINZA (brinzolamide/brimonidine)	COSOPT (dorzolamide/timolol) COSOPT PF (dorzolamide/timolol)	
,	BETA BLOCKERS	
BETOPTIC S (betaxolol) carteolol levobunolol timolol drops	BETAGAN (levobunolol) betaxolol BETIMOL (timolol) ISTALOL (timolol) OPTIPRANOLOL (metipranolol) timolol gel TIMOPTIC (timolol)	
	CARBONIC ANHYDRASE INHIBITOR	RS
AZOPT (brinzolamide) orzolamide	TRUSOPT (dorzolamide)	
	PARASYMPATHOMIMETICS	
PHOSPHOLINE IODIDE (echothiophate iodide)	pilocarpine	
latananraat	PROSTAGLANDIN ANALOGS	
latanoprost TRAVATAN-Z (travoprost)	bimatoprost LUMIGAN (bimatoprost) RESCULA (unoprostone) travoprost VYZULTA (latanoprostene) XALATAN (latanoprost) ZIOPTAN (tafluprost) RHO-KINASE INHIBITORS	
	RHOPRESSA (netarsudil)	Prior authorization of any agent in this sub-class requires a
	THO ITESON (Hetalstully	trial of at least one (1) preferred agent from all other sub- classes.



EFFECTIVE 01/01/2019 Version 2019.1

	THERAPEUTIC DRUG CLA	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	SYMPATHOMIMETICS	
brimonidine 0.2%	ALPHAGAN P 0.1% Solution (brimonidine) ALPHAGAN P 0.15% Solution (brimonidine) apraclonidine brimonidine 0.15% IOPIDINE (apraclonidine)	
OPIATE DEPENDENCE TREATMEN	ITS	
CLASS PA CRITERIA: Buprenorphine/naloxone	tablets, Bunavail and Zubsolv will only be approved	d with a documented intolerance of or allergy to Suboxone strips.
WV Medicaid's buprenorphine coverage policy ma	ay be viewed by clicking on the following hyperlink:	Buprenorphine Coverage Policy and Related Forms
Naloxone NARCAN NASAL SPRAY (naloxone) SUBOXONE FILM (buprenorphine/naloxone)* VIVITROL (naltrexone)	buprenorphine tablets buprenorphine/naloxone tablets BUNAVAIL (buprenorphine/naloxone) SUBLOCADE (buprenorphine soln)** ZUBSOLV (buprenorphine/naloxone)	* Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.  **Sublocade is approvable only on appeal and requires medical reasoning as to why the clinical need cannot be met with a preferred product.  VIVITROL no longer requires a PA.
OTIC ANTIBIOTICSAP		
	quire five (5) day trials of each preferred agent bef	fore they will be approved, unless one (1) of the exceptions on the
CIPRO HC (ciprofloxacin/hydrocortisone) CIPRODEX (ciprofloxacin/dexamethasone) COLY-MYCIN S (colistin/hydrocortisone/ neomycin/thonzonium bromide) ofloxacin	ciprofloxacin CORTISPORIN-TC (colistin/hydrocortisone/ neomycin) neomycin/polymyxin/HC solution/suspension OTIPRIO VIAL (ciprofloxacin) OTOVEL (ciprofloxacin/fluocinolone)	
PAH AGENTS - ENDOTHELIN REC		
CLASS PA CRITERIA: Non-preferred agents re PA form is present.	quire a thirty (30) day trial of a preferred agent bef	fore they will be approved, unless one (1) of the exceptions on the
LETAIRIS (ambrisentan) TRACLEER (bosentan)	OPSUMIT (macitentan)	
PAH AGENTS – GUANYLATE CYCI	LASE STIMULATOR <sup>CL</sup>	
CLASS PA CRITERIA: Non-preferred agents recoff the exceptions on the PA form is present.	quire a thirty (30) day trial of a preferred agent from	n any other PAH Class before they will be approved, unless one (1)
or the exceptions on the Frederic		



EFFECTIVE 01/01/2019 Version 2019.1

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
PAH AGENTS - PDE5scl			
PA form is present. Patients stabilized on non-preferred agents will be	e grandfathered.	ore they will be approved, unless one (1) of the exceptions on the	
sildenafil	ADCIRCA (tadalafil) REVATIO IV (sildenafil) REVATIO SUSPENSION (sildenafil) REVATIO TABLETS (sildenafil)		
PAH AGENTS - PROSTACYCLINS	CL		
	equire a thirty (30) day trial of a preferred agent, in (1) of the exceptions on the PA form is present.	ncluding the preferred generic form of the non-preferred agent (if	
epoprostenol VENTAVIS (iloprost)*	FLOLAN (epoprostenol) ORENITRAM ER (treprostinil) REMODULIN (treprostinil sodium) TYVASO (treprostinil) UPTRAVI (selexipag) VELETRI (epoprostenol)	*Ventavis will only be authorized for the treatment of pulmonary artery hypertension (WHO Group 1) in patients with NYHA Class III or IV symptoms.	
PANCREATIC ENZYMESAP			
CLASS PA CRITERIA: Non-preferred agents re PA form is present. For members with cystic fibrosis, a trial of a prefe		ore they will be approved, unless one (1) of the exceptions on the	
CREON	PANCREAZE		
ZENPEP	PERTZYE ULTRESA VIOKACE		
PHOSPHATE BINDERSAP			
<b>CLASS PA CRITERIA:</b> Non-preferred agents r exceptions on the PA form is present.	equire a thirty (30) day trial of at least two (2) pref	ferred agents before they will be approved, unless one (1) of the	
calcium acetate MAGNEBIND RX (calcium carbonate, folic acid, magnesium carbonate) PHOSLYRA (calcium acetate) RENAGEL (sevelamer)	AURYXIA (ferric citrate) ELIPHOS (calcium acetate) FOSRENOL (lanthanum) PHOSLO (calcium acetate) RENVELA (sevelamer carbonate) sevelamer carbonate VELPHORO (sucroferric oxyhydroxide)		



EFFECTIVE 01/01/2019 Version 2019.1

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

	THERAPEUTIC DRUG CLA	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PLATELET AGGREGATION INHI	BITORS	
<b>CLASS PA CRITERIA:</b> Non-preferred agent PA form is present.	s require a thirty (30) day trial of a preferred agent bef	fore they will be approved, unless one (1) of the exceptions on the
AGGRENOX (dipyridamole/ASA) BRILINTA (ticagrelor) clopidogrel <mark>EFFIENT (prasugrel)</mark> prasugrel	clopidogrel kit dipyridamole dipyridamole/aspirin DURLAZA ER (aspirin) PERSANTINE (dipyridamole) PLAVIX (clopidogrel) TICLID (ticlopidine) ticlopidine ZONTIVITY (vorapaxar)	
PROGESTATIONAL AGENTS CLASS PA CRITERIA: Full PA criteria may b	pe found on the <u>PA Criteria</u> page by clicking the hyperlin	nk.
MAKENA (hydroxyprogesterone caproate) PROGESTINS FOR CACHEXIA		
CLASS PA CRITERIA: Non-preferred agent PA form is present.	s require a thirty (30) day trial of a preferred agent bef	ore they will be approved, unless one (1) of the exceptions on the
megestrol	MEGACE ES (megestrol)	<b>P</b>
PROTON PUMP INHIBITORSAP		
		nd pantoprazole at the maximum recommended dose*, inclusive ord, unless one (1) of the exceptions on the PA form is present.
NEXIUM PACKETS (esomeprazole)** omeprazole (Rx) pantoprazole PROTONIX GRANULES (pantoprazole)**	ACIPHEX (rabeprazole) ACIPHEX SPRINKLE (rabeprazole) DEXILANT (dexlansoprazole) esomeprazole magnesium esomeprazole strontium lansoprazole Rx NEXIUM (esomeprazole) omeprazole/sodium bicarbonate (Rx) PREVACID CAPSULES (lansoprazole) PREVACID SOLUTABS (lansoprazole)**	*Maximum recommended doses of the PPIs and H2-receptor antagonists may be located at the BMS Pharmacy PA criteria page titled "Max PPI and H2RA" by clicking on the hyperlink.  **Prior authorization is required for Prevacid Solutabs for members nine (9) years of age or older.

PRILOSEC Rx (omeprazole)

rabeprazole

PROTONIX DR TABLETS (pantoprazole)

ZEGERID Rx (omeprazole/sodium bicarbonate)



EFFECTIVE 01/01/2019 Version 2019.1

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
SEDATIVE HYPNOTICSAP			
	quire thirty (30) day trials of the preferred agent in <b>B</b> 0 ents in this class will be limited to fifteen (15) tablets in	<b>OTH</b> sub-classes before they will be approved, unless one (1) of n a thirty (30) day period.	
	BENZODIAZEPINES		
temazepam 15, 30 mg	DALMANE (flurazepam) DORAL (quazepam) estazolam flurazepam HALCION (triazolam) quazepam RESTORIL (temazepam) temazepam 7.5, 22.5 mg		
	OTHERS		
melatonin zolpidem 5, 10 mg	AMBIEN (zolpidem) AMBIEN CR (zolpidem) BELSOMRA (suvorexant) chloral hydrate EDLUAR (zolpidem) eszopiclone HETLIOZ (tasimelteon) <sup>CL*</sup> INTERMEZZO (zolpidem) LUNESTA (eszopiclone) ROZEREM (ramelteon) SILENOR (doxepin) SOMNOTE (chloral hydrate) SONATA (zaleplon) zaleplon zolpidem ER 6.25, 12.5 mg ZOLPIMIST (zolpidem)	Strengths of zolpidem that are non-preferred (6.25 and 12.5 mg) must be created by combining or splitting the preferred doses (5 and 10 mg) of zolpidem, if appropriate.  For treatment naïve female patients, zolpidem and zolpidem ER maximum dosages will be limited to 5 mg and 6.25 mg respectively per day.  *Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.	
SKELETAL MUSCLE RELAXANTS	AP		
CLASS PA CRITERIA: See below for individual	sub-class criteria.		
	ACUTE MUSCULOSKELETAL RELAXANT	AGENTS	
chlorzoxazone cyclobenzaprine IR 5, 10 mg methocarbamol	AMRIX (cyclobenzaprine) carisoprodol* carisoprodol/ASA* carisoprodol/ASA/codeine* cyclobenzaprine ER	Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present, with the exception of carisoprodol.	
	cyclobenzaprine IR 7.5 mg FEXMID (cyclobenzaprine)	*Carisoprodol requires thirty (30) day trials of each of the preferred acute musculoskeletal relaxants and Skelaxin before	



PREFERRED AGENTS

### BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

EFFECTIVE 01/01/2019 Version 2019.1

PA CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS

NON-PREFERRED AGENTS

PREFERRED AGENTS	NON-PREFERRED AGENTS	FA CRITERIA
	FLEXERIL (cyclobenzaprine)	it will be approved.
	LORZONE (chlorzoxazone)	
	metaxalone	
	orphenadrine	
	orphenadrine/ASA/caffeine	
	orphenadrine ER PARAFON FORTE (chlorzoxazone)	
	ROBAXIN (methocarbamol)	
	SKELAXIN (methocarbanion)	
	SOMA (carisoprodol)	
MI	JSCULOSKELETAL RELAXANT AGENTS USED F	OR SPASTICITY
baclofen	DANTRIUM (dantrolene)	Non-preferred agents require thirty (30) day trials of each
tizanidine tablets	dantrolene	preferred agent before they will be approved, unless one (1) of
	tizanidine capsules	the exceptions on the PA form is present.
	ZANAFLEX (tizanidine)	
STEROIDS, TOPICAL		
CLASS PA CRITERIA: Non-preferred agents requested before they will be approved, unless one (1) of the		rred unique active ingredient in the corresponding potency group
	VERY HIGH & HIGH POTENCY	
betamethasone dipropionate cream	amcinonide	
betamethasone valerate cream	APEXICON (diflorasone diacetate)	
betamethasone valerate lotion	APEXICON E (diflorasone diacetate)	
betamethasone valerate oint	betamethasone dipropionate gel, lotion, ointment	
clobetasol propionate	clobetasol lotion, shampoo	
cream/gel/ointment/solution	clobetasol propionate foam	
clobetasol emollient CLODAN SHAMPOO (clobetasol propionate)	CLOBEX (clobetasol propionate)	
fluocinonide gel	CLODAN KIT (clobetasol propionate) CORMAX (clobetasol propionate)	
triamcinolone acetonide cream, ointment	desoximetasone cream/gel/ointment	
triamcinolone acetonide lotion	diflorasone diacetate	
thanionolone accomice lotteri	DIPROLENE (betamethasone	
	dipropionate/propylene glycol)	
	DIPROLENE AF (betamethasone	
	dipropionate/propylene glycol)	
	DIPROSONE (betamethasone dipropionate)	
	fluocinonide cream	
	fluocinonide ointment	
	fluocinonide solution	
	fluocinonide/emollient	
	halcinonide	
	HALAC (halobetasol propionate)	



EFFECTIVE 01/01/2019 Version 2019.1

	THERAPEUTIC DRUG CLAS	S
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	halobetasol propionate HALOG (halcinonide) HALONATE (halobetasol propionate) KENALOG (triamcinolone acetonide) LIDEX (fluocinonide) LIDEX-E (fluocinonide) OLUX (clobetasol propionate) OLUX-E (clobetasol propionate/emollient) PSORCON (diflorasone diacetate) SERNIVO SPRAY (betamethasone dipropionate) TEMOVATE (clobetasol propionate) TEMOVATE-E (clobetasol propionate/emollient) TOPICORT CREAM, GEL, OINTMENT (desoximetasone) TOPICORT SPRAY (desoximetasone) ULTRAVATE (halobetasol propionate) ULTRAVATE Y (halobetasol propionate / lactic acid) VANOS (fluocinonide)	
	MEDIUM POTENCY	
fluticasone propionate cream, ointment mometasone furoate triamcinolone acetonide 0.025% and 0.1% cream	ARISTOCORT (triamcinolone) BETA-VAL (betamethasone valerate) betamethasone valerate foam CLODERM (clocortolone pivalate) clocortolone cream CORDRAN/CORDRAN SP (flurandrenolide) CUTIVATE (fluticasone propionate) DERMATOP (prednicarbate) ELOCON (mometasone furoate) fluocinolone acetonide cream, ointment, solution fluticasone propionate lotion hydrocortisone butyrate cream hydrocortisone butyrate ointment, solution hydrocortisone valerate LOCOID (hydrocortisone butyrate) LOCOID LIPOCREAM (hydrocortisone butyrate/emollient) LUXIQ (betamethasone valerate) MOMEXIN (mometasone) PANDEL (hydrocortisone probutate) prednicarbate TOPICORT LP (desoximetasone)	



EFFECTIVE 01/01/2019 Version 2019.1

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	TRIDERM (triamcinolone acetonide) WESTCORT (hydrocortisone valerate)		
	LOW POTENCY		
hydrocortisone acetate (Rx, OTC) hydrocortisone cream (Rx, OTC) hydrocortisone lotion OTC hydrocortisone solution OTC hydrocortisone-aloe cream OTC hydrocortisone-aloe ointment OTC	ACLOVATE (alclometasone dipropionate) alclometasone dipropionate AQUA GLYCOLIC HC (hydrocortisone) CAPEX (fluocinolone acetonide) DERMA-SMOOTHE FS (fluocinolone acetonide) DESONATE (desonide) desonide cream, ointment desonide lotion DESOWEN (desonide) fluocinolone oil hydrocortisone/mineral oil/petrolatum hydrocortisone acetate/urea hydrocortisone lotion hydrocortisone/aloe gel LOKARA (desonide) PEDIADERM HC (hydrocortisone) PEDIADERM TA (hydrocortisone) SCALPICIN OTC (hydrocortisone) SYNALAR (fluocinolone) TEXACORT (hydrocortisone) TRIDESILON CREAM (desonide) VERDESO (desonide)		

#### STIMULANTS AND RELATED AGENTS

**CLASS PA CRITERIA:** A PA is required for adults eighteen (18) years of age or older. PLEASE NOTE: Requests for amphetamine or methylphenidate IR + ER combination therapy must be for the same active ingredient in the same salt form, if available.

Non-preferred agents require a thirty (30) day trial of at least one preferred agent in the same subclass and with a similar duration of effect and mechanism of action, unless one (1) of the exceptions on the PA form is present. **NOTE**: Non-preferred agents will NOT be "grandfathered" for adults. Children under the age of 18 may continue their current therapy until the end of the school year after which they will be required to switch to a preferred agent.

AMPHETAMINES			
amphetamine salt combination IR	ADDERALL (amphetamine salt combination)	In addition to the Class Criteria: Thirty (30) day trials of at	
dextroamphetamine ER	ADDERALL XR* (amphetamine salt combination)	least three (3) antidepressants are required before	
dextroamphetamine IR	ADZENYS XR ODT (amphetamine)	amphetamines will be authorized for depression.	
PROCENTRA solution (dextroamphetamine)	ADZENYS ER SUSP (amphetamine)		
VYVANSE CHEWABLE (lisdexamfetamine)	amphetamine salt combination ER	*Adderall XR is preferred over its generic equivalents.	
VYVANSE CAPSULE (lisdexamfetamine)	DESOXYN (methamphetamine)		
	DEXEDRINE ER (dextroamphetamine)	**Mydayis requires a 30-day trial of at least one long-acting	
	DEXEDRINE IR (dextroamphetamine)	preferred agent in this subclass and a trial of Adderall XR.	
	dextroamphetamine solution		



**EFFECTIVE** 01/01/2019 **Version 2019.1** 

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	DYANAVEL XR SUSP (amphetamine) EVEKEO (amphetamine) methamphetamine MYDAYIS (dextroamphetamine/amphetamine salt)** ZENZEDI (dextroamphetamine)	
	NON-AMPHETAMINE	
APTENSIO XR (methylphenidate) armodafinil <sup>CL</sup> atomoxetine clonidine IR DAYTRANA (methylphenidate) dexmethylphenidate IR FOCALIN XR (dexmethylphenidate) guanfacine ER guanfacine IR METADATE CD (methylphenidate) discontinued by labeler METHYLIN SOLUTION (methylphenidate) methylphenidate IR modafinil <sup>CL</sup> QUILLICHEW ER (methylphenidate) QUILLIVANT XR (methylphenidate)	clonidine ER CONCERTA (methylphenidate) COTEMPLA XR ODT (methylphenidate) dexmethylphenidate XR FOCALIN IR (dexmethylphenidate) INTUNIV (guanfacine extended-release) KAPVAY (clonidine extended-release) methylphenidate CD methylphenidate chewable tablets, solution methylphenidate ER methylphenidate ER methylphenidate ER (generic CONCERTA) methylphenidate LA NUVIGIL (armodafinil) PROVIGIL (modafinil) RITALIN (methylphenidate) RITALIN LA (methylphenidate) STRATTERA (atomoxetine)*	*Strattera is limited to a maximum of 100 mg per day.
TETRACYCLINES		

CLASS PA CRITERIA: Non-preferred agents require ten (10) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.

17 (101111 to procents		
doxycycline hyclate capsules doxycycline hyclate 50, 100 mg tablets doxycycline monohydrate 50, 100 mg capsules minocycline capsules	ADOXA (doxycycline monohydrate) demeclocycline* DORYX (doxycycline hyclate) doxycycline hyclate 75, 150 mg tablets doxycycline hyclate tablet DR 75, 100, 150, 200 mg doxycycline hyclate tablet DR 50 mg doxycycline monohydrate 40, 75, 150 mg capsule doxycycline monohydrate tablet doxycycline monohydrate suspension DYNACIN (minocycline)	*Demeclocycline will be authorized for conditions caused by susceptible strains of organisms designated in the product information supplied by the manufacturer. A C&S report must accompany this request.  Demeclocycline will also be authorized for SIADH.



EFFECTIVE 01/01/2019 Version 2019.1

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	MINOCIN (minocycline) minocycline ER capsules minocycline tablets MONODOX (doxycycline monohydrate) MORGIDOX KIT (doxycycline) ORACEA (doxycycline monohydrate) SOLODYN (minocycline) tetracycline VIBRAMYCIN CAPSULES, SUSPENSION, SYRUP (doxycycline) XIMINO (minocycline)	
ULCERATIVE COLITIS AGENTS <sup>AP</sup>		
CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of each preferred dosage form or chemical entity before the corresponding non-preferred agent of that dosage form or chemical entity will be approved, unless one (1) of the exceptions on the PA form is present.		
ORAL		
APRISO (mesalamine) balsalazide sulfasalazine	ASACOL HD (mesalamine) AZULFIDINE (sulfasalazine) COLAZAL (balsalazide) DELZICOL (mesalamine) DIPENTUM (olsalazine) GIAZO (balsalazide) LIALDA (mesalamine) mesalamine PENTASA (mesalamine) 250 mg PENTASA (mesalamine) 500 mg UCERIS (budesonide)  RECTAL	
CANASA (mesalamine)	DELZICOL DR (mesalamine)	
mesalamine	mesalamine kit ROWASA (mesalamine) SF ROWASA (mesalamine) UCERIS (budesonide)	
VASODILATORS, CORONARY		
<b>CLASS PA CRITERIA:</b> Non-preferred agents require thirty (30) day trials of each preferred dosage form before they will be approved, unless one (1) of the exceptions on the PA form is present.		
	SUBLINGUAL NITROGLYCERIN	
nitroglycerin spray (generic NITROLINGUAL) nitroglycerin sublingual NITROSTAT SUBLINGUAL (nitroglycerin)	GONITRO SPRAY POWDER (nitroglycerin) nitroglycerin spray (generic NITROMIST) NITROLINGUAL SPRAY (nitroglycerin) NITROMIST (nitroglycerin)	



EFFECTIVE 01/01/2019 Version 2019.1

