										Revis	ications Approved to bill J3490 v. 73 ed 5/30/25										
Billing instruc	ctions: Clain				drug n	ame a	nd str	rength,	and co	ost invoice	ole, non-DESI, non-termed, etc.) on the date of service. where applicable. See secial instructions beyond this requirement.										
Description	Brand	Category	1* AC	*CVП	* P *MW	/ * ND	*OBH	*	*DC *	HI I* IDTF I*	ASC Special Instructions	1									
Allopurinal	Aloprim	Category	X	Х	X	INF	OFF		ВС	III IDIF	Effective 10/1/2015 ICD-10 diagnosis codes C50.911, C50.912, C50.919, E79.0, R78.71, R78.79,	1									
17 Alpha-					X X	Х					Closed 12/31/11. See J1725 after this date. See Q2042, effective 7/1/11. Effective 1/1/07. Cost										
Aminocaproic	Annelon		X	X							Dilate I (100 Pet 1/(100 pet 140/4/00 Pet 14	<u> </u>									
Apomorphine Aztreonam 500	Apokyn Azactam	Antibiotic	X	X	X	Х		X	-		Deleted from list effective 12/31/06. See J0364.										
Betametha-	Azaciani	Anti-inflam.				 ^					Cost invoice required with claim. Pay lesser of billed charges or cost invoice.	1									
Bevacizumab	Avastin	Anti-neoplastic	:				Х				Effective 10/1/21, ICD-10 E10.3591 - E10.3593 added.										
1.25 mg.											Effective 12/I/18, ICD-10 E11.311, E11.319, E3211 - E3213, E11.3291 - E11.3293, E11.3311 - E11.3313, E11.3391 - E11.3393, E11.3391 - E11.3493, E11.3491 - E11.3493, E11.3513, E11.3513, E11.3523, E11.3531 - E11.3533, E11.3541 - E11.3543, E11.3551 - E11.3553, E11.3551 - E11.3553, E11.3591 - E11.3593 added. Effective 10/I/17—H35.3110, H35.3111, H35.3112, H35.3113, H35.3114, H35.3120, H35.3121, H35.3122, H35.3123, H35.3124, H35.3131, H35.3132, H35.3133, H35.3134, H35.3211, H35.3122, H35.3123, H35.3212, H35.3221, H35.3223, H35.3233, H35.3214, H35.3221, H35.3233, E15.3233, H35.3234, H35.3233, E15.3233, E15.32333, E15.32333, E15.32333, E15.32333, E15.3233, E15.3233, E15.32333, E15.3233, E15.323										
David Proces	To a late	A of contratton		V	V	· ·			_		E((-)) - 40(4)045 IOD 40										
Bretylium Bumetanide	Tosylate Bumex	Anti-arrhythmic	X	X		X			\vdash	+ +	Effective 10/1/2015 ICD-10 diagnosis codes E08.311, E08.319, E08.3211, E08.3212, E08.3213,	1		1		 		1	 	1	
Bupivicaine	Marcaine	Peripheral	X			X			\vdash		0.75% / 10ml allowed when billed with 62310, 62311, 62318, 62319, 64400 - 64530. Not payable when	†						<u>† </u>	<u> </u>		
Cefotetan	Cefotan	Antibiotic		Х							Cost invoice with NDC required with claim. Pay lesser of billed charges and cost invoice.										
Cimetidine HCI	Tagamet	Anti-histamine		X		X				\Box	Effective 10/1/2015 ICD-10 diagnosis codes R11.0, R11.2, or R11.10 - R11.12										
Clavulanate	Timentin	Antibiotic Antibiotic	X			X		X	\vdash	+ +		1		-	1			1	-	-	
Clindamycin Dantrolene	Dantrium	Antibiotic	X	X		X	 	<u> </u>	\vdash	+	Cost invoice with NDC required with claim. Pay lesser of billed charges and cost invoice.	1		1	 			 	†		
Dextrose 50%	Danatuil	/ illidote	X	X		X				+	255 1955 With 1950 required with ordini. 1 dy resser of billed charges and cost involce.	1							1	†	
Diltiazem HCI	Cardizem	Antianginal	Х	Х		Х															
Edrophonium	Tensilon	Antidote	Χ	Χ		Χ					Effective 10/1/2015 ICD-10 diagnosis codes G70.00 or G70.01										
Enalaprilat	Vasotec	Antihyper-	X	X		+		ļ	$\vdash \vdash$.		ļ	1	 		1	 	ļ	
Esmolol HC 10		Anti-arrhythmic	X	X		X	<u> </u>	1	\vdash	+	Effective 10/1/2015 ICD-10 diagnosis code I49.8 or R00.1	4		-	1	1	1	-			
Ethacrynate Famotidine	Edecrin Pepcid	Diuretic	X	X		X	-	1	\vdash	+	Cost invoice required with claim. Pay lesser of billed charges and cost invoice.	1	-	-	1	1		-	 	-	
Flumazenil	Romazicon	Antidote	X	X		X			\vdash	+	Effective 10/1/2015 ICD-10 diagnosis codes T50.901A - T50.904A	1			1	 	1	1	 		
Folic Acid 5mg	Folate	Annote	X	X		X			\vdash	+	Encourse 10/1/2010 10D-10 diagnosis codes 100.901A - 100.904A	1			1	1		<u> </u>	1		
Glycopyrrolate	Robinul	Antichole-	X	X	Х	X			Гt	+ +		1									
0.2 mg		nergic										1					1				
Isoproterenol	Isuprel	Bronchodil-ato				Х					Cost invoice with NDC required with claim. Pay lesser of billed charges and cost invoice.										
Labetalol HCI 5	Trandate			Χ		Х					Effective 10/1/2015 ICD-10 diagnosis code 110										
Lidocaine 1 ml			Х	Х					Щ	\perp	Covered separately when billed on same day as 62310, 62311, 62318, 62319, 64400-64484, 64505-										
Metoprolol	Lopressor	Antihyper-	X	X		+	<u> </u>	<u> </u>	$\sqcup \! \! \! \! \! \perp$	Х	Covered only when given IV with Dobutamine J1250 during Dobutamine Stress Test. J3490 & J1250	ļ		ļ	1	ļ		1	ļ	ļ	
Metronidazole	Flagyl	Amebicide		X		X	!		$\vdash \vdash$	+	On the second state of the	 		-	1	 			 		
Minocycline HC	Dynacin	Antibiotic		X		Х	-	Х	$\vdash \vdash$	+	Cost invoice with NDC required with claim. Pay lesser of billed charges and cost invoice.	1	-	-	1	!	1	1	 	 	
Morrhuate Nafcillin Sodiun	n I Ininon	Sclerosing Anitbiotic		X		Х	-	Х	\vdash	+	Bill with CPT codes 43204 and 46500	1	+	1	+	1	+	+	1	1	
Nitroglycerine 5		Anti-anginal		X		X	\vdash	<u> </u>	\vdash	+ +		1	1	 	—	 	_	—	 	1	
randqiycenne 5	INITIOSIAL	I VIIII-quidiliiqi	_ ^	_ ^	^	^	1	•		1 1	1	ı	-		1		1	1			

Section Sect	Pantoprazole	Protonix	Gastric Acid	X I	х х	1	X		_			
Proceedings Control		FIOLOTIIX		^ ′	^ ^		^					
February Control February Febr	Codium Foring											
State	Potassium	Klor-Con			Х		Х					
Content		Rifacin		X)	х х		Х					
Decision Company	Sodium Acetate		Alkalinizing		Х		X					
Processor Proc			Alkalini-zing									
Property Info Case												Effective 10/1/2015 ICD-10 diagnosis codes G40.001, G40.009, G40.011, G40.019, G40.109,
February Problems Don Design Co. X X X X X X X X X												
									Х			
Contention Con						-	^		_			
Environment Warra Antonine Arter						+	-			-		Clock Interview Control and Care Encours to 1700 Control Contr
						+	-					Create 1210 / 101 Coc Cocor droi tine date. Capation recopial made acc Cocco; circuito 11/10
Concentration						+			-	X		
										X		
Contention Property From Col								Х				Closed 12/31/10. See J7/312 after this date. Outpatient hospital must use C9/256, effective 1/1/10 -
Classes Process April Agricultural Act				X 2	х х		Х			Х		
Collegements Moltes Engineering X X X X X X X X X	Olanzapine	Zyprexa	Anti-psychotic	X)	х х		X			Х		
Telephone Common Velocity Common Commo	Ofatumumab,	Arzerra	Anti-neoplastic									Closed 12/31/10. See J9302 after this date. Effective 10/26/09(FDA approval). Cost invoice with NDC
Content Cont	Collagenase	Xiaflex										Closed 12/31/10. See J0775 after this date. Outpatient hospital must use C9266, effective 7/1/10 -
Applications Uniform Communication X X X X X X X X X												
Description						1	Х		_	Х		olosed 12/01/10. Occ 912/9 direct this date. Odipatient hospital mast disc 03/200, encetive 4/1/10
Consent 120/111, See 19907, Filteriors (ITTIFFIA agentum), Control with NDC maximal, CDB						-			_			GIOSCA 12/01/11: GCC GOZZ 1: Elicolive G/Z4/16(1 B/1 approval). GGS: Invoice with 1480 required. 108 5
Toolstrumb Actement Immunologic X X X									_			Closed 12/31/10. See J3357 after this date. Effective 9/25/09(FDA approval). Cost invoice with NDC
Consenting Miles Consentation X X X Consent Consen							_		_			Closed 12/31/11. See J0897. Effective 6/17/01/-DA approval). Cost invoice with NDC required. ICD-9
Capestar 6% Outward Analyses X X X X X Closed 1231116. See JPASS after this date. Customers Houset a most use CSSRs. effective 71/10 Closed 1231116. See JPASS after this date. Customers Houset a most use CSSRs. effective 71/10 Closed 1231116. See JPASS after this date. Customers Houset a most use CSSRs. effective 71/10 Closed 1231116. See JPASS after this date. Customers PASS After No. 2011 Closed 1231116. See JPASS after this date. Customers PASS After No. 2011 Closed 1231116. See JPASS after this date. Customers PASS After No. 2011 Closed 1231116. See JPASS after this date. Customers PASS After No. 2011 Closed 1231116. See JPASS after this date. Customers PASS After No. 2011 Closed 1231116. See JPASS after this date. Customers PASS After No. 2011 Closed 1231116. See JPASS after this date. Customers PASS After No. 2011 Closed 1231116. See JPASS after this date. Customers PASS After No. 2011 Closed 1231116. See JPASS after this date. Customers PASS After No. 2011 Closed 1231116. See JPASS after this date. Customers PASS After No. 2011 Closed 1231116. See JPASS after this date. Customers PASS After No. 2011 Closed 1231116. See JPASS after this date. Customers PASS After No. 2011 Closed 1231116. See JPASS after this date. Customers PASS After No. 2011 Closed 1231116. See JPASS after this date. Customers PASS After No. 2011 Closed 1231116. See JPASS after this date. Customers PASS After No. 2011 Closed 1231116. See JPASS after this date. Customers PASS After No. 2011 Closed 1231116. See JPASS after this date. Customers PASS After No. 2011 Closed 1231116. See JPASS after N							-			-		Cross 120 from Coo Cozoz Encounter for for the foot in the Coo that the Coo the Coo that the Coo that the Coo that the Coo the Coo that the Coo the C
Colonial Systems							-			-		Closed 12/3/1/0. See 3/164 after mis date. Outpatient most use Cszc/r, effective //1/10 - Closed 42/3/4/0. See 1/3/3/5 f/urs fills date. Outpatient most use Cszc/r, effective //1/10 - Closed 42/3/4/0. See 1/3/3/5 f/urs fills date. Outpatient beginning must use CoSS effective //1/10 - Closed 42/3/4/0. See 1/3/3/5 f/urs fills date. Outpatient hospital must use CoSS effective //1/10 - Closed 42/3/4/0. See 1/3/3/5 f/urs fills date. Outpatient hospital must use CoSS effective //1/10 - Closed 42/3/4/0. See 1/3/3/5 f/urs fills date. Outpatient hospital must use CoSS effective //1/10 - Closed 42/3/4/0. See 1/3/3/5 f/urs fills date. Outpatient hospital must use CoSS effective //1/10 - Closed 42/3/4/0. See 1/3/3/5 f/urs fills date. Outpatient hospital must use CoSS effective //1/10 - Closed 42/3/4/0. See 1/3/5/5 f/urs fills date. Outpatient hospital must use CoSS effective //1/10 - Closed 42/3/4/0. See 1/3/5/5 f/urs fills date. Outpatient hospital must use CoSS effective //1/10 - Closed 42/3/5 f/urs fills date. Outpatient hospital hospital hospital fills date. Outpatient hospital hospi
Sodium Symwisc Viscosuppleme X X X X X X X X X									-			Closed 1/2/1/14 See 1/3/3 after this bale. Outputient hisspiral miss use Cszco, effective // // / Closed 1/2/1/14 See 1/3/3 after his bale. Outputient hisspiral miss use Cszco, effective // // / Closed 1/2/1/14 See 1/3/3 after his bale. Outputient hisspiral miss use Cszco, effective // // / / / / / / / / / / / / / / / /
Special Color							Х					Greek Tale III To Go Go To Lincolno Ci II Toli Di Cappiorali. Con III Colo II Colo III Colo II C
Finection, Vigitary Enzymatic X X X I Injection, History Antinoptatic X Injection, History Antinoptatic X X X Injectio										Х		
Injection, Hallaven Antinocolastic, X X X				X 2	х х					Х		Closed 12/31/11. See J0897. Effective 6/1/10(FDA approval). Cost invoice with NDC required. ICD-9
Injection, Krystexca Hyperunicemic X X X X X X X X X X X X X X X X X X X	Injection,	Vpriv	Enzymatic	Χ)	х х							Closed 12/31/10. See J3385 after this date. Outpatient hospital must use C9271, effective 10/1/10 -
Injection, Teflaro Antibacterial X X X X	Injection,	Halaven	Antineoplastic									Closed 12/31/11. See J9179. Effective 11/15/10(FDA approval). Cost invoice with NDC required. ICD-
												Closed 12/31/11. See J2507. Effective 9/14/10(FDA approval). Cost invoice with NDC required. ICD-
Apha												Closed 12/31/11. See J0712. Effective 10/29/10(FDA approval). Cost invoice with NDC required. ICD-
Provenge Antineoplastic X X X X X X X X X												Closed 12/31/11. See J0490. Effective 3/10/11(FDA approval). Cost invoice with NDC required. ICD-9
Hemophilic Conflact Anti- Injection, Vervoy Antibody X X X X									_			Closed 12/31/11. See J0257. Effective 7/1/10(FDA approval). Cost invoice with NDC required. ICD-9
Injection, Vervory Antibody X X X X									_			Closed 6/30/11. See Q2043. Effective 4/29/10/FDA approval). Cost invoice with NDC required. ICD-9
Patch, Idocaine Synera Local L							_		_	•••		Closed 12/31/11. See J7180. Effective 2/14/11(FDA approval). Cost invoice with NDC required. ICD-9
Injection, Muloix Organ X X X X Dispersion of Closed 12/31/12. See J0483 after this date. Effective 6/15/11. Cost invoice with NDC required. Must injection, Adoptits Antineoplastic X X X Dispersion of Closed 12/31/12. See J0912 after this date. Effective 19/11/16/DA approval). Cost invoice with NDC injection. Envirage Antineoplastic X X X Dispersion of Closed 12/31/12. See J0912 after this date. Effective 11/18/11/E/DA approval). Cost invoice with NDC injection. Omorthys. Enrithopolesis Dispersion of Closed 12/31/12. See J0912 after this date. Effective 11/18/11/E/DA approval). Cost invoice with NDC injection. Pengta Antineoplastic X X X Dispersion of Closed 12/31/13. See J0962 after this date. Effective 11/18/11/E/DA approval). Cost invoice with NDC injection. Pengta Antineoplastic X X X Dispersion of Closed 12/31/13. See J0962 after this date. Effective 11/18/11/E/DA approval). Cost invoice with NDC injection. Pengta Antineoplastic X X X Dispersion of Closed 12/31/13. See J0962 after this date. Effective 11/18/11/E/DA approval). Cost invoice with NDC injection. Pengta Antineoplastic X X X Dispersion of Closed 12/31/13. See J0962 after this date. Effective 11/18/11/E/DA approval). Cost invoice with NDC injection. Pengta Antineoplastic X X X Dispersion of Closed 12/31/13. See J0962 after this date. Effective 11/18/11/E/DA approval). Cost invoice with NDC injection. Pengta Antineoplastic X X X Dispersion of Closed 12/31/13. See J0962 after this date. Effective 11/18/11/E/DA approval). Cost invoice with NDC injection. Pengta Antineoplastic X X X Dispersion of Closed 12/31/13. See J0962 after this date. Effective 11/18/11/E/DA approval). Cost invoice with NDC injection. Approval Dispersion of Closed 12/31/13. See J0962 after this date. Effective 11/18/11/E/DA approval). Cost invoice with NDC injection. Pengta Dispersion of Closed 12/31/13. See J0962 after this date. Effective 11/18/11/E/DA approval). Cost invoice with NDC injection. Pengta Dispersion of Closed 12/31/13. See J0962 after this date. Effective 11/18/1				^ /						^		
Injection, Adderris Antineoplastic X X X I				x :	_				-			
Injection, Eylea Neovascular X X X X X X X X X X X										Х		
Injection, Eylea Neovascular X X X X X X X X X												Closed 12/31/12. See J9019 after this date. Effective 11/18/11(FDA approval). Cost invoice with NDC
Injection, Elelyso Enzymatic X X X X X X X X X												Closed 6/30/12. See Q2046 after this date. Effective 11/18/11(FDA approval). Cost invoice with NDC
Injection, Perjeta Anti-neoplastic X X X X Colosed 12/31/13. See J9306 after this date. Effective 6/8/12/FDA approval). Cost invoice with NDC Colosed 12/31/13. See J9400 after this date. Effective 8/91/2/FDA approval). Cost invoice with NDC Colosed 12/31/13. See J9400 after this date. Effective 8/91/2/FDA approval). Cost invoice with NDC Cost invoice									Х			Closed 6/30/12. See Q2047 after this date. Effective 3/27/12(FDA approval), Cost invoice with NDC
Injection, Kyprolis Anti-neoplastic X X X X X X X X X												Glosca 12/61/10. Gee 60000 after this date. Effective of 1/12(1 B/t approval). Cost invoice with 18/0
Injection, ziv- Zaltrap Anti-neoplastic X X X X X X X X X												Clock (201) for Consequent and Cate Consequent (Consequent Consequent Consequ
Injection, Synribo Anti-neoplastic X X X X X X X X X								_		$\vdash \vdash$		
Injection, Jetrea Ophthalmic X X X X X X X X X									_	\vdash		
Pooled plasma, Octaplas Blood product X X X X Effective 10/1/2015 ICD-10 diagnosis codes D68.32, D68.4 or M31.1 Injection, ado- Kadoyla Antineoplastic X X X X Contraceptive X X X X Contraceptive X X X X Contraceptive X X X X X X X X X X Contraceptive X X X X X X X X X X X X X X X X X X X		-,				-	<u> </u>	V	+	\vdash	-	
Injection, ado- Kadcyla Antineoplastic X X X X X X X X X						+		^		\vdash	_	
Intrauterine, Skyla Contraceptive X X X X X X X X X X X X X X X X X X X							H		+	\vdash		
Levonorgestrel, 13.5 mg. Injection, Xofigo Antineoplastic X X X Effective 10/1/2015 ICD-10 diagnosis codes C61, C79.51, or C79.52 Injection, Rixubis Antihemophilic X X X X Closed 12/31/14. See J7200 after this date. Effective 6/26/13(FDA approval). Cost invoice with NDC Botulinim BAT Antitoxin X X X Effective 10/1/2015 ICD-10 diagnosis codes A05.1 or A48.51 Injection, Kcentra Coaquilant X X X Effective 10/1/2015 ICD-10 diagnosis code B68.32 or D68.4 Injection, ferric Injectafer Iron therapy X X X Closed 6/30/14. See Q9970 after this date. Effective 7/25/13(FDA approval). Cost invoice with NDC Closed 6/30/14. See Q9970 after this date. Effective 7/25/13(FDA approval). Cost invoice with NDC required. Iron therapy X X X Iron therapy X X X X Iron therapy X X X Iron therapy X X X Iron therapy X X X X							X		+	\vdash		
Injection, Xofigo Antineoplastic X X X Effective 10/1/2015 ICD-10 diagnosis codes C61, C79.51, or C79.52 Injection, Rixubis Antineophilic X X X Closed 1/23/1/4. See J7200 after this date. Effective 6/26/31/FDA approval). Cost invoice with NDC Rottlinim BAT Antitoxin X X X Effective 10/1/2015 ICD-10 diagnosis code SA0.5. for A48.5.1 Antineophilic X X X Effective 10/1/2015 ICD-10 diagnosis code SA0.5. for A48.5.1 Injection, Kcentra Coagulant X X X Effective 10/1/2015 ICD-10 diagnosis code D68.32 or D68.4 Injection, ferric Injectafer In		Okyla	Contraceptive	^ ′	` ^		^					
Injection, Xofiqo Antineoplastic X X X Effective 10/1/2015 ICD-10 diagnosis codes C61, C79.51, or C79.52 Injection, Rixubis Antihemophilic X X X Closed 12/31/14. See J7200 after this date. Effective 6/26/13(FDA approval). Cost invoice with NDC Botulinim BAT Antitoxin X X X Effective 10/1/2015 ICD-10 diagnosis codes A05.1 or A48.51 Injection, Excentra Coaquilant X X Effective 10/1/2015 ICD-10 diagnosis code D63.32 or D68.4 Injection, Fire Injectafer									1			
Injection, Rixubis Antihemophilic X X X	_					1		_		$\sqcup \bot$		
Botulinim BAT Antitoxin X X X X Effective 10/1/2015 ICD-10 diagnosis codes A05.1 or A48.51 Injection, Kcentra Coagulant X X X Effective 10/1/2015 ICD-10 diagnosis code D68.32 or D68.4 Injection, First Injectation Injectation (Injectation Injectation Injectat									+-	\vdash	_	
Injection, Keentra Coaqulant X X X X Effective 10/1/2015 ICD-10 diagnosis code D68.32 or D68.4 Injection, ferric Injectafer Iron therapy X X X										\vdash		
Injection, ferric Injectafer Iron therapy X X X X Closed 6/30/14. See Q9970 after this date. Effective 7/25/13(FDA approval). Cost invoice with NDC required. ICD-9 diagnosis restriction of 280.1 - 280.9. Minimum age restriction of 16 years. Service limit							\vdash			$\vdash \vdash$	-	
carboxymaltose required. ICD-9 diagnosis restriction of 280.1 - 280.9. Minimum age restriction of 16 years. Service limit							\vdash		+	\vdash	-	
		injectalei	попшетару	^	^ ^	1						
I I I I I I I I I I I I I I I I I I I	carboxymanose								1			
	laiantian tha	Canalin	Lauteauta	 -	, l	+				\vdash		
Injection, tbo- Granix Leukocyte X X X X X Effective 10/1/2015 ICD-10 diagnosis codes D70.8 Injection, Simponi TNF inhibitor X X X X X X Effective 10/1/2015 ICD-10 diagnosis codes M05,711, M05,712, M05,721, M05,722.							v			\vdash	_	
Injection, Simponi TNF inhibitor X X X X X X X X X X X X X X X X X X X	mijection,	ompofil	THE HIHIDITOL	^ /	^ X	-	^					IEITECHIVE 19/11/2019 10-07-10 VIRIQUIDSIS CODES MUD./11, MUD./12,

Injection.	Margibo	Antineoplastic	X	X >			1 1	1 1		Effective 10/1/2015 ICD-10 diagnosis codes C91.00 - C91.02 C91.10 - C91.12 C91.30 - C91.32
Injection,	Gazyva	Antineoplastic		X >						Closed 12/31/14. See J9301 after this date. Effective 11/1/13/EDA approval date). Cost invoice with
Injection,	Tretten	Antihemophilic		X >						Closed 12/3/1/4. See J718/1 after this date. Effective 12/23/13/EDA approval. Cost invoice with NDC
Injection,	Vimizim	Enzymatic		X >						Closed 123/1/4. See J1322 after this date. Effective 2/14/14(FDA approval). Cost invoice with NDC
Injection.	Alprolix	Antihemophilic	Х	X >						Closed 12/31/14. See J7201 after this date. Effective 3/28/14(FDA approval). Cost invoice with NDC
Coagulation										required. Restricted to ICD-9 diagnosis of 286.1. Outpatient hospital must use C9135 after 10/1/15.
factor IX,										
(recombinant),										
Fc Fusion										
protein										
Injection,	Sylvant	Monoclonal	Х	X >	(Closed 12/31/15. See J2860 after this date.
siltuximab, 100		antibody								Effective 10/1/2015 ICD-10 diagnosis codes R59.0, R59.1 or R59.9
mg.										Effective 4/22/14(FDA approval) Cost invoice with NDC required. Restricted to ICD-9 diagnosis of 785.6.
										Minimum age restriction of 16 years.
1.1	D	F	V	x >	,					Outnatient Inspiral must use C9455 after 71/15.
Injection, C1	Ruconest	Enzymatic	Х	X >	`					Closed 12/31/15. See J0596 after this date.
esterase inhibitor										Effective 10/1/2015 ICD-10 diagnosis codes D81.810 or D84.1
(recombinant)										Effective 7/16/14(FDA approval). Cost invoice with NDC required. Restricted to ICD-9 diagnosis of 277.6. Minimum age restriction of 13 years.
(recombinant)										2/1/3. Minimum age restriction of 1s years. Outbalient hospital must use C9445 after 4/1/15.
Injection,	Eloctate	Antihemophilic	Х	x >	1		+	-+-	_	Outpatient nospital must use Usa4ba after 4/1/15. Closed 3/31/15. See 09975, effective 4/1/15. Effective 6/6/14(FDA approval). Cost invoice with NDC
Coagulation	Liociale	Andrieniopiilie	^	[Glosed 3331/3. Celeture 4 // 113. Enlecture 5
factor VIII,	l									Dequired. Accordance to 162-9 anglesos to 2000. William age restriction to 2 years. Outpatient hospital must use C9136 after 1/1/15.
(recombinant),	l									Companion modification of the Control and Trans.
Fc Fusion	l									
protein	l									
Injection,	Beleodag	Antineoplastic	Х	x >	1		+	-+-	_	Closed 12/31/15. See J9032 after this date.
belinostat 500	Deleodaq	ratancopiasac	^	^ ′	`					Effective 1/2/1/15 ICD-10 diagnosis codes C84.40 - C84.49
ma.										Effective 7/3/14(FDA approval). Cost invoice with NDC required. Restricted to ICD-9 diagnosis of 202.7.
mg.										Minimum age restriction of 16 years.
										Out patient resolutial must use C9442 after 1/1/15.
Injection,	Entyvio	Monoclonal	Х	X >	(Closed 12/31/15. See J3380 after this date.
Injection.	Cvramza	Antineoplastic	Х	X >	(Closed 12/31/15. See J9308 after this date.
ramucirumab,	.,									Effective 10/1/2015 ICD-10 diagnosis codes C16.0 - C16.6, C16.8, C16.9, C18.0 - C18.9, C19, C20,
100 mg./10 ml.										C21.0 - C21.2, C21.8, C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.80 -
· ·										C34.82
										Effective 4/14/15, ICD-9 diagnosis of 153.0 - 154.8 added. Effective 12/12/14, ICD-9 diagnosis
										restriction of 162.0 - 162.8 added. Effective 4/21/14(FDA approval). Cost invoice with NDC required.
										Restricted to ICD-9 diagnosis of 151.0 - 151.9. Minimum age restriction of 16 years. Outpatient hospital
										must use C9025 after 10/1/14.
Injection,	Orbactiv	Anti-infective								Closed 12/31/15. See J2407 after this date.
Injection,	Keytruda	Antineoplastic	X	X >	(Closed 12/31/15. See J9271 after this date.
pembrolizumab,										Effective 10/1/2015 ICD-10 diagnosis codes C00.5, C43.0, C43.10 - C43.12, C43.20, C43.22, C43.30,
50 mg.										C43.31, C43.39, C43.4, C43.51, C43.52, C43.59 - C43.62, C43.70 - C43.72, C43.8, C43.9, C44.00 -
										C44.02, C44.09, C44.101, C44.102, C44.109, C44.111, C44.112, C44.119, C44.121, C44.129,
										C44.191, C44.192, C44.199, C44.201, C44.202, C44.209, C44.211, C44.212, C44.219, C44.221,
1]									C44.222, C44.229, C44.291, C44.292, C44.299, C44.300, C44.301, C44.309, C44.310, C44.311,
	l									C44.319, C44.320, C44.321, C44.329, C44.390, C44.391, C44.399, C44.40 - C44.42, C44.49, C44.500,
	l									C44.501, C44.509 - C44.511, C44.519 - C44.521, C44.529, C44.590, C44.599, C44.601,
	l									C44.602, C44.609, C44.611, C44.612, C44.619, C44.621, C44.622, C44.691, C44.692,
1]									C44.699, C44.701, C44.702, C44.709, C44.711, C44.712, C44.719, C44.722, C44.729,
										C44.791, C44.792, C44.799, C44.80 - C44.82, C44.89 - C44.92, C44.90, C4A.4, D03.0, D03.10 - D03.12,
]									D03.20 - D03.22, D03.30, D03.39, D03.4, D03.51, D03.59, D03.60 - D03.62, D03.70 - D03.72,
	l									D03.8 or D03.9
	l									Effective 9/4/14(FDA approval). Cost invoice with NDC required. Restricted to ICD-9 diagnosis of 172.0 -
]									172.9, 173.0 - 173.9. Minimum age restriction of 16 years. Outpatient
Injection.	Obizur	Antihemophilic	X	x >	+		+	-+	_	hospital must use C9027 after 1/1/15. Closed 12/31/15. See J7188 after this date.
Antihemophilic	ODIZUI	Andriemophilic	^	^ [′	`					Closed 12/3/1/5. See 3/166 arter trils date. Effective 10/1/2015 (CD-10 diagnosis codes D68.32 or D68.4
factor IX,	l									Effective 10//23/14(FDA approval). Cost invoice with NDC required. Restricted to ICD-9 diagnosis of
(recombinant),	l									Effective In/23/14(FDA approva). Cost invoice with Not required. Restricted to IoD-9 diagnosis of 286.7. Minimum age restriction of 16 years.
porcine]									
Injection.	Dalvance	Anti-infective	Х	x >	(Closed 12/31/15. See J0875 after this date.
Injection,	Opdivo	Antineoplastic		X >			+ +			Closed 12/3/1/5. See J9299 after this date.
Injection,	Rapivab	Anti-influenza		X >		Х				Closed 12/3/1/5. See J2547 after this date.
Injection,	Blincyto	Antineoplastic		X >						Closed 12/3/1/15. See J0939 after this date.
Injection,	Lemtrada	Multiple	Х	X >		Х				Closed 9/30/15. See Q9979 after this date.
alemtuzumab,		schlerosis								Effective 11/14/14 (FDA aproval). Cost invoice with NDC required. Restricted to ICD-9 diagnosis of 340.
12 mg./1.2 ml.	l	agent								Minimum age restriction of 17 years.
	•								_	

Injection, ceftolozane 50 mg. and tazobactam 25 mg.	Zerbaxa	Anti-infective	Х	Х	Х	Х		Closed 12/31/15. See J0695 after this date. Effective 12/19/14 (FDA approval). Cost invoice with NDC required. Minimum age restriciton of 18 years Outpatient hospital must use C9452 after 4/1/15.
Fluocinolone acetonide, 0.19 mg. intravitreal implant	Iluvien	Anti- inflammatory	Х	Х	Х			Closed 12/31/15. See J7313 after this date. Effective 10/1/2015 ICD-10 diagnosis code E11.311 Effective 9/26/14 (FDA approval). Cost invoice with NDC required. Restricted to ICD-9 diagnosis of 362.07. Outpatient hospital must use C9450 after 4/1/15.
Injection, ceftazidime- avibactam 2.5 G	Avycaz	Anti-infective	Х	Х	Х	Х		Closed 12/31/15. See J0714 after this date. Effective 2/25/15 (FDA approval). Cost invoice with NDC required. Minimum age restriction of 18 years.
Injection, Coagulation Factor IX, (recombinant)	Ixinity	Anti- hemophilic	Х	Х	X			Effective 4/27/15 (FDA approval). Cost invoice with NDC required. Restricted to diagnosis of ICD-9 286.1 or ICD-10 D67. Minimum age restriction of 12 years.
Injection, propofol 10 mg.	Diprivan	Sedating agent	Х	Х	Х			Closed 12/31/14. See J2704 after this date. Effective 1/1/14. Cost invoice with NDC required.
Injection, isavuconazoniu m sulfate, 1 mg.	Cresemba vial	Anti-infective	Х	Х	Х			Closed 12/31/15. See 1833 after this date. Effective 3/6/15 (FDA approval). Cost invoice with NDC required. Restricted to diagnosis of ICD-9 117.3 or ICD-10 B44.0, B44.1, B44.2, B44.9, B48.4. Minimum age restriction of 18 years. Outpatient hospital use C9456 after 10/1/15.
Injection, dinutuximab, 17.5 mg./5 ml.	Unituxin	Anti-neoplastic	Х	Х	Х			Effective 3/10/15 (FDA approval). Cost invoice with NDC required. Restricted to diagnosis of ICD-9 194.0 - 194.9 or ICD-10 C74.00, C74.01, C74.02, C74.11, C74.12, C74.90, C74.91, C74.92, C75.0, C75.1, C75.2, C75.3, C75.4, C75.5, C75.8, C75.9.
Injection, Coagulation Factor X, human	Coagadex	Anti- hemophilic	Х	Х	X			Closed 12/31/16. See J7175 after this date. Effective 10/20/15 (FDA approval). Cost invoice with NDC required. Restricted to diagnosis of ICD-10 D68.2. Minimum age restriction of 12 years.
Injection, Antihemophilic factor VIII, (recombinant)	Nuwiq	Anti- hemophilic	Х	Х	X			Closed 12/31/16. See J7209 after this date. Effective 9/4/15 (FDA approval). Cost invoice with NDC required. Restricted to diagnosis of ICD-9 286.0 or ICD-10 D66. Minimum age of 2 years. Outpatient hospital use C9138 after 4/1/16.
Injection, mepolizumab, 100 mg.	Nucala	Anti-asthmatic	Х	Х	Х	Х		Closed 12/31/16. See J2182 after this date. Effective 11/4/15 (FDA approval). Cost invoice with NDC required. Restricted to ICD-10 diagnosis of J45.50. Minimum age of 12 years. Outpatient hospital use C9473 after 4/1/16.
Injection, talimogene laherparepvec	Imlygic	Anti-neoplastic	Х	Х	Х			Closed 12/31/16. See J9325 after this date. Effective 10/27/15 (FDA approval). Cost invoice with NDC required. Minimum age of 16 years. Outpatient hospital use C9472 after 4/1/16.
Injection, trabectedin 1 mg.	Yondelis	Anti-neoplastic	Х	Х	Х			Closed 12/31/16. See J9352 after this date. Effective 10/23/15 (FDA approval). Cost invoice with NDC required. Restricted to ICD-10 diagnosis of C49.9. Minimum age of 16 years. Outpatient hospital use C9480 after 71/1/16.
Injection, irinotecan liposomal 43 mg./10 ml.	Onivyde	Anti-neoplastic	Х	Х	Х			Closed 12/31/16. See J9205 after this date. Effective 10/22/15 (FDA approval). Cost invoice with NDC required. Restricted to ICD-10 diagnosis of C25.0, C25.1, C25.2, C25.3, C25.4, C25.7, C25.8, C25.9. Minimum age of 16 years. Outpatient hospital use C9474 after 4/1/16.
Injection, Antihemophilic factor VIII, (recombinant)	Adynovate	Anti- hemophilic	X	Х	X			Closed 12/31/16. See J7207 after this date. Effective 11/13/15 (FDA approval). Cost invoice with NDC required. Restricted to ICD-10 diagnosis of D66. Minimum age of 12 years. Outpatient hospital use C9137 after 4/1/16.
Injection, elotuzumab	Empliciti	Anti-neoplastic	Х	Х	Х			Closed 12/31/16. See J9176 after this date. Effective 11/30/15 (FDA approval). Cost invoice with NDC required. Restricted to ICD-10 diagnosis of C90.00, C90.01, C90.02. Minimum age of 16 years. Outpatient hospital use C9477 after 7/1/16.
Injection, necitumumab 800 mg./50 ml.	Portrazza	Anti-neoplastic		Х	х			Closed 12/31/16. See J9295 after this date. Effective 11/24/15 (FDA approval). Cost invoice with NDC required. Restricted to ICD-10 diagnosis of C34.01, C34.02, C34.11, C34.12, C34.2, C34.31, C34.32, C34.81, C34.82, C34.91, C34.92, C38.4, C78.01, C78.02. Minimum age of 16 years. Service limitation of 800 mg, daily applies. Outpatient hospital use C9475 after 4/1/16.
Injection, sebelipase alfa, 20 mg./10 ml.	Kanuma	Enzymatic	Х	Х	X			Closed 12/31/16. See J2840 after this date. Effective 12/8/15 (FDA approval). Cost invoice with NDC required. Outpatient hospital use C9478 after 7/1/16.

Injection, daratumumab, 100 mg./5 ml.	Darzalex	Anti-neoplastic		Х	Х				Closed 12/31/16. See J9145 after this date. Effective 11/16/15 (FDA approval). Cost invoce with NDC required. Restricted to ICD-10 C90.02. Minimum age restriction of 16 years. Service limit of 2100 mg. daily applies. Outpatient hospital use C9145 after 7/1/16.
Injection, antihemophilia factor VIII, recombinant, single-chain	Afstyla	Anti- hemophilic	X	Х	Х				Effective 5/25/16 (FDA approval). Cost invoice with NDC required. Restricted to ICD-10 D66. Outpatient hospital use C9140 after 1/1/17.
Injection, defibrotide sodium, 200 mg./2.5 ml.	Defitelio	Thrombolytic	Х		х				Effective 3/30/16 (FDA approval). Cost invoice with NDC required. Restricted to ICD-10 K76.5. Service limit of 4000 mg. daily applies.
Injection, ciprofloxacin otic susp., 6% vial	Otiprio	Anti-infective	Х	Х	X	×			Closed 12/31/16. See J7342 after this date. Effective 12/10/15 (FDA approval). Cost invoice with NDC required. Covered to Ambulatory Surgical Centers (ASC). Outpatient hospital use C9479 after 7/1/16.
Injection, reslizumab 100 mg./10 ml.	Cinqair	Anti-asthmatic	Х	Х	Х	×			Closed 12/31/16. See J2786 after this date. Effective 3/23/16 (FDA approval). Cost invoice with NDC required. Restricted to ICD-10 J45.50. Minimum age of 18 years. Outpatient hospital use C9481 after 10/1/16.
Injection, atezolizumab 1200 mg./20 ml.	Tecentriq	Anti-neoplastic	Х	Х	Х				Closed 12/31/17. See J9022 after this date. Effective 10/18/16, approved ICD-10 diagnoses of C34.00 - C34.92. Effective 5/18/16 (FDA approval). Cost invoice with NDC required. Restricted to ICD-10 C65.1, C65.2, C65.9, C66.1, C66.2, C66.9, C67.0, C67.1, C67.2, C67.3, C67.4, C67.5, C67.6, C67.7, C67.8, C67.9, C68.0. Minimum age restriction of 16 years. Service limit of 1200 mg. daily applies. Outpatient hospital use C9483 after 10/1/16.
Injection, coagulation Factor IX, albumin fusion protein	Idelvion	Anti- hemophilic	Х	Х	Х				Closed 12/31/16. See J7202 after this date. Effective 3/4/16 (FDA approval). Cost invoice with NDC required. Restricted to ICD-10 D67. Outpatient hospital use C9139 after 10/1/16.
Buprenorphine implant, 74.2 mg.	Probuphine	Anti- dependence			X				Closed 12/31/16. See J0570 after this date. Effective 5/26/16 (FDA approval). Restricted to ICD-10 diagnosis F11.20, F11.21, F11.229, F11.259, F11.23, F11.93. Minimum age of 16 years. Service limit of 8 units per year applies. 1. Must have demonstrated six months compliance with oral buprenorphine products. 2. Prescriber must be a WV Medicaid Approved Prescriber of buprenorphine/buprenorphine-naloxone products.
Nusinersen 12 mg./5 ml. injection	Spinraza	Protein Deficiency agent	Х	Х					Closed, effective 6/30/17. Refer to Point of Sale (POS) pharmacy coverage. Effective 12/23/16 (FDA approval). Cost invoice with NDC required. Restricted to ICD-10 diagnosis of G12.0 or G12.1.
Intrauterine, levonorgestrel 19.5 mg.	Kyleena	Contraceptive	Х	Х	X :	X X			Closed, effective 6/30/17. See Q9984 after this date. Effective 9/16/16 (FDA approval). Cost invoice with NDC required. Service limit of once every five years applies.
Eteplirsen 100 mg./2 ml. injection	Exondys 51	Muscular dystrophy agent	Х	Х					Closed 12/31/17. See J1428 after this date. Effective 9/19/16 (FDA approval). Cost invoice with NDC required. Restricted to ICD-10 diagnosis G71.0. Outpatient hospital use C9484 after 4/1/17.
Olaratumab 500 mg./50 ml. injection	Lartruvo	Anti-neoplastic	Х	Х	Х				Closed 12/31/17. See J0985 after this date. Effective 10/19/16 (FDA approval). Cost invoice with NDC required. Outpatient hospital use C9483 after 4/1/17.
Injection, ocrelizumab 300 mg./10 ml.	Ocrevus	Multiple schlerosis agent	Х	Х	Х				Closed 12/31/17. See J2350 after this date. Effective 3/28/17 (FDA approval). Cost invoice with NDC required. Restricted to ICD-10 G35. Service limit of 600 mg. applies. Outpatient hospital use C9485 after 4/1/17.
Injection, avelumab, 10 mg.	Bavencio	Anti-neoplastic	x	х	x				Closed 12/31/17. See J9023 after this date. Effective 3/23/17 (FDA approval). Cost invoice with NDC required. Restricted to ICD-10 C4A.0, C4A.10 - C4A.12, C4A.20 - C4A.39, C4A.4, C4A.51 - C4A.59, C4A.60 - C4A.62, C4A.70 - C4A.72, C4A.8, C4A.9. Minimum age restriction of 12 years. Outpatient hospital use C9491 after 10/1/17.
Injection, durvalumab, 10 mg.	Imfinzi	Anti-neoplastic	Х	х	Х				Closed 12/31/18. See J9173 after this date. Effective 2/16/18, NSCLC ICD-10 diagnosis added: C33, C34.01, C34.02, C34.11, C34.12, C34.2, C34.31, C34.32, C34.81, C34.82, C34.91, C34.91. Effective 5/1/17 (FDA approval). Cost invoice with NDC required. Restricted to ICD-10 C65.1, C65.2, C86.1, C66.2, C67 - C67.9, C68.0, C68.8. Minimum age of 16 years. Outpatient hospital use C9492 after 10/1/17.

Injection,	Radicava	Anti-neoplastic	Х	Х	Х							Closed 12/31/18. See J1301 after this date.	
edaravone, 1 mg.												Siffective 5/5/17 (FDA approval). Cost invoice with NDC required. Restricted to ICD-10 G12.21. July patient hospital use C9493 after 10/1/17.	
Injection,	Zinplava	Anti-infective	Х	Х	X		-					Closed 12/31/17. See J0565 after this date. Effective 10/21/16 (FDA approval). Cost invoice with	
bezlotoxumab 10 mg.	Ziripiava	Anni-infective	^	^	^							Dutpatient hospital use C9490 after 7/1/17.	
Injection,	Parsabiv	Hyperparathyr	Х	Х	Х							Closed 12/31/17. See J0606 after this date. Effective 2/17/17 (FDA approval). Cost invoice with NDC	
etelcalcetide, 0.1 mg.		oidism										equired. Restricted to ICD-10 E21.1. Miniimum age of 16 years.	
Injection,	Brineura	Liposome	Х	Х	Х							Closed 12/31/18. See J0567 after this date.	
cerliponase alfa, 1 mg.		deficiency										Siffective 4/27/17 (FDA approval). Cost invoice with NDC required. Restricted to ICD-10 E75.4. July patient hospital use C9014 after 1/1/18.	
Injection,	Vyxeos	Antineoplastic	Х	Х	Х							Closed 12/31/18. See J9154 after this date.	
liposomal, 1 mg												Effective 8/3/17 (FDA approval). Cost invoice with NDC required. Restricted to ICD-10 C92.00 - C92.02.	
daunorubicin and 2.27 mg												Jinimum age of 16 years. Dutpatient hospital use C9024 after 1/1/18.	
cytarabine												Valpatient hospital use CS024 arter 1/1/10.	
Injection,	Besponsa	Antineoplastic	Х	Х	Х							Closed 12/31/18. See J9229 after this date.	
inotuzumab ozogamicin, 0.1												Effective 8/17/17 (FDA approval). Cost invoice with NDC required. Rrestricted to ICD-10 C91.00 - C91.00 - Minimum age of 16 years.	
mg.												Outpatient hospital use C9028 after 1/1/18.	
Injection,	Cuvitru	Immunologic	Х	Х	Х							Closed 12/31/17. See J1555 after this date. Effective 7/24/17 (FDA approval). Cost invoice with NDC	
immune globulin, 100 ma												equired. Restricted to ICD-10 D83.0 - D83.9. Minimum age of 2 years.	
Injection,	Fasenra	Anti-asthmatic	Х	Х	Х	-	+					Closed 12/31/18. See J0517 after this date.	
benralizumab												Effective 11/14/17 (FDA approval). Cost invoice with NDC required. Restricted to ICD-10 J45.50.	
30 mg./ml.												Jinimum age of 12 years. Dutpatient hospital use C9466 after 4/1/18.	
Injection,	Bridion	Relaxant	Х	Х	Х						Х	Effective 12/15/15 (FDA approval). Cost invoice with NDC required.	
sugammadex sodium 100 mg./ml.		binding agent											
Injection,	Baxdela	Anti-infective	Х	Х	Х	Х						Effective 6/19/17 (FDA approval). Cost invoice with NDC required.	
delafloxacin 300 mg. vial												Outpatient hospital use C9462 after 4/1/18.	
Injection,	Rituxan	Antineoplastic	Х	Х	Х							Closed 12/31/18. See J9311 after this date.	
rituximab hyaluronidase	Hycela											Effective 6/22/17 (FDA approval). Cost invoice with NDC required. Restricted to ICD-10 diagnosis of C82.00 - C82.99, C83.30 - C83.39, C91.10, C91.12. Minimum age of	
riyalalorilaasc												6 years.	
												Outpatient hospital use C9467 after 4/1/18.	
Injection,	Zilretta	Anti-	Х	Х	Х	Х						Closed 6/30/18. See Q9993 after this date.	
triamcinolone acetonide 32		inflammatory										Effective 10/6/17 (FDA approval). Cost inivoice with NDC required. Restricted to ICD-10 diagnosis of M17.1 - M17.9. Once yearly service limit applies.	
mg.												vestification to Continuous on with 1 - with 13. Office yearly service mint applies. Judgatient hospital use C9469 after 4/1/18.	
Injection,	Aliqopa	Antineoplastic	Х	Х	Х			1				Closed 12/31/18. See J9057 after this date.	
copanlisib 1 mg.												Effective 9/4/17 (FDA approval). Cost invoice with NDC required.	
												Restricted to ICD-10 diagnosis of C82.00 - C82.99. Minimum age of 16 years. Service limit of 60 mg.	
												laily applies. Dutpatient hospital use C9030 after 7/1/18.	
Injection,	Crysvita	Growth factor	Х	Х	Х		1	1	H			Closed 12/31/18. See J0584 after this date.	
burosumab-twza		antibody										ffective 4/17/18 (FDA approval). Cost invoice with NDC required.	
												Restricted to ICD-10 diagnosis E83.31. Service limit of 90 mg. daily applies.	
Injection,	Poteligeo	Antineoplastic	Х	Х	Х	+	1	1	H			betwice minut or oring, daily applies. Closed 9/30/19. See J9204 after this date.	
mogamulizuma												Effective 8/8/18 (FDA approval). Cost invoice with NDC required.	
b-kpkc, 20 mg./5 ml.												Restricted to ICD-10 C84.01 - C84.09, C84.11 - C84.19. Out patient hospital use C9038 after 1/1/19.	
Injection,	Triptodur	Gonadotropin	Х	Х	Х		+	+	-	-		Closed 12/31/18. See J3316 after this date.	
triptorelin												Effective 6/29/17 (FDA approval). Cost invoice with NDC required. Restricted to ICD-10 E30.1	_
extended												dinimum age of 2 years.	
release, 3.75 mg												Service limit of 6 units every 23 weeks applies.	_
my	1												

						_				
0	Onpattro	Amyloidosis	X	Х	X					Closed 9/30/19. See J0222 after this date.
	-	agent								Effective 8/10/18 (FDA approval). Restricted to ICD-10 E85.1.
		agoni								Minimum age of 18 years.
										Service limit of 300 units.
										Outpatient hospital use C9036 after 1/1/19.
Injection,	Cinvanti	Anti-emetic	X	Х	X					Closed 12/31/18. See J0185 after this date.
aprepitant, 1 mg	130 mg.									Effective 11/9/17 (FDA approval). Cost invoice with NDC required.
., .,, .	3									Outpatient hospital use C9463 after 4/1/18.
Injection,	Khapzory	Folate analog	X	X	X					Closed 9/30/19. See J0642 after this date.
levoleucovorin										Effective 10/19/18 (FDA apprvoal). Cost invoice with NDC required.
Injection,	Libtayo	Antineoplastic	Х	Х	X		1			Closed 9/30/19. See J9119 after this date.
cemiplimab-rwlc	Librayo	runncopiastic	l ^	^	^					Effective 928/18 (FDA approval). Cost invoice with NDC required.
cempiimab-rwic										
										Minimum age of 16 years.
										Service limit of 350 mg daily.
Injection,	Lumoxiti 1	Antineoplastic	Х	Х	Х					Closed 9/30/19. See J9313 after this date.
moxetumomab	mg.									Effective 9/13/18 (FDA approval). Cost invoice with NDC required.
pasudotox-tdfk	ilig.									
pasudotox-turk										Restricted to ICD-10 diagnosis C91.40, C91.41, C91.42.
										Minimum age of 16 years.
Injection,	Elzonris	Antineoplastic	X	X	Х					Closed 9/30/19. See J9269 after this date.
tagaxofusp-								1 1		Effective 12/21/18 (FDA approval). Cost invoice with NDC required.
erzs, 1000 mcg.								1 1		Restricted to ICD-10 C86.4.
6123, 1000 IIICg.										
										Minimum age of 2 years.
										Outpatient hospital use C9049 after 7/1/19.
Injection,	Herceptin	Antineoplastic	Х	Х	Х					Closed 6/30/19. See J9356 after this date.
trastuzumab/hy	Hylecta									Effective 2/28/19 (FDA approval). Cost invoice with NDC required.
aluronidase-										Restricted to ICD-10 C50.01, C50.02, C50.11, or C50.12.
oysk, 600										Minimum age of 16 years.
ma./10K units										
Injection,	Evenity	Bone	Х	Х	х	Х		+ +		Closed 9/30/19. See J3111 after this date.
	Everilly		_ ^	^	^	_ ^				
romosozumab-		resorption								Effective 4/9/19 (FDA approval). Cost invoice with NDC required.
aqqg, 105		suppressant								
mg./1.17 ml.										
Injection,	Ultomiris	Anti-anemia	Х	Χ	Х					Closed 9/30/19. See J1303 after this date.
ravulizumab-										Effective 12/21/18 (FDA approval). Cost invoice with NDC required.
cwvz, 10 mg										Restricted to ICO-10 DS9.5.
cwvz, 10 mg										
										Minimum age of 16 years
										Service limit of 360 units applies.
										Outpatient hospital use C9052 after 7/1/19.
Injection,	Givlaari	Acute hepatic	Х	Х	Х					Closed 6/30/20. See J0223 after this date.
givosiran		porphyria								Effective 11/20/19 (FDA approval). Cost invoice with NDC required.
sodium, 189		porpriyina								Restricted to ICD-10 of E80.21.
mg./ml.										Minimum age of 16 years.
										Service limit of 2 ml. per month.
								1 1		Outpatient hospital use C9056 after 4/1/20.
Injection,	Polivy	Anti-neoplastic	Х	Х	Х	1				Closed 12/31/19. See J9309 after this date.
polatuzumab	,	I	l '' l		1	- 1				Effective 6/10/19 (FDA approval). Cost invoice with NDC required.
		1	1 1	J		- 1				
vedtin-piiq,, 140					1	1	1	1 1	1 1 1	Restricted to ICD-10 C83.30 - C83.39.
mg.										Minimum age of 16 years.
		1	1 1	J		- 1				Service limit of 2 units (vials) daily.
Injection,	Adakveo	Sickle cell	Χ	Χ	Х					Closed 6/30/20. See J0791 after this date.
crizanlizumab-		disease	1 1	J		- 1				Effective 11/15/19 (FDA approval). Cost invoice with NDC required.
tmca, 100										Restricted to ICD-10 D57,0 - D57,819.
		1	1 1	J		- 1				
mg/10 ml.								1 1		Minimum age of 16 years.
L		<u> </u>	L l		L					Outpatient hospital use C9053 after 4/1/20.
Injection,	Kanjinti	Anti-neoplastic	Х	Χ	X					Closed 9/30/19. See Q5117 after this date.
trastuzumab-								1 1		Effective 11/4/19 (FDA approval). Cost invoice with NDC required.
anns		1	1 1	J		- 1				
umio		1	1 1	J		- 1				Restricted to ICD-10 C50.011 - C50.911, C50.021 - C50.921, C16.0 - C16.9.
										Mimimum age 16 years.
Injection,	Beovu	Anti-	X	X	Х	- 1				Closed 12/31/19. See J0179 after this date.
brolucizumab-		inflammatory						1 1		Effective 10/7/19 (FDA approval). Cost invoice with NDC required.
dbll, 6 mg/0.05		1	1 1	J		- 1				Service limit of 6 mg, daily.
ml		1	1 1	J		- 1				Control mint of oring, daily.
1111										

Injection, Factor	Andexxa	Anticoagulant	Х	Х	X			Closed 6/30/20. See J7169 after this date.
Xa, inactivated-		reversal						Effective 5/3/18 (FDA approval). Cost invoice with NDC required.
zhzd								Note: Reimbursement of drug is separately billed from hospital emergency visit on a UB claim by using
								bill type 0111 for this service. Outpatient billing uses bill type 0131 on the UB claim form.
								Outpatient hospital use C9041 after 4/1/19.
Injection,	Padcev	Anti-neoplastic	X	Х	X			Closed 6/30/20. See J9177 after this date.
enfortumab								Effective 12/18/19 (FDA approval). Cost invoice with NDC required.
vedotin-ejfv								Restricted to ICD-10 C65.1, C65.2, C65.9, C66.1, C66.2, C66.9, C67.0 - C67.9, C68.0.
								Minimum age 16 years.
Injection, fam-	Enhertu	Anti-neoplastic	Х	Х	X			Closed 6/30/20. See JJ9358 after this date.
traztuzumab								Effective 12/20/19 (FDA approval). Cost invoice with NDC required.
deruxtecan-nxki								Restricted to ICD-10 C50.011 - C50.929, Z85.3, C77.0 - C77.9, C78.00 - C78.39, C78.7, C79.31, C79.32,
								C79.51, C79.52.
								Minimum age 16 years.
Injection,	Ziextenzo	Colony	Х	Х	X			Closed 6/30/20. See Q5120 after this date.
pegfilgrastim-		stimulating						Effective 11/4/19 (FDA approval). Cost invoice with NDC required.
bmez,		factor						Restricted to ICD-10 D70.1, T45.1X5A, T45.1X5D, T45.1X5S.
biosimilar, 0.5		idoto.						Minimum age of 16 years.
mg								Outpatient hospital use C9058 after 4/1/20.
Injection,	Sarclisa	Anti-neoplastic	Χ	X	Х			Closed 9/30/20. See J9227 after this date.
isatuximab-irfc,								Effective 3/2/20 (FDA approval). Cost invoice with NDC required.
100 mg./5 ml.								Restricted to ICD-10 C90.00 - C90.02.
100 mg./5 mi.								Minimum age of 16 years.
								minimum age of 16 years.
Injection,	Fetroja	Anti-infective	Х	Х	X			Closed 12/31/20. See J0693 after this date.
cefiderocol								Effective 11/14/19 (FDA approval). Cost invoice with NDC required.
sulfate tosylate,								
sulfate tosyrate,								Restricted to ICD-10 N10, N11.0 - N11.9, N12, N13.6, N16, N30.00, N30.01, N30.20, N30.21, N30.80,
1 GM								N30.81, N30.90, N30.91, N34.1, N34.2, N39.0.
								Minimum age of 18 years.
Injection,	Ruxience	Anti-neoplastic	Х	Х	X			Closed 6/30/20. See Q5119 after this date.
rituximab-pvvr,	Nuxicilioc	Anti ricopiastic						Effective 7/23/19 (FDA approval). Cost invoice with NDC required.
biosimilar, 100								Restricted to ICD-10 C82.00 - C82.99, C83.00 - C83.89, C85.10 - C85.89, C85.90 -
mg./10 ml.								C85.99, C91.10, C91.12, M31.7, M31.30, M31.31.
								Miminum age 16 years.
Injection,	Trazimera	Anti-neoplastic	Х	Х	X			Effective 3/11/19 (FDA approval). Cost invoice with NDC required.
trastuzumab-	mazimera	Anti ricopiastic	^.	^	^`			Restricted to ICD-10 C16.0 - C16.9 . C50.011 - C50.929.
qyyp, biosimilar,								Mimimum age 16 years.
420 mg.								
Injection,	Tepezza	Ophthalmic	Х	Х	X			Closed 9/30/20. See J3241 after this date.
teprotumumab-								Effective 1/21/20 (FDA approval). Cost invoice with NDC required.
trbw, 500 mg.								Restricted to ICD-10 E05.00.
, 000 mg.								Minimum age of 16 years.
								Outpatient hospital use C9061 after 6/30/20.
Injection,	Vyepti	CGRP inhibitor	Х	Х	Х	Х	1	Closed 9/30/20. See J3032 after this date.
eptinezumab-				ı				Effective 2/21/20 (FDA approval). Cost invoice with NDC required.
jimr, 100 mg/ml				ı				Restricted to ICD-10 G43.001 - G43.919, G43.B0, G43.B1.
", 100 mg/m					1	1 1		Minimum age of 16 years.
1					1	1 1		
								Service limit of 300 mg.
								Outpatient hospital use C9063 after 6/30/20.
Injection,	Trodelvy	Anti-neoplastic	Х	Χ	Х			Closed 12/31/20. See J9317 after this date.
sacituzumab	,					1 1	1	Effective 4/22/20 (FDA approval). Cost invoice with NDC required.
govitecan-hziy,						1 1	1	Entertive 4/22/20 (FDA approva). Cost involce with NDC required. Restricted to ICD-10 C50.0 - C50,929.
				ı				
180 mg				ı				Minimum age of 16 years.
								Outpatient hospital use C9066 after 10/1/20.
Mometasone	Sinuva	Steroidal	Х	Χ	Х	Х		Closed 3/31/21. See J7402 after this date.
furoate sinus						1 1	1	Effective 12/8/17 (FDA approval). Cost invoice with NDC required.
implant, 1350				ı				Restricted to ICD-10 J33.0 - J33.9.
					1	1 1		
mcg					1	1 1		Minimum age of 18 years.
						1 1	1	Service limit of 1.
						$oldsymbol{\sqcup}oldsymbol{\sqcup}$		Outpatient hospital use C9122 after 6/30/20.
Injection,	Recarbrio	Antibiotic	Х	X	X			Closed 6/30/20. See J0742 after this date.
imipenem/cilast					1	1 1		Effective 7/16/19 (FDA approval). Cost invoice with NDC required.
atin/relebactam,				ı				Minimum age restriction of 18 years.
1.25 G				ı				William and resolution of the years. Service limit of 5 G daily applies.
200						$oldsymbol{ol}}}}}}}}}}}}}}}}}}$		portion intit of 0 0 daily apprice.

Injection,	Vyondys 53	Muscular	X	X >				Closed 6/30/20. See J1429 after this date.
golodirsen, 100		dystrophy						Effective 12/12/19 (FDA approval). Cost invoice with NDC required.
mg./2 ml		agent						Restricted to ICD-10 G71.0.
								Minimum age of 6 years.
Injection,	Evomela	Anti-neoplastic	X	X >				Closed 6/30/20. See J9246 after this date.
melphalan								Effective 3/10/16 (FDA approval). Cost invoice with NDC required.
HCI/detadex								Restricted to ICD-10 C90.00 - C90.02.
sbes, 50 mg								
Injection,	Xembify	Immune	Х	X >				Closed 6/30/20. See J1558 after this date.
immune		globulin						Effective 7/3/19 (FDA approval). Cost invoice with NDC required.
globulin, 100								Restricted to ICD-10 D80.0 - D80.9, D81.0 - D81.9, D82.0 - D82.9.
nig	7	A of constants	V	v \	,	_		Minimum age of 2 years.
Injection,	Zepzelca	Anti-neoplastic	Х	X				Closed 12/31/20. See J9223 after this date.
lurbinectedin, 4								Effective 6/15/20 (FDA approval). Cost invoice with NDC required.
mg								Restricted to ICD-10 C34.0 - C34.92.
A serie el es sudiei e	A	Auti nanalautia	~	x >	,	_		Minimum age of 16 years. Closed 6/30/20. See J7345 after this date.
Aminolevulinic	Ameluz	Anti-neoplastic	Х	X >				Liosed 6/30/ZU. See J7349 after this date. Effective 5/70/16 (FDA approval). Cost invoice with NDC required.
acid 10% gel								Entective of the reproval). Cost invoice with NDC required. Minimum age of 18 years.
								williamum age of 16 years.
Injection,	Phesgo	Anti-neoplastic	Х	X >				Closed 12/31/20. See J9316 after this date.
pertuzumab-		'				1		Effective 6/29/20 (FDA approval). Cost invoice with NDC required.
trastuzumab-hy-						1		Restricted to ICD-10 C50.011 - C50.929.
zzxf, 600-600								Minimum age of 16 years.
mg								Service limit of 1200 mg. pertuzumab.
Injection,	Monjuvi	Anti-neoplastic	Х	X >	(Closed 3/31/21. See J9349 after this date.
tafasitamab-	-	•						Effective 7/31/20 (FDA approval). Cost invoice with NDC required.
cxix, 200 mg								Restricted to ICD-10 C83.30 - C83.39.
								Minimum age of 16 years.
								Outpatient hospital use C9070 after 12/31/20.
Injection,	Blenrep	Anti-neoplastic	X	X >	(Closed 3/31/21. See J9037 after this date.
belantamab								Effective 8/5/20 (FDA approval date). Cost invoice with NDC required.
mafotodin-blmf								Restricted to ICD-10 C90.00 - C90.02.
100 mg								Minimum age of 16 years.
								Outpatient hospital use C9069 after 12/31/20.
Injection,	Viltepso	Muscular	X	X >	(Closed 3/31/21. See J1427 after this date.
vitolarsen 250		dystrophy						Effective 8/12/20 (FDA approval). Cost invoice with NDC required.
mg/5 ml		agent						Restricted to ICD-10 G71.01.
								Minimum age of 4 years.
	_		v					Outpatient hospital use C9071 after 12/31/20.
Injection,	Durysta	Anti-miotic	Х	X >				Closed 9/30/20. See J7351 after this date.
bimatoprost,								Effective 3/4/20 (FDA approval). Cost invoice with NDC required.
intracameral								Restricted to ICD-10 H40, 10X0 - H40, 11X4, H40, 1110 - H40, 1114, H40, 1120 - H40, 1124, H40, 1130 - H40, H40, H40, H40, H40, H40, H40, H40,
implant, 1 mcg								H40.1134, H40.1310 - H40.1314, H40.1320 - H40.1324, H40.1330 - H40.1334, H40.1410 - H40.1414, H40.1420 - H40.1420 - H40.1420 - H40.1430 - H40.1430 - H40.051, H40.052, H40.053.
								Fred. 1422, Fred. 1425, Fred. 1435, Fred.031, Fred.032, Fred.033. Service limit of 20 units daily applies.
Mitomycin	Jelmyto	Anti-neoplastic	Х	X >		_		Cervice minut of 20 units daily applies. Closed 12/12/0. See 19281 after this date.
pyelocalyceal	Joannyto	, and ricopiastic	^	·· [1		Colore 123 /15/20 (FDA approval). Cost invoice with NDC required.
instillation, 1 mg						1		Restricted to ICD-10 C65.1. C65.2.
						1		Minimum age of 16 years.
						1		Service limit of 60 units weekly.
						1		Outpatient hospital use C9064 after 10/1/20.
Injection,	Darzalex	Anti-neoplastic	Х	X >				Closed 12/31/20. See J9144 after this date.
daratumumab	Faspro					1		Effective 5/1/20 (FDA approval). Cost invoice with NDC required.
10 mg and								Restricted to ICD-10 C90,00 - C90,02.
hyaluronidase-						1		Minimum age of 16 years.
fiĥj						1		Service limit of 180 units weekly applies.
						1		Outpatient hospital use C9062 after 10/1/20.
Injection,	Asceniv	Immune	Х	X >				Closed 3/31/21. See J1554 after this date.
immune		globulin				1		Effective 10/15/19 (FDA approval). Cost invoice with NDC required.
globulin, 500		[-				1		Restricted to ICD-10 D80.0 - D80.9, D81.0 - D81.4, D81.7, D81.89, D81.9, D82.0 - D82.9, D83.0, D83.2,
mg						1		D83.8, D83.9.
						1		Minimum age of 12 years.
		I	1		1 1	1	1 1	Outpatient hospital cliams use C9072 after 1/1/21.

Injection,	Uplizna	Immunoquanzo	V	v 1	v			1	Closed 12/31/20. See J1823 after this date.
inebilizumab- cdon, 1 mg		Immunosuppre ssive	*	^	*				Effective 6/11/20 (FDA approval). Cost invoice with NDC required. Restricted to ICD-10 G36.0. Minimum age of 16 years. Service limit of 300 units daily applies.
Injection, cabotegravir/rilp ivirine	Cabenuva	Antiretroviral	х	X	X				Closed 9/30/21. See J0741 after this date. Effective 1/21/21 (FDA approval) Cost invoice with NDC required. Restricted to ICD-10 B20. Minimum age of 16 years. Outpatient hospital use C9077 after 6/30/21.
Injection, rituximab-arrx, 100 mg/10 ml	Riabni	Antineoplastic	х	Х	X				Closed 6/30/21. See Q5123 after this date. 12/17/20 (FDA approval). Cost invoice with NDC required. Restricted to ICD-10 C83.00 - C83.09, C83.30 - C85.89, C85.90 - C85.99, C91.10, C91.12, C95.9.
Injection, evinacumab- dgnb	Evkeeza	Antihyperlipide mic	X		X				Closed 9/30/21. See J1305 after this date. Effective 2/11/21 (FDA approval). Cost invoice with NDC required. Restricted to ICD-10 E78.01. Minimum age of 12 years. Outpatient hospital use C9079 after 6/30/21.
Injection, trilaciclib dihydrochloride, 300 mg	Cosela	Antineoplastic	×	Х	X				Closed 9/30/21. See J1448 after this date. Effective 2/12/21 (FDA approval). Cost invoice with NDC required. Restricted to ICD-10 C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.92. Minimum age of 16 years. Outpatient hospital use C9078 after 6/30/21.
Injection, melphalan flufenamide hydrochloride, 1 mg	Pepaxto	Antineoplastic	X	Х	X				Closed 9/30/21. See J9247 after this date. Effective 2/26/21 (FDA approval). Cost invoice with NDC required. Restricted to ICD-10 C90.00, C90.02. Minimum age of 16 years. Service limit of 40 units daily applies. Outpatient hospital use C9080 after 6/30/21.
Injection, amivantamab- vmjw, 350 m/7 ml	Rybrevant	Antineoplastic	X	Х	X				Closed 12/31/21. See J9061 after this date. Effective 6/2/21 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 C34.10 - C34.12, C34.2, C34.30 - C34.82, C34.80 - C34.82, C34.90 - C34.92. Minimum age of 16 years. Service limit of 1400 mg. daily. Outpatient hospital use C9083 after 9/30/21.
Injection, dostarlimab- gxly, 500 mg/10 ml	Jemperli	Antineoplastic	X	X	X				Closed 12/31/21. See J9272 after this date. Effective 5/3/21 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 C54.1. Minimum age of 16 years. Service limit of 500 mg. daily. Outpatient hospial use C9082 after 9/30/21.
Injection, loncastuximab tesirine-lpyl, 10 mg	Zynlonta	Antineoplastic	Х	Х	Х				Closed 3/31/22. See J9359 after this date. Effective 5/11/21 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 C83.30 - C83.39. Minimum age of 16 years. Outpatient hospital use C9084 after 9/30/21.
Injection, oritivancin diphosphate, 1200 mg.	Kimyrsa	Anti-infective	Х	Х	Х	Х			Closed 9/30/21. See J2406 after this date. 7/2/21 (Federal drug rebate date). Cost invoice with NDC required. Minimum age of 18 years. Service limit of 1200 mg. daily.
Injection, anifrolumab- fnia, 300 mg/2 ml	Saphnelo	Immunosuppre ssive	X	X	×				Closed 3/31/22. See J0491 after this date. Effective 8/16/21 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 M32.10 - M32.9, M32.9, M32.9. Minimum age of 18 years. Service limit of 300 mg. daily. Outpatient hospital use C9086 after 12/31/21.
Injection, avalglucosidase alfa-ngpt, 100 mg	Nexviazyme	Enzymatic	х	Х	х				Closed 3/31/22. See J0219 after this date. Effective 8/19/21 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 E74.02. Minimum age of 1 year. Outpatient hospital use C9085 after 12/31/21.
Injection, crotalidae immune F (ab) 2, equine	Anavip	Anti-venin	Х	Х					Effective 12/1/21. Cost invoice required, but NDC is not required. Note: Reimbursement of product is separately billed from hospital in-patient on a UB claim by using bill type 0111 for this service. Outpatient billing uses bill type 0131 on the UB claim form.

		Lucae I I II I			v. I	_			
Injection,	Susvimo	VEGF inhibitor	Х	X	X				Closed 6/30/22. See J2779 after this date.
ranibizumab 10									Effective 11/29/21 (Federal drug rebate date). Cost invoice with NDC required.
mg/0.1 ml									Restricted to ICD-10 H35.3210 - H35.3212, H35.3220 - H35.3222, H35.3230 - H35
									H35.3292. Outpatent hospital use C9093 after 3/31/22.
Lateraties a		FCRN	Х	Х	X	X	-		
Injection,	Vyvgart	FURIN	^	^	^	^			Closed 6/30/22. See J9332 after this date.
efgartigimod									Effective 12/28/21 (Federal drug rebate date). Cost invoice with NDC required.
alfa-fcab 400 mg/20 ml									Restricted to ICD-10 G70.00 or G70.01.
ŭ									
Injection,	Tezspire	Anti-asthmatic	Х	Х	Х	Х			Closed 6/30/22. See J2356 after this date.
tezepelumab-									Effective 1/6/22 (Federal drug rebate date). Cost invoice with NDC required.
ekko, 210									Restricted to ICD-10 J45.50 or J45.52.
mg/1.91 ml									Minimum age of 12 years.
Injection,	Barhemsys	Antiemetic	Χ	X	Х	Х			Closed 12/31/23. See J0184 after this date.
amisulpride 5									Effective 2/26/20 (Federal drug rebate date). Cost invoice with NDC required.
mg/2 ml									Service limit of 10 mg.
									Out patient hospital use C9153 after 10/1/23.
Injection,	Kimmtrak	Antineoplastic	Х	Х	Х				Closed 9/30/22. See J9274 after this date.
tebentafusp-									Effective 2/25/22 (Federal drug rebate date). Cost invoice with NDC required.
tebn. 100									Restricted to ICD-10 C69.30, C69.31, C69.32, C69.40, C69.41, C69.42, C69.60, C69.61, C69.62, C69.90,
mcg/0.5 ml									C69.91, C69.92, Z51.11, Z51.89, Z51.840.
ŭ									Minimum age of 16 years.
									Service limit of 68 mcg. daily applies.
									Out patient hospital use C9095 after 7/1/22.
Injection,	Apretude	Antiretroviral	Х	Х	Х	Х			Closed 6/30/22. See J0739 after this date.
cabotegravir,	ER								Effective 1/24/22 (Federal drug rebate date). Cost invoice with NDC required.
600 mg/3 ml									Minimum age of 12 years.
Injection,	Xipere	Anti-	Х	Х	X	+	+ -	- 	Closed 6/30/22. See J3299 after this date.
triamcinolone	Alpere	inflammatory	^	^	^				Gloset usual. See Sussa and this state. Effective 1/27/22 (Federal drug rebarte date). Cost invoice with NDC required.
acetonide.		IIIIIaiiiiiiaioi y							Restricted 1/122 (1 edical ruling Healist earlier, Cost introduce with Not required. Restricted 1/122 (1 edical ruling Healist earlier, Cost introduce with Not required. Restricted 1/122 (1 edical ruling Healist earlier, Cost introduce with Not required.)
suprachoroidal,									H30,043, H30,101 - H30,133, H30,21, H30,22, H30,23, H30,811, H30,812, H30,813, H30,891, H30,892,
1 mg									H30.893, H30.91, H30.92, H30.93, H35.021, H35.022, H35.023, H35.061, H35.062, H35.063, H43.89,
i iiig									H44,001 - H44,023, H44,111, H44,112, H44,113
									Outpatient hospital use C9092 after 3/31/22.
Injection.	Fyarro	Antineoplastic	Х	Х	v	1	+ -	-	
injection, sirolimus protein-	Fyarro	Antineopiastic	^	^	^				Closed 6/30/22. See J9331 after this date.
bound particles,	1								Effective 2/23/22 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 C49.4, C49.6, C49.8, or C49.9.
1 mg									Restricted to 10-10 C43.4, C43.6, C43.6, or C43.9. Minimum of 16 years.
i ilig									Milimum or lo years. Outpatient hospital use C9091 after 3/31/22.
Injection,	Vabysmo	VEGF inhibitor	Х	Х	Х				Closed 9/30/22. See J2777 after this date.
faricimab-svoa,									Effective 2/8/22 (Federal drug rebate date). Cost invoice with NDC required.
6 mg/0.05 ml									Restricted to ICD-10 H35.3210 - H35.3213, H35.3220 - H35.3223, H35.3230 - H35.3233, H35.3290 -
									H3293 or E08.311, E08.321, E08.331, E08.341, E08.351, E09.311, E09.321, E09.331, E09.351,
									E10.311, E10.321, E10.331, E10.341, E10.351, E11.311, E11.321, E11.331, E11.351, E13.311,
									E13.321, E13.331, E13.341, E13.351.
									Minimum of 16 years.
						4		-++++	Outpatient hospital use C9097 after 7/1/22.
Injection,	Tivdak	Antineoplastic	Х	Х	X		1 1		Closed 3/31/22. See J9273 after this date.
tisotumab									Effective 9/27/21 (Federal drug rebate date). Cost invoice with NDC required.
vedotin, tftv, 40]	1					1 1		Restricted to ICD-10 C53.0 - C53.9, D06.0 - D06.9, R87.610 - R87.619.
mg									Minimum age of 16 years.
									limit of 200 mg applies.
Injection,	Opdualag	Antineoplastic	Х	Х	X				Closed 9/30/22. See J9298 after this date.
nivolumab-	l					1			Effective 3/23/22 (Federal drug rebate date). Cost invoice with NDC required.
relatlimab-	l					1			Restricted to ICD-10 C21.0, C21.1, C43.0, C43.10, C43.111, C43.112, C43.121, C43.122, C43.20,
rmbw, 240-80	l					1			C43.21, C43.22, C43.30, C43.31, C43.39, C43.4, C43.5, C43.51, C43.59, C43.60, C43.61,
mg/20 ml	l	1				1	1		C43.62, C43.70, C43.71, C43.72, C43.8, C43.9, C51.0, C51.1, C51.2, C51.9, C52, C57, C57.7, C57.8,
	l					1			C57.9, C60.0, C60.1, C60.8, C60.9, C63, C63.00, C63.01, C63.02, C63.10, C63.12, C63.2,
]	1					1		C63.7, C63.8, C63.9, Z51.12.
									Minimum age of 12 years.
Injection, LU-	Pluvicto	Radioactive	Х	Х	X				Closed 9/30/22. See A9607 after this date.
177 vipivotide	l	therapeutic				1			Effective 4/5/22 (Federal drug rebate date). Cost invoice with NDC required.
tetraxetan, 1000]	agent					1 1		Restricted to ICD-10 C61.
MBQ (27]	1					1 1		Minimum age of 16 years.
MCI)/mI						1			

						_				
Injection,	Enjaymo	Complement	Х	Х	Х					Closed 9/30/22. See J1302 after this date.
sutimlimab-		inhibitor								Effective 3/16/22 (Federal drug rebate date). Cost invoicw with NDC required.
jome, 1100										Restricted to ICD-10 D59.12.
mg/22 ml										Miniimum age of 16 years.
										Outpatient hospital use C9094 after 7/1/22.
Injection,	Neoprofen	NSAID	Χ	Х	Х	X				Effective 1/1/21. Cost invoice with NDC required.
ibuprofen lysine,		-								Restricted to ICD-10 Q25.0.
20 mg/2 ml										
Injection,	Alymsys	Antineoplastic	Х	X	Х					Closed 12/31/22. See Q5126 after this date.
bevacizumab-										Effective 5/31/22 (Federal drug rebate date). Cost invoice with NDC required.
maly, 100 mg/4										Restricted to ICD-10 C18.0 - C18.9, C19, C20, C33, C34.01 - C34.92, C53.0 - C53.9, C56.1 - C56.3,
ml										C65.1, C62.2, C66.1, C66.2, C67.0 - C67.9, C68.0, C68.8, C71.0 - C71.9.
										Outpatient hospital use C9142 after 9/30/22.
Injection,	Byooviz	Ophthalmic	Χ	Х	Х					Closed 12/31/23. See Q5124 after this date.
ranibizumab-	l -	•								Effective 6/1/22 (Federal drug rebate date). Cost invoice with NDC required.
nuna 0.5										Restricted to ICD-10 H34.8110 - H34.8130, H34.8310 - H34.8330, H35.3210 - H35.3230, H35.3211 -
mg/0.05 ml										H35.3231, H35.3212 - H35.3232, H35.3213 - H35.3233, H44.2A1 -H44.2A3.
Injustion	Spevigo	Antipsoriatic	Х	Х	X	-	+	+	++-+	Closed 3/31/23. See J1747 after this date.
Injection, spesolimab-	Spevigo	Antipsoriatic	^	^	^					
spesoilmab- sbzo, 450	l									Effective 9/2/22 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 L40.1.
mg/7.5 ml										Residued to CO-10 E40.1. Minimum age of 16 years.
							_		+	
Injection,	Cimerli	Ophthalmic	Х	Х	Х					Closed 3/31/23. See Q5128 after this date.
ranibizumab-										Effective 10/3/22 (Federal drug rebate date). Cost invoice with NDC required.
eqrn, 0.5										Service limit of 0.05 ml daily.
mg/0.05 ml										
Injection,	Pedmark	Antidote	Х	X						Closed 3/31/23. See J0208 after this date.
sodium										Effective 10/19/22 (Federal drug rebate date). Cost invoice with NDC required.
thiosulfate, 12.5										Restricted to ICD-10 T45.1X5A, T45.1X5D, T45.1X5S.
G/100 ml										
Injection,	Imjudo	Antineoplastic	Х	Х	Х					Closed 6/30/23. See J9347 after this date.
tremelimumab-										Effective 11/17/22 (Federal drug rebate date). Cost invoice with NDC required.
actl, 25 mg/1.25										Restricted to ICD10 C22.0, C34.00, C34.01, C34.02, C34.10, C34.11, C34.12, C34.2, C34.30, C34.31,
ml										C34.32, C34.80, C34.81, C34.82, C34.90, C34.91, C34.92.
										Minimum age of 16 years.
										Outpatient hospital use C9147 after 4/1/23.
Injection,	Tecvavli	Antineoplastic	Х	Х	X	-	1	+	+++	Closed 6/30/23. See J9380 after this date. Effective
teclistamab-	. Sovayıı	,ii icopiastic	^	^						11/7/22 (Federal drug rebate date). Cost invoice with NDC required.
cqyv, 30 mg or	l									Trivizz (resear drug tedate acte). Cost invoice with NDC required. Restricted to ICD-10 C90.00. C90.02.
153 mg	l									Mesimined age of 16 years.
.55 mg	l									
Injection	Culdakan	Antifibring dela	Х	_	Х	-	1	+	++-+	
Injection, tranexamic acid,	Cyklokapron	AntifibrInoyItic	Α.	Х	^					Effective 6/29/21 (Federal drug rebate date). Cost invoice with NDC required.
tranexamic acid, 1000 mg/10 ml	l									
1000 mg/ to mi	l									
1272.272.2	V	E		· ·	V	-	-	+	+	A CONTROL OF THE CONT
Injection,	Xenpozyme	∟nzymatic	Х	Х	Х					Closed 3/31/23. See J0218 after this date.
olipudase alfa-	l									Effective 9/16/22 (Federal drug rebate date). Cost invoice with NDC required.
rpcp, 20 mg.	l									Restricted to ICD-10 E75.240, E75.241, E75.248, or E75.249.
			L.,				_	\bot	+	
Injection,	Elahere	Antineoplastic	Х	Х	Х					Effective 12/8/22 (Federal drug rebate date). Cost invoice with NDC required.
mirvetuximab-	l									Restricted to ICD-10 C48.1, C48.8, C56.1, C56.2, C56.3, C57.01, C57.02, C57.11, C57.12, C57.21,
soravtansine-	l									C57.22, C57.3, C57.4, C57.8, C79.61, C79.62, C79.63.
gynx, 100	l									Minimum age of 16 years.
mg/20 ml	l									Out patient hospital use C9146 after 4/1/23.
			_		_		_			

7	m 1 1 1				17		 	
Injection, teplizumab- mzwv, 2 mg/2 ml	Tzield	Anti-diabetic	X	X	X			Closed 6/30/23. See J9381 after this date. Effective 12/8/22 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 diagnosis of E10.10, E10.21, E10.22, E10.29, E10.3211, E10.3213, E10.3293, E10.3293, E10.3293, E10.3393, E10.3391, E10.3412, E10.3412, E10.3412, E10.3412, E10.3412, E10.3513, E10.3513, E10.3513, E10.3521, E10.3522, E10.3523, E10.3532, E10.3533, E10.3541, E10.3542, E10.3553, E10.3553, E10.3553, E10.3553, E10.3554, E10.3555, E10.3555, E10.3552, E10.3553, E10.3593, E10.357X1, E10.37X2, E10.37X3, E10.393, E10.341, E10.3412, E10.3413, E10.3412, E10.3412, E10.3413, E10.3412, E10.3412, E10.3413, E10.3412, E10.3412, E10.3413, E10.3413, E10.3412, E10.3412, E10.3413, E10.3412, E10.3413, E10.3412, E10.3412, E10.3413, E10.3413, E10.3412, E10.3413, E10.3413, E10.3412, E10.3413,
	Rebyota rectal suspension	Fecal transplantation	X	Х	Х			Effective 1/23/23 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 A04.71, A04.72. Minimum age 18 years.
Injection, mosunetuzuma b-axgb 1 mg/1ml	Lunsumio	Antineoplastic	Х	х	х			Effective 1/9/23 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 C82.00 - C82.09, C82.10 - C82.19, C82.30 - C82.89, C82.90 - C82.99. Minimum age of 16 years.
Injection, ublituximab-xiiy 150 mg/6 ml	Briumvi	Multiple schlerosis agent	Х	Х	Х			Effective 1/23/23 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 G35. Minimum age of 16 years.
Injection, lecanemab- irmb, 100 mg/1 ml	Leqembi	Alzheimer agent	Х	Х	Х			Effective 1/18/23 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 G30.0, G30.1, G30.8, G30.9, G31.84.
Injection, velmamase alfa- tycv 10 mg	Lamzede	Enzymatic	Х	Х	Х			Closed 12/31/23. See J0217 after this date. Effective 4/4/23 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 diagnosis E77.1. Minimum age of 3 years.
Injection, pegcetacoplan, 15 gm/0.1 ml	Syfovre	Complement inhibitor	X	Х	X			Closed 9/30/23. See J2781 after this date. Effective 2/27/23 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 H35.3113, H35.3123, H35.3133 or H35.3114, H35.3124, H35.3134. Service limit of 30 mg. daily applies. Outpatient hospital use C9151 after 7/1/23.
Injection, toferesen, 100 mg/15 ml	Qalsody	ALS agent	Х	х	Х			Closed 12/31/23. See J1304 after this date. Effective 5/1/23 (Federal drug rebate date). Cost invoice with NDC required. Restricted to G12.21. hospital use C9157 after 10/1/23.
Injection, epcoritamab- bysp, 4 mg/0.8 ml	Epkinly	Antineoplastic	X	Х	X			Closed 12/31/23. See J9321 after this date. Effective 6/2/23 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 C83.30 - C83.39. Minimum of 16 years. Outpatient hospital use C9155 after 10/1/23.
Injection, glofitamab- gxbm, 2.5 mg/2.5 ml	Columvi	Antineoplastic	X	Х	Х			Closed 12/31/23. See J9286 after this date. Effective 6/27/23 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 C83.30 - C83.39. Minimum of 16 years.
Injection, rozanolixizumab- noli, 280 mg/2ml	Rystiggo	FCRN	Х	Х	Х			Closed 12/31/23. See J9333 after this date. Efflective 7/20/23 (Federal drug rebate date). Cost invoice with NDC requied. Restricted to ICD-10 G70.00, G70.01. Minimum of 16 years.
Injection, retifanlimab- dlwr, 500 mg/20 ml	Zynyz	Antineoplastic	Х	Х	Х			Closed 9/30/23. See J9345 after this date. ### Effective A/6/23 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 diagnosis of C4A.0, C4A.10, C4A.111, C4A.112, C4A.122, C4A.21, C4A.22, C4A.30, C4A.31, C4A.39, C4A.4, C4A.51, C4A.59, C4A.60, C4A.61, C4A.62, C4A.70, C6A.71, C4A.22, C4A.72, C4A.8, C7B.1. Service limit of 500 mg. applies.
Injection, glycopyrrolate- neostigmine, 3- 0.6mg/3 ml	Prevduo	Anticholenergi c	Х	Х	Х			Effective 5/31/23 (Federal drug rebate date). Cost invoice with NDC required.

Injection, efgartigimod- hyaluronidase- qvfc, 1008- 11,200 mg/5.6	Vyvgart Hytrulo	FCRN	Х	Х	X			Closed 12/31/23. See J9334 after this date. Effective 7/10/23 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 G70.00 or G70.01.
Injection, valoctogene roxaparvovc- rvox, 16X10E13 VG/8 ml	Roctavian	Gene therapy	Х	Х				Closed 12/31/23. See J1412 after this date. Effective 8/16/23 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 D66.
Injection, elranatamab- bcmm	Elrexfio	Antineoplastic	Х	х	Х			Closed 3/31/24. See J1323 after this date. Effective 8/23/23 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 C90.00, C90.01, or C90.02. Out patient hospital use C9165 after 1/1/24.
Injection, delandistrogene moxeparvovec- rokl, susp.	Elevidys	Gene therapy	Х	х				Closed 12/31/23. See J1413 after this date. Effective 8/4/23 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 G71.01.
Injection, aflibercept 8 mg/0.07 ml	Eylea HD	Neovascular (AWD)	x	x	X			Closed 3/31/24. See J0177 after this date. Effective 8/21/23 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10: E08.3211 - E08.3213, E08.3311 - E08.3313, E08.3411 - E08.3413, E08.3511 - E08.3513, E08.311, E09.3211 - E09.3213, E09.3311 - E09.3313, E09.3411 - E09.3413, E09.3511 - E09.3513, E09.311 - E10.3313, E10.3311 - E10.3313, E10.3411 - E10.3413, E3511 - E3513, E10.3311 - E11.3213, E11.3311 - E11.3313, E11.3511 - E11.3513, E11.3311 - E11.3313, E11.3311 - E11.3313, E11.3511 - E11.3513, E11.3311 - E11.3313, E11.3311 - E11.3313, E11.3511 - E11.3513, E11.3511
Injection, talquetamab- tgvs	Talvey	Antineoplastic	Х	Х	Х			Closed 3/31/24. See J3055 after this date. Effective 8/10/23 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 C90.00 or C90.02. Out patient hospital use C9163 after 1/1/24.
Injection, avacincaptad pegol., 2 mg/0.1 ml	Izervay	Complement inhibitor	Х	Х	Х			Closed 3/31/24. See J2782 after this date.
Injectionm, cipaglucosidase alfa-atga, 105 mg	Pombiliti	Enzymatic	Х	Х	Х			Closed 3/31/24. See J1203 after this date. Effective 10/12/23 (Federal drug rebate date). Cost invoice with NDC required. Restricted to (DC-10 E74.02. Minimum age of 16 years.
Injection, adamts13, recombinant- krhn, 500 u.	Adzynma	Thrombolytic	Х	Х	Х			Closed 6/30/24. See J7171 after this date. Effective 11/28/23 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 M31.19. Minimum age of 2 years. Outpatient hospital use C9167 after 4/1/24.
Injection, betibeglogene autotemecel	Zynteglo	Gene therapy	Х	Х				Closed 6/30/24. See J3393 after this date. Effective 3/9/23 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 D56. 1 Minimum age of 4 years.
Injection, ombidubicel- onlv	Omisirge	Gene therapy	Х	Х				Effective 5/25/23 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 C81.0 - C96.9. Minimum age of 12 years.

Injection, nogapendekin alfa inbakic- pmln, 400 mcg/0/4 ml	Anktiva	Antineoplastic	X	Х	х			R M O	Closed 12/31/24. See J9028 after this date. Effective 6/3/24 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 C67.0 - C67.9, D09.0, Z85.81. Minimum age of 18 years. Outpatient hospital use C9169 after 9/30/24.
Injection, tarlatamab-dlle, 10 mg	Imdelitra	Antineoplastic	X	X	X			Ei R C	Closed 12/31/24. See J9026 after this date. Effective 5/21/24 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 C34.00 - C34.02, C34.10 - C34.12, C34. 2, C34.30 - C34.82, C34.92. Minimum age of 16 years. Outpatient hospital use C9170 after 9/30/24.
Injection, exagamglogene autotemcel	Casgevy	Gene therapy	Х	Х				Ei to D	Closed 12/31/24. See J3392 after this date. Effective 3/19/24 (Federal drug rebate date). Cost invoice with NDC required. Restricted to 1c ICb-10 D661, D665, D675, D677, D677, Q, D57.211 - D67.219, D57.40, D57.411 - D57.419, D57.42, D57.431 - D57.439, D57.44, D57.451 - D57.859, D57.80, D57.80, D57.811 - D57.819. Minimum age of 12 years.
Injection, zilucoplan sodium	Zilbrysq	Complement inhibitor	Х	Х	Х			R	Effective 1/3/24 (Earliest federal NDC drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 G70.00 or G70.01. Minimum age of 16 years.
Injection, crovalimab- akkz, 340 mg/2 ml	PiaSky	Complement inhibitor	Х	Х	х			E:	Closed 12/31/24. See J1307 after this date. Effective 8/14/24 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 D59.5. Restricted to ICD-
Injection, afamitresgene autoleucel	Tecelra	Antineoplastic	Х	Х	х			Ei R	Closed 3/31/25. See Q2057 after this date. Effective 8/23/24 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 C38.0 - C38.8, C48.1 - C48.8, or C49.0 - C49.9. Minimum age of 16 years.
Injection, tislelizumab- jsgr, 100 mg/10 ml	Tevimbra	Antineoplastic	Х	Х	Х			R	Effective 10/7/24 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 C15.3, C15.4, C15.5, C15.8, C15.9, or Z85.01. Minimum age of 16 years.
Injection, atezolizumab- hyaluronidase- tqjs, 1875 mg	Tecentriq Hybreza	Antineoplastic	Х	Х	Х			Ei R C	Closed 3/31/25. See J9024 after this date. Effective 9/30/24 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 C22.0, C22.8, C33., C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92, C43.0 - C43.9 or C49. Minimum age of 16 years.
Injection, ocrelizumab- hyaluronidase- oscq, 920 mg- 23K	Ocrevus Zunovo	Multiple schlerosis agent	Х	Х	Х			9/ R	Closed 3/31/25. See J2351 after this date. Effective 8/30/24 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 G35. Minimum age of 16 years.
Injection, zolbetuximab- clzb, 100 mg	Vyloy	Antineoplastic	Х	Х	Х			R M	Effective 10/24/24 (Federal drug rebate date). Cost invoice with NDC required. Restricted to ICD-10 . Minimum age of 16 years. Dut patient hospital use C9303 after 3/31/25.

Injection,	Pavblu	Ophthalmic	X	Х	Х	1 1					Closed 3/31/25. See Q5147 after this date.							
aflibercept-											Effective 10/29/24 (Federal drug rebate date). Cost invoice with NDC required.							
ayyh, 2 mg/0.05											Restricted to ICD-10 H35.3211 - H35.3231, H35.3212 - H35.3232, H35.3213 - H35.3233, H35.3210 -							
ml											H35.3230, H34.8110 - H34.8130, H34.8310 - H34.8330, E08.3211 - E08.3213, E08.3311 - E08.3313,							
											E08.3411 - E08.3413, E08.3511 - E08.3513, E08.311, E09.3211 - E09.3213, E09.3311 - E09.3313,							
											E09.3411 - E09.3413, E09.3511 - E09.3513, E09.311, E10.3211 - E10.3213, E10.3311 - E10.3313,							
											E10.3411 - E10.3413, E10.3511 - E10.3513, E10.311, E11.3211 - E11.3213, E11.3311 - E11.3313,							
											E11.3411 - E11.3413, E11.3511 - E35.13, E11.3511 - E11.3513, E11.311, E13.3211 - E13.3213,							
											E13.3311 - E13.3313, E13.3411 - E13.3413, E13.3531 - E13.3513, E13.311, E08.3291 - E03.3293,							
											E08.3391 - E08.3393, E08.3491 - E08.3493, E08.3521 - E08.3253, E08.3531 - E08.3533, E08.3541 =							
											E08.3543, E08.3551, E08.3553, E08.3591 - E08.3593, E08.319, E09.3291 -E09.3293, E09.3391 -							
											E09.3393, E09.3491 - E09.3493, E09.3521 - E09.3523, E09.3531 - E09.3533, E09.3541 - E09.3543,							
											E09.3551 - E09.3553, E09.3591 - E09.3593, E09.319, E10.3291 - E10.3293, E10.3391 - E10.3393,							
											E10,3491 - E10.3493, E10.3521 - E10.3523, E10.3531 - E10.3533, E10.3541 - E10.3543, E10.3551 -							
											E10.3553, E10.3591 - E10.3592, E10.319, E11.3291- E11.3293, E11.3391 - E11.3393, E11.3491 -							
											E1.3493, E11.3521 - E11.3523, E11.3531 - E11.3533, E11.3541 - E11.3543, E11.3551 - E11.3553,							
											E11.3591 - E11.3593, E11.319, E13.3291 - E13.393, E13.3391 - E13.3393, E13.3491 - E13.3493,							
											E13.3521 - E13.3523, E13.3531 - E13.3533, E13.3541 - E13.3543, E13.3551 - E13.3553, E13.3591 -							
											E13.3593, E13.319.							
								\perp										
Injection,	Aucatzyl	Gene therapy	X	Χ		1 1	- 1		ıl	J	Effective 1/9/25 (Federal drug rebate date). Cost invoice with NDC required.	Ī			1	1		1 1
obecabtegene	l		1 1					1 1	1 1	J	Restricted to ICD-10 C91.00, C91.02, Z51.12.				1			1
autoleucel	l		1)					1 1		l	Minimum age of 16 years.				1			
	l		1)					1 1		l	Outpatient hospital use C9301 after 3/31/25.				1			
		 	+			-		+	⊢	 								+
Injection,	Ziihera	Antineoplastic	X	Х	Х			1 1	1 1	J	Effective 12/2/24 (Federal drug rebate date). Cost invoice with NDC required.				1			
zanidatamab-	l		1 1					1 1	1 1	J	Restricted to ICD-10 C22.1, C23, C24.0, C24.8, C24.9.				1			1
hrii, 300 mg	l		1 1					1 1	1 1	J	Minimum age of 16 years.				1			
1	l		1 1					1 1	1 1	J	Outpatient hospital use C9302 after 3/3/1/25.				1			
Laterate .	D "		- V	V	V			+										
Injection,	Ryoncil	Mesenchymal	X	Х	X						Effective 3/27/25 (Federal drug rebate date). Cost invoice with NDC required.							
remestemcel-L-		stromal cell									Restricted to ICD-10 D89.810, D89.812, D89.813, T86.09, T86.899.							
rknd		therapy																
Injection,	Opdivo	Antineoplastic	Х	Χ	X						Effective 1/7/25 (Federal drug rebate date). Cost invoice with NDC required.							
nivolumab-	Ovantio																	
nivolumab- hvaluronidase-	Qvantig																	
hyaluronidase-	Qvantig																	
	Qvantig		Ш															
hyaluronidase- nvhy, 600 mg-																		
hyaluronidase-		ent Hospital																1
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C	are/Out Patie																	
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C *CAH/OP-Critica	are/Out Patie																	
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C: *CAH/OP-Critica *P - Physician	are/Out Patie																	
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C- *CAH/OP-Critica *P - Physician *NP - Nurse Prac	are/Out Patie I Access/Out																	
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C. *CAH/OP-Critica *P - Physician *NP - Nurse Prac *MW - Nurse Mic	are/Out Patie I Access/Out ctitioner																	
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C *CAH/OP-Critica *P - Physician *NP - Nurse Mic *OPH - Ophthaln	are/Out Patie I Access/Out cititioner dwife nologist																	
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C "CAH/OP-Critica "P - Physician "NP - Nurse Prac "MW - Nurse Mic "OPH - Ophthaln "POD - Podiatrist	are/Out Patie I Access/Out cititioner twife nologist	Patient Hospital																
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C. *CAH/OP-Critica *P - Physician *NP - Nurse Prac *MW - Nurse Mic *OPH - Ophthaln *POD - Podiatrist *IDTF - Independ	are/Out Patie I Access/Out cititioner dwife mologist t dent Diagnosi	Patient Hospital																
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C. *CAH/OP-Critica *P - Physician *NP - Nurse Prac *MW - Nurse Mic *OPH - Ophthaln *POD - Podiatrisi *IDTF - Independ *DC - Dialysis Cc	are/Out Patie I Access/Out citioner dwife t lent Diagnosi	Patient Hospital																
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C. *CAH/OP-Critica *P - Physician *NP - Nurse Prac *MW - Nurse Mic *OPH - Ophthaln *POD - Podiatrist *IDTF - Independ	are/Out Patie I Access/Out citioner dwife t lent Diagnosi	Patient Hospital																
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C *CAH/OP-Critica *P - Physician *NP - Nurse Prac *MW - Nurse Mic *OPH - Ophthaln *POD - Podiatrist *IDTF - Indepenc *DC - Dialysis Ce *HI - Home Infus	are/Out Patie I Access/Out stitioner dwife hologist t dent Diagnosi enters	Patient Hospital																
hyaluronidase- nvhy, 600 mg- "AC/OP-Acute C. "CAH/OP-Critica "P - Physician "NP - Nurse Prac "MW - Nurse Mic "OPH - Ophthaln "POD - Podiatrisi "IDTF - Independ "DC - Dialysis Ce	are/Out Patie I Access/Out stitioner dwife hologist t dent Diagnosi enters	Patient Hospital																
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C *CAH/OP-Critica *P - Physician *NP - Nurse Prac *MW - Nurse Mic *OPH - Ophthaln *POD - Podiatrist *IDTF - Indepenc *DC - Dialysis Ce *HI - Home Infus	are/Out Patie I Access/Out stitioner dwife hologist t dent Diagnosi enters	Patient Hospital																
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C *CAH/OP-Critica *P - Physician *NP - Nurse Prac *MW - Nurse Mic *OPH - Ophthaln *POD - Podiatrist *IDTF - Indepenc *DC - Dialysis Ce *HI - Home Infus	are/Out Patie I Access/Out stitioner dwife hologist t dent Diagnosi enters	Patient Hospital																
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C *CAH/OP-Critica *P - Physician *NP - Nurse Prac *MW - Nurse Mic *OPH - Ophthaln *POD - Podiatrist *IDTF - Indepenc *DC - Dialysis Ce *HI - Home Infus	are/Out Patie I Access/Out stitioner dwife hologist t dent Diagnosi enters	Patient Hospital																
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C *CAH/OP-Critica *P - Physician *NP - Nurse Prac *MW - Nurse Mic *OPH - Ophthaln *POD - Podiatrist *IDTF - Indepenc *DC - Dialysis Ce *HI - Home Infus	are/Out Patie I Access/Out stitioner dwife hologist t dent Diagnosi enters	Patient Hospital																
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C *CAH/OP-Critica *P - Physician *NP - Nurse Prac *MW - Nurse Mic *OPH - Ophthaln *POD - Podiatrist *IDTF - Indepenc *DC - Dialysis Ce *HI - Home Infus	are/Out Patie I Access/Out stitioner dwife hologist t dent Diagnosi enters	Patient Hospital																
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C -CAH/OP-Critica "P - Physician "NP - Nurse Prac "MW - Nurse Mic "OPH - Ophthaln "POD - Podiatrist "IDTF - Indepenc "DC - Dialysis Ce "HI - Home Infus	are/Out Patie I Access/Out stitioner dwife hologist t dent Diagnosi enters	Patient Hospital																
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C -CAH/OP-Critica "P - Physician "NP - Nurse Prac "MW - Nurse Mic "OPH - Ophthaln "POD - Podiatrist "IDTF - Indepenc "DC - Dialysis Ce "HI - Home Infus	are/Out Patie I Access/Out stitioner dwife hologist t dent Diagnosi enters	Patient Hospital																
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C -CAH/OP-Critica "P - Physician "NP - Nurse Prac "MW - Nurse Mic "OPH - Ophthaln "POD - Podiatrist "IDTF - Indepenc "DC - Dialysis Ce "HI - Home Infus	are/Out Patie I Access/Out stitioner dwife hologist t dent Diagnosi enters	Patient Hospital																
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C -CAH/OP-Critica "P - Physician "NP - Nurse Prac "MW - Nurse Mic "OPH - Ophthaln "POD - Podiatrist "IDTF - Indepenc "DC - Dialysis Ce "HI - Home Infus	are/Out Patie I Access/Out stitioner dwife hologist t dent Diagnosi enters	Patient Hospital																
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C -CAH/OP-Critica "P - Physician "NP - Nurse Prac "MW - Nurse Mic "OPH - Ophthaln "POD - Podiatrist "IDTF - Indepenc "DC - Dialysis Ce "HI - Home Infus	are/Out Patie I Access/Out stitioner dwife hologist t dent Diagnosi enters	Patient Hospital																
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C -CAH/OP-Critica "P - Physician "NP - Nurse Prac "MW - Nurse Mic "OPH - Ophthaln "POD - Podiatrist "IDTF - Indepenc "DC - Dialysis Ce "HI - Home Infus	are/Out Patie I Access/Out stitioner dwife hologist t dent Diagnosi enters	Patient Hospital																
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C -CAH/OP-Critica "P - Physician "NP - Nurse Prac "MW - Nurse Mic "OPH - Ophthaln "POD - Podiatrist "IDTF - Indepenc "DC - Dialysis Ce "HI - Home Infus	are/Out Patie I Access/Out stitioner dwife hologist t dent Diagnosi enters	Patient Hospital																
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C -CAH/OP-Critica "P - Physician "NP - Nurse Prac "MW - Nurse Mic "OPH - Ophthaln "POD - Podiatrist "IDTF - Indepenc "DC - Dialysis Ce "HI - Home Infus	are/Out Patie I Access/Out stitioner dwife hologist t dent Diagnosi enters	Patient Hospital																
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C -CAH/OP-Critica "P - Physician "NP - Nurse Prac "MW - Nurse Mic "OPH - Ophthaln "POD - Podiatrist "IDTF - Indepenc "DC - Dialysis Ce "HI - Home Infus	are/Out Patie I Access/Out stitioner dwife hologist t dent Diagnosi enters	Patient Hospital																
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C -CAH/OP-Critica "P - Physician "NP - Nurse Prac "MW - Nurse Mic "OPH - Ophthaln "POD - Podiatrist "IDTF - Indepenc "DC - Dialysis Ce "HI - Home Infus	are/Out Patie I Access/Out stitioner dwife hologist t dent Diagnosi enters	Patient Hospital																
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C -CAH/OP-Critica "P - Physician "NP - Nurse Prac "MW - Nurse Mic "OPH - Ophthaln "POD - Podiatrist "IDTF - Indepenc "DC - Dialysis Ce "HI - Home Infus	are/Out Patie I Access/Out stitioner dwife hologist t dent Diagnosi enters	Patient Hospital																
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C -CAH/OP-Critica "P - Physician "NP - Nurse Prac "MW - Nurse Mic "OPH - Ophthaln "POD - Podiatrist "IDTF - Indepenc "DC - Dialysis Ce "HI - Home Infus	are/Out Patie I Access/Out stitioner dwife hologist t dent Diagnosi enters	Patient Hospital																
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C -CAH/OP-Critica "P - Physician "NP - Nurse Prac "MW - Nurse Mic "OPH - Ophthaln "POD - Podiatrist "IDTF - Indepenc "DC - Dialysis Ce "HI - Home Infus	are/Out Patie I Access/Out stitioner dwife hologist t dent Diagnosi enters	Patient Hospital																
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C -CAH/OP-Critica "P - Physician "NP - Nurse Prac "MW - Nurse Mic "OPH - Ophthaln "POD - Podiatrist "IDTF - Indepenc "DC - Dialysis Ce "HI - Home Infus	are/Out Patie I Access/Out stitioner dwife hologist t dent Diagnosi enters	Patient Hospital																
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C -CAH/OP-Critica "P - Physician "NP - Nurse Prac "MW - Nurse Mic "OPH - Ophthaln "POD - Podiatrist "IDTF - Indepenc "DC - Dialysis Ce "HI - Home Infus	are/Out Patie I Access/Out stitioner dwife hologist t dent Diagnosi enters	Patient Hospital																
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C *CAH/OP-Critica *P - Physician *NP - Nurse Piac *MW - Nurse Mic *OPH - Ophthaln *POD - Podiatrist *IDTF - Indepenc *DC - Dialysis Ce *MI - Home Infus	are/Out Patie I Access/Out stitioner dwife hologist t dent Diagnosi enters	Patient Hospital																
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C -CAH/OP-Critica "P - Physician "NP - Nurse Prac "MW - Nurse Mic "OPH - Ophthaln "POD - Podiatrist "IDTF - Indepenc "DC - Dialysis Ce "HI - Home Infus	are/Out Patie I Access/Out stitioner dwife hologist t dent Diagnosi enters	Patient Hospital																
hyaluronidase- nvhy, 600 mg- *AC/OP-Acute C *CAH/OP-Critica *P - Physician *NP - Nurse Prac *MW - Nurse Mic *OPH - Ophthaln *POD - Podiatrist *IDTF - Indepenc *DC - Dialysis Ce *HI - Home Infus	are/Out Patie I Access/Out stitioner dwife hologist t dent Diagnosi enters	Patient Hospital																

					, ,						_								
1					<u> </u>														
+		t			+			-		1	1	1					- t	- +	
				_															
				_															
			_	_	_														
				_	_														
				_	\perp														
			-								+								
				_	\perp														
+	- t	t	-	-	+		— +	\rightarrow	-	1	1	1					- +	- +	
			-+	-	+	\vdash	-	+	-+		-	 					-		
												1							
T			- 1	- 1	1 7			- I - T	1			1						T	
	1											1							
+				-	+		\vdash	++			+							-+	
					\perp						1	1							
			- 1									1						ı	
		İ			\Box														
			-+	_	+		-	++		+	+	1					+		
					\vdash		oxdot	\perp		1	1	1							
			I		┸		LL I		l	<u> </u>		L							
	j																		
			-	-	+		— +	+		1	-	 							
			_		\perp			\rightarrow				L							
-											1								
				_															
			-		\vdash														
			-	-	+		_			 	+								
				_															
			-	_					_										
				_	-		_												
					_		_												
	T		1	- 1 -	1 T			_ I _ [1			1		1 7			T	Г	
												1							
			-+	_	+		+	+		1	1	l					+		
			_		\perp			\perp				L							
I					<u> </u>					<u> </u>		L							
					+			\rightarrow		1	1	1							
			-+	-	+		+	+	-+	+	+	1		_			-+	+	
					\perp			-											
			1																
					\Box														
-	+	+	-	-	+			\rightarrow	-	1	1	1					+	-+	
					+		\vdash	\rightarrow											
									\neg										
-	-		-	-	\vdash				-	1	1	1					- +	- +	
		ļ	-+	-	\vdash	\vdash	\vdash	\rightarrow			1	l							
												1							
	1				1 1						1	1					1		
			-+	-	+	\vdash	\vdash	+			1	 					-		
1			- 1	- 1	1 7			- I - T	1			1						Т	
												1					-		
				-	+			+			-	1					-		
T					\perp			\rightarrow		1									
			- 1									1						ı	
			-	_	_		-	+			+	 		_			+		
									- 1	1	1	1	1 1	1	1				
					\perp			\rightarrow											
			-	+	+														

				_	, ,						_								
1					I														
+		t t			+			-		1	1	1					- t	- +	
				_															
				_															
			_	_	_														
				_	_														
				_	\perp														
			-								+								
				_	\perp														
+	- t	t	-	-	+		— +	\rightarrow	-	1	1	1					- +	- +	
			-+	-	+	\vdash	-	+	-+		-	 					-		
												1							
T			- 1	- 1	1 7			- I - T	1			1						T	
	1											1							
+				-	+		\vdash	++			+							-+	
					\perp						1	1							
			- 1									1						ı	
		İ			\Box														
			-+	_	+		-	++		+	+	1					+		
					\vdash		oxdot	\perp		1	1	1							
			I		┸		LL I		l	<u> </u>		L							
	j																		
			-	-	+		-	+		1	-	 							
			_		\perp			\rightarrow				L							
-											1								
				_															
			-		\vdash														
			-	-	+		_			 	+								
				_															
			-	_					_										
				_	-		_												
					_		_												
	T		1	- 1 -	1 T			_ I _ [1			1		1 7			T	Г	
												1							
			-+	_	+		+	+		1	1	l					+		
			_		\perp			\perp				L							
I					<u> </u>					<u> </u>		L							
					+			\rightarrow		1	1	1							
			-+	-	+		\vdash	+	-+	+	+	1		_			-+	+	
					\perp			-											
			1																
					\Box														
-	+	+	-	-	+			\rightarrow	-	1	1	1					+	-+	
					+		\vdash	\rightarrow											
									\neg										
-	-		-	-	\vdash				-	1	1	1					- +	- +	
		ļ	-+	-	\vdash	\vdash	\vdash	\rightarrow			1	l							
												1							
	1										1	1					1		
			-+	-	+	\vdash	\vdash	+			1	 					-		
1			- 1	- 1	1 7			- I - T	1			1						Т	
												1					-		
				-	+			+			-	1					-		
T					\perp			\rightarrow		1									
			- 1									1						ı	
			-	_	_		-	+			+	 		_			+		
									- 1	1	1	1	1 1	1	1				
					\perp			\rightarrow											
			-	+	+														

				_	, ,						_								
1					<u> </u>														
+		t t			+			-		1	1	1					- t	- +	
				_															
				_															
			_	_	_														
				_	_														
				_	\perp														
			-								+								
				_	\perp														
+	- t	t	-	-	+		— +	\rightarrow	-	1	1	1					- +	- +	
			-+	-	+	\vdash	-	+	-+		-	 					-		
												1							
T			- 1	- 1	1 7			- I - T	1			1						T	
	1											1							
+				-	+		\vdash	++			+							-+	
					\perp						1	1							
			- 1									1						ı	
		İ			\Box														
+			-+	_	+		-	++		+	+	1					+		
					\vdash		oxdot	\perp		1	1	1							
			I		┸		LL I		l	<u> </u>		L							
	j																		
			-	-	+		-	+		1	-	 							
			_		\perp			\rightarrow				L							
-											1								
				_															
			-		\vdash														
			-	-	+		_			 	+								
				_															
			-	_					_										
				_	-		_												
					_		_												
	T		1	- 1 -	1 T			_ I _ [1			1		1 7			T	Г	
												1							
			-+	_	+		+	+		1	1	l					+		
			_		\perp			\perp				L							
I					<u> </u>					<u> </u>		L							
					+			\rightarrow		1	1	1							
			-+	-	+		+	+	-+	+	+	1		_			-+	+	
					\perp			-											
			1																
					\Box														
-	+	+	-	-	+			\rightarrow	-	1	1	1					+	-+	
					+		\vdash	\rightarrow											
									\neg										
-	-		-	-	\vdash				-	1	1	1					- +	- +	
		ļ	-+	-	\vdash	\vdash	\vdash	\rightarrow			1	l							
												1							
	1										1	1					1		
			-+	-	+	\vdash	\vdash	+			1	 					-		
1			- 1	- 1	1 7			- I - T	1			1						Т	
												1					-		
				-	+			+			-	1					-		
T					\perp			\rightarrow		1									
			- 1									1						ı	
			-	_	_		-	+			+	 		_			+		
									- 1	1	1	1	1 1	1	1				
					\perp			\rightarrow											
			-	+	+														

			1	1 1		1 1								1			
										L					 		
	1			+	-+										- t		
								_									
				\neg													
			_	+				_									
			_	+	-		_	_									
				\perp													
		-	_	+	-			_	_								
				+				_									
			_	+	_			_									
				+				_									
—— —	- 1		\neg	\neg	\rightarrow			-	_						- +		
				+	\rightarrow	-	\vdash	-+	+	\vdash					-		
ľ					T		Т	1	1 -	1 7						Т	
		- t		\top	-				1								
				+	\rightarrow	-	\vdash		+	\vdash							
1	1								1							J	
	1			$\neg \neg$													
— —	- 1			+++	-+				1	1					+		
				\perp													
				I			I			L l					 		
	1	1															
				+ 1	-+				+								
				\bot													
				1 1					1								
				\perp					_								
<u> </u>																	
				1 1													
		-	_	+	-	-+	_		+	-					-	+	
		1	_	11					1								
-				11													
				+		_			_	_							
				\perp													
1	1	Т	1 -	1 T			Г	1 -		1 7			1 7		T	Т	
- 1				1 1													
	- 1	+		+	-+				1						+		
				\bot													
							I			<u> </u>							
	i			\dashv	- +				1								
				+	-+	-+	+		1	-					-+		
				\perp					-								
				11													
	1			1 1													
—— —		+		+	-+		- +								+	- +	
	_			_ _						\perp							
		- t		+	-	1 1	- +		1						- +	- 1	
			_	+					-	-							
- I			_ f	1 1	t										1		
				+						-					-		
ľ			1	17	T		T	1								Т	
- 1				11	- 1												
				-11		_			+	\vdash					-		
				\bot													
	1		1	1 1			i j										
	1																
									+	 					-		
												1					
				+													

1		1	1 -	1 7		1 7	I I					1 7	1	1	1 T	Г	٦
								_									
			_	1			-	_									
			_	1			-	_									
							t - t -										
			_	1			-	_									
-						-	-	_	_								
						-											
							t t		-								
			_					_									
							1 [1						I T		
1		t_							1	1		i	İ				
				1		1	+	_	-	1			 	1	 -		
							$oldsymbol{oldsymbol{\sqcup}}$						L				
							1 [1						I T		
									1				1				
H				+-1		1	\vdash	-					1				
								_					1				
		- 1					1 1		1								
									1				1				
H + + + + + + + + + + + + + + + + + + +			-	+		1	\vdash	-	-				 				
								_					1				
																- 1	
+				1		+ -	-		-				1				
							 	_									
							t - t -										
+			-	1	-	+	-	-	+				l		-	-	
			_				-		-1								
													ļ				
				_		-	-	_									
													1				
			_	1 1			 	-					 				
		-+		-		-	+	_		1		-	1		 -		
						1 7	ı T								ı T		
										1			1		1		
H +		-+		1	_	+	+	-	+	-		_	 	—	 -	+	
							\vdash	_									
							L_ I										
 	1	— 		1 -		+	 	-				-	 		 		
						\perp	\vdash	_					ļ				
I																	
 	1	<u> </u>			—	1 -	 			1		 	t				
				\perp		_	\vdash						ļ		-		
I																	
 		— 		1 1		+	 	-1-	-1			1	 		 		
				\perp		\perp	\vdash	_					ļ				
			L														
		-															
						-	 		1 -	t		-	t		 		
						1							ļ	ļ			
						_			1	1		1	1	1			
								-								+	

	\equiv
	+
	1
	1
	+
 	+
	1
	1
	+
	T
	+
	1
	+
	+
	1
	+
	+
	1
	+
	+
	1
	T
 	+
	1
	1
	+
	1
	1
	+
	+
	1
	1
	+
Т	1
	1
	+
	+
	1
	+
	+
	\vdash
	\vdash

1		1	1 -	1 7		1 7	I I					1 7	1	1	1 T	Г	٦
								_									
			_	1			-	_									
			_	1			-	_									
							t - t -										
			_	1			-	_									
-						-	-	_	-								
						-											
							t t		-								
			_					_									
							1 [1						I T		
1		t_							1	1		i	İ				
				1		1	+	_	-	1			 	1	 -		
							$oldsymbol{oldsymbol{\sqcup}}$						L				
							1 [1						I T		
									1				1				
H				+-1		1	\vdash	-					1				
								_					1				
		- 1					1 1		1								
									1				1				
H + + + + + + + + + + + + + + + + + + +				+		1	\vdash	-	-				1				
								_					1				
																- 1	
+				1		+ -	-		-				1				
																	
							t - t -										
+			-	1	-	+	-	-	+				l		-	-	
			_				-										
			_														
													ļ				
				_		-	-	_									
													1				
			_	1 1			1 1	-					 				
		-+		-		-	+	_		1		-	1		 -		
						1 7	ı T								ı T		
										1			1		1		
H +		-+		1	_	+-	++	-	+	-		_	 	—	 -	+	
							\vdash	_									
							L_ I										
 	1	<u> </u>		1 -		+	 	-1-				-	 		 		
						\perp	\vdash	_					ļ				
L																	
 	1	<u> </u>			—	1 -	 			1		 	t				
				\perp			\vdash						ļ		-		
I																	
 		— 		1 1		+	 	-1-	-1			1	 		 		
				\perp		\perp	\vdash	_					ļ				
			L														
		-															
						-	 		1 -	t		-	t		 		
						1							ļ	ļ			
						_			1	1		1	1	1			
								-								+	

1		1	1 -	1 7		1 7	I I					1 7	1	1	1 T	Г	٦
								_									
			_	1			-	_									
			_	1			-	_									
							t - t -										
			_	1			-	_									
-						-	-	_	_								
						-											
							t t		-								
			_					_									
							1 [1						I T		
1		t_							1	1		i	İ				
				1		1	+	_	-	1			 	1	 -		
							$oldsymbol{oldsymbol{\sqcup}}$						L				
							1 [1						I T		
									1				1				
H				+-1		1	\vdash	-					1				
								_					1				
		- 1					1 1		1								
									1				1				
H + + + + + + + + + + + + + + + + + + +			-	+		1	\vdash	-	-				1				
								_					1				
																- 1	
+			_	1		+ -	-		-				1				
								_									
							t - t -										
+			-	1	-	+	-	-	+				l		-	-	
			_				-		-1								
			_														
													ļ				
				_		-	-	_									
													1				
			_	1 1			 	-					 				
		-+		-		-	+	_		1		-	1		 -		
						1 7	ı T								ı T		
										1			1		1		
H +		-+		1	_	+-	+	-	+	-		_	 	—	 -		
							\vdash	_									
							L_ I										
 	1			1 - 1		+	 	-1-				-	 		 		
						\perp	\vdash	_					ļ				
I																	
 	1				—	1 -	 			1		 	t				
				\perp		_	\vdash						ļ		-		
I																	
 		— 		1 1		+	 	-1-	-1			1	 		 		
				\perp		\perp	\vdash	_					ļ				
			L														
		-															
						-	 		1 -	t		-	t		 		
						1							ļ	ļ			
						_			1	1		1	1	1			
								-								+	

+	-
+	
	<u> </u>
+	
+	-
\longrightarrow	
+	
- 1	
+	
\longrightarrow	
1	
+	
1	
+	
$\overline{}$	
+	
-	
+	
\longrightarrow	
-	
+	
1	
-	
	\longrightarrow
-	
+	-
T	
+	
+	
	<u> </u>
	-+-+-

+	-
+	
	<u> </u>
+	
+	-
\longrightarrow	
+	
- 1	
+	
\longrightarrow	
1	
+	
1	
+	
$\overline{}$	
+	
-	
+	
\longrightarrow	
-	
+	
1	
-	
	\longrightarrow
-	
+	-
T	
+	
+	
	<u> </u>
	-+-+-

				_	-														
				1	1 1		1 1												
					1 1		+ +			-									
				_	1				_										
			_		1 1		-			-									
					1 1														
					1 1														
					1 1														
	-				1 1		-	_	_	1									
					1 1		_	_	+	1									
					1 1														
					1 1														
	-		-	+	+ +	-	+ +	-+	+	1							+		
					1 1		1 1	1_		1									
l					1 7		1 1			1 7									
				-1-	1 1		1 1	t_	1	1 1							1		
			_	+	+		+ +	-+	+	\vdash									
				L	<u> </u>		<u></u>	L		L I		 							
	+	t		-1-	1 1		+ + +		+	1 1			 			- 1	+	1	
					\vdash		1			\sqcup									
l				- 1	1 1		1 1		1	1 1									
- 1							1 1												-
					+		+ +		1	1									
I					I - I														
		 		-1-	1 1		1 1		+	 									
					-		+			1									
				- 1	1 1	1	1 1		1	1 1				l				l	
		t t			1 1			- 1						İ				1	
				-1-	+ + +		+ +		+	 									
1			1 -	- 1	1 7		1 T	1		1 T					,			Т	
	- 1			-1-	1 1		1 1		1	1 1						-		- 1	
					1 1		1			.									
				L	<u> </u>		<u></u>	L		L I		 							
					1 1		1	_											
			_		1 1		-		_	-									
1			1 -	- 1	1 7		1 T	1		1 T					,			Т	
					+		1 1		1	1 1			 				- +		
					1		1			1									
	-		_		1 - 1	-	+ +	-	1 -	1 1			 			-	+		
					1		1 1		1	1									
l				- 1	1 1		1 1	- 1	1	1 1									
	1	İ			1 1		1 1		1	1 1								1	
+					1 1		1 1		+	1 1			-				+		
					لــــــا		لــــــــــــــــــــــــــــــــــــــ	L		لـــــــا								I	
		t			+		1 1		1	1 1			 						
					1		1			1									
l				- 1	1 1		1 1	- 1	1	1 1									
- I	1	1			\Box		1 1			1 1									
+					1 - 1		1 1		+	1 1			-						
			L_				السلا	L		L									
											-								
	-		_		1 1		1 1	-	1 -	1 1				-			-		
					1 1		+												
l				- 1	1 1		1 1	- 1	1	1 1									
- 1							1 1												
				+	+	_	+ + +		+	\vdash			- 						
I					I - I														
	-			-1-	1 1		1 1		1 -	1									
					1		+			1									
l				- 1	1 1		1 1	- 1	1	1 1									
- 1	1			1	1 1		1 1												-
					+		+ +		_	1									
					I - I														
					1 1								1					- 1	