HCPCS/Drug Code List Version 14.6 Revised 11/27/23 List will be updated routinely

Disclaimer: For drug codes that require an NDC, coverage depends on the drug NDC status (rebate eligible, Non-DESI, non-termed, etc) on the date of service.

Note: Physician/Facility-administered medications are reimbursed using the Centers for Medicare and Medicaid Services (CMS) Part B Drug pricing file found on the CMS website--www.cms.gov.

In the absence of a fee, pricing may reflect the methodology used for retail pharmacies.

Go to data.medicaid.gov for a complete list of drug NDCs participating in the Medicaid drug rebate program.

Consult with each Managed Care Organization (MCO) about their coverage guidelines and prior authroization requirements, if applicable,

Highlights represent updated material for each specific revision of the Drug Code List. NP MW MH HS PO OPH Code Description **Brand Name** NDC NDC unit Category Service AC CAH HI IDT DC Special Instructions Limits OP OP F req. of measure for drug rebate ? Antisera 90281 human ig, im Gamastan Yes MI NONE X X X Х losed 3/31/13. 90283 human ig, iv Gamimune, Yes ML Antisera NONE closed 3/31/13. Cost invoice required with claim. Restricted to ICD-9 diagnoses codes 204.10 - 204.12, Flebogamma 279.02, 279.04, 279.06, 279.12, 287.31, and 446.1, and must be included on claim form, effective 10/1/09. 90287 botulinum antitoxin N/A Antisera equires documentation and medical review ML NONE 90288 botulism ig, iv No X X X Cytogam ML Antisera NONE ХХ losed 3/31/13. 90291 cmv ig, iv Yes 90296 diphtheria antitoxin Nο MI NONE Х X X X 90371 hep b ig, im Bayhep B, Yes ML Antisera NONE Х Х Closed 3/31/13. Hyperhep B. Nabi-HB 90375 rabies ig, im/sc HyperRab Yes ML Antisera NONE ХХ 90376 rabies ig, heat treated Imogam Yes ML Antisera NONE Χ XX Χ 90377 Rabies immune globulin Effective 1/1/21. heat- and solvent/detergenttreated (RIg-HT S/D), human, for intramuscular Antisera NONE 90378 Respiratory syncytial Synagis Yes ML Pends for manual review. Requires prior authorization from Rational Drug Therapy Program (RDTP), at 1-800virus immune globulin(RSV-IgIM), for intramuscular use, 50 ma each 90379 Respiratory syncytial Respigam Yes ML Antisera NONE X X X Closed. virus immune globulin(RSV-IgIV), human, for intravenous 90384 Rho(D) immune globulin Gamulin RH Yes EA=UN mmune globulin NONE Code closed 3/31/13. See J2790 after this date Х Χ X (Rhlg), human, full-dose SOL=ML 300 mcg., intramuscular 90385 Rho(D) immune globulin SOL=ML mmune globulin NONE BayRho-D Yes Χ code closed 3/31/13. See J2788 after this date. (Rhlg), human, mini-MicrhoGam EA=UN dose, 50 mcg., Hyprho-D intramuscular use 90386 Rho(D) immune globulin BAYrho-D EA=UN mmune globulin NONE Х Closed 3/31/13. (RhlgIV), human, Winrho SDF SOL=ML intravenous use 90393 vaccina ig, im NONE

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	РО	ОРН	Н	I IDT	DC	Special Instructions
	·		req. for drug rebate ?	of measure		Limits	OP	OP									F		
90396	varicella-zoster ig, im	Varicella-	Yes	ML	Antisera	NONE	Х	Х	Х	Х									
90399	immune globulin	Zoster Gammagard Polygam	Yes	ML	Antisera	NONE	Х	Х	Х	Х									Requires documentation and medical review
	•	1 Olygani			Radiopharm	naceutical	s												
A4216	Sterile water, saline and/or dextrose, diluent/flush, 10 ml	Multiple products	Yes	See product code	-														Covered under Chapter 506, DME & Supplies of the Medicaid Manual
A4217	Sterile water/saline, 500 ml	Multiple products	Yes	See product code															Covered under Chapter 506, DME & Supplies of the Medicaid Manual
A4641	Radiopharmaceutical, diagnostic, not otherwise classified																		Not Covered
	In111 satumomab INDIUM IN-111 SATUMOMAB PENDETIDE, DIAGNOSTIC, PER STUDY DOSE, UP TO 6 MILLICURIES		No		Diagnostic agent Radio- pharmaceutical		Х	Х	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9500	Tc99m sestamibi TECHNETIUM TC-99M SESTAMIBI, DIAGNOSTIC, PER		No		Diagnostic agent Radio-		Х	Х	Х								Х		
A9501	Technetium TC-99M Teboroxime, Diagnostic, per Study Dose		No		Diagnostic agent Radio- pharmaceutical		х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
A9502	Tc99m tetrofosmin TECHNETIUM TC-99M TETROFOSMIN, DIAGNOSTIC, PER STUDY DOSE		No		Diagnostic agent Radio-		Х	Х	Х								Х		
	TITITY HOSE TC99m medronate TECHNETIUM TC-99M MEDRONATE, DIAGNOSTIC, PER STUDY DOSE, UP TO		No		Diagnostic agent Radio- pharmaceutical		Х	Х	Х								Х		
A9504	Tc99m apoitide TECHNETIUM TC-99M APCITIDE, DIAGNOSTIC, PER STUDY DOSE, UP TO		No		Diagnostic agent Radio- pharmaceutical		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed

Code	Description	Brand Name	NDC req. for drug rebate	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	нѕ	PO	ОРН	НІ	IDT F	C Special Instructions
			?															
	TL201 thallium THALLIUM TL-201 THALLOUS CHLORIDE, DIAGNOSTIC, PER		No		Diagnostic agent Radio-		X	Х	X								X	
	In111 capromab	Prostascint	No	nh	Diagnostic		Х	Х	Χ								Х	Paper Claim. Send copy of the invoice which includes the NDC billed
	INDIUM IN-111 CAPROMAB PENDETIDE, DIAGNOSTIC, PER STUDY DOSE, UP TO	Kit		ph	agent Radio- armaceutical													
	I131 iodobenguate, dx IODINE I-131 IOBENGUANE SULFATE, DIAGNOSTIC, PER 0.5		No		Diagnostic agent Radio- armaceutical		Х	Х	Х								Х	Paper Claim. Send copy of the invoice which includes the NDC billed
	MILLICLBIE IODINE I-123 Sodium IOdide, Diagnostic, Per Millicurie		No		Diagnostic agent Radio- armaceutical		Х	X	Х								Х	Paper Claim. Send copy of the invoice which includes the NDC billed
	Tc99m disofenin TECHNETIUM TC-99M DISOFENIN, DIAGNOSTIC, PER STUDY DOSE, UP TO		No		Diagnostic agent Radio- armaceutical		Х	X	Х								Х	Paper Claim. Send copy of the invoice which includes the NDC billed
A9512	TC99m pertechnetate TECHNETIUM TC-99M PERTECHNETATE, DIAGNOSTIC, PER		No		Diagnostic agent Radio- armaceutical		Х	X	Х								X	Paper Claim. Send copy of the invoice which includes the NDC billed
	MILLICURIE Choline C-11, diagnostic, per study dose up to 20 mCi		No		Diagnostic agent Radio- armaceutical		Х	Х	Х								Х	No special instructions
	I123 iodide cap, dx IODINE I-123 SODIUM IODIDE CAPSULE(S), DIAGNOSTIC, PER 100		No		Diagnostic agent Radio-		Х	X	Х								Х	Paper Claim. Send copy of the invoice which includes the NDC billed
A9517	MICROCURIES 1131 iodide cap, rx IODINE I-131 SODIUM IODIDE CAPSULE(S), THERAPEUTIC, PER MULICURIE		No	nh nh	armaceutical Diagnostic agent Radio-		Х	Х	Х								Х	Paper Claim. Send copy of the invoice which includes the NDC billed
A9520	Technetium tc-99m, tilmanocept, diagnostic, up to 0.5 millicuries		No		Diagnostic agent Radio- armaceutical		Х	X	Х								Х	Paper Claim. Send copy of the invoice which includes the NDC billed

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	PΩ	ОРН	н	IDT	DC	Special Instructions
Oouc	Description	Diana Name	req.	of	Cutegory	Limits	OP	OP	•					. •	0		F		opeola madactions
			for	measure															
			drug																
			rebate ?																
A9521	Tc99m exametazime		No		Diagnostic agent		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	TECHNETIUM TC-99M				25														
	EXAMETAZIME,				Radio-														
	DIAGNOSTIC, PER STUDY DOSE, UP TO				pharmaceutical														
	25 MILLICURIES																		
A9524	I131 serum albumin, dx		No		Diagnostic		Х	Х	Х				1		1		Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	IODINE I-131				agent														
	IODINATED SERUM				D. die														
	ALBUMIN, DIAGNOSTIC, PER 5				Radio- pharmaceutical														
	MICPOCLIPIES		Na				V	V	V		-							<u> </u>	Describing Conditions of the invoice which includes the NDC billed
A9526	Nitrogen N-13 ammonia NITROGEN N-13		No		Diagnostic agent		Х	Х	X								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	AMMONIA,				agoni														
	DIAGNOSTIC, PER				Radio-														
	STUDY DOSE, UP TO				pharmaceutical														
A9527	lodine I-125 sodium		No		Diagnostic		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	iodide IODINE I-125, SODIUM				agent														
	IODIDE SOLUTION,				Radio-														
	THERAPEUTIC, PER				pharmaceutical														
A9528	Iodine I-131 iodide cap,		No		Diagnostic		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	dx				agent														
	IODINE I-131 SODIUM IODIDE CAPSULE(S),				Radio-														
	DIAGNOSTIC, PER				pharmaceutical														
Δ0520	I131 iodide sol, dx		No		Diagnostic		Х	Х	Х								X		Paper Claim. Send copy of the invoice which includes the NDC billed
710020	IODINE I-131 SODIUM		140		agent			^	^								^		Taper Stairt. Soria Sopy of the invoice which includes the NES billed
	IODIDE SOLUTION,																		
	DIAGNOSTIC, PER				Radio-														
A9530	I131 iodide sol, rx		No		Diagnostic		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
Ī	IODINE I-131 SODIUM IODIDE SOLUTION,				agent														
	THERAPEUTIC, PER				Radio-														
A0E24	MILLICURIE I131 max 100uCi		No		nharmaceutical		Х	Х					1				X	<u> </u>	Penar Claim Sand capy of the invaine which includes the NIDC hilled
M9031	IODINE I-131 SODIUM		No		Diagnostic agent		^	^	^								^		Paper Claim. Send copy of the invoice which includes the NDC billed
	IODIDE, DIAGNOSTIC,																		
	PER MICROCURIE (UP				Radio-														
A9532	I125 serum albumin, dx		No		Diagnostic		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	IODINE I-125 SERUM				agent														
	ALBUMIN, DIAGNOSTIC, PER 5				Radio-														
	MICROCURIES				nharmaceutical						<u> </u>							<u> </u>	
A9535	Injection, methylene blue INJECTION,	Methylene Blue			Diagnostic		Х	Х	Х								Х		Closed 1/1/10. CodeTermed
	METHYLENE BLUE, 1	Diue			agent														
	ML				Radio-														
		l	I		nharmaceutical						<u> </u>		1	1	1				

0.4	December 11 and	D 1 N	NDO	NDO!		0	••	0411	_	ND	2014		110	В0	0011		IDT	l no	Non-viel trategy in a
Code	Description	Brand Name	NDC req.	NDC unit Co	ategory	Service Limits	AC OP	CAH OP	Р	NP	MW	IVIH	нз	100	ОРН	HI	F		Special Instructions
			for	measure		Lilling	٥.	٥.									1.		
			drug																
			rebate																
			?																
A9536	Tc99m depreotide		No	Di	iagnostic		Х	Χ	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	TECHNETIUM TC-99M				agent														
	DEPREOTIDE,																		
	DIAGNOSTIC, PER				Radio-														
	STUDY DOSE, UP TO			phar	rmaceutical														
A9537	Tc99m mebrofenin		No	Di	iagnostic		Х	Χ	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	TECHNETIUM TC-99M				agent														
	MEBROFENIN,																		
	DIAGNOSTIC, PER				Radio-														
	STUDY DOSE, UP TO			phar	rmaceutical														
A9538	Tc99m pyrophosphate		No	Di	iagnostic		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	TECHNETIUM TC-99M		l		agent														
	PYROPHOSPHATE,		l																
	DIAGNOSTIC, PER				Radio-														
	STUDY DOSE, UP TO			phar	rmaceutical														
A9539	Tc99m pentetate	CA-DTPA	No	Di	iagnostic		Х	Χ	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	TECHNETIUM TC-99M	ZN-DTPA			agent														
	PENTETATE,																		
	DIAGNOSTIC, PER				Radio-														
	STUDY DOSE, UP TO			phar	rmaceutical														
A9540	Tc99m MAA		No	Di	iagnostic		Χ	Χ	Х								Х		
	TECHNETIUM TC-99M				agent														
	MACROAGGREGATED																		
	ALBUMIN,				Radio-														
	DIAGNOSTIC, PER STUDY DOSE, UP TO			phar	rmaceutical														
	10 MILLICURIES																		
	Tc99m sulfur colloid	Sulfer Powder	No	Di	iagnostic		Х	Х	Х								Х		
	TECHNETIUM TC-99M	Colloidal	140		agent		^	^	^										
	SULFUR COLLOID,	Concidar			agont														
	DIAGNOSTIC, PER				Radio-														
	STUDY DOSE, UP TO			phar	rmaceutical														
A9542	In111 ibritumomab, dx	Zevalin	No	Di	iagnostic		Х	Х	Х				 			1	X	1	
	INDIUM IN-111				agent		'`		``					l			``	1	
	IBRITUMOMAB				-														
	TIUXETAN,				Radio-									l				1	
	DIAGNOSTIC, PER			phar	rmaceutical														
1	STUDY DOSE, UP TO 5																	1	
	Y90 ibritumomab, rx		No	Di	iagnostic		Х	Χ	Х								Х		
	YTTRIUM Y-90		l		agent														
	IBRITUMOMAB		l																
	TIUXETAN,				Radio-									l				1	
	THERAPEUTIC, PER TREATMENT DOSE.			phar	rmaceutical														
	LID TO 40 MILLICLIDIES																		
	I131 tositumomab, dx	Bexxar			iagnostic		Х	Χ	Х								Х		Closed.
	IODINE I-131				agent														
	TOSITUMOMAB, DIAGNOSTIC, PER				Radio-									l				1	
	STUDY DOSE			nhar	rmaceutical												L		
				. Lonar									•		•	•	_	•	

0 - 1 -	D d. d	Daniel Manage	NDO	NDO'i O-1		1 40			L			1110		Lopu		lint	15/	O control line to control
Code	Description	Brand Name	NDC	NDC unit Catego					NF	MW	MH	HS	10	OPH	HI			C Special Instructions
			req.	of	Limits	OF	OF	'∣								F		
			for	measure														
			drug															
			rebate															
			?															
										_	<u> </u>	_	<u> </u>			4	-	
	I131 tositumomab, rx	Bexxar		Diagno		Х	X	Х								Х		Closed.
	IODINE I-131			agen														
	TOSITUMOMAB,																	
	THERAPEUTIC, PER			Radio														
	TREATMENT DOSE			pharmace	ıtical													
A9546	Co57/58	Various	No	Diagno	tic	Х	Х	Х								Х		
	COBALT CO-57/58,	Generic		agen														
	CYANOCOBALAMIN,			- 3														
	DIAGNOSTIC, PER			Radio														
	STUDY DOSE, UP TO 1			pharmace														
	MICROCURIE			priarriace	ilicai													
	In111 oxyquinoline		No	Diagno	tic	Х	Х	Х	1		1		1			Х		
	INDIUM IN-111	1	'''	agen		^	^	^		1	1		1	1		1 ^		
	OXYQUINOLINE.	1		agen		1				1	1		1	1	1			
	DIAGNOSTIC, PER 0.5	1		D #*		1				1	1		1	1	1			
		1		Radio		1				1	1		1	1				
A0549	MILLICURIE In111 pentetate	 	No	Diagno:	tic	Х	Х	Х		+	+-	+	+	+	 	Х	+	
	INDIUM IN-111	1	INU			^	^	^		1	1		1	1		^		
				agen														
	PENTETATE,																	
	DIAGNOSTIC, PER 0.5			Radio														
	MILLICURIE		L	nharmace					_	_	<u> </u>	_	1			٠	4	
	Tc99m gluceptate		No	Diagno		X	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	TECHNETIUM TC-99M			agen														
	SODIUM																	
	GLUCEPTATE,			Radio														
	DIAGNOSTIC, PER			pharmace	utical													
	STUDY DOSE, UP TO			· ·														
	OF MILLICLIDIES																	
	Tc99m succimer	DMSA	No	Diagno		Х	Х	Х								Х		
	TECHNETIUM TC-99M	Powder		agen														
	SUCCIMER,																	
	DIAGNOSTIC, PER			Radio														
	STUDY DOSE, UP TO			pharmace	utical													
	10 MILLICURIES																	
	F18 fdg		No	Diagno	tic	X	Х	X								Х		
	FLUORODEOXYGLUC			agen														
	OSE F-18 FDG,	1				1				1	1		1	1				
	DIAGNOSTIC, PER	1		Radio	.	1					1		1	1	1			
	STUDY DOSE, UP TO	1		pharmace		1				1	1		1	1				
	AE MILLICLIDIES			priamidoc										1				
	Cr51 chromate		No	Diagno	tic	Х	Х	Х								Х	1	
	CHROMIUM CR-51	1		agen		1					1		1	1	1			
	SODIUM CHROMATE,	1				1				1	1		1	1				
	DIAGNOSTIC, PER	1		Radio		1				1	1		1	1				
	STUDY DOSE, UP TO	1		pharmace		1					1		1	1	1			
	250 MICROCURIES			priarriado	atioui													
A9554	I125 iothalamate, dx		No	Diagno	tic	Х	Х	Х								Х		
	IODINE I-125 SODIUM	1		agen		1				1	1		1	1				
	IOTHALAMATE,	1				1					1		1	1	1			
	DIAGNOSTIC, PER	1		Radio		1				1	1		1	1				
	STUDY DOSE, UP TO	1		pharmace		1					1		1	1	1			
	10 MICROCURIES	I		pharmace	aucai	1					1		1	1	1			
A9555	Rb82 rubidium		No	Diagno	tic	Х	Х	Х	1		1	1				Х	Ì	Paper Claim. Send copy of the invoice which includes the NDC billed
	RUBIDIUM RB-82,	1		agen						1	1		1	1				
	DIAGNOSTIC, PER	I		agon		1					1		1	1	1			
	STUDY DOSE, UP TO	I		Radio	.	1					1		1	1	1			
	60 MILLICURIES	1				1								1				
	OU WILLICURIES	1		pharmace	utical	1				1	1		1	1				
		•				_					•			•	•	•	•	

									_		T			1 -	_					
Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	OP	P	NP	MW	M	н нѕ	PO	O OF	PH	HI	F F	DC	Special Instructions
	Ga67 gallium GALLIUM GA-67 CITRATE, DIAGNOSTIC, PER		No		Diagnostic agent Radio-		Х	Х	Х									Х		Paper Claim. Send copy of the invoice which includes the NDC billed
10557	MILLICURIE		NI.		nharmaceutical								_	-	-					
	Tc99m bicisate TECHNETIUM TC-99M BICISATE, DIAGNOSTIC, PER STUDY DOSE, UP TO		No		Diagnostic agent Radio- pharmaceutical		Х	X	X									X		Paper Claim. Send copy of the invoice which includes the NDC billed
	25 MILLICLIBIES Xe133 xenon 10mci XENON XE-133 GAS, DIAGNOSTIC, PER 10 MILLICURIES		No		Diagnostic agent Radio-		Х	Х	X									Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	Co57 cyano COBALT CO-57 CYANOCOBALAMIN, ORAL, DIAGNOSTIC, PER STUDY DOSE, UP				Diagnostic agent Radio- pharmaceutical		Х	Х	Х									Х		Closed
	TC99m labeled rbc TECHNETIUM TC-99M LABELED RED BLOOD CELLS, DIAGNOSTIC, PER STUDY DOSE, UP TO 30 MILLICURIES		No		Diagnostic agent Radio- pharmaceutical		Х	Х	Х									X		
	Tc99m oxidronate TECHNETIUM TC-99M OXIDRONATE, DIAGNOSTIC, PER STUDY DOSE, UP TO		No		Diagnostic agent Radio- pharmaceutical		Х	Х	Х									Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	TC99m mertiatide TECHNETIUM TC-99M MERTIATIDE, DIAGNOSTIC, PER STUDY DOSE, UP TO		No		Diagnostic agent Radio- pharmaceutical		Х	Х	Х									Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	P32 Na phosphate SODIUM PHOSPHATE P-32, THERAPEUTIC, PER MILLICURIE		No		Diagnostic agent Radio-		Х	Х	Х									Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	P32 chromic phosphate CHROMIC PHOSPHATE P-32 SUSPENSION, THERAPEUTIC, PER		No		Diagnostic agent Radio- pharmaceutical		Х	X	Х									Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	MITTIFIE In111 pentetreotide INDIUM IN-111 PENTETREOTIDE, DIAGNOSTIC, PER MILLICLIRIE		No		Diagnostic agent Radio-		X	Х	Х									Х		Closed. Paper Claim. Send copy of the invoice which includes the NDC billed

											T						 		
Code	Description	Brand Name	req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP		NP	MW	МН	HS	PO	OPI	1	F	DC	Special Instructions
	Tc99m fanolesomab TECHNETIUM TC-99M FANOLESOMAB, DIAGNOSTIC, PER STUDY DOSE, UP TO 25 MILLICLIBIES Technetium TC-99m		No		Diagnostic agent Radio- pharmaceutical		Х	Х									X		
A9567	Technetium TC-99m aerosol TECHNETIUM TC-99M PENTETATE, DIAGNOSTIC, AEROSOL, PER STUDY DOSE, UP TO		No		Diagnostic agent Radio- pharmaceutical		X	X	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
A9568	Technetium tc-99m arcitumomab per dose up to 45 millicuries		No		Diagnostic agent Radio-		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
A9569	Technetium TC-99M Exametazime Labeled Autologous White Blood Cells, Diagnostic		No		Diagnostic agent Radio- pharmaceutical		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
A9570	Indium IN-111 Labeled Autulogous White Blood Cells, Diagnostic, Per Study Dose		No		Diagnostic agent Radio- pharmaceutical		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
A9571	Indium IN-111 Labeled Autulogous Platelets, Diagnostic, Per Study Dose		No		Diagnostic agent Radio- pharmaceutical		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
A9572	Indium IN-111 Pentetreotide, Diagnostic, Per Study Dose, up to 6 Millicuries		No		Diagnostic agent Radio- pharmaceutical		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
A9575	Injection, gadoterate meglumine, 0.1ml		No		Contrast agent		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
A9576	Injection, Gadoteridol, (Prohance multipack), per ML		No		Diagnostic agent Radio- pharmaceutical		Х	X	Х								Х		

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Service Limits	AC OP	CAH OP	P	NP	MW	МН	HS	PO	ОРН	Н	I ID	C Special Instructions
	Injection, Gadobenate Dimeglumine (Multihance), Per ML		No	Diagnostic agent Radio- pharmaceutica	1	Х	Х	Х								Х	
	Injection, Gadobenate Dimeglumine (Multihance Multipack), Per ML		No	Diagnostic agent Radio- pharmaceutica	I	Х	Х	Х								X	
	Injection, Gadolinium- Based Magnetic Resonance Contrast Agent, Not Otherwise Classified		No	Diagnostic agent Radio- pharmaceutica	1	X	Х	X								X	
A9581	Injection Gadoxetate Disodium, 1ML		No	Diagnostic agent Radio- pharmaceutica	ı	Х	Х	Х								Х	
	lodine I-123 lobenguane, diagnostic, per study dose, up to 15 Millicuries		No	Diagnostic agent Radio- pharmaceutica	1	Х	Х	Х								X	Paper Claim. Send copy of the invoice which includes the NDC billed.
A9583	Injection Gadofosvese T Trisodium, 1 ML		No	Diagnostic agent Radio- pharmaceutica	ı	Х	Х	Х								х	
A9584	lodine I-123 loflupane, diagnostic, per study dose, up to 5 Millicuries		No	Diagnostic agent Radio- pharmaceutica	1	Х	х	Х								X	Paper Claim. Send copy of the invoice which includes the NDC billed.
A9585	Injection, gadobutrol, 0.1 ml.		No	Contrast agent		X	Х	Х								Х	Paper Claim. Send copy of the invoice which includes the NDC billed.
A9586	Florbetapir F18, diagnostic, per study dose, up to 10 mCi		No	Diagnostic agent Radio- pharmaceutica	1	Х	Х	Х								Х	No special instructions

Code	Description	Brand Name	NDC	NDC unit Category	Service	AC	CAH	Р	ND	MW	ML	HS	BO.	ОРН	1 .	n Jib.	.	C Special Instructions
	·	Brand Name	req. for drug rebate ?	of measure	Limits	OP	OP		NP	IVIVV	МП	пэ	PO	OPA		F		C Special Instructions
	Gallium Ga-68, dotatate, diagnostic, 0.1 mCi		No	Diagnostic agent Radio- pharmaceutic	al	X	X	X								X		Packaged service/item; no separate payment made.
	Fluciclovine F-18, diagnostic, 1 mCi		No	Diagnostic agent Radio- pharmaceutic	al	X	X	X								X		Packaged service/item; no separate payment made.
	lodine I-131, iobenguane, 1 mCi		No	Diagnostic agent Radio- pharmaceutic	al	х	Х	Х										Requires a prior authorization from UMC
A9592	Copper cu-64, dotatate, diagnostic, 1 millicurie	Detectnet	No	Diagnostic agent Radio-		Х	Х	Х								Х		Effective 1/1/23.
	Piflufolastat f-18, diagnostic, 1 millicurie		No	Diagnostic agent Radio- pharmaceutic	al	х	х	х								х		No special instructions
	Positron emission tomography radiopharmaceutical, diagnostic, for tumor identification, not otherwise classified		No	Diagnostic agent Radio- pharmaceutio	al	Х	Х	Х								Х		Packaged service/item; no separate payment made.
	Positron emission tomography radiopharmaceutical, diagnostic, for nontumor identification, not otherwise classified		No	Diagnostic agent Radio- pharmaceutic	al	X	Х	Х								X		Packaged service/item; no separate payment made.
	Radiopharmaceutical, diagnostic, for beta- amyloid positron emission tomography (pet) imaging, per study dose.		No	Diagnostic agent Radio- pharmaceutid	al	Х	Х	Х								X		Paper Claim. Send copy of the invoice which includes the NDC billed.
	Sr89 strontium STRONTIUM SR-89 CHLORIDE, THERAPEUTIC, PER		No	Diagnostic agent Radio-	al	Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed.

Code	Description	Brand Name	NDC req.	NDC unit	Category	Service	AC	CAH	Р	NP	MW	IVIH	HS						
			for drug rebate ?	of measure		Limits	OP	OP						PO	ОРН	Ħ	F	DC	Special Instructions
Le Th tre	samarium SM-153 exidronam, herapeutic, per reatment dose, up to		No		Diagnostic agent Radio-		X	X	X								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
S/ LE TI	im 153 lexidronm I:AMARIUM SM-153- EXIDRONAMM, HERAPEUTIC, PER- 0-MILLICURIES	Quadramet	No		Diagnostic- agent Radio- pharmaceutical		X	X	X								X		Paper Claim.—Send-copy of the invoice which includes the NDC billed Only covered when billed with the following CPT codes on the same claim: 79101.—Closed 12/31/09.—See A9604
di	Radium ra-223 ichloride, therapeutic, er microcurie		No		Radio- pharmaceutical		Х	Х	Х										Requires Prior authorization through the UMC. Paper Claim. Send copy of the invoice which includes the NDC billed
vi	utetium Lu 177 ipivotide tetraxetan, nerapeutic, 1 mCi	Pluvicto	Yes	EA	Anti-neoplastic	None	Х	Х	Х										Effective 10/1/22. Restricted to ICD-10 C61. Minimum age of 16 years.
im ot	lonradioactive contrast maging material, not therwise classified, per tudy																		Not Covered
th	Radiopharmaceutical, nerapeutic, not therwise classified																		Not Covered
of m ec	Contrast Material Supply f injectable contrast naterial for use in chocardiography, per tudy		No		Diagnostic agent Radio- pharmaceutical		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
do	utetium Lu 177, otatate, therapeutic, 1 nCi.	Lutathera	Yes	UN	Genetic therapy	N/A	Х												Effective 1/1/19. Contact Kepro at 800-346-8272 for prior authorization requests.
29003 Pa	alivizumab, per 50 mg	Synagis	N/A		Antisera														Not Covered
C9014 In	njection, cerliponase Ifa, 1 mg.	Brineura	Yes	UN	Enzymatic	None	Х	Х											Closed 12/31/18. See J0567 after this date. Effective 1/1/18. Cost invoice with NDC required. Restricted to ICD-10 E75.4. Minimum age of 3 years.
	njection, triptorelin amoate ER, 3.5 mg.	Triptodur	Yes	UN	Gonadotropin	None	Х	Х						_		_			Closed 12/31/18. See J3316 after this date. Effective 1/1/18. Cost invoice with NDC required. ICD-10 diagnosis restriction of E30.1. Minimum age of 2 years.
	njection, obinutuzumab, 0 mg.	Gazyva	Yes	ML	Antineoplastic	none	Х	Х											Closed 12/31/14. See J9301 after this date. Effective 4/1/14. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 204.10. Minimum age restriciton of 16 years.
	njection, elosulfase alfa, mg.	Vimizim	Yes	ML	Enzymatic	none	Х	Х											Closed 12/31/14. See J1322 after this date. Effective 7/1/14. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 277.5. Minimum age restriction of 5 years.

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	I HS	РО	OP	Н	ні і	DT	DC	Special Instructions
			req. for drug rebate	of measure	,g	Limits	OP	ОР										F		
			?																	
C9024	Injection, liposomal, 1 mg daunorubicin and 2.27 mg cytarabine	Vyxeos	Yes	UN	Antineoplastic	none	Х	Х												Closed 12/31/18. See J9153 after this date. Effective 1/1/18. Cost invoice with NDC required. Restricted to ICD-10 C92.00 - C92.02. Minimum age of 16 years.
C9025	Injection, ramucirumab, 5 mg.	Cyramza	Yes	ML	Antineoplastic	none	Х	Х												Closed 12/31/15. See J9308 after this date. diagnosis codes C16.0 - C16.9, C18.0 - C18.9, C19, C20, C21.0 - C21.2, C21.8, C33, C34.00 - C34.02, C34.12, C34.2, C34.30 - C34.32, or C34.80 - C34.80 - C34.82, C34.12, CD-9 restriction of 153.0 - 154.8 added. Effective 12/12/14, ICD-9 diagnosis restriction of 162.0 - 162.8 added. Effective 10/1/14. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 151.0 - 151.9. Minimum age restriction of 16
C9026	Injection, vedolizumab, 1 mg.	Entyvio	Yes	UN	Anti-Infective	none	X	х												Closed 12/31/15. See J3380 after this date. Effective 10/1/2015 ICD-10 diagnosis codes K50.00, K50.011 - K50.014, K50.018, K50.019, K50.10, K50.111 - K50.114, K50.118, K50.119, K50.80, K50.811 - K50.814, K50.818, K50.819, K50.90, K50.911 - K50.914, K50.918, K50.919, K51.00, K51.011 - K51.014, K51.018, K51.019, K51.20, K51.211 - K51.214, K51.218, K51.219, K51.30, K51.311 - K51.314, K51.318, K51.319, K51.40, K51.411 - K51.414, K51.418, K51.419, K51.50, K51.511 - K51.514, K51.518, K51.519, K51.80, K51.811 - K51.814, K51.818, K51.819, K51.90, K51.911 - K51.914, K51.918 or K51.919 Effective 10/1/14. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 555.0 - 556.9.
C9027	Injection, pembrolizumab, 1 mg	Keytruda	Yes	UN	Antineoplastic	none	X	X												Closed 12/31/15. See J9271 after this date. Effective 10/2/15, new indication of ICD-10 C33, C34.00, C34.01, C34.02, C34.10, C34.11, C34.12, C34.2, C34.30, C34.31, C34.32, C34.80, C34.81, C34.82, C34.90, C34.91, or C34.92 added. Effective 10/1/2015 ICD-10 diagnosis codes C00.5, C43.0, C43.10 - C43.12, C43.20 - C43.22, C43.30, C43.31, C43.39, C43.4, C43.51, C43.59 - C43.62, C43.70 - C43.72, C43.8, C43.9, C44.00 - C44.02, C44.09, C44.101, C44.102, C44.109, C44.111, C44.112, C44.112, C44.122, C44.191, C44.192, C44.199, C44.291, C44.290, C44.201, C44.202, C44.209, C44.211, C44.212, C44.219, C44.222, C44.229, C44.291, C44.291, C44.300, C44.301, C44.311, C44.311, C44.311, C44.312, C44.321, C44.329, C44.390, C44.391, C44.399, C44.401, C44.501, C44.500, C44.501, C44.509 - C44.511, C44.511, C44.511, C44.511, C44.511, C44.511, C44.622, C44.629, C44.629, C44.699, C44.699, C44.690, C44.611, C4
C9028	Injection, inotuzumab ozogamicin, 0.1 mg.	Besponsa	Yes	UN	Antineoplastic	none	Х	Х												Closed 12/31/18. See J9229 after this date. Effective 1/1/18. Cost invoice with NDC required. Restricted to ICD-10 C91.00 - C91.02. Minimum age of 16 years.
C9030	Injection, copanlisib, 1 mg	Aliqopa	Yes	EA	Antineoplastic	60 units daily	Х	Х												Closed 12/31/18. See J9057 after this date. Effective 7/1/18. Cost invoice with NDC required. Restricted to ICD-10 diagnosis of C82.00 - C82.99. Minimum age of 16 years.
C9031	Injection, Lutetium Lu 177, dotatate, therapeutic 1 mCi.	Lutathera	Yes	EA	Radiologic	N/A	Х													Closed 12/31/18. See A9513 after this date. Contact Kepro at 800-346-8272 for prior authorization requests. Effective 7/1/8.
C9032	Injection, voretigene neparvovec-rzyl, 1 billion vector genome	Luxturna	Yes	ML	Genetic therapy	N/A	Х													Closed 12/31/18. See J3398 after this date. Contact Kepro at 800-346-8272 for prior authorization requests. Effective 7/1/8.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	I HS	PO	O	PH	НІ	IDT F	DC	Special Instructions
C9036	Injection, patisiran, 0.1 mg	Onpattro	Yes	ML	Amyloidosis agent	Maximum 300 units	Х	Х												Closed 9/30/19. See J0222 after this date. Effective 1/1/19. Cost invoice with NDC required. Restricted to ICD-10 E85.1. Minimumg age 18 yars.
C9038	Injection, mogamulizumab-kpkc, 1 mg	Poteligeo	Yes	ML	Anti-neoplastic	None	Х	Х												Closed 9/30/19. See J9204 after this date. Effective 1/1/19. Cost invoice with NDC required. Restricted to ICD- 10 C84.01 - C84.09, C84.11 - C84.19. Restricted to ICD-
C9041	Injection, coagulation Factor Xa (recombinant), inactivated, 10 mg	Andexxa	Yes	UN	Anticoagulant reversal agent	None	X	X												Closed 6/30/20. See J7169 after this date. Effective 4/1/19. Cost invoice with NDC required. Note: Reimbursement of drug is separately billed from hospital in-patient on a UB claim by using bill type 0111 for this service. Outpatient billing uses bill type 0131 on the UB claim form.
C9043	Injection, levoleucovorin, 1 mg.	Khapzory	Yes	UN	Folate analog	None	Х	Х												Closed 12/31/19. See J0642 after this date. Effective 4/1/19. Cost invoice with NDC required.
C9044	Injection, cemiplimab- rwlc, 1 mg.	Libtayo	Yes	ML	Anti-neoplastic	350 units daily	Х	Х												Closed 9/30/19. See J9119 after this date. Effective 4/1/19. Cost invoice with NDC required. Minimum age of 16 years.
C9045	Injection, moxetumomab pasudotox-tdfk, 0.01 mg.	Lumoxiti	Yes	UN	Anti-neoplastic	None	Х	Х												Closed 9/30/19. See J9313 after this date. Effective 4/1/19. Cost invoice with NDC required. Restricted to ICD-10 of C91.40, C91.41, C91.42. Minimum age of 16 years.
C9048	Dexamethasone, lacrimal ophthalmic insert, 0.1 mg.	Dextenza	Yes	UN	Anti- inflammatory	4 daily	Х	Х												Ciosed 9/30/19. See J1096 after this date. Effective 7/1/19. Cost invoice with NDC required.
C9049	Injection, tagraxofusperzs, 10 mcg	Elzonris	Yes	ML	Anti-neoplastic	None	Х	Х												Ciosed 9/30/19. See J9269 after this date. Effective 7/1/19. Cost invoice with NDC required. Restricted to ICD-10 C86.4. Minimum age of 2 years.
C9050	Injection, emapalumab- Izsg, 1 mg.	Gamifant	Yes	ML	Immune globulin	None	Х	Х												Closed 9/30/19. See J9210 after this date. Effective 7/1/19. Cost invoice with NDC required.
C9052	Injection, ravulizumab- cwvz, 10 mg	Ultomiris	Yes	ML	Anti-anemia	360 units daily	Х	Х												Closed 9/30/19. See J1303 after this date. Effective 71/19. Cost invoice with NDC required. Restricted to ICD-10 D59.5. Minimum age of 16 years.
C9053	Injection, crizanlizumab- tmca, 1 mg.	Adakveo	Yes	ML	Sickle cell disease	None	Х	Х												Closed 6/30/20. See J0791 after this date. Effective 4/1/20. Cost invoice with NDC required. to ICD-10 D57.0 - D57.819. Minimum of 16 years.
C9054	Injection, lefamulin, 1 mg	Xenleta	N/A																	Not Covered. See pharmacy POS.
C9055	Injection, brexanolone, 1 mg.	Zulresso	Yes	ML	Anti-depressant	N/A	X	Х												Closed 9/30/20. See J1632 after this date. Effective 1/1/20. Cost invoice with NDC required. Kepro at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria. Note: Reimbursement of drug is separately billed from hospital in-patient on a UB claim by using bill type 0111 for this service. Outpatient billing uses bill type 0131 on the UB claim form.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	нѕ	PO	OPH	І Н	II ID	C Special Instructions
C9056	Injection, givosiran, 0.5 mg.	Givlaari	Yes	ML	Acute hepatic porphyria	756 units monthly	Х	Х										Closed 6/30/20. See J0223 after this date. 4/1/20. Cost invoice with NDC required. Restricted to ICD-10 E80.21. Minimum age of 16 years.
C9057	Injection, cetirizine hydrochloride, 1 mg	Quzytir	N/A															Not covered.
C9058	Injection, pegfilgrastim- bmez, biosimilar, 0.5 mg.	Ziextenzo	Yes	ML	Colony stimulating factor	None	Х	Х										Closed 6/30/20. See Q5120 after this date. 4/1/20. Cost invoice with NDC required. Restricted to ICD-10 D70.1, T45.1X5A, T45.1X5D, T45.1X5S. Minimum age of 16 years.
C9059	Injection, meloxicam, 1 mg	Anjeso	N/A															Not covered. See pharmacy POS.
C9061	Injection, teprotumumab- trbw, 10 mg	Tepezza	Yes	UN	IGFR inhibitor	None	Х	Х										Closed 9/30/20. See J3241 after this date. Effective 7/1/20. Cost invoice with NDC required. Restricted to ICD-10 E05.00. Minimum age 16 years. Covered to
C9062	Injection, daratumumab 10 mg and hyaluronidase-fihj	Darzalex Faspro	Yes	ML	Anti-neoplastic	Max. 1800/30K mg weekly (15 ml vial)		X										Closed 12/31/20. See J9144 after this date. Effective 10/1/20. Cost invoice with NDC required. Restricted to ICD-10 C90.00 - C90.02. Minimum age of 16 years.
C9063	Injection, eptinezumab- jjmr, 1 mg	Vyepti	Yes	ML	Anti-migraine	300 mg.	Х	Х										Closed 9/30/20. See J3032 after this date. 7/1/20. Cost invoice with NDC required. Restricted to ICD-10 G43.001 - G43.919, G43.B0, G43.B1. Minimum age 16 years.
C9064	Mitomycin pyelocalyceal instillation, 1 mg	Jelmyto	Yes	UN	Anti-neoplastic	Max. 60 units weekly	Х	Х										Closed 12/31/20. See J9281 after this date. Effective 10/1/20. Cost invoice with NDC required. Restricted to ICD-10 C65.1, C65.2. Minimum ages of 16 years.
C9065	Injection, romidepsin, non-lypohilized (e.g. liquid), 1mg	N/A	Yes	ML	Anti-neoplastic	None	Х	Х										Closed 9/30/21. See J9318 after this date. 10/1/20. Cost invoice with NDC required. ICD-10 C84.00 - C84.19. Effective Restricted to
C9066	Injection, sacituzumab govitecan-hziy, 10 mg	Trodelvy	Yes	UN	Anti-neoplastic	None	X	Х										Closed 12/31/20. See J9317 after this date. Effective 10/1/20. Cost invoice with NDC required. Restricted to ICD-10 C50.01 - C50.929. Minimum age of 16 years.
C9069	Injection, belantamab mafodontin-blmf, 0.5 mg	Blenrep	Yes	UN	Anti-neoplastic	None	Х	Х										Closed 3/31/21. See J9037 after this date. Effective 1/1/21. Restricted to ICD- 10 C90.0 - C90.02. Minimum age of 16 years. Minimum age of 16
C9070	Injection, tafasitamab- cxix, 2 mg	Monjuvi	Yes	UN	Anti-neoplastic	None	Х	Х										Closed 3/31/21. See J9349 after this date. 1/1/21. Restricted to ICD- 10 C83.30 - C83.39. Minimum age of 16 years.
C9071	Injection, viltolarsen, 10 mg	Viltepso	Yes	ML	Genetic therapy	None	Х	Х										Closed 3/31/21. See J1427 after thisi date. 1/1/21. Restricted to ICD-10 G71.01. Minimum age of 4 years.

0-1	Deserted	Duam d Mari	NDO	NDC ····'	C=44	Complex	40		_	- N-	86147	B 44 1 -	Luc	P.C	Los		111 1.	D-1	D.C	Consid Instructions
Code	Description	Brand Name	NDC req.	NDC unit of	Category	Service Limits	AC OP	CAH OP	Р	NP	MW	МН	HS	РО	OP	Н	нι	DT F	DC	Special Instructions
			for	measure		Lillius	OF	OF										١.		
			drug	measure																
			rebate																	
			?																	
C9072	Injection, immune	Asceniv	Yes	ML	Immune globulin	None	Χ	Х												Closed 3/31/21. See J1554 after this date.
	globulin, 500 mg																			Effective 1/1/21.
																				Restricted to ICD-10 D80.0 - D80.9, D81.0 - D81.4, D81.7, D81.89, D81.9, D82.0 - D82.9, D83.0, D83.2, D83.8, D83.9.
																				Minimum age of 12 years.
00070	D	T	V		0	N/A	٧.	V								-		_		
C9073	Brexucabtagene autoleucel, up to 200	Tecartus	Yes	UN	Genetic therapy	N/A	Х	Х												Closed 3/31/21. See Q2053 after this date. Effective 1/1/21.
	million autologous anti-																			Contact Kepro at 800-346-8272 for prior authorization requests.
	cd19 car positive viable t																			Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria. Note:
	cells, including																			Reimbursement of drug is separately billed from hospital in-patient on a UB claim by using bill type 0111 for this
	leukapheresis and dose preparation procedures,																			service. Outpatient billing uses bill type 0131 on the UB claim form.
	per therapeutic dose																			
C9076	Lisocabtagene	Breyanzi	Yes	UN	Genetic therapy		Х	Х					+-	1	+	+	\dashv	\dashv		Closed 9/30/21. See Q2054 after this date. Effective
000.0	maraleucel, up to 110	2.0,42.		0.1	Contain undapy		^													7/1/21. Cost invoice with NDC required.
	million autologous anti-																			Contact Kepro at 800-346-8272 for prior authorization requests.
	cd19 car-positive viable t																			Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria. Note:
	cells, including leukapheresis and dose																			Reimbursement of drug is separately billed from hospital in-patient on a UB claim by using bill type 0111 for this service. Outpatient billing uses bill type 0131 on the UB claim form.
	preparation procedures,																			0111 for this service. Outpatient billing uses bill type 0131 on the OB claim form.
	per therapeutic dose																			
C9077	Injection, cabotegravir	Cabenuva	Yes	ML	Antiretroviral	None	Χ	Х												Closed 9/30/21. See J0741 after this date. Effective
	and rilpivirine, 2mg/3mg																			7/1/21. Cost invoice with NDC required. Restricted to ICD-
																				10 B20. Minimum age of 16 years.
C0079	Injection, trilaciclib, 1 mg	Cosela	Yes	UN	Antineoplastic	None	Х	Х					-		-					Closed 9/30/21. See J1448 after this date.
C9078	injection, macicilib, i mg	Coseia	163	ON	Antineopiastic	None	^	^												Effective 7/1/21. Cost invoice with NDC required.
																				Restricted to ICD-10 C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.92.
																				Minimum age of 16 years.
C9079	Injection, evinacumab-	Evkeeza	Yes	ML	Antihyperlipide	None	Χ	Х												Closed 9/30/21. See J1305 after this date.
	dgnb, 5 mg				mic															Effective 7/1/21. Cost invoice with NDC required.
																				Restricted to ICD-10 E78.01. Minimum age of 12 years.
																				o ,
C9080	Injection, melphalan flufenamide	Pepaxto	Yes	UN	Antineoplastic	40 units daily	Х	Х												Closed 9/30/21. See J9247 after this date. Effective 7/1/21. Cost invoice with NDC required.
	hydrochloride, 1 mg																			Restricted to ICD-10 C90.00, C90.02.
	, , , , , , , , , , , , , , , , , , ,																			Minimum age of 16 years.
C9081	Idecabtagene vicleucel,	Abecma	Yes	UN	Genetic therapy	N/A	Х						+		+	+	_	_		Closed 12/31/21. See Q2055 after this date.
	up to 460 million																			Effective 10/1/21. Cost invoice with NDC required.
	autologous anti-bcma							l	1	l	1	1		1						Contact Kepro at 800-346-8272 for prior authorization requests.
	car-positive viable t cells, including																			Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria. Note:
	leukapheresis and dose																			Reimbursement of drug is separately billed from hospital in-patient on a UB claim by using bill type 0111 for this service. Outpatient billing uses bill type 0131 on the UB claim form.
	preparation procedures,																			Survivor. Superioric Siming assessmit type of of on the OD Maint form.
	per therapeutic dose																			
																	_	_		
			-	•	•			•	•	•	•	•		•	•	_				

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	нѕ	PO	OPI	1 1	DT I	DC	Special Instructions
C9082	Injection, dostarlimab- gxly, 100 mg	Jemperli	Yes	ML	Antineoplastic	5 units daily	Х	Х	Х										Closed 12/31/21. See J9272 after this date. 10/1/21. Cost invoice with NDC required. Restricted to ICD-10 C54.1. Miniimum age 16 years.
C9083	Injection, amivantamab- vmjw, 10 mg	Rybrevant	Yes	ML	Antineoplastic	140 units daily	Х	Х	Х										Closed 12/31/21. See J9061 after this date. Effective 10/1/21. Cost invoice with NDC required. Restricted to ICD-10 C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92. Minimum age 16 years.
C9084	Injection, loncastuximab tesirine-lpyl, 0.1 mg	Zynlonta	Yes	UN	Antineoplastic	None	Х	Х	Х										Closed 3/31/22. See J9359 after this date. Effective 10/1/21. Cost invoice with NDC required. Restricted to ICD-10 C83.30 - C83.39. Minimum age 16 years.
C9085	Injection, avalglucosidase alfa- ngpt, 4 mg	Nexviazyme	Yes	UN	Metabolic Enzyme Replacement	None	X	X											Closed 3/31/22. See J9219 after this date. Effective 1/1/22. Cost invoice with NDC required. Restricted to ICD-10 E74.02. Minimum age of 1 year.
C9086	Injection, anifrolumab- fnia, 1 mg	Saphnelo	Yes	SOL	Immunosuppres sive	300 units daily	X	Х											Closed 3/31/22. See J0491 after this date. Effective 1/1/22. Cost invoice with NDC required. Restricted to ICD-10 M32.10 - M32.19, M32.8, M32.9. Minimum age of 18 years.
C9087	Injection, cyclophosphamide, (auromedics), 10 mg	N/A	Yes	SOL	Anti-neoplastic	None	Х	Х											Closed 3/31/22. See J9071 after this date. Effective 1/1/22. Cost invoice with NDC required.
C9088	Instillation, bupivacaine and meloxicam, 1 mg/0.03 mg	Zynrelef	Yes	SOL	Anesthetic	None	Х	Х											Effective 1/1/22. Cost invoice with NDC required. Reimburses to ASC.
C9091	Injection, sirolimus protein-bound particles, 1 mg	Fyarro	Yes	EA	Antineoplastic	None	Х	Х											Closed 6/30/22. See J9331 after this date. Effectvie 4/1/22. Cost invoice with NDC required. Restricted to ICD-10 C49.4, C49.6, C49.8, or C49.9. Minimum of 16 years.
C9092	Injection, triamcinolone acetonide, suprachoroidal, 1 mg	Xipere	Yes	ML	Anti- inflammatory	None	Х	Х											Closed 6/30/22. See J3299 after this date. Effectivie 4/1/22. Cost invoice with NDC required. Restricted to ICD-10 H20.011 - H20.043, H20.11 - H20.23, H20.821, H20.822, H20.823, H30.001 - H30.043, H30.101 - H30.133, H30.21, H30.22, H30.23, H30.811, H30.812, H30.813, H30.891, H30.892, H30.893, H30.91, H30.92, H30.93, H35.021, H35.022, H35.023, H35.061, H35.062, H35.063, H43.89, H44.001 - H44.023, H44.111, H44.112, H44.113.
C9093	Injection, ranibizumab, via sustained release intravitreal implant, 0.1 mg	Susvimo	Yes	EA	VEGF inhibitor	None	X	Х											Closed 6/30/22. See J2779 after this date. Effective 4/1/22 Cost invoice with NDC required. Restricted to ICD-10 H35.3210 - H35.3212, H35.3220 - H35.3222, H35.3230 - H35.3232, H35.3290 - H35.3292.
C9094	Inj, sutimlimab-jome, 10 mg	Enjaymo	Yes	ML	Complement inhibitor	None	X	Х											Closed 9/30/22. See J1302 after this date. 7/1/22. Cost invoice with NDC required. Restricted to ICD-10 D59.12. Minimum age of 16 years.
C9095	Inj, tebentafusp-tebn, 1 mcg	Kimmtrak	Yes	ML	Antineoplastic	68 units daily	Х	Х											Closed 9/30/22. See J9274 after this date. Effective 7/1/22. Cost invoice with NDC required. Restricted to ICD-10 C69.30, C69.31, C69.32, C69.40, C69.41, C69.42, C69.60, C69.61, C69.62, C69.90, C69.91, C69.92, Z51.11, Z51.89, Z51.840. Minimum of 16 years.

			l vinc						_		Lanc				. 1		1			
Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	OP	P	NP	MW	МН	HS	PC	O	PH	н	IDT F	C Special Instructions	
C9096	Injection, filgrastim- ayow, biosimilar, 1 microgram	Releuko	Yes	ML	Colony stimulating factor	None	Х	Х											Closed 9/30/22. See Q5125 after this date. Effective 7/1/22. Cost invoice with NDC required.	
C9097	Inj, faricimab-svoa, 0.1 mg	Vabysmo	Yes	ML	VEGF inhibitor	None	Х	Х											Closed 9/30/22. See J2777 after this date. Effective 7/1/22. Cost invoice with NDC required. Restricted to ICD-10 H35.3210 - H35.3213, H35.3220 - H35.3223, H35.3230 - H35.3233, H35.3290 - H35.3231, E08.321, E08.331, E08.331, E08.331, E08.341, E08.341, E08.351, E09.311, E09.321, E09.331, E09.341, E09.351, E10.351, E10.351, E11.331, E11.331, E11.341, E11.351, E13.311, E13.32 E13.331, E13.341, E13.351.	11,
C9098	Ciltacabtagene autoleucel, up to 100 million autologous b-cell maturation antigen (bcma) directed car- positive t cells, including leukapheresis and dose preparation procedures, per therapeutic dose	Carvykti	Yes	UN	Genetic therapy	N/A	X	X											Closed 9/30/22. See Q2056 after this date. 7/1/22. Cost invoice with NDC required. Contact Kepro at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria. Note: Reimbursement of drug is separately billed from hospital in-patient on a UB claim by using bill type 0111 service. Outpatient billing uses bill type 0131 on the UB claim form.	
C9113	Inj pantoprazole sodium,	Protonix	N/A		Gastric Reflux, Esophogitis														Not Covered	
C9121	Injection, argatroban	Argatroban	N/A		Thrombin														Not Covered	
C9122	Mometasone furoate sinus implant, 10 mcg	Sinuva	Yes	UN	Inhibitor Steroidal	1 unit	X	Х											Closed 3/31/21. See J7402 after this date. 7/1/20. Cost invoice with NDC required. Restricted to ICD-10 J33.0 - J33.9. Minimum age 18 years. Covered to ASC.	ective
C9131	Injection, ado- trastuzumab emtansine, 1 mg.	Kadcyla	Yes	EA	Anti-neoplastic	none	Х	Х											Closed 12/31/13. See J9354. Effective 7/1/13. Cost invoice with NDC required with claim. Restricted 9 diagnosis of 174.0 - 174.9 or 175.0 - 175.9. Minimum age restriction of 16 years.	to ICD-
C9132	Prothrombin complex concentrate (human), per i.u. of factor ix activity	Kcentra	Yes	UN	Coagulation factor		Х	Х											Closed 6/30/21. See pharmacy point of sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes D68.32 or D68.4 Effective 10/1/13. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis code of 286 Minimum age restriction of 16 years.	6.7.
C9133	Factor IX (antihemophilic factor, recombinant), per i.u.	Rixubis	Yes	UN	Anti-hemophilic	none	Х	Х											Closed 12/31/14. See J7200 after this date. Effective 1/1/14. Cost invoice with NDC required with cla Restricted to ICD-9 diagnosis of 286.1. Minimum age restriction of 16 years.	aim.
C9134	Injection, Antihemophilic factor XIIIA, recombinant	Tretten	Yes	UN	Anti-hemophilic	none	Х	Х											Closed 12/31/14. See J7181 after this date. Effective 7/1/14. Cost invoice with NDC required with class Restricted to ICD-9 diagnosis of 286.3.	aim.
C9135	Injection, factor ix (antihemophilic factor, recombinant), per IU	Alprolix	Yes	UN	Anti-hemophilic		Х	Х											Closed 12/31/14. See J7201 after this date. Effective 10/1/14. Cost invoice with NDC required with c Restricted to ICD-9 diagnosis of 286.1.	claim.
C9136	Injection, factor viii, fc fusion protein, (recombinant), per IU	Eloctate	Yes	UN	Anti-hemophilic		Х	Х											Closed 3/31/15. See Q9975 after this date. Effective 1/1/15. Cost invoice with NDC required with clai Restricted to ICD-9 diagnosis of 286.0. Minimum age restriciton of 2 years.	im.
C9137	Injection, Antihemophilic factor VIII, recombinant, PEGylated, 1 IU	Adynovate	Yes	IU	Anti-hemophilic	none	Х	Х											Closed 12/31/16. See J7207 after this date. Effective 4/1/16. Cost invoice with NDC required. Restriction 12 years.	icted to

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	HS	PO	OP	Н	н	IDT F	DC	Special Instructions
C9138	Injection, antihemophilia factor VIII, recombinant, 1 IU	Nuwiq	Yes	IU	Anti-hemophilic	none	Х	Х												Closed 12/31/16. See J7209 after this date. Effective 4/1/16. Cost invoice with NDC required. Restricted to ICD-10 D66. Minimum age restriction of 2 years.
	Injection, factor IX, albumin fusion protein, recombinant, 1 IU	Idelvion	Yes	IU	Anti-hemophilic		Х	Х												Closed 12/31/16 See J7202 after this date. Effective 10/1/16. Cost invoice with NDC required. Restricted to ICD-10 diagnosis D67.
C9140	Injection, factor VIII (antihemophilic factor, recombinant), 1 IU	Afstyla	Yes	IU	Anti-hemophilic		Х	Х												Closed 12/31/17. See pharmacy point of sale (POS). Effective 1/1/17. Cost invoice with NDC required. Restricted to ICD-10 diagnosis D66.
C9142	Injection, bevacizumab- maly, biosimilar, 10 mg	Alymsys	Yes	ML	VEGF inhibitor	None	Х	Х												Closed 12/31/22. See Q5126 after this date. Effective 10/1/22. Restricted to ICD-10 C18.0 - C18.9, C19, C20, C33, C34.01 - C34.92, C53.0 - C53.9, C56.1 - C56.3, C65.1, C62.2, C66.1, C66.2, C67.0 - C67.9, C68.0, C68.8, C71.0 - C71.9.
C9143	Cocaine hydrochloride nasal solution, 1 mg	Numbrino	Yes	ML	Local anesthetic	Max. 160 units daily	Х	Х												Effective 1/1/23. Minimum age of 18 years.
C9145	Injection, aprepitant, 1 mg	Aponvie	Yes	ML	Anti-emetic	None	Х	Х												Effective 4/1/23. Cost invoice with NDC required.
	Injection, mirvetuximab soravtansine-gynx, 1 mg	Elahere	Yes	ML	Antineoplastic	None	Х	Х												Closed 6/30/23. See J9063 after this date. 4/1/23. Cost invoice with NDC required. to ICD-10 C48.1, C48.8, C56.1, C56.2, C56.3, C57.01, C57.02, C57.11, C57.12, C57.21, C57.22, C57.3, C57.4, C57.8, C79.61, C79.62, C79.63. Minimum age of 16 years.
	Injection, tremelimumab- actl, 1 mg	Imjudo	Yes	ML	Antineoplastic	None	Х	Х												Closed 6/30/23. See J9347 after this date. 4/1/23. Cost invoice with NDC required. Restricted to ICD-10 C22.0, C34.00, C34.01, C34.02, C34.10, C34.11, C34.12, C34.2, C34.30, C34.31, C34.32, C34.80, C34.81, C34.82, C34.90, C34.91, C34.92. Minimum age of 16 years.
C9148	Injection, teclistamab- cqyv, 0.5 mg	Tecvayli	Yes	ML	Antineoplastic	None	Х	Х												Closed 6/30/23. See J9380 after this date. 4/1/23. Cost invoice with NDC required. Restricted to ICD- 10 C90.00, C90.02. Minimum age of 16 years.
C9149	Injection, teplizumab- mzwv, 5 mcg	Tzield	Yes	ML	Anti-diabetic	None	Х	х												Closed 6/30/23. See J9381 after this date. Effective 4/1/23. Cost invoice with NDC required. Restricted to ICD-10 E10.10, E10.21, E10.22, E10.29, E10.3211, E10.3212, E10.3213, E10.3291, E10.3292, E10.3293, E10.3311, E10.3312, E10.3391, E10.3391, E10.3393, E10.3411, E10.3412, E10.3413, E10.3491, E10.3492, E10.3493, E10.3511, E10.3512, E10.3513, E10.3521, E10.3522, E10.3523, E10.3531, E10.3532, E10.3533, E10.3541, E10.3542, E10.3543, E10.3551, E10.3552, E10.3553, E10.3592, E10.3593, E10.36, E10.37X1, E10.37X2, E10.37X3, E10.39, E10.41, E10.42, E10.43, E10.49, E10.51, E10.52, E10.59, E10.610, E10.618, E10.620, E10.621, E10.622, E10.628, E10.630, E10.638, E10.649, E10.65, E10.69, E10.9, O24.011, O24.012, O24.013, O24.02, O24.03. Minimum age of 8 years.
C9151	Injection, pegcetacoplan, 1 mg	Syfovre	Yes	ML	Complement inhibitor	30 units daily	Х	Х												Closed 9/30/23. See J2781 after this date. Effective 7/1/23. Restricted to ICD-10 H35.3113, H35.3123, H35.3133 or H35.3114, H35.3124, H35.3134.
C9153	Injection, amisulpride, 1 mg	Barhemsys	Yes	ML	Antiemetic	10 units daily	Х	X												Effective 10/1/23. Cost invoice with NDC required.

0	B	D	NDO	NDO'r	0-1	0	••	0411	_	ND	1 aasa/		1110	_ BO	LODI		1.	БТ	-	On a station of months and
Code	Description	Brand Name	NDC	NDC unit of	Category	Service Limits	AC OP	CAH	Р	NP	MW	МН	HS	PO	OPI	1		F	DC	Special Instructions
			req. for	measure		Limits	OP	OP										г		
			drug	measure																
			rebate																	
			?																	
C9155	Injection, epcoritamab-	Epkinly	Yes	ML	Antineoplastic	None	Х	Х								+		_		Effective 10/1/23. Cost invoice with NDC required.
	bysp, 0.16 mg			=																Restricted to ICD-10 C83.30 - C83.39.
	, , ,																			Minimum age of 16 years.
C9157	Injection, tofersen, 1 mg	Qalsody	Yes	ML	ALS agent	None	Х	Х					+		_	\top	\dashv	_		Effective 10/1/23. Cost invoice with NDC required.
	,,,	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,																		Restricted to ICD-10 G12.21.
C9232	Injection, idursulfase	Elaprase	N/A		Metabolic															Closed 12/31/07. See J1743 Effective 1/1/08
					Enzyme															
C0233	Injection, ranibizumab	Lucentis	N/A		Replacement neovascular-											+	-	-		Closed 12/31/07 - remove from J3490 list. See J2778 effective 1/1/08
03233	Injection, ranibizariab	Lucerius	IN/A		Age related															Closed 12/37/07 - Terriove from 33-30 list. Gee 32/70 effective 1/7/00
					Macular															
					Degeneration											_		_		
C9234	Inj, alglucosidase alfa	Myozyme	N/A		Metabolic Enzyme															Closed 12/31/07 See J0220 effective 1/1/08
					Replacement															
C9235	Injection, panitumumab	Vectibix	N/A		Colorectal															Closed 12/31/07 See J9303 effective 1/1/08
00000					Cancer								_							
C9236	Injection, Eculizumab 10 mg																			Closed 12/31/07 See J1300 effective 1/1/08
C9239	Injection, temsirolimus, 1	Torisel	Yes	UN	Anti-neoplastic		Х	Х	Х											Opened 1/1/08. Closed 12/31/08. Cost invoice required with ICD-9 diagnosis of 189.0-189.9, advanced renal
C9240	mg. Injection, ixabepilone, 1	Ixempra	Yes	UN	Anti-neoplastic		Х	Х	Х							+		_		cell carcinoma See J9330. Opened 1/1/08. Closed 12/31/08. Cost invoice required with ICD-9 diagnosis of 174.0-174.9.
	ma.	ixompia.			7 ii ii 1100piaotio		,	,,	,											metastatic/locally advanced breast cancer. See J9207
C9245	Injection, romiplostim, 10	Nplate	Yes	UN																Closed 12/31/09. See J2796.
C9246	mca. Injection, gadoxetate	Eovist											+			+		-		
00240	disodium, per ml.	LOVIO																		
C9248	Injection, clevidipine	Cleviprex	Yes	ML	Calcium	None	X	Х												Effective 1/1/23. Cost invoice with NDC required.
C0240	butyrate, 1 mg. Injection, certolizumab	Cimzia	Yes	UN	channel blocker TNF blocker											+		_		Closed 12/31/09. See J0717.
09249	pegol, 1 mg.	Cirrizia	163	OIN	TIVI DIOCKEI															Ciosed 12/31/05. See 30/17.
C9250	human plasma ,fibrin	Artiss	Yes	ML	Wound care	None	X	Х												Effective 1/1/23. Cost invoice with NDC required.
	sealant, 2 ml.				adhesive															
C9251	Injection, C1 esterase	Cinryze	Yes	UN	C1 protein															Closed 12/31/09. See J0598.
C9252	inhibitor (human), 10 U Injection, plerixafor, 1	Mozobil	Yes	ML	inhibitor Hematopoietic						1		+	-	1	-	\dashv			Closed 12/31/09. See J2562.
00202	mg.				Tomatopolotio															0.000 120 1100. 000 02002.
C9253	Injection, temozolomide,	Temodar	Yes	UN																Closed 12/31/09. See J9328.
C9254	1 mg. Injection, lacosamide, 1	Vimpat	Yes	ML	Anti-convulsive	400 units por	Х	Х			-		-	 	+	-				Effective 10/1/2015 ICD-10 diagnosis codes G40.001, G40.009, G40.011, G40.019, G40.101, G40.109,
09234	mg.	viiripat	165	IVIL	Anti-convuisive	dav	^	^												G40.111, G40.119, G40.201, G40.209, G40.211, G40.219, G40.301, G40.309, G40.311, G40.319, G40.401,
	9.					aay														G40.409, G40.411, G40.419, G40.501, G40.509, G40.801- G40.804, G40.811 - G40.814, G40.821 - G40.824,
																				G40.89, G40.901, G40.909, G40.911, G40.919, G40.A01, G40.A09, G40.A11, G40.A19, G40.B01, G40.B09,
																				G40.B11 or G40.B19
																				Effective 1/1/10. Cost invoiice with NDC is required with claim. ICD-9 restriction 345.00 - 345.91. Approved
C9255	Injection, paliperidone palmitate, 1 mg.	Invega Sustenna	Yes	SOL=ML	Anti-psychotic	234 units	Х	Х												Closed 12/31/10. See J2426. Effective 1/1/10. Cost invoice with NDC is required with claim. ICD-9 restriction 295.00 - 295.95. Approved for age 18 and above. See J3490 for coverage of other providers.
C9256	Injection,	Ozurdex	Yes	EA	Anti-		Х	Х					\vdash	\vdash	+	+	_	7		Closed 12/31/10. See J7312. Effective 1/1/10. Cost invoice with NDC is required with claim. ICD-9
	dexamethasone		1		inflammatory															restriction 362.83 and 362.35, or 362.83 and 362.36. Approved for age 16 and above. See J3490 for
	intravitreal, implant, 0.1																	J		coverage of other providers.
	ma		<u> </u>	L	<u> </u>			1	I		1		1	1				1		

Code Description Brand Name NDC req. for drug rebate ? C9257 Injection, bevacizumab, Avastin Yes SOL=ML Anti-neoplastic 20 u. per X X X Service CAH P NP MW MH HS PO OPH HI IDT DC Special Instructions F F Solution of MR NDC req. Solution of MR ND	
for drug rebate ?	
drug rebate ?	
rebate ?	
?	
	.8311, H34.8312, H34.8320, H34.8321, H34.8322, H34.8330, H34.8331,
0.25 mg. month H34.8332, H34.8390, H34.8391, H	H34.8392 added. Effective 10/1/20, E11.3213, E11.3291 - E11.3293, E11.3311 - E11.3313, E11.3391 - E11.3393,
	- E11.3493, E11.3511 - E11.3513, E11.3521 - E11.3523, E11.3531 -
	1.3551 - E11.3553, E11.3591 - E11.3593 added. losis codes E08.311, E08.319, E08.321, E08.329, E08.331, E08.339,
	.319, E09.321, E09.329, E09.331, E09.339, E09.341, E09.349, E10.311,
	.329, E11.339, E11.349, E11.359, E13.311, E13.319, H34.811 - H34.813,
	4.839, H34.9, H35.051- H35.053, H35.059, H35.071 - H35.073, H35.079,
	51 - H35.353, H35.359, H35.723, H35.729, H35.81, H35.82, or H40.89
	ctive 1/1/10. ICD-9 restriction 362.01 - 362.07, 362.15, 362.16, 362.29,
362.30, 362.35, 362.36, 362.42, 36	362.52, 362.53, 362.83, 362.84, 365.63, and 365.89.
	ffective 4/1/10. Cost invoice with NDC required with claim. ICD-9 restriction
mg. of 680.0 - 686.9 and 041.0 - 041.9.	9. Minimum age restriction of 18 years. See J3490 for coverage of other
C9259 Pralatrexate, inj., 1mg. Folotyn Yes ML Anti-neoplastic None X X Construction of Consect 12/31/10. See J9307. Eff	ffective 4/1/10. Cost invoice with NDC is required with claim. ICD-9
	nimum age restriction of 18 years. See J3490 for coverage of other
providers	· · ·
	ffective 4/1/10. Cost invoice with NDC is required with claim. ICD-9
	nimum age restriction of 18 years. See J3490 for coverage of other
C9261 Ustekinumab, inj., 1 mg. Stelara N/A Anti-neoplastic not overed.	
C3262 Fludarabine phosphate, Oforta N/A Anti-metabolite Not covered.	
oral, 1 mg.	
	er this date. Effective 4/1/10. Cost invoice with NDC is required with claim.
mg ICD-9 restriction of 277.6. Minimur	um age restriction of 16 years. See J3490 for coverage of other providers.
C9264 Injection, tocilizumab, 1 Actemra Yes ML Immunologic Maximum X X Closed 12/31/10. See J3262. Eff	ffective 7/1/10. Cost invoice with NDC requried with claim. ICD-9 restriction
mg. Institution Institutio	
of 800 u.	is inclidit of 10 years.
monthly	
	ffective 7/1/10. Cost invoice with NDC required with claim. ICD-9 restricton
mg. of 202.10 - 202.28, Minimum age C9266 Injection, Collagenase Xiaflex Yes UN Enzymatic None X X Closed 12/31/10, See J0775, Eff	e restriction of 18.
1	ffective 7'/1/10. Cost invoice with NDC required with claim. ICD-9 restriction
clostridium histolyticum, 0 1 mg	n of 18 years.
	ffective 7/1/10. Cost invoice with NDC required with claim. ICD-9 restriction
factor complex(human), factor	
per 100 IU	
	ffective 7/1/10. Cost invoice with NDC required with claim. ICD-9 diagnosis
90 days restriction of 053.19. Minimum age	
	ffective 10/1/10. Cost invoice with NDC required with claim. ICD-9 restriction
inhibitor (human), 10 u. inhibitor service limit 28 u. daily	n 4 years and above.
C9270 Injection, Immune Gammaplex N/A Immune globulin Not covered.	
lyophilized (e.g. liquid),	
C9271 Injection, velaglucerase Vpriv Yes UN Enzymatic Maximum X X X Closed 12/31/10. See J3385. Eff	ffective 10/1/10. Cost invoice with NDC required with claim. Restricted to
alfa, 100 u. service limit	um age restriction of 4 years.
1650 u.	
monthly	

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	нѕ	PO	OPH	Н	II ID	C Special Instructions
C9272	Injection, denosumab, 1 mg.	Prolia Xgeva	Yes	ML	Osteoporotic	Maximum service limit of 60 u. twice yearly	X	Х										Closed 12/31/11. Effective 10/1/10. Cost invoice with NDC required with claim. ICD-9 diagnosis restriction of 733.01.
C9273	Sipuleucel-T, minimum of 50 millioin autologous cells, including all preparatory procedures, per infusion	Provenge																Not covered. See Q2043.
C9274	Crotalidae polyvalent immune fab (ovine), 1 vial	Crofab																Not covered.
C9276	Injection, cabazitaxel, 1 mg.	Jevtana	Yes	ML	Antineoplastic	None	Х	Х										Closed 12/31/11. See J9043. Effective 1/1/11. Cost invoice with NDC required with claim. ICD-9 restriction of 185.0.
C9277	Injection, alglucosidase alfa, 1 mg.	Lumizyme	Yes	UN	Enzymatic	None	Х	Х										Closed 12/31/11. See J0221. Effective 1/1/11. Cost invoice with NDC requred with claim. ICD-9 restriction of 271.0. Minimum age restriction of 8 years.
C9278	Injection, incobotulinimtoxins, 1 u	Xeomin	N/A															Not covered. See Q2040.
C9279	Injection, ibuprofen, 100 mg.		N/A															Not covered.
C9280	Injection, eribulin mesylate, 1 mg.	Halaven	Yes	ML	Antineoplastic	8 u. in 21 days	Х	Х										Closed 12/31/11. See J9179. Effective 4/1/11. Cost invoice with NDC required with claim. ICD-9 restriction of 174.0 - 175.9 or 198.81. Minimum age restriction of 18 years.
C9281	Injection, pegloticase, 1 mg.	Krystexxa	Yes	ML	Hyperuricemic	16 u. monthly	Х	Х										Closed 12/31/11. See J2507. Effective 4/1/11. Cost invoice with NDC required with claim. ICD-9 restriction of 274.0 - 274.89. Minimum age restriction of 18 years.
C9282	Injection, cetaroline fosamil, 10 mg.	Teflaro	Yes	UN	Antibiotic	12 units per dose	Х	Х										Closed 12/31/11. See J0712. Effective 4/1/11. Cost invoice with NDC required with claim. ICD-9 restriction of 041.00 - 041.89 or 482.0 - 482.89. Minimum age restriction of 18 years.
C9284	Injection, ipilimumab, 1 mg.	Yervoy	Yes	UN	Antineoplastic	400 units per 21 days	X	Х										Closed 12/31/11. See J9228. Effective 7/1/11. Restricted to ICD-9 diagnosis of 154.2, 154.3, 172.0 - 172.9, 184.0 - 184.4, 187.1 - 187.9, 196.0 - 196.9, 197.0 - 197.8, 198.0 - 198.8. Minimum age restriction of 16 years.
C9285	Patch, lidocaine, 70 mg. & tetracaine, 70 mg.	Synera	Yes	UN	Anallgesic	None	Х	Х										Effective 7/1/11. Cost invoice with NDC required.
C9286	Injection, belatacept, 250 mg.	Nulojix	Yes	UN	Immunosuppres sive	5.4 units daily maximum	Х	Х										Closed 12/31/12. See J0485 after this date. Effective 10/1/11. Must submit V42.0 with claim. Minimum age restriction of 18 years.
C9287	Injection, brentuximab vedotin, 1 mg.	Adcetris	Yes	UN	Antineoplastic	180 units per day	Х	Х										Closed 12/31/12. See J9042 after this date. Effective 1/1/12. Cost invoice with NDC required with claim. ICD-9 restriction of 200.60 - 200.68 or 201.00 - 201.98. Minimum age restriction of 18 years.
C9289	Injection, asparaginase erwinia chrysanthemia, 1000 U.	Erwinaze	Yes	UN	Antineoplastic	None	Х	Х										Closed 12/31/12. See J9019 after this date. Effective 4/1/12. Cost invoice with NDC requried with claim. ICD-9 restriction of 204.00 - 204.02.
C9291	Injection, aflibercept, 2 mg.	Eylea	Yes	ML	neovascular- Age related Macular Degeneration	2 units weekly	Х	Х										Closed 6/30/12. See Q2046 after this date. Effective 4/1/12. Cost invoice with NDC requried with claim. ICD-9 restriction of 362.52. Minimum age restriction of 16 years.

Code	Description	Brand Name	NDC req. for drug	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	нѕ	PO	ОР	Н	HI	IDT F	DC	Special Instructions
			rebate ?																	
C9292	Injection, pertuzumab, 10 mg.	Perjeta	Yes	ML	Antineoplastic	84 units per 21 days	X	Х												Closed 12/31/13. See J9306. Effective 10/1/12. Cost invoice with NDC required with claim. ICD-9 diagnosis restriction of 174.0 - 174.9 or 175.0 - 175.9. Minimum age restriction of 16 years.
C9294	Injection, taliglucerase alfa, 10 units	Elelyso	Yes	UN	Enzymatic	82 units per 14 days	Х	Х												Closed 12/31/12. See J3060. Effective 1/1/13. Cost invoice with NDC required with claim. ICD-9 diagnosis restriction of 272.7. Minimum age restriction of 16 years.
C9295	Injection, carfilzomib, 1 mg	Kyprolis	Yes	UN	Antineoplastic	None	X	Х												Closed 12/31/13. See J9047. Effective 1/1/13. Cost invoice with NDC required with claim. ICD-9 diagnosis restriction of 203.02. Minimum age restriction of 16 years.
C9296	Injection, ziv-aflibercept, 1 mg	Zaltrap	Yes	ML	Antineoplastic	550 units per 14 days	X	Х												Closed 12/31/13. See J9400. Effective 1/1/13. Cost invoice with NDC required with claim. ICD-9 diagnosis restriction of 153.0 - 153.9, 154.0, 154.1, or 154.8. Minimum age restriction of 16 years.
C9297	Injection, omacetazine mepesuccinate, 0.01 mg.	Synribo	Yes	UN	Antineoplastic	None	Х	Х												Closed 12/31/13. See J9262. Effective 4/1/13. Cost invoice with NDC required with claim. ICD-9 diagnosis restriction of 205.10 - 205.12. Minimum age restriction of 16 years.
C9298	Injection, ocriplasmin, 0.125 mg.	Jetrea	Yes	ML	Ophthalmic	None	Х	Х												Closed 12/31/13. See J7316. Effective 4/1/13. Cost invoice with NDC required with claim. ICD-9 diagnosis restriction of 379.27. Minimum age restriction of 16 years.
C9399	Unclassified drugs or	Misc Drugs	N/A																	Not Covered
C9441	biolog Injection, ferric carboxymaltose, 1 mg	Injectafer	yes	ML	Iron supplement	none	Х	Х												Closed 6/30/14. See Q9970 after this date. Effective 1/1/14. Cost invoice with NDC required. Restricted to ICD-9 diagnosis of 280.1 - 280.9. Minimum age restriction of 16 years.
C9442	Injection, belinostat, 10 mg	Beleodaq	Yes	UN	Antineoplastic		X	Х												Closed 12/31/15. See J9032 after this date. Effective 10/1/2015 ICD-10 diagnosis codes C84.40 - C84.49 Effective 1/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 202.7. Minimum age restriction of 16 years.
C9443	Injection, dalbavancin HCI, 10 mg.	Dalvance	Yes	UN	Anti-infective		X	X												Closed 12/31/15. See J0875 after this date. Effective 10/1/2015 ICD-10 diagnosis codes B78.1, K12.2, L01.00 - L01.03, L01.09, L01.1, L02.01 - L02.03, L02.11 - L02.13, L02.211 - L02.216, L02.221 - L02.226, L02.229, L02.231 - L02.236, L02.239, L02.31 - L02.33, L02.411 - L02.416, L02.419, L02.421 - L02.426, L02.429, L02.431 - L02.436, L02.439, L02.511, L02.512, L02.519, L02.521, L02.522, L02.529, L02.531, L02.532, L02.539, L02.611, L02.612, L02.619, L02.621, L02.622, L02.629, L02.631, L02.632, L02.639, L02.831, L02.831, L02.831, L02.828, L02.831, L02.838, L02.91 - L02.93, L03.011, L03.012, L03.019 - L03.022, L03.029, L03.031, L03.032, L03.039, L03.041, L03.042, L03.049, L03.111 - L03.116, L03.119, L03.121 - L03.126, L03.129, L03.211, L03.212, L03.221, L03.222, L03.311 - L03.317, L03.319, L03.321 - L03.327, L03.329, L03.811, L03.818, L03.891, L03.898, L03.90, L03.91, L04.0 - L04.3, L04.9, L05.01, L05.02, L05.91, L05.92, L08.0, L08.81, L08.82, L08.89, L08.9, L88, L92.8, L98.0 or L98.3 Effective 1/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 680.0 - 686.9.

Code	Description	Brand Name	NDC	NDC unit	Catamami	Service	40	CAH	Р	NE	B4161	8411	ı нs	D.C.	ОРІ		T.	DT.	0 0	ecial Instructions
Code	Description	Brand Name	req.	of	Category	Limits	AC OP	OP	Р	NP	IVIVV	IVIH	1 115	PO	OPI	1	ніі	ווים	Spe	ecial instructions
			for	measure		Lillits	Or	O.										•		
			drug	measure																
			rebate																	
			?																	
			_											<u> </u>						
C9444	Injection, oritavancin, 10	Orbactiv	Yes	UN	Anti-infective		Х	Х												osed 12/31/15. See J2407 after this date. Effective 10/1/2015 ICD-10 diagnosis
	mg																			des B78.1, K12.2, L01.00 - L01.03, L01.09, L01.1, L02.01 - L02.03, L02.11 - L02.13, L02.211 - L02.216,
																				2.219, L02.221 - L02.226, L02.229, L02.231 - L02.236, L02.239, L02.31 - L02.33, L02.411 - L02.416,
																				2.419, L02.421 - L02.426, L02.429, L02.431 - L02.436, L02.439, L02.511, L02.512, L02.519, L02.521,
																				2.522, L02.529, L02.531, L02.532, L02.539, L02.611, L02.612, L02.619, L02.621, L02.622, L02.629,
																				2.631, L02.632, L02.639, L02.811, L02.818, L02.821, L02.828, L02.831, L02.838, L02.91 - L02.93, L03.011, 3.012, L03.019 - L03.022, L03.029, L03.031, L03.032, L03.039, L03.041, L03.042, L03.049, L03.111 -
																				3.116, L03.119, L03.121 - L03.126, L03.129, L03.211, L03.212, L03.221, L03.222, L03.311 - L03.317,
																				3.319, L03.321 - L03.327, L03.329, L03.811, L03.818, L03.891, L03.898, L03.90, L03.91, L04.0 - L04.3,
																				4.8, L04.9, L05.01, L05.02, L05.91, L05.92, L08.0, L08.81, L08.82, L08.89, L08.9, L88, L92.8, L98.0 or
																			L98	
																			Effe	ective 1/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 680.0 - 686.9.
C9445	Injection, C-1 Esterase	Ruconest	Yes	EA	Enzymatic		Х	Х								1			Clo	osed 12/31/15. See J0596 after this date. Effective 10/1/2015 ICD-10
	inhibitor (human), 10 u.				,														diag	gnosis codes D81.810 or D84.1
																			Effe	ective 4/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 277.6. Minimum
																			age	e restriciton of 13 years.
C9449	Injection, blinatumomab,	Blincyto	Yes	EA	Antineoplastic		Х	Х											Clo	osed 12/31/15. See J9039 after this date. Effective 10/1/2015 ICD-10
	1 mcg.	-																	diag	gnosis codes C91.00 - C91.02
																			Effe	ective 4/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 204.00 - 204.02.
																			Min	nimum age restriciton of 13 years.
C9450	Injection, fluocinolone	Iluvien	Yes	EA	Anti-		Х	Х											Clo	osed 12/31/15. See J7313 after this date. Effective 10/1/2015 ICD-10
	acetonide intravitreal				inflammatory														diag	gnosis codes E10.311, E10.319, E10.321, E10.329, E10.331, E10.339, E10.341, E10.349, E10.351,
	implant, 0.01 mg.																			0.359, E10.36, E10.39, E10.65, E11.311, E11.319, E11.321, E11.329, E11.331, E11.339, E11.341,
																				1.349, E11.351, E11.359, E11.36, E11.39, E11.65, E13.311, E13.319, E13.321, E13.329, E13.331,
																				3.339, E13.341, E13.349, E13.351, E13.359, E13.36 or E13.39
																			Effe	ective 4/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 250.50-250.53.
1			l																	
1															1					
00.45			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			222 '					<u> </u>							_		
C9451	Injection, peramivir, 1	Rapivab	Yes	ML	Anti-influenza		Х	Х												osed 12/31/15. See J2547 after this date. Effective 10/1/2015 ICD-10
1	mg.		l			day														gnosis codes J09.X1 - J09.X3, J09.X9, J10.00, J10.01, J10.08, J10.1, J10.2, J10.81, J10.89, J11.00, I.08, J11.1, J11.2, J11.81 or J11.89
1			l																	ective 4/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 487.0 - 487.8 or
1			l																	B.01 - 488.89. Minimum age restriction of 18 years.
1															1				700	5.01 400.00. William ago 100thourn of 10 yours.
C9452	Injection,	Zerbaxa	Yes	EA	Anti-infective		Х	Х							1					osed 12/31/15. See J0695 after this date. Effective 4/1/15. Cost invoice with
	ceftolozane/tazobactam																		NDO	C required with claim. Minimum age restriction of 18 years.
	1.5 G.																			

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	MH	HS	P	0 0	PH	Н		DC	Special Instructions
			req. for	of measure		Limits	OP	OP										F		
			drug rebate ?																	
C9453	Injection, nivolumab 1 mg.	Opdivo	Yes	ML	Antineoplastic	none	x	Х												Closed 12/31/15. See J9299 after this date. Effective 10/1/15 ICD-10 diagnosis codes C00.5, C33, C34.00, C34.01, C34.02, C34.10, C34.11, C34.12, C34.2, C34.30, C34.31, C34.32, C34.80, C34.81, C34.82, C34.90, C34.91, C34.92, C43.59, L0, C43.51, C43.52, C43.59, C43.61, C43.62, C43.62, C43.71, C43.22, C43.30, C43.31, C43.39, C43.4, C43.51, C43.52, C43.59, C.43.60, C43.61, C43.62, C43.70, C43.71, C43.72, C43.8, C43.9, C44.00, C44.01, C44.02, C44.101, C44.102, C44.109, C44.111, C44.112, C44.119, C44.121, C44.121, C44.129, C44.199, C44.199, C44.291, C44.299, C44.290, C44.211, C44.212, C44.219, C44.221, C44.222, C44.229, C44.291, C44.299, C44.301, C44.309, C44.310, C44.311, C44.311, C44.319, C44.321, C44.321, C44.329, C44.390, C44.391, C44.392, C44.390, C44.391, C44.392, C44.390, C44.501, C44.509, C44.501, C44.509, C44.501, C44.509, C44.501, C44.509, C44.501, C44.602, C44.603, C44.604, C44.612, C44.603, C44.604, C4
C9455	Injection, siltuximab 10 mg.	Sylvant	Yes	EA	Monoclonal antibody	none	Х	Х												Closed 12/31/15. See J2860 after this date. Effective 7/1/15. Cost invoice with NDC required with claim. Restricted to diagnosis of ICD-9 785.6 or ICD-10 R59.0, R59.1, or R59.9. Minimum age restriction of 16 years.
	Injection, isavuconazonium sulfate, 1 mg.	Cresemba vial	Yes	EA	Anti-Infective	none	Х	Х												Closed 12/31/15. See J1833 after this date. Effective 10/1/15. Cost invoice with NDC required with claim. Restricted to diagnosis of ICD-10 B44.0, B44.1, B44.2, B44.7, B44.89, B44.9. Minimum age restriction of 18 years.
C9462	Injection, delafloxacin, 1 mg	Baxdela	Yes	EA	Anti-Infective	None	Х	Х												Effective 4/4/18. Cost invoice with NDC required.
C9463	Injection, aprepitant, 1 mg.	Cinvanti	Yes	ML	Anti-emetic	none	Х	Х												Closed 12/31/18. See J0185 after this date. Effective 4/1/18. Cost invoice with NDC required.
C9466	Injection, benralizumab, 1 mg	Fasenra	Yes	ML	Anti-asthmatic	None	Х	Х												Closed 12/31/18. See J0517 after this date. Effective 4/4/18. Cost invoice with NDC required. Restricted to ICD-10 J45.50. Minimum age of 12 years.
C9467	Injection, rituximab and hyaluronidase, 10 mg	Rituxan Hycela	Yes	ML	Anti-neoplastic	None	X	X												Closed 12/31/18. See J9311 after this date. Effective 4/1/18. Cost invoice with NDC required. Restricted to ICD-10 diagnosis of C82.00 - C82.99, C83.30 - C83.39, C91.10, C91.12. Minimum age of 16 years.
	Injection, triamcinolone acetonide, preservative- free, extended-release, microsphere formulation, 1 mg.	Zilretta	Yes	EA	Anti- inflammatory	Max. 32 mg. once yearly	Х	Х												Closed 6/30/18. See Q9993 after this date. 4/1/18. Cost iinvoice with NDC required. diagnosis of M17.1 - M17.9. Restricted to ICD-10
	Injection, talimogene laherparepvec, 1 M PFU	Imlygic	Yes	ML	Anti-neoplastic	none	Х	Х												Closed 12/31/16. See J9325 after this date. Effective 4/1/16. Cost invoice with NDC required with claim. Minimum age restriction of 16 years.
C9473	Injection, mepolizumab, 1mg.	Nucala	Yes	EA	Monoclonal antibody	none	Х	Х												Closed 12/31/16. See J2182 after this date. Effective 4/1/16. Cost invoice with NDC required with claim. Restricted to ICD-10 J45.50. Minimum age restriction of 12 years.

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	РО	OPI	1	HI II	DT D	C Special Instructions
			req. for	of measure		Limits	OP	OP										F	
			drug rebate ?	ouou.o															
C9474	Injection, irinotecan liposome, 1 mg.	Onivyde	Yes	ML	Anti-neoplastic	none	Х	Х											Closed 12/31/16. See J9205 after this date. Effective 4/1/16. Cost invoice with NDC required with claim. Restricted to ICD-10 C25.0, C25.1, C25.2, C25.3, C25.4, C25.7, C25.8, C25.9. Minimum age restriction of 16 years.
C9475	Injection, necitumumab 1 mg.	Portrazza	Yes	ML	Anti-neoplastic	800 units daily	Х	Х											Closed 12/31/16. See J9295 after this date. Effective 4/1/16. Cost invoice with NDC required with claim. Restricted to ICD-10 diagnosis C34.01, C34.02, C34.11, C34.12, C34.2, C34.31, C34.32, C34.81, C34.82, C34.91, C34.92, C38.4, C78.01, C78.02. Minimum age restriction of 16 years.
C9476	Injection, daratumumab, 10 mg.	Darzalex	Yes	ML	Anti-neoplastic	210 units dailiy	Х	Х											Closed 12/31/16. See J9145 after this date. Effective 7/1/16. Cost invoice with NDC required with claim. Restricted to ICD-10 C90.02. Minimum age restriction of 16 years.
C9477	Injection, elotuzumab, 1 mg.	Empliciti	Yes	UN	Anti-neoplastic	None	Х	Х											Closed 12/31/16. See J9176 after this date. Effective 7/1/16. Cost invoice with NDC required with claim. Restricted to ICD-10 C90.00, C90.01, C90.02. Minimum age restriction of 16 years.
C9478	Injection, sebelipase alfa, 1 mg.	Kanuma	Yes	ML	Metabolic Enzyme Replacement	None	Х	Х											Closed 12/31/16. See J2840 after this date. Effective 7/1/16. Cost invoice with NDC required with claim.
C9479	Injection, ciprofloxacin otic, 6 mg.	Otiprio	Yes	ML	Anti-Infective	None	Х	Х											Closed 12/31/16. See J7342 after this date. Effective 7/1/16. Cost invoice with NDC required with claim.
C9480	Injection, trabectedin, 0.1 mg.	Yondelis	Yes	EA	Anti-neoplastic	None	Х	Х											Closed 12/31/16. See J9352 after this date. Effective 7/1/16. Cost invoice with NDC required with claim. Restricted to ICD-10 C49.9. Minimum age restriction of 16 years.
C9481	Injection, reslizumab, 1 mg.	Cinqair	Yes	ML	Anti-asthmatic	None	Х	Х											Closed 12/31/16 See J2786 after this date. Effective 10/1/16. Cost invoice with NDC required. Restricted to ICD-10 J45.50. Minimum age of 18 years.
C9483	Injection, atezolizumab, 10 mg.	Tecentriq	Yes	ML	Anti-Infective	120 units daily.	Х	Х											Closed 12/31/17. See J9022 after this date. Effective 10/18/16, approved ICD-10 diagnosis of C34.00 - C34.92. Effective 10/1/16. Cost invoice with NDC required. Restricted to ICD-10 C65.1, C65.2, C65.9, C66.1, C66.2, C66.9, C67.0, C67.1, C67.2, C67.3, C67.4, C67.5, C67.6, C67.7, C67.8, C67.9, C68.0. Minimum age restriction of 16 years.
C9484	Injection, eteplirsen 10 mg.	Exondys 51	Yes	ML	Genetic therapy	none	Х	Х											Closed 12/31/17. See J1428 after this date. Effective 4/1/17. Cost invoice with NDC required.
C9485	Injection, oloratumab 10 mg.	Lartruvo	Yes	ML	Antineoplastic	none	Х	Х											Closed 12/31/17. See J9285 after this date. Effective 4/1/17. Cost invoice with NDC required.
C9487	Ustekinumab, IV injection, 1 mg.	Stelara	Yes	ML	Antipsoriatic	none	Х	Х											Closed 6/30/17. See Q9989. Effective 4/1/17. Cost invoice with NDC required. Restricted to ICD-10 L30.5, L40.0 - L40.4, L40.50 - L40.54, L40.59, L40.8, L40.9, L41.0, L41.1, L41.3 - L41.5, L41.8, L41.9, L42, L44.0, L44.8, L45 or L94.5.
C9490	Injection, bezlotoxumab 10 mg.	Zinplava	Yes	ML	Anti-Infective	none	Х	Х											Closed 12/31/17. See J0565 after this date. Effective 10/1/17, ICD-10 diagnosis restriction modified to A04.71 or A04.72. Fffective 7/1/117. Restricted to ICD-10 diagnosis A04.7. Minimum age restriction of 18 years.
C9491	Injection, avelumab, 10 mg.	Bavencio	Yes	ML	Antineoplastic	None	Х	Х											Closed 12/31/17. See J9023 after this date. Effective 10/1/17. Cost invoice with NDC required. Restricted to ICD-10 of C4A.0, C4A.10 - C4A.12, C4A.20 - C4A.22, C4A.30 - C4A.39, C4A.4, C4A.51 - C4A.59, C4A.60 - C4A.62, C4A.70 - C4A.72, C4A.8, C4A.9; C65.1, C65.2, C66.1, C66.2, C67.0 - C67.9, C68.0, C68.8. Minimum age of 12 years.
C9492	Injection, durvalumab, 10 mg.	Imfinzi	Yes	ML	Antineoplastic	None	X	Х											Closed 12/31/18. See J9173 after this date. Effective 2/16/18, ICD-10 C33, C34.01, C34.02, C34.11, C34.12, C34.2, C34.31, C34.32, C34.81, C34.82, C34.91, C34.92 added. Effective 10/1/17. Cost invoice with NDC required. Restricted to ICD-10 C65.1, C65.2, C66.1, C66.2, C67.0 - C67.9, C68.0, C68.8. Minimum age of 16 years.
C9493	Injection, edaravone, 1 mg.	Radicava	Yes	ML	Antineoplastic	60 units daily	Х	Х											Closed 12/31/18. See J1301 after this date. Effective 10/1/17. Cost invoice with NDC required. Restricted to ICD-10 G12.21. Minimum age of 16 years.

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	PC	0 0	PH	Н		DC	Special Instructions
			req. for drug rebate ?	of measure		Limits	OP	OP										F		
C9494	Injection, ocrelizumab, 1 mg.	Ocrevus	Yes	ML	Multiple sclerosis	600 units per day	Х	Х												Closed 12/31/17. See 2350 after this date. Effective 10/1/17. Cost invoice with NDC required. Restricted to ICD-10 G35.
G9020	Rimantadine HCL	Flumadine	N/A		Antiviral															Not Covered
G9033	100mg oral Amantadine HCL oral	Symmetrel	N/A		Parkinsons										-	-				Not Covered
G9034	brand Zanamivir, inh pwdr,	Relenza	N/A		Disease Antiviral															Not Covered
G9035	brand Oseltamivir phosp, brand	Tamiflu	N/A		Antiviral											_				Not Covered
	Rimantadine HCL, brand		N/A																	
			,		Antiviral															Not Covered
J0120	Injection tetracycline up to 250mg	Achromycin Sumycin Panmycin	Yes	UN	Antibiotic	4 per day	Х	Х	Х	Х										
J0128	Injection abarelix 10mg	Plenaxis	Yes	UN	Gonadotropin	None	Х	Х	Х											Effective 10/1/2015 ICD-10 diagnosis code C61 Maximum dosage 100 mg on days 1, 15 & 29, then maximum 100 mg every 4 weeks thereafter. ICD-9 code
J0129	Injection, Abatecept, 10 mg	Orencia	Yes	UN	Anti-rheumatic	100 units every 2 weeks	X	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes M05.00, M05.011, M05.012, M05.019, M05.021, M05.022, M05.029, M05.031, M05.032, M05.039, M05.039, M05.041, M05.042, M05.049, M05.051, M05.052, M05.059, M05.061, M05.062, M05.069, M05.067, M05.072, M05.072, M05.079, M05.09, M05.101, M05.111, M05.112, M05.119, M05.121, M05.122, M05.129, M05.131, M05.132, M05.139, M05.141, M05.142, M05.149, M05.151, M05.152, M05.152, M05.139, M05.179, M05.19, M05.30, M05.60, M05.611, M05.612, M05.619, M05.612, M05.622, M05.629, M05.631, M05.632, M05.639, M05.641, M05.642, M05.661, M05.662, M05.666, M05.661, M05.662, M05.669, M05.671, M05.679, M05.679, M05.69, M05.711, M05.712, M05.719, M05.721, M05.722, M05.729, M05.731, M05.732, M05.739, M05.741, M05.742, M05.749, M05.751, M05.752, M05.759, M05.761, M05.762, M05.769, M05.811, M05.812, M05.822, M05.833, M05.833, M05.839, M05.841, M05.842, M05.849, M05.851, M05.852, M05.861, M05.861, M05.681, M05.842, M05.849, M05.851, M05.852, M05.861, M05.861, M05.862, M05.862, M05.869, M06.071, M06.072, M06.079, M06.1, M06.212, M06.212, M06.221, M06.221, M06.222, M06.231, M06.332, M06.339, M06.241, M06.242, M06.249, M06.251, M06.252, M06.259, M06.261, M06.262, M06.269, M06.811, M06.811, M06.852, M06.859, M06.831, M06.832, M06.839, M06.851, M06.852, M06.869, M06.871, M06.872, M06.879, M06.881, M06.861, M06.861, M06.862, M06.869, M06.871, M06.872, M06.879, M06.881, M06.882, M06.889, M06.881, M06.881, M06.882, M06.889, M06.881, M06.881, M06.882, M06.889, M06.881, M06.882, M06.
J0130	Injection abciximab 10ma	ReoPro	N/A		Antiplatelet															Not Covered
J0131	Injection, acetaminophen, 10 mg.		N/A																	Not Covered
J0132	Injection, acetylcysteine, 100 mg	Acetadote Mucomyst	Yes	ML	Antidote	None	х	х	X											Effective 10/1/2015 ICD-10 diagnosis codes T39.012A, T39.014A, T39.014D, T39.014S, T39.092A, T39.094A, T39.094D, T39.094S, T39.1X1A -T39.1X4A, T39.2X2A, T39.2X4A, T39.2X4D, T39.2X4S, T39.311A, T39.311D, T39.311S, T39.312A, T39.312D, T39.312S, T39.313A, T39.313D, T39.313S, T39.314A, T39.314D, T39.344S, T39.392A, T39.394A, T39.394D, T39.394ZA, T39.4X2A, T39.4X4D, T39.4X4D, T39.4X4S, T39.8X2A, T39.8X4A, T39.92xA, T39.94xA, T40.0X2A, T40.0X4A, T40.0X4D, T40.0X4S, T40.1X2A, T40.1X4A, T40.1X4D, T40.1X4S, T40.2X2A, T40.2X4A, T40.2X4D, T40.2X4S, T40.3X2A, T40.3X4A, T40.3X4D, T40.3X4S, T40.4X2A, T40.4X4A, T41.1X2A, T41.202A, T41.292A, T41.3X2A or T41.42xA ICD-9 codes required on claim form: 965.4, E850.4, E935.4, E950.0, E962.0, E980.0
J0133	Injection, acyclovir, 5mg		Yes	PWD=UN SOL=ML	Antiviral	None	Х	Х	Х	Х										Nurse practitioner added 1/1/09.

Code	Description	Brand Name	NDC	NDC unit	Cotogoni	Service	AC	САН	Р	ND	BANA!	ML	ше	DC.	ОРН	1.0	lint		Special Instructions
Code	Description	DI AND NAME	_	of	Category	Service	OP	OP	P	MP	IVIVV	IVIT	пэ	10	UPH	111	וטון	DC	opecial instructions
			req.			Limits	OP	UP									-		
			for	measure															
			drug																
			rebate																
			?																
	Injection adalimumab	Humira	N/A		Anti-rheumatic														Not Covered
	20ma																		
J0150	Injection adenosine 6mg	Adenoscan	Yes	ML	Anti-arrhythmic	None													Not Covered
10454	Introduce advantage for	Adenocard	\/		Diamenti.	Maria	V	· ·	V								- V	_	
	Injection, adenosine for	Adenocard	Yes	ML	Diagnostic	None	Х	Х	Х								X		Closed 12/31/14. See J0153 after this date. Effective 1/1/14.
	diagnostic use, 1 mg				Agent														
	(Not to be used to report																		
	any adenosine																		
	phosphate compounds,																		
	Injection adenosine for	Adenocard	Yes	PWD=UN	Diagnostic	None	Х	Х	Х								Х		Closed 12/31/13. See J0151. Replaces J0151. Use only for stress testing. Separate billing when test
	diag. use 30mg			SOL=ML	Agent														provided in physician's office or IDTF. Adults only.
J0153	Injection, adenosine, 1	Adenocard	Yes	ML	Diagnostic	None	Х	Х	Х								Х		Effective 1/1/15.
	mg (not to be used to				Agent														
	report any adenosine																		
	phosphate compounds) Injection adrenalin epi-	Faires	Yes	ML	Respiratory	1 per day	Х	Х	Х	Х							-	+	Closed 12/31/10. See J0171 after this date.
	nephprine up to 1ml	Epipen Adrenalin	res	IVIL	Respiratory	i per day	^	^	^	^									Closed 12/31/10. See J01/1 after this date.
	ampule	Chloride.																	
	ampule	SusPhrine																	
J0171	Injection, epinephrine,	Adrenalin	Yes	ML	Antidote	None	Х	Х	Х	Х									New code effective 1/1/11.
	0.1 MG.																		
J0172	Injection, aducanumab-	Aduhelm	Yes	SOL	Alzheimer's	None	Х	Х	Х									+	Effective 3/1/22, prior authorization is required. Please contact Kepro at 800-346-8272, or
	avwa, 2 mg				agent		1	l											wymedicalservices@kepro.com.
	3				35														Service limit is removed.
																			1/1/22. Minimum age
																			of 50 years.
10474	Inication Incomes	Lanamh'	Vee	NAI.	Managland	Niene	V	V	V									+	Effective 7/25/23.
	Injection, lecanemab-	Leqembi	Yes	ML	Monoclonal	Nione	X	X	Х								T	Γ	
	irmb, 1 mg				Antibody												T	Γ	Restricted to ICD-10 diagnosis G30.0, G30.1, G30.8, G39.9, G31.84.

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	ь	NP	MW	ML	HS	РО	OPH	н	ı lın	TID	C Special Instructions
Code	Description	Diana Name	req.	of	Category	Limits	OP	OP	-	INF	IVIVV	IVIT	пэ	PU	OFF	п	F		C Special instructions
			for	measure															
			drug rebate																
			?																
J0178	Injection, aflibercept, 1	Eylea	Yes	ML	neovascular-	4 units per	Х	Х							Х				Effective 7/1/21, added ICD-10 E08.3211 - E08.3213, E08.3311 - E08.3313, E08.3411 - E08.3413, E08.3511
	mg				Age related	week													E08.3513, E09.3211 - E09.3213, E09.3311 - E09.3313, E09.3411 - E09.3413, E09.3511 - E09.3513,
					Macular Degeneration														E10.3211 - E10.3213, E10.3311 - E10.3313, E10.3411 - E10.3413, E10.3511 - E10.3513, E11.3211 - E11.3213, E11.3211 - E11.3213, E11.3311 - E11.3313, E11.3411 - E11.3413, E11.3511 - E11.3513, E13.3211 - E13.3213,
					, and the second														E13.3311 - E13.3313, E13.3411 - E13.3413, E13.3511 - E13.3513, E11.3591 - E11.3593.
																			Effective 5/13/19, added ICD-10: E08.319, E08.3291 - E08.3293, E08.3391 - E08.3393, E08.3491 -
																			E08.3493, E08.3521 - E08.3523, E08.3531 - E08.3533, E08.3541 - E08.3543, E08.3551 - E08.3553, E08.3591 - E08.3593, E09.319, E09.3291 - E08.3293, E09.3391 - E08.3393, E09.3491 - E09.3493, E09.3521 -
																			E09.3523, E09.3531 -E0.3533, E09.3541 - E09.3543, E09.3551 - E09.3553, E09.3591 - E09.3593, E10.319,
																			E10.3291 - E10.3293, E10.3391 - E10.3393, E10.3491 - E10.3493, E10.3521 - E10.3523, E10.3531 - E10.3533, E10.3531 - E10.3533, E10.3541 - E10.3543, E10.3551 - E10.3553, E10.3591 - E10.3593, E11.319, E11.3291 - E11.3293,
																			E11.3391 - E11.3393, E11.3491 - E11.3493, E11.3521 - E11.3523, E11.3531 - E11.3533, 311.3541 -
																			E11.3543, E13.319, E13.3291 - E13.3293, E13.3391 - E13.3393, E13.3491 - E13.3493, E13.3521 - E13.3523,
																			E13.3531 - E13.3533, E13.3541 - E13.3543, E13.3551 - E13.3553, E13.3591 - E13.3593. Effective 10/1/16, ICD-10 diagnosis codes E10.3211, E10.3212, E10.3213, E10.3311, E10.3312, E10.3313,
																			E10.3411, E10.3412, E10.3413, E10.3511, E10.3512, E10.3513, E11.3211, E11.3212, E11.3213, E11.3311,
																			E11.3312, E11.3313, E11.3411, E11.3412, E11.3413, E11.3511, E11.3512, E11.3513, H34.8110, H34.8111,
																			H34.8112, H34.8120, H34.8121, H34.8122, H34.8130, H34.8131, H34.8132, H34.8190, H34.8191, H34.8192, H34.8310, H34.8311, H34.8312, H34.8320, H34.8321, H34.8322, H34.8330, H34.8331, H34.8332, H35.3211,
																			H35.3212, H35.3213, H35.3221, H35.3222, H35.3223, H35.3231, H35.3232, H35.3233 added.
																			Effective 10/1/2015 ICD-10 diagnosis codes E10.311, E10.321, E10.331, E10.341, E10.351, E11.311, E11.321, E11.331, E11.341, E11.351, H34.811, H34.812, H34.813, H34.819, H34.839, H35.32 or H35.81
																			Effective 10/6/14, ICD-9 diagnosis restriction of 362.83 and 362.36 added. Effective 7/29/14, ICD-9 diagnosis
																			restriction of 362.07 added. Effective 1/1/13. Restricted to ICD-9 diagnosis of 362.52, or 362.83 and 362.35.
																			Minimum age restriction of 16 years
J0179	Injection, brolucizumab- dbll, 1 mg (Beovu)	Beovu	Yes	ML	Macular degeneration	Six units daily	Х	Х	Х										Effective 1/1/20.
	ubii, 1 mg (Beovu)				degeneration														
J0180	Injection agalsidase beta	Fabrazyme	Yes	UN	Enzyme	None	Х	Х	Х				1					+	Effective 10/1/2015 ICD-10 diagnosis codes E75.21, E75.22, E75.240 - E75.243, E75.248, E75.249, E75.3,
	1mg																		E77.0, E77.1, E77.8, or E77.9
																			Requires Prior Authorization for children 16 4. Submit copies of physician's medical records, specialist's medical records (as appropriate), member's weight, signs and symptoms and diagnostic test results
																			to confirm diagnosis of ICD-9-CM code 272.7 to BMS Medical Director. Children 16> years of age , do not
J0185	Injection, aprepitant, 1 mg.	Cinvanti	Yes	ML	Anti-emetic	None	Х	Х	Х										Effective 1/1/19.
J0190	Injection biperiden lactate 5mg	Akineton	Yes	UN	Anti-dyskinetic	4 per day	Х	Х	Х										Closed 6/30/20. No drug manufacturer participation in federal drug rebate program.
J0200	Injection alatroflaxacin mesylate 100mg	Trovan IV Trova-floxacin	N/A		Antibiotic												T		Not Covered
J0202	Injection, alemtuzumab, 1 mg	Lemtrada	Yes	ML	Anti-schlerotic	none	Х	Х	Х										Effective 1/1/16. Restricted to diagnosis ICD-10 G35. Minimum age restriction of 17 years.
J0205	Injection alglucerase	Ceredase	Yes	ML	Enzyme	None	Х	Х	Х				1				\top	\top	Effective 10/1/2015 ICD-10 diagnosis codes E75.21, E75.22, E75.240 - E75.243, E75.248, E75.249, E75.3,
	10U																		E77.0, E77.1, E77.8, or E77.9 ICD-9 code 272.7 required on claim form
J0207	Injection amifostine 500ma	Ethyol	Yes	UN	Anti-neoplastic	None	Х	Х	Х										
J0208	Injection, sodium thiosulfate, 100 mg	Pedmark	Yes	ML	Antidote	None	Х	Х											Effective 4/1/123. Restricted to ICD-10 T45.1X5A, T45.1X5D, T45.1X5S.
J0210	Injection methyldopate	Aldomet	Yes	ML	Anti-	None	Х	Х	Х				+				+	+	
	HCl up to 250ma	Aldoril			hypertensive				<u> </u>										

				•	•														
Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	РО	OPH	HI		DC	Special Instructions
			req.	of		Limits	OP	OP									F		
			for drug	measure															
			rebate																
			?																
J0215	Injection alefacept	Amevive	Yes	UN	Monoclonal	30 units per	Х	Х	Х										30 units per week X 12 weeks in a 6 month period per lifetime.
	0.5mg				Antibody	week X 12													
	ŭ					weeks in 6													
						month period													
J0218	Injection, olipudase alfa-	Xenpozyme	Yes	EA	Metabolic	ner lifetime None	Х	Х	Х				1						Effective 4/1/123.
JUZ 16	rpcp, 1 mg	Aeripozyme	165	EA	Enzyme	None	^	^	^										Restricted to ICD-10 E75.240, E75.241, E75.244, E75.248, or E75.249.
	ipop, i ilig				Replacement														Restricted to ICD-10 E73.240, E73.241, E73.244, E73.246, 01 E73.249.
10210	Injection,	Nexviazyme	Yes	EA	Enzymatic	None	Х	Х	Х				1						Effective 4/1/22.
30219	avalglucosidase alfa-	Nexviazyiile	165	LA	Liizyiiialic	None	^	^	^										Restricted to ICD-10 E74.02, Pompe disease.
	ngpt, 4 mg																		Minimum age of 1 year.
10000	· · ·	N4. 10 TH 100 C	Vaa	LINI	Matabalia	None	V												
JU220	Injection, alglucosidase alfa, 10 mg.	Myozyme	Yes	UN	Metabolic Enzyme	None	Х	Х	Х						İ				Closed 6/30/20. No drug manufacturer participation in federal drug rebate program. New code effective 1/1/08. Replaces C9234.
	alia, 10 mg.		l		Replacement										İ				INEW CODE ENECTIVE 1/1/00. REPIRICES C9234.
J0221	Injection, alglucosidase	Lumizyme	Yes	UN	Enzymatic	none	Χ	Х	Х							Х	Ì		Effective 10/1/2015 ICD-10 diagnosis codes E74.00 - E74.04 or E74.09
	alfa, 10 mg.	-								l		l			l	l			Effective 8/1/14, minimum age restriction removed. Effective 1/1/12. Restricted to ICD-9 diagnosis 271.0.
10000	Introduce and decoration	0	\/	N.41	A de l'ale e l'e	000			\ \ \									<u> </u>	Minimum age restriction of 8 years
J0222	Injection, patisiran, 0.1	Onpattro	Yes	ML	Amyloidosis	300 units	Х	Х	Х										Effective 10/1/19. Restricted to ICD-10 E85.1.
	mg				agent	daily													Minimum age restriction of 18 years.
10000		0:1 :	.,			750 "													
J0223	Injection, givosiran, 0.5	Givlaari	Yes	ML	Acute hepatic	756 units	Х	Х	Х										Effecticve 7/1/20. Restricted to ICD-10 E80.21.
	mg				porphyria	monthly													Minimum age 16 years.
100.10			.,																
J0248	Injection, remdesivir, 1	Veklury	Yes	UN ML	Monoclonal Antibody	None	Х	Х	Х	Х									Effective 12/23/21.
	mg			IVIL	Artibody														Includes coverage to FQHCs.
J0256	Injection alpha 1	Prolastin-C	Yes	UN	Alpha-1	800 u. weekly	Х	Х	Х										Service limit adjusted upward, 10/1/10.
	proteinase inhibitor	Aralast			antitrypsin	1													
	human 10mg	Zemaira							<u> </u>							.,			
J0257	Injection, alpha-1 proteinase inhibitor	Glassia	Yes	UN	Enzymatic	820 units per	Х	Х	Х							Х			Effective 10/1/2015 ICD-10 diagnosis codes J43.0 - J43.2, J43.8 or J43.9
	proteinase innibitor (human), 10 MG					week													Effective 1/1/12. Restricted to ICD-9 diagnosis 492.8. Minimum age restriction of 16 years.
J0270	Injection alprostadil	Caverject	Yes	PWD=UN	Pro-staglandin	None	Х	Х	Х										Not for self administration. IV only
	1.25mcg	Muse Prostin		SOL=ML															, and the second
10075	A1	VR Pediatric			5														N.O. I
J02/5	Alprostadil urethral suppository	Muse	N/A		Pro-staglandin										l				Not Covered
J0278	Injection, amikacin	Amikin	Yes	PWD=UN	Antibiotic	None	Х	Х	Х	Х				Х			1		Nurse practitioner added 1/1/09.
	sulfate, 100 mg			SOL=ML															•
J0280	Injection aminophyllin up	Phyllocontin	Yes	PWD=UN	Broncho-dilator	None	Х	Х	Х								1	Х	
J0282	to 250mg Injection, amiodarone	Cordarone	Yes	SOL=ML	Anti-arrhythmic		Х		-								1	 	Effective 2/1/16 coverage added for OD beautifula
JU282	Injection, amiodarone HCl 30 ma	Cordarone	168		Anu-annymmic		٨	Х		l		l			l	l			Effective 2/1/16, coverage added for OP hospitals.
J0285	Injection amphotericinB	Abelcent,	Yes	UN	Anti-fungal	None	Х	Х	Х										
1	50mg	Amphocin,				-				l		l			l	l			
1000=	Introduce con to a state	Fungizonef	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1.0	A (NI-	.,	.,	,,									<u> </u>	
J0287	Injection amphotericinB lipid complex 10mg	Abelcet	Yes	ML	Anti-fungal	None	Х	Х	Х	l		l			1	l			
J0288	Injection amphotericinB	Amphotec	Yes	UN	Anti-fungal	None	Х	Х	Х								1-		
55200	cholesteryl sulfate com-	,p.10100	. 55	511	,ungai			^	l ^	l		l			l	l			
	plex 10ma																		
J0289	Injection amphotericinB	Ambisome	Yes	UN	Antibiotic	None	X	Х	Х						l				
10200	liposome 10mg. Injection ampicillin	Totacillin-N	Yes	UN	Antibiotic	None	Х	Х	Х	Х							-	Х	
30230	sodium 500mg.	Omnipen-N	163	UN	AHIDIOUG	NONE	^	_ ^	^	^					İ			^	
	CCGIGITI OOOTHG.	CAHIDOHIIV	•					•			•		•				•		

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	Р	NP	MW	МН	нѕ	PC	O OP	Н		IDT F	DC S	Special Instructions
	Injection ampicilllin sodium sulbactam sodium 1.5a	Unasyn	Yes	UN	Antibiotic	None	Х	Х	Х	Х										
J0300	Injection amobarbital up	Amytal	Yes	UN	Anti-convulant	None	Х	Х	Х											
J0330	to 125mg. Injection succinylcholine	Anectine	Yes	PWD=UN	Neuro-muscular	None	Х	Х	Х				-	-	-	-			\dashv	
	chloride up to 20mg.	Quelicin Sucostrin		SOL=ML	blocker															
J0348	Injection, anidulafungin, 1 mg	Eraxis	Yes	UN	Anti-fungal	200 units per day	Х	Х	Х	Χ									1	New code effective 1/1/07. Nurse practitioner added 1/1/09.
J0349	Injection, rezafungin, 1 mg	Rezzayo	Yes	EA	Antifungal	None	Х	Х	X											Effective 10/1/23. Restricted to ICD-10 B37.1, B37.49, B37.7, B37.8, B37.81, B37.82, or B37.89. Minimum of 18 years.
J0350	Injection anistreplase 30U	Eminase	N/A		Thrombolytic agent														1	Not Covered
J0360	Injection hydralazine HCI up to 20mg	Apresoline	Yes	PWD=UN SOL=ML	Anti- hypertensive	None	Х	Х	Х											
	Injection, apomorphine HCl. 1 mg	Apokyn	Yes	PWD=UN SOL=ML	Dopamine Agonist	20 units per dav	Х	Х	Х	Х									E	Effective 10/1/2015 ICD-10 diagnosis codes G20 or G21.4 New code effective 1/1/07. ICD-9 code 332.0 required on claim form. Nurse practitioner added 1/1/09.
	Injection, aprotonin, 10.000kiu	Trasylol	N/A	OOL=WL	Blood Product Derivative	uav													1	Not covered.
J0380	Injection metaraminol bitartrate 10mg	Aramine	Yes	PWD=UN SOL=ML	Adrenergic agonist	None	Х	Х	Х											
J0390	Injection chloroquine HCI up to 250mg	Aralen	N/A		Anti-infective														1	Not Covered
J0395	Injection arbutamine HCI 1 ma	GenESA	Yes	UN	Thrombolytic agent	None	Х	Х	Х									Х		
	Injection, Aripiprazole IM, 0.25 mg	Abilify	N/A		Atypical anti- psychotic														1	New code effective 1/1/08. Not covered. See POS pharmacy.
J0401	Injection, aripiprazole, extended release, 1 mg	Abilify Maintena	N/A		Atypical anti- psychotic														1	New code effective 1/1/14. Not covered. See POS pharmacy.
	Injection azithromycin 500 ma.	Zithromax	Yes	UN	Antibiotic	1 per day	Х	Х	Х											
	Injection, aztreonam, 100 mg	NA	Yes	UN	Anti-bacterial	None	Х	Х											E	Effective 7/1/23. Cost invoice required.
	Injection atropine sulfate up to 0.3mg	AtroPen	Yes	ML	Anti-cholenergic	3 per day	Х	Х	Х	Х										Closed 12/31/09. See J0461.
	Injection, atropine sulfate, 0.01 mg.	AtroPen	Yes	ML	Anti-cholenergic	None	Х	Х	Х	Х									E	Effective 1/1/10.
J0470	Injection dimercaprol 100 mg.	BAL in oil	Yes	ML	Antidote	None	Х	Х	Х											
J0475	Injection baclofen 10mg	Lioresal	Yes	PWD=UN SOL=ML	Skeletal muscle relaxant	4 per day	Х	Х	X										((I	Effective 10/1/2015 ICD-10 diagnosis codes G04.1, G40.401, G40.409, G40.411, G40.419, G80.0 - G80.2, 380.4, G80.8 - G81.14, G82.20 - G82.22, G82.50 - G82.54, G83.0, G83.10 - G83.14, G83.20 - G83.24, 383.30 - G83.34, G83.4, G83.5, G83.81 - G83.84, G83.8, G83.9, I63.50, I63.511, I63.512, I63.519, I63.521, I63.522, I63.529, I63.531, I63.532, I63.539, I63.541, I63.542, I63.549, I63.59, R25.0 - R25.3, R25.8 or R25.9 CD-9 diagnosis of 342.1 to 342.10, 342.11, 342.12, 343.0 - 344.9, 345.60 - 345.61, 434.91, or 781.0 must be
	Injection baclofen 50mcg	Lioresal for intrathecal trial	Yes	ML	Skeletal muscle relaxant	1 per week	Х	Х	Х											For intrathecal trial only.
J0480	Injection, basiliximab, 20 mg	Simulect	N/A		Immuno- suppressant														١	Not Covered
	Injection, belatacept, 1 mg	Nulojix	Yes	UN	Immuno- suppressant	1350 units daily	Х	Х	Х										E	Effective 12/1/18, ICD-10 diagnosis code restricted to: Z94.0 - Z94.9 only. Effective 10/1/2015 ICD-10 diagnosis codes Z48.22 or Z94.0 Effective 1/1/13. Must be billed with V42.0. Minimum age restriction of 18 years.
	Injection, belimumab, 10 ma.	Benlysta	Yes	UN	Immunlologic	260 units per month	Х	Х	Х								Х		E	Effective 10/1/2015 ICD-10 diagnosis codes M32.0, M32.10 - M32.15, M32.19, M32.8 or M32.9 Effective 1/1/12. Restricted to ICD-9 diagnosis 710.0. Minimum age restriction of 16 years.

Code	Description	Brand Name		NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	РО	ОРН	Н		C Special Instructions
			req. for drug rebate ?	of measure		Limits	OP	OP									F	
J0491	Injection, anifrolumab- fnia, 1 mg	Saphnelo	Yes	ML	Immunosuppres sive	300 units daily	Х	Х	Х									Effective 4/1/122. Restricted to ICD-10 M32.10 - M32.19, M32.8, M32.9. Minimum age of 18 years.
J0500	Injection dicyclomine HCI up to 20mg	Bentyl Antispas Dilomine Dibent DiSpaz	Yes	PWD=UN SOL=ML	Anti-cholenergic	None	Х	Х	X									
J0515	Injection benztropine	Cogentin	Yes	PWD=UN SOL=ML	Anti-cholenergic	None	Х	Х	Х	Х		Х						
J0517	mesylate 1mq Injection, benralizumab, 1 mg	Fasenra	Yes	ML ML	Anti-asthmatic	None	Х	Х	Х									Effective 1/1/19. Restricted to J45.50. Minimum of 12 years.
J0520	Injection bethanechol	Urecholine	Yes	UN	Cholenergic	None	Х	Х	Х									
J0530	chloride up to 5mq Injection penicillinG benzathine & penicillinG procaine up to 600K U	Mytonachol Bicillin CR	Yes	ML	Antibiotic	None	Х	Х	Х	Х								Closed12/31/09. See J0559.
	Injection penicillinG benzathine & penicillinG procaine up to 1.2m U	Bicillin CR	Yes	ML	Antibiotic	None	Х	Х	Х	Х								Closed 12/31/09. See J0559.
	Injection penicillin G benzathine & penicillinG procaine up to 2.4m U	Bicillin CR	Yes	ML	Antibiotic	None	Х	Х	Х	Х								Closed 12/31/09. See J0559.
	Injection, penicillin G benzathine & penicillin G procaine 100 000 U	Bicillin CR	Yes	ML	Antibiotic	none	Х	Х	Х	Х						Х		Effective 1/1/11.
	Injection, penicillin G benzathene and penicillin G procaine, 2500 I I	Bicillin CR	Yes	ML	Antibiotic	none	Х	Х	Х	Х						Х		Closed 12/31/10. See J0558 after this date. Original effective date, 1/1/10. Deny with ICD-9 diagnosis of 090.0 - 097.9
	Injection penicillinG benzathine up to 600K U	Bicillin LA Permapen	Yes	ML	Antibiotic	None	Х	Х	Х	Х								Closed 12/31/10. See J0561 after this date.
J0561	Injection, penicillin G benzathine, 100,000 U.	Bicillin LA Permapen	Yes	ML	Antibiotic	None	Х	Х	Х							Х		New code effective 1/1/11.
J0565	Injection, bezlotoxumab,	Zinplava	Yes	ML	Anti-infective	None	Х	Х	Х	Х								Effective 1/1/18. Restricted to ICD-10 A04.71, A04.72. Minimum age of 18 years.
	Injection, cerliponase alfa, 1 mg	Brineura	Yes	ML (individual syringe)	Enzymatic	None	X	Х	Х									Effective 1/1/19. Restricted to ICD-10 E75.4. Minimum of 3 years.
J0570	Buprenorphine implant, 74.2 mg	Probuphine	Yes	ML	Anti- dependence	Eight units yearly			Х									Effective 1/1/17. Restricted to ICD-10 diagnosis F11.20, F11.21, F11.229, F11.259, F11.23, F11.93. Minimum age of 16 years.
	Buprenorphine, oral, 1 mg.	Subutex	Yes	EA	Anti- dependence	24 units daily						Х						Effective 7/1/17. Covered entities are Mental Health Clinic & Mental Health Rehabilitation.
J0572	Buprenorhpine/Naloxone , oral, 2 mg./0.5 mg.	Suboxone	Yes	EA	Anti- dependence	3 units daily						Х					Ť	Effective 7/1/17. Covered entities are Mental Health Clinic & Mental Health Rehabilitation.
	Buprenorhpine/Naloxone , oral, 8 mg./2 mg.	Suboxone	Yes	EA	Anti- dependence	3 units daily						Х						Effective 7/1/17. Covered entities are Mental Health Clinic & Mental Health Rehabilitation.
J0583	Injection bivalirudin 1mg	Angiomax	Yes	UN	Anti-coagulant	None	Х	Х										C
J0584	Injection, burosumab- twza 1 mg	Crysvita	Yes	ML	Hypophosphate mia	90 units daily	Х	Х	Х									Effective 1/1/19. Restricted to ICD-10 E83.31

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	нѕ	PO	OF	РН	НІ	IDT F	DC	Special Instructions
J0585	Botulinum toxin type A per unit.	Botox	Yes	UN	Neuro-muscular blocker	none	X	Х	Х											See previous webpage for Botulinim Code Coverage and diagnoses. Prior authorization required. Contact Kepro Healthcare at 800-346-8272 or 304-343-9663. Effective 1/1/07. CPT codes 31513, 31570, 31571, 43201, 43236, 46505, 52287, 64615, 64616, 64617, 64614, 64640, 64642, 64643, 64644, 64645, 64647, 64650, 64653 or 67345 must be billed on claim
J0586	Injection, abobotulinumtoxinA, 5 U	Dysport	Yes	UN	Neuro-muscular blocker	none	Х	Х	Х											See previous webpage for Botulinim Code Coverage and diagnoses. Prior authorization required. Contact Kepro Healthcare at 800-346-8272 or 304-343-9663 Effective 1/1/10. CPT codes 31513, 31570, 31571, 43201, 43236, 46505, 64616, 64617, 64614, 64640, 64642, 64643, 64644, 64645, 84644, 64650, 64653 or 673/45 must be billed on claim form.
	Botulinum toxin type B per 100 U	Myobloc	Yes	ML	Neuro-muscular blocker	none	X	X	Х											See previous webpage for Botulinim Code Coverage and diagnoses. Prior authorization required. Contact Kepro Healthcare at 800-346-8272 or 304-343-9663 Effective 1/1/07. CPT codes 31513, 31570, 31571, 43201, 43236, 46505, 64616, 64617, 64614, 64640, 64643, 64644, 64645, 64644, 64645, 64650, 64653, or 67345 must be billed on claim form.
J0588	Injection, incobotulinimtoxin A, 1 unit	Xeomin	Yes	UN	Neuro-muscular blocker	none	х	X	×											See previous webpage for Botulinim Code Coverage and diagnoses. Prior authorization required. Contact Kepro Healthcare at 800-346-8272 or 304-343-9663 Effective 1/1/12. CPT codes 31513, 31570, 31571, 43201, 43204, 45056, 64616, 64617, 64614, 64640, 64642, 64643, 64644, 64645, 64647, 64650, 64653 or 67345 must be billed on claim form. Minimum age restriction of 5 years.
J0591	Injection, deoxycholic acid, 1 mg	Kybella	N/A																	Not covered.
J0592	Injection buprenorphine HCI 0.1mg	Buprenix	Yes	PWD=UN SOL=ML	Analgesic narcotic	6 per day	Х	Х	Х											
J0594	Injection, busulfan, 1 mg	Busulfex	Yes	ML	Alkylating agent	None	Х	Х	Х											New code effective 1/1/07.
J0595	Injection butorphanol tartrate 1mg	Stadol	Yes	PWD=UN SOL=ML	Analgesic narcotic	None	Х	Х	Х											
	Injection, c1 esterase inhibitor (recombinant), 10 units	Ruconest	Yes	UN	Enzymatic	None	Х	Х	Х											Effective 1/1/16. Restricted to ICD-10 D81.810, D84.1. Minimum age restriction of 13 years.
	Injection, C-1 esterase inhibitor (human), 10 U.	Berinert	Yes	UN	C1 protein inhibitor	Maximum service limit 280 u. daily	Х	Х	Х								Х			Effective 10/1/2015 ICD-10 diagnosis codes D81.810 or D84.1 Update to service limit, effective 1/1/11. New code effective 1/1/11. Restricted to ICD-9 diagnosis 277.6. Restricted to ane 16 and above.
J0598	Injection, C1 esterase inhibitor (human), 10 U	Cinryze	Yes	UN	C1 protein inhibitor	none	Х	Х	Х	Х							Χ			Effective 10/1/2015 ICD-10 diagnosis codes D81.810 or D84.1 Service limit update, effective 4/1/11. Code effective 1/1/10. Restricted to ICD-9 diagnosis 277.6. Restrict to age 16 and above
J0600	Injection edetate calcium disodium up to 1000mg.	Calcium Disodium Versenate, Calcium FDTA	Yes	PWD=UN SOL=ML	Antidote	None	X	Х	Х											
J0606	Injection, etelcalcetide, 0.1 mg.	Parsabiv	Yes	ML	Parathyroid	None	Х	Х	Х	Х										Effective 1/1/18. Restricted to ICD-10 N25.81. Minimum age of 16 years.
J0610	Injection calcium gluco- nate 10ml	Kaleinate	Yes	UN	Electrolyte Supplement	None	Х	Х								T				Closed 3/31/23.
	Injection, calcium gluconate (wg critical care), per 10 ml	NA	Yes	ML	Electrolyte Supplement	None	Х	Х	Х											Closed 3/31/23. Effective 1/1/23.
	Injection, calcium gluconate (fresenius kabi), per 10 mg	NA	Yes	ML	Electrolyte Supplement	None	Х	Х	Х											Effective 4/1/23.
	Injection, calcium gluconate (wg critical care), per 10 mg	NA	Yes		Electrolyte Supplement	None	Х	Х	Х											Effective 4/1/23.

																			To the second se
Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	РО	OPH	HI		DC	Special Instructions
			req.	of		Limits	OP	OP									F		
			for	measure															
			drug																
			rebate																
			?																
J0620	Injection calcium glycer-	Calphosan	Yes	ML	Electrolyte	1 per day	Χ	Х	Х										
	ophosphate & calcium	·			Supplement	. ,													
	lactate 10ml				• •														
J0630	Injection calcitonin	Miacalcin	N/A		Antidote														Not covered.
	salmon up to 400 U	Caalcimar															_	<u> </u>	
J0636	Injection calcitrol 0.1mcg	Calcijex	Yes	ML	Vitamin, fat	30 per day	Х	Х	Х									Х	
10007	Intention commitments	0		1151	soluble	44							+				+-	+	
J0637	Injection caspofungin acetate 5mg	Cancidas	Yes	UN	Anti-fungal	14 per day	Х	Х	Х										
J0638	Injection, canakinumab,	Ilaris	Yes	UN	Interleukin-	Maximum	Х	Х	Х				+			Х	+	+-	Code closed 10/31/13. Refer to Pharmcy Point of Sale. New code effective 1/1/11. Restricted to ICD-9
00000	1 mg.	nano	100	0.1	1beta blocker	service limit	^	_ ^								^			diagnosis 708.2. Restricted to age 4 and above.
	i ilig.				i beta biockei	150 u. daily													diagnosis 700.2. Restricted to age 4 and above.
J0640	Injection Leucovorin	Wellcovorin	Yes	PWD=UN	Antidote	25 per day	Χ	Х	Х										
	calcium 50mg			SOL=ML		. ,							1						
J0641	Injection, levoleucovorin,	Fusilev	Yes	UN	Folate analog		Х	Х	Х										Physician added to covered providers, effective 1/1/10. New code effective 1/1/09.
	0.5 mg																		
J0642	Injection, levoleucovorin,	Khapzory	Yes	UN	Folate analog	None	Х	Х	Х								1	T	Effective 10/1/19.
	0.5 mg	-, -,		_															
L	•			L			L.,	<u> </u>	L.,				1-			<u> </u>		1	
J0689	Injection, cefazolin	NA	Yes	ML	Antibiotic	None	Х	Х	Х										Effective 1/1/23.
	sodium (baxter), not																		
	therapeutically																		
	equivalent to j0690, 500																		
	mg																		
J0670	Injection mepivacine	Carbocaine	Yes	ML	Local	1 per day	Χ	Χ	Χ									1	
	HCL 10ml.	Polocaine			Anesthetic	. ,													
		Isocaine HCL																	
J0690	Injection cefazolin	Ancef	Yes	PWD=UN	Antibiotic	None	Х	Х	Х	Х								X	
	sodium 500mg.	Kefzol		SOL=ML															
10004		Zolicef						-										-	
J0691	Injection, lefamulin, 1 mg	Xenleta	N/A																Not covered. See pharmacy POS.
J0692	Injection cefepime HCL	Maxipime	Yes	UN	Antibiotic	8 per day	Х	Х	Х	Х			+				-	1	
30092	500ma	Maxipime	163	ON	Antibiotic	o per day	^	^	^	^									
J0693	Injection, cefiderocol, 5	Fetroja	Yes	EA	Antibiotic	None	Х	Х	Х				1				+	1	Closed 9/30/21. See J0699 after this date.
00000	mg	. otroja		271	7 11 11 10 11 0	140110			^`										Effective 1/1/21.
	9																		Restricted to ICD-10 N10, N11.0 - N11.9, N12, N13.6, N16, N30.00, N30.01, N30.20, N30.21, N30.80, N30.81,
																			N30.90, N30.91, N34.1, N34.2, N39.0.
																			Minimum age of 18 years.
10604	Injection cefoxitin	Mefoxin	Yes	PWD=UN	Antibiotic	1 per day	Х	Х	Х	Χ			+		1	1	+	\vdash	,
30094	sodium 1g	MEIOXIII	168	SOL=ML	ATHIDIOLIC	i pei uay	^	^	^	^									
J0695	Injection, ceftolozane 50	Zerbaxa	Yes	UN	Antibiotic	None	Х	Х	Х	Х			t				+	t	Effective 1/1/16. Minimum age of 18 years.
00000	mg and tazobactam 25	20.20.0		0			``	``	l ^`	``									
	mg						l	l	l	l		l	1		1	1		1	
J0696	Injection ceftriaxone	Rocephin	Yes	PWD=UN	Antibiotic	8 per day	Х	Х	Х	Х	Х		1-				+	Х	
30030	sodium 250 ma.	Mocephill	163	SOL=ML	ATIUDIOUG	o per uay	^	_ ^	_ ^	^	^							^	
J0697	Injection sterile	Kefurox	Yes	PWD=UN	Antibiotic	2 per day	Х	Х	Х	Х			1				1	Х	
	cefuroxime sodium	Zinacef		SOL=ML		,,						l	1		1	1		1	
	750ma																	L	
J0698	Cefotaxime sodium per g	Claforan	Yes	PWD=UN	Antibiotic	1 per day	Х	Х	Х	Х			1		1	_		Х	
L				SOL=ML														<u> </u>	
J0701	Injection, cefepime	NA	Yes	ML	Antibiotic	None	Х	Х	Х										Effective 1/1/23.
	hydrochloride (baxter),																		
	not therapeutically																		
	equivalent to maxipime,																		
	500 mg		<u> </u>						<u></u>	<u> </u>		<u> </u>				Ш.		L	

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	I HS	РО	OPH	H	II ID	T D	C Special Instructions
	-		req.	of		Limits	OP	OP									F	=	
			for drug	measure															
			rebate																
			?																
J0703	Injection, cefepime	NA	Yes	EA	Antibiotic	None	Х	Х	Х										Effective 1/1/23.
	hydrochloride (b braun), not therapeutically																		
	equivalent to maxipime,																		
	500 mg																		
10000	Injection, cefiderocol, 10	Fatraia	Yes	EA	Antibiotic	None	Х	Х	Х							-	_	-	Effective 10/1/21. Restricted to ICD-10 N10, N11.0 - N11.9, N12, N13.6, N16, N30.00, N30.01, N30.20,
30099	mg	Fetroja	165	EA	Antibiotic	None	^	^	^										N30.21, N30.80, N30.81, N30.90, N30.91, N34.1, N34.2, N39.0.
																			Minimum age of 18 years.
J0702	Injection betamethasone	Celestone	Yes	ML	Anti-	9 per day	Х	Х	Χ	Х				Х					
	acetate & betamethasone sodium	Soluspan			inflammatory														
	phosphate 3mg																		
J0704	Injection bemethasone sodium phosphate 4mg.	Adbeon	Yes	UN	Anti- inflammatory	2 per day	Х	Х	Х	Х	Х			Х					
J0706	Injection caffeine citrate	Cafcit	Yes	PWD=UN	Analeptic	None	Х	Х	Χ										
J0710	5 mg Injection cephapirin	Cefadyl	Yes	SOL=ML UN	Antibiotic	1 per day	Х	Х	Х									>	(
10740	sodium up to 1a	Teflaro	Yes	UN	A matibilitation	120 units per	Х	Х	Х	Х							,	_	Effective 10/1/2015 ICD-10 diagnosis codes A48.1, A49.02, A49.1 - A49.3, A49.8, B95.0, B95.1 - B95.5,
J0712	Injection, ceftaroline fosamil, 10 mg.	renaro	res	UN	Antibiotic	day	^	^	^	^						Х	`		B95.61, B95.62, B95.7, B95.8, B96.0, B96.1, B96.20 - B96.23, B96.29, B96.3 - B96.7, B96.81, B96.89, J14,
	, , ,					,													J15.0, J15.1, J15.20, J15.211, J15.212, J15.29, J15.3 - J15.6 or J15.8
J0713	Injection ceftazidime	Ceptaz Fortaz	N/A		Antibiotic														Not Covered Restricted to ICD-9 diagnosis 041.00 - 041.89 or 482.0 - 482.89
	500 mg	Tazidime																	
J0714	Injection, ceftazidime	Avycaz	Yes	UN	Antibiotic	None	Х	Х	Χ	Х									Effective 1/1/16. Minimum age of 18 years.
	and avibactam, 0.5 g/0.125 g																		
10715	Injection ceftizoxime	Ceflzox	Yes	PWD=UN	Antibiotic	2 per day	Х	Х	Х	Х			-				_	+	
	sodium 500 ma			SOL=ML															
J0717	Injection, certolizumab	Cimzia	Yes	UN	TNF blocker	400 units per	Х	Х	Х	Х									Effective 10/1/2015 ICD-10 diagnosis codes K50.00, K50.011 - K50.014, K50.018, K50.019, K50.10, K50.111 - K50.114, K50.118, K50.119, K50.80, K50.811 - K50.814, K50.818, K50.819, K50.90, K50.911 -
	pegol, 1 mg					day													K50.914, K50.918, K50.919, M05.00, M05.011, M05.012, M05.019, M05.021, M05.022, M05.029, M05.031,
																			M05.032, M05.039, M05.041, M05.042, M05.049, M05.051, M05.052, M05.059, M05.061, M05.062, M05.069,
																			M05.071, M05.072, M05.079, M05.09, M05.10, M05.111, M05.112, M05.119, M05.121, M05.122, M05.129, M05.131, M05.132, M05.139, M05.141, M05.142, M05.149, M05.151, M05.152, M05.159, M05.161, M05.162,
																			M05.169, M05.171, M05.172, M05.179, M05.19, M05.30, M05.60, M05.611, M05.612, M05.619, M05.621,
																			M05.622, M05.629, M05.631, M05.632, M05.639, M05.641, M05.642, M05.649, M05.651, M05.652, M05.659, M05.630, M05
																			M05.661, M05.662, M05.669, M05.671, M05.672, M05.679, M05.69, M05.711, M05.712, M05.719, M05.721, M05.722, M05.729, M05.731, M05.732, M05.739, M05.731, M05.749, M05.751, M05.752, M05.759,
																			M05.761, M05.762, M05.769, M05.811, M05.812, M05.819, M05.821, M05.822, M05.829, M05.831, M05.832,
																			M05.839, M05.841, M05.842, M05.849, M05.851, M05.852, M05.859, M05.861, M05.862, M05.869, M06.071,
																			M06.072, M06.079, M06.1, M06.211, M06.212, M06.219, M06.221, M06.222, M06.229, M06.231, M06.232, M06.239, M06.241, M06.242, M06.249, M06.251, M06.252, M06.259, M06.261, M06.262, M06.269, M06.44,
																			M06.811, M06.812, M06.819, M06.821, M06.822, M06.829, M06.831, M06.832, M06.839, M06.841, M06.842,
																			M06.849, M06.851, M06.852, M06.859, M06.861, M06.862, M06.869, M06.871, M06.872, M06.879, M06.9, M08.00, M08.3, M08.40, M08.411, M08.412, M08.419, M08.421, M08.422, M08.429, M08.431, M08.432,
																			M08.439, M08.441, M08.442, M08.449, M08.451, M08.452, M08.459, M08.461, M08.462, M08.469, M08.471,
																			M08.472, M08.479, M08.48, M12.00, M12.011, M12.012, M12.019, M12.021, M12.022, M12.029, M12.031,
																			M12.032, M12.039, M12.041, M12.042, M12.049, M12.051, M12.052, M12.059, M12.061, M12.062, M12.069, M12.071, M12.072, M12.079, M12.08 or M12.09
																			Effective 1/1/14. Restricted to ICD-9 diagnosis 555.0 - 555.9 or 714.0 - 714.9 . Restrict to age 18 and above.

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC OP	CAH OP	Р	NP	MW	МН	HS	РО	OPI	1 1		DT F	DC	Special Instructions
			req. for drug rebate ?	of measure		Limits	OP	OP										F		
J0718	Injection, certolizumab	Cimzia	Yes	UN	TNF blocker	400 units per	Х	Х	Х	Х)	Х			Closed 12/31/13. See J0717. Effective 1/1/10. Restricted to ICD-9 diagnosis 555.0 - 555.9 or 714.0 - 714.9 . Restrict to age 18 and above.
	pegol. 1 mg. Injection chloramphenicol sodium succinate up	Chloromyceti n Sodium Succinate	Yes	UN	Antibiotic	dav None	Х	Х	Х											restrict to age 16 and agove.
	to 1 a Injection, chorionic gonadotropin per 1000 USP units	Novarel Profasi Pregnyl	Yes	UN	Gonadotropin	10 per day	Х	Х	Х											Not for fertility treatment and diagnosis. Restricted to female, maximum age of 21 years. Service limit updated, effective 11/1/09.
	Injection clonidine HCI 1mg	Catapres Duraclon	Yes	PWD=UN SOL=ML	Alpha Adrenergic Agonist	None	Х	Х	Х											
	Injection, cabotegravir, 1 mg	Apretude	Yes	ML	Anti-viral	None	Х	Х	Х											Effective 7/1/22. Minimum age of 12 years.
J0741	Injection cidofovir 375mg Injection, cabotegravir and rilpivirine, 2mg/3mg	Vistide Cabenuva	Yes Yes	ML ML	Anti-viral Antiviral	None None	X	X	X											Effective 10/1/21. Restricted to ICD-10 B20. Minimum age of 16 years.
	Injection, imipenem 4 mg, cilastatin 4 mg and relebactam 2 mg	Recarbrio	Yes	UN	Antibiotic	4 units daily	Х	Х	Х											Effective 7/1/20. Minimum age 18 years.
	Injection cilastatin sodium imipenem 250	Primaxin	Yes	UN	Anti-infective	None	Х	Х	Х	Х									Х	
	Injection ciprofloxacin for IV infusion 200mg	Cipro Ciloxan	Yes	ML	Antibiotic	None	Х	Х	Х	Х										
	Injection codeine phosphate 30mg	Phenaphen with codeine	Yes	PWD=UN SOL=ML	Analgesic narcotic	None	Х	Х	Х											
	Injection colchicine 1mg		Yes	PWD=UN SOL=ML	Anti-gout	None	Х	Х	Х											
J0770	Injection colistimethate sodium up to 150mq. Injection, collagenase,	Coly-Mycin M	Yes	UN	Antibiotic	None	Х	Х	Х											
	clostridium histolyticum, 0.01 mg.	Xiaflex	Yes	UN	Enzymatic	None	Х	Х	Х											Effective 10/1/2015 ICD-10 diagnosis code M72.0 New code effective 1/1/11. Restricted to ICD-9 diagnosis 728.6 Restricted to ages 18 years and above.
	Injection prochlorperazine up to 10mg	Compazine Compa-Z Contrazine	Yes	PWD=UN SOL=ML	Antiemetic	None	Х	Х	Х	Х										
	Injection, crizanlizumab- tmca, 5 mg	Adakveo	Yes	ML	Sickle cell disease	None	Х	Х	Х											Effective 7/1/20. Restricted to ICD019 D57.0 - D57.819. Minimum age 16 years.
J0795	Injection, corticorelin ovine triflutate, 1 mcg	ACTHREL	Yes		Diagnostic Agent															Not covered.
	Injection corticotropin up to 40U	Cortrosyn ACTH Acthar	Yes	ML	Adrenal	None			Х									Х		Closed 9/30/23. See J0801, J0802 after this date.
J0801	Injection, corticotropin (acthar gel), up to 40 units	Acthar	Yes	ML	Adrenal	None	Х	Х	Х											Effective 10/1/23.
J0802	Injection, corticotropin (ani), up to 40 units	NA	Yes	ML	Adrenal	None	Х	Х	Х											Effective 10/1/23.
	Injection, cosyntropin, NOS, 0.25 mg.				Diagnostic Agent															Not covered.
	Injection, cosyntropin, 0.25 ma.	Cortrosyn	Yes	UN	Diagnostic Agent	3 per day	Х	Х	Х	Х)	Х			Diagnosis restrictions removed, effective 1/1/12. Code opened 1/1/10. Restricted to ICD-9 diagnosis 255.41 - 255.42.

	Decembelon	Brand Name	NDC	NDC unit	Catamami	Camilaa	40	CAH	Р	NP	MW	МН	HS	ВО.	ОРН		IDT	l DC	Considerations
Code	Description	Brand Name	req.	of	Category	Service Limits	AC OP	OP	P	NP	IVIVV	WH	нъ	PO	ОРН	н	F	DC	Special Instructions
			for	measure		Lillits	O.	0.									1.		
			drug																
			rebate																
			?																
J0835 I	Injection cosyntropin 0.25ma	Cortrosyn	Yes	UN	Diagnostic Agent	3 per day			Х								Х		Closed 12/31/09. See J0833 & J0834.
J0840 I	Injection, crotalidae	CroFab	No	N/A	Anti-venom	Maximum of	Х	Х											Effective 8/1/18.
	polyvalent immune fab					4 unit													
J0850 I	(ovine), up to 1 gram	CytoGam	N/A		Immune globulin												-		Not covered.
	cytomegalovirus immune	-,			J														
ç	globulin IV (human) per																		
	vial Injection, daptomycin	NA	Yes	ML	Antibiotic	None	Х	Х	Х								+-		Effective 10/1/23.
	(baxter), not	INA	163	IVIL	Antibiotic	None	^	^	^										Lifective 10/1/23.
	therapeutically																		
	equivalent to j0878, 1																		
r	mg																		
	Injection, dalbavancin,	Dalvance	Yes	UN	Antibiotic	none	Х	Х	Х										Effective 7/23/21, age restriction has been removed.
5	5mg																		Effective 9/1/21, ICD-10 R78.81 added.
																			Effective 9/22/20, ICD-10 diagnosis of A40.0 - A40.9, A41.01 - A41.2, A49.01, A49.02, A49.1, B95.0, B95.1,
																			B95.3 - B95.8 added.
																			Effective 1/1/16. Restricted to diagnosis ICD-10 B78.1, K12.2, L01.00 - L01.03, L01.09, L01.1 - L02.03, L02.11 - L02.216, L02.216, L02.219, L02.221 - L02.226, L02.229, L02.231 - L02.236, L02.239,
																			L02.31 - L02.33, L02.411 - L02.416, L02.419, L02.421 - L02.426, L02.429, L02.431 - L02.436, L02.439,
																			L02.511, L02.512, L02.519, L02.521, L02.522, L02.529, L02.531, L02.532, L02.539, L02.611, L02.612,
																			L02.619, L02.621, L02.622, L02.629, L02.631, L02.632, L02.639, L02.811, L02.818, L02.821, L02.828,
																			L02.831, L02.838, L02.91 - L02.93, L03.011, L03.012, L03.019, L03.021, L03.022, L03.029, L03.031, L03.032,
																			L03.039, L03.041, L03.042, L03.049, L03.111 - L03.116, L03.119, L03.121 - L03.126, L03.129, L03.211,
																			L03.212, L03.221, L03.222, L03.311 - L03.316, L03.317, L03.319, L03.321 - L03.326, L03.327, L03.329, L03.811, L03.818, L03.891, L03.898, L03.90, L03.91, L04.0 - L04.3, L04.8, L04.9, L05.01, L05.02, L05.91,
																			L05.92, L08.0, L08.81, L08.82, L08.89, L08.9, L88, L92.8, L98.0 or L98.3. Minimum age of 16 years.
J0877 I	Injection, daptomycin	NA	Yes	EA	Antibiotic	None	Х	Х	Х										Effective 1/1/23.
	(hospira), not																		
	therapeutically																		
	equivalent to j0878, 1																		
	mg								<u> </u>				ļ				1	_	
	Injection daptomycin	Cubicin	Yes	UN	Antibiotic		Х	Х	Х					l					Service limit removed, effective 6/1/18.
	1mg.	1/			And a 1 12			.,	L.,	<u> </u>	ļ		<u> </u>				_	L.	Maximum dose 4 units per day X 14 days. Adults only.
	Injection, difelikefalin, 0.1 mcg	Korsuva	Yes	ML	Anti-priuritic		Х	Х	Х									Х	Effective 4/18/22. Restricted to ICD-10 L29.8.
J0881 I	Injection, darbepoetin	Aranesp	Yes	ML	Colony	None	Х	Х	Х	Х									Effective 10/1/2015 ICD-10 diagnosis codes N18.6 (End Stage Renal Disease)
	alfa, 1 mcg(non-ESRD	-			stimulating									l			1		Exclude ICD-9 585.6(End Stage Renal Disease). Nurse practitioner added 1/1/09.
	use) Injection, darbepoetin	Aronoor	Voo	ML	factor	None	Х	_	-	Х			<u> </u>				-	-	Effective 10/1/2015 ICD-10 diagnosis codes N18.6 (End Stage Renal Disease)
	alfa, 1 mcg(for ESRD on	Aranesp	Yes	IVIL	Colony stimulating	inone	^	Х	Х	^				1				^	ICD-9 585.6(End Stage Renal Disease) needed on claim form. Nurse practitioner added 1/1/09.
c	dialvsis)				factor														
	Injection, argatroban, 1				Thrombolytic														Effective 1/1/17. Not covered.
	mg (for non-ESRD use) Injection, argatroban, 1				agent Thrombolytic								<u> </u>				-	-	Effective 1/1/17. Not covered.
r	mg (for ESRD on dialysis)				agent														Elective 17771. Not covered.
	Injection, epoetin alfa,	Epogen,	Yes	ML	Colony	None	Х	Х	Х	Х									Effective 10/1/2015 ICD-10 diagnosis codes N18.6 (End Stage Renal Disease)
	1000 units(for non-	Procrit			stimulating				1	l				1				1	Exclude ICD-9 585.6(End Stage Renal Disease). Nurse practitioner added 1/1/09.
l F	ESRD use)			l	factor				1	l	1		1	<u> </u>		<u> </u>		1	

Code	Description	Brand Name	req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP		NP	MW	МН	HS	PO	ОРН	НІ	F F		Special Instructions
J0886	Injection, epoetin alfa, 1000 units(for ESRD on dialysis)	Epogen, Procrit	Yes	ML	Colony stimulating factor	None	X	X	X	X								X	Closed 12/31/15. See Q4081. 10 diagnosis codes N18.6 (End Stage Renal Disease) ICD-9 585.6 (End Stage Renal Disease) needed on claim form. Nurse practitioner added 1/1/09.
J0887	Injection, epoetin beta, 1 mcg. (ESRD use)	Mircera	Yes	ML	Erythropoieton Stimulating agent	none												Х	Effective 1/1/15. Include diagnosis of ICD-9 585.6 or ICD-10 N18.6.
	Injection, epoetin beta, 1 mcg. (non-ESRD use)	Mircera	Yes	ML	Erythropoieton Stimulating agent	none												Х	Effective 1/1/15. Exclude diagnosis of ICD-9 585.6 or ICD-10 N18.6.
	Injection, peginesatide, 0. 1 mg	Omontys	Yes	ML	Erythropoieton Stimulating agent	None												Х	Voluntary Drug Recall: Effective 2/24/13, until further notice. Effective 1/1/13. Restricted to ICD-9 diagnosis of 285.21 and 585.6. Minimum age restriction of 16 years.
	Injection, argatroban (accord), not therapeutically equivalent to j0883, 1 mg (for non-esrd use)	NA	Yes	ML	Thrombolytic agent	None	X	X	X										Effective 1/1/23.
	Injection, argatroban (accord), not therapeutically equivalent to j0884, 1 mg (for esrd on dialysis)	NA	Yes	ML	Thrombolytic agent	None	Х	Х	X										Effective 1/1/23.
	Injection, decitabine (sun pharma) not therapeutically equivalent to j0894, 1	NA	Yes	EA	Anti-neoplastic	None	Х	Х	X										Effective 1/1/23.
J0894	Injection, decitabine, 1	Dacogen	Yes	UN	Anti-neoplastic	None	Х	Х	X										New code effective 1/1/07.
J0895	Injection deferoxamine mesylate 500mg	Desferal	Yes	UN	Antidote	12 per day	Х	Х	Χ									Х	
J0896	Injection, luspatercept- aamt, 0.25 mg	Reblozyl	Yes	UN	Hematopoietic	None	Х	Х	Х										Effective 7/1/20. Restricted to ICD-10 D46.1, D46.A, D46.B, D46.4, D46.Z, D46.9, D56.1, D56.5.

Contr	Deserted	Dunnal Marin	NDO	NDC ·····	C-4	Committee			_		Deta:	B 44 1 -	Luc	P.	105		111 1.	D-I	D^	Consist Instructions
Code	Description	Brand Name	NDC req.	NDC unit of	Category	Service Limits	AC OP	CAH	Р	NP	MW	МН	HS	РО	OPI	н	нι	E I	DC	Special Instructions
			for	measure		Lillito	٥.	٥.												
			drug																	
			rebate																	
J0897	Injection, denosumab, 1	Prolia	? Yes	ML	Osteoporotic	120 units per	Х	Х	Х	Х							Х	+		As of 10/1/22, diangosis restrictions are removed.
	mg.	Xgeva				27 days														Effective 4/1/19, ICD-10 added: C40.00 - C40.92, C41.9, and D48.0. Effective 1/4/18, C90.00, C90.01, C90.02 added to Xgeva in physician and hospital contracts.
																				Effective 10/1/2015 ICD-10 diagnosis codes:
																				For Hospital and Physician restricted to: C33, C34.00, C34.01, C34.02, C34.10 - C34.12, C34.2, C34.30 -
																				C34.80, C34.81, C34.82, C34.90 - C34.92, C50.012, C50.019, C50.021, C50.022, C50.029, C50.111, C50.112, C50.119, C50.121, C50.122, C50.129, C50.211, C50.212, C50.219, C50.221, C50.222, C50.229,
																				C50.112, C50.119, C50.121, C50.122, C50.129, C50.211, C50.212, C50.219, C50.221, C50.222, C50.229, C50.311, C50.312, C50.319, C50.321, C50.322, C50.329, C50.411, C50.412, C50.419, C50.421, C50.422,
																				C50.429, C50.511, C50.512, C50.519, C50.521, C50.522, C50.529, C50.611, C50.612, C50.619, C50.621,
																				C50.622, C50.629, C50.811, C50.812, C50.819, C50.821, C50.822, C50.829, C50.911, C50.912, C50.919,
																				C50.921, C50.922, C50.929, C61, C64.1, C64.2, C64.9, C65.1, C65.2, C65.9, C73, C79.51, C79.52 and those identified for Nurse Practitioners below.
																				For Nurse Practitioner and Home infusion restricted to: M48.50xA - M48.58xA, M80.00xA, M80.00xD,
																				M80.00xG, M80.00xK, M80.00xP, M80.00xS, M80.011A, M80.012A, M80.019A, M80.021A, M80.022A,
																				M80.029A, M80.031A, M80.032A, M80.039A, M80.041A, M80.042A, M80.049A, M80.051A, M80.052A, M80.059A, M80.061A, M80.062A, M80.069A, M80.069D, M80.069G, M80.069K, M80.069P, M80.071A,
																				M80.072A, M80.079A, M80.08xA, M80.80xA, M80.80xD, M80.80xG, M80.80xK, M80.80xP, M80.80xS,
																				M80.811A, M80.812A, M80.819A, M80.821A, M80.822A, M80.829A, M80.831A, M80.832A, M80.839A, M80.841A, M80.842A, M80.849A, M80.851A, M80.852A, M80.859A, M80.861A, M80.861D, M80.861G,
																				M80.861K, M80.861P, M80.862A, M80.862D, M80.862G, M80.862K, M80.862P, M80.869D,
																				M80.869G, M80.869K, M80.869P, M80.871A, M80.872A, M80.879A, M80.88xA, M81.0, M81.6, M81.8,
																				M84.40xA, M84.40xD, M84.40xG, M84.40xK, M84.40xP, M84.40xS, M84.411A, M84.412A, M84.419A, M84.421A, M84.422A, M84.429A, M84.431A - M84.434A, M84.439A, M84.441A - M84.446A, M84.451A,
																				M84.452A, M84.453A, M84.454A, M84.459A, M84.461A - M84.464A, M84.469A, M84.469S, M84.471A,
																				M84.471S, M84.472A, M84.472S, M84.473A, M84.473D, M84.473S, M84.474A - M84.479A, M84.48xA,
																				M84.50xA, M84.50xD, M84.50xG, M84.50xK, M84.50xP, M84.50xS, M84.511A, M84.512A, M84.519A, M84.521A, M84.522A, M84.529A, M84.531A - M84.534A, M84.539A, M84.541A, M84.542A, M84.549A.
																				M84.550A - M84.553A, M84.559A, M84.561A - M84.564A, M84.569A, M84.571A - M84.576A, M84.58xA,
																				M84.60xA, M84.60xD, M84.60xG, M84.60xK, M84.60xP, M84.60xS, M84.611A, M84.612A, M84.619A,
																				M84.621A, M84.622A, M84.629A, M84.631A - M84.634A, M84.639A, M84.641A, M84.642A, M84.649A - M84.653A, M84.659A, M84.661A - M84.664A, M84.669A, M84.669S, M84.671A - M84.676A or M84.68xA
																				Service limit updated, 3/13/14. Effective 1/1/12. Restricted to 162.0 - 162.9, 174.0 - 174.9, 175.0 - 175.9, 185,
																				189.0, 189.1, 193, 198.5, 733.01 - 733.19 for Hospital and Physician. Restricted to ICD-9 diagnosis 733.01 -
																				733.19 only for Nurse Practitioner and Home infusion.
]														
J0898	Injection, argatroban (auromedics), not	NA	Yes	ML	Thrombolytic agent	None	Х	Х	Х								Ī		_	Effective 1/1/23.
	therapeutically				ayeni															
	equivalent to j0883, 1																			
	mg (for non-esrd use)																			
J0899	Injection, argatroban (auromedics), not	NA	Yes	ML	Thrombolytic	None	Х	Х	Х							T	T			Effective 1/1/23.
	therapeutically				agent															
	equivalent to j0884, 1																			
	mg (for esrd on dialysis)					1														
J0900	Injection testosterone	Andro-Estro	Yes	UN	Androgen	1 every 3	Х	Х	Х						1			-		Female only.
	enanthate & estradiol	90-4				weeks														
J0945	valerate up to 1cc Injection	Androgyn LA ND Stat	Yes	PWD=UN	Respiratory	1 per day	Х	Х	Х				1				_			
	brompherinamine			SOL=ML	agent															
Щ_	maleate10mg		l .	l .	I	L	L	<u> </u>	l	l	l	l		<u> </u>	1					I

			T		2 .								1				1	
Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	OP		NP	MW	МН	HS	PO	OPH	F	HI IID	C Special Instructions
	Injection estradiol valerate up to 40mg	Delestrogen Estradiol LA Valergen Estra-L	Yes	PWD=UN SOL=ML	Contraceptive	1 every 3 weeks	Х	Х	Х	Х								Female only.
	Injection depoestradiol cyplonate up to 5mg	Estradiol Cypionate Estra-D Estra-Cyp	Yes	PWD=UN SOL=ML	Hormonal Replacement	1 per 3 weeks	X	Х	X	Х								Female only.
	Injection methylprednisolone acetate 20mg	DepoMedrol	Yes	UN	Anti- inflammatory	None	Х	Х	Х	Х				Х				
	Injection methylprednisolone acetate 40mg	DepoMedrol MPrednisol Rep-Pred	Yes	PWD=UN SOL=ML	Anti- inflammatory	None	Х	Х	Х	Х				Х				
	Injection methylprednisolone acetate 80mg	DepoMedrol Medralone Prednisol RedPred	Yes	ML	Anti- inflammatory	None	Х	Х	X	Х				Х				Podiatrist added as covered provider, effective 1/1/10.
J1050	Injection, medroxyprogesterone acetate, 1 mg	Depo-Provera	Yes	ML	Contraceptive	None	Х	Х	Х	Х	Х							Effective 1/1/13.
	Injection medroxyprogesterone acetate 50mg	Depo-Provera	Yes	ML	Contraceptive	20 per day	Х	Х	Х									Closed 12/31/12. See J1050 after this date. Female only.
J1055	Injection medroxyprogesterone acetate 150 mg	Depo-Provera	Yes	ML	Contraceptive	1 per day	Х	Х	Х	Х	Х							Closed 12/31/12. See J1050 after this date. Female only.
	Injection medroxyprogesterone acetate/estradiol cypionate 5mg/25mg	Lunelle	Yes	ML	Contraceptive	1 per day	Х	Х	Х	Х	Х							Female only.
	Injection testosterone cypionate & estradiol cypionate up to 1ml	Depo- Testadiol Andro/Fem	Yes	ML	Androgen	1 per 3 weeks	Х	Х	Х									Female only.
J1070	Injection testosterone cypionate up to 100mg	Depo- Testosterone Depotest	Yes	PWD=UN SOL=ML	Androgen	Male only.	Х	Х	Х	Х								Closed 12/31/14. See J1071 after this date. Service limit removed 1/1/13. Nurse practitioner added 1/1/09.
J1071	Injection, testosterone cypionate, 1mg	Depo- Testosterone Depotest	Yes	PWD=UN SOL=ML	Androgen	Male only.	Х	Х	Х	Х								X Effective 1/1/15.
J1080	Injection testosterone cypionate 1cc 200mg	Depo- Testosterone Depotest Andro-Cyp	Yes	ML	Androgen	1 per week	Х	Х	Х	Х								Closed 12/31/14. See J1071 after this date. Male only. Nurse practitioner added 1/1/09.
J1094	Injection dexamethasone acetate 1mg	Dalalone LA	Yes	PWD=UN SOL=ML	Anti- inflammatory	20 per day	Х	Х	Х					Х				
	Dexamethasone, lacrimal ophthalmic insert. 0.1 mg	Dextenza	Yes	UN	Anti- inflammatory	Four units per eye	Х	Х	Х									Effective 10/1/19.
	Phenylephrine 10.16 mg/ml and ketorolac 2.88 mg/ml ophthalmic irrigation solution 1 ml	Omidria	Yes	ML	Anti- inflammatory	None	Х	Х	X									Effective 10/1/19.

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	l P	NP	MW	MI	ı HS	: P	0	ОРН	н	IDT	ח	C Special Instructions
Code	Description	Diana Name	req. for drug rebate ?	of measure	Category	Limits	OP	OP				1911				0111	•••	F		o opecial histractions
	Injection, dexamethosone sodium phosphate 1mg	Cortastat Dalalone	Yes	ML	Anti- inflammatory	None	Х	Х	Х	Х				>	X					Service limit removed, effective 1/1/11.
	Injection dihydroergotamine mesylate 1mg	DHE 45	Yes	PWD=UN SOL=ML	Anti-migraine	3 per day	Х	Х	Х											
	Injection acetazolamide sodium up to 500mg	Diamox	Yes	UN	Glaucoma	None	Х	Х	Х											
J1130	Injection, diclofenac sodium, 0.5 mg																			Effective 1/1/17. Not covered. See pharmacy POS.
J1160	Injection digoxin up to 0.5 mg	Lanoxin	Yes	PWD=UN SOL=ML	Anti-arrhythmic	None	Х	Х	Х											
	Injection, digoxin immune fav (ovine), per vial	Digibind, Digifab	Yes	S	Antidote	10 vials	X	X	X											Effective 10/1/2015 ICD-10 diagnosis codes T36.0X2A, T36.0X2D, T36.0X2S, T36.0X4A, T36.0X4D, T36.0X4S, T36.1X2A, T36.1X4A, T36.2X2A, T36.2X2D, T36.2X2S, T36.2X2A, T36.2X4D, T36.2X4S, T36.3X2D, T36.3X2S, T36.3X2D, T36.3X2S, T36.3X4D, T36.3X4S, T36.4X2A, T36.4X2D, T36.4X2S, T36.6X4A, T36.6X4D, T36.6X2A, T36.6X2D, T36.6X2S, T36.6X4A, T36.6X4D, T36.6X4D, T36.6X2A, T36.6X2D, T36.6X2S, T36.6X4A, T36.6X4D, T36.6X4D, T36.6X4D, T36.6X2A, T36.6X2D, T36.6X2S, T36.6X4A, T36.6X4D, T36.6X2D, T36.6X2D, T36.6X2S, T36.6X4A, T36.6X4D, T36.6X2A, T36.6X2D, T36.7X2D, T37.0X2D, T37.0X2D, T37.0X2D, T37.0X2D, T37.0X4D, T37.0X4D, T37.0X4D, T37.0X4D, T37.0X2D, T37.0X2D, T37.0X2D, T37.0X2D, T37.0X4D, T37.4X4D, T37
J1165	Injection phenytoin sodium 50mg	Dilantin	Yes	PWD=UN SOL=ML	Anti-convulsant	None	Х	Х	Х											
J1170	Injection hydromorphone up to 4mg	Dilaudid	Yes	PWD=UN SOL=ML	Analgesic narcotic	12 units per day	Х	Х	Х											
	Injection dyphylline up to 500mg	Lufyllin Diler	Yes	PWD=UN SOL=ML	Broncho-dilator	None	Х	Х	Х											

Cada	Description	Drawd Name	NDC	NDCit	Catamami	Camilaa	40	CALL	_ n	NP	B#NA/	NAL I	116	DO.	OBLI		IDT	l D	2 Special Instructions
Code	Description	Brand Name	NDC req.	NDC unit of	Category	Service Limits	AC OP	CAH	Р	NP	MW	МН	HS	20	ОРН	Н	F F	יטן	Special Instructions
			for	measure		Lillits	UF	UF									-		
			drug	measure															
			rebate																
			repate																
14400	Interdes de management	7'		1.15.1	0	Nissa			· ·									<u> </u>	
J1190	Injection dexrazoxane HCI per 250mg	Zinecard	Yes	UN	Cardio-	None	Х	Х	Х										
11200	Injection	Benadryl	Yes	PWD=UN	protective Agent Anti-histamine	None	Х	Х	Х	Х							1	╁	
	diphenhydramine HCl up	Deriadiyi	103	SOL=ML	Anti-motamine	None	^	^	^	^									
	to 50ma.			OOL=IVIL															
J1201	Injection, cetirizine	Quzytir	N/A																Not covered.
	hvdrochloride. 0.5 ma																		
J1205	Injection chlorothiazide	Diuril Sodium	Yes	UN	Anti-	None	Х	Х	Х	Х									
14040	sodium 500ma	D'	V		hypertensive	4 manufact			· ·				-	-			-	-	F(Carlos 404/045 IOD 40 Harrandon do 100 44
	Injection DMSO di-	Rimso	Yes	ML	Anti-	1 per day	Х	Х	Х										Effective 10/1/2015 ICD-10 diagnosis codes N30.10 or N30.11
	methylsulfoxide 50%, 50 ml				inflammatory														ICD-9 code 595.1 required on claim form.
J1230	Injection methadone HCI	Dolphine HCL	Yes	PWD=UN	Analgesic	None	Х	Х	Х								1	l	
3.200	up to 10mg			SOL=ML	narcotic		``	``	^									1	
J1240	Injection dimenhydrinate	Dramamine	N/A		Antiemetic														Not Covered
	up to 50ma																		
J1245	Injection dipyridamole	Persantine	Yes	PWD=UN	Antiplatelet	None	Х	Х	Х								Х		
14050	10 ma	Delentere	V	SOL=ML	A december 2	Maria			· ·				-	-				-	
J1250	Injection dobutamine HCI 250mg.	Dobutrex	Yes	PWD=UN SOL=ML	Adrenergic	None	Х	Х	Х								Х		
11260	Injection dolasetron	Anzemet	Yes	ML ML	agonist Antiemetic	None	Х	Х	Х									1	
31200	mesvlate 10mg	Anzemet	163	IVIL	Antiemetic	None	^	^	^										
J1265	Injection, dopamine Hcl,	Hydrochlor-	Yes	PWD=UN	Adrenergic	None	Χ	Χ	Х	Χ									Nurse practitioner added 1/1/09.
	40mg	ide Intorpin		SOL=ML	agonist														
	Injection, Doripenem, 10	Doribax	Yes	UN	Antibiotic	limited to 18	Χ	Х											New code effective 1/1/09. Approved for maximum dose of 1500 mg. administered over 24 hours.
	mg.					years or older													
11270	Injection doxercalciferol	Hectorol	Yes	ML	Vitamin D	20 per day	Х	Х	Х								+	Х	
31270	1mcq.	riectoror	163	IVIL	analog	20 per day	^	^	^									^	
J1290	Injection, ecallantide 1	Kalbitor	Yes	ML	Hematological	30 u. daily	Х	Х	Х	Χ						Х			Effective 10/1/2015 ICD-10 diagnosis codes D.81.810 or D84.1
	mg.				Ü	1													Effective 6/1/14, minimum age restriction modified to 12 years. New code effective 1/1/11. Restricted to
																		<u> </u>	ICD-9 diagnosis 277.6 Restricted to age 16 and above
J1300	Injection, Eculizumab 10	Soliris	Yes	ML	Monoclonal	None	Х	Х	Х										Effective 10/1/2015 ICD-10 diagnosis codes D59.3, D59.5, D59.6 or D59.8
	mg				Antibody														ICD-9 diagnosis codes expanded to include 283.11, effective 10/1/11. New code effective 1/1/08. Replaces C9236 ICD-9 code 283.2 required on claim form
J1301	Injection, edaravone, 1	Radicava	Yes	ML	ALS agent	None	Х	Х	Х								+	H	Replaces C9236 ICD-9 code 283.2 required on claim form Effective 1/1/19.
01001	ma	radioava	100	IVIE	ALO agoni	140110	^	^	^										Restricted to ICD-10 G12.21. Minimum age of 16 years.
J1302	Injection, sutimlimab-	Enjaymo	Yes	ML	complement	None	Χ	Х	Х										Effective 10/1/22.
	jome, 10 mg				inhibitor														Rerstricted to ICD-10 D59.12.
	•																		Minimum age of 16 years.
.11303	Injection, ravulizumab-	Ultomiris	Yes	ML	Monoclonal	360 units	Х	Х	Х									t	Effective 4/27/22, ICD-10 diagnosis G70.00, G70.01 added.
	cwvz, 10 mg.	O.KO.TIIITO	. 00		Antibody	daily													Effective 10/18/19, ICD-10 C95.3 added.
	o2,g.				7.11.12.004)	uay													10/1/19.
																			Restricted to ICD10 diagnosis D59.5.
							l	l					1	1	1			1	Minimum age of 16 years.
14005	Interdes order	F. J	V		A = ('le l' - ' - '	Nicos	· ·	· ·					<u> </u>	<u> </u>	<u> </u>		-	 —	<u> </u>
	Injection, evinacumab-	Evkeeza	Yes	ML	Antihyperlipide mic	None	Х	Х	Х									1	Effective 10/1/21.
	dgnb, 5mg				HIC		l	l					1	1	1			1	Restricted to ICD-10 E78.01. Minimum age of 12 years.
																			INITIBITION Age of 12 years.
J1320	Injection amitriptyline	Elavil	Yes		Anti-depressant	1 per day	Х	Х	Х	Χ		Х						1	
11222	HCl up to 20mg	Enovil	1/00	SOL=ML	Enzymotic	None							1	1	}		+	₩	Effective AIAME Destricted to ICD 0.077 F. Minimum and restriction of Fundamental
	Injection, elosulfase alfa,	Vimizim	yes	ML	Enzymatic	None	Х	Х	Х				1	1	1			1	Effective 1/1/15. Restricted to ICD-9 277.5. Minimum age restriction of 5 years.
	1mg												<u> </u>	<u> </u>	<u> </u>		—	1	
J1324	Injection, enfuvirtide, 1	Fuzeon	N/A		Fusion inhibitor													1	Not covered. Refer to Pharmacy Point of Sale.
J1325	mq Injection epoprostenol	Flolan	Yes	UN	Prostaglandin	None	Х	Х	Х				1	 	 	-	1	╁	Effective 10/1/2015 ICD-10 diagnosis codes I10, I27.0 - I27.2, I27.81, I27.82, I27.89 or I27.9
01020	0.5ma.	I IUIAII	169	UN	i iostagianulli	INOTIC	^	^	^									1	Requires ICD-9 code 416 XX on claim form
	o.omg.			•									•	-			-	•	Theodies 100-3 code 7 to AA OH CAIH TOTH.

Code	Description	Brand Name	NDC req. for drug	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	HS	PO	ОРН	ŀ		T I	DC Special Instructions
			rebate																
J1327	Injection eptifibatide 5mg	Integrillin	Yes	ML	Antiplatelet	None	Х	Х											
J1330	Injection ergonovine	Ergotrate	Yes	PWD=UN	Antimigraine	None	Х	Х	Х										
J1335	maleate up to 0.2mg Injection ertapenem	Maleate Invanz	Yes	SOL=ML UN	Antibiotic	None	Х	Х	Х								1	-	
J1364	sodium 500mq Injection erythromycin lactobionate 500 mg		Yes	UN	Antibiotic	4 per day	Х	Х	Х									1	
	Injection estradiol valerate up to 10mg	Delestrogen Estradiol Gynogen	N/A		Contraceptive														Not Covered
J1390	Inection estradiol valerate up to 20mg	Delestrogen Dioval Estradiol Gynogen Valergan Estra I	Yes	ML	Contraceptive	None	X	Х	X	Х	X								Female only.
J1410	Injection estrogen conjugated 25mg	Premarin IV	Yes	UN	Estrogen Derivative	1 per day	Х	Х	Х										Female only.
J1427	Injection, viltolarsen, 10 mg	Viltepso	Yes	SOL=ML	Muscular dystrophy	None	Х	Х											Effective 4/1/21. Restricted to ICD-10 G71.01. Minimum age of 4 years.
J1428	Injection, eteplirsen, 10	Exondys 51	Yes	ML	Genetic therapy	N/A	Х	Х											Effective 1/1/18. As of 6/1/18, contact Kepro at 800-346-8272 for prior authorization requests.
J1429	Injection, golodirsen, 10	Vyondys 53	Yes	ML	Genetic therapy	N/A	Х	Х											Effective 7/1/20. Contact Kepro at 800-346-8272 for prior authorization requests.
J1430	Injection, ethanolamine oleate, 100 mg	Ethatrolin	Yes	ML	Sclerosing Agent	None	Х	Х	Х										Effective 10/1/2015 ICD-10 diagnosis codes I85.00, I85.01, I85.10, I85.11, I86.0 - I86.3, I86.8, K92.0 - K92.2 or N43.3 ICD-9 code 456 XX 578 XX or 603 9 on claim form
J1435	Injection estrone 1mg	Theelin Aqueous Estone 5 Kestrone 5	N/A		Hormonal Replacement														Not Covered
J1436	Injection etidronate disod ium 300mg	Didronel	Yes	ML	Bone Restorative Agent	None	Х	Х	Х										
J1437	Injection, ferric derisomaltose, 10 mg	Monoferric	Yes	ML	Iron replacement	None	Х	Х	Х	Х									Effective 7/1/21.
J1438	Injection etanercept 25mg	Enbrel	Yes	PWD=UN SOL=ML	Anti-rheumatic	2 per day	Х	Х	Х										
J1439	Injection, ferric carboxymaltose, 1mg	Injectafer	Yes	ML	iron therapy	none	Х	Х	Х										Effective 12/17/21, minimum age restriction of 16 years reduced to 1 year. Effective 10/1/2015 ICD-10 diagnosis codes D50.0, D50.1, D50.8, D50.9, D53.8 or D64.9 Effective 1/1/15. Restricted to ICD-9 diagnosis of 280.0 - 280.9. Minimum age restriction of 16 years.
	Fecal microbiota, live - jslm, 1 ml	Rebyota	Yes	ML	Fecal transplantation	None	Х	Х	Х										Effective 7/1/23. Restricted to ICD-10 A04.71, A04.72. Minimum of 18 years.
J1441	Injection filgrastim (G- CSF) 480mcg	Neupogen	Yes	ML	Colony stimulating factor	2 per day	Х	Х	Х										Closed 12/31/13. See J1442.
	Injection, filgrastim (g- csf), excludes biosimilars, 1 microgram	Neupogen	Yes	ML	Colony stimulating factor	1500 units per day	Х	Х	Х										Effective 1/1/14.
J1446	Injection, tbo-filgrastim, 5 micrograms	Granix	Yes	ML	Colony stimulating factor	140 units per day	Х	Х	Х										X Closed 12/31/15. See J1447 after this date. diagnosis codes D70.0 - D70.4, D70.8 or D70.9 Effective 1/1/14 Restricted to ICD-9 diagnosis of 288.00 - 288.09 Minimum age restriction of 16 years

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	I HS	PC	10	PH	нι	IDT	DC	Special Instructions
Code	Description	Brank Name	req. for drug rebate ?	of measure	Category	Limits	OP	OP		N	IMVV	IVIII	1113					F	БС	Special instructions
J1447	Injection, tbo-filgrastim, 1 microgram	Granix	Yes	ML	Colony stimulating factor	700 units per day	Х	Х	Х										Х	Effective 7/1/22, ICD-10 diagnosis restriction have been removed. Effective 1/1/16. Restricted to diagnosis ICD-10 D70.0 - D70.4, D70.8 or D70.9. Minimum age restriction of 16 years.
J1448	Injection, trilaciclib, 1mg	Cosela	Yes	UN	Antineoplastic	None	Х	Х	Х											Effective 10/1/21. Restricted to ICD-10 C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.92. Minimum age of 16 years.
J1450	Injection fluconazone 200ma	Diflucan	Yes	PWD=UN SOL=ML	Antifungal	None	Х	Х	Х											
J1451	Injection, fomepizole, 15 mg	Antizol	Yes	ML	Antidote	None	X	Х	X											Effective 10/1/2015 ICD-10 diagnosis codes T46.2X4S, T51.0X2A - T51.0X4A, T51.1X1A, T51.1X1D, T51.1X1S, T51.1X2A - T51.1X4A, T51.2X2A - T51.2X4A, T51.3X2A - T51.3X4A, T51.8X2A - T51.8X4A, T51.9XA - T51.9XA - T51.9XA - T51.9XA - T51.9XA - T51.9XA - T51.9XA - T51.9XA - T51.9XA - T51.9XA - T51.9XA - T51.9XA - T51.9XA - T51.9XA - T51.9XA - T51.9XA - T51.9XA - T51.9XA - T52.9XA - T53.0XA - T52.9XA - T53.0XA - T52.9XA - T53.0XA - T52.9XA - T53.1XA - T52.9XA - T53.2XA - T53.2XA - T53.3XA - T53.3XA - T53.4XA
J1452	Injection omivirsen sodium intraocculur 1.65ma.	Vitravene	Yes	ML	Anti-viral		Х	Х								Х				
J1453	Injection, fosaprepitant, 1 mg.	Emend	Yes	UN	Anti-emetic		Х	Х	Х											New code effective 1/1/09.
J1455	Injection foscarnet sodium 1000mg	Foscavir	Yes	ML	Anti-viral	None	Х	Х	Х											
J1456	Injection, fosaprepitant (teva), not therapeutically equivalent to j1453, 1 mg	NA	Yes	EA	Antiemetic	None	Х	Х	Х											Effective 1/1/23.
J1457	Injection gallium nitrate	Ganite	N/A		Anti-															Not Covered
J1458	1 mq Injection, galsulfase, 1 mg	Naglazyme	Yes	ML	hypercalcemic Enzyme replenisher	None	Х	Х	Х											Effective 10/1/2015 ICD-10 diagnosis codes E76.01 - E76.03, E76.1, E76.210, E76.211, E76.219, E76.22, E76.29, E76.3, E76.8 or E76.9 New code effective 1/1/07. Given weekly based on weight. Age restricted to 5 years and older. ICD-9 code 277.5 required on claim form.
J1459	Injection, immune globulin, IV, nonlyophilized(liquid),	Privigen	Yes	SOL=ML	Immune globulin		Х	Х												New code effective 1/1/09.
J1460	Injection gamma alobulin IM 1cc	Gammar Gamastan	Yes	ML	Immune globulin	1 per day	Х	Х	Х											

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP									
			req.	of		Limits	OP	OP	-			МН	HS	FU	OPH	П	F	الا	Special Instructions
			for	measure		Lilling	01	٥.											
			drug	measure															
			rebate																
			?																
J1470	Injection gamma globulin IM 2cc	Gammar Gamastan	Yes	ML	Immune globulin	1 per day	Х	Х	Х										
J1480	Injection gamma globulin	Gammar	Yes	ML	Immune globulin	1 per day	Х	Х	Х										
J1490	IM 3cc Injection gamma globulin	Gamastan Gammar	Yes	ML	Immune globulin	1 per day	Х	Х	Х										
J1500	IM 4cc Injection gamma	Gamastan Gammar	Yes	ML	Immune globulin	1 per day	Х	Х	Х								\vdash		
	globulin IM 5cc Injection gamma globulin	Gamastan Gammar	Yes	ML	Immune globulin	1 per day	X	Х	Х										
	IM 6cc	Gamastan			_														
	Injection gamma globulin IM 7cc	Gammar Gamastan	Yes	ML	Immune globulin	1 per day	Х	Х	Х										
J1530	Injection gamma globulin IM 8cc	Gammar Gamastan	Yes	ML	Immune globulin	1 per day	Х	Х	Х				_					L	
J1540	Injection gamma globulin IM 9cc	Gammar Gamastan	Yes	ML	Immune globulin	1 per day	Χ	Х	Х										
J1550	Injection gamma globulin IM 10cc	Gamastan Gamastan	Yes	ML	Immune globulin	1 per day	Χ	Х	Х										
.11554	Injection, immune	Asceniv	Yes	ML	Immune globulin	None	Х	Х	Х		— h								Effective 4/1/21.
• 100 1	globulin, 500 mg	7.000		2	a.io giozaiii	Tions	^	^											Restricted to ICD-10 D80.0 - D80.9, D81.0 - D81.39, D81.4, D81.7, D81.89, D81.9, D82.0 - D82.9, D83.0, D83.2, D83.8, D83.9. Minimum age of 12 years.
J1555	Injection, immune globulin (cuvitru), 100	Cuvitru	Yes	ML	Immune globulin	None	Х	Х	Х										Effective 1/1/18. Restricted to D83.0 - D83.9. Minimum age of 2 years.
J1556	Injection, immune	Bivigam	N/A																New code effective 1/1/14. Not Covered. See pharmacy POS.
J1557	Injection, immune	Gammaplex	Yes	ML	Immune globulin	none	Х	Х	Х		— h					Х			Effective 10/1/2015 ICD-10 diagnosis codes D69.3, D80.0 - D80.9, D81.0 - D81.2, D81.4, D81.6, D81.7,
	globulin, intravenous,				3														D81.89, D81.9, D82.0, D82.1, D83.0, D83.1, D83.2, D83.8 or D83.9
	non-lyophilized (e.g.																		Effective 3/8/13, new ICD-9 diagnosis restriction of 287.31 added. Effective 1/1/12. Restricted to ICD-9
J1558	Injection, immune	Xembify	Yes	ML	Immune globulin	None	Χ	Χ	Х										Effective 7/1/20.
	globulin, 100 mg	,																	Restricted to ICD-10 D80.0 - D80.9, D81.0 - D81.9, D82.0 - D82.9. Minimum age 2 years.
J1559	Injection, immune globulin, 100 mg	Hizentra	N/A																Not covered. Refer to Pharmacy Point of Sale.
J1560	Injection gamma globulin IM over 10cc	Gammar Gamastan	Yes	ML	Immune globulin	5 per day	Χ	Х	Х	Х									
J1561	Injection, immune globulin, (Gamunex/Gamunex- C/Gammaked), nonlyophilized (e.g., liquid), 500 mg	Gamunex-C	Yes	ML	Immune globulin	None	X	Х											New code effective 1/1/08. Replaces Q4092.
J1562	Injection, immune globulin, subcutaneous, 100 mg		N/A		Immune globulin														Not covered.
J1565	Injection RSV immune	RespiGam	Yes	ML	Immune globulin	None	Х	Х	Х	Х									Closed effective 4/01/08.
J1566	Injection, immune globulin, intravenous, lyophilized (e.g., powder), not otherwise specified, 500 mg	Carimune Gammagard S/D	Yes	UN	Immune globulin	None	Х	Х	Х										Effective 1/1/09.

	5					<u> </u>											1		
Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	OP	Р	NP	MW	MH	нъ	PO	ОРН	н	F	DC	Special Instructions
	Injection, immune globulin, IV, lyophilized, 500ma		Yes	ML	Immune globulin	None	Х	Х	Х										Closed effective 12/31/07.
J1568	Octagam injection, immune globulin, (Octagam) IV, non- lyophilized (i.e., liquid),	Octagam	Yes	ML	Immune globulin	None	Х	Х	Х										Physician added as covered provider, effective 1/1/16. New code effective 1/1/08. Replaces Q4087.
	Injection, immune globulin, (Gammagard liquid), nonlyophilized, (e.g., liquid), 500 mg	Gammagard	Yes	ML	Immune globulin	None	Х	Х	Х										New code effective 1/1/08. Replaces Q4088. Approved for physician billing, effective 1/1/08.
J1570	Injection ganciclovir sodium 500mg	Cytovene	Yes	UN	Anti-viral	None	Х	Χ	Х										
	HepaGam B Injection - Injection, hepatitis B immune globulin (HepaGam B) IM 0.5m	Hepagam B	Yes	ML	Immune globulin	None	X	Х											New code effective 1/1/08. Replaces Q4090.
	Fiebogamma Injection - Injection, immune globulin (Flebogamma), IV, non-lypohilized (e.g., liquid), 500mg	Flebogamma	Yes	ML	Immune globulin	None	Х	Х											New code effective 1/1/08. Replaces Q4091.
	Injection, Hepatitis B immune globulin (Hepagam B) IV 0.5 m.	Hepagam B	Yes	ML	Immune globulin	None	Х	Х											New code effective 1/1/08.
	Injection, ganciclovir sodium (exela) not therapeutically equivalent to j1570, 500 mg	NA	Yes	ML	Antiviral	None	Х	X	X										Effective 1/1/23.
	Injection Garamycin gentamicin up to 80mg	Gentamine Sulfate Jenamicin	Yes	ML	Antibiotic	None	Х	Х	Х									Х	
J1590	Injection gatifloxacin 10	Tequin Zvmar	Yes	ML	Antibiotic	40 per day	Х	Χ	Х										
J1595	mq Injection glatiramer acetate	Copaxone	N/A		Multiple Sclerosis														Not Covered
	acetate injection, immune globulin, intravenous, non-lyophilized(liquid), NOS, 500 mg.	N/A	N/A		Scierosis														Not Covered
	Injection gold sodium thiomalate up to 50mg	Aurolate Myochrysine	Yes	PWD=UN SOL=ML	Anti-rheumatic	None	Х	Х	Х										

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	I HS	РО	ОР	н	ні і	DT C	DC Special Instructions
			req. for	of measure		Limits	OP	OP										F	
			drug	measure															
			rebate ?																
J1602	Injection, golimumab, 1 mg, for intravenous use	Simponi Aria	Yes	ML	TNF blocker	300 units per month	X	X	X	X									Effective 9/1/19, add ICD-10 L40.50, L40.51, L40.52, L40.59, M05.70, M06.00, M45.9. Effective 10/1/2015 ICD-10 diagnosis codes M05.00, M05.011, M05.012, M05.019, M05.021, M05.022, M05.029, M05.031, M05.032, M05.039, M05.041, M05.042, M05.049, M05.051, M05.052, M05.059, M05.061, M05.062, M05.069, M05.071, M05.072, M05.079, M05.09, M05.10, M05.111, M05.112, M05.119, M05.121, M05.122, M05.129, M05.131, M05.132, M05.139, M05.141, M05.142, M05.149, M05.151, M05.152, M05.159, M05.161, M05.162, M05.169, M05.161, M05.162, M05.169, M05.171, M05.172, M05.172, M05.179, M05.19, M05.30, M05.60, M05.611, M05.612, M05.652, M05.659, M05.661, M05.652, M05.669, M05.671, M05.672, M05.679, M05.694, M05.694, M05.671, M05.752, M05.714, M05.712, M05.714, M05.712, M05.714, M05.714, M05.714, M05.714, M05.715, M05.704, M05.704, M05.704, M05.704, M05.704, M05.704, M05.704, M05.704, M05.704, M05.704, M05.705, M05.804, M06.804,
J1610	Injection glucagon HCl	Glucagon GlucaGen	Yes	UN	Antidote	None	Х	Х	Х										
J1611	Injection, glucagon hydrochloride (fresenius kabi), not therapeutically equivalent to j1610, per 1 mg	NA	Yes	EA	Antidote	None	Х	Х	Х										Effective 1/1/23.
J1620	Injection gonadorelin HCI 100mca	Factrel Lutrepulse	Yes	UN	Gonadotropin	None	Χ	Х	Х										Not for fertility treatment and diagnosis.
J1626		Kytril	Yes	ML	Antiemetic	20 per day	Х	Х	Х										
J1630	Injection haloperidol up to 5mg	Haldol	Yes	PWD=UN SOL=ML	Anti-psychotic	2 per day	Х	Х	Х	Х		Х							Nurse practitioner added 1/1/09.
J1631	Injection haloperidol decanoate 50mg	Haldol Decanoate 50	Yes	ML	Anti-psychotic	1 per day	Х	Х	Х	Х		Х							Nurse practitioner added 1/1/09.
J1632	Injection, brexanolone, 1 mg	Zulresso	Yes	ML	Anti-depressant	N/A	Х	Х	Х										Effective 10/1/20. Contact Kepro at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria. Note: Reimbursement of drug is separately billed from hospital in-patient on a UB claim by using bill type 0111 for this service. Outpatient billing uses bill type 0131 on the UB claim form.
J1640	Injection, hemin, 1mg	Panhematin	Yes	UN	Enzyme inhibitor	None	Х	Х	Х										Effective 10/1/2015 ICD-10 diagnosis codes E70.20, E70.21, E70.29, E70.30, E70.310, E70.311, E70.318 - E70.321, E70.328 - E70.331, E70.338, E70.339, E70.39, E70.5, E70.8, E70.9, E80.0, E80.1, E80.20, E80.21, E80.29, P70.8, P72.0, P72.2, P72.2, P72.8, P74.5, P74.6, P74.8 or P84
J1642	Injection heparin sodium (heparin lock flush) 10U.	HepLock HepLock U/P	Yes	PWD=UN SOL=ML	Anti-coagulant	5 per day	Χ	Х)	X		

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	нѕ	PO	OPI	1 F		DT I	DC	Special Instructions
	Injection, heparin sodium (pfizer), not therapeutically equivalent to j1644, per 1000 units	NA	Yes	ML	Anti-coagulant	None	X	Х	Х											Effective 1/1/23.
J1644	Injection heparin sodium 1000U	Heparin Sodium Liqusemin Sodium	Yes	PWD=UN SOL=ML	Anti-coagulant	1 unit X 7 consecutive days - lifetime	Х	Х	Х	Х									Х	Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime. Nurse practitioner added 1/1/09.
	Injection dalteparin sodium 2500IU	Fragmin	Yes	ML	Anti-coagulant	1 unit X 7 consecutive days - lifetime	Х	Х	Х	Х										Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime.
	Injection enoxaparin sodium 10mg	Lovenox	Yes	ML	Anti-coagulant	1 unit X 7 consecutive days - lifetime	Х	Х	Х	Х										Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime.
J1652	Injection fondaparinux sodium 0.5 mg	Atrixtra	Yes	ML	Anti-coagulant	1 unit X 7 consecutive days - lifetime	Х	Х	Х	Х										Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime.
J1655	Injection tinzaparin sodium 1000 IU.	Innohep	Yes	ML	Anti-coagulant	1 unit X 7 consecutive days - lifetime	Х	Х	Х	Х										Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime.
J1670	Injection tetanus immune globulin human up to	HyperTet	Yes	ML	Immune globulin	1 per 10 years	Х	Х	Х	Х										
J1675	Injection, histrelin acetate, 10mcg	Vantas	Yes	UN	Gonadotropin	1 per year	Х	Х	Х											Cost invoice required with claim form
J1680	Injection, human fibrinogen concentrate, 100 mg.	RiaSTAP	Yes	UN	Antifibrinolytic	none	Х	Х	Х				Х			Х	(Closed 12/31/12. See J7178 after this date. Effective 1/1/10. Restricted to ICD-9 diagnosis 286.3 or 286.6.
J1700	Injection hydrocortisone acetate up to 25mg	Hydrocortone Acetate	Yes	PWD=UN SOL=ML	Anti- inflammatory	None	Х	Х	Х	Х										
	Injection hydrocortisone sodium phosphate up to	Hydrocortone Phosphate	Yes	PWD=UN SOL=ML	Anti- inflammatory	None	Х	Х	Х	Х										
	Injection hydrocortisone sodium succinate up to	Solu-Cortef A-Hydrocort	Yes	UN	Anti- inflammatory	None	Х	Х	Х	Х										
	Injection, hydroxyprogesterone caproate, 1 mg.	Makena	Yes	ML		250 u. weekly	X	Х	Х	Х	Х									Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes O09.211 - O09.213, O09.219, O47.00, O47.9, O47.02, O47.03, O47.1, O47.9, O60.00, O60.02, O60.03. Effective 1/1/12. Restricted to ICD-9 diagnosis 644.0 - 644.2 or V23.41. Cost invoice with NDC required with claim. Minimum age restriction of 16 years. Service limit of 250 units weekly at 16 - 36 weeks gestation. Please note: If product on cost invoice indicates a multi-dose vial, then reimbursement will be one-fifth invoice amount.
J1730	Injection diazoxide up to 300mg	Hyperstat IV	Yes	PWD=UN SOL=ML	Anti- hypertensive	1 per day	Х	Х	Х				1			t	1	\exists		
J1738	Injection, meloxicam, 1 mg.	Anjeso	Yes	ML ML	Anti- inflammatory	None	Х	Х	Х	Х										Effective 1/1/22.
	Injection, ibandronate sodium, 1 mg	Boniva	Yes	PWD=UN SOL=ML	Bisphosphonate	3 units every 3 months	Х	Х	Х	Х										Effective 10/1/2015 ICD-10 diagnosis codes M81.0, M81.6 or M81.8 New code effective 1/1/07. ICD-9 codes 733.00-733.09 are required on claim form. Restricted to females. Providers should be able to document why patient cannot take oral bisphosphonate. Nurse practitioner added 1/1/109

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	і Інѕ	PC	OF	н	н	IDT	DC	Special Instructions
Code	Description	Brand Name	req. for drug rebate ?	of measure	Category	Limits	OP	OP										F		Special instituctions
J1741	Injection, ibuprofen, 100 mg	Caldolor	Yes	ML	Anti- inflammatory	None	Х	Х	Х	Х										Effective 1/1/22.
J1742	Injection ibutilide fumarate 1 mg	Corvert	Yes	ML	Anti-arrhythmic	None	Х	Х	Х											
J1743	Injection, idursulfase 1 mg	Elaprase	Yes	ML	Metabolic Enzyme Replacement	None	Х	Х	Х											New code effective 1/1/08. Replaces Q9232.
	Injection, infliximab, excludes bio-similar, 10 mg.	Remicade	Yes	UN	Anti-rheumatic	None	Х	Х	Х											
J1746	Injection, ibalizumab- uiyk, 10 mg	Trogarzo	Yes	ML	Anti-retroviral	None	Х	Х	Х											Effective 1/1/19. Restricted to ICD-10 B20.
	Injection, spesolimab- sbzo, 1 mg	Spevigo	Yes	ML	Antipsoriatic	None	Х	Х	Х											Effective 4/1/23. Restricted to ICD-10 L40.1. Minimum age of 16 years
J1750	Injection, iron dextran, per 50 mg.	Infed Dexferrum	Yes	ML	iron salt	None	Х	Х	Х	Х									Х	New code effective 1/1/09. Nurse practitioner added 1/1/09.
J1751	Injection, iron dextran 165, 50 ma	Infed Dexferrum	Yes	ML	Iron salt	None	Х	Х	Х	Х										Code closed effective 6/30/08. See Q4098.
	Injection, iron dextran 267, 50 ma	Infed Dexferrum	Yes	ML	Iron salt	None	Х	Х	Х	Х										Code closed effective 6/30/08. See Q4098.
J1756	Injection iron sucrose 1mg IV	Venofer	Yes	ML	Iron supplement	1000 mg. per 13 days, effective 2/1/16	Х	Х	X								Х		Х	Home infusion provider added, effective 4/1/12.
J1785	Injection imiglucerase per unit	Cerezyme	Yes	UN	Enzyme	None	Х	Х	Х											Code closed 12/31/10. See J1786 after this date. ICD-9 code 272.7 required on claim form.
J1786	injection, imiglucerase, 10 units	Cerezyme	Yes	UN	Enzyme	Maximum service limit 1650 u. monthly	Х	Х	Х								Х			Effective 10/1/2015 ICD-10 diagnosis codes E75.21, E75.22, E75.240 - E75.243, E75.248, E75.249, E75.3, E77.0, E77.1, E77.8, or E77.9 Home Infusion provider added, effective 1/1/11. New code effective 1/1/11. Restricted to ICD-9 diagnosis 272.7. Minimum age restriction of 2 years and above.
J1790	Injection droperidol up to	Inapsine	Yes	PWD=UN SOL=ML	Antiemetic	1 per day	Х	Х	Х											
J1800	Injection propranolol HCI up to 1mg.	Inderal	Yes	PWD=UN SOL=ML	Anti-anginal	None	Х	Х	Х											
	Injection droperidol & fentanyl cit-rate up to 2ml ampule	Innovar	Yes	UN	Antiemetic	None	Х	Х	Х											
J1815	Injection insulin 5U	Humalog Humulin Lispo	Yes	ML	Anti-diabetic	20 per day	X	X	X	Х										Effective 10/1/2015 ICD-10 diagnosis codes E10.10, E10.11, E10.21, E10.22, E10.29, E10.311, E10.319, E10.321, E10.329, E10.331, E10.339, E10.341, E10.349, E10.351, E10.359, E10.36, E10.39 - E10.44, E10.49, E10.51, E10.52, E10.59, E10.61, E10.618, E10.620 - E10.622, E10.628, E10.630, E10.638, E10.644, E10.649, E10.65, E10.69, E10.69, E10.9, E11.00, E11.01, E11.21, E11.22, E11.29, E11.311, E11.319, E11.321, E11.329, E11.331, E11.339, E11.341, E11.349, E11.351, E11.359, E11.36, E11.39 - E11.44, E11.49, E11.51, E11.52, E11.59, E11.610, E11.618, E11.620 - E11.622, E11.628, E11.630, E11.638, E11.641, E11.649, E11.65, E11.69, E11.8, E11.9, E13.00, E13.01, E13.10, E13.11, E13.21, E13.22, E13.29, E13.311, E13.319, E13.321, E13.329, E13.331, E13.339, E13.344, E13.49, E13.49, E13.49, E13.641, E13.49, E13.641, E13.649, E13.65, E13.69, E13.80 re E13.9
	Insulin for administration thru insulin pump per 50 U	Humalog	N/A		Anti-diabetic															Not Covered
	Injection, inebilizumab- cdon, 1 mg	Uplizna	Yes	SOL	Immunosuppres sive	300 units daily	Х	Х	Х											Effective 1/1/21. Restricted to ICD-10 G36.0. Minimum age of 16 years.

					·				_										
Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	PO	ОРН	HI		DC	Special Instructions
			req.	of		Limits	OP	OP									F		
			for	measure															
			drug																
			rebate																
			?																
J1825	Injection interferon beta	Avonex	N/A		Biological														Not covered. Refer to Pharmacy Point of Sale.
	1a 33mcg				Response														
					Modulator														
J1826	Injection, interferon beta-	Avonex	N/A		Biological														Not covered. Refer to Pharmacy Point of Sale.
	1a, 30 mcg.	Rebif			Response														
.11830	Injection interforon beta	Betaseron	N/A		Modulator Biological														Not covered. Refer to Pharmacy Point of Sale.
01000	1b 0.25mg	Dotascion	14// (Response														Not develous. Note to Finantiacy Found of Gales.
	15 0.20mg				Modulator														
J1833	Injection,	Cresemba	Yes	UN	Anti-Infective	None	Χ	Х	Х										Effective 1/1/16. Restricted to diagnosis ICD-10 B44.0, B44.1, B44.2, B44.7, B44.89, B44.9, B48.4. Minimum
	isavuconazonium, 1 mg	vial																	age of 18 years.
	vial																		
J1835	Injection itraconazole 50	Sporanox	Yes	UN	Anti-fungal	None	Х	Х	Х										
11840	ma. Injection kanamycin	Kantrex	Yes	PWD=UN	Antibiotic	None	Х	Х	Х				1				1		
01040	sulfate up to 55mg	Klebcil	100	SOL=ML	ATTUDIOUG	INOTIC	^	_ ^	^		l		1	l	1	l		1	
J1850	Injection kanamycin	Kantrex	Yes	UN	Antibiotic	None	Х	Х	Х										
	sulfate up to 75mg	Klebcil																	
J1885	Injection ketoralac tro-	Toradol	Yes	PWD=UN	Analgesic	None	X	Х	Х	X				Х				Х	
14000	methamine 15mg	0 1 1 11		SOL=ML			.,		.,										
J1890	Injection cephalothin	Cephalothin	Yes	N/A	Antibiotic	None	Х	Х	Х										
	sodium up to to 1g	Sodium Keflin																	
J1930	Injection, lanreotide, 1	Somatuline	Yes	UN	Somatostatic		Х	Х	Х										Effective 4/1/22, added to physician's contracts.
0.000	mg.	Depot		0	agent			,,	, ,										Effective 10/1/2015 ICD-10 diagnosis codes C25.4, C7A.010 - C7A.012, C7A.019 - C7A.026, C7A.029,
	9.				-9														C7A.092 - C7A.096, D13.7, D3A.010 - D3A.012, D3A.019 - D3A.026, D3A.029, D3A.092 - D3A.096, E22.0 or
																			E34.4
																			New ICD-9 diagnoses added, effective 12/16/14. Full range includes 157.4, 209.00 - 209.03, 209.10 -
																			209.17, 209.23 - 209.27, 209.40 - 209.43, 209.50 - 209.57, 209.63 - 209.67, 211.7, 253.0. New code effective
																			1/1/09.
.11931	Injection laronidase 0.1	Aldurazyme	Yes	ML	Enzyme	None	Х	Х	Х				+				+		Effective 10/1/2015 ICD-10 diagnosis codes E76.01 - E76.03, E76.1, E76.210, E76.211, E76.219, E76.22,
01001	mg	7 llddid2yiilo	100		Liizyiiio	140110	^		^										E76.29, E76.3, E76.8 or E76.9
	9																		ICD-9 code 277.5 required on claim form
J1932	Injection, lanreotide,	N/A	Yes	ML	Somatostatic	None	Χ	Х	Х										Effective 10/1/22.
	(Cipla), 1 mg				agent														
J1940	Injection furosemide up	Lasix	Yes	PWD=UN	Anti-	None	Х	Х	Х	Х									
	to 20mg.	Furomide		SOL=ML	hypertensive														
					Diuretic								1						
J1942	Injection, aripiprazole			1							l		1	l	1	l		1	Effective 1/1/17. Not covered. See pharmacy POS.
.11045	lauroxil. 1 mg Injection, lelpirudin, 50	Refludan	Yes	UN	Anti-coagulant	None	Х	Х	Х				+	<u> </u>	<u> </u>		+	\vdash	
J 1940	ma	Nemudan	162	UN	Ann-coagulant	INUITE	^	^	_ ^		l		1	l	1	l		1	
J1950	Injection leuprolide	Lupron Depot	Yes	UN	Anti-neoplastic	None	Х	Х	Х				†				1		
	acetate 3.75mg.																		
J1953	Injection, levetiracetam,	Keppra	Yes	UN	Anti-epileptic	limited to 16	Х	Х	Х				1						New code effective 1/1/09.
	10 mg.					years or older													
J1955	Injection levocarnitine1g.	Carnitor	N/A	-	Nutritional			-	-		<u> </u>		+	Х		<u> </u>	+	\vdash	Added to Podiatry contract, effective 4/1/21.
0 1900	injection levocamitine (g.	Carrilloi	IN/A	1	Supplement						l		1	_ ^	1	l		1	Added to 1 odiatly contract, elective 4/1/21.
J1956	Injection, levofloxacin,	Levaquin	Yes	ML	Antibiotic	3 per day	Х	Х	Х				1				1		
	250 mg.	·									<u></u>		<u></u>		<u> </u>		L	L	
J1960	Injection levorphanol	Levo	Yes	PWD=UN	Analgesic	1.5 per day	Χ	Х	Χ										
14	tartrate up to 2mg	Dromoran		SOL=ML	narcotic			L.,	L.,		<u> </u>		1	<u> </u>	<u> </u>			_	
J1980	Injection hyoscyamine	Levsin	Yes	PWD=UN	Anti-cholenergic	2 per day	Х	Х	Х	Х	l		1	l	1	l		1	
$\overline{}$	sulfate up to 0.25mg.			SOL=ML	l			L			l			l	L				<u> </u>

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	PΩ	OP	н	ні Іп	ודח	20	Special Instructions
Code	Description	Branc Name	req. for drug rebate ?	of measure	Jalegory	Limits	OP	OP					110	10				F		
	Injection chlordiazepoxide HCL up to 100ma.	Librium	N/A		Benzodiazepine															Not Covered
	Injection lidocaine HCI IV infusion 10mg	Xylocaine	Yes	PWD=UN SOL=ML	Anti-arrhythmic	None	Х	Х												
J2010	Injection lincomycin HCl up to 300ma	Lincocin	Yes	PWD=UN SOL=ML	Antibiotic	None	Х	Х	Х	Х										
	Injection linezolid 200 ma	Zyvox	Yes	ML	Antibiotic	6 per day	Х	Х	Х											
	Injection, linezolid (hospira) not therapeutically equivalent to j2020, 200 mg	NA	Yes	ML	Antibiotic	None	X	X	X											Effective 1/1/23.
	Injection lorazepam 2mg	Ativan	Yes	PWD=UN SOL=ML	Anti-anxiety	2 per day	Х	X	X	X		Х							Χ	Nurse practitioner added 1/1/09.
	Injection mannitol in 25% in 50ml	Osmitrol	Yes	PWD=UN SOL=ML	Diuretic	None	Х	Х	Х	Х										Nurse practitioner added 1/1/09.
	Injection, mecasermin, 1	Increlex	N/A		Insulin-like arowth factor															Not covered.
	Injection meperidine HCI per 100ma	Demerol	Yes	PWD=UN SOL=ML	Analgesic narcotic	2 per day	Х	Х	Х	Х										Nurse practitioner added 1/1/09.
	Injection meperidine & promethazine HCl up to 50mg	Mepergan	Yes	ML	Analgesic combo narcotic	2 per day	Х	Х	X	Х										
J2182	Injection, mepolizumab, 1 mg	Nucala	Yes	UN	Anti-asthmatic	None	Х	Х	Х	Х										Effective 12/12/17, ICD-10 diagnosis M30.1 added. Effective 1/1/17. Restricted to ICD-10 45.50. Minimum age of 12 years.
	Injection, meropenem (b. braun) not therapeutically equivalent to j2185, 100 mg	NA	Yes	EA	Antibiotic	None	X	X	X											Effective 1/1/23.
J2185	Injection meropenem 100 mg	Merrem	Yes	UN	Antibiotic	None	Х	Х	Х	Х										Nurse practitioner added 1/1/09.
J2210	Injection methylergonovine maleate up to 0.2mg.	Methergine	Yes	ML	Ergot alkaloid & derivative	1 per day	Х	Х	Х											
	Injection, micafungin sodium (par pharm) not thereapeutically equivalent to j2248, 1 mg	NA	Yes	EA	Anti-fungal	None	Х	Х	Х											Effective 1/1/23.
J2248	Injection, micafungin sodium, 1 mg	Mycamine	Yes	UN	Anti-fungal	150 units per day	Х	Х	Х	Х										New code effective 1/1/07. Nurse practitioner added 1/1/09.
J2249	Injection, remimazolam, 1 mg	Byfavo	Yes	UN	Anesthetic	None	Х	Х	Х											Effective 7/1/123.
J2250	Injection midazolam HCl	Versed	N/A		Benzodiazepine															Not Covered.
	Injection, midazolam hydrochloride (wg critical care) not therapeutically equivalent to j2250, per 1 mg	NA	Yes	ML	Benzodiazepine	None	Х	Х	Х											Effective 1/1/23.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	HS	PO	ОРН	Н	II ID1		C Special Instructions
J2260	Injection milrinone	Primacor	Yes	ML	Enzyme	None	Х	Х	Х										
J2265	lactate 5mg Injection, minocycline hydrochloride, 1 mg.	Minocin	N/A																Not covered.
J2270	Injection morphine sulfate up to 10mg	Roxanol	Yes	ML	Analgesic narcotic	5 per day	Х	Х	Х	Х									Nurse practitioner added 1/1/09.
J2271	Injection morphine sulfate 100mg.	Roxanol	Yes	PWD=UN SOL=ML	Analgesic narcotic	None	Х	Х	Х									Ì	Closed 12/31/14. See J2274 after this date.
	Injection, morphine sulfate (fresenius kabi) not therapeutically equivalent to j2270, up to 10 mg	NA	Yes	ML	Analgesic narcotic	None	Х	Х	Х										Effective 1/1/23.
	Injection, morphine sulfate, preservative-free for epidural or intrathecal use, 10mg		Yes	ML	Analgesic narcotic	None	Х	Х	Х										X Effective 1/1/15. Must be billed with CPT 62310, 62311, 62318, 62319, 62360, 62361, 62362, 62365, 62367, 62368, 62369, or 62370.
	Injection,morphine sulfate (preservative-free sterile solution)10mg	Astramorph PF Duramorph	Yes	ML	Analgesic narcotic	None	Х	Х	Х										X Closed 12/31/14. See J2274 after this date.
J2278	Injection, ziconotide, 1mca	Prialt	Yes	ML	Analgesic	Max. 500 per day	Х	Х	Х										Change to service limit effective 7/1/17.
J2280	Injection moxifloxacin	Avelox	Yes	ML	Antibiotic	5 per day	Х	Х	Х	Х								Ì	
	Injection, moxifloxacin (fresenius kabi) not therapeutically equivalent to j2280, 100 mg	NA	Yes	ML	Antibiotic	None	Х	Х	Х										Effective 1/1/23.
J2300	Injection nalbuphine HCI per 10mg	Nubain	Yes	PWD=UN SOL=ML	Analgesic narcotic	6 per day	Х	Х	Х	Х									Nurse practitioner added 1/1/09.
J2310	Injection naloxone HCI per 1mg	Narcan	Yes	PWD=UN SOL=ML	Antidote	None	Х	Х	Х	Х									Nurse practitioner added 1/1/09.
J2315	Injection, naltrexone, depot form, 1 mg	Depade, ReVia, Vivitrol	Yes	UN	Opioid receptor antagonist	380 units per 4 weeks	Х	Х	Х			Х							Effective 1/1/21, restricted to ICD-10 of F10.20, F10.21, or F11.20 - F11.29. Effective 10/1/2015 ICD-10 diagnosis codes F10.20, F10.21 or F10.229 New code effective 1/1/07. ICD-9 code 303.XX required on claim form.
J2320	Injection nandrolone decanoate up to 50mg.	Decadura- bolin	Yes	PWD=UN SOL=ML	Anabolic steroid	1 per week	Х	Х	Х										
	Injection nandrolone decanoate up to 100mg.	Decadur- abolin Hybolin Decanoate	Yes	PWD=UN SOL=ML	Anabolic steroid	1 per week	Х	Х	Х										X .
J2322	Injection nandrolone decanoate up to 200mg	Decaduraboli n Neo- burabolic	Yes	ML	Anabolic steroid	1 per week	Х	Х	Х										
J2323	Injection, Natalizumab 1 mg	Tysabri	Yes	ML	Leukocyte Adhesion Inhibitor	None	Х	Х	Х										New code effective 1/1/08. Replaces Q4079.
	Injection, nesiritide, 0.1mg	Natrecor	Yes	UN	Vasodilator	None	Х	Х											Effective 10/1/2015 ICD-10 diagnosis codes I50.20, I50.21, I50.23, I50.30, I50.31, I50.33, I50.40 - I50.43, or I50.9 ICD-9 code 428.0, 428.20, 428.21, 428.23, 428.30, 428.31, 428.33, 428.40, 428.41, or 428.43 required on
	Injection, nusinersen 0.1 mg.	Spinraza	Yes	SOL=ML	Genetic therapy	N/A	Х	Х											Effective 1/1/18. Contact Kepro at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteia.
J2327	Injection, risankizumab- rzaa, 1 mg.	Skyrizi	Yes	ML	Monoclonal antibody	NA	Х	Х	Х										Effecive 3/1/23. Contact Kepro at 800-346-8272 for prior authorization requests.

					T			1	-				1	1 = -	1		1		
Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	PO	OPH	Н			C Special Instructions
			req.	of		Limits	OP	OP									F		
			for	measure															
			drug																
			rebate																
			?																
J2329	Injection, ublituximab-	Briumvi	Yes	ML	Multiple	None	Х	Х	Х						1				Effective 7/1/23.
	xiiy, 1mg				Sclerosis														Restricted to ICD-10 G35.
	, .																		
J2350	Injection, ocrelizumab, 1	Ocrevus	Yes	ML	Multiple	600 units	Х	Х	Х										Effective 1/1/18. Restricted to ICD-10 G35. Minimum age of 16 years.
	mg.				Sclerosis	daily													
J2353	Injection octreotide	Sandostatin	Yes	UN	Antidiarrheal	None	Х	Х	Х						1				
	depot form for IM 1mg																		
J2354	Injection onctreotide non-	Sandostatin	Yes	ML	Antidiarrheal	1 unit X 7	Х	Х	Х										For IV route only. Physician reimbursement for administration is limited to 1 unit X 7 consecutive days per
	depot form for SQ or IV					consecutive													lifetime.
	25 mcg					days - lifetime													
10055	lata adam anna barbar Erana	N1	V		District	0	· ·		· ·				1			-		+	
J2300	Injection oprelvekin 5 mg	Neumega	Yes	UN	Platelet growth factor	2 per day	Х	Х	Х										Effective 10/1/2015 ICD-10 diagnosis codes D69.51 or D69.59 ICD-9 code 287.4 required on claim form.
.12356	Injection, tezepelumab-	Tezspire	Yes	ML	Anti-asthmatic	None	Х	Х	Х	Х			1		1	1		+	Effective 7/1/22.
	ekko, 1 mg	1 623hii 6	163	IVIL	, unu-asumado	INOTIC	^	^	^	^			1	1					Restricted to ICD-10 J45.50 or J45.52.
	ciato, i mg																		Minimum age of 12 years.
							<u> </u>	<u> </u>					1	<u> </u>				1	
J2357	Injection omalizumab 5	Xolair	Yes	UN	Anti-asthmatic	None	Х	Х	Х										Effective 7/6/16, Minimum age restriction of 6 years.
	mg.																		10/1/2015 ICD-10 diagnosis codes J44.0, J44.1, J44.9, J45.20 - J45.22, J45.30 - J45.32, J45.40 - J45.42,
																			J45.50 - J45.52, J45.901, J45.902, J45.909, J45.990, J45.991, J45.998 or L50.1
																			Effective 3/21/14, ICD-9 diagnosis of 708.1 added. ICD-9 code 493.XX required on claim form.
																			For children: the first dose may be split into 2 doses the first week.
10050													1				. —	+	
	Injection, olanzapine,	Zyprexa	Yes	UN	Antipsychotic	Maximum	Х	Х	Х	Х		Х				Х	٠		Effective 10/1/2015 ICD-10 diagnosis codes F20.0 - F20.3, F20.5, F20.81, F20.89, F20.9 or F25.9
	long-acting, 1 mg.	Relprevv				service limit 405 u.													New code effective 1/1/11. Restricted to ICD-9 diagnosis 295.00 - 295.95. Restricted to age 18 and above.
						monthly													
J2360	Injection orphenadrine	Norflex	Yes	PWD=UN	Muscle relaxant	1 per day	Х	Х	Χ									1	
	citrate up to 60 mg.			SOL=ML		. ,													
J2370	Injection phenylephrine	Neo-	Yes	ML	Adrenergic	1 per day	Х	Х	Χ										Closed 6/30/23. See J2371 or J2372.
10074	HCl up to 1ml	Synephrine	V		agonist	Maria	· ·		· ·				1			-		+	
	Injection, phenylephrine	NA	Yes	ML	Adrenergic	None	Х	Х	Х										Effective 7/1/23.
	hydrochloride, 20				agonist														
	micrograms																		
J2372	Injection, phenylephrine	Biorphen	Yes	ML	Adrenergic	None	Х	Х	Х										Effective 7/1/23.
	hydrochloride (biorphen),				agonist														
	20 micrograms																		
							l	1		l			1	1					
J2400	Injection chloroprocaine	Nesacaine	Yes	ML	Local	1 per day	Х	Х	Χ										Closed 12/31/22. See J2401 or J2402 after this date.
	HCI 30ml	Nesacaine			Anesthetic														
		MPF						L					<u> </u>			1	_	4	
J2401	Injection, chloroprocaine	NA	Yes	ML	Local	None	Х	Х	Х										Effective 1/1/23.
	hydrochloride, per 1 mg				Anesthetic		l	1		l			1	1					
J2402	Injection, chloroprocaine	Clorotekal	Yes	ML	Local	None	Х	Х	Χ										Effective 1/1/23.
	hydrochloride, per 1 mg				Anesthetic		l	1		l			1	1					
							l	1		l			1	1					
J2405	Injection ondansetron	Zofran	Yes	PWD=UN	Antiemetic	32 per day	Х	Х	Х				1			1	-	-	
-2.00	HCI 1mg			SOL=ML		-2 po. day	^`	``	``										
J2406	Injection, oritavancin, 10	Kimyrsa	Yes	UN	Antibiotic	120 units	Х	Х	Χ	Χ									Effective 10/1/21.
	mg					daily	l	1		l			1	1					Minimum age of 18 years.
						l	<u> </u>	<u> </u>					<u> </u>	<u> </u>	<u> </u>	1			

0-4-	Description	Drand Name	NDC	NDC ·····'	Catamami	Complex	40	CALL	_	NIC	8414	NAI 1	116	D.C	ORU		11 12	T D	2 Special Instructions
Code	Description	Brand Name	NDC	NDC unit	Category	Service Limits	AC OP	CAH OP	Р	NP	MW	IVIH	HS	10	ОРН	1 1	טון וי	שווי	C Special Instructions
			req.	of		Limits	OP	OP										•	
			for	measure															
			drug																
			rebate																
			?																
J2407	Injection, oritavancin, 10 mg	Orbactiv	Yes	UN	Antibiotic	None	x	X	X										Effective 1/1/16. Restricted to diagnosis ICD-10 B78.1, K12.2, L01.00 - L01.03, L01.09, L01.1 - L02.03, L02.11 - L02.13, L02.211 - L02.216, L02.219, L02.221 - L02.226, L02.229, L02.231 - L02.236, L02.239, L02.31 - L02.33, L02.411 - L02.416, L02.419, L02.421 - L02.426, L02.439, L02.431 - L02.436, L02.439, L02.511, L02.512, L02.519, L02.521, L02.522, L02.529, L02.531, L02.532, L02.539, L02.611, L02.612, L02.619, L02.621, L02.629, L02.631, L02.632, L02.639, L02.811, L02.818, L02.821, L02.826, L02.831, L02.838, L02.91 - L02.93, L03.011, L03.012, L03.019, L03.021, L03.022, L03.029, L03.031, L03.032, L03.039, L03.041, L03.042, L03.049, L03.111 - L03.116, L03.119, L03.121 - L03.126, L03.129, L03.211, L03.212, L03.221, L03.222, L03.311 - L03.316, L03.317, L03.319, L03.321 - L03.326, L03.327, L03.329, L03.811, L03.818, L03.891, L03.898, L03.90, L03.91, L04.0 - L04.3, L04.8, L04.9, L05.01, L05.02, L05.91, L05.92, L08.0, L08.81, L08.82, L08.89, L08.9, L88, L92.8, L98.0 or L98.3. Minimum age of 18 years.
J2410	Injection oxymorphone HCl up to 1 ma	Numorphan	Yes	ML	Analgesic- narcotic	9 per day	Х	Х	Х										
.12425	Injection, palifermin, 50	Kepivance	Yes	UN	Growth factor	None	Х	Х	Х						l —	+	+	+	3 days before + 3 days after chemo.
02420	mca	Keratinocyte	100	OIV.	Ciowaii lactoi	140116	^		_ ^										adaya balata i a daya dilai aliania.
J2426	Injection, paliperidone	Invega	Yes	ML	Antipsychotic	Maximum	Х	Х	Х			Х			t	1	Х		Effective 10/1/2015 ICD-10 diagnosis codes F20.0 - F20.3, F20.5, F20.81, F20.89, F20.9 or F25.9
	palmitate extended	Sustenna			., .,	service limit		1											New code effective 1/1/11. Restricted to ICD-9 diagnosis 295.00 - 295.95. Restricted to age 18 and above.
	release, 1 mg.	22231110				234 u. daily													The season of th
J2430	Injection, pamidronate	Aredia	Yes	PWD=UN	Antidote	None	Х	Х	Х										
	disodium 30 ma			SOL=ML															
J2440	Injection papaverine	Para-Time	N/A		Vasodilator														Not covered
	HCL up to 60 ma.	SR																	
J2460	Injection oxytetracycline	Terramycin	Yes	UN	Antibiotic	4 per day	Χ	Х	Х				1			1			
	HCl up to 50 ma																		

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	РО	OP	н	ні Іп	DT	DC Special Instructions
	2000		req.	of	20.050.3	Limits	OP	OP	•									F	
			for	measure															
			drug rebate																
			?																
J2469	Injection palonesetron	Aloxi	Yes	ML	Antiemetic	None	Х	Х	Х				1				-	- †	Effective 10/1/2015 ICD-10 diagnosis codes C00.0 - C00.9, C01, C02.0 - C02.9, C03.0, C03.1, C03.9,
	HCI 25mcg																		C04.0, C04.1, C04.8, C04.9, C05.0 - C05.2, C05.8, C05.9, C06.0 - C06.2, C06.80, C06.89, C06.9, C07,
																			C08.0, C08.1, C08.9, C09.0, C09.1, C09.8, C09.9, C10.0 - C10.9, C11.0 - C11.3, C11.8, C11.9, C12, C13.0 -
																			C13.2, C13.8, C13.9, C14.0, C14.2, C14.8, C15.3 - C15.5, C15.8, C15.9, C16.0 - C16.6, C16.8, C16.9, C17.0 - C17.3, C17.8, C17.9, C18.0 - C18.9, C19, C20, C21.0 - C21.2, C21.8, C22.0 - C22.4, C22.7 - C22.9, C23,
																			C24.0, C24.1, C24.8, C24.9, C25.0 - C25.4,C25.7 - C25.9, C26.0, C26.1, C26.9, C30.0, C30.1, C31.0 - C31.3,
																			C31.8, C31.9, C32.0 - C32.3, C32.8, C32.9, C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32,
																			C34.80 - C34.82, C34.90 - C34.92, C37, C38.0 - C38.4, C38.8, C39.0, C39.9, C40.00 - C40.02, C40.10 - C40.12, C40.20 - C40.22, C40.30 - C40.32, C40.80 - C40.82, C40.90 - C40.92, C41.0 - C41.4, C43.0, C43.10 -
																			C43.12, C43.20 - C43.22, C43.30, C43.31, C43.39, C43.4, C43.51, C43.52, C43.59 - C43.62, C43.70 -
																			C43.72, C43.8, C43.9, C44.00 - C44.02, C44.09, C44.101, C44.102, C44.109, C44.111, C44.112, C44.119,
																			C44.121, C44.122, C44.129, C44.191, C44.192, C44.199, C44.201, C44.202, C44.209, C44.211, C44.212,
																			C44.219, C44.221, C44.222, C44.229, C44.291, C44.292, C44.299, C44.300, C44.301, C44.309, C44.310, C44.311, C44.319 - C44.321, C44.329, C44.390, C44.391, C44.399, C44.40 - C44.42, C44.49, C44.500,
																			C44.501, C44.509 - C44.511, C44.519 - C44.521, C44.529, C44.590, C44.591, C44.599, C44.601, C44.602,
																			C44.609, C44.611, C44.612, C44.619, C44.621, C44.622, C44.629, C44.691, C44.692, C44.699, C44.701,
																			C44.702, C44.709, C44.711, C44.712, C44.719, C44.721, C44.722, C44.729, C44.791, C44.792, C44.799, C44.80 - C44.82, C44.89 - C44.92, C44.99, C45.0 - C45.2, C45.9, C46.0 - C46.4, C46.50 - C46.52, C46.7,
																			C46.9, C47.0, C47.10 - C47.12, C47.20 - C47.22, C47.3 - C47.6, C47.8, C47.9, C48.0 - C48.2, C48.8, C49.0,
																			C49.10 - C49.12, C49.20 - C49.22, C49.3 - C49.6, C49.8, C49.9, C4A.0, C4A.4, C50.011, C50.012, C50.019 -
																			C50.022, C50.029, C50.111, C50.112, C50.119, C50.121, C50.122, C50.129, C50.211, C50.212, C50.219,
																			C50.221, C50.222, C50.229, C50.311, C50.312, C50.319, C50.321, C50.322, C50.329, C50.411, C50.412, C50.419, C50.421, C50.422, C50.429, C50.511, C50.512, C50.519, C50.521, C50.522, C50.529, C50.611,
																			C50.612, C50.619, C50.621, C50.622, C50.629, C50.811, C50.812, C50.819, C50.821, C50.829,
																			C50.911, C50.912, C50.919, C50.921, C50.922, C50.929, C51.0, C51.1, C51.2, C51.8, C51.9, C52, C53.0,
																			C53.1, C53.8, C53.9, C54.0 - C54.3, C54.8, C54.9, C55, C56.1, C56.2, C56.9, C57.00, C57.01, C57.02, C57.10 - C57.12, C57.20 - C57.22, C57.3, C57.4, C57.7 - C57.9, C58, C60.0 - C60.2, C60.8, C60.9, C61,
																			C62.00 - C62.02, C62.10 - C62.12, C62.90 - C62.92, C63.00 - C63.02, C63.10 - C63.12, C63.2, C63.7 -
																			C63.9, C64.1, C64.2, C64.9, C65.1, C65.2, C65.9, C66.1, C66.2, C66.9, C67.0 - C67.9, C68.0, C68.1, C68.8,
																			C68.9, C69.00 - C69.02, C69.10 - C69.12, C69.20 - C69.22, C69.30 - C69.32, C69.40 - C69.42, C69.50 - C69.52, C69.60 - C69.62, C69.80 - C69.82, C69.90 - C69.92, C70.0, C70.1, C70.9, C71.0 - C71.9, C72.0,
																			C72.1, C72.20 - C72.22, C72.30 - C72.32, C72.40 - C72.42, C72.50, C72.9, C73, C74.00 - C74.02, C74.10 -
																			C74.12, C74.90 - C74.92, C75.0 - C75.5, C75.8, C75.9, C76.0 - C76.3, C76.40 - C76.42, C76.50 - C76.52,
																			C76.8, C77.0 - C77.5, C77.8, C77.9, C78.00 - C78.02, C78.1, C78.2, C78.30, C78.39, C78.4 - C78.7, C78.80, C78.89, C79.00 - C79.02, C79.10, C79.11, C79.19, C79.2, C79.31, C79.32, C79.40, C79.49, C79.51, C79.52,
																			C79.60 - C79.62, C79.70 - C79.72, C79.81, C79.82, C79.89, C79.9, C80.0 - C80.2, C81.00 - C81.49, C81.70 -
																			C81.79, C81.90 - C81.98, C82.00 - C82.69, C82.80 - C82.99, C83.01 - C83.08, C83.10 - C83.19, C83.30 -
J2501	Injection paricalcitol 1	Zemplar	Yes	ML	Vitamin D	None	Х	Х	Х				1				-	- †	X Effective 10/1/2015 ICD-10 diagnosis codes N25.0, N25.1, N25.81, N25.89 or N25.9
	mca				analog										ļ.,				ICD-9 code 588 XX required on claim form.
J2503	Injection, pegaptanib sodium, 0.3 mg	Macugen	Yes	ML	Ophthmalogic Agent	1 every 6 weeks	Х	Х							Х				Effective 10/1/2015 ICD-10 diagnosis code H35.32 plus CPT 67028-RT or 67028-LT required on claim form. ICD-9 code 362.52 plus CPT 67028-RT or 67028-LT required on claim form.
J2504		Adagen	Yes	ML	Enzyme	None	Х	Х	Χ				1		1		1	T	Effective 10/1/2015 ICD-10 diagnosis codes D80.0 - D80.9, D81.0 - D81.2, D81.4, D81.6, D81.7, D81.89,
	bovine, 25 mcg																		D81.9, D82.0 - D82.4, D82.8, D82.9, D83.0 - D83.2, D83.8, D83.9, D84.0, D84.1, D84.8, D84.9, D89.3,
L							L						L					_ [D89.810 - D89.813, D89.82, D89.89 or D89.9 ICD-9 code 279 XX required on claim form. ICD-9 restriction of 279 41 and 279 49 added, effective 10/1/09
J2505		Neulasta	Yes	ML	Colony	1 per day	Х	Х	Χ									1	Closed 12/31/21. See J2506 after this date.
	6mg				stimulating factor														
J2506	Injection, pegfilgrastim,	Neulasta	Yes	ML	Colony	12 per day	Х	Х	Χ				1				7	1	Effective 1/1/22.
	excludes biosimilar, 0.5				stimulating														
	mg				factor						l								

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	I HS	РО	OPI	il F	11 110	DT D	C Special Instructions
			req.	of		Limits	OP	OP										F	
			for drug rebate ?	measure															
J2507	Injection, pegloticase, 1 mg.	Krystexxa	Yes	ML	Hyperuricemic	16 units per month	x	x	x	x				X		x			Effective 10/1/2015 ICD-10 diagnosis codes M10.00, M10.011, M10.012, M10.019, M10.021, M10.022, M10.029, M10.031, M10.032, M10.039, M10.041, M10.042, M10.049, M10.051, M10.052, M10.059, M10.051, M10.062, M10.068, M10.071, M10.072, M10.079, M10.08 - M10.10, M10.111, M10.112, M10.119, M10.121, M10.122, M10.129, M10.131, M10.132, M10.139, M10.141, M10.142, M10.149, M10.151, M10.152, M10.159, M10.161, M10.162, M10.169, M10.171, M10.172, M10.179, M10.18, M10.19, M10.20, M10.211, M10.222, M10.229, M10.229, M10.231, M10.232, M10.239, M10.239, M10.241, M10.242, M10.249, M10.251, M10.259, M10.259, M10.261, M10.329, M10.321, M10.329, M10.331, M10.322, M10.339, M10.331, M10.339, M10.341, M10.342, M10.319, M10.319, M10.321, M10.322, M10.329, M10.331, M10.332, M10.339, M10.331, M10.332, M10.339, M10.331, M10.332, M10.339, M10.331, M10.332, M10.339, M10.351, M10.351, M10.352, M10.359, M10.361, M10.362, M10.369, M10.371, M10.372, M10.379, M10.38, M10.39, M10.40, M10.411, M10.412, M10.441, M10.422, M10.429, M10.431, M10.432, M10.439, M10.441, M10.442, M10.449, M10.451, M10.451, M10.452, M10.459, M10.461, M10.462, M10.462, M10.469, M10.471, M10.479, M10.48, M10.49, M10.9, M1A.0030, M1A.00x1, M1A.0110, M1A.0111, M1A.0120, M1A.0121, M1A.0310, M1A.0311, M1A.0320, M1A.0321, M1A.0390, M1A.0391, M1A.0310, M1A.0311, M1A.0309, M1A.0321, M1A.0391, M1A.0391, M1A.0391, M1A.0411, M1A.0411, M1A.0420, M1A.0591, M1A.0510, M1A.0511, M1A.0510, M1A.0511, M1A.0510, M1A.0511, M1A.0510, M1A.0511, M1A.0510, M1A.0511, M1A.0520, M1A.0520, M1A.0521, M1A.0590, M1A.0591, M1A.0591, M1A.0510, M1A.0511, M1A.0520, M1A.0520, M1A.0521, M1A.0590, M1A.0271, M1A.0790, M1A.0791, M1A.08x0, M1A.08x1, M1A.09x0, M1A.09x1, M1A.0511, M1A.0520, M1A.0521, M1A.0530, M1A.2311, M1A.2310, M1A.2311, M1A.2320, M1A.2311, M1A.2300, M1A.2391, M1A.2311, M1A.2310, M1A.2311, M1A.2320, M1A.2391, M1A.2391, M1A.2391, M1A.2310, M1A.2311, M1A.2320, M1A.2321, M1A.2390, M1A.2391, M1A.2311, M1A.3320, M1A.3311, M1A.3320, M1A.3311, M1A.3320, M1A.3311, M1A.3320, M1A.3311, M1A.3320, M1A.3311, M1
J2510	Injection penicillinG procaine aqueous up to 600K U	Wycillin Pfizerpen AS	Yes	ML	Antibiotic	None	Х	Х	Х										
J2513	Injection, pentastarch, 10% solution, 100 ml	Pentaspan	N/A		Plasma volume expander														Not covered.
J2515		Nembutal	Yes	PWD=UN SOL=ML	Anti-convulsant	10 per day	Х	Х	Х						İ				Not covered effective 12/31/07
J2540		Pfizerpen	Yes	PWD=UN SOL=ML	Antibiotic	None	Х	Х	Х								T		
J2543		Zosyn	Yes	PWD=UN SOL=ML	Antibiotic	24 per day	Х	Х	Х										
J2545	Pentamidine isethionate inhalation solution 300mg	Nebupent Pentam 300	Yes		Antibiotic	None	Х	Х	Х	Х									Effective 5/1/21.
J2547	Injection, peramivir, 1	Rapivab	Yes	ML	Anti-influenza	600 units daily	Х	Х	Х	Х									Effective 1/1/16. Restricted to diagnosis ICD-10 J09.X1 - J09.X3, J09.X9, J10.00, J10.01, J10.08, J10.1, J10.2, J10.81, J10.89, J11.00, J11.08, J11.1, J11.2, J11.81 or J11.89. Minimum of 18 years.
J2550	Injection promethazine HCl up to 50mg	Phenergan Prorex-25	Yes	PWD=UN SOL=ML	Antiemetic	6 per day	Х	Х	Х	Х								X	
J2560		Luminal Sodium	Yes	PWD=UN SOL=ML	Anti-convulsant	3 per day	Х	Х	Х										20/mg/kg for status epilepticus.

Cada	Decembelon	Duesed Name	NDC	NDC	Catamami	Camilaa	100	CALL	_	NP	BANA/	BA1	LLIC	- BO	Loni	٠.	u lin	\T r	001	Special Instructions
Code	Description	Brand Name	NDC req.	NDC unit of	Category	Service Limits	AC OP	CAH	Р	NP	MW	МН	HS	100	ОРН	\		F	UC	Special Instructions
			for	measure		Lilling		"		l	1						'			
			drug																	
			rebate													1				
			?											<u> </u>						
	Injection, phenobarbital sodium (sezaby), 1 mg	NA	Yes	UN	Anti-convulsant	None	Х	Х	Х											Effective 7/1/23.
J2562	Injection, plerixafor, 1 mg.	Mozobil	Yes	ML	Hematopoietic	None	X	X	X							×	×			Effective 1/1/15 diagnosis of ICD-9 201.00 - 201.78 added to original diagnosis restriction. Effective 10/1/15 diagnosis of ICD-10 C81.00, C81.01, C81.02, C81.03, C81.04, C81.05, C81.06, C81.07, C81.08, C81.09, C81.10, C81.11, C81.12, C81.13, C81.14, C81.15, C81.16, C81.17, C81.18, C81.19, C81.20, C81.21, C81.22, C81.23, C81.24, C81.25, C81.26, C81.27, C81.28, C81.29, C81.30, C81.31, C81.32, C81.33, C81.34, C81.35, C81.36, C81.37, C81.38. C81.39, C81.40, C81.41, C81.42, C81.43, C81.44, C81.45, C81.46, C81.47, C81.48, C81.49, C81.49, C81.70, C81.71, C81.72, C81.73, C81.74, C81.75, C81.76, C81.77, C81.78, C81.79 added to original diagnosis restriction. Effective 10/1/2015 ICD-10 diagnosis codes C82.07, C82.17, C82.00 - C82.69, C82.80 - C82.99, C83.01-C83.08, C83.10 - C83.19, C83.30 - C83.39, C83.50 - C83.59, C83.70 - C83.99, C84.00 - C84.19, C84.40 - C84.49, C84.60 - C84.79, C84.90 - C84.99, C84.A0 - C84.A9, C84.Z0 - C84.29, C85.10 - C85.29, C85.80 - C85.99, C86.0 - C86.4, C86.6, C88.2 - C88.4, C88.8, C88.9, C90.00 - C90.02, C90.10 - C90.12, C90.20 - C90.22, C90.30 - C90.32, C91.40 - C91.42, C96.0, C96.2, C96.A, C96.9 Effective 1/1/10. Restricted to ICD-9 diagnosis 200.00 - 200.88, 201.00 - 201.98, 202.00 - 202.98, 203.00 - 203.82. Must be billed with J1440 (closed, see J1442), J1441 (closed, see J1442), J1442 (added effective 1/1/14), or J2505 (granulocyte colony stimulating factor). Restrict to 18 years and above.
J2590	Injection oxytocin up to	Pitocin	Yes	ML	Oxytocic agent	4 per day	Х	Х	Х									+		May increase to maximum 4 units for post partum hemorrhage.
J2597	Injection desmopressin	DDAVP	Yes	ML	Anti-diuretic	None	Х	Х			t		1		+	1	\dashv	\dashv		Effective 7/1/19.
10500	acetate 1mcg	Stimate	.,						.,							-				
	Injection, vasopressin (american regent) not therapeutically equivalent to j2598, 1 unit	NA	Yes	ML	Anti- diuretic/vasopre sser combo	None	X	Х	X											Effective 7/1/23.
J2650	Injection prednisolone acetate up to 1ml	AK-Pred Inflammase Forte Pediapred Prelone Key-Pred Predcor Predoject Predalone	Yes	PWD=UN SOL=ML	Anti- inflammatory	None	X	X	X											
J2670	Injection tolazoline HCl up to 25mg	Priscoline	Yes	PWD=UN SOL=ML	Alpha- adrenergic blocking agent	8 per day	Х	Х	Х											
J2675	Injection progesterone	Crinone	Yes	OIL=ML PWD=UN	Progestin	8 per day	Х	Х	Х	Х	Х									Not for fertility treatment and diagnosis. For menorrhagia, amenorrhea.
J2680	50 ma Injection fluphenazine	Progestasert Prolixin	Yes	OIL=ML	Anti-psychotic	2 per day	Х	Х	Х	Х		Х	1		1	T		\dagger	Х	Nurse practitioner added 1/1/09.
J2690	decanoate up to 25mg Injection procainamide	Decanoate Pronestyl	Yes	PWD=UN PWD=UN	Anti-arrhythmic	None	Х	Х	Х				-	-	1-	╁	+	+		Weight based 50mg/kg/day.
	HCl up to 1g	Procanbid		SOL=ML	•													_		
	Injection oxacillin sodium up to 250mg	Bactocill Prostaphlin PCN Methyl-phenyl	Yes	PWD=UN SOL=ML	Antibiotic	None	Х	Х	Х											
		Isoxazolyl																		
J2704	Injection, propofol, 10 ma	Diprivan	Yes	ML	Sedative Hvonotic	none	Х	Х	Х											Effective 1/1/15.

Cada	Description	Duand Name	NDC	NDC unit	Catamami	Camilaa	40	CALL	Р	LND	BANA/	NAL I	ше	PO	Lon			IDT	OC Considerations
Code	Description	Brand Name	req. for drug rebate	of measure	Category	Service Limits	AC OP	OP	P	NP	IVIVV	MH	HS	PO	OP	П	н	F	CC Special Instructions
			?																
J2710	Injection neostigmine methylsulfate up to 0.5	Prostigmin	Yes	PWD=UN SOL=ML	Acetychol- inesterase inhibitor	4 per day	Х	Х	Х										
J2720	Injection protamine sulfate 10mg		Yes	PWD=UN SOL=ML	Antidote for heparin	None	Х	Х	Х										
	Injection, Protein C Concentrate, IV, Human, 10 IU	Ceprotin	Yes	UN	Thrombolytic agent	None	Х	Х	Х										Effective 10/1/2015 ICD-10 diagnosis codes D68.51, D68.59 or D68.62 New code effective 1/1/08. Home Infusion added as provider, effective 1/1/10. Restricted to ICD-9 diagnosis code 289.81
J2725	Injection protirelin 250 mca	Relefact TRH Thypi-nome	Yes	PWD=UN SOL=ML	Diagnostic agent	2 per day	Х	Х	Х										
J2730	Injection pralidoxime chloride up to 1q	Protopam Chloride	Yes	UN	Antidote	None	Х	Х	Х										
J2760	Injection phentolamine mesylate up to 5mg	Regitine	N/A		Diagnostic agent	1 per day													Not covered
J2765	Injection metoclopramide HCl up to 10mg	Reglan	Yes	PWD=UN SOL=ML	Antiemetic	8 per day	Х	Х	Х	Х									
J2770	Injection quinupristin/dalfopristin 500mg (150/350)	Synercid	N/A		Antibiotic														Not Covered
J2777	Injection, faricimab-svoa, 0.1 mg	Vabysmo	Yes	ML	VEGF inhibitor	None	X	Х	Х										Effective 10/1/22. Restricted to ICD-10 H35.3210 - H35.3213, H35.3220 - H35.3223, H35.3230 - H35.3233, H35.3290 - H3293 c E08.311, E08.3211 - E08.3213, E08.3311 - E08.3311, E08.3411 - E08.3513, E08.3511 - E08.3513, E09.3311 - E09.3213, E10.3311 - E10.3213, E10.3311 - E10.3313, E10.3411 - E10.3413, E10.3513, E11.3311 - E11.3313, E11.3411 - E11.3413, E11.3511 - E11.3513, E13.311, E13.3211 - E13.3213, E13.3311 E3313, E13.3411 - E13.3413, E13.3511 - E13.3513. Minimum age of 16 years.

	5								_		T = == = -						1.	I		
Code	Description	Brand Name	NDC req.	NDC unit of	Category	Service Limits	AC OP	CAH OP	Р	NP	MW	МН	HS	PO	OF	'H	н	DT I	DC	Special Instructions
			for	measure		Lillits	OF	OF										٦.		
			drug	measure																
			rebate																	
			?																	
J2778	Inection, ranibizumab	Lucentis	Yes	ML	Neovascular-	None	Х	Х							>					Effective 10/1/16, ICD-10 diagnosis restrictions of E08.3211, E08.3212, E08.3213, E08.3291, E08.3292,
	0.1 mg.				Age related															E08.3293, E08.3311, E08.3312, E08.3313, E08.3391, E08.3392, E08.3393, E08.3411, E08.3412, E08.3413, E08.3414, E08.34
					Macular Degeneration															E08.3491, E08.3492, E08.3493, E08.37X1, E08.37X2, E08.37X3, E09.3211, E09.3212, E09.3213, E09.3291, E09.3292, E09.3293, E09.3311, E09.3312, E09.3313, E09.3391, E09.3392, E09.3393, E09.3411, E09.3412,
					Degeneration															E09.3413, E09.3491, E09.3492, E09.3493, E09.37X1, E09.37X2, E09.37X3, E10.3211, E10.3212, E10.3213,
																				E10.3291, E10.3292, E10.3293, E10.3311, E10.3312, E10.3313, E10.3391, E10.3392, E10.3393, E10.3411,
																				E10.3412, E10.3413, E10.3491, E10.3492, E10.3493, E10.3511, E10.3512, E10.3513, E10.3521, E10.3522,
																				E10.3523, E10.3531, E10.3532, E10.3533, E10.3541, E10.3542, E10.3543, E10.3551, E10.3552, E10.3553, E10.3554, E10.35
																				E10.3591, E10.3592, E10.3593, E10.37X1, E10.37X2, E10.37X3, E11.3211, E11.3212, E11.3213, E11.3291, E11.3292, E11.3293, E11.3311, E11.3312, E11.3313, E11.3391, E11.3392, E11.3393, E11.3411, E11.3412,
																				E11.3413, E11.3511, E11.3512, E11.3513, E11.3521, E11.3522, E11.3523, E11.3531, E11.3532, E11.3533,
																				E11.3541, E11.3542, E11.3543, E11.3551, E11.3552, E11.3553, E11.3591, E11.3592, E11.3593, E11.37X1,
																				E11.37X2, E11.37X3, E13.3211, E13.3212, E13.3213, E13.3291, E13.3292, E13.3293, E13.3311, E13.3312,
																				E13.3313, E13.3391, E13.3392, E13.3393, E13.3411, E13.3412, E13.3413, E13.3491, E13.3492, E13.3493, E13.3511, E13.3512, E13.3513, E13.3521, E13.3522, E13.3523, E13.3531, E13.3532, E13.3533, E13.3541,
																				E13.3511, E13.3512, E13.3513, E13.3521, E13.2522, E13.3523, E13.3531, E13.3532, E13.3533, E13.3541, E13.3542, E13.3543, E13.3551, E13.3552, E13.3553, E13.3551, E13.3552, E13.3553, E13.3551, E13.35592, E13.35593, E13.3551, E13.3551, E13.3552, E13.3553, E13.3551, E13.3552, E13.
																				E13.37X3, H34.8110, H34.8111, H34.8112, H34.8113, H34.8120, H34.8121, H34.8122, H34.8130, H34.8131,
																				H34.8132, H34.8310, H34.8311, H34.8312, H34.8320, H34.8321, H34.8322, H34.8330, H34.8331, H34.8332,
																				H35.3110, H35.3111, H35.3112, H35.3113, H35.3114, H35.3120, H35.3121, H35.3122, H35.3123, H35.3124,
																				H35.3130, H35.3131, H35.3132, H35.3133, H35.3134, H35.3210, H35.3211, H35.3212, H35.3213, H35.3220, H35.3221, H35.3222, H35.3223, H35.3223, H35.3231, H35.3232, H35.3233.
																				Effective 10/1/2015 ICD-10 diagnosis codes restriction of E08.311, E08.319, E08.321, E08.329, E08.331,
																				E08.339, E08.341, E08.349, E09.311, E09.319, E09.321, E09.329, E09.331, E09.339, E09.341, E09.349,
																				E10.311, E10.319, E11.311, E11.319, E11.329, E11.339, E11.349, E11.359, E13.311, E13.319, H34.811 -
																				H34.813, H34.819, H34.831 - H34.833, H34.839, H35.30 - H35.32 or H35.81 Diagnoisis restriction of H35.32/macular degeneration, wet only for Opthalmology specialty.
																				New ICD-9 diagnosis restriction of 362.01 - 362.07 added, effective 8/10/12. New code effective 1/1/08. Not
																				billable with J3490 after 12/30/07. Restricted to IDC-9 codes 362.5362.52. New diagnoisis restriction of
																				362.52/macular degeneration, wet only after 5/1/09 for Opthalmology specialty. New indication approved for
																				362.83 and 362.35, or 362.83 and 362.36, effective 6/22/10.
										l										
10770					VEOE: 177		.,													
J2//9	Injection, ranibizumab, via intravitreal implant,	Susvimo	Yes	ML	VEGF inhibitor	None	Х	Х	Х											Effective 7/1/22. Restricted to ICD-10 H35.3210 - H35.3212, H35.3220 - H35.3222, H35.3230 - H35.3232, H35.3290 -
	0.1 mg																			H35.3292.
J2780	Injection ranitidine HCI 25mg	Zantac	Yes	PWD=UN SOL=ML	Anti-histamine	6 per day	Х	Х	Х											
J2781	Injection, pegcetacoplan,	Syfovre	Yes	ML	complement	30 units daily	Х	Х	Χ											Effective 10/1/23.
	intravitreal, 1 mg				inhibitor															Restricted to ICD-10 H35.3113, H35.3123, H35.3133 or H35.3114, H35.3124, H35.3134.
J2783	Injection rasburicase 0.5	Elitek	Yes	UN	Enzyme	None	Х	Х	Х											
J2785	ma Injection, regadenoson,	Lexiscan	Yes	ML	Vasodilator	limited to 18	Х	Х	Х	-	 		+		+	+	\dashv	Х		New code effective 1/1/09. Approved for physicians and to IDTF, effective 1/1/09.
	0.1 mg.					years or older														The second secon
J2786	Injection, reslizumab, 1	Cinqair	Yes	ML	Anti-asthmatic	None	Х	Х	Х	Х						\dagger				Effective 1/1/17. Restricted to ICD-10 45.50. Minimum age of 18 years.
J2788	Injection Rhod immune	MicrhoGam	Yes	EA=UN	Immune globulin	none	Х	Х	Х	Х	Х									Effective 4/1/13. Replacing 90385.
	globulin human minidose	HyperRho S/D		SOL=ML						l										
ļ	50 mca	5/0			<u> </u>	iI					1			1						1

Description Brand Name NDC NDC unit Category Service Climits Color C	
globulin human full dose hyperRho SiD Rhogam SiD Rhogam Rhoghylac Filedon Rhoghylac Rhog	
Injection, Rho(d) Immune globulin Jury 22 Injection RhO Immune globulin Jury 23 Injection RhO Immune globulin Jury 24 Injection RhO Immune SDF SDF SDF SDF SDF SDF SDF SDF SDF SDF	
globulin IV human sobert detercent 100 IU J J SDF solution related to the program between the program betw	I midwife, effective
mg inflammatory in	
long acting 0.5mg Constal IM	
Immodular Immo	
mcg. Effective 10/1/2015 ICD-10 diagnosis codes D47.3, D69.42, D69.49 of Effective 11/1/2, age restriction of 18 years removed. Effective 11/1/2, age restriction of 18 years	
J2800 Injection methocarbamol Robaxin Yes PWD=UN Skeletal muscle 3 per day X X X X X X X X X	
J2805 Injection, sincalide, 5 Kinevac Yes UN Diagnostic agent None X X X X X Closed 8/31/19. No drug manufacturers partitipating in federal drug rebate programs X Closed 8/31/19. No drug manufacturers partitipating in federal drug rebate programs X Closed 8/31/19. No drug manufacturers partitipating in federal drug rebate programs X Closed 8/31/19. No drug manufacturers partitipating in federal drug rebate programs X Closed 8/31/19. No drug manufacturers partitipating in federal drug rebate programs X X Closed 8/31/19. No drug manufacturers partitipating in federal drug rebate programs X Closed 8/31/19. No drug manufacturers partitipating in federal drug rebate programs X Closed 8/31/19. No drug manufacturers partitipating in federal drug rebate programs X Closed 8/31/19. No drug manufacturers partitipating in federal drug rebate programs X Closed 8/31/19. No drug manufacturers partitipating in federal drug rebate programs X Closed 8/31/19. No drug manufacturers partitipating in federal drug rebate programs X Closed 8/31/19. No drug manufacturers partitipating in federal drug rebate programs X Closed 8/31/19. No drug manufacturers partitipating in federal drug rebate programs X Closed 8/31/19. No drug manufacturers partitipating in federal drug rebate programs Not Covered Not	
J2810 Injection theophylline 40 Theo-Dur N/A Broncho-dilator Not Covered	i <mark>m.</mark>
GM-CSF) 50mcg Prokine SOL=ML Stimulating factor SOL=ML Stimulating factor SOL=ML Solution, sebelipase alfa, 1 mg J2840 Injection, sebretin, synthetic, human, 1 mcg Solution S	
alfa, 1 mg J2850 Injection, secretin, synthetic, human, 1 mcg Ves UN Hormonal Replacement Ves UN Monoclonal Replacement Ves UN Monoclonal Antibody J2910 Injection aurothioglucose Solganal Ves ML Anti- 1 per day X X Use with CPT 43271, 89105, or 82938 X Effective 1/1/16. Restricted to diagnosis ICD-10 R59.0, R59.1, or R59.9. Minimum age antibody J2910 Injection aurothioglucose Solganal Ves ML Anti- 1 per day X X X X X X X X X X X X X	
synthetic, human, 1 mcg Replacement Replac	
mg antibody antibody J2910 Injection aurothioglucose Solganal Yes ML Anti- 1 per day X X X	
	of 18 years.
J2912 Injection sodium chloride N/A None CMS closed code effective 12/31/06 0.9% per 2ml	
J2916 Injection, sodium ferric gluconate complex in sucrose injection, 12 5mg	
J2920 Injection SoluMedrol Yes UN Anti- methylprednisolone sodium succinate up to 40ma	
J2930 Injection SoulMedrol Yes UN Anti-inflammatory inflammatory Soulm succinate up to 125ma	
J2940 Injection somatrem 1mg Protropin N/A Growth hormone NOT Covered	

Code	Description	Brand Name	NDC req. for	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	Р	NP	MW	МН	HS	PC	O OF	Н		IDT F	DC	Special Instructions
			drug rebate ?																	
J2941	Injection somatropin 1mg	Humatrope Genotropin	N/A		Growth hormone															Not Covered
J2950	Injection promazine HCI	Nutropin Sparine	Yes	PWD=UN	Anti-psychotic	40 per day	Х	Х	Х			Х								
12003	up to 25mq Injection reteplase 18.1	Prozine-50 Retavase	Yes	SOL=ML UN	Analgesic Fibrinolytic	none	Х	Х	Х											Effective 10/1/2015 ICD-10 diagnosis codes 21.01, 21.02, 21.09, 21.11, 21.19, 21.21, 21.29, 21.3,
	mg				,															Restricted to ICD-9 diagnoses 410.00 - 410.92; with minimum age 18 years and above, effective 1/1/10.
J2995	Injection streptokinase per 250KIU	Streptase	Yes	UN	Fibrinolytic	4 per day	Х	Х	Х											
J2997	Injection alteplase recombinant 1mg	Activase	Yes		Fibrinolytic		Х	Х												Effective 10/1/13.
	Injection streptomycin up to 1g	Streptomy-cin Sulfate	Yes	UN	Antibiotic	2 per day	Х	Х	Х											
J3010	Injection fentanyl citrate 0.1mg	Sublimaze Duragesic	Yes	PWD=UN SOL=ML	Analgesic narcotic	1 per day	Х	Х												
J3030	Injection sumatriptan succinate 6mg	Imitrex	N/A	002-1112	Antimigraine	1 per day														Not covered
	Injection, eptinezumab- jjmr, 1 mg	Vyepti	Yes	ML	Antimigraine	300 units daily	Х	Х	Х											Effective 10/1/20. Restricted to ICD-10 G43.001 - G43.919, G43.B0, G43.B1. Minimum age of 16 years.
	Injection, taliglucerace alfa, 10 units	Elelyso	Yes	UN	Enzyme replacement	41 units bi- weekly	Х	Х	Х											Effective 10/1/2015 ICD-10 diagnosis codes E75.21, E75.22, E75.240 - E75.243, E75.248, E75.249, E75.3, E77.0, E77.1, E77.8, or E77.9 Effective 8/27/14, minimum age restriction reduced to 4 years from 16 years of age. Effective 1/1/14.
J3070	Injection pentazocine 30	Talwin	Yes	ML	Analgesic narcotic	12 per day	Х	Х	Х										Χ	Bernardia in a 132 Asianose (a 2727 - Bandrain Stat Bernardia (a 18 asia)
	Injection, televancin, 10 mg.	Vibativ	Yes	UN	Antibiotic	None	Х	Х	Х	Х							X			Effective 10/1/2015 ICD-10 diagnosis codes B78.1, K12.2, L01.00 - L01.03, L01.09, L01.1, L02.01 - L02.03, L02.11 - L02.13, L02.211 - L02.216, L02.219, L02.221 - L02.226, L02.229, L02.231 - L02.236, L02.239, L02.31 - L02.33, L02.411 - L02.416, L02.419, L02.421 - L02.426, L02.429, L02.431 - L02.436, L02.439, L02.511, L02.512, L02.519, L02.521, L02.522, L02.529, L02.531, L02.532, L02.539, L02.611, L02.612, L02.619, L02.621, L02.622, L02.629, L02.631, L02.632, L02.639, L02.811, L02.818, L02.821, L02.828, L02.831, L02.838, L02.91 - L02.93, L03.011, L03.012, L03.019 - L03.022, L03.029, L03.031, L03.032, L03.039, L03.041, L03.042, L03.049, L03.111 - L03.116, L03.119, L03.121 - L03.126, L03.129, L03.211, L03.212, L03.221, L03.222, L03.331 - L03.317, L03.317, L03.319, L03.327, L03.329, L03.811, L03.818, L03.891, L03.898, L03.90, L03.91, L04.0 - L04.3, L04.8, L04.9, L05.01, L05.02, L05.91, L05.92, L08.0, L08.81, L08.82, L08.89, L08.9, L88, L92.8, L98.0 or L98.3
J3100	Injection tenecteplase 50 ma	TNKase	Yes	UN	Fibrinolytic	1 per day														See J3101.
J3101	Injection, tenecteplase, 1 ma.	TNKase	Yes	UN	Fibrinolytic		Х	Х												New code effective 1/1/09.
J3105	Injection terbutaline sulfate up to 1mg	Brethine	Yes	ML	Broncho-dilator	2 per day	Х	Х	Х											
J3110	Injection teriparatide 10 mcg	Forteo	N/A		Parathyroid hormone															Not Covered
J3111	Injection, romosozumab- aqqg, 1 mg	Evenity	Yes	ML	Bone Resorption Inhibitor	None	Х	Х	Х	Х										Effective 10/1/19.
J3120	Injection testosterone enanthate up to 100mg	Delatestryl	Yes	ML	Androgen	1 per day	Х	Х	Х	Х										Closed 12/31/14. See J3121 after this date. Nurse practitioner added 1/1/09.
J3121	Injection, testosterone enanthate. 1mg	Delatestryl	Yes	ML	Androgen	400 u. per week	Х	Х	Х	Х									Χ	Effective 1/1/15.
J3130	Injection testosterone enanthate up to 200mg	Delatestryl	Yes	OIL=ML PWD=UN	Androgen	2 per week	Х	Х	Х	Х									Χ	Closed 12/31/14. See J3121 after this date. Nurse practitioner added 1/1/09.
J3140	Injection testosterone suspension up to 50mg	Andronaq 50	Yes	PWD=UN SOL=ML	Androgen	3 per week	Х	Х	Х	Х										May increase to 4 doses for post partum breast engorgement.

Contr	Danasin (1	Duan d Nam	NDO	NDC ·····'	C-4	Complete	۸.		_	N:-	8014	B41 -	1110	F	0511		ı lıs-		C Charlet Instructions
Code	Description	Brand Name	NDC	NDC unit of	Category	Service Limits	AC OP	CAH	P	NP	MW	МН	HS	PO	OPH	Н	II IIDI	שוו	C Special Instructions
			req. for	measure		Limits	OP	OP											
			drug	measure															
			rebate ?																
																	_	_	
J3145	Injection, testosterone	Aveed	Yes	ML	Androgen		Х	Х	Х										Effective 5/1/17. Restricted to ICD-10 diagnosis of E29.1, E19.8.
12150	undecanoate, 1 mg. Injection testosterone	Testex	Yes	OIL=ML	Androgen	3 per week	Х	Х	Х	Х					1	1	_	+	May increase to 4 doses for post partum breast engorgement.
33130	propionate up to 100mg	Testex	165	PWD=UN	Androgen	3 per week	^	^	^	^									inay increase to 4 doses for post parton breast engorgement.
J3230	Injection chlorpromazine	Thorazine	Yes	PWD=UN	Anti-psychotic	10 per day	Х	Х	Х	Х		Х						T	Nurse practitioner added 1/1/09.
	HCl up to 50mg			SOL=ML	. ,														· ·
J3240	Injection thyrotropin	Thyrogen	Yes	UN	Diagnostic	3 per day	Χ	Х	Х										
	alpha 0.9 mg provided in				agent														
12244	1.1 mg vial Injection, teprotumumab-	Tepezza	Yes	EA	Thyroid eye	None	Х	Х	Х						1	-	-	+	Effective 10/1/20.
33241	trbw, 10 mg	Tepezza	165	LA	disease	None	^	^	^										Restricted to ICD-10 E05.00.
	ubw, ro mg				uisease														Mimimum age of 16 years.
100.40	Intention time coults at	True - 2	V	1.151	A mail: ! - e! -	450	.,	.,		· ·	1	-	-	-	-	1		_	-
J3243	Injection, tigecycline, 1	Tygacil	Yes	UN	Antibiotic	150 units per	Х	Х	Х	Х				1	1	1			New code effective 1/1/07. Nurse practitioner added 1/1/09.
J3244	mg Injection, tigecycline	NA	Yes	EA	Antibiotic	day None	Х	Х	Х		!		+		1	1	+	+	Effective 1/1/23.
00211	(accord) not				7111111111111	110110	,,	, ,	, ,										2.100.110
	therapeutically																		
	equivalent to j3243, 1																		
	mg																		
J3246	Injection tirofiban HCL	Aggrastat	Yes	ML	Antiplatelet	None	Х	Х	Х						1		+	+	Must be billed daily.
002-10	0.25mg IV	riggrasiai	100	IVIL	runpiatolot	140110	^		^										must be blied daily.
J3250	Injection trimeth-	Tigan	N/A		Antiemetic														Not Covered
	obenzamide HCl up to																		
10000	200ma														1	ļ	_	+.	
J3260	Injection tobramycin sulfate up to 80mg	Nebcin	Yes	ML	Antibiotic	None	Х	Х	Х									Х	·
J3262	Injection, tocilizumab, 1	Actemra	Yes	ML	Immunologic	Maximum	Х	Х	Х						1	1		+	Effective 2/28/22, ICD-10 M31.5, M31.6 added.
00202	mg.	Actomia	100	IVIL	minanologio	service limit	^		^										Effective 1/1/17, service limit incresed to 1100 units.
	3					1100 u.													Effective 1/1/14, age restriction removed AND diagnosis ICD-9 714.30, 714.31, 714.32, 714.33 and ICD-10
						monthly													M08.00, M08.3, M08.471, M08.472, M08.479, M08.40, M08.411, M08.412, M08.419, M08.421, M08.422,
																			M08.429, M08.431, M08.432, M08.439, M08.441, M08.442, M08.449, M08.451, M08.452, M08.459, M08.461,
																			M08.462, M08.469, M08.471, M08.472, M08.479, M08.40, M08.48 added.
																			Effective 10/1/2015 ICD-10 diagnosis codes M05.00, M05.011, M05.012, M05.019, M05.021, M05.022,
																			M05.029, M05.031, M05.032, M05.039, M05.041, M05.042, M05.049, M05.051, M05.052, M05.059, M05.061,
																			M05.062, M05.069, M05.071, M05.072, M05.079, M05.09, M05.30, M05.60, M05.611, M05.612, M05.619,
																			M05.621, M05.622, M05.629, M05.631, M05.632, M05.639, M05.641, M05.642, M05.649, M05.651, M05.652,
																			M05.659, M05.661, M05.662, M05.669, M05.671, M05.672, M05.679, M05.69, M05.711, M05.712, M05.719, M05.714, M05.
																			M05.721, M05.722, M05.729, M05.731, M05.732, M05.739, M05.741, M05.742, M05.749, M05.751, M05.752, M05.759, M05.761, M05.762, M05.769, M05.811, M05.812, M05.819, M05.821, M05.822, M05.829, M05.831,
																			M05.832, M05.839, M05.841, M05.842, M05.849, M05.851, M05.852, M05.859, M05.861, M05.862, M05.869, M05.869, M05.861, M05.862, M05.869, M05.861, M05.862, M05.869, M05.861, M05.862, M05.869, M05.861, M05.862, M05.869, M05.861, M05.862, M05.869, M05.861, M05.862, M05.869, M05.861, M05.862, M05.869, M05.861, M05.862, M05.862, M05.869, M05.861, M05.862, M05.862, M05.869, M05.861, M05.862, M05.862, M05.869, M05.861, M05.862, M05.869, M05.861, M05.862, M05.869, M05.861, M05.862, M05.862, M05.869, M05.861, M05.862, M05.869, M05.861, M05.862, M05.869, M05.861, M05.862, M05.861, M05.862, M05.869, M05.861, M05.862, M05.862, M05.869, M05.861, M05.862, M05
																			M06.071, M06.072, M06.079, M06.1, M06.211, M06.212, M06.219, M06.221, M06.222, M06.229, M06.231,
																			M06.232, M06.239, M06.241, M06.242, M06.249, M06.251, M06.252, M06.259, M06.261, M06.262, M06.269,
																			M06.811, M06.812, M06.819, M06.821, M06.822, M06.829, M06.831, M06.832, M06.839, M06.841, M06.842,
																			M06.849, M06.851, M06.852, M06.859, M06.861, M06.862, M06.869, M06.871, M06.872, M06.879 or M06.9
										l				1	1	1			New code effective 1/1/11. Restricted to ICD-9 diagnosis 714.0 - 714.2. Restricted to age 16 and above.
										l				1	1	1			
										l				1	1	1			
										l				1	1	1			
J3265	Injection torsemide	Demadex	Yes	ML	Anti-		Х	Х											
	10mg/ml	_		L	hypertensive			L.,	<u> </u>	<u> </u>		<u> </u>		<u> </u>	<u> </u>	<u> </u>		1	
J3280	Injection thiethylperazine	Torecan	Yes	ML	Antiemetic	1 per day	Х	Х	Х										
1	maleate up to 10mg	Norzine								l				1	1	1			
					l.	1			_			_		<u> </u>		•		1	

3301 Injection tri acetonide 3302 Injection tri diacetate 5 3303 Injection tri hexacetonid 3304 Injection, tri acetonide, free, exten	triamcinolone , 1 mg triamcinolone . PE. 1 mg riamcinolone 10mg riamcinolone 5mg	Remodulin Xipere Triesence Kenalog-10 Kenalog-40 Triam-A Aristocort Intralesional Aristocort Forte Cinolone Trilone	req. for drug rebate? Yes Yes Yes Yes Yes	ML ML UN PWD=UN SOL=ML PWD=UN SOL=ML	Vasodilator Ophthalmic Anti- inflammatory Ophthalmic Anti- inflammatory Anti- inflammatory Anti- inflammatory	4 per day	X X X X	XXXX	X	X							F	Effective 10/1/2015 ICD-10 diagnosis codes I10, I27.0 - I27.2, I27.81, I27.82, I27.89 or I27.9 or P29.3 ICD-9 code 416 XX or 747.83 required on claim form. Nurse practitioner added 1/1/09. Effective 7/1/22. Restricted to ICD-10 H20.011 - H20.043, H20.11 - H20.23, H20.821, H20.822, H20.823, H30.001 - H30.043,
3300 Injection, tracetonide, 3301 Injection, tracetonide, 3301 Injection fracetonide 3302 Injection fracetonide 3303 Injection fracetonide 3304 Injection fracetonide, free, exten microspher 1 ma 3305 Injection fracetonide, 1 ma 3310 Injection fracetonide, 1 ma 3311 Injection fracetonide, 3311 Injection fracetonide, Injectionide, Injectionide, Injectionide, Injectionide, Injectionide, Injectionide, Injectionide, Injectionide, Injecti	triamcinolone , 1 mg triamcinolone . PE. 1 mg riamcinolone 10mg riamcinolone 5mg	Triesence Kenalog-10 Kenalog-40 Triam-A Aristocort Intralesional Aristocort Forte Cinolone Trilone	drug rebate ? Yes Yes	ML ML UN PWD=UN SOL=ML PWD=UN	Ophthalmic Anti- inflammatory Ophthalmic Anti- inflammatory Anti- inflammatory Anti-	None A per day	X	X	Х	X								ICD-9 code 416 XX or 747-83 required on claim form. Nurse practitioner added 1/1/09. Effective 7/1/22.
3300 Injection, tracetonide, 3301 Injection, tracetonide, 3301 Injection fracetonide 3302 Injection fracetonide 3303 Injection fracetonide 3304 Injection fracetonide, free, exten microspher 1 ma 3305 Injection fracetonide, 1 ma 3310 Injection fracetonide, 1 ma 3311 Injection fracetonide, 3311 Injection fracetonide, Injectionide, Injectionide, Injectionide, Injectionide, Injectionide, Injectionide, Injectionide, Injectionide, Injecti	triamcinolone , 1 mg triamcinolone . PE. 1 mg riamcinolone 10mg riamcinolone 5mg	Triesence Kenalog-10 Kenalog-40 Triam-A Aristocort Intralesional Aristocort Forte Cinolone Trilone	rebate ? Yes Yes Yes Yes	UN PWD=UN SOL=ML PWD=UN	Ophthalmic Anti- inflammatory Ophthalmic Anti- inflammatory Anti- inflammatory Anti-	None A per day	X	X	Х	х								ICD-9 code 416 XX or 747-83 required on claim form. Nurse practitioner added 1/1/09. Effective 7/1/22.
3300 Injection, tracetonide, 3301 Injection, tracetonide, 3301 Injection fracetonide 3302 Injection fracetonide 3303 Injection fracetonide 3304 Injection fracetonide, free, exten microspher 1 ma 3305 Injection fracetonide, 1 ma 3310 Injection fracetonide, 1 ma 3311 Injection fracetonide, 3311 Injection fracetonide, Injectionide, Injectionide, Injectionide, Injectionide, Injectionide, Injectionide, Injectionide, Injectionide, Injecti	triamcinolone , 1 mg triamcinolone . PE. 1 mg riamcinolone 10mg riamcinolone 5mg	Triesence Kenalog-10 Kenalog-40 Triam-A Aristocort Intralesional Aristocort Forte Cinolone Trilone	? Yes Yes Yes Yes	UN PWD=UN SOL=ML PWD=UN	Ophthalmic Anti- inflammatory Ophthalmic Anti- inflammatory Anti- inflammatory Anti-	None A per day	X	X	Х	X								ICD-9 code 416 XX or 747-83 required on claim form. Nurse practitioner added 1/1/09. Effective 7/1/22.
3300 Injection, tracetonide, 3301 Injection, tracetonide, 3301 Injection fracetonide 3302 Injection fracetonide 3303 Injection fracetonide 3304 Injection fracetonide, free, exten microspher 1 ma 3305 Injection fracetonide, 1 ma 3310 Injection fracetonide, 1 ma 3311 Injection fracetonide, 3311 Injection fracetonide, Injectionide, Injectionide, Injectionide, Injectionide, Injectionide, Injectionide, Injectionide, Injectionide, Injecti	triamcinolone , 1 mg triamcinolone . PE. 1 mg riamcinolone 10mg riamcinolone 5mg	Triesence Kenalog-10 Kenalog-40 Triam-A Aristocort Intralesional Aristocort Forte Cinolone Trilone	Yes Yes Yes Yes	UN PWD=UN SOL=ML PWD=UN	Ophthalmic Anti- inflammatory Ophthalmic Anti- inflammatory Anti- inflammatory Anti-	None A per day	X	X	Х	X								ICD-9 code 416 XX or 747-83 required on claim form. Nurse practitioner added 1/1/09. Effective 7/1/22.
3300 Injection, tracetonide, 3301 Injection, tracetonide, 3301 Injection fracetonide 3302 Injection fracetonide 3303 Injection fracetonide 3304 Injection fracetonide, free, exten microspher 1 ma 3305 Injection fracetonide, 1 ma 3310 Injection fracetonide, 1 ma 3311 Injection fracetonide, 3311 Injection fracetonide, Injectionide, Injectionide, Injectionide, Injectionide, Injectionide, Injectionide, Injectionide, Injectionide, Injecti	triamcinolone , 1 mg triamcinolone . PE. 1 mg riamcinolone 10mg riamcinolone 5mg	Triesence Kenalog-10 Kenalog-40 Triam-A Aristocort Intralesional Aristocort Forte Cinolone Trilone	Yes Yes Yes	UN PWD=UN SOL=ML PWD=UN	Ophthalmic Anti- inflammatory Ophthalmic Anti- inflammatory Anti- inflammatory Anti-	None A per day	X	X	Х	X								ICD-9 code 416 XX or 747-83 required on claim form. Nurse practitioner added 1/1/09. Effective 7/1/22.
acetonide, 3300 Injection, tracetonide, 3301 Injection tridiacetate 5 3303 Injection tridiacetate 5 3304 Injection tridiacetanide, 3304 Injection, tracetonide, free, exten microspheriacetonide, 1 ma 3305 Injection triducoronation injection priducoronation injection priducoronation injection tridiacetonide, 1 ma 3310 Injection tridiaceton tridiacetonide, 1 ma 3311 Injection tridiaceton tridiacetonide, 3315 Injection tridiacetonide,	triamcinolonePF. 1 ma riamcinolone 10mg riamcinolone 5mg	Triesence Kenalog-10 Kenalog-40 Triam-A Aristocort Intralesional Aristocort Forte Cinolone Trilone	Yes Yes	UN PWD=UN SOL=ML PWD=UN	inflammatory Ophthalmic Anti- inflammatory Anti- inflammatory Anti-	4 per day	Х	X										Effective 7/1/22.
acetonide, 3300 Injection, tracetonide, 3301 Injection tridiacetate 5 3303 Injection tridiacetate 5 3304 Injection tridiacetanide, 3304 Injection, tracetonide, free, exten microspheriacetonide, 1 ma 3305 Injection triducoronation injection priducoronation injection priducoronation injection tridiacetonide, 1 ma 3310 Injection tridiaceton tridiacetonide, 1 ma 3311 Injection tridiaceton tridiacetonide, 3315 Injection tridiacetonide,	triamcinolonePF. 1 ma riamcinolone 10mg riamcinolone 5mg	Triesence Kenalog-10 Kenalog-40 Triam-A Aristocort Intralesional Aristocort Forte Cinolone Trilone	Yes Yes	UN PWD=UN SOL=ML PWD=UN	inflammatory Ophthalmic Anti- inflammatory Anti- inflammatory Anti-	4 per day	Х	X										Restricted to ICD-10 H20.011 - H20.043, H20.11 - H20.23, H20.821, H20.822, H20.823, H30.001 - H30.043,
acetonide. 3301 Injection tri diacetate 5 3303 Injection tri diacetate 5 3304 Injection tri hexacetoni 3304 Injection, tri acetonide, free, exten microspher 1 ma 3305 Injection tri alucoronat 3310 Injection tri up to 5ma 3315 Injection tri	p. PF. 1 mg. riamcinolone 1 10mg riamcinolone 5mg	Kenalog-10 Kenalog-40 Triam-A Aristocort Intralesional Aristocort Forte Cinolone Trilone	Yes	PWD=UN SOL=ML PWD=UN	inflammatorv Anti- inflammatory Anti-	4 per day												
acetonide. 3301 Injection tri diacetate 5 3303 Injection tri diacetate 5 3304 Injection tri hexacetoni 3304 Injection, tri acetonide, free, exten microspher 1 ma 3305 Injection tri alucoronat 3310 Injection tri up to 5ma 3315 Injection tri	p. PF. 1 mg. riamcinolone 1 10mg riamcinolone 5mg	Kenalog-10 Kenalog-40 Triam-A Aristocort Intralesional Aristocort Forte Cinolone Trilone	Yes	PWD=UN SOL=ML PWD=UN	inflammatorv Anti- inflammatory Anti-	4 per day												H30.101 - H30.133, H30.21, H30.22, H30.23, H30.811, H30.812, H30.813, H30.891, H30.892, H30.893,
acetonide. 3301 Injection tri diacetate 5 3303 Injection tri diacetate 5 3304 Injection tri hexacetoni 3304 Injection, tri acetonide, free, exten microspher 1 ma 3305 Injection tri alucoronat 3310 Injection tri up to 5ma 3315 Injection tri	p. PF. 1 mg. riamcinolone 1 10mg riamcinolone 5mg	Kenalog-10 Kenalog-40 Triam-A Aristocort Intralesional Aristocort Forte Cinolone Trilone	Yes	PWD=UN SOL=ML PWD=UN	inflammatorv Anti- inflammatory Anti-	4 per day												H30.91, H30.92, H30.93, H35.021, H35.022, H35.023, H35.061, H35.062, H35.063, H43.89, H44.001 -
acetonide. 3301 Injection tri diacetate 5 3303 Injection tri diacetate 5 3304 Injection tri hexacetoni 3304 Injection, tri acetonide, free, exten microspher 1 ma 3305 Injection tri alucoronat 3310 Injection tri up to 5ma 3315 Injection tri	p. PF. 1 mg. riamcinolone 1 10mg riamcinolone 5mg	Kenalog-10 Kenalog-40 Triam-A Aristocort Intralesional Aristocort Forte Cinolone Trilone	Yes	PWD=UN SOL=ML PWD=UN	inflammatorv Anti- inflammatory Anti-	4 per day												H44.023, H44.111, H44.112, H44.113.
3301 Injection tri acetonide 3302 Injection tri diacetate 5 3303 Injection tri hexacetoni 3304 Injection tri hexacetonide, free, exten microspher 1 ma 3305 Injection tri glucoronat 3310 Injection tri glucoronat 3311 Injection tri Injection tri Injection tri Injection tri	riamcinolone 10mg riamcinolone 5mg	Kenalog-40 Triam-A Aristocort Intralesional Aristocort Forte Cinolone Trilone		SOL=ML PWD=UN	Anti- inflammatory Anti-	, ,	Х	X							Χ	i		New code effective 1/1/09. Covered to Ophthalmology physician specialty only, effective 10/1/10.
acetonide 3302 Injection tri diacetate 5 3303 Injection tri hexacetoni 3304 Injection, tri acetonide, free, exten microspher 1 ma 3305 Injection tri glucoronat 3310 Injection tri nipection tri Injection tri	: 10mg riamcinolone 5mg	Kenalog-40 Triam-A Aristocort Intralesional Aristocort Forte Cinolone Trilone		SOL=ML PWD=UN	inflammatory Anti-	, ,	^		~	Х				~				
3302 Injection tri diacetate 5 3303 Injection tri hexacetoni 3304 Injection, tri acetonide, free, exten microspher 1 ma 3305 Injection tri alucoronat 3310 Injection tri up to 5 ma 3315 Injection tri	riamcinolone 5mg	Triam-A Aristocort Intralesional Aristocort Forte Cinolone Trilone	Yes	PWD=UN	Anti-				Х	^				Х				
diacetate 5 3303 Injection tri hexacetonid acetonide, free, exten microspher 1 ma 3305 Injection tri glucoronat 3310 Injection tri glucoron tri injection tri	5mg	Intralesional Aristocort Forte Cinolone Trilone	Yes															
3303 Injection tri hexacetonii 3304 Injection, tri acetonide, free, exten microspher 1 ma 3305 Injection tri alucoronat 3310 Injection pri up to 5ma 3315 Injection tri	·	Aristocort Forte Cinolone Trilone		SOL=ML	inflammatory	8 per day	Х	Х	Х	Х				Χ				
hexacetoni 3304 Injection, tractonide, free, exten microspher 1 ma 3305 Injection tri alucoronat 3310 Injection prup to 5ma 3315 Injection tri Injection tri	riamcinolone	Forte Cinolone Trilone																
hexacetoni 3304 Injection, tractonide, free, exten microspher 1 ma 3305 Injection tri alucoronat 3310 Injection prup to 5ma 3315 Injection tri Injection tri	riamcinolone	Cinolone Trilone		' 1														
hexacetoni 3304 Injection, tractonide, free, exten microspher 1 ma 3305 Injection tri alucoronat 3310 Injection prup to 5ma 3315 Injection tri Injection tri	riamcinolone	Trilone																
hexacetoni 3304 Injection, tractonide, free, exten microspher 1 ma 3305 Injection tri alucoronat 3310 Injection prup to 5ma 3315 Injection tri Injection tri	riamcinolone	Clinggort		, ,														
hexacetoni 3304 Injection, tractonide, free, exten microspher 1 ma 3305 Injection tri alucoronat 3310 Injection prup to 5ma 3315 Injection tri Injection tri		Aristospan	Yes	ML	Anti-	4 per day	Х	Х	Х	Х				Х				
3304 Injection, tracetonide, free, exten microspher 1 mm 3305 Injection tracetoriation and tracetoriation an		Intralesional	100		inflammatory	4 per day			^					^				
acetonide, free, exten microspher 1 ma 3305 Injection tri glucoronat 3310 Injection pu up to 5mg 3315 Injection tri	3	Aristospan		, ,	,													
acetonide, free, exten microspher 1 ma 3305 Injection tri glucoronat 3310 Injection pu up to 5mg 3315 Injection tri	triameinalana	Intra-articular Zilretta	Yes	UN	Anti-	Max. 32 mg.	Х	X	Х	Х								Effective 1/1/19. Restricted to ICD-10 M17.1 - M17.9.
free, exten microspher 1 mg 3305 Injection tri glucoronat 3310 Injection pri up to 5mg 3315 Injection tri	, preservative-	Ziiietta	163	011	inflammatory	once yearly	^		^	^								Elective 1/1/13. Restricted to IOD-10 Wiff.1 - Wiff.3.
1 ma 3305 Injection tri glucoronat 3310 Injection po up to 5mg 3315 Injection tri	nded-release,			, ,		,												
3305 Injection tri glucoronat 3310 Injection po up to 5mq 3315 Injection tri	ere formulation,			, ,														
3310 Injection pour to 5mg 3315 Injection tri	rimetrexate	Neutraxin	Yes	UN	Anti-	None	Х	Х	Х								-	Weight based.
up to 5mg 3315 Injection tri	ite 25mg				inflammatory													g
3315 Injection tri		Trilafon	Yes	PWD=UN SOL=ML	Anti-psychotic	3 per day	Х	Х	Х	Х		Х						
		Trelstar LA	Yes	UN	Luteinizing	3 per month	Х	Х	Х									
				,	hormone-													
				, ,	releasing													
3316 Injection, to	triptorelin	Triptodur	Yes	UN	hormone Luteinizing	6 units per 23	Х	Х	Х								-	Effective 1/1/19. Restricted to ICD-10 E30.1. Minimum age of 2 years.
	release, 3.75	ptodd:	. 00		hormone-	weeks	,	, ,										2100110 11 11 10011010 to 102 10 20011 11 11 11 11 11 11 11 11 11 11 11 11
mg				, ,	releasing													
3320 Injection sp	spectinomycin	Trobicin	Yes	UN	hormone Antibiotic	None	Х	X	Х		 		\vdash				-	
	loride up to 2g	TODICIT	163	OIN	ATIONOLIC	INOLIC	_ ^	^	^			l						
3350 Injection u	rea up to 40g	Ureaphil	N/A		Diuretic													Not Covered
3355 Injection, u	urofollitropin.	Metrodin	N/A	, ,	Hormonal													Not Covered.
75 IU 3357 Injection, u		Bravelle Stelara	Yes	ML	Replacement Antipsoriatic	None	Х	Х	Х									Closed 6/30/17. See Q9989.
mg.		0.0.0.0			poonato	1.00	^`	^	``									Effective 10/1/2015 ICD-10 diagnosis codes L30.5, L40.0 - L40.4, L40.50 - L40.54, L40.59, L40.8, L40.9,
1				, ,														L41.0, L41.1, L41.3 - L41.5, L41.8, L41.9, L42, L44.0, L44.8, L45 or L94.5
				, ,														Effective 7/1/15, remove physician as covered provider. Refer to pharmacy POS coverage. New code
											I		1					leffective 4/4/44. Destricted to ICD 0 discouncie COC 0 COC 0. Destricted to see 40 and observe
				' '									1					effective 1/1/11. Restricted to ICD-9 diagnosis 696.0 - 696.8. Restricted to age 18 and above.

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	РО	ОРН	I	HI ID	TC	Special Instructions
			req. for drug rebate ?	of measure		Limits	OP	OP										F	
	Ustekinumab, for intravenous injection, 1 mg.	Stelara	Yes	ML	Monoclonal antibody	None	Х	Х	Х										As of 1/1/23, this IV drug form of Stelara requies prior authorization. Contact Kepro at 800-346-8272. Effective 5/1/18, ICD-10 K50.00, K50.01, K50.011 - K50.019, K50.10, K50.111 - K50.119, K50.80, K50.815, K50.819, K50.90, K50.911 - K50.919 added. Effective 1/1/18. Restricted to ICD-10 L30.5, L40.0 - L40.4, L40.50 - L40.54, L40.59, L40.8, L40.9, L41.0, L41.1, L41.3 - L41.5, L41.8, L41.9, L42, L44.0, L44.8, L45 or L94.5.
	Injection diazepam up to 5mg	Valium	N/A		Benzodiaze- pine														Not Covered
	Injection urokinase 5000 IU vial	Abbokinase open cath	Yes	UN	Fibrinolytic	2 per day	Х	Х	Х										
J3365	Injection IV urokinaase 250000 IU vial	Abbokinase	N/A		Fibrinolytic														Not Covered
	Injection vancomycin HCl 500mg	Varocin Vancocin	Yes	PWD=UN SOL=ML	Antibiotic	None	Х	Х	Χ										
	Injection, vancomycin hol (mylan) not therapeutically equivalent to j3370, 500 mg	NA	Yes	EA	Antibiotic	None	X	X	X										Effective 1/1/23.
	Injection, vancomycin hcl (xellia) not therapeutically equivalent to j3370, 500 mg	NA	Yes	EA	Antibiotic	None	Х	Х	Х										Effective 1/1/23.
J3380	Injection, vedolizumab, 1 mg	Entyvio	Yes	UN	Anti-Infective	None	X	X	X										Effective 1/1/16. Restricted to diagnosis ICD-10 K50.00, K50.011 - K50.014, K50.018, K50.019, K50.10, K50.111 - K50.114, K50.118, K50.119, K50.80, K50.811 - K50.814, K50.818, K50.819, K50.90, K50.911 - K50.914, K50.918, K50.919, K51.00, K51.011 - K51.014, K51.018, K51.019, K51.20, K51.211 - K51.214, K51.218, K51.219, K51.30, K51.311 - K51.314, K51.318, K51.319, K51.40, K51.411 - K51.414, K51.418, K51.419, K51.50, K51.511 - K51.514, K51.518, K51.519, K51.80, K51.811 - K51.814, K51.818, K51.819, K51.90, K51.911 - K51.914, K51.918 or K51.919. Minimum age of 16 years.
	Injection, velaglucerase alfa, 100 units.	Vpriv	Yes	UN	Enzyme	Maximum service limit 165 u. monthly	Х	Х	Х							X	<		Effective 10/1/2015 ICD-10 diagnosis codes E75.21, E75.22, E75.240 - E75.243, E75.248, E75.249, E75.270, E77.1, E77.8, or E77.9 New code effective 1/1/11. Restricted to ICD-9 diagnosis 272.7. Restricted to ages 4 and above.
	Injection, verteporfin 0.1mg	Visudyne	Yes	UN	Macular degeneration	None	Х	Х							х				Effective 1/1/15 diagnosis of ICD-9 362.41 added, and effective 10/1/15 diagnosis of ICD-10 H35.711, H35.712, and H35.713 added. ICD-10 diagnosis codes B39.4, B39.5, B39.9, H32, H35.051 - H35.053, H35.059, H35.32 or H44.20 - H44.23 ICD-9 code 115.02, 115.12, 115.92, 360.21, 362.16, OR 362.52 required on claim form. Only bill CPT co 67221 or 67225 with J3396. Must be billed daily.
	Injection, voretigene neparvovec-rzyl, 1 billion vector genomes	Luxturna	Yes	UN	Retinal enzyme replacement	N/A	Х												Effective 1/1/19. Contact Kepro at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria.
	Injection, onasemnogene abeparvovec-xioi, per treatment, up to 5x10^15 vector genomes	Zolgensma	Yes	UN	Genetic therapy	N/A	X	X											Effective 7/1/20. Contact Kepro at 800-346-8272 for prior authorization requests.
	Injection triflupromazine HCl up to 20ma	Vesprin	Yes	ML	Anti-psychotic	150 mg per dav	Х	Х	Х			Х							

									-		T			1	T = =.		 		
Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	OP	P	NP	MW	МН	HS	PO	OPI	H	DT I	DC	Special Instructions
J3410	Injection hydroxyzine up to 25mg	Vistaril Hyzine-50 Atarax	Yes	PWD=UN SOL=ML	Antianxiety	None	Х	Х	Х	Х		Х							
J3411	Injection thiamine HCL 100mg	Thiamilate	Yes	PWD=UN SOL=ML	Vitamin supplement	2 per day	Х	Х	Х					Х					Added to Podiatry contract, effective 4/1/21.
	Injection pyridoxine HCI 100ma	Nestrex	Yes	PWD=UN SOL=ML	Vitamin supplement	2 per day	Х	Х	Х					Х					Added to Podiatry contract, effective 4/1/21.
J3420	Injection vitamin B-12 cyanocobalamin up to 1000mcg	Sytobex Residol Rubramin PC	Yes	PWD=UN SOL=ML	Vitamin supplement	1 per day	Х	Х	Х	Х				X					Added to Podiatry contract, effective 4/1/21.
J3430	Injection phytonadione (viatamin K) per 1mg	Aqua Mephyton Konakion	Yes	PWD=UN SOL=ML	Vitamin supplement	25 per day	Х	Х	Х									Χ	
	Injection voriconazole 10mg	VFEND	Yes	UN	Anti- fungal	None	Х	Х	Х										
	Injection hyaluronidase up to 150units	Wydase	Yes	PWD=UN SOL=ML	Enzyme	1 per day	Х	Х	Х										
	Injection, hyaluronidase, ovine, preservative free, per 1 USP unit (up to		Yes	ML	Enzyme	None	Х	Х							X				
	Injection, hyaluronidase, ovine, preservative free, per 1000 USP units		Yes	UN	Enzyme	None	Х	Х							Х				
J3473	Injection,hyaluronidase, recombinant, 1 USP unit	Vitrase	Yes	ML	Enzyme	300 units per day	Х	Х	Х								Х		New code effective 1/1/07.
	Injection magnesium sulfate 500mg	Sulfamag	Yes		Mineral supplement		Х	Х	Х										Effective 2/1/17, Oncology physician specialty restriction removed. Effective 10/1/2015 ICD-10 diagnosis codes E83.40 - E83.42, E83.49 or E83.89 Effective 1/1/10, coverage restricted to Oncology physician specialty only. Restrict to ICD-9 diagnosis code 275.2. Must be billed with CPT 96365 - 96368(infusion) or CPT 96401 - 96411, or 96413 - 96417, or 96420 - 96425, or 96440 - 96450, or 96542 - 96549(chemotherapy).
J3480	Injection potassium chloride 2mEq	Kdur Kaon-Cl	Yes	PWD=UN SOL=ML	Electrolyte Supplement	None	Х	Х	Х	Х									
J3485	Injection zidovudine 10mg	Retrovir	N/A		Anti-retroviral														Not Covered
	Injection ziprasidone mesylate 10mg	Geodon	Yes	UN	Anti-psychotic	10 per day	Х	Х	Х	Х		Х							Nurse practitioner added 1/1/09.
	Injection zoledronic acid 1mg	Zometa	Yes	PWD=UN SOL=ML	Antidote	4 per day	Х	Х	Х										Closed 12/31/13. See J3489.
	Zoledronic Acid/Mannitol/Water Reclast, 1 mg. (5 mg/100 ml package)	Reclast	Yes	ML	Bone Resorption Inhibitor	Max. 5 mg. yearly	Х	Х	Х	Х									Closed 12/31/13. See J3489. New code effective 1/1/08. Replaces Q4095. Nurse practitioner added 1/1/09.
J3489	Injection, zoledronic acid, 1 mg	Zometa Reclast	Yes	ML	Bone Resorption Inhibitor	None	Х	Х	Х	Х									Effective 1/1/14.
	Unclassified drugs. Used only if a more specific code is not		Yes	KIT=UN SOL=ML PWD=UN															Refer to the list of Approved Drugs from preceding page billed with HCPCS Code J3490. Cost invoice may be required with claim form.
	Edetate disodium 10mg	Endrate Disotate	Yes	PWD=UN SOL=ML	Antidote	None	Х	Х	Х										Covered only for treatment for lead or heavy metal poisoning; duration <2 weeks.
	Nasal vaccine inhalation		N/A														_[Not Covered
	Drug administered thru a metered dose inhaler. Laetrile amygdalin		N/A N/A		Vitamin											1			Not Covered Not Covered
J33/U	vitamin B-17.		IN/A		vitaffilfi														INOL COVEIED

Code	Description	Brand Name	NDC req.	NDC unit	Category	Service Limits	AC OP	CAH OP	Р	NP	MW	МН	HS	РО	ОРН	Н	I ID	C Special Instructions
			for drug rebate	measure														
			?															
	Unclassified biologics. Used only if a more specific code is not		Yes	KIT=UN SOL=ML PWD=UN														Refer to the list of Approved Drugs from preceding page billed with HCPCS Code J3490. Cost invoice may be required with claim form.
J7030	Infusion normal saline solution 1000cc		Yes	ML		None	Х	Х	Х	Х								
	Infusion normal saline solution sterile (500ml = 1 unit)		Yes	ML		None	Х	Х	Х	Х								
J7042	5% dextrose/normal saline (500ml - 1 unit)		Yes	ML		None	Х	Х	Х	Х								
	Infusion normal saline solution 250cc		Yes	ML		None	Х	Х	Х	Х								
	5% dextrose/water (500 ml = 1 unit)		Yes	ML		None	Х	Х	Х	Х								
	Infusion D-5-W 1000cc		Yes	PWD=UN SOL=ML		None	Х	Х	Х	Х								
	Infusion dextran 40 500ml	Rheomacrode x Gentran 75	Yes	ML		None	Х	Х	Х									
	Infusion dextran 75 500ml	Gentran 75	Yes	ML		None	X	Х	Х									
	Ringer's lactate infusion up to 1000cc		Yes	ML		None	X	X	X									Classid 40/04/44 Cap 17404
	Hypertonic saline solution 50 or 100 mEq 20cc vial		Yes	ML		None	Х	Х	Х									Closed 12/31/11. See J7131.
J7131	Hypertonic saline solution, 1 ml.	N/A	Yes	ML		None	Х	Х	Х							Х		Effective 1/1/12.
	Injection, coagulation Factor Xa (recombinant), inactivated, 10 mg	Andexxa	Yes	UN	Anticoagulant reversal agent	None	X	Х	X									Effective 7/1/20.
	Injection, Coagulation Factor X, human	Coagadex	Yes	IU			Х	Х	Х				Х					Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 1/1/17. Restricted to D68.2. Minimum age of 12 years.
J7178	Injection, human fibrinogen concentrate, NOS, 1 mg	RiaSTAP	Yes	EA	Antifibrinolytic	None	Х	Х	Х				Х					Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). 10/1/2015 ICD-10 diagnosis codes D68.2 or D65 Effective 1/1/13. Restricted to ICD-9 diagnosis 286.3 or 286.6.
	Injection, von willebrand factor (recombinant), 1	Vonvendi																Effective 1/1/17. Not covered.
J7180	Injection, Factor XIII (antihemophilic factor,	Corifact	Yes	UN	Anti-hemophilic	None	Х	Х	Х							Х		Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis code D68.2 Effective 1/1/12. Restricted to ICD-9 diagnosis 286.3
	Injection, factor xiii a- subunit, (recombinant), per IU	Tretten	Yes	UN	Anti-hemophilic	None	Х	Х	Х									Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes D68.2 Effective 1/1/15. Restricted to ICD-9 diagnosis of 286.3.
	Injection, factor viii, antihemophilic factor, recombinant, per iu	Novoeight	Yes	UN	Anti-hemophilic	none	Х	Х	Х									Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes D66 Effective 4/1/15. Restricted to ICD-9 diagnosis restriction of 286.0. Minimum age restriction of 6 years.
	Injection, von Willebrand factor complex (human), 1 IU, VWF:RCO	Wilate	Yes	UN	Anti-hemophilic	None	Х	Х	Х							Х		Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes D68.0 Effective 1/1/12. Restricted to ICD-9 diagnosis 286.4. Restrict to age 5 and above
	Injection, von Willebrand factor complex (human), per 100 IU, VFW:RCO	Wilate	Yes	UN	Coagulation factor	None	Х	Х	Х				X			Х		Closed 12/31/11. See J7183. Effective 1/1/11. Restricted to ICD-9 diagnosis 286.4. Restrict to age 5 and above.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	HS	PO	OPI	H		DT I	DC Special Instructions
J7185	Injection, Factor VIII(antihemophilic factor, recombinant), per	Xyntha	Yes	UN	Anti-hemophilic	none	Х	Х	Х				Х				Х		Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes D66 or D68.311, D68.312, or D68.318 Effective 1/1/10. Restricted to ICD-9 diagnosis 286.0 or 286.5.
J7186	Injection, antihemophilic factor VIII/von Willebrand factor complex(human), per	Alphanate	Yes	UN	Anti-hemophilic		Х	Х	Х				X						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes D66 or D68.0 New code effective 1/1/09. Claim form requires ICD-9 codes 286.0 or 286.4, DOS, POS, J code, description of code, brand name of factor, total units dispensed, NDC# and total charges. Physician's
J7187	Injection, Von Willebrand factor complex, human, ristocetin cofactor, per IU	Biopool Humate-P	Yes	IU	Anti-hemophilic	None	Х	Х	Х				Х						Closed 8/31/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes D66, D67, D68.1, D68.2, D68.0, D68.311, D68.312, D68.318, D65, D68.32, or D68.4 New code effective 1/1/07. Claim form requires ICD-9 codes 286.0 -286.7, DOS, POS, J code, description of code, brand name of factor, total units dispensed, NDC# and total charges. Physician's order/provider's Rx with units dispensed must be attached.
J7188	Injection, Von Willebrand factor complex, human,	Obizur	N/A		Anti-hemophilic	None	Х	Х	Х				Х						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). 1/1/16. Restricted to diagnosis ICD-10 D68.32 or D68.4. Minimum age of 16 years.
J7189	Factor VIIa (antihemophilic factor, recombinant), per 1 mcg	NovoSeven	Yes	F2=IU	Anti-hemophilic	None	Х	Х	Х				Х						Closed 8/31/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes D66, D67, D68.1, D68.2, D68.0, D68.32, or D68.4 New code 1/1/06. Replaces Q0187. Requires completed claim form to include documentation of ICD-9 code 286.0 - 286.4; and ICD-9 code 286.7 added, effective 10/13/06; dates of service, place of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed, appropriate NDC# and total charges. Physician's order and provider's Rx form documenting units dispensed must be attached to the claim
J7190	Factor VIII human per IU	Kogenate Monarc-M Koate HP Hemofil-M Alphanate Humate P Koate DVI MonoclateP	Yes	F2=IU	Anti-hemophilic	None	X	X	X				X						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes D66, D67, D68.1, D68.2 or D68.0 Requires completed claim form to include documentation of ICD-9 code 286.0 - 286.4; dates of service, place of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed, appropriate NDC# and total charges. Physician's order and provider's Rx form documenting units dispensed must be attached to the claim.
J7191	Factor VIII porcine per IU	Hyate-C	Yes	UN	Anti-hemophilic	None	Х	X	Х				Х						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes D66, D67, D68.1, D68.2 or D68.0 Requires completed claim form to include documentation of ICD-9 code 286.0 - 286.4; dates of service, place of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed, appropriate NDC# and total charges. Physician's order and provider's Rx form documenting units dispensed
J7192	Factor VIII recombinant per IU	Bioclate Genarc Human Method M Recombinate Kogenate Helixate FS Refacto Advate Kovaltry	Yes	F2=IU	Anti-hemophilic	None	Х	X	Х				Х						Closed 8/31/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis code D.66 Requires completed CMS 1500 claim form to include documentation of ICD-9 code 286.0; dates of service, place of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed appropriate NDC# and total charges. Physician's order and provider's Rx form documenting units dispensed must be attached to the claim for payment consideration.

Code	Description	Brand Name	NDC req.	NDC unit	Category	Service Limits	AC OP	CAH OP	Р	NP	MW	МН	HS	РО	OPH	I F		OT D	C Special Instructions
			for drug	measure		Lillins		OF									ľ		
			rebate																
J7193	Factor IX purified, non- combinant per IU	AlphaNine SD Mononine	Yes	F2=IU	Anti-hemophilic	None	X	X	Х				X						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis code D.66 Requires completed claim form to include documentation of ICD-9 code 286.0 dates of service, place of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed, appropriate NDC# and total charges. Physician's order and provider's Rx form documenting units dispensed must be attached to the claimfor payment consideration.
J7194	Factor IX complex per IU	Alphanine SD Bebulin VH Profilnine HT & SD Konyne-80 Proplex T,	Yes	F2-IU	Anti-hemophilic	None	X	X	X				Х						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes D.66 or D.67 Requires completed claim form to include documentation of ICD-9 code 286.0 - 286.1; dates of service, place of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed, appropriate NDC# and total charges. Physician's order and provider's Rx form documenting units dispensed must be attached to the claim.
J7195	Factor IX (antihemophilic factor, recombinant) per IU	Proplex T Konyne 80 Benefix	Yes	W/DIL=IU PWD=UN	Anti-hemophilic	None	Х	Х	Х				Х						Closed 8/31/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis code D.67 Requires completed claim form to include documentation of ICD-9 code 286.1; dates of service, place of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed, appropriate NDC#and total charges. Physician's order and provider's Rx form documenting units dispensed
J7197	Antithrombin III human per IU	Throbate III Atnativ	Yes	F2-IU	Anti-hemophilic	None	X	X	Х				X						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis code D.66 Requires completed claim form to include documentation of ICD-9 code 286.0; dates of service, place of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed, appropriate NDC# and total charges. Physician's order and provider's Rx form documenting units dispensed
J7198	Anti-inhibitor per IU	Autoplex T FEIBA	Yes	F2=IU	Anti-inhibitor coagulant complex	None	Х	Х	Х				Х						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes D.66 or D.67 Requires completed claim form to include documentation of ICD-9 code 286.0 - 286.1; dates of service, place of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed, appropriate NDC# and total charges. Physician's order and provider's Rx form documenting units dispensed
J7199	Hemophilia clotting factor NEC. Used only if a more specific code is not available		N/A		Anti-hemophilic														Not covered
J7200	Injection, factor ix, (antihemophilic factor, recombinant), per IU	Rixubis	Yes	UN	Anti-hemophilic	none	Х	Х	Х										Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis code D.67 Effective 1/1/15. Restricted to ICD-9 diagnosis of 286.1.
J7201	Injection, factor ix, fc fusion protein (recombinant), per IU	Alprolix	yes		Anti-hemophilic	none	Х	Х	Х										Closed 8/31/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis code D.67 Effective 1/1/15. Restricted to ICD-9 diagnosis of 286.1.
J7202	Injection, factor ix, albumin fusion protein, (recombinant), 1 IU	Idelvion	Yes	IU	Anti-hemophilic	None	Х	Х	Х				Х						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 1/1/17. Restricted to D67.
J7205	Injection, factor VIII fc fusion (recombinant), per IU	Eloctate	yes	UN	Anti-hemophilic	none	Х	Х	Х				Х						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 1/1/16. Restricted to diagnosis ICD-10 D66. Minimum age of 2 years.
J7207	Injection, factor viii, (antihemophilic factor, recombinant), pegylated, 1 i.u.	Adynovate	Yes	IU	Anti-hemophilic	None	Х	X	Х				Х						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Restricted to D66. Minimum age of 12 years.
J7209	Injection, factor viii, (antihemophilic factor, recombinant), 1 IU	Nuwiq	Yes	IU	Anti-hemophilic	None	Х	Х	Х				Х						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). 1/1/17. Restricted to D66. Minimum age of 2 years.

	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	P	NP	MW	MH	HS	I PO	OPH	II H	II IID	TID	C Special Instructions
			req.	of	J	Limits	OP	OP	-								F		
			for	measure															
			drug																
			rebate																
			?																
7296	Levonorgestrel-releasing	Kyleena	Yes	UN	Contraceptive	1 unit in 5	Х	Х	Χ	Χ	Χ								Effective 1/1/18.
ī	intrauterine					years													
	contraceptive system,																		
1	19.5 mg.																		
J7297	Levonorgestrel-releasing	Liletta	Yes	UN	Contraceptive	1 unit in 3	Х	Х	Χ	Χ	Χ								Effective 1/1/16.
i	intrauterine					years													
	contraceptive system,																		
	52mg, 3 year duration																		
J7298	Levonorgestrel-releasing	Mirena	Yes	UN	Contraceptive	1 unit in 5	Х	Х	Х	Х	Χ							\top	Effective 1/1/16.
ř	intrauterine					years													
(contraceptive system, 52																		
r	mg, 5 year duration																		
	Intrauterine copper contraceptive.	Paragard T380A	Yes	UN	Contraceptive	None	Х	Х	Х	Х	Х								
	Levonorgestrel-releasing	Skyla	Yes	EA	Contraceptive	1 per 3 years	Χ	Χ	Х	Χ	Χ								Effective 1/1/14. Minimum age restriction of 16 years.
ī	intrauterine																		
	contraceptive system																		
	(Skvla). 13.5 mg		V	1.181	0	None	V			V			1			1	_	+	
	Levonorgestrel releasing intrauterine	Mirena Liletta	Yes	UN	Contraceptive	None	Х	Х	X	Х	Х								Closed 12/31/15. See J7297 and J7298.
	contracentive system	Liletta																	
	Contraceptive supply		N/A		Contraceptive														Not Covered
	hormone containing				·														
	vaginal ring each																_	_	
	Contraceptive supply, hormone containing I		N/A		Contraceptive														Not Covered
	patch each																		
	Levonorgestrel	Norplant	Yes	UN	Contraceptive	1 every 3	Х	Х	Х	Х	Χ							+	Code closed 6/30/11. Females only. Cost invoice required with claim form.
	(contraceptive) implant					years													
	system, including					,													
	implants and supplies																		
	Etonogestrel implant system	Implanon Nexplanon	Yes	UN	Contraceptive	1 every 3 vears	Х	Х	Х	Х	Χ								New code effective 1/1/08. Replaces S0180. Females only.
	Aminolevulinic acid HCI	Levulan	Yes	UN	Photo-sensitivity	None			Х									+	Effective 10/1/2015 ICD-10 diagnosis code L57.0
	for topical administra-	Kerastick			agent														Restricted to ICD-9 code 702.0, Actinic keratosis, effective 2/1/09. Covered to physician's only, effective
- 1	tion 20% single unit				3.														2/1/09.
	dosage form (354mg) metnyl aminolevuilhate																	_	
J7309	(mal) for topical	Metvixia	Yes	GR	Photo-sensitivity	None			Х										Effective 10/1/2015 ICD-10 diagnosis code L57.0
	administration, 16.8%, 1				agent		l												New code effective 1/1/11. Restricted to ICD-9 diagnosis 702.0. Restricted to age 18 and above.
	gram																		
	Ganciclovir 4.5 mg long-	Vitrasert	Yes	UN	Anti-viral	None	Х	Х							Х			\top	One per each eye per 5 months.
	acting implant	Cytovene					L.,_								<u> </u>	1		4	
	Injection, fluocinolone	Retisert	Yes	UN	Corticosteroid	1 per eye per	Х	Х							Х				Effective 10/1/2015 ICD-10 diagnosis codes H30.001 - H30.003, H30.009, H30.011 - H30.013, H30.019,
	acetonide, intravitreal					30 months													H30.021 - H30.023, H30.029, H30.031 - H30.033, H30.039, H30.041 - H30.043, H30.049, H30.101 - H30.103,
	implant (retisert), 0.01																		H30.109, H30.111 - H30.113, H30.119, H30.121 - H30.123, H30.129, H30.131 - H30.133, H30.139, H30.141 -
'	mg						l												H30.143, H30.149, H30.891 - H30.893, H30.899 or H30.90 - H30.93
																			New code effective 1/1/07. Claim form requires ICD-9 363.00-363.08, 363.10-363.15, or 363.20. Must bill with CPT 67027.
				1			i	i e					1	1	1	1	1	- 1	OF 1 01041.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	нѕ	PO	ОРН	Н	II ID	OC Special Instructions
	Injection, dexamethasone, intravitreal implant, 0.1 mg.	Ozurdex	Yes	UN	Anti- inflammatory	None	X	X							Х			Effective 1/1/19, approved ICD-10 diagnoses: E10.311, E10.3211 - E10.3513, E11.311, E11.3211 - E11.3513, H30.001 - H30.101, H30.891, H30.892, H30.893, H30.91, H30.92, H30.93, H34.8110, H34.8120, H34.8130, H34.814, H34.821, H34.822, H34.823, H35.81, H34.8310, H34.8320, H34.8330. Effective 10/1/2015 ICD-10 diagnosis codes E11.311, H30.001 - H30.003, H30.009, H30.011 - H30.013, H30.019, H30.021 - H30.023, H30.029, H30.031 - H30.033, H30.039, H30.041 - H30.043, H30.049, H34.811 - H34.813, H34.819, H34.831 - H34.833, H34.839 or H35.81 Effective 6/30/14, ICD-9 diagnosis of 362.07 added. New code effective 1/1/11. Restricted to ICD-9 diagnosis 362.83 and 362.35 or 362.83 and 362.36, or 363.00 - 363.08. Restricted to ages 16 and above.
	Injection, fluocinolone acetonide, intravitreal implant (Iluvien), 0.01 mg	Iluvien	Yes	UN	Anti- inflammatory	None	X	Х							Х			Effective 10/1/16, E10.3211, E10.3212, E10.3213, E10.3311, E10.3312, E10.3313, E10.3411, E10.3412, E10.3413, E10.3511, E10.3512, E10.3513, E10.3521, E10.3522, E10.3523, E11.3211, E11.3212, E11.3213, E11.3311, E11.3312, E11.3313, E11.3411, E11.3412, E11.3413, E11.3511, E11.3512, E11.3513 added. Effective 1//1/6. Restricted to diagnosis of ICD-10 E10.311, E10.319, E10.321, E10.329, E10.331, E10.339, E10.341, E10.349, E10.351, E10.359, E10.36, E10.39, E10.65, E11.311, E11.319, E11.321, E11.329, E11.331, E11.339, E11.341, E11.349, E11.351, E11.359, E11.36, E11.39, E11.65, E13.311, E13.319, E13.321, E13.329, E13.331, E13.339, E13.341, E13.349, E13.351, E13.359, E13.36 or E13.39.
	Injection, fluocinolone acetonide, intravitreal implant, 0.01 mg	Yutiq	Yes	UN	Anti inflammatory	Eighteen units per eye	X	X	X									Effective 10/1/19. Minimum age of 16 years.
J7316	Injection, ocriplasmin, 0.125 mg	Jetrea	Yes	ML	Ophthalmic	None	Х	Х							Х			Effective 10/1/2015 ICD-10 diagnosis codes H43.821 - H43.823 or H43.829 Effective 1/1/14. Restricted to ICD-9 diagnosis of 379.27. Minimum age restriction of 16 years.
	Sodium hyaluronate per 20 to 25 mg dose for intra-articular injection	Hyalgan 20 Supartz 25	No		Osteoarthritic	10 injections (5 per knee) X 6 months	Х	Х	Х	Х								CMS closed code effective 12/31/06. See J7319
	Sodium hyaluronate for intra-articular injection, 30 mg	Orthovisc	No		Osteoarthritic	8 injections (4 per knee) X 6 months	Х	Х	Х	Х								CMS closed code effective 12/31/06. See J7319. ICD-9 code 715.16, 715.25, 715.36, or 715.96 billed with CPT 20610 required on claim form. Cost invoice required with claim form.
J7319	Hyaluronan (sodium hyaluronate) or derivative, intra-articular injection, per dose	Hyalgan 20 Supartz 25 Synvisc Orthovisc Euflexxa	No		Osteoarthritic	10 injections (5 per knee) X 6 months	Х	Х	Х									New code effective 1/1/07. ICD-9 code 715.XX or 716.XX required on claim form. Must be billed with 20610 on claim. Code closed effective 10/1/08. See J7321-J7324.
	Hylan G-F20 16mg/2ml for intra-articular injection	Synvisc	No		Osteoarthritic	6 injections (3 per knee) X 6 months	Х	Х	Х	Х								CMS closed code effective 12/31/06. See J7319. ICD-9 code 715.XX or 716.XX required on claim form.

Code	Description	Brand Name		NDC unit	Category	Service	AC	CAH	Р	NP	MW	MH	HS	PC	OF	РН	HI	IDT	DC	Special Instructions
			req. for	of measure		Limits	OP	OP										F		
			drug																	
			rebate ?																	
J7321	Hyaluronan or derivate, Hyalgan or Supartz, for intra-articular injection	Hyalgan Supartz	No	ML	Osteoarthritic	10 injections (5 per knee) per 170 rolling days	X	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes M12.10, M12.111, M12.112, M12.119, M12.121, M12.122, M12.129, M12.131, M12.132, M12.139, M12.141, M12.142, M12.149, M12.151, M12.152, M12.159, M12.159, M12.161, M12.162, M12.169, M12.171, M12.179, M12.179, M12.18, M12.19, M12.50, M12.511, M12.512, M12.519, M12.521, M12.522, M12.529, M12.531, M12.532, M12.539, M12.541, M12.542, M12.549, M12.551, M12.552, M12.559, M12.569, M12.561, M12.572, M12.579, M12.581, M12.599, M12.80, M12.811, M12.812, M12.819, M12.821, M12.822, M12.829, M12.831, M12.832, M12.839, M12.841, M12.842, M12.849, M12.851, M12.852, M12.859, M12.861, M12.862, M12.869, M12.871, M12.872, M12.879, M12.88, M12.89, M12.9, M13.0, M13.10, M13.111, M13.112, M13.119, M13.121, M13.122, M13.129, M13.131, M13.132, M13.172, M13.179, M13.80, M13.441, M13.449, M13.511, M13.152, M13.159, M13.161, M13.162, M13.169, M13.171, M13.172, M13.179, M13.80, M13.811, M13.812, M13.819, M13.821, M13.822, M13.829, M13.839, M13.841, M13.884, M13.89, M13.851, M13.852, M13.859, M13.861, M13.862, M13.869, M13.872, M13.879, M13.88, M13.89, M15.0 + M15.4, M15.8, M15.9, M16.0, M16.10 - M16.12, M16.2, M16.30 - M16.32, M16.4, M16.50 - M16.52, M16.6, M16.7, M16.9, M17.0, M17.10 - M17.12, M17.2, M17.30 - M17.32, M17.4, M17.5, M17.9, M18.0, M18.10 - M18.12, M18.2, M18.30 - M18.32, M18.4, M18.50 - M18.52, M19.041, M19.012, M19.019, M19.011, M19.012, M19.019, M19.021, M19.022, M19.029, M19.031, M19.031, M19.032, M19.032, M19.041, M19.042, M19.049, M19.071, M19.072, M19.079, M19.111, M19.112, M19.112, M19.122, M19.129, M19.131,
J7322	Hyaluronan or derivate, Synvisc, for intra- articular injections, per	Synvisc	No	ML	Osteoarthritic	6 injections (3 per knee) per 170	х	Х	Х											M19.132, M19.139, M19.141, M19.142, M19.149, M19.171, M19.172, M19.172, M19.121, M19.212, M19.219, M19.221, M19.229, M19.229, M19.231, M19.232, M19.239, M19.241, M19.242, M19.249, M19.271, M19.272, M19.279 or M19.90 - M19.93 Nurse practitioner added, effective 1/1/12. New code effective 1/1/08. Replaces Q4083. Requires ICD-9 code 715. W or 716, VX or claim form for payment consideration. Closed 12/3/109. See J7325.
17000	dose		L.,		0	rolling days														
J7323	Hyaluronan or derivate, Euflexxa, for intra- articular injections, per dose	Euflexxa	No	ML	Osteoarthritic	10 injections (5 per knee) per 170 rolling days	×	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes M12.10, M12.111, M12.112, M12.119, M12.121, M12.122, M12.129, M12.131, M12.132, M12.139, M12.139, M12.141, M12.149, M12.149, M12.151, M12.152, M12.159, M12.161, M12.162, M12.169, M12.171, M12.172, M12.179, M12.18, M12.19, M12.50, M12.511, M12.512, M12.519, M12.521, M12.522, M12.529, M12.531, M12.532, M12.539, M12.541, M12.542, M12.549, M12.549, M12.551, M12.552, M12.559, M12.561, M12.562, M12.569, M12.561, M12.562, M12.569, M12.561, M12.862, M12.869, M12.871, M12.872, M12.879, M12.881, M12.889, M12.881, M12.889, M12.881, M12.882, M12.889, M12.881, M12.882, M12.889, M12.881, M12.882, M13.191, M13.132, M13.139, M13.141, M13.142, M13.149, M13.151, M13.159, M13.129, M13.162, M13.169, M13.171, M13.172, M13.179, M13.80, M13.811, M13.812, M13.819, M13.821, M13.829, M13.831, M13.832, M13.841, M13.842, M13.89, M13.851, M13.852, M13.859, M13.861, M13.869, M13.871, M13.872, M13.889, M13.889, M13.89, M13.89, M13.871, M13.872, M13.89, M13.89, M13.89, M15.0 - M15.4, M15.8, M15.9, M16.0, M16.10 - M16.12, M16.2, M16.30, M16.32, M16.4, M16.50 - M16.52, M16.7, M16.7, M16.9, M17.0, M17.10 - M17.12, M17.2, M17.30 - M17.32, M17.4, M17.5, M17.9, M18.00, M18.10 - M18.12, M18.20, M18.30, M18.32, M19.032, M19.034, M19.044, M19.042, M19.049, M19.071, M19.072, M19.079, M19.011, M19.012, M19.071, M19.079, M19.011, M19.112, M19.119, M19.114, M19.142, M19.142, M19.142, M19.142, M19.242, M19.244, M19.244, M19.242, M19.229, M19.231, M19.231, M19.232, M19.239, M19.241, M19.242, M19.249, M19.271, M19.272, M19.279, M19.271, M19.221, M19.231, M19.232, M19.239, M19.241, M19.242, M19.249, M19.271, M19.272, M19.279, M19.271, M19.271, M19.272, M19.279, M19.271, M19.272, M19.231, M19.232, M19.239, M19.241, M19.242, M19.249, M19.271, M19.272, M19.279, M19.271, M19.272, M19.231, M19.232, M19.239, M19.241, M19.242, M19.249, M19.271, M19.272, M19.279, M19.271, M19.272, M19.231, M19.232, M19.239, M19.241, M19.242, M19.249, M19.271, M19.272, M19.279, M19.271, M19.272, M19.279, M19.271, M19.272, M19.271, M19.272, M1

F F F	Code	Description	Brand Name	NDC	NDC unit	Catogory	Service	AC	САН	ь	NP	MW	МН	HS	РО	ОРН	ш	ıı lın	T	DC Special Instructions
Process	Code	Description	Brand Name	-		Category				P	NP	IVIVV	IVIT	пъ	PU	ОРП	п			Special instructions
Part							Lillito	٥.	٥.									'		
Part Part																				
1925 Physionema or derivative Otherwise Otherw																				
Orthows, for intra- strictular injections, per dotted Mit 250, Mit 250, Mit 251, Mit 250, Mi				?																
Section Performance Perf	J7324	Hyaluronan or derivative,	Orthovisc	No	ML	Osteoarthritic	8 injections	Х	Х	Х	Х								T	Effective 10/1/2015 ICD-10 diagnosis codes M12.10, M12.111, M12.112, M12.119, M12.121, M12.122,
Dispert Colored State Co		Orthovisc, for intra-					(4 per knee)													M12.129, M12.131, M12.132, M12.139, M12.141, M12.142, M12.149, M12.151, M12.152, M12.159, M12.161,
M12.050, M12.051, M12.051, M12.051, M12.051, M12.051, M12.051, M12.051, M12.051, M12.051, M12.051, M12.051, M12.051, M12.051, M12.051, M12.051, M12.051, M12.052, M12.051, M																				
M. 2812, M. 128, M. 12		dose					rolling days													
M12.851, M12.852, M12.869, M12.869, M12.871, M12.772, M12.770, M12.770, M12.770, M12.770, M12.770, M12.770, M12.770, M12.770, M13.770, M13.771, M13.772, M13.770, M13.771, M13.772, M13																				
M12, M13, M13, M13, M13, M13, M13, M13, M13																				
M13.139, M13.14, M13																				
M15.172_M15.179_M15.00_M13.01_M15.01_M15.02_																				
Miles Mile																				M13.172, M13.179, M13.80, M13.811, M13.812, M13.819, M13.821, M13.822, M13.829, M13.831, M13.832,
Mis 3.2, Mis 4, Mis 50 - Mis 52, Mis 6, Mis 7, Mis 6, Mis 7, Mis 2, Mis 7, Mis 710 - Mis 710 - Mis 710 - Mis 7																				M13.839, M13.841, M13.842, M13.849, M13.851, M13.852, M13.859, M13.861, M13.862, M13.869, M13.871,
MT7-4, MT7-5, MT7-5, MT8-0, MT8-10-MT8-12, MT8-2, MT8-30-MT8-30-MT8-32, MT8-30-MT8-32, MT8-30-MT8-32, MT8-30-MT8-32, MT8-30-MT8-32, MT8-30-MT8-32, MT8-30-MT8-32, MT8-30-MT8-32, MT8-30-MT8-30-MT8-32, MT8-30-MT8-32, MT8-30-MT8-32, MT8-30-MT8-32, MT8-32-M																				M13.872, M13.879, M13.88, M13.89, M15.0 - M15.4, M15.8, M15.9, M16.0, M16.10 - M16.12, M16.2, M16.30 -
M19.011, M19.012, M19.021, M19.022, M19.029, M19.021, M19.022, M19.029, M19.031, M19.022, M19.029, M19.031, M19.022, M19.029, M19.031, M19.022, M19.029, M19.031, M19.022, M19.029, M19.031, M19.022, M19.029, M19.031, M19.022, M19.029, M19.021, M19.022, M19.029, M19.021, M19.022, M19.029, M19.021, M19.022, M19.029, M19.021, M19.022, M19.029, M19.021, M19.022, M19.029, M19.021, M19.022, M19.029, M19.021, M19.022, M19.029, M19.021, M19.022, M19.029, M19.021, M19.022, M19.029, M19.021, M19.022, M19.029, M19.021, M19.022, M19.029, M19.021, M19.022, M19.029, M19.023, M19.023, M																				M16.32, M16.4, M16.50 - M16.52, M16.6, M16.7, M16.9, M17.0, M17.10 - M17.12, M17.2, M17.30 - M17.32,
M90,049, M190,071, M190,72, M190,72, M190,72, M190,111, M191,122, M191,123, M191,124																				
Min 132, Min 138, Min 148, Min 142, Min 149, Min 171, Min 172, Min 179, Min 271																				
Min 1922, Min 1922, Min 1923, Min 231, Min 232, Min 231, Min 232, Min 231, Min 232, Min 231, Min 232, Min 231, Min 232, Min 231, Min 232, Min 231, Min 232, Min 231, Min 232, Min 231, Min 232, Min																				
Nurse practitioner added, effective 1/1/12. New code effective 1/1/12. Ne																				M19.221, M19.222, M19.229, M19.231, M19.232, M19.239, M19.241, M19.242, M19.249, M19.271, M19.272,
J7325 Hyaluronan or derivative, Synvisc or Synvisc																				M19.279 or M19.90 - M19.93
Synvisc or Synvisc-1, for intra-articular use																				Nurse practitioner added, effective 1/1/12. New code effective 1/1/08. Replaces Q4086. Requires ICD-9
infra-articular use Infra-art	J7325			No	ML	Osteoarthritic		Х	Х	Х	Х									
M12,521, M12,522, M12,533, M12,532, M12,539, M12,541, M12,542, M12,549, M12,541, M12,542, M12,549, M12,541, M12,542, M12,549, M12,541, M12,542, M12,541, M13,541, M13,541, M13,541, M13,541, M13,542, M13,542, M13,543, M13,541, M13,542, M13,542, M13,543, M13,543, M13,541, M13,542, M13,542, M13,543, M13,543, M13,541, M13,542, M13,542, M13,543, M13,543, M13,541, M13,542, M13,543, M13,543, M13,541, M13,542, M13,543, M13,541, M13,542, M13,543, M13,543, M13,541, M13,542, M13,543, M13,543, M13,541, M13,542, M13,543, M13,543, M13,541, M13,542, M13,543, M13,543, M13,543, M13,542, M13,543, M13,543, M13,544, M13,542, M13,543, M13,543, M13,544, M13,542, M13,543, M13,543, M13,544, M13,542, M13,543, M13,543, M13,542, M13,543, M13,543, M13,542, M13,543, M13,543, M13,543, M13,543, M13,543, M13,542, M13,543, M		, ,	Synvisc-1																	
M12.559, M12.561, M12.562, M12.569, M12.571, M12.572, M12.572, M12.573, M12.583, M13.513, M13.512, M13.151, M13.152, M13.153, M13.153, M13.152, M13.153, M13.152, M13.153, M13.152, M13.153, M13.153, M13.152, M13.153, M13.152, M		intra-articular use					,													
M12.812, M12.82, M12.89, M12.81, M12.822, M12.89, M12.81, M12.82, M12.89, M12.81, M12.82, M12.89, M12.81, M12.82, M12.89, M12.81, M12.82, M12.89, M12.81, M12.82, M12.89, M12.81, M12.82, M12.89, M12.81, M12.82, M12.89, M12.81, M12.82, M12.89, M12.81, M12.82, M12.89, M12.81, M12.82, M13.19, M13.11, M13.112, M13.119, M13.112, M13.119, M13.12, M13.119, M13.1							days													
M12.9, M13.0, M13.10, M13.11, M13.112, M13.119, M13.121, M13.122, M13.129, M13.131, M13.132, M13.141, M13.149, M13.151, M13.152, M13.159, M13.161, M13.162, M13.179, M13.800, M13.811, M13.312, M13.821, M13.821, M13.821, M13.822, M13.829, M13.831, M13.832, M13.883, M13.884																				M12.812, M12.819, M12.821, M12.822, M12.829, M12.831, M12.832, M12.839, M12.841, M12.842, M12.849,
M13.139, M13.141, M13.142, M13.149, M13.151, M13.152, M13.159, M13.161, M13.162, M13.169, M13.171, M13.172, M13.179, M13.80, M13.811, M13.812, M13.819, M13.821, M13.822, M13.823, M13.831, M13.833, M13.833, M13.834, M13.843, M13.843, M13.852, M13.852, M13.861, M13.862, M13.869, M13.861, M13.862, M13.869, M13.861, M13.862, M13.899, M13.881, M13.899, M13.899, M13.891, M13.899, M13.																				M12.851, M12.852, M12.859, M12.861, M12.862, M12.869, M12.871, M12.872, M12.879, M12.88, M12.89,
M13.172, M13.179, M13.80, M13.811, M13.812, M13.822, M13.822, M13.822, M13.822, M13.822, M13.822, M13.822, M13.833, M13.833, M13.834, M13.839, M13.841, M13.839, M13.842, M13.859, M13.851, M13.859, M13.851, M13.852, M13.852, M13.852, M13.																				
M13,839, M13,841, M13,842, M13,851, M13,851, M13,851, M13,851, M13,852, M13,859, M13,869, M13,869, M13,869, M13,869, M13,869, M13,872, M13,839, M15,0 - M15,0																				
M13.872, M13.879, M13.88, M15.0 - M15.4, M15.9, M16.0, M16.10 - M16.12, M16.2, M16.2, M16.4 M16.32, M16.4, M16.50 - M18.12, M18.2, M18.30 - M18.32, M18.4, M18.50 - M18.52, M18.9, M19.011, M19.012, M19.019, M19.011, M19.012, M19.022, M19.029, M19.031, M19.032, M19.039, M19.041, M19.012, M19.019, M19.011, M19.012, M19.019, M19.011, M19.012, M19.019, M19.011, M19.012, M19.019, M19.112, M19.112, M19.122, M19.129, M19.121, M19.122, M19.129, M19.211, M19.122, M19.129, M19.211, M19.122, M19.229, M19.231, M19.239, M19.241, M19.242, M19.249, M19.271, M19.22 M19.229 or M19.290 or M19.90 or M19.90 or M19.201, M19.279 or M19.90 or M19.90 or M19.201, M19.279 or M19.90 or M19.90 or M19.201, M19.279 or M19.90 or M19.201, M19.279 or M19.90 or M19.201, M19.279 or M19.90 or M19.201, M19.279 or M19.90 or M19.201, M19.279 or M19.90 or M19.201, M19.279 or M19.90 or M19.201, M19.279 or M19.90 or M19.201, M19.279 or M19.90 or M19.201, M19.279 or M19.90 or M19.201, M19.202, M19.239, M19.241, M19.242, M19.249, M19.271, M19.201, M19.201, M19.201, M19.201, M19.201, M19.202, M19.239, M19.241, M19.242, M19.249, M19.271, M19.201, M																				
M17.4, M17.5, M18.0, M18.10 - M18.12, M18.2, M18.3, M19.32, M19.022,																				M13.872, M13.879, M13.88, M13.89, M15.0 - M15.4, M15.8, M15.9, M16.0, M16.10 - M16.12, M16.2, M16.30 -
M19.011, M19.012, M19.022, M19.029, M19.031, M19.032, M19.039, M19.031, M19.039, M19.031, M19.039, M19.031, M19.039, M19.031, M19.039, M19.031, M19.039, M19.031, M19.039, M19.031, M19.039, M19.031, M19.103, M19.111, M19.112, M19.111, M19.112, M19.111, M19.112, M19.113, M19.114, M19.117, M19.172, M19.179, M19.179, M19.121, M19.212, M19.229, M19.231, M19.232, M19.239, M19.231, M19.231, M19.232, M19.239, M19.231, M19.242, M19.244, M19.244, M19.244, M19.244, M19.244, M19.244, M19.244, M19.244, M19.244, M19.2701, M1																				M16.32, M16.4, M16.50 - M16.52, M16.6, M16.7, M16.9, M17.0, M17.10 - M17.12, M17.2, M17.30 - M17.32,
M19.049, M19.071, M19.072, M19.079, M19.111, M19.112, M19.121, M19.122, M19.129, M19.12 M19.049, M19.071, M19.072, M19.079, M19.111, M19.112, M19.119, M19.121, M19.122, M19.129, M19.12 M19.221, M19.222, M19.231, M19.232, M19.231, M19.232, M19.233, M19.231, M19.232, M19.233, M19.241, M19.249, M19.271, M19.27 M19.07 M19.07 M19.09 - M19.39 Effective 1/1/10. Postricted to ICD-9 dispnosis 715 00 - 715 09 or 716 00 - 716 90 Not covered. See J7325. Not covered. See J7325. Not covered. See J7325. Valuation or derivative, injection, per dose J7336 Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Effective 1/1/14. See J7336 after this date. New code effective 1/1/11. Restricted to ICD-9 diagnosis 053,19. Restricted to 18 years and above. J7336 Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X																				M17.4, M17.5, M17.9, M18.0, M18.10 - M18.12, M18.2, M18.30 - M18.32, M18.4, M18.50 - M18.52, M18.9,
M19.132, M19.139, M19.141, M19.142, M19.149, M19.171, M19.172, M19.211, M19.212, M19.22 M19.221, M19.222, M19.234, M19.232, M19.239, M19.241, M19.242, M19.249, M19.271, M19.27 M19.279 or M19.90 - M19.93 Effective 1/1/10. Perticuted to ICD-9 diagnosis 715.00 - 715.08 or 716.00 - 716.90 Not covered. See J7325. Not covered. See J7325. Not covered. See J7325. Not covered. See J7325. Not covered. See J7325. Not covered. See J7325. Not covered. See J7325. Outer a minimal of the																				M19.011, M19.012, M19.019, M19.021, M19.022, M19.029, M19.031, M19.032, M19.039, M19.041, M19.042,
M19.221, M19.222, M19.229, M19.231, M19.232, M19.241, M19.242, M19.249, M19.271, M19.221, M19.222, M19.229, M19.231, M19.232, M19.232, M19.231, M19.232, M																				
J7326 Hyaluronan or derivative, for intra-articular injection, per dose J7327 Hyaluronan or derivative, for intra-articular injection, per dose J7328 Capsaicin 8% patch, per J338 Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Effective 10/1/2015. M19.279 or M19.90 - M19.93 Effective 1/1/10. Pestricted to ICD-9 diagnosis 715 00 - 715 98 or 716 00 - 715 99 or 715 99																				
J7336 Hyaluronan or derivative, for intra-articular injection, per dose J7337 Hyaluronan or derivative, for intra-articular injection, per dose J7337 Hyaluronan or derivative, for intra-articular injection, per dose J7338 Capsaicin 8% patch, per J7336 Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X X X X X X X X X X X X X X X X	1										l	l			l					
for intra-articular injection, per dose J7327 Hyaluronan or derivative, for intra-articular injection, per dose J7335 Capsaicin 8% patch, per J8 UN Analgesic 1 patch per X X X X J Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X J Effective 10/1/2015. J7336 Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X J Effective 10/1/2015.	.17326	Hvaluronan or derivative	Gel-One	No										-		-	-	+	+	Effective 1/1/10 Restricted to ICD-9 diagnosis 715.00 - 715.98 or 716.00 - 716.99
J7327 Hyaluronan or derivative, for intra-articular injection, per dose J7335 Capsaicin 8% patch, per Outenza Yes UN Analgesic 1 patch per 90 days J7336 Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Effective 10/1/2015. J7336 Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X X Effective 10/1/2015.	3.020		22. 00																	
for intra-articular injection, per dose J7335 Capsaicin 8% patch, per Outenza Yes UN Analgesic 1 patch per 90 days J7336 Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch per Qutenza Yes UN Analgesic 1 patch per X X X X X Capsaicin 8% patch per Qutenza Yes UN Analgesic 1 patch per X X X X X Capsaicin 8% patch per Qutenza Yes UN Analgesic 1 patch per X X X X X X X X X X X X X X X X X X X	17207		Manavias	Nia									-			<u> </u>	<u> </u>	_	_	Net en read Cap 17005
injection, ner dose J7335 Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X X Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X X Capsaicin 8% patch per Qutenza Yes UN Analgesic 1 patch per X X X X X X Capsaicin 8% patch per Qutenza Yes UN Analgesic 1 patch per X X X X X X X X X X X X X X X X X X X	J/32/	,	IVIONOVISC	NO					l			İ			İ					ivot covered. See 3/323.
10 square centimeters 90 days 90 days 95 days 95 days 95 days 95 days 95 days 95 days 96 days 97 days 96 days 97 days		injection, per dose																		
J7336 Capsaicin 8% patch, per Qutenza Yes UN Analgesic 1 patch per X X X X Effective 10/1/2015.	J7335		Qutenza	Yes	UN	Analgesic		Х	Х	Х									T	
	17000		Outonze	V	LINI	Analgosis				~		-	-	+	-	ļ	1		+	
1	J/336		Quienza	r es	UN	Anaigesic		X	_ X	X	l	l			l					
		oquais continueter					30 days	İ	l			İ			İ	İ.				Enocure 1/1/10. Additional to 100-3 diagnosis 033.13. Additional to 10 years and above.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	HS	PO	ОРН	I H	HI ID	C Special Instructions
J7340	Dermal & empidermal(substitute) bioengineered or processed elements with metabolically active elements per square cm.	Apligraf	No			See special intructions	Х	Х	Х					Х				For diabetes: ICD-9 code 250.xx and 707.xx for surgeons; or, ICD-9 code 250.xx and 707.13, 707.14, or 707.15 for podiatrists. For venous stasis ulcer: ICD-9 code 454.0, 454.1, or 454.2 and 707.xx for surgeons; or ICD-9 code 454.0, 454.1, or 454.2 and 707.13, 707.14, or 707.15 for podiatrists required on claim form. Service limits for diabetic ulcer are: 3 applications in 9 weeks per year per ulcer. Service limits for venous statsis ulcer are: 3 applications in 12 weeks per year per ulcer. Closed 12/31/08. See Q4101
J7341	Dermal (substitute) tissue of nonhuman origin, with or without other bioengineered or processed elements, with metabolically active elements, per square		No			None	Х	х	Х					Х				New code 1/1/06. Closed 12/31/08. See Q4102 and Q4103.
J7342	Installation, ciprofloxacin otic suspension, 6 mg	Otiprio	Yes	ML	Anti-Infective	1 unit daily	Х	Х	Х	Х								Effective 1/1/17. Covered to ASC.
J7343	Dermal & epidermal (substitute) tissue nonhuman origin with or without other bioengineered or processed elements without metabolically elements per square cm.		No			None	X	Х	X					X				For surgeons; ICD-9 code 941.30 - 941.39; 941.40 - 941.49; 942.30 - 942.39; 942.40 - 942.49; 943.30 - 943.39; 943.40 - 943.49; 944.30 - 944.38; 944.40 - 944.48; 945.30 - 945.39; 945.40 - 945.49; 946.3; 946.4; 949.3 or 949.4 required on claim form. For podiatrists; ICD-9 code 945.x2 or 945.x3 required on claim form. Closed 12/31/08. See Q4104 and Q4105.
J7344	Dermal (substitute) human origin with or without bioengineered or processed elements without metabolically active elements per		No			None	Х	Х	Х					Х				Closed 12/31/08. See Q4107.
J7345	tissue of nonhuman origin, with or without other bioengineered or processed elements, without metabolically active elements, per		No			None	Х	Х	X					х				New code effective 1/1/07. Closed 12/31/07.
J7345	Aminolevulinic acid HCI for topical administration, 10% gel, 10 mg	Ameluz	Yes	GR	Photo-dynamic therapy	None	Х	Х	Х									Effective 7/1/20. Minimum age 18 years.
J7346	Dermal (substitute) tissue of human origin, injectable, with or without other bioengineered or processed elements, but without metabotically active elements, 1 cc		No			None	Х	X	X					Х				New code effective 1/1/07. Closed 12/31/08.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	нѕ	PO	ОРН	НІ	F F	C Special Instructions
	Dermal (substitute) tissue of nonhuman origin, with or without other bioengineered or processed elements; without metabolically active elements(Integra	N/A	No															Not covered. See Q4108.
	Dermal (substitute) tissue of nonhuman origin, with or without other bioengineered or processed elements; without metabolically active elements(TissueMend);	N/A	No															Not covered. See Q4109.
	Dermal (substitute) tissue of nonhuman origin; with or without other bioengineered or processed elements; without metabolically active elements	N/A	No															Not covered. See Q4110.
	Dermal (substitute) tissue, human origin, injectable, with or without other bioengineered or processed elements but without metabolized active elements per 10		No			None	X	X	X					X				CMS closed code effective 12/31/06. See J7346.
	Injection, bimatoprost, intracameral implant, 1 microgram	Durysta	Yes	EA	Anti-miotic (glaucoma)	20 units daily	Х	Х	Х									Effective 10/1/20.
	Afamelanotide implant, 1 mg.	Scenesse	N/A															Not covered.
	Mometasone furoate sinus implant, 10 micrograms	Sinuva	Yes	EA	Anti- inflammatory	1 per lifetime	Х	Х	Х									Effective 4/1/21. Restricted to ICD-10 J33.0 - J33.9. Minimum age of 18 years.
J7500	Azathioprine oral 50mg	Imuran	Yes		Immuno-													Medicare X-over
J7501	Azathioprine parenteral	Imuran	Yes	UN	suppressant Immuno-	None	Х	Х	Х									
J7502	Cyclosporine oral 100mg	Neoral Sandimmune	Yes		suppressant Immuno- suppressant													Medicare X-over
	Lymphocyte immune globulin antihymocyte globulin equine parenteral 250mg	Atgam	Yes	ML	Immune globulin	None	Х	Х	Х									
J7505	Muromonab-CD3 parenteral 5mg	Orthoclone OKT3	Yes	ML	Immuno- suppressant	1 per day	Х	Х	Х									

				•									,						
Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	OP	Р	NP	MW	МН	нѕ	PO	ОРН	Н	F F	De	C Special Instructions
J7506	Prednisone oral per 5mg	Deltasone Meticorten Orasone	Yes		Immuno- suppressant														Medicare X-over
J7507	Tacrolimus, immediate release, oral, 1 mg	Prograf	Yes		Immuno- suppressant														Medicare X-over
J7508	Tacrolimus, extended release, oral, 0.1 mg	Astagraf	N/A		Capprocant														New code effective 1/1/14. Not covered. See pharmacy POS.
	Methylprednisol-one oral per 4ma	Medrol	Yes		Immuno- suppressant														Medicare X-over
	Prednisolone oral per 5ma	Deltacortef	Yes		Immuno- suppressant														Medicare X-over
	Lymphocyte immune globulin antithymocyte globulin rabbit parenteral 25mg	Thymoglob- ulin	Yes	UN	Immune globulin	None	Х	Х	Х										Weight based.
	Daclizumab parenteral 25 mg	Zenapax	Yes	ML	Immuno- suppressant	None	Х	Х	Х										
	Cyclosporine oral 25mg	Neoral Sandimmune	Yes		Immuno- suppressant														Medicare X-over
J7516	Cyclosporine parenteral 250mg	Neoral Sandimmune	Yes	PWD=UN SOL=ML	Immuno- suppressant	6 per day	Х	Х	Х										
J7517	Mycophenolate mofetil oral 250mg	CellCept	Yes		Immuno- suppressant														Medicare X-over
J7518	Mycophenolic acid oral 180ma	Myfortic	Yes		Immuno- suppressant														Medicare X-over
J7520	Sirolimus oral 1mg	Rapamune	Yes		Immuno- suppressant														Medicare X-over
J7525	Tacrolimus parenteral 5	Prograf	Yes	ML	Immuno- suppressant	None	Х	Х	Х										
	Immunosuppressive drug NOS. Used only if a more specific code is not available		Yes																Medicare X-over
	Albuterol, all formulations including separated isomers, inhalation solution, FDA approved final product, non-compounded, administered through DME, concentrated form, per 1 mg (albuterol) or per 0.5 mg	Proventil, Ventolin, Xopenex	N/A	ML	Broncho-dilator	None	Х	Х	X	Х									New code effective 1/1/08. Replaces Q4093. Code closed 3/31/08.
	Albuterol, all formulations including separated isomers, inhalation solution, FDA approved final product, non-compounded, administered through DME, unit dose, per 1 mg. (albuterol), or 0.5	Proventil, Ventolin, Xopenex	N/A	ML	Broncho-dilator	None	×	X	X	X									New code effective 1/1/08. Replaces Q4094. Code closed 3/31/08.
	Acetylcysteine inhalation solution compounded product, administered through				Mucolytic	None										_			Not covered

		T	T 1										1 1		T =		I	-1-	
Code	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	OP	P	NP	MW	МН	нѕ	PO	ОРН	НІ	F F		C Special Instructions
	Arformoterol, inhalation solution, FDA approved, final product, non- compounded	Brovana	Yes	ML	Broncho-dilator	None	Х	Х											New code effective 1/1/08
	Formoterol fumarate, inhalation solution, FDA approved final product, noncompounded, administered through DME, unit dose form, 20	Perforomist	N/A		Broncho-dilator														Not covered.
	Levalbuterol, inhalation solution, compounded product, administered through DMF	Xopenex	N/A		Adrenergic bronchodilator														Not covered.
J7608	Acetylcysteine inhalation solution unit dose form per ma.	Mucomyst Mucosil	Yes	ML	Mucolytic		Х	Х	Х	Х									New code effective 1/1/08. Nurse practitioner added 1/1/09.
	Albuterol, inhalation solution, compounded product, administered through DME	Proventil, Proventil Repetabs, Ventolin,	N/A		Broncho-dilator														Not covered.
	Albuterol, inhalation solution, compounded product, administered through DME	Proventil, Proventil Repetabs, Ventolin,	N/A		Broncho-dilator														Not covered.
J7611	Albuterol inhalation concentrated form 1mg	Proventil, Proventil Repetabs, Ventolin, Volmax	Yes		Broncho-dilator	None	X	Х	Х										Effective 10/1/2015 ICD-10 diagnosis codes A22.1, A37.91, A48.1, B25.0, B44.0, B44.1, J05.0, J09.X1, J09.X2, J09.X3, J09.X9, J10.00, J10.01, J10.08, J10.1, J10.2, J10.81, J10.89, J11.00, J11.08, J11.1, J11.2, J11.81, J11.89, J12.0, J12.1, J12.2, J12.3, J12.81, J12.89, J12.9, J13, J14, J15.0, J15.1, J15.20, J15.211, J15.21, J15.29, J15.3, J15.4, J15.5, J15.6, J15.7, J15.8, J15.9, J16.0, J16.8, J17, J18.0, J18.1, J18.1, J18.9, J20.8, J20.9, J21.0, J21.8, J21.9, J40, J41.0, J41.1, J41.8, J42, J43.0, J43.1, J43.2, J43.8, J43.9, J44.0, J44.1, J44.9, J45.20, J45.21, J45.22, J45.30, J45.31, J45.32, J45.40, J45.41, J45.42, J45.50, J45.51, J45.52, J45.901, J45.902, J45.909, J45.990, J45.991, or J45.998 Opened effective 1/1/07. ICD-9 codes 464.4, 466-466.19, 480-487.8, 490-491.9, 492-492.8 and 493-493.9
	Levalbuterol inhalation solution concentrated form 0.5mg	Xopenex	Yes		Broncho-dilator	None	X	Х	X										Effective 10/1/2015 ICD-10 diagnosis codes A22.1, A37.91, A48.1, B25.0, B44.0, B44.1, J05.0, J09.X1, J09.X2, J09.X3, J09.X9, J10.00, J10.01, J10.08, J10.1, J10.2, J10.81, J10.89, J11.00, J11.08, J11.1, J11.2, J11.81, J12.0, J12.1, J12.2, J12.3, J12.81, J12.89, J12.9, J13.4, J14.5, J15.0, J15.1, J15.0, J15.1, J15.0, J15.1, J15.0, J15.1, J15.20, J15.211, J15.212, J15.29, J15.3, J15.4, J15.5, J15.6, J15.7, J15.8, J15.9, J16.0, J16.8, J17, J18.0, J18.1, J18.8, J18.9, J20.8, J20.9, J21.0, J21.8, J21.9, J40, J41.0, J41.1, J41.8, J42, J43.0, J43.1, J43.2, J43.8, J43.9, J44.0, J44.1, J44.9, J45.20, J45.21, J45.22, J45.30, J45.31, J45.32, J45.40, J45.41, J45.42, J45.50, J45.51, J45.52, J45.901, J45.902, J45.909, J45.990, J45.991, or J45.998 Opened effective 1/1/07. ICD-9 codes 464.4, 466-466.19, 480-487.8, 490-491.9, 492-492.8 and 493-493.9
J7613	Albuterol inhalation solution unit dose 1mg	Accuneb Proventil Respirol Ventolin	Yes	SOL=ML	Broncho-dilator		Х	Х	Х	Х									Code change; re-opened 1/1/09. Code closed effective 12/31/07.
J7614	Levalbuterol inhalation solution unit dose 0.5mg	Xopenex	Yes	SOL=ML	Broncho-dilator		Х	Х	Х	Х									Code change; re-opened 1/1/09. Code closed effective 12/31/07.
	Levalbuterol, inhalation solution, compounded product, adminstered through DMF	Xopenex	N/A		Adrenergic bronchodilator														Not covered.
	Albuterol, up to 2.5 mg and ipratropium bromide, up to 0.5 mg, non- compounded	Duoneb	N/A		Broncho-dilator														Not covered.

Code	Description	Brand Name	req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	OP	Р	NP	MW	МН	нѕ	PO	ОРН	Ŧ	F	DC	Special Instructions
J7622	Betamethasone inhalation solution unit dose form per mg		N/A		Corticosteroid														Not Covered
J7624	Betamethasone inhalation solution unit dose form per ma		N/A		Corticosteroid														Not Covered
	Budesonide inhalation solution, non- compounded, administered thru DME,	Pulmicort Respules	N/A		Corticosteroid														Not Covered
	Budesonide, powder, compounded for inhalation solution, administered through DME, unit dose form up	Pulmicort	N/A		Corticosteroid														Not covered.
J7628	Bitolterol mesylate inhalation solution concentrated form per mg	Tornalate	N/A		Sympathomimet ic														Not Covered
J7629	Bitolterol mesylate inhalation solution unit dose form per ma	Tornalate	N/A		Sympathomimet ic														Not Covered
J7631	Cromolyn sodium inhaltion solution unit dose form per 10ma	Gastrocrom Intal Nasalcrom	Yes	PWD=UN SOL=ML	Anti-allergic	None	Х	Х	Х	Х									New code effective 1/1/08. Nurse practitioner added 1/1/09.
J7632	Cromolyn Sodium inhalation solution, compounded product, administered through				Mast cell stabilizer														Not covered.
J7633	Budesonide inhalation solution concentrated form per 0.25mg	Pulmicort	N/A		Cortico steroid														Not Covered
	Budesonide, inhalation solution, compounded product, administered through DMF	Rhinocort	N/A		Anti- inflammatory, corticosteroid														Not covered.
J7635	Atropine inhalation solution concentrated form per ma.	Sal-Tropine	N/A		anticholinergics/ antispasmodics														Not Covered
J7636	Atropine inhalation solution administered through DME unit dose form per mg	Sal-Tropine	N/A		anticholinergics/ antispasmodics														Not Covered
J7637	Dexamethasone inhalation solution concentrated form per	Decadron	N/A		Corticosteroid														Not Covered
	Dexamethasone inhalation administered through DME unit dose form per mg	Decadron	N/A		Corticosteroid														Not Covered
J7639	Dornase alpha inhalation solution unit dose form per ma	Pulmozyme	N/A		Enzyme														Not Covered
J7640	Formoterol, inhalation solution, administered through DME, unit dose form. 12 micrograms	Foradil	N/A		Corticosteroid														Not covered.

		T			·								1						-1
Code	Description	Brand Name		NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	PO	OPH	HI			Special Instructions
			req.	of		Limits	OP	OP									F		
			for	measure															
			drug																
			rebate																
			?																
	Flunisolide inhalation	Nasalide	N/A		Corticosteroid														Not Covered
	solution unit dose per																		
17040	Change malata inhalatian	Dahiaul	NI/A		Anti abalinavaia													╀	Net Coursed
	Glycopyrrolate inhalation solution concentrated	Robinul	N/A		Anti-cholinergic														Not Covered
	form per mg																		
	ioiiii pei iiig																		
J7643	Glycopyrrolate inhalation	Robinul	N/A		Anti-cholinergic														Not Covered
	solution unit dose form																		
17011	per ma		21/2		5													-	11.0
	Ipratropium bromide	Atrovent	N/A		Broncho-dilator														Not Covered
	inhalation solution unit																		
J7645	dose form per ma Ipratropium bromide,	Atrovent	N/A		Broncho-dilator										1	1	+	1	Not covered.
	inhalation solution,	,	',,,,															1	
	compounded product,		1								l					1		1	
	administered thru DMF		ļ																
	Isoetharine HCI,	Bronkometer,	N/A		Broncho-dilator													1	Not covered.
	inhalation solution,	Bronkosol	1								l					1		1	
	compounded product,																		
	administered through																		
.17648	DMF Isoetharine HCI	Bronkometer,	N/A		Broncho-dilator													+	Not Covered
	inhalation solution	Bronkosol			Bronono anator														
	concentrated form per																		
	ma																		
	Isoetharine HCI	Bronkometer,	N/A		Broncho-dilator														Not Covered
	inhalation solution unit	Bronkosol																	
17650	dose form per ma Isoetharine HCI,	Bronkometer,	N/A		Broncho-dilator											1		+-	Not covered.
	inhalation solution,	Bronkosol	14/7		Dionono-dilator														Not covered.
	compounded product,	2.0																	
	administered through																		
	DME																	_	
	Isoproterenol HCI,	Isuprel HCI	N/A		Vasopressor														Not covered.
	inhalation solution,	Medihaler- 150																	
	compounded product, administered through	150																	
	DMF																		
J7658	Isoproterenol HCI	Isuprel HCI	N/A		Vasopressor													T	Not Covered
	inhalation solution con-	Medihaler-																1	
17050	centrated form per mg	150	NI/A		\/			-					1	-	1	<u> </u>	1	+	Not Occurred
	Isoproterenol HCI	Isuprel HCI Medihaler-	N/A		Vasopressor													1	Not Covered
	inhalation solution unit dose form per mg	150	1								l					1		1	
J7660	Isoproterenol HCI,	Isuprel HCI	N/A		Vasopressor												1	t	Not covered.
	inhalation solution,	Medihaler-			i i													1	
	compounded product,	150																1	
	administered through		1								l					1		1	
17665	DMF Mannitol, administered	Aridol	N/A						\vdash		-		1		1	1	-	╀	Not covered.
37003	via inhaler, 5 mg.	Alluui	IN/M								l					1		1	INOL COVOTOU.
J7667	Metaporterenol sulfate,	Alupent	N/A		Broncho-dilator												1	t	Not covered.
	inhalation solution,										l					1		1	
	compounded product,																	1	
17000	concentrated	A1	V		Daniel de 1911	Nissa		-					1	-	1	<u> </u>	1	+	On the short of 000 Mar. On contrast of 100 On the 100 A 100 A 100 A 100 A 100 A 100 A 100 A 100 A 100 A 100 A
	Metaproterenol sulfate	Alupent	Yes	ML	Broncho-dilator	None			Х	Х								1	Code closed 6/30/11. Opened effective 1/1/07. ICD-9 codes 464.4, 466-466.19, 480-487.8, 490-491.9, 492-403.8 and 403.403.0 required on claim form.
	inhalation solution con- centrated form per 10mg																	1	492.8 and 493-493.9 required on claim form.
	vennaren milli ber 101110										•				•	•	-	-	

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	PΩ	OPI	41	ні Іі	пΤ	Special Instructions
		Branu Name	req. for drug rebate ?	of measure		Limits	OP	OP		INF	IMVV	IVIII	no	10	OF			F	
	Metaproterenol sulfate inhalation solution unit dose form per 10 mg	Alupent	Yes	PWD=UN SOL=ML	Broncho-dilator	None			X	Х									Effective 10/1/2015 ICD-10 diagnosis codes A22.1, A37.91, A48.1, B25.0, B44.0, B44.1, J05.0, J09.X1, J09.X2, J09.X3, J09.X9, J10.00, J10.01, J10.08, J10.1, J10.2, J10.81, J10.89, J11.00, J11.08, J11.1, J11.8, J11.89, J12.0, J12.1, J12.2, J12.3, J12.81, J12.89, J12.9, J13, J14, J15.0, J15.1, J15.20, J15.211, J15.212, J15.29, J15.3, J15.4, J15.5, J15.6, J15.7, J15.8, J15.9, J16.0, J16.8, J17, J18.0, J18.1, J18.8, J13. J20.8, J20.9, J21.0, J21.8, J21.9, J40, J41.0, J41.1, J41.8, J42, J43.0, J43.1, J43.2, J43.8, J43.9, J44.0, J44.1, J44.9, J45.20, J45.21, J45.22, J45.30, J45.31, J45.32, J45.40, J45.41, J45.42, J45.50, J45.51, J45. J45.901, J45.902, J45.909, J45.990, J45.991, or J45.998 Opened effective 1/1/07. ICD-9 codes 464.4, 466-466.19, 480-487.8, 490-491.9, 492-492.8 and 493-493
	Metaproterenol sulfate, inhalation solution, compounded product, administered	Alupent	N/A		Broncho-dilator														Not covered.
	Methacholine chloride as inhalation solution through a nebulizer per	Provocholine	N/A		Cholinergic broncho- constrictor														Not Covered
	Pentamidine Isethionate inhalation solution, compounded product, administered through				Anti-protozoal														Not covered
	Terbutaline sulfate inhalation solution concentrated form per mg	Brethine Bricanyl	N/A		Broncho-dilator														Not Covered
	Terbutaline sulfate inhalation solution unit dose form per ma	Brethine Bricanyl	N/A		Broncho-dilator														Not Covered
	Tobramycin unit dose form 300mg inhalation solution	Tobi	N/A		Antibiotic														Not Covered
	Triamcinolone inhalation solution concentrated form per mg	Azmacort	N/A		Corticosteroid														Not Covered
	Triamcinolone inhalation solution unit dose form per ma	Azmacort	N/A		Corticosteroid														Not Covered
	Tobramycin, inhalation solution, compounded product, administered through DMF	Tobrex	N/A		Anti-bacterial, opthalmic														Not covered.
	Treprostinil, inhalation solution, FDA-approved final product, non- compounded, administered through DME, unit dose form,	Tyvaso	N/A		Pulmonary Anti- hypertensive														Not covered.
	NOC drugs in-halation drugs. Used only if a more specific code is not		N/A																Not Covered
	NOC drugs other than inhalation drugs. Used only if a more specific		N/A																Not Covered
J8498	Antiemetic drug, rectal/suppository, not otherwise specified		N/A																Not covered.

0	December 11 and	I D I N	NDO	NDO'r	0-1	0	40	0411		ND	84147		1110	В0	L O D L I		IDT	- 1 5	2 December 1997
Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	IVIH	HS	PO	ОРН	HI			Special Instructions
			req.	of		Limits	OP	OP									F		
			for	measure															
			drug																
			rebate																
			?																
J8499	Prescription drug oral		N/A															╁	Not Covered
	non-chemotherapeutic																		
	NOS																		
J8501	Aprepitant oral 5mg	Emend	N/A		Antiemetic														Not Covered
	, ,,	Emend																	
		Tri-Fold																	
J8510	Bulsulfan oral2 mg	Myleran	N/A		Anti-neoplastic														Not Covered
J8515	Cabergoline, 0.25 mg	Dostinex	N/A																Not Covered.
J8520	Capecitabine oral 150mg	Xeloda	N/A		Anti-neoplastic														Not Covered.
					·														
J8521	Capecitabine oral 500mg	Xeloda	N/A		Anti-neoplastic														Not Covered.
					,														
J8530	Cyclophosphamide oral	Cytoxan	N/A		Anti-neoplastic														Not Covered.
	25ma	Procvtox			,										<u> </u>			L	
J8540	Dexamethasone, oral,	Decadron	N/A		Anti-														Not Covered.
	0.25 ma				inflammatory														
	Etoposide oral 50mg	VePesid	N/A		Anti-neoplastic														Not Covered.
	Everolimus, oral, 0.25	Afinitor	N/A																Not Covered.
	mg.																		
J8562	Fludarabine phosphate,	Oforta	N/A		Anti-neoplastic														Not covered.
	oral, 10 mg.				,														
J8565	Gefitnib oral 250mg	Iressa	N/A		Anti-neoplastic														Not Covered.
J8597	Antiemetic drug, oral,		N/A																Not Covered.
	not othrwise specified																		
	Melphalan oral 2mg	Alkeran	N/A		Anti-neoplastic														Not Covered.
J8610	Methotrexate oral 2.5mg	Rheumatrex	N/A		Anti-rheumatic														Not Covered.
		Dose Pack																	
	Nabilone, oral, 1 mg	Cesamet	N/A		Antiemetic														Not Covered.
	Rolapitant, oral, 1 mg	Varubi																	Effective 1/1/17. Not covered. See pharmacy POS.
	Temozolomide oral 5mg	Temodar	N/A		Anti-neoplastic													4	Not Covered.
J8705	Topotecan, oral, 0.25	Hycamtin	N/A		Anti-neoplastic														Not covered.
	ma.															1			
	Prescription drug oral		N/A																Not Covered.
	chemotherapeutic NOS.																		
	Used only if a more																		
	specific code is not																		
10000	available	A .1.1	V	DIA/D LIN	And manufaction	00	· ·		\ \		-			-	-	1	_	-	
J9000	Doxorubicin HCl 10mg	Adriamycin	Yes	PWD=UN	Anti-neoplastic	20 per day	Х	Х	Х								1	1	
10004	Doxorubicin HCI, all lipid	Doxil	Yes	SOL=ML ML	Anti nocalastia	10 per des	Х		Х		-	_	-	-	<u> </u>	+	+	+	Closed 12/31/12.
19001		DOXII	res	IVIL	Anti-neoplastic	10 per day	^	Х	^		1		1	1		1			Glosed 12/31/12.
Ignna	formulations, 10mg Injection, doxorubicin	Doxil	Yes	ML	Anti-neoplastic	10 per day	Х	Х	Х		 	 	1-	 	!	+	+	+	Effective 1/1/13.
39002		DOXII	165	IVIL	Anti-neopiasiic	10 per day	^	^	_ ^		1		1	1		1	1	1	Enecuve 1/1/13.
	hydrochloride, liposomal,																1	1	
19010	10 mg Injection, alemtuzumab,	Campath	Yes	ML	Anti-neoplastic	3 per day	Х	Х	Х		 			 	<u> </u>	1	+	╁	Drug not available on market, effective 9/4/12.
39010	10ma	Campath	165	IVIL	Anu-neopiasiic	3 per uay	^	^	_ ^		1		1	1		1			Drug not available on market, enective 3412.
.19015	Aldesleukin per single	Proleukin	Yes	UN	Biological	3 per day	Х	Х	Х		 	 	1	 	 	+	+	+	
03013	use vial.	i ioieukiii	100	ON	Response	o per uay	^	_ ^	^		1		1	1		1	1	1	
	use vial.				Modulator												1	1	
.19017	Arsenic trioxide 1mg	Trisenox	Yes	PWD=UN	Anti-neoplastic	15 per day	Х	Х	Х		t	<u> </u>	1	t	t -	t	+	+	
30017	, account the thing	THISCHICK	100	SOL=ML	Hoopiastic	.o por day	^		^								1	1	
J9019	Injection, asparaginase,	Erwinaze	Yes	UN	Anti-neoplastic	None	Х	Х	Х							1		✝	Effective 10/1/2015 ICD-10 diagnosis codes C91.00 - C91.02
55515	1.000 iu			511	copiaotio			l ^	^		1		1	1		1			Effective 1/1/13. Restricted to ICD diagnosis of 204.00 - 204.02.
J9020	Asparaginase 10000U	Elspar	Yes	UN	Anti-neoplastic	3 per day	Х	Х	Х							1		✝	ELIVENTE II II V. TOURINGO IO IVE GIRGINOSIO VI ZUTIVO - ZUTIVO.
	Injection, asparaginase,	Rylaze	Yes	SOL	Anti-neoplastic	None	X	X	Х									1	Effective 1/1/22.
	recombinant, 0.1 mg	,					1	'			l			1				1	Restricted to ICD-10 C91.00 - C91.02, C83.50 - C83.59.
I																	1	1	Minimum age of 1 month.
							1							<u> </u>				1	minimum ago or i moran.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	Р	NP	MW	МН	HS	PC	O	PH	HI	IDT F	D	C Special Instructions
J9022	Injection, atezolizumab, 10 mg.	Tecentriq	Yes	ML	Anti-neoplastic	120 units daily	Х	Х	X											Effective 3/1/22, ICD -10 C22.0 - C22.9 added. Effective 2/1/19, added ICD-10: C50.911 - C50.929, C61, C7A.1, C78.00, C78.01, C78.02, C79.31, C79.51, C79.52, D05.00 - C05.92, D09.0, Z17.0, Z17.1, Z51.11, Z51.12, Z80.0 - Z80.3, Z80.41 - Z80.49, Z80.51 - Z51.59, Z85.118, Z85.3, Z85.51, Z85.59, Code made effective 1/1/18. Comprehensive list of indications: As of April 17, 2017, ICD-10 of C65.1, C65.2, C65.9, C66.1, C66.2, C66.9, C67.0, C67.1, C67.2, C67.3, C67.4, C67.5, C67.6, C67.7, C67.8, C67.9, C68.0. As of March 8, 2019, ICD-10 of C33, C34.00 - C34.92. Minimum age of 16 years.
J9023	Injection, avelumab, 10 mg.	Bavencio	Yes	ML	Anti-neoplastic	None	Х	Х	Х											Effective 5/14/19, ICD-10 added: C4A.111, C4A.112, C4A.121, C4A.122, C61, C64.1, C64.2, C64.9, C66.9, D09.0, Z85.51, Z85.528. Effective 1/1/18. Restricted to ICD-10 C4A.0, C4A.10 -C4A.12, C4A.20 - C4A.22, C4A.30 - C4A.39, C4A.4, C4A.51 - C4A.59, C4A.60 - C4A.62, C4A.70 - C4A.72, C4A.8, C4A.9; C65.1, C65.2, C66.1, C66.2, C67.0 - C67.9, C68.0, C68.8. Minimum age of 12 years.
J9025	Injection, azacitidine, 1 mg	Vidaza	Yes	UN	Anti-neoplastic	None	х	х	х											Effective 6/1/19, ICD-10 added: C92.00, C92.01, C92.02, C92.50, C92.51, C92.52, C92.60, C92.61, C92.62, C92.80, C92.81, C92.82, Effective 10/1/2015 ICD-10 diagnosis codes C88.8, C92.10, C92.20, C94.40, C94.41, C94.42, C94.6, D46.0, D46.1, D46.20, D46.21, D46.22, D46.4, D46.9, D46.9, D46.8, D46.C, D46.Z, D47.1, D47.3, D47.9, or D47.Z9 ICD-9 code 238.7, 238.71, 238.72, 238.73, 238.74, 238.75, 238.76, 238.79 or 205.10 required on claim form.
J9027	Injection, clofarabine, 1	Clolar	Yes	ML	Anti-neoplastic	None	Х	Х	Х											New code effective 1/1/06.
J9030	BCG live intravesical instillation, 1 mg	BCG Tice	Yes	UN	Biological Response Modulator	None	Х	Х	Х											Effective 7/1/19.
J9031	BCG live (intravesical) per instillation	TheraCys Tice BCG	Yes	UN	Biological Response Modulator	3 per day	Х	Х	Х											Code can be used for therapeutic reasons, and claim must include the NDC being billed.
J9032	Injection, belinostat, 10	Beleodaq	Yes	UN	Anti-neoplastic		Х	Х	Х											Effective 1/1/16. Restricted to diagnosis ICD-10 C84.40 - C84.49. Minimum age of 16 years.
J9033	Injection, bendamustine HCl, 1 mg.	Treanda	Yes	UN	Anti-neoplastic	None	Х	Х	х											Effective 10/1/2015 ICD-10 diagnosis codes C82.00 - C82.69, C82.80 - C82.99, C83.01 - C83.08, C83.10 - C83.19, C83.30 - C83.39, C83.50 - C83.59, C83.70 - C83.99, C84.00 - C84.19, C84.40 - C84.49, C84.60 - C84.79, C84.90 - C84.89, C84.A0 - C84.A9, C84.20 - C84.29, C85.10 - C85.29, C85.80 - C85.99, C86.0 - C86.4, C86.6, C88.2 - C88.4, C88.8, C88.9, C90.00, C90.10, C90.20, C90.30, C91.10 - C91.12, C91.40 - C91.42, C96.0, C96.2, C96.A, or D47.Z9 New code effective 1/1/09. Replaces C9239. Restricted to ICD-9 diagnois 200.00-200.88, 202.00-202.88,
J9034	Injection, bendamustine HCl, 1 mg.	Bendeka	Yes	ML	Anti-neoplastic	None	Х	Х	Х											Effective 1/1/17. Restricted to ICD-10 diagnosis C82.00 - C82.69, C82.80 - C82.99, C83.01 - C83.08, C83.10 - C83.19, C83.30 - C83.39, C83.50 - C83.59, C83.70 - C83.99, C84.00 - C84.19, C84.40 - C84.49, C84.60 - C84.79, C84.90 - C84.99, C84.A0 - C84.A9, C84.Z0 - C84.Z9, C85.10 - C85.29, C85.80 - C85.99, C86.0 - C86.4, C86.6, C88.2 - C88.4, C88.8, C88.9, C90.00, C90.10, C90.20, C90.30, C91.10 - C91.12, C91.40 - C91.42, C96.0, C96.2, C96.A, or D47.Z9.

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	М	н н	S F	РО	ОРН	Н	IDT	DC	Special Instructions
			req.	of	,g.,	Limits	OP	OP										F		
			for drug	measure																
			rebate																	
10025	Injection bevacizumab	Avastin	? Yes	ML	Anti-neoplastic	None	Х	Х	X						_					Effective 8/1/22, ICD-10 C56.3 added.
19033	10 mg	AVASIII	165	IVIL	Ariti-rieopiastic	None	^	^	^											Effective 3/1/22, ICD-10 C33.3 added. Effective 3/1/22, ICD-10 C22.0 - C22.9 added.
																				Effective 1/1/21, ICD-10 E10.311 - E10.3599 and E11.311 - E11.3599 added.
																				Effective 2/1/17, add ICD-10 diagnoses C54.1, C54.2, C54.3, and C54.9. Effective 10/1/2015 ICD-10 diagnosis codes C18.0 - C18.9, C19, C20, C21.0 - C21.2, C21.8, C33, C34.00 -
																				C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92, C38.4, C44.500,
																				C44.501, C44.509, C44.90, C45.1, C48.0, C48.1, C48.8, C53.0, C53.1, C53.8, C56.1, C56.2, C56.9, C57.00 - C57.02, C57.10 - C57.12, C57.20 - C57.22, C57.3, C57.4, C64.1, C64.2, C64.9, C65.1, C56.2, C65.9, C66.1,
																				C66.2, C66.9, C68.0, C68.1, C68.8, C68.9, C70.0, C70.1, C70.9, C71.0 - C71.9, C72.0, C72.1, C72.20 -
																				C72.22, C72.30 - C72.32, C72.40 - C72.42, C72.50, C72.9, D43.0 - D43.2, or D43.4 Effective 11/14/14, ICD-9 diagnosis restriction of 158.0 - 158.8 and 183.0 - 183.8 added. Effective 8/14/14,
																				ICD-9 diagnosis restriction of 180.0, 180.1, and 180.8 added. Effective 10/1/13, ICD-9 diagnosis restriction of
																				237.5 added. Effective 4/1/13, approved ICD-9 diagnoses 174.0 - 175.9 removed, per FDA recommendation. ICD-9 codes 153.0-154.8, 173.5, 174.0-174.9 or 175.0-175.9 required on claim form. New ICD-9 diagnois
																				code of 162.0 - 163.0, effective 9/20/07. New ICD-9 diagnosis code of 191.0-192.9, effective 5/5/09. New
																				approved ICD-9 diagnosis of 189.0 - 189.9, effective 8/1/09. Bill J3490 for provider specialty Ophthalmology.
J9037	Injection, belantamab	Blenrep	Yes	UN	Anti-neoplastic	None	Х	Х	X						_					Effective 4/1/21.
J9037	mafodontin-blmf, 0.5 mg	ыептер	165	ON	Anti-neopiastic	None	^	^	^											Restricted to ICD-10 C90.00 - C90.02.
																				Minimum age of 16 years.
J9039	Injection, blinatumomab, 1 microgram	Blincyto	Yes	UN	Anti-neoplastic	None	Х	Х	Х											Effective 6/1/18, minimum age restriction was removed. 1/1/16. Restricted to diagnosis ICD-10 C91.00 - C91.02. Minimum age of 13 years.
																				The results of diagnost results of results and restinations and results and results and results and results and re
	Bleomycin sulfate 15U Injection bortezomib	Blenoxane Velcade	Yes Yes	UN UN	Anti-neoplastic Proteasome	4 per day None	X	X	X											Effective 10/1/2015 ICD-10 diagnosis codes C83.10 - C83.19, C90.00, C90.02, T86.00 - T86.03, T86.09 -
J9041	(Velcade), 0.1 mg	veicade	165	ON	Inhibitor	None	^	^	^											T86.13, T86.19 - T86.23, T86.290, T86.298, T86.30 - T86.33, T86.39 - T86.43, T86.810 - T86.812, T86.818,
																				T86.819, T86.850 - T86.852, T86.858, T86.859, T86.890 - T86.892, T86.898 or T86.899 ICD-9 diagnosis restriction of 996.81 - 996.87 added, effective 3/1/15. ICD-9 code 203.00 or 203.02, initial
																				or relapsed multiple myeloma, required on claim form. New indication of mantle cell lymphoma added effective
																				7/1/08. Claim must include ICD-9 range of 200.40 to 200.48.
100.40	Intention house, despite	A destale		1181	Anthonophoric	400			V											Effective 10/1/2015 ICD-10 diagnosis codes C81.00 - C81.49. C81.70 - C81.79. C81.90 - C81.98. or C84.60 -
J9042	Injection, brentuximab vedotin, 1 mg	Adcetris	Yes	UN	Anti-neoplastic	180 units daily	Х	Х	Х											C84.79
J9043	Injection, cabazitaxel, 1	Jevtana	Yes	ML	Anti-neoplastic	None	Х	Х	Х				-		-					Effective 1/1/13 Restricted to ICD-9 diagnosis of 200 60 - 200 68 or 201 00 - 201 98 Effective 10/1/2015 ICD-10 diagnosis code C61
	ma.																			Effective 1/1/12. Restricted to ICD-9 diagnosis 185.0.
J9044	Injection, bortezomib, not otherwise specified,	NA	Yes	UN	Proteasome Inhibitor	None	Х	Х	Х											Closed 12/31/22. See J9046, J9048, or J9049 after this date. Effective 1/1/19.
	0.1 mg																			Restricted to ICD-10 C83.10 - C83.19, C90.00, C90.02, and T86.00 - T86.03, T86.09 - T86.13, T86.19 -
																				T86.23, T86.290, T86.298, T86.30 - T86.33, T86.39 - T86.43, T86.810 - T86.812, T86.818, T86.819, T86.850 - T86.852, T86.858, T86.859, T86.890 - T86.892, T86.898 or T86.899.
J9045	Carboplatin 50mg	Paraplatin	Yes	PWD=UN	Anti-neoplastic	18 per day	Х	Х	Х			\vdash	-	+	\dashv			\vdash	_	
	Injection, bortezomib,	NA	Yes	SOL=ML EA	Anti-neoplastic	None	Х	Х	Х		ļ	1		\perp				1	_	Effective 1/1/23.
33040	(dr. reddy's), not	INA	169	LA	Anti-neopiastic	INOTIC	_ ^	_ ^	^											LIBOUTO IT II 25.
	therapeutically equivalent to j9041, 0.1											1								
	mg																			
J9047	Injection, carfilzomib, 1	Kyprolis	Yes	UN	Anti-neoplastic	None	Х	Х	Х											Effective 10/1/2015 ICD-10 diagnosis codes C90.00, C90.01 or C90.02
	lma		l								<u> </u>	<u> </u>						1		Effective 1/1/14. Restricted to ICD-9 diagnosis of 203.00 - 203.02. Minimum age restriction of 16 years.

Code	Description	Dues d Nerro	NDC	NDC ·····'	Catamami	Service	40	CAL	Р	NP	MW	МН	LIC	DC.	OP		1	DT	D.C.	Curated Instructions
Code	Description	Brand Name	NDC req.	NDC unit of	Category	Limits	AC OP	CAH	Ρ.	NP	IVIVV	IVIH	HS	PO	OPI	1		F	DC	Special Instructions
			for	measure			-	-												
			drug																	
			rebate ?																	
.19048	Injection, bortezomib	NA	Yes	EA	Anti-neoplastic	None	Х	Х	Х							-		-		Effective 1/1/23.
00040	(fresenius kabi), not	10.	100	2,1	7 tha ricopiastic	None	^													Elicourte II II Zo.
	therapeutically																			
	equivalent to j9041, 0.1																			
100.40	ŭ	NIA	V	E4	A	Nissa		V	V											Effective 1/1/23.
J9049	Injection, bortezomib (hospira), not	NA	Yes	EA	Anti-neoplastic	None	Х	Х	Х											Effective 1/1/23.
	therapeutically																			
	equivalent to j9041, 0.1																			
.19050	mg Carmustine 100mg	BICNU	Yes	PWD=UN	Anti-neoplastic	5 per day	Х	Х	Х				-				_	-		
	cadolino roomg	DIOITO	100	SOL=ML	, noopiastio	5 por day			Ĺ											
J9055	Injection Cetuximab 10	Erbitux	Yes	ML	Anti-neoplastic	None	Х	Х	Х											Effective 10/1/2015 ICD-10 diagnosis codes C00.0 - C00.6, C00.8, C00.9, C01, C02.0 - C02.4, C02.8,
	mg																			C02.9, C03.0, C03.1, C03.9, C04.0, C04.1, C04.8, C04.9, C05.0 - C05.2, C05.8, C05.9, C06.0 - C06.2, C06.80, C06.89, C06.9, C07, C08.0, C08.1, C08.9, C09.0, C09.1, C09.8, C09.9, C10.0 - C10.4, C10.8 - C10.9,
																				C11.0 - C11.3, C11.8, C11.9, C12, C13.0 - C13.2, C13.8, C13.9, C14.0, C14.2, C14.8, C18.0 - C18.9, C19,
																				C20, C21.0 - C21.2, C21.8, C30.0, C30.1, C31.0 - C31.3, C31.8, C31.9, C32.0 - C32.3, C32.8, C32.9, C4A.0
																				or C76.0
J9056	Injection, bendamustine	Vivimusta	Yes	ML	Anti-neoplastic	None	Х	Х	Х											Effective 7/1/23.
	hydrochloride, 1 mg																			
J9057	Injection, copanlisib, 1	Aliqopa	Yes	UN	Anti-neoplastic	60 units daily	Х	Х	Х											Effective 1/1/19.
	mg																			Restricted to ICD-10 C82.00 - C82.99. Minimum age of 16 years.
J9058	Injection, bendamustine	NA	Yes	ML	Anti-neoplastic	None	Х	Х	Х											Effective 7/1/23.
	hydrochloride (apotex), 1																			
	mg																			
J9059	Injection, bendamustine hydrochloride (baxter), 1	NA	Yes	ML	Anti-neoplastic	None	Х	Х	Х											Effective 7/1/23.
	mg																			
J9060	Cisplatin powder or	Platinol AQ	Yes	PWD=UN	Anti-neoplastic	18 per day	Х	Х	Х											
J9061	solution per 10mg Injection, amivantamab-	Rybrevant	Yes	SOL=ML SOL	Anti-neoplastic	700 units	Х	Х	Х				-			-	-	-		Effective 1/1/22.
39001	vmjw, 2 mg	Rybievani	163	JOL	Anti-neoplastic	daily	^	^	^											Restricted to ICD-10 C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92. Minimum
	,					Í														age of 16 years.
	Cisplatin 50mg	Platinol AQ	Yes	ML	Anti-neoplastic	6 per day	Х	Х	Х											Closed 12/31/10. See J9060.
J9063	Injection, mirvetuximab soravtansine-gynx, 1 mg	Elahere	Yes	ML	Anti-neoplastic	None	Х	Х	Х											Effective 7/1/23. Restricted to ICD-10 C48.1, C48.8, C56.1, C56.2, C56.3, C57.01, C57.02, C57.11, C57.12, C57.21, C57.22,
	soraviansine-gynx, i mg																			C57.3, C57.4, C57.8, C79.61, C79.62, C79.63.
																				Minimum of 16 years.
J9065	Injection cladribine per 1	Leustatin	Yes	ML	Anti-neoplastic	40 per day	Х	Х	Х				+		+	-	+	+		
	mg				·	. ,														
J9070	Cyclophosphamide 100mg	Cytoxan Neosar	Yes	UN	Anti-neoplastic	68 per day	Х	Х	Х											
J9071	Injection,	NA	Yes	ML	Anti-neoplastic	None	Х	Х	Х								Ť	T		Effective 4/1/22.
	cyclophosphamide,																			
10090	(auromedics), 5 mg Cyclophosphamide 200	Cytoxan	Yes	UN	Anti-neoplastic	34 per day	Х	Х	Х		 		-	<u> </u>	-	-		_		Closed 12/31/10. See J9070 after this date.
	mg	Neosar	162		Anti-neopiastic	34 per uay	_^	_^	_^			L								
J9090	Cyclophosphamide 500	Cytoxan	Yes	UN	Anti-neoplastic	14 per day	Х	Х	Х											Closed 12/31/10. See J9070 after this date.
	ma	Neosar	l	l .	l	<u>l</u>			1	l	1	1	1	1						

Code Description Brand Name NOC NOC of the Control Code Co	0 - 1 -	D	D I N	NDO	NDO'r	0-1	01		0411	_	ND	8.6347		1110	T 80	0.01		1	D-1	20 Consist to street and
1909 Cyclophosphamide Cycl	Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC		Р	NP	MVV	MH	HS	PO	OPI	¹ '			Special Instructions
					_		Limits	OP	OP									- '	-	
1979 Cycontrolender 19					measure															
				drug																
				rebate																
				?																
	J9091	Cyclophosphamide 1g		Yes	UN	Anti-neoplastic	7 per day	Х	Х	Х										Closed 12/31/10. See J9070 after this date.
	J9092	Cyclophosphamide 2g	Cytoxan	Yes	UN	Anti-neoplastic	4 per day	Х	Х	Х										Closed 12/31/10. See J9070 after this date.
	J9093			Yes		Anti-neoplastic	68 per day	Х	Х	Х										
		lyophilized 200 mg				·	, ,	Х												
Second Continue		lyophilized 500 gm	Lyophilized			-														
		lyophilized 1g	Lyophilized			·														
19 10 19 10 19 10 19 19		Ivophilized 2a	Lvophilized																	Closed 12/31/10. See J9070 after this date.
		ma																		
		,			SOL=ML	·	•													
Septiment 1.0 units 1.0		,	,		SOL=ML		, ,													
Minimum age of 16 years. Minimum age of 16 y		pegol-mknl, 10 units	·			·														Restricted to ICD-10 of C91.00, C91.01, C91.02,
19410 Deacratezine 100mm DTIC-Dome Yes UN Anti-recoplastic 9 per day X X X V V V V V V V	J9119		Libtayo	Yes	SOL	Anti-neoplastic		X	X	Х										
1944 Deachbazine 200mg DTIC-Dome Ves UN Anti-neoplastic Sperially X X X X X X X X X	J9120	Dactinomycin 0.5mg	Cosmegen	Yes	UN	Anti-neoplastic	2 per day	Х	Χ	Χ										
J9144 (Injection, daratumumab, 10 parzalex Yes SOL Anti-neoplastic 180 units every 7 days 180 units every 7 days 180 units	J9130	Dacarbazine 100mg	DTIC-Dome	Yes	UN	Anti-neoplastic	9 per day	Х	Х	Χ										
10 mg and hyaluronidase-fihj Faspro hyaluronidase-fihi hyaluronidase-fihi faspro hyaluronidase-fihj Faspro hyaluronidase-fihj Faspro hyaluronidase-fihj Faspro hyaluronidase-fihj Faspro hyaluronidase-fihj Faspro hyaluronidase-fihj Faspro hyaluronidase-fihi faspro hyaluronidase-fihi faspro hyaluronidase-fihj Faspro hyaluronidase-fihj Faspro hyaluronidase-fihj Faspro hyaluronidase-fihj Faspro hyaluronidase-fihj Faspro hyaluronidase-fihj Faspro hyaluronidase-fihj Faspro hyaluronidase-fihi faspro hyaluronidase-fihj Faspro hyaluronidase-fihj Faspro hyaluronidase-fihi faspro hyaluronidase-fihi faspro hyaluronidase-fihi faspro hyaluronidase-fihi faspro hyaluronidase-fihi faspro hyaluronidase-f			DTIC-Dome	Yes		Anti-neoplastic	5 per day													
hyaluronidase-fihj hyaluronidase			Darzalex	Yes	SOL	Anti-neoplastic	180 units	Х	X	Χ										Effective 3/1/23, ICD-10 N03.0, N03.1, N03.2, N03.3, N03.4, N03.5, N03.6, N03.7, N03.8, N03.9, N03.A,
J9145 Injection, daratumumab. J9146 Injection, daratumumab. J9147 Injection, daratumumab. J9148 Injection, daratumumab. J9149 Daunorubicin HCl 10mg Daunorubicin citrate liposomal formulation 10 mo. J9150 Daunorubicin and a company of the production of the pr		10 mg and	Faspro				every 7 days													N05.0, N05.1, N05.2, N05.3, N05.4, N05.5, N05.6, N05.7, N05.8, N05.9, N05.A added.
J9145 Injection, daratumumab, 10 mg Darzalex Yes ML Anti-neoplastic daily X X X X X X X X X X X X X X X X X X X		hyaluronidase-fihj																		Effective 1/1/21.
J9145 Injection, daratumumab, 10 mg Darzalex Yes ML Anti-neoplastic daily X X X X X X X X X X X X X X X X X X X																				Restricted to ICD-10 C90.00 - C90.02.
J9145 Injection, daratumumab, 10 mg J9150 Daunorubicin HCl 10mg J9150 Daunorubicin Citrate Iposomal formulation 10 mg J9151 Injection, liposomal 1 mg daunorubicin and 2.27 mg otyrarabine J9155 Injection, degarelix, 1 mg daunorubicin and 2.7 mg otyrarabine J9155 Injection, degarelix, 1 mg. J9150 Daunorubicin and 2.7 mg otyrarabine J9150 Discovered J9150 Discovered J9150 Discovered J9150 Daunorubicin Citrate Iposomal formulation 10 mg. J9151 Daunorubicin citrate Iposomal formulation 10 mg. J9152 Injection, degarelix, 1 mg. J9155 Discovered J9155 Discov																				
10 mg 10														_			_	_	_	
J9150 Daunorubicin HCl 10mg Cerubidine Yes PWD=UN Anti-neoplastic 11 per day X X X X X J Daunorubicin citrate liposomal formulation 10 mn Daunoxome Yes ML Anti-neoplastic 11 per day X X X X J Daunorubicin citrate liposomal formulation 10 mn Daunoxome Yes ML Anti-neoplastic None X X X X J Daunorubicin and 2.27 mg cytarabine J9153 Injection, degarelix, 1 mg daunorubicin and 2.27 mg cytarabine J9155 Injection, degarelix, 1 mg. J9155 Denileukin diffitox 300mca J9165 Delihelukin diffitox 300mca J9165 Delihelukin diffitox 300mca J9165 Delihelukin diffitox 300mca J9165 Delihelukin diffitox 300mca J9165 Delihelukin diffitox 300mca J9165 Delihelukin diffitox cancer labelus and above their apy prostate cancer labelus and above their apy prostate cancer labelus and above their apy prostate cancer labelus and above labelus labelu	J9145		Darzalex	Yes	ML	Anti-neoplastic		Х	Х	Х										
Bestricted to ICD-10 diagnosis C90.02. Minimum age of 16 years. Sul_mustant Su		10 mg					daily													
J9150 Daunorubicin HCI 10mg Cerubidine Yes PWD=UN SolL=ML SolL=ML Daunoxome Yes ML Anti-neoplastic 11 per day X X X X D Daunoxome Yes ML Anti-neoplastic 11 per day X X X X D Daunoxome Yes ML Anti-neoplastic 11 per day X X X X D Daunoxome Yes ML Anti-neoplastic None X X X X D Daunoxome Yes ML Anti-neoplastic None X X X X D Daunoxome Yes ML Anti-neoplastic None X X X X D Daunoxome Yes ML Anti-neoplastic None X X X X D Daunoxome Yes ML Anti-neoplastic None X X X X D Daunoxome Yes ML Anti-neoplastic None X X X X D Daunoxome Yes None X X X X X D Daunoxome Yes None X X X X X D Daunoxome Yes None X X X X X D Daunoxome Yes None X X X X X D Daunoxome Yes None X X X X X D Daunoxome Yes None X X X X X D Daunoxome Yes None X X X X X D Daunoxome Yes None X X X X X X D Daunoxome Yes None X X X X X X D Daunoxome Yes None X X X X X X X D Daunoxome Yes None X X X X X X X X X X X X X X X X X X X																				
Daunorubicin HCl 10mg Cerubidine Yes PWD=UN Anti-neoplastic 11 per day X X X X																				Effective 1/1/17. Restricted to ICD-10 diagnosis C90.02. Minimum
J9151 Daunorubicin citrate liposomal formulation 10 mo J9153 Injection, liposomal, 1 mg daunorubicin and 2.27 mg cytarabine J9155 Injection, degarelix, 1 mag. J9156 Denileukin difitrox 300mca J9165 Diethylstilbestrol diphosphate 250 mg J9165 Diethylstilbestrol diphosphate 250 mg J9165 Diethylstilbestrol diphosphate 250 mg J9165 Diethylstilbestrol cancer J9166 Diethylstilbestrol diphosphate 250 mg																				age of 16 years.
J9151 Daunorubicin citrate liposomal formulation 10 mn J9153 Injection, liposomal, 1 mg daunorubicin and 2.27 mg cytarabine J9155 Injection, degarelix, 1 mg magon J9156 Denileukin diffitox 300mca J9165 Diethylstilibestrol diphosphate 250 mg J9165 Diethylstilibestrol diphosphate 250 mg J9165 Diethylstilibestrol diphosphate 250 mg J9165 Diethylstilibestrol diphosphate 250 mg J9175 ML Anti-neoplastic 11 per day	J9150	Daunorubicin HCl 10mg	Cerubidine	Yes		Anti-neoplastic	11 per day	Х	Х	Х										
liposomal formulation 10 mg J9153 Injection, liposomal, 1 mg daunorubicin and 2.27 mg cytarabine J9155 Injection, degarelix, 1 Firmagon Yes UN Anti-neoplastic 240 units per day J9160 Denileukin diffitox 300mca J9165 Diethylstilbestrol diphosphate 250 mg J9165 Diethylstilbestrol diphosphate 250 mg J9166 Diethylstilbestrol diphosphate 250 mg J9167 Diethylstilbestrol cancer J9167 Diethylstilbestrol diphosphate 250 mg J9168 Diethylstilbestrol diphosphate 250 mg J9168 Diethylstilbestrol cancer J9168 Diethylstilbestrol diphosphate 250 mg J9168 Diethylstilbestrol cancer J9168 Diethylstilbestrol diphosphate 250 mg J9168 Diethylstilbestrol cancer J9169 Diethylstilbestrol diphosphate 250 mg J9160 Diethylstilbestrol cancer J9160 Diethylstilbestrol diphosphate 250 mg J9160 Diethylstilbestrol cancer J9160 Di	J9151	Daunorubicin citrate	Daunoxome	Yes		Anti-neoplastic	11 per day	Х	Х	Х							1			
mg daunorubicin and 2.27 mg cytarabine Jeffective 10/1/2015 ICD-10 C92.00 - C92.02. Minimum age of 16 years. Jeffective 10/1/2015 ICD-10 diagnosis code C61 Effective 10/1/2015 ICD-10 diagnosis code C61 Effective 10/1/2015 ICD-9 diagnosis code C61 Effective 1/1/10, Restricted to ICD-9 diagnosis code C61 Effective 1/1/10, Restricted to ICD-9 diagnosis code C61 Effective 1/1/10, Restricted to ICD-9 diagnosis code C61 Effective 1/1/10, Restricted to ICD-9 diagnosis 185. Exclude female. Restrict to age 18 and above. Not Covered Jeffective 1/1/10, Restricted to ICD-9 diagnosis code C61 Effective 1/1/10, Restricted to ICD-9 diagnosis 185. Exclude female. Restrict to age 18 and above. Not Covered Jeffective 1/1/10, Restricted to ICD-9 diagnosis 185. Exclude female. Restrict to age 18 and above. Not Covered Jeffective 1/1/10, Restricted to ICD-9 diagnosis 185. Exclude female. Restrict to age 18 and above. Not Covered Jeffective 1/1/10, Restricted to ICD-9 diagnosis 185. Exclude female. Restrict to age 18 and above. Not Covered Jeffective 1/1/10, Restricted to ICD-9 diagnosis 185. Exclude female. Restrict to age 18 and above. Not Covered Jeffective 1/1/10, Restricted to ICD-9 diagnosis 185. Exclude female. Restrict to age 18 and above. Not Covered Jeffective 1/1/10, Restricted to ICD-9 diagnosis 185. Exclude female. Restrict to age 18 and above. Not Covered Jeffective 1/1/10, Restricted to ICD-9 diagnosis 185. Exclude female. Restrict to age 18 and above. Not Covered Jeffective 1/1/10, Restricted to ICD-9 diagnosis 185. Exclude female. Restrict to age 18 and above. Not Covered Jeffective 1/1/10, Restricted to ICD-9 diagnosis 185. Exclude female. Restrict to age 18 and above. Not Covered																				
2.27 mg cytarabine	J9153	Injection, liposomal, 1	Vyxeos	Yes	UN	Anti-neoplastic	None	Χ	Х	X										Effective 1/1/19.
J9155 Injection, degarelix, 1 Firmagon Yes UN Anti-neoplastic 240 units per X X X X Effective 10/1/2015 ICD-10 diagnosis code C61 Effective 10/1/2015 ICD-10 dia		mg daunorubicin and																		Restricted to ICD-10 C92.00 - C92.02.
J9155 Injection, degarelix, 1 Firmagon Yes UN Anti-neoplastic 240 units per X X X X Effective 10/1/2015 ICD-10 diagnosis code C61 Effective 10/1/2015 ICD-10 dia				1	1			1			l		1							
mg.			Eirmagon	Voc	LINI	Anti noonlastis	240 units nor	V	~	V			-	+	1	+	-	-	-	•
J9160 Denileukin diffitox 300mca Ontak N/A Anti-neoplastic Not Covered J9165 Diethylstilbestrol diphosphate 250 mg Ontak 250 mg Ontak N/A Anti-neoplastic Not Covered Not Covered Only for cancer diagnosis.	39133	ma	Fillilagon	165	UN	Anti-neopiastic		^	^	^										
J9165 Diethylstilbestrol diphosphate 250 mg Stilphostrol Yes UN Palliative therapy prostate cancer 4 per day X X X X S S S Only for cancer diagnosis.	J9160		Ontak	N/A		Anti-neoplastic	uuy													
diphosphate 250 mg therapy prostate cancer therapy prostate	J9165		Stilphostrol	Yes	UN	Palliative	4 per day	Χ	Х	Χ										Only for cancer diagnosis.
		diphosphate 250 mg				therapy prostate cancer	, ,													
	J9170	Docetaxel 20mg	Taxotere	Yes	ML	Anti-neoplastic	10 per day	X	X	X										Closed 12/31/09. See J9171.

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	САН	Р	NP	MW	М	н Гня	: F	PO	ОРН	н	IDT	гΙр	C Special Instructions
Jour	Description	Brana Name	req.	of	Gategory	Limits	OP	OP	١.	١				Ί.		ŭ	•••	F	Ϊ,	O Openiu mondono
			for	measure																
			drug rebate																	
			?																	
J9171	Injection, docetaxel, 1 mg.	Taxotere	Yes	ML	Anti-neoplastic	200 u. per day	X	X	X								X			Effective 10/1/2015 ICD-10 diagnosis codes C00.0 - C00.6, C00.8, C00.9, C15.3 - C15.5, C15.8, C15.9, C16.0 - C16.6, C16.8, C16.9, C25.0 - C25.4, C25.7 - C25.9, C30.0, C30.1, C31.0 - C31.3, C31.8, C31.9, C32.0 - C32.3, C32.8, C32.9, C33, C34.00, C34.01, C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92, C44.00 - C44.02, C44.09, C44.201, C44.202, C44.209, C44.211, C44.212, C44.219, C44.221, C44.222, C44.229, C44.229, C44.299, C44.290, C44.201, C44.309 - C44.301, C44.309 - C44.311, C44.319 - C44.321, C44.329, C44.390, C44.391, C44.391, C44.390, C44.429, C44.429, C45.1, C45.9, C47.0, C47.10 - C47.12, C47.20 - C47.22, C47.4, C47.8, C47.9, C48.0 - C48.2, C48.8, C49.0, C49.10 - C49.12, C49.20 - C49.22, C49.4, C49.8, C49.9, C4A.0, C4A.4, C50.011, C50.012, C50.019, C50.021, C50.022, C50.029, C50.111, C50.112, C50.119, C50.121, C50.129, C50.211, C50.212, C50.229, C50.311, C50.312, C50.312, C50.322, C50.329, C50.411, C50.412, C50.419, C50.221, C50.229, C50.429, C50.429, C50.511, C50.519, C50.521, C50.522, C50.529, C50.611, C50.612, C50.619, C50.621, C50.622, C50.629, C50.811, C50.812, C50.819, C50.821, C50.829, C50.811, C50.912, C50.919, C50.921, C50.922, C50.999, C50.911, C50.922, C50.919, C50.921, C50.929, C50.811, C50.812, C50.819, C50.821, C50.829, C50.811, C50.820, C50.919, C50.921, C50.922, C50.610, C50.621, C50.622, C50.829, C50.611, C50.619, C50.611, C50.619, C50.611, C50.612, C50.619, C50.611, C50.612, C50.619, C50.611, C50.612, C50.619, C50.611, C50.612, C50.619, C50.611, C50.619, C50.611, C50.612, C50.619, C50.611, C50.612, C50.619, C50.611, C50.619, C50.611, C50.619, C50.611, C50.619, C50.611, C50.619, C50.611, C50.619, C50.611, C50.619, C50.611, C50.619, C50.611, C50.619, C50.611, C50.619, C50.611, C50.619, C50.611, C50.619, C50.611, C50.619, C50.611, C50.619, C50.611, C50.619, C50.611, C50.619, C50.611, C50.619, C50.611, C50.619, C50.611, C50.619, C50.619, C50.619, C50.619, C50.619, C50.619, C50.619, C50.619, C50.619, C50.619, C57.10, C57.12, C57.20, C57.22, C57.30, C57.4, C57
J9173	Injection, durvalumab, 10 mg	Imfinzi	Yes	ML	Anti-neoplastic	None	Х	Х	Х											Effective 1/1/17/22, ICD-10 C22.0, C22.1, C23, C24.0, C24.8, and C24.9 added. Effective 1/1/19. Restricted to ICD-10 C33, C34.01, C34.02, C34.11, C34.12, C34.2, C34.31, C34.32, C34.81, C34.82, C34.91, C65.1, C65.2, C66.1, C66.2, C67 - C67.9, C68.0, C68.8. Minimum age of 16 years.
J9175	Injection, Eliotts' B solution, 1 ml	dextrose/ electsol, IV	Yes	ML		None	Х	Х												
J9176	Injection, elotuzumab, 1	Empliciti	Yes	UN	Anti-neoplastic	None	Х	Х	Х											Effective 1/1/17. Restricted to ICD-10 diagnosis C90.00, C90.01, C90.92. Minimum age of 16 years.
J9177	Injection, enfortumab vedotin-ejfv, 0.25 mg	Padcev	Yes	UN	Anti-neoplastic	None	Х	Х	Х											Effective 7/1/20. Restricted to ICD-10 C65.1, C65.2, C65.9, C66.1, C66.2, C66.9, C67.0 - C67.9, C68.0. Minimum age 16 years.
J9178	Injection epirubicin HCl 2	Ellence	Yes	PWD=UN SOL=ML	Anti-neoplastic	None	Х	Х	Х											
J9179	Injection, eribulin mesylate, 0.1 mg.	Halaven	Yes	ML	Anti-neoplastic	80 units per 21 days	Х	Х	Х											Effective 10/1/2015 ICD-10 diagnosis codes C50.011, C50.012, C50.019, C50.021, C50.022, C50.029, C50.111, C50.112, C50.119, C50.121, C50.129, C50.211, C50.212, C50.219, C50.221, C50.222, C50.229, C50.311, C50.312, C50.319, C50.321, C50.329, C50.311, C50.312, C50.319, C50.321, C50.329, C50.311, C50.312, C50.319, C50.321, C50.329, C50.311, C50.311, C50.311, C50.312, C50.512, C50.521, C50.522, C50.529, C50.611, C50.612, C50.619, C50.621, C50.629, C50.611, C50.612, C50.819, C50.821, C50.822, C50.829, C50.911, C50.912, C50.919, C50.921, C50.922, C50.929, C79.10, C79.11, C79.19 or C79.81 Effective 1/1/12. Restricted to ICD-9 diagnosis 198.81 or 174.0 - 175.9. Minimum age restriction of 18 years.
J9181	Etoposide 10mg	VesPesid Toposar	Yes	PWD=UN SOL=ML	Anti-neoplastic	25 per day	Х	Х	Х										L	
J9182	Etoposide 100mg	VesPesid Toposar	Yes	UN	Anti-neoplastic	3 per day	Х	Х	Х										L	
J9185	Fludarabine phosphate 50mg	Fludara	Yes	PWD=UN SOL=ML	Anti-neoplastic	5 per day	Х	Х	Х											
J9190	Fluorouracil 500 mg	Adrucil	Yes	PWD=UN SOL=ML	Anti-neoplastic	5 per 27 days	Х	Х	Х											

													_						
Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	PO	OPH	1 1			DC Special Instructions
			req.	of		Limits	OP	OP										F	
			for	measure															
			drug																
			rebate																
			?																
J9196	Injection, gemcitabine	NA	Yes	ML	Antineoplastic	None	Χ	Х	Х										Effective 4/1/23.
	hydrochloride (accord),																		
	not therapeutically																		
	equivalent to j9201, 200																		
	mg																		
J9198	Injection, gemcitabine	Infugem	N/A										1			╁		+	Not covered.
	HCI, 100 ma																		
J9199	Injection, gemcitabine	Infugem	N/A																Not covered.
	HCI. 200 ma												_			4		_	
	Floxuridine 500 mg Gemcitabine HCl 200mg	FUDR	Yes	UN	Anti-neoplastic	2 per day	X	X	X				-		-	+		+	
	Goserelin acetate	Gemzar Zoladex	Yes Yes	UN UN	Anti-neoplastic Anti-neoplastic	None 1 per month	X	X	X				+	1	1		_	+	Closed 8/31/22.
33202	implant per 3.6mg	Zuladex	163	OIV	, and mooplastic	. per month	^	^	^										01036Q 0/3 1/22.
J9203	Injection, gemtuzumab	Mylotarg	Yes	UN	Anti-neoplastic	800 units per	Х	Х	Х				1		1	T		T	Effective 1/1/18.
	ozogamicin, 0.1 mg.					day				l		1		1					
J9204	Injection,	Poteligeo	Yes	ML	Anti-neoplastic	None	Х	Х	Х	<u> </u>	1	 	+	 	+	+	-	+	Effective 10/1/19.
33204	mogamulizumab-kpkc, 1	1 oteligeo	163	IVIL	Anti-neoplastic	None	^	^	^										Restricted to ICD-10 of C84.01 - C84.09, C84.11 - C84.19.
	mg.																		Resultated to 100-10 of 004.01 - 004.03, 004.11 - 004.15.
10005	0	0-1	V		Antinonaloute	News		V					-	-	-	+		+	Files the 4447. Destrict to 100 to 100 to 20
J9205	Injection, irinotecan liposome, 1 mg	Onivyde	Yes	ML	Anti-neoplastic	None	Х	Х	Х										Effective 1/1/17. Restricted to ICD-10 diagnosis C25.0, C25.1, C25.2, C25.3, C25.4, C25.7, C25.8, C25.9. Minimum age of 16 years.
J9206	Irinotecan 20mg	Camptosar	Yes	ML	Anti-neoplastic	35 per day	Х	Х	Х				1	-	1	+		+	Effective 10/1/2015 ICD-10 diagnosis codes C15.3 - C15.5, C15.8, C15.9, C16.0 - C16.6, C16.8, C16.9,
00200	milotocan zomg	ouptood.			7 ii iii 1100pidolio	oo po. day		, ,											C17.0 - C17.3, C17.8, C17.9, C18.0 - C18.9, C19, C20, C21.0 - C21.2, C21.8, C25.0 - C25.4, C25.7 - C25.9,
																			C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92, C45.9,
																			C53.0, C53.1, C53.8, C53.9, C56.1, C56.2, C56.9, C57.00 - C57.02, C57.10 - C57.12, C57.20 - C57.22,
																			C57.3, C57.4, C71.0 - C71.9, C80.0, C80.1, C82.00 - C82.69, C82.80 - C82.99, C83.01- C83.08, C83.10 -
																			C83.19, C83.30 - C83.39, C83.50 - C83.59, C83.70 - C83.99, C84.00 - C84.19, C84.40 - C84.49, C84.60 -
																			C84.79, C84.90 - C84.99, C84.A0 - C84.A9, C84.Z0 - C84.Z9, C85.10 - C85.29, C85.20 - C85.29, C85.80 -
																			C85.99, C86.0 - C86.4, C86.6, C88.4, C91.40 - C91.42, C96.0, C96.2, C96.4, C96.9, C96.A, C96.Z, C7B.00 -
																			C7B.04, C7B.1, C7B.8, D49.0 - D49.7, D49.81, D49.89, or D49.9
																			ICD-9 diagnosis code required on claim form: Effective 5/1/10, the following are approved, 150.0 - 150.9,
																			151.0 - 151.9, 152.0 - 152.9, 153.0 - 154.8, 157.0 - 157.9, 162.0, 162.2, 162.3, 162.4, 162.5 162.8, 162.9,
																			180.0, 180.1, 180.8, 180.9, 183.0, 183.2 - 183.5, 183.8, 183.9, 191.0 - 191.9, 199.0 - 199.1, 200.00 - 200.88,
10007	Introduce South and Income 4		V	1161	Anthonografication	1.55		V	V				-			+		4	202.00 - 202.88, 202.70 - 202.78, 202.80 - 202.88, 202.90 - 202.98, 209.70 - 209.79, and 239.0 - 239.9.
J9207	Injection, ixabepilone, 1	Ixempra	Yes	UN	Anti-neoplastic	Limit	Х	Х	Х										Effective 10/1/2015 ICD-10 diagnosis codes C50.011, C50.012, C50.019, C50.111, C50.112, C50.119,
	mg.					removed effective,													C50.211, C50.212, C50.219, C50.311, C50.312, C50.319, C50.411, C50.412, C50.419, C50.511, C50.512, C50.519, C50.611, C50.612, C50.619, C50.811, C50.812, C50.819, C50.811, C50.912, C50.919
						1/1/16													New code effective 1/1/09. Restricted to ICD-9 code 174.0 - 174.9, metastatic or locally advanced breast
																			caper. Covered to physicians effective 1/1/00. Minimum ago of 19 years. Papilogo C02/0
	Ifosfamide per 1g	Ifex	Yes	UN	Anti-neoplastic	3 per day	X	Х	Х		lacksquare	lacksquare	\perp	$ldsymbol{ldsymbol{eta}}$	1	\bot	\bot	Ţ	
	Mesna 200mg	Mesnex	Yes	ML	Anti-neoplastic	3 per day	X	X	X	<u> </u>	<u> </u>	-	+	<u> </u>	1	-		+	Effective 40/4/40
J9210	Injection, emapalumab-	Gamifant	Yes	SOL	Immune globulin	None	Х	Х	Х	l		1		1					Effective 10/1/19. Restricted to D76.1.
	lzsg, 1 mg.													<u></u>					INESCRICTED TO D/0.1.
	Idarubicin HCI 5mg	Idamycin Pfs	Yes	ML	Anti-neoplastic	12 per day	Х	Х	Х							Ľ	$\bot \Gamma$	T	
J9212	Injection interferon alfa-	Infergen	Yes	ML	Anti-viral	1 per day	Х	Х	Х										Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime.
	con1 recombinant 1mcg					X 7									1			1	
						consecutive days - lifetime													
						uays - illetime				l		1		1					
J9213	Interferon alfa-2A	Roferon-A	Yes	KIT=UN	Anti-viral	1 per day	Χ	Х	Х							Ť		T	Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime.
	recombinant 3 million U			SOL=ML		X 7									1			1	
						consecutive				l		1		1					
1						days - lifetime				l		1		1					
								1			1								

Code	Description	Brand Name	NDC req. for	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	Р	NP	MW	MF	HS	PC	0 0	PH	НІ	IDT F	DC	Special Instructions
			drug rebate ?																	
J9214	Interferon alfa-2B recombinant 1 million U	Intron-A	Yes	PWD=UN SOL=ML KIT=UN	Anti-viral	none	Х	Х	Х											Effective 4/1/14, service limit removed.
J9215	Interferon alfo-n3 human leukocyte derived 250,000 IU	Alferon-N	Yes	ML	Biological Response Modulator	1 per day X 7 consecutive days - lifetime	X	X	X											Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime.
J9216	Interferon gamma 1B 3 million U	Actimmune	Yes	ML	Biological Response Modulator	1 per day X 7 consecutive	X	Х	Х											Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime.
						days - lifetime														
J9217	Leuprolide acetate for depot suspension 7.5mg	Lupron Depot Eligard Lupron Depot- Ped	Yes	UN	Anti-neoplastic	None	Х	Х	Х											
J9218	Leuprolide acetate 1mg	Lupron	Yes	PWD=UN SOL=ML	Anti-neoplastic	1 per day X 7 consecutive days - lifetime	Х	Х	Х											Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime.
J9219	Leuprolide acetate	Lupron	Yes	UN	Anti-neoplastic	1 per 3 months	Х	Х	Х											Per manufacturer's notification, Viadur is no longer made as of December 2007.
J9223	Injection, lurbinectedin, 0.1 mg	Zepzelca	Yes	EA	Anti-neoplastic	None	Х	Х	Х											Effective 1/1/21. Restricted to ICD-10 C34.0 - C34.92. Minimum age of 16 years.
J9225	Histrelin implant, 50 mg	Vantas	Yes	UN	Gonadotropin	1 per year	Х	Х	Х											Effective 10/1/2015 ICD-10 diagnosis code C61 ICD-9 code 185 required on claim form, Males only.
J9226	Histrelin implant, 50 mg	Supprelin LA	Yes	UN	Gonadotropin	Age: 2 yrs and older	Х	Х	Х	Х										Effective 10/1/2015 ICD-10 diagnosis codes E30.1, E30.8 or E30.9 New code effective 1/1/08. Diagnosis restriction, central precocious puberty(259.1). Nurse practitioner added
J9227	Injection, isatuximab-irfc, 10 mg	Sarclisa	Yes	ML	Anti-neoplastic	None	Х	Х	Х											Effective 10/1/20. Restricted to ICD-10 C90.00 - C90.02. Minimum age of 16 years.
J9228	Injection, ipilimumab, 1 mg.	Yervoy	Yes	ML	Antibody(anti- neoplastic)	400 units per 20 days	X	X	X								X			Effective 3/13/23, ICD-10 diagnoses of Z85.038, Z85.118, Z85.528, Z85.53, and Z85.820 added. Effective 1/1/15, the service limit of 21 days was reduced to 20 days. Providers are encouraged to examine previous claims for accuracy from date of service 1/1/15. Effective 10/1/2015 ICD-10 diagnosis codes C21.1, C21.0, C43.0, C43.4, C43.10 - C43.12, C43.20 - C43.22, C43.30, C43.31, C43.39, C43.51, C43.59 - C43.62, C43.70 - C43.72, C43.8, C43.9, C51.0 - C51.2, C51.9, C52, C60.0 - C60.2, C60.8, C60.9, C63.00 - C63.02, C63.10 - C63.12, C63.2, C63.7 - C63.9, C77.0 - C77.5, C77.8, C77.9, C78.00 - C78.02, C78.1, C78.2, C78.30, C78.39, C78.4, C78.5, C78.6, C78.7, C78.80, C78.89, C79.00 - C79.02, C79.10, C79.11, C79.19, C79.2, C79.31, C79.32, C79.40, C79.40, C79.51, C79.52, C79.60 - C79.62, C79.70 - C79.72, C79.81, C79.82, C79.89, C79.9, D03.0, D03.4, D03.8, D03.9, D03.10 - D03.12, D03.20 - D03.22, D03.30, D03.39, D03.51, D03.59 - D03.62, or D03.70 - D03.72 Effective 1/1/12. Restricted to ICD-9 diagnosis 154.2, 154.3, 172.0 - 172.9, 184.0 - 184.4, 187.1 - 187.9, 196.0 - 196.9, 197.0 - 197.8, 198.0 - 198.8 (Date of change: April 2012).

Code	Description	Brand Name	NDC	NDC unit	Cotogony	Convice	۸.	CAL	В	ND	MW	МН	HS	РО	ОРН		ıı lır	אדן אר	Chaoid Instructions
Code	Description	Brand Name	NDC req.	of	Category	Service Limits	AC OP	CAH	P	NP	IVIVV	IVIT	пъ	PU	OPH	П	יון יי זון		Special Instructions
			for	measure															
			drug																
			rebate ?																
10220	Injection, inotuzumab	Besponsa	Yes	UN	Anti-neoplastic	None	Х	Х	Х									-	Effective 1/1/19.
J9229	ozogamicin, 0.1 mg	besponsa	165	UN	Anti-neopiastic	None	^	^	^										Restricted to ICD-10 C91.00 - C91.02.
	g,g																		Minimum age of 16 years.
J9230	Mechlorethamine HCI	Mustargen	Yes	UN	Anti-neoplastic	5 per day	Х	Х	Х										
100.45	nitrogen mustard 10mg	A.II	V	UN	Antinonaloute	0	· ·	V									_		
J9245	Injection melphalan HCI 50ma	Alkeran Lphenylala-	Yes	UN	Anti-neoplastic	2 per day	Х	Х	Х										
	• • •	nine mustard																	
J9246	Injection, melphalan, 1	Evomela	Yes	UN	Anti-neoplastic	None	Х	Х	Х										Effective 7/1/20. Restricted to ICD-10 C90.00 - C90.02.
	<u> </u>																		
J9247	Injection, melphalan flufenamide, 1mg	Pepaxto	Yes	UN	Antineoplastic	40 units daily	Х	Х	Х										Effective 10/1/21. Restricted to ICD-10 C90.00, C90.02.
	nurenamide, img																		Minimum age of 16 years.
J9250	Methotrexate sodium	Rheumatrex	Yes	PWD=UN	Anti-neoplastic	10 per day	Х	Х	Х								-	-	
00200	5mg	Trexall	100	SOL=ML	7 triti ricopiaotio	10 per day	_ ^		^										
		Methotrexate																	
J9259	Injection, paclitaxel	sodium Lnf NA	Yes	UN	None	None	Х	Х	Х							1	+		Effective 7/1/23.
	protein-bound particles																		
	(american regent) not																		
	therapeutically equivalent to j9264, 1																		
	mg																		
.19260	Methotrexate sodium	Rheumatrex	Yes	UN	Anti-neoplastic	3 per day	Х	Х	Х									-	
00200	50mg	Trexall	100	011	7 triti ricopiaotio	o per day	_ ^		^										
	•	Methotrexate																	
J9261	Injection, nelarabine, 50	sodium Lnf Arranon	Yes	ML	Anti-neoplastic	None	Х	Х	Х								_		New code effective 1/1/07.
10000	mg	0	V	1.15.1	Anthornal	Maria		V											F# - the 404 1004 F IOD 40 the week - 000 40 000 40 000 00
J9262	Injection, omacetaxine mepesuccinate, 0.01 mg	Synribo	Yes	UN	Anti-neoplastic	None	Х	Х	Х										Effective 10/1/2015 ICD-10 diagnosis codes C92.10 - C92.12 or C92.20 Effective 1/1/14. Restricted to IDC-9 diagnosis of 205.10 - 205.12. Minimum age restriction of 16 years.
J9263	Injection oxaliplatin	Eloxatin	Yes	PWD=UN	Anti-neoplastic	None	Х	Х	Х										Effective 1/1/21, ICD-10 diagnosis restrictions are removed.
	0.5mg			SOL=ML															Effective 10/1/2015 ICD-10 diagnosis codes C15.3 - C15.5, C15.8, C15.9, C16.0 - C16.6, C16.8, C16.9, C18.0 - C18.9, C19, C20, C21.0 - C21.2, C21.8, C22.1, C23, C24.0, C24.1, C24.8, C24.9, C25.0 - C25.3, C25.7 -
																			C25.9, C26.0, C26.1, C26.9, C45.1, C48.1, C48.2, C48.8, C56.1, C56.2, C56.9, C57.00 - C57.02, C57.10 -
																			C57.12, C57.20 - C57.22, C57.3, C57.4, C62.00 - C62.02, C62.10 - C62.12, C62.90 - C62.92, C81.90, C82.01
																			C82.08, C82.11- C82.18, C82.21 - C82.28, C82.31 - C82.38, C82.41 - C82.48, C82.50 - C82.59, C82.61 - C82.68, C82.81 - C82.88, C82.91 - C82.98, C83.31 - C83.39, C83.80 - C83.89, C84.90 - C84.99, C84.40 -
																			C84.A9, C84.Z9 - C84.Z9, C85.10 - C85.29, C85.80 - C85.99, C86.0 - C86.4 or C88.4
																			Effective 3/19/11, new list of approved ICD-9 diagnosis codes: 150.0 - 150.9, 151.0 - 151.9, 153.0 - 154.8,
																			155.1, 156.0 - 156.9, 157.0 - 157.3, 157.8, 157.9, 158.8, 183.0 - 183.9, 186.0, 186.9, 200.30 - 200.38, 200.70 -
																			200.78, 201.90, 202.01 - 202.08, 202.80 - 202.88. Added ICD-9 code 201.90 effective 1/1/08. ICD-9 code 153.0 - 154.8 required on claim form.
																			10 10 10 10 quillou ori viulii i iorini.
J9264	Injection, paclitaxel	Abraxane	Yes	UN	Anti-neoplastic	None	Х	Х	Х				1			1	1	1	Effective 10/1/2015 ICD-10 diagnosis codes C25.0 - C25.4, C25.7 - C25.9, C33, C34.00 - C34.02, C34.10 -
	protein-bound particles,																		C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92, C50.011, C50.012, C50.019, C50.021,
	1 mg																		C50.022, C50.029, C50.111, C50.112, C50.119, C50.121, C50.122, C50.129, C50.211, C50.212, C50.219, C50.221, C50.222, C50.229, C50.311, C50.312, C50.319, C50.321, C50.322, C50.329, C50.411, C50.412,
																			C50.421, C50.422, C50.422, C50.429, C50.511, C50.512, C50.519, C50.521, C50.522, C50.529, C50.611,
																			C50.612, C50.619, C50.621, C50.622, C50.629, C50.811, C50.812, C50.819, C50.821, C50.822, C50.829,
																			C50.911, C50.912, C50.919, C50.921, C50.922 or C50.929
																			Approved ICD-9 diagnosis codes of 157.0 - 157.9 added, 9/6/13. Nurse practitioner removed as covered provider, effective 7/1/13. Effective 10/11/12, approved ICD-9 diagnosis 162.0 - 162.9 added. ICD-9 code
		1			I		·	l	l		1		1		1	1			process, success, success of the suc

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	САН	Р	NP	MW	МН	I HS	PC	0 0	РН	н	IDT	DC	Special Instructions
0000	2000	2.4	req.	of	outogo.y	Limits	OP	OP	-				.	' '				F		
			for	measure																
			drug																	
			rebate ?																	
J9265	Paclitaxel 20mg	Taxol	Yes	PWD=UN	Anti-neoplastic	20 per day	Х	Х	Х						-					Closed 12/31/14. See J9267 after this date.
		Onxol		SOL=ML																
J9266	Pegaspargase per single dose vial	Oncaspar	Yes	ML	Anti-neoplastic	8 per day	Х	Х	Х											
J9267	Injection, paclitaxel, 1	Taxol Onxol	Yes	ml	Anti-neoplastic	400 u. per day	Х	Х	Х											Effective 1/1/15.
J9268	Pentostatin per 10mg	Nipent	Yes	UN	Anti-neoplastic	1 per day	Х	Х	Χ											
J9269	Injection, tagraxofusp- erzs, 10 mcg.	Elzonris	Yes	ML	Anti-neoplastic	None	Х	Х	Х											Effective 10/1/19. Restricted to ICD-10 of C86.4.
J9270	Plicamycin 2.5mg	Mithracin Mithramycin	Yes	UN	Anti-neoplastic	2 per day	Х	Х	Х											
J9271	Injection,	Keytruda	Yes	UN	Antineoplastic		Х	Х	Х											Effective 2/24/23, ICD-10 C34.90, C78.7, and C79.51 added.
	pembrolizumab, 1 mg			ML																Effective 3/1/22, ICD-10 C78.00 - C78.02 added.
																				Effective 11/13/20, ICD-10 C50.011 - C50.929 added. Effective 6/29/20, ICD-10 C17, C21, C21.8 added.
																				Effective 6/29/20, ICD-10 C17, C21, C21, C31, C31, C31, C31, C31, C31, C31, C3
																				Effective 9/17/19, ICD-10 C54.0, C54.1, C54.3, C54.8, C54.9, C55, C57.8 added.
																				Effective 7/30/19, ICD-10 C15.3, C15.4, C15.5, C15.8, C15.9 added.
																				Effective 4/19/19, ICD-10 C64.1, C64.2, C65.1, C65.2 added.
																				Effective 2/15/19, ICD-10 C43.9 added.
																				Effective 12/19/18, ICD-10 C4A.111, C4A.112, C4A.121, C4A.122, C4A.21, C4A.22, C4A.30 - C4A.39, C4A.4,
																				C4A.51 - C4A.59, C4A.60 - C4A.62, C4A.70 - C4A.72, C4A.8, C4A.9 added. Effective 11/09/18, ICD-10
																				C22.0, C22.8 added. Effective 6/12/18, ICD-10 C53.0 - C53.9, C85.20 - C85.29 added. Effective 9/22/17, ICD-10
																				C16.0, C16.1, C16.2, C16.3, C16.4, C16.5, C16.6, C16.8, C16.9 added.
																				Effective 5/23/17, ICD-10 C18.0, C18.1, C18.2, C18.3, C18.4, C18.5, C18.6, C18.7, C18.8, C18.9, C19, C20
																				added. Effective
																				5/18/17, ICD-10 C65.1, C65.2, C66.1, C66.2, C67.0, C67.1, C67.2, C67.3, C67.4, C67.5, C67.6, C67.7, C67.8,
																				C67.9, C68.0, C68.8, Z85.50, Z85.51, Z85.53, Z85.54, Z85.59 added. Effective 3/4/17, ICD-10 C81.10, C81.11, C81.12, C81.13, C81.14, C81.15, C81.16, C81.17, C81.18, C81.19,
																				C81.20, C81.21, C81.22, C81.23, C81.24, C81.25, C81.26, C81.27, C81.28, C81.29, C81.30, C81.31, C81.32,
																				C81.33, C81.34, C81.35, C81.36, C81.37, C81.38, C81.39, C81.40, C81.41, C81.42, C81.43, C81.44, C81.45,
																				C81.46, C81.47, C81.48, C81.49, C81.70, C81.71, C81.72, C81.73, C81.74, C81.75, C81.76, C81.77, C81.78,
																				C81.79 added. Effective 8/5/16
																				ICD-10 C00.0, C00.1, C00.2, C00.3, C00.4, C00.5, C00.6, C00.8, C00.9, C01, C02.0, C02.1, C02.3, C02.4,
																				C02.8, C02.9, C03.0, C03.1, C03.9, C04.0, C04.1, C04.8, C04.9, C05.0, C05.1, C05.2, C05.8, C05.9, C06.0,
																				C06.1, C06.2, C06.80, C06.89, C06.9, C07, C08.0, C08.1, C08.9, C09.0, C09.1, C09.8, C09.9, C10.0, C10.1, C10.2, C10.3, C10.4, C10.8, C10.9, C11.0, C11.1, C11.2, C11.3, C11.8, C11.9, C12, C13.0, C13.1, C13.2,
																				C13.8, C13.9, C14.0, C14.2, C14.8, C30.0, C30.1, C31.0, C31.1, C31.2, C31.3, C31.3, C31.8, C31.9, C32.0, C32.1,
																				C32.2, C32.3, C32.8, C32.9, C44.02, C44.121, C44.122, C44.129, C44.221, C44.222, C44.229, C44.320,
								l												C44.321, C44.329, C44.42, C69.51, C69.52, C69.61, C69.62, C76.0, Z85.21, Z85.22, Z85.810, Z85.818,
								l												Z85.819 added
								l												Effective 1/1/16, ICD10 C43.0, C43.11, C43.12, C43.21, C43.22, C43.31, C43.39, C43.4, C43.51, C43.52,
								1				1		1						C43.59, C43.61, C43.62, C43.71, C43.72, C43.8, C20, C21.0, C21.1, C51.0, C51.1, C51.2, C51.8, C51.9,
								1				1		1						C52, C57.7, C57.8, C57.9, C60.0, C60.1, C60.2, C60.8, C60.9, C63.01, C63.02, C63.11, C63.12, C63.2, C63.7, C63.8, C69.01, C69.02, C69.11, C69.12, C69.21, C69.22, C69.31, C69.32, C69.41, C69.42, C69.51,
								1				1		1						C69.52, C69.61, C69.62, C69.81, C69.82, Z85.820, C33, C34.01, C34.02, C34.11, C34.12, C34.2, C34.31,
10070	Injection destarlines	low!:	Vaa	801	Anti nocelecti	EO unita dalla	V		V		-	1		1						C24 22 C24 91 C24 92 C24 01 C24 02 oddod
J92/2	Injection, dostarlimab- gxly, 10 mg	Jemperli	Yes	SOL	Anti-neoplastic	50 units daily	Х	Х	Х					1						Effective 1/1/22. Restricted to ICD-10 C54.1.
	9,, 10 mg																			Minimum age of 16 years.
J9273	Injection, tisotumab	Tivdak	Yes	EA	Anti-neoplastic	200 units	Х	Х	Х		1		1	t	+					Effective 4/1/22.
	vedotin-tftv, 1 mg				-	daily		1						1						Restricted to ICD-10 C53.0 - C53.9, D06.0 - D06.9, R87.610 - R87.619.
1								1				1		1						Minimum age of 16 years.
-						•	•			•		•	_	•						

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	PO	ОРН	н	ו ווח	ТЪ	C Special Instructions
Jour	Description	Brana Name	req.	of	Category	Limits	OP	OP	•					. •	0	'''	F		o openial modulations
			for	measure															
			drug																
			rebate																
			?																
								<u> </u>					<u> </u>				_	+	
J9274	Injection, faricimab-svoa,	Kimmtrak	Yes	ML	Anti-neoplastic	None	Х	Х	Х										Effective 10/1/22.
	0.1 mg																		Restricted to ICD-10 C69.3 - C69.32, C69.40 - C69.42, C69.60 - C69.62, C69.90 - C69.92.
																			Minimum age of 16 years.
	Mitomycin 5mg	Mutamycin	Yes	UN	Anti-neoplastic	10 per day	Х	Χ	Χ									_	
	Mitomycin pyelocalyceal	Jelmyto	Yes	UN	Anti-neoplastic	60 units	Х	Х	Χ										Effective 1/1/21.
	instillation, 1 mg					weekly													Restricted to ICD-10 C65.1, C65.2.
																			Minimum age of 16 years.
J9285	Injection, olaratumab, 10	Lartruvo	Yes	ML	Anti-neoplastic	None	Х	Χ	Χ									T	Effective 1/1/18.
	mg.				·														
	Mitomycin 20mg	Mutamycin	Yes		Anti-neoplastic	3 per day	Χ	Х	Χ										Closed. See J9280.
	Mitomycin 40mg	Mutamycin	Yes		Anti-neoplastic		Χ	Х	Χ										Closed. See J9280.
J9293	Injection mitaxan-trone	Navatrone	Yes	ML	Anti-neoplastic	6 per day	Х	Х	Х										
	HCI 5ma							<u> </u>					<u> </u>				_	+	
J9294	Injection, pemetrexed	NA	Yes	SOL	Antineoplastic	None	Х	Х	Х										Effective 4/1/23.
	(hospira) not			EA															
	therapeutically																		
	equivalent to j9305, 10																		
	mg																		
J9295	Injection, necitumumab,	Portrazza	Yes	ML	Anti-neoplastic	800 units	Х	Х	Х									T	Effective 1/1/17. Restricted to ICD-10 diagnosis C34.01, C34.02, C34.11, C34.12, C34.2, C34.31, C34.32,
	1 mg				·	daily													C34.81, C34.82, C34.91, C34.92, C38.4, C78.01, C78.02. Minimum age of 16 years.
10206	Injection, pemetrexed	NA	Yes	SOL	Antineoplastic	None	Х	Х	Х				1					+	Effective 4/1/23.
J9296	(accord) not	INA	165	EA	Anuneopiastic	None	^	^	^										Effective 4/1/25.
	therapeutically			EA															
	equivalent to j9305, 10																		
	mg																		
J9297	Injection, pemetrexed	NA	Yes	SOL	Antineoplastic	None	Х	Х	Χ										Effective 4/1/23.
	(sandoz), not																		
	therapeutically																		
	equivalent to j9305, 10																		
l	mg																		
.19298	Injection, nivolumab and	Opdualag	Yes	ML	Anti-neoplastic	None	Х	Х	Х		1		1					+	Effective 10/1/22.
30200	relatlimab-rmbw, 3 mg/1	Spaddiag	100	IVIL	Hoopiastic	140110	^	^											Restricted to ICD-10 C21.0, C21.1, C43.0, C43.10, C43.111, C43.112, C43.121, C43.122, C43.20, C43.21,
	mg																		C43.22, C43.30, C43.31, C43.39, C43.4, C43.5, C43.51, C43.52, C43.59, C43.60, C43.61, C43.62, C43.70,
l	9																		C43.71, C43.72, C43.8, C43.9, C51.0, C51.1, C51.2, C51.9, C52, C57, C57.7, C57.8, C57.9, C60.0, C60.1,
l																			C60.8, C60.9, C63, C63.00, C63.01, C63.02, C63.10, C63.11, C63.12, C63.2, C63.7, C63.8, C63.9, Z51.12.
																			Minimum age of 12 years.
l																			millimitati ago of 12 youro.
											<u></u>							┸	

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	MI	н нѕ	P	0 0	DPH	HI	IDT F	DC	C Special Instructions
			req. for drug rebate ?	of measure		Limits	OP	OP										F		
J9299	Injection, nivolumab, 1 mg	Opdivo	Yes	ML	Antineoplastic	None	X	X	X											Code made effective 1/1/16. Comprehensive list of indications: As of 12/22/14, ICD-10 diagnosis of C21.0, C21.1, C43.0, C43.1, C43.10, C43.11, C43.111, C43.112, C43.12, C43.121, C34.122, C43.2, C43.20, C43.21, C43.22, C43.3, C43.30, C43.31, C43.39, C43.4, C43.5, C43.51, C43.52, C43.59, C43.6, C43.60, C43.61, C43.62, C43.7, C34.70, C43.71, C43.72, C43.8, C43.9, C51.0, C51.1, C51.2, C51.9, C52. C57, C57.7, C57.8, C57.9, C60, C60.0, C60.1, C60.8, C60.9, C63.0, C63.00, C63.01, C63.02, C63.10, C63.10, C63.11, C63.12, C63.2, C63.7, C63.8, C63.9, Z51.12 added. As of 5/17/16, ICD=10 diagnosis of ICD-10 C81.10 - C81.19, C81.20 - C81.29, C81.30 - C81.39, C81.40 - C81.49, and C81.70 - C81.79, Z94.84 added. As of 2/2/17, ICD-10 diagnosis of ICD-10 C65, C65.1, C65.2, C65.9, C66, C66.1, C66.2, C66.9, C67.0, C67.1, C67.2, C67.3, C67.4, C67.5, C67.6, C67.8, C67.9, C68, C68.0, C68.8, C68.9 added. As of 4/16/18, ICD-10 diagnosis of C22.0, C22.8 added. As of 4/16/18, ICD-10 diagnosis of C84.1, C64.2, C64.9, C65, C65.1, C65.2, C65.9 added. As of 8/16/18, ICD-10 diagnosis of C33, C34.0, C34.00, C34.01, C34.02, C34.1, C34.10, C34.11, C34.12, C34.2, C34.3, C34.30, C34.30, C34.30, C34.400, C34.01, C34.02, C34.1, C34.10, C34.91, C34.92 added. As of 9/28/18, ICD-10 diagnosis of C00.0 - C00.9, C01, C02.0 - C02.9, C03.0 - C03.9, C04.0 - C04.9, C05.0 - C05.9, C06.0, C06.1, C06.2, C06.80, C06.89, C06.9, C09.0 - C09.9, C10.0 - C10.8, C12, C13.0 - C13.9, C14.0 - C14.8, C32.0 - C32.9, C76.0 added. As of 6/10/20, C15.3, C15.4, C15.5, C15.8, and C15.9 added. As of 110/20, C45.0 added. As of 110/20, C45.0 added. As of 110/20, C45.0 added. As of 110/20, C45.0 added. As of 110/20, C45.0 added. Minimum age of 16 years.
J9300	Gemtuzumab ozogamicin 5mg	Mylotarg	Yes	UN	Anti-neoplastic	4 per day	Х	Х	Х											Closed 12/31/17. See J9203 after this date.
J9301	Injection, obinutuzumab, 10 mg	Gazyva	Yes	ML	Anti-neoplastic	100 units maximum dose	Х	Х	Х											Effective 1/1/2015 ICD-10 diagnosis code C91.10 Effective 1/1/15. Restricted to 204.10. Minimum age restriction of 16 years.
J9302	Injection, ofatumumab, 10 mg.	Arzerra	Yes	ML	Anti-neoplastic	Maximum service limit 200 u. weekly	Х	Х	Х											Effective 10/1/2015 ICD-10 diagnosis codes C91.10 - C91.12 New code effective 1/1/11. Restricted to ICD-9 diagnosis 204.10 - 204.12. Restricted to age 18 and above.
J9303	Injection, panitumumab	Vectibix	Yes	ML	Anti-neoplastic	None	Х	Х	Х											New code effective 1/1/08.
J9304	Injection, pemetrexed, 10 mg	Pemfexy	N/A																	Not covered.
J9305	Injection pemetrexed 10mg	Alimta	Yes	UN	Anti-neoplastic	None	Х	Х	Х											Effective 6/1/15, ICD-9 diagnosis of 146.0 - 146.8 and 195.0 added and IDC-10 diagnosis of C09.0, C09.1, C09.8, C09.9, C10.1, C10.2, C10.3, 10.4, C10.8 and C76.0 added. 10 diagnosis codes C33, C34.00 - C34.02, or C34.10 - C34.12 Restricted to ICD-9 diagnosis 162-163.9.
J9306	mg	Perjeta	Yes	ML	Anti-neoplastic	20-day period	Х	X	X											Effective 10/1/2015 ICD-10 diagnosis codes C50.011, C50.012, C50.019, C50.021, C50.022, C50.029, C50.111, C50.112, C50.119, C50.121, C50.129, C50.129, C50.211, C50.212, C50.221, C50.222, C50.229, C50.312, C50.312, C50.321, C50.329, C50.311, C50.312, C50.312, C50.329, C50.329, C50.411, C50.412, C50.419, C50.421, C50.422, C50.429, C50.511, C50.512, C50.512, C50.521, C50.522, C50.529, C50.611, C50.612, C50.619, C50.621, C50.629, C50.611, C50.629, C50.819, C50.819, C50.821, C50.822, C50.829, C50.911, C50.912, C50.919, C50.921, C50.922 or C50.929 Effective 4/1/14, change to service limit. Effective 1/1/14. Restricted to ICD-9 diagnosis of 174.0 - 174.9 or 175.0 - 175.9. Minimum age restriction of 16 years.
J9307	Injection, pralatrexate, 1 mg.	Folotyn	Yes	ML	Metabolic inhibitor	None	Х	Х	Х								Х			Effective 10/1/2015 ICD-10 diagnosis codes C84.40 - C84.49 New code effective 1/1/11. Restricted to ICD-9 diagnosis 202.70 - 202.78. Restricted to age 18 and above. Open to Opening Specialty for Physician provider type

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	РО	OPH	1 1			DC Special Instructions
			req. for	of measure		Limits	OP	OP										F	
			drug	illeasure															
			rebate																
			?																
J9308	Injection, ramucirumab,	Cyramza	Yes	ML	Antineoplastic	None	Х	Х	Х										Effective 12/1/18, ICD-10 C15.3, C15.4, C15.5, and C15.8 added.
	5 mg																		Effective 1/1/16. Restricted to diagnosis ICD-10 C16.0 - C16.9, C18.0 - C18.9, C19, C20, C21.0 - C21.2,
																			C21.8, C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, or C34.80 - C34.82. Minimum age of
													<u> </u>					_	16 years.
J9309	Injection, polatuzumab vedotin-piiq, 1 mg.	Polivy	Yes	UN	Antineoplastic	None	Х	Х	Х										Effective 1/1/20. Restricted to ICD-10 C83.30 - C83.39.
10210	Rituximab 100mg	Dituyon	Yes	ML	Anti-neoplastic	10 per day	Х	Х	Х				-		-	-		_	Closed 12/31/18. See J9312 after this date.
	Injection, rituximab 10	Rituxan Rituxan	Yes	ML	Anti-neoplastic	None	X	X	X				1		1			_	Diagnosis restrictions are removed effective 5/1/22. Effective
	mg. and hyaluronidase	Hycela																	1/1/19. Restricted to ICD-
																			10 C82.00 - C82.99, C83.00 - C83.39, C91.10, C91.12. Minimum age of 16
													<u> </u>					_	years.
J9312	Injection, rituximab, 10	Rituxan	Yes	ML	Anti-neoplastic	10 per day	Х	Х	Х										Effective 1/1/19.
J9313	Injection, moxetumomab	Lumoxiti	Yes	EA	Antineoplastic	None	Х	Х	Х										Effective 10/1/19.
	pasudotox-tdfk, 0.01 mg.																		Restricted to ICD-10 of C91.40, C91.41, C91.42.
																			Minimum age of 16 years.
10214	Injection, pemetrexed	NA	Yes	ML	Antinopplactic	None	Х	X	Х				<u> </u>				_	_	Effective 1/1/23.
J9314	(Teva), not	NA	res	IVIL	Antineoplastic	None	^	^	^										Effective 1/1/23.
	therapeutically																		
	equivalent to J9305, 10																		
	mg												<u> </u>				_	_	
J9315	Injection, romidepsin, 1	Istodax	Yes	UN	Anti-neoplastic	None	Х	Х	Х							Х	\		Closed 9/30/21. See J9318 after thsi date. Effective 10/1/2015 ICD-10 diagnosis codes C84.00 - C84.19
	mg.																		New code effective 1/1/11. Restricted to ICD-9 diagnosis 202.10 - 202.28. Restricted to age 18 and above.
																			Open to Oncology specialty for Physician provider type.
J9316	Injection, pertuzumab,	Phesgo	Yes	SOL	Anti-neoplastic	180 units	Х	Х	Х							+	+	-	Effective 1/1/21, change to service limit.
	trastuzumab, and					daily													1/1/21. Restricted to ICD
	hyaluronidase-zzxf, per																		10 C50.011 - C50.929. Minimum age of 16
	10 mg																		years.
J9317	Injection, sacituzumab	Trodelvy	Yes	EA	Anti-neoplastic	None	Х	Х	Х										Effective 1/1/21.
	govitecan-hziy, 2.5 mg																		Restricted to ICD-10 C50.011 - C50.929. Minimum age of 16 years.
10318	Injection, romidepsin,	N/A	Yes	ML	Anti-neoplastic		Х	Х	Х				1			+	_	_	Effective 10/1/21. Restricted
00010	non-lyophilized, 0.1 mg	IV/A	163	IVIL	Anti-neoplastic		^												to ICD-10 C84.00 - C84.19.
10240	Injection, romidepsin,	Istodax	Yes	UN	Anti-neoplastic		Х	Х	Х				<u> </u>					_	Effective 10/1/21. Restricted
J9319	lyophilized, 0.1 mg	ISlouax	165	UN	Anti-neoplastic		^	^	^										to ICD-10 C84.00 - C84.19.
	, , ,	_					L.,						1		<u> </u>				
	Streptozocin 1g Injection, pemetrexed	Zanosar NA	Yes Yes	UN UN	Anti-neoplastic Anti-neoplastic	3 per day None	X	X	X				+		-	-	+	+	Effective 7/1/23.
J J J Z I	(sandoz) not	14/7	169	ON	/ dru-neoplastic	INUITE	^	^	^			l	1	1					2100110 171120
	therapeutically																		
	equivalent to j9305, 10																		
	mg												<u> </u>				_ _		
J9322	Injection, pemetrexed (bluepoint) not	NA	Yes	UN	Anti-neoplastic	None	Х	Х	Х										Effective 7/1/23.
	therapeutically																		
	equivalent to j9305, 10																		
	mg		l	l				1							1			1	

Code	Description	Brand Name	NDC req.	NDC unit	Category	Service Limits	AC OP	CAH OP	Р	NP	MW	МН	HS	РО	ОРН	Н	I ID1	C Special Instructions
			for drug rebate ?	measure		0												
	Injection, pemetrexed (hospira) not therapeutically equivalent to j9305, 10 mg	NA	Yes	ML	Anti-neoplastic	None	X	X	X									Effective 7/1/23.
J9325	Injection, talimogene laherparepvec, per 1 million plaque forming units	Imlygic	Yes	ML	Anti-neoplastic	None	Х	Х	Х									Effective 1/1/17. Minimum age of 16 years.
J9328	Injection, temozolomide, 1 mg.	Temodar	Yes	UN	Anti-neoplastic	none	Х	Х	Х							Х		Effective 10/1/2015 ICD-10 diagnosis codes C71.0 - C71.9 Effective 1/1/10. Restricted to ICD=9 diagnosis 191.0 - 191.9, restrict to age 18 and above.
	Injection, temsirolimus, 1 mg.	Torisel	Yes	UN	Anti-neoplastic	Limit removed effective, 1/1/16	Х	Х	Х									Effective 10/1/2015 ICD-10 diagnosis codes C64.1, C64.2, C64.9, C65.1, C65.2, C65.9, C66.1, C66.2, C66.9, C68.0, C68.1, C68.8 or C68.9 New code effective 1/1/09. Restricted to ICD-9 code 189.0 - 189.9, advanced renal cell carcinoma, with a maximum dose of 25 mg/mL. Covered to physicians effective 1/1/09. Minimum age of 18 years
	Injection, sirolimus protein-bound particles, 1 mg	Fyarro	Yes	UN	Anti-neoplastic	None	Х	Х	X									Effective 7/1/22. Restricted to ICD-10 C49.4, C49.6, C49.8, or C49.9. Minimum age of 16 years.
	Injection, efgartigimod alfa-fcab, 2mg	Vyvgart	Yes	ML	Anti-myasthenia	None	Х	Х	Х	Х								Effective 7/1/22. Restricted to ICD-10 G70.00 or G70.01.
	Thiotepa 15mg	Thioplex	Yes	UN	Anti-neoplastic	10 per day	Х	Х	Х									For Bone Marrow Transplants.
J9345	Injection, retifanlimab- dlwr, 1 mg	Zynyz	Yes	ML	Antineoplastic	500 units daily	Х	Х	Х									Effective 10/1/23. Resticted to ICD-10 C4A.0, C4A.10, C4A.111, C4A.112, C4A.121, C4A.122, C4A.20, C4A.21, C4A.22, C4A.30, C4A.31, C4A.39, C4A.4, C4A.51, C4A.52, C4A.59, C4A.60, C4A.61, C4A.62, C4A.70, C4A.71, C4A.72, C4A.8, C7B.1.
	Injection, tremelimumab- actl, 1 mg	Imjudo	Yes	ML	Anti-neoplastic	None	Х	Х	Х									Effective 7/1/23. Restricted to ICD-10 C22.0, C34.00, C34.01, C34.02, C34.10, C34.11, C34.12, C34.2, C34.30, C34.31, C34.32, C34.80, C34.81, C34.82, C34.90, C34.91, C34.92. Minimum of 16 years.
J9348	Injection, naxitamab- gqgk, 1 mg	Danyelza	Yes	SOL	Anti-neoplastic	150 units daily	Х	Х	Х									Effective 7/1/21. Restricted to ICD-10 C74.00 - C74.92. Minimum age of 1 year.
J9349	Injection, tafasitamab- cxix, 2 mg	Monjuvi	Yes	UN	Anti-neoplastic	None	Х	Х	Х									Effective 4/1/21. Restricted to ICD-10 C83.30 - C83.39. Minimum age of 16 years.
	Injection, mosunetuzumab-axgb, 1 mg	Lunsumio	Yes	UN	Anti-neoplastic	None	Х	Х	Х									Effective 7/1/23. Restricted to IDC-10 C82.00 - C82.09, C82.10 - C82.19, C82.30 - C82.39, C82.80 - C82.89, C82.90 - C82.99. Minimum of 16 years.
J9351	Injection, topotecan, 0.1 mg.	Hycamtin	Yes	UN	Anti-neoplastic	None	Х	Х	Х							Х		Effective 10/1/2015 ICD-10 diagnosis codes C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92, C53.0, C53.1, C53.8, C53.9, C56.1, C56.2, C56.9, C57.00 - C57.02, C57.10 - C57.12, C57.20 - C57.22, C57.3, C57.4, C79.60 - C79.62 or C79.82 New code effective 1/1/11. Restricted to ICD-9 162.0 - 162.9, 180.0 - 180.9, 183.9, 183.9, 198.6, 198.82. Participal to agos 18 and above. Open to Open code specialty for Physician provider type.
	Injection, trabectedin, 0.1 mg	Yondelis	Yes	UN	Anti-neoplastic	None	Х	Х	Х									Effective 1/1/17. Restricted to ICD-10 diagnosis C49.9. Minimum age of 16 years.
	Injection, margetuximab- cmkb, 5 mg	Margenza	Yes	SOL	Anti-neoplastic	None	Х	Х	Х									Effective 7/1/21. Restricted to ICD-10 C50.011 - C50.929. Alian Minimum age of 16 years.

									_		T	T								
Code	Description	Brand Name	NDC req.	NDC unit	Category	Service Limits	AC OP	CAH	Р	NP	MW	MF	HS	PC	OI	PH	н	IDT	DC	Special Instructions
			for	measure		Lillits	OF	OF										•		
			drug																	
			rebate																	
			?																	
J9354	Injection, ado-	Kadcyla	Yes	UN	Anti-neoplastic	None	Х	Х	Х											Effective 12/1/17, ICD-10 diagoses C77.1, C79.51, C79.52, D05.11, and D05.12 added. Effective
	trastuzumab emtansine,																			10/1/2015 ICD-10 diagnosis codes C50.011, C50.012, C50.019, C50.021, C50.022, C50.029, C50.111,
	1 mg																			C50.112, C50.119, C50.121, C50.122, C50.129, C50.211, C50.212, C50.219, C50.221, C50.222, C50.229, C50.311, C50.312, C50.319, C50.321, C50.322, C50.329, C50.411, C50.412, C50.419, C50.421, C50.422,
																				C50.429, C50.511, C50.512, C50.519, C50.521, C50.522, C50.529, C50.611, C50.612, C50.619, C50.621,
																				C50.622, C50.629, C50.811, C50.812, C50.819, C50.821, C50.822, C50.829, C50.911, C50.912, C50.919,
																				C50.921, C50.922, C50.929, C79.10, C79.11, or C79.19
																				Effective 1/1/14. Restricted to ICD-9 diagnosis of 174.0 - 174.9 or 175.0 - 175.9. Minimum age restriction of 16 years.
																				To years.
10255	Trastuzumab 10mg	Hanantia	Yes	UN	Anti nasnlastia	220 units	V		~		-		_		_					Service limit added, effective 10/1/15.
	ŭ .	Herceptin			Anti-neoplastic	monthly	Х	Х	Х											
J9356	Injection, trastuzumab,	Herceptin	Yes	ML	Anti-neoplastic	None	Х	Х	Х											Effective 7/1/19.
	10 mg and hvaluronidase-ovsk	Hylecta																		Restricted to ICD-10 C82.00 -C82.99, C83.00 - C83.39, C91.10, C91.12. Minimum age restriction of 16 years.
J9357	Valrubicin intravesical	Valstar	Yes	ML	Anti-neoplastic	6 per day	Х	Х	Х											William Prof. Festivaria V. IV. Vestes.
J9358	200ma Injection, fam-	Enhertu	Yes	UN	Anti-neoplastic	None	Х	Х	Х						-	_				Efective 8/11/22, ICD-10 C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80, C34.82,
	trastuzumab deruxtecan-			-																C34.9 - C34.92 added.
	nxki, 1 mg																			Effective 7/1/20.
																				Restricted to ICD-10 C50.011 - C50.929, Z85.3, C77.0 - C77.9, C78.00 - C78.39, C78.7, C79.31, C79.32, C79.51, C79.52.
																				Minimum age 16 years.
J9359	Injection, loncastuximab	Zynlonta	Yes	EA	Anti-neoplastic	None	Х	Х	Х											Effective 4/1/22.
	tesirine-lpyl, 0.075 mg																			Restricted to ICD-10 M32.10 - M32.19, M32.8, M32.9.
																				Minimum age of 16 years.
J9360	Vinblastine sulfate 1mg	Vinblastine	Yes	PWD=UN SOL=ML	Anti-neoplastic	46 per day	Х	Х	Х											
		Sulfate Velban		SOL=IVIL																
J9370	Vincristine sulfate 1mg	Oncovin	Yes	PWD=UN	Anti-neoplastic	7 per day	Х	Х	Х											
J9371	Injection, vincristine	Vincasar Pfs Margibo	Yes	SOL=ML UN	Anti-neoplastic	None	Х	Х	Х		1		-		-	_				Effective 10/1/2015 ICD-10 diagnosis codes C91.00 - C91.02, C91.10 - C91.12, C91.30 - C91.32, C91.50 -
00071	sulfate liposome, 1 mg	Marqibo	100	011	7 tha neoplastic	None	^		^											C91.52, C91.60 - C91.62, C91.91, C91.92, C91.A0 - C91.A2 or C91.Z0 - C91.Z2
10075	Vincetalia a sulfata Oscar	0	V	5.41	Antinonalouto	4	V								_	_				Fffective 1/1/14 Restricted to ICD-9 diagnosis of 204.00 - 204.82 Minimum age restriction of 16 years
J9375	Vincristine sulfate 2mg	Oncovin Vincasar Pfs	Yes	ML	Anti-neoplastic	4 per day	Х	Х	Х											Closed 12/31/10.
J9380	Injection, teclistamab-	Tecvayli	Yes	ML	Anti-neoplastic	None	Х	Х	Х			1				T				Effective 7/1/23.
	cqyv, 0.5 mg																			Restricted to ICD-10 C90.00, C90.02. Minimum of 16 years.
10001	Indication to Province	T-1-14	V		A - ti - ti - b - ti	Maria					1	<u> </u>			_	_				·
J9381	Injection, teplizumab- mzwv, 5 mcg	Tzield	Yes	ML	Anti-diabetic	None	Х	Х	Х											Effective 7/1/23. Restricted to ICD-10 E10.10, E10.21, E10.22, E10.29, E10.3211, E10.3212, E10.3213, E10.3291, E10.3292,
	mew, o mog																			E10.3293, E10.3311, E10.3312, E10.3213, E10.3391, E10.3392, E10.3393, E10.3411, E10.3412, E10.3413,
																				E10.3491, E10.3492, E10.3493, E10.3511, E10.3512, E10.3513, E10.3521, E10.3522, E10.3523, E10.3531,
																				E10.3532, E10.3533, E10.3541, E10.3542, E10.3543, E10.3551, E10.3552, E10.3553, E10.3593, E10.35
																				E10.36, E10.37X1, E10.37X2, E10.37X3, E10.39, E10.41, E10.42, E10.43, E10.49, E10.51, E10.52, E10.59, E10.610, E10.618, E10.620, E10.621, E10.622, E10.628, E10.630, E10.638, E10.649, E10.65, E10.69, E10.91,
																				O24.011, O24.012, O24.013, O24.02, D10.022, D10.022, D10.030, D10.030, D10.039, D10.03
J9390	Vinorelbine tartrate	Navelbine	Yes	ML	Anti-neoplastic	10 per day	Х	Х	Х			1				1				
	10ma							<u> </u>		<u> </u>	<u> </u>	1		1						

				1100 11					_		T			1 -	- 1 -	T				
Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	OP OP		NP	MW	MI	н нѕ	P	0 0	ЭРН	н	F	DC	Special Instructions
J9393	Injection, fulvestrant (teva) not therapeutically equivalent to j9395, 25 mg	NA	Yes	ML	Anti-neoplastic	None	X	X	Х											Effective 1/1/23.
J9394	Injection, fulvestrant (fresenius kabi) not therapeutically equivalent to j9395, 25 mg	NA	Yes	ML	Anti-neoplastic	None	Х	Х	Х											Effective 1/1/23.
J9395	Injection fulvestrant	Faslodex	Yes	ML	Anti-neoplastic	20 units daily	Х	Х	Х											Update to service limit, effective 9/9/10.
J9400	Injection, ziv-aflibercept, 1 mg	Zaltrap	Yes	ML	Anti-neoplastic	550 units bi- weekly	Х	Х	Х											Effective 10/1/2015 ICD-10 diagnosis codes C18.0 - C18.9, C19, C20, C21.2 or C21.8 Effective 1/1/14. Restricted to ICD-9 diagnosis of 153.0 - 153.9, 154.0, 154.1, or 154.8. Minimum age restriction of 16 years
	Porfimer sodium 75mg Unclassified Antineoplastics. Use only if a more specific	Photofrin	Yes Yes	UN KIT=UN SOL=ML PWD=UN	Anti-neoplastic	3 per day	X	X	X											Closed 10/31/19. No drug manufacturers partitipating in federal drug rebate program. Refer to the list of Approved Drugs from preceding page billed with HCPCS Code J3490. Cost invoice may be required with claim form.
Q0090	Levonorgestrel-releasing intrauterine contraceptive system, 13.5 mg.	Skyla	Yes	UN	Contraceptive	1 unit per 3 years	Х	Х	X	Х	Х									Closed 12/31/13. See J7301. Effective 7/1/13. Minimum age restriction of 16 years.
Q0112	All potassium hydroxide (KOH) preparations		N/A																	Not covered
Q0138	Injection, ferumoxytol, for treatment of iron deficiency anemia, 1 mg. (non-ESRD)	Feraheme	Yes	ML	Iron salt	none	X	Х	X	X							X		Х	Effective 1/1/17, ICD-10 diagnosis restriction of D63.1 added. Effective 10/1/2015 ICD-10 diagnosis codes D50.0, D50.1, D50.8, D50.9, D53.8 or D64.9 Deny if billed with ICD10 diagnosis N18.6 Effective 1/1/10. Restricted to ICD-9 diagnosis 280.0 - 280.9. Deny if billed with ICD-9 diagnosis 585.6.
Q0139	Injection, ferumoxytol, for treatment of iron deficiency anemia, 1 mg. (ESRD use)	Feraheme	Yes	ML	Iron salt	none	Х	Х	Х	Х							Х		Х	Effective 1/1/17, ICD-10 diagnosis restriction of D63.1 added. Effective 1/1/17, ICD-10 diagnosis codes D50.0, D50.1, D50.8, D50.9, D53.8, D64.9 or N18.6 Effective 1/1/10. Restricted to ICD-9 diagnosis 280.0 - 280.9 and 585.6. Restrict to age 16 and above.
Q0144	Azithromycin dehydrate, oral, capsules/powder, 1 gram	Zithromax Zithromax Z- pak	Yes	UN					Х	Х										New code effective 1/1/08.
	Ondansetron 1 mg., oral, FDA-approved prescription anti-emetic, not to exceed a 48-hour dosage regimen	Zofran	N/A																	Not covered.
Q0163	Diphenhydramine HCI 50 mg, oral, FDA approved prescription antiemetic, for use as a complete therapeutic substitute for an IV antiemetic at time of chemotherapy treatment not to exceed a 48 hour dosage regimen	Truxadryl	Yes	SOL=ML		None	Х	Х	Х	Х										Must be billed with chemo agent.

		1											,						·
Code	Description	Brand Name	req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	Р	NP	MW	МН	HS	PO	ОРН	н	IDT F	DC	Special Instructions
	Prochlorperazine maleate, 5mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitue for an IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage		Yes	UN		None	X	X	X	Х									Must be billed with chemo agent.
	Prochlorperazine maleate, 10mg, oral, FDA approved antiemetic, for use as a complete therapeutic substitue for an IV antiemetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen	Compazine	Yes	UN		None	X	X	X	х									Must be billed with chemo agent.
	Granisetron HCI, 1mg, oral, FDA approved anti- emetic, for use as a complete therapeutic substitute for an IV anti- emetic at the time of chemotherapy treatment, not to exceed a 24 hour dosage regimen	Kytril	Yes	SOL=ML		None	Х	Х	Х	X									Must be billed with chemo agent.
	Dronabinol, 2.5mg, oral, FDA approved anti- emetic, for use as a complete therapeutic susbstitute for an IV anti- emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen		Yes	UN		None	Х	Х	Х	X									Must be billed with chemo agent.
Q0168	Dronabinol, 5mg, oral, FDA approved anti- emetic, for use as a complete therapeutic susbstitute for an IV anti- emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen		Yes	UN		None	Х	Х	Х	X									Must be billed with chemo agent.

_																			
Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	Р	NP	MW	МН	HS	PO	OPH	Ī	IDT F	DC	Special Instructions
	Promethazine HCl, 12.5mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitute for an IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen		Yes	UN		None	X	X	X	X									Must be billed with chemo agent.
Q0170	Promethazine HCI, 25mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitute for an IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen		Yes	SYR=ML		None	х	Х	X	X									Must be billed with chemo agent.
Q0171	Chlorpromazine HCI, 10mg, oral, FDA approved antiemetic, for use as a complete therapeutic substitute for an IV antiemetic at the time of chemotherapy treatment, not to exceed a 48 hour regimen	Thorazine	Yes	SYR=ML		None	X	X	X	X									Must be billed with chemo agent.
Q0172	Chlorpromazine HCI, 25mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitute for an IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour regimen		Yes	SOL=ML		None	X	X	Х	X									Must be billed with chemo agent.
Q0173	Trimethobenzamide HCl, 250mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitute for an IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen	Thimazide	N/A																Not Covered

0 - 1	December the m	D 1 N-	NDC	NDO'	0-1	0	1.0			NE	2010		1110	- DC	ODI:		lin-	·I p.a	Non-stational materials
Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	OP	Р		MW	МН	нѕ	PO	OPH	Н	F	DC	Special Instructions
Q0174	Thiethylperazine maleate, 10mg, oral, FDA approved antiemetic, for use as a complete therapeutic substitute for an IV antiemetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen	Torecan	Yes	UN		None	X	X	X	X									Must be billed with chemo agent.
	Perphenzaine, 4mg, oral, FDA approved anti- emetic, for use as a complete therapeutic substitute for an IV anti- emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen	Trilifon	Yes	UN		None	X	Х	Х	Х									Must be billed with chemo agent.
Q0176	Perphenzaine, 8mg, oral, FDA approved anti- emetic, for use as a complete therapeutic substitute for an IV anti- emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen	Trilifon	Yes	UN		None	X	Х	Х	Х									Must be billed with chemo agent.
Q0177	Hydroxyzine pamoate, 25mg, oral, FDA approved antiemetic, for use as a complete therapeutic substitute for IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage	Vistaril	Yes	SUS=ML		None	X	Х	Х	Х									Must be billed with chemo agent.
	Hydroxyzine pamoate, 50mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitute for IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage	Vistaril	Yes	PWD=UN		None	Х	Х	Х	Х									Must be billed with chemo agent.

		1																	
Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	РО	OPH	HI		DC	Special Instructions
			req.	of		Limits	OP	OP									F		
			for	measure															
			drug																
			rebate																
			?																
00179 (Ondansetron HCI, 8mg,	Zofran	Yes	UN		None	Х	Х	Х	Х									Must be billed with chemo agent.
	FDA approved anti-	Zonan	103	OIV		None	^	^	^	^									Must be blied with chemo agent.
	emetic, for use as a																		
	complete therapeutic																		
	substitute for an IV anti-																		
	emetic at the time of																		
	chemotherapy treatment,																		
	not to exceed a 48 hour																		
C	dosage regimen																		
Q0180 Γ	Dolasetron mesylate,	Anzemet	Yes	UN		None	Χ	Χ	Χ	Χ									Must be billed with chemo agent.
4	100mg, oral, FDA																		
ε	approved anti-emetic, for																		
	use as a complete									Į									
	herapeutic substitute for																		
	an IV anti-emetic at the																		
	time of chemotherapy																		
	reatment, not to exceed																		
	a 24 hour dosage																		
	regimen																		
	Unspecified oral dosage		N/A							-									Not covered
	form, FDA approved anti-		IN/A																Not covered
	emetic, for use as a																		
	complete therapeutic																		
	substitute for an IV anti-																		
	emetic at the time of																		
	chemotherapy treatment,																		
	not to exceed a 48 hour																		
	dosage regimen																		
	njection, bebtelovimab,	N/A	Yes	ML	Monoclonal	None	Х	Х	Х	Х									Effective 8/15/22.
1	175 mg				antibody														
Q0511 F	Pharmacy supply fee for		N/A																Medicare X-over
	oral anticancer,																		
r	oral antiemetic																		
	or immunosuppressive																		
	njection, sermorelin	Geref -	N/A																Not covered
	acetate, 1 microgram	Diagnostic	NI/A	ļ		 			\longrightarrow				\vdash				\vdash		Not sourced
	rrigation solution for	Renacidin	N/A	1				l											Not covered
	reatment of bladder			1				l											
	calculi, for example																		
	Renacidin per 500 ml njection, fosphenytoin,	Cerebyx	N/A						1	1			H				H		Not covered
	50 mg	COLODYX	17/7	1				l											
	njection, bevacizumab,						Х	Х	Х						Χ				Closed 12/31/09. See J3490 for Ophthalmology.
C	0.25 mg.																		
	njection, incobotulinim	Xeomin	Yes	UN	Neuromuscular	120 u. per 90	Х	Х	Х	T									Closed 12/31/11. See J0588. Effective 4/1/11. Restricted to ICD-9 diagnosis codes of 333.81 & 333.83.
t	oxin A, 1 u.				blocker	days													Minimum age restriction of 18 years.
\longrightarrow	niection	Kymriah	Yes	UN	Anti-neoplastic	N/A	Х	Х											Closed 12/31/18. See Q2042 after this date.
Q2040 II					op.ac.io	1									1				
Q2040 I	isagenlecleucel										I								Effective 1/1/18. Contact Kepro at 800-346-8272 for prior authorization requests.

	T -					r -		-											-1-
Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	OP	Р	NP	MW	МН	HS	PO	ОРН	Н	F F		C Special Instructions
Q2041	Axicabtagene ciloleucel, up to 200 million autologous anti-CD19 CAR positive T cells, including leukapheresis and dose preparation procedures, per therapeutic dose	Yescarta	Yes	EA	Anti-neoplastic	N/A	X												Effective 4/1/18. Contact Kepro at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria.
Q2042	Tisagenlecleucel, up to 600 million CAR-positive viable T cells, including leukapheresis and dose preparation procedures, per therapeutic dose	Kymriah	Yes	UN	Anti-neoplastic	N/A	X	Х											Effective 1/1/19. Contact Kepro at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria.
Q2043	Sipuleucel-T, minimum of 50 million autologous cells, including all preparatory procedures, per infusion	Provenge	Yes	UN	Anti-neoplastic	1 per 14 days	Х	Х	Х										Effective 10/1/2015 ICD-10 diagnosis code C61 Effective 7/1/11. Restricted to ICD-9 diagnosis 185. Minimum age restriction of 18 years.
Q2046	Injection, aflibercept 1 mg.	Eylea	Yes	ML	neovascular- Age related Macular	4 units weekly	Х	Х							Х				Effective 10/1/2015 ICD-10 diagnosis codes H34.811 - H34.813, H34.819, H35.32 or H35.81 Ophthalmology physician specialty added 7/1/12. New ICD-9 diagnosis restriction of 362.83 and 362.35 added, effective 9/21/12. Code opened 7/1/12. Restricted to ICD-9 diagnosis code of 362.52. Minimum age restriction of 15 years.
Q2047	Injection, peginesatide 0.1 mg.	Omontys	Yes	ML	Erythropoiesis stimulating agent													×	Effective 10/1/2015 ICD-10 diagnosis codes D63.1 or N18.6 Effective 7/1/12. Restricted to ICD-9 diagnosis 285.21 and 585.6. Minimum age restriction of 16 years.
Q2049	Injection, doxorubicin HCI., liposomal, 10 mg.	Lipodox (imported)	Yes	ML	Anti-neoplastic	10 per day	Х	Х	Х										Effective 7/1/12.
Q2050	Injection, doxorubicin hydrochloride, liposomal, not otherwise specified, 10mg	Doxil	Yes	ML	Anti-neoplastic	10 per day	Х	X	Х										Effective 1/1/14.
Q2053	Brexucabtagene autoleucel, up to 200 million autologous anti- cd19 car positive viable t cells, including leukapheresis and dose preparation procedures, per therapeutic dose	Tecartus	Yes	UN	Anti-neoplastic		Х												Effective 4/1/21. Contact Kepro at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria.

Codo	Description	Brand Name	NDC	NDC unit	Catagoni	Convine	40	CAL	В	NP	NAVA/	MILI	ше	BO	I O B	u 1	ы І	DT	Cnocial	Lingtructions
Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	OP	P	NP	MW	МН	HS	PO	OP	H		F		I Instructions
	Lisocabtagene maraleucel, up to 110 million autologous anti-cd19 car-positive viable t cells, including leukapheresis and dose preparation procedures, per therapeutic dose	Breyanzi	Yes	UN	Antineoplastic	N/A	X												Contac	ve 10/1/21. tt Kepro at 800-346-8272 for prior authorization requests. https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria.
	Idecabtagene vicleucel, up to 460 million autologous b-cell maturation antigen (bcma) directed car- positive t cells, including leukapheresis and dose preparation procedures, per therapeutic dose	Abecma	Yes	UN	Antineoplastic		X												Contac	ve 1/1/22. tt Kepro at 800-346-8272 for prior authorization requests. https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria.
	Ciltacabtagene autoleucel, up to 100 million autologous B-cell maturation antigen (BCMA) directed CAR- positive T cells, including leukapheresis and dose preparation procedures, per therapeutic dose	Carvykti	Yes	EA	Antineoplastic		X												Contac	ve 10/1/22. tt Kepro at 800-346-8272 for prior authorization requests. https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria.
Q3025	Injection, interferon beta-1a, 11 mcg for intramuscular use	Rebif Avonex	Yes	UN		4 daily	Х	Х	Х	Х									For IM	only.
	Injection, interferon beta-1a, 11 mcg for subcutaneous use	Rebif Avonex	N/A																Closed	7/1/05
	Illoprost, inhalation solution, FDA-approved final product, non-																		Not cov	rered.
Q4079	Injection, Natalizumab 1 mg	Tysabri	Yes		Leukocyte Adhesion Inhibitor														Code cl	losed 12/31/07. See J2323 effective 1/1/08.
	Iloprost inhalation solution administered thru DME up to 20 mcg	Ventavis	N/A		ITITIDIO														Not Cov	vered. Closed 12/31/09. See Q4074
	Injection, Epoetin Alfa, 100 units (for ESRD on dialysis)	Epogen Procrit	Yes	ML		900 units 3 times weekly	Х	Х	Х	Х										ve 10/1/2015 ICD-10 diagnosis code N18.6 de 1/1/07. If more than 900 units needed, bill with J0886. ICD-9 585.6 needed on claim form.
	Drug or Biological, not otherwise classified, Part B drug		N/A																New co	de 1/1/07. Not covered.
	Hyaluronan or derative, Hyalgan or Supartz, for intra-articular injection per dose	Hyalgan Supartz	No		Osteoarthritic	10 injection (5 per knee) per 170 rolling days														losed 12/31/07. Claims will deny when billed with Q code with dates of service after 12/31/07. See effective 1/1/08.

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	мн	HS	PO	ОРН	Н	IDT	חמוז	Special Instructions
0040	2000 (req. for drug rebate ?	of measure	calogory	Limits	OP	OP						. •			F		
	Hyaluronan or derivative, Synvisc, for intra- articular injection, per	Synvisc	No		Osteoarthritic	6 injections (3 per knee) per 170 rolling days													Code closed 12/31/07. Claims will deny when billed with Q code with dates of service after 12/31/07. See J7322 effective 1/1/08.
	Hyaluronan or derivative, Euflexxa, for intra- articular injection, per	Euflexxa	No		Osteoarthritic	10 injection (5 per knee) per 170 rolling days													Code closed 12/31/07. Claims will deny when billed with Q code with dates of service after 12/31/07. See J7323 effective 1/1/08.
	Hyaluronan or derivative, Orthovisc, for intra- articular injections, per	Orthovisc	No		Osteoarthritic	8 injections (4 per knee) per 170													Code closed 12/31/07. Claims will deny when billed with Q code with dates of service after 12/31/07. See J7324 effective 1/1/08.
	Octagam injection - injection , immune globulin,(Octagam) IV, non-lyophilized (i.e.,		N/A			TOWN IN THE VI													New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J1568 effective 1/1/08.
	Gammagard Liquid Injection - Injection,immune globulin (Gammagard Liquid), IV, non- lyophilized (e.e., liquid),		N/A																New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J1569 effective 1/1/08.
	Rhophylac Injection - Injection, Rho(d) immune globulin (human), (Rhohylac), IM or IV, 100iu - Note that currently Rhophylac is the only product that should be billed using code Q0489. If other products under the Food and Drug Administration (FDA) approval for Rhophylac become available, Q4089 would be used to bill for such		N/A																New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J2791 effective 1/1/08.
	HepaGam B Injection - Injection, hepatitis B immune globulin (HepaGam B, IM, 0.5		N/A																New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J1571 effective 1/1/08.
	Fiebogamma Injection - Injection, immune globulin (Flebogamma), IV, non-lypohilized (e.g., liquid), 500mg		N/A																New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J1572 effective 1/1/08.
	Gamunex Injection - Injection, immune globulin (Gamunex), IV, non-lypohilized (e.g., liquid), 500mg		N/A																New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J1561 effective 1/1/08.

	T	r															1		T
Code	Description	Brand Name	req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	OP	Р	NP	MW	МН	нѕ	PO	ОРН	НІ	F F	DC	Special Instructions
	Albuterol, all formulations including separated isomers, inhaltion solution, FDA approved final product, non-compounded, administered through DME, concentrated form, per 1 mg (albuterol) or per 0.5mg		N/A																New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J7602 effective 1/1/08.
	Albuterol, all formulations including separated isomers, inhaltion solution, FDA approved final product, non-compounded, administered through DME, concentrated form, per 1 mg (albuterol) or per 0.5mg		N/A																New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J7603 effective 1/1/08.
	Zoledronic Acid/Mannitol/Water Reclast 5mg/100ml bottles	Reclast	Yes	ML	Bone Resorption Inhibitor														Code closed effective 12/31/07. See J3488 effective 1/1/08.
Q4096	Injection, Von Willebrand factor complex, human, Ristocetin cofactor, (NOS), per IU. VWF:RCO	Alphanate	N/A	IJ	Anti-hemophilic														Not covered.
	Injection, iron dextrans, 50 ma.	Infed	Yes	ML	Iron salt	None	Х	Х	Х	Χ									New code. Opened 7/1/08. Closed 12/31/08. See J1750 after 1/1/09.
	Skin substitute, NOS	N/A	No			None	X	X						Х					Requires description of skin substitute on claim form, requires cost invoice with claim form, add to edit 162
	Apligraf, per sq. cm. Skin substitute, Oasis Wound Matrix, per sq.	N/A	No No			None None	X	X	X					X					Effective 1/1/09. Replaces J7340. Replaces J7341.
	Skin substitute, Oasis Burn Matrix, per sq. cm.	N/A	No			None	Х	Х						Х					Replaces J7341.
Q4107	Skin substitute, Graft	N/A	No			None	Х	Х	Х					Х					
Q4108	Jacket, per sg. cm. Skin substitute, Integra Matrix, per sg. cm.	N/A	No			None	Х	Х	Х					Х					Replaces J7347.
	Skin substitute, Tissuemend, per sq. cm.	N/A	No			None	Х	Х	Х					Х					Replaces J7348.
Q4110	Skin substitute, Primatrix, per sq. cm.	N/A	No			None	Х	Х	Х					Х					Replaces J7349.
Q4111	Skin substitute, GammaGraft, per sq.	N/A	No			None	Х	Х	Х					Х					
Q4112	Allograft, Cmyetra, injectable, 1 cc.	N/A	No			None	Х	Х	Х					Х					Replaces J7346.
Q4113	Allograft, GRAFTJACKET express, injectable, 1 cc.	N/A	No			None	Х	Х	Х					Х					Replaces J7346.

Code	Description	Brand Name	NDC req. for drug rebate ?	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	Р	NP	MW	МН	HS	PO	ОР	Н	HI	IDT F	DC	Special Instructions
Q4114	Integra flowable wound matrix, injectable, 1 cc.	N/A	No			None	Х	Х	Х					Х						
Q4121	Theraskin, per sq. cm.	N/A	No			None	Х	Х	Х					Х						Effective 7/1/15. Covered to ASC, effective 7/1/15. Restricted to physician specialties of Podiatrist and Podiatric Surgeon, General Surgeon, Plastic Surgeon, and Dermatologist.
Q5101	Injection, filgrastim G- CSF, biosimiliar, 1 mg.	Zarxio	Yes			1500 units daily	Х	Х	Х											Effective 10/1/15.
	Infliximab, bio-similar, 10 mg.	Inflectra	Yes		Anti-rheumatic		Х	Х	Х											Closed 3/31/18. See Q5103 after this date. Effective 1/1/17.
Q5103	Injection, infliximab-dyyb, bio-similar, 10 mg.	Inflectra	Yes	EA	Anti-rheumatic	None	Х	Х	Х											Effective 4/1/18.
	Injection, infliximab- abda, bio-similar, 10 mg.	Renflexis	Yes	EA	Anti-rheumatic	None	Х	Х	Х											Effective 4/1/18.
	Injection, epoetin alfa- epbx, bio-similar, 100 units (for ESRD on dialysis)	Retacrit	Yes	ML	Colony stimulating factor	None	Х	Х	Х	Х									Х	Effective 8/1/22, added to dialysis center conracts. Effective 1/1/20. Must include ICD-10 N18.6.
	Injection, epoetin alfa- epbx, bio-similar, 1000 units (for non-ESRD use)	Retacrit	Yes	ML	Colony stimulating factor	None	Х	Х	Х	Х									Х	Effective 8/1/22, added to dialysis center contracts. Effective 1/1/20. Exclude ICD-10 N18.6.
	Injection, bevacizumab- awwb, biosimilar, 10 mg.	Mvasi	Yes	ML	Anti-neoplastic	None	Х	Х	Х											Effective 3/1/22, ICD-10 C22.0 - C22.9 added. 1/1/19. Restricted to ICD- 10 C18.0 - C18.9, C19, C20, C21.8, C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92, C53.0, C53.1, C53.8, C53.9, C64.1 - C64.2, C64.9, C65.1, C65.2, C65.9, C71.0 - C71.9. Mirnimum age of 18 years
	Injection, pegfilgrastim- jmdb, biosimilar, 0.5 mg	Fulphila	Yes	ML	Colony stimulating factor	None	Х	Х	Х	Х										Effective 10/1/18.
Q5110	Injection, filgrastim-aafi, biosimilar, 1 mcg	Nivestym	Yes	ML	Colony stimulating factor	None	Х	Х	Х											Effective 6/1/23.
	Injection, pegfilgrastim- cbqv, biosimilar, 0.5 mg	Udenyca	Yes	ML	Colony stimulating factor	12 units daily	Х	Х	Х											Effective 4/1/20, restricted to ICD-10 D70.1, T45.1X5A, T45.1X5D, T45.1X5S. Effective 1/1/19. Minimum age of 16 years.
Q5113	Injection, trastuzumab- pkrb, biosimilar, 10 mg.	Herzuma	Yes	UN	Anti-neoplastic	None	Х	Х	Х											Effective 7/1/19. Restricted to ICD-10 C50.011 - C50.929, C16.0 - C16.9. Minimum age of 16 years.
Q5114	Injection, trastuzumab- dkst, biosimilar,10 mg.	Ogivri	Yes	UN	Anti-neoplastic	None	Х	Х	Х											Effective 7/1/19. Restricted to ICD-10 C50.011 - C50.929, C16.0 - C16.9. Minimum age of 16 years.
	Injection, rituximab-abbs, biosimilar, 10 mg.	Truxima	Yes	ML	Anti-neoplastic	None	Х	Х	Х											Diagnosis restrictions are removed effective 5/1/22. Effective 7/1/20: Restricted to ICD-10 C82.00 - C82.99, C83.00 - C83.89, C85.10 - C85.19, C85.80 - C85.89, C85.90 - C85.99, C91.10, C91.12, M31.30, M31.31, M31.7. Effective 7/1/19. Restricted to ICD-10 C82.00 - C82.99, C83.00 - C83.89, C85.80 - C85.89, C88.4. Minimum age of 16 years.

Code	Description	Brand Name	NDC req. for drug rebate	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	HS	PO	OPH	i H		DT I	OC Sp	pecial Instructions
Q5116	Injection, trastuzumab- qyyp, 10 mg.	Trazimera	? Yes	UN	None	None	Х	Х	Х										Re	ffective 10/1/19. estricted to ICD-10 diagnosis of C16.0 - C16.9, C50.011 - C50.929. linimum age of 16 years.
Q5117	Injection, trastuzumab- anns, biosimilar, 10 mg.	Kanjinti	Yes	UN	Anti-neoplastic	None	Х	Х	Х										Ef Re	ffective 7/1/21, ICD-10 diagnoses C15.3 - C15.9 and C16.0 - C16.9 added. ffective 10/1/19. estricted to ICD-10 diagnosis of C50.011 - C50.911, C50.021 - C50.921. estricted to minimum age of 16 years.
Q5118	Injection, bevacizumab- bvzr, bio-similar, 10 mg.	Zirabev	Yes	ML	Anti-neoplastic	None	Х	Х	Х										Re C3	ffective 10/1/19. estricted to ICD-10 diagnosis of C18.0, C18.1, C18.2 - C18.9, C19, C20, C21.8, C33, C34.00 - C34.02, 34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92, C53.0, C53.1, C53.8, C53.9, 64.1, C64.2, C64.9, C65.1, C65.2, C65.9, C71.0 - C71.9.
Q5119	Injection, rituximab-pvvr, biosimilar, 10 mg	Ruxience	Yes	ML	Anti-neoplastic	None	Х	Х	Х										Ef Re C9	iagnosis restrictions are removed effective 5/1/22. ffective 7/1/20. estricted to ICD-10 C82.00 - C82.99, C83.00 - C83.89, C85.10 - C85.19, C85.80 - C85.89, C85.90 - C85.99, 91.10, C91.12, M31.7, M31.30, M31.31. linimum age of 16 years.
Q5120	Injection, pegfilgrastim- bmez, biosimilar, 0.5 mg	Ziextenzo	Yes	ML	Colony stimulating factor	None	Х	Х	Х										Re	ffective 7/1/20. estricted to ICD-10 D70.1, T45.1X5A, T45.1X5D, T45.1X5S. linimum age of 16 years.
Q5121	Injection, infliximab-axxq, biosimilar, 10 mg	Avsola	Yes	UN	Anti-rheumatic	None	Х	Х	Х										Ef Re	s of 10/1/22, ICD-10 diagnosis of K50.811, K50.812, K50, 813, K50.814, K50.818 and K50.819 added. ffective 7/1/20. estricted to ICD-10 K50.00, K50.10, K50.80, K50.90, K51.00, K51.20, K51.30, K51.50, K51.80, K51.90, 60.3, K60.4, L40.0, L40.50, M05.60, M50.70, M06.00, M45.9.
Q5122	Injection, pegfilgrastim- apgf, biosimilar, 0.5 mg	Nyvepria	Yes	SOL	Colony stimulating factor	None	Х	Х	Х										Ef	ffective 1/1/21.
Q5123	Injection, rituximab-arrx, biosimilar, 10 mg	Riabni	Yes.	SOL	Anti-neoplastic	None	Х	Х	Х										7/ Re	iagnosis restrictions are removed effective 5/1/22. Effective /1/21. estricted to ICD-10 C83.00 - C83.09, C83.30 - C83.39, C85.80 - C85.89, C85.90 - C85.99, C91.10, C91.12, 95.9.
Q5125	Injection, filgrastim- ayow, biosimilar, 1 mcg	Releuko	Yes	ML	Colony stimulating factor	None	Х	Х	Х										Ef	ffective 10/1/22.
Q5126	Injection, bevacizumab- maly, biosimilar, 10 mg	Alymsys	Yes	ML	Anti-neoplastic	None	Х	Х	Х										Re	ffective 1/1/23. estricted to ICD-10 C18.0 - C18.9, C19, C20, C33, C34.01 - C34.92, C53.0 - C53.9, C56.1 - C56.3, C65.1, 62.2, C66.1, C66.2, C67.0 - C67.9, C68.0, C68.8, C71.0 - C71.9.
Q5127	Injection, pegfilgrastim- fpgk, biosimilar, 0.5 mg	Stimufend	Yes	ML	Colony stimulating factor	None	Х	Х	Х										Ef	ffective 4/1/23.
Q5128	Injection, ranibizumab- eqrn, biosimilar, 0.1 mg	Cimerli	Yes	ML	VEGF inhibitor	max. 5 units daily	Х	Х	Х										Ef	ffective 4/1/23.
Q9951	Low osmolar contrast material, 400 mg/.ml or greater,iodine concentration per ml		No		Diagnostic agent Radio- pharmaceutical		Х	Х	Х								,	Х	Pa	aper Claim. Send copy of the invoice which includes the NDC billed

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MA	МП	HS	T pr	OP	ы	шΠ	IDT	DC	Special Instructions
	·		req. for drug rebate ?	of measure	J.	Service Limits	OP	OP	, r	NP	IVIVV	IVIT	пъ	PC	, 04			F	טנ	
Q9952	Injection Gadolinim- based magnetic resonance contrast agent , per ml	Magnevist 46.9% Prohance Multihance	No		Diagnostic agent Radio-		Х	Х										X		Closed. Paper Claim. Send copy of the invoice which includes the NDC billed
		Omniscan Omnimark			pharmaceutical															
Q9953	Injection iron-based magnetic resonance contrast agent, per ml	Feridex IV	No		Diagnostic agent Radio-		Х	Х	Х									Х		Paper Claim. Send copy of the invoice which includes the NDC billed
Q9954	Oral magnetic resonance contrast agent, per 100ml	Gastromark	No		Diagnostic agent Radio-		Х	Х	Х									Х		Paper Claim. Send copy of the invoice which includes the NDC billed
Q9955	Injection, perflexane lipid microsphere, per ml		No		Diagnostic agent Radio-		Х	Х	X									Х		Paper Claim. Send copy of the invoice which includes the NDC billed
Q9956	Injection octafluoropropane microspheres, per ml	Optison	No		Diagnostic agent Radio-		Х	Х	Х									Х		Paper Claim. Send copy of the invoice which includes the NDC billed
Q9957	Injection , perfluitren lipid microspheres, per ml	Definity	Yes		Diagnostic agent Radio-		Х	Х	Х									Х		Paper Claim. Send copy of the invoice which includes the NDC-billed. Cardiology specialty added as covered provider, effective 1/1/09.
Q9958	High osmolar contrast material, up to 149 mg/ml iodine concentration, per ml	Cystografin Reno-30 Cystografin Hypaque Cysto-Conray	No		Diagnostic agent Radio- pharmaceutical		Х	Х	Х									Х		Paper Claim. Send-copy of the invoice which includes the NDC-billed
Q9959	High osmolar contrast material, 150-199 mg/ml iodine concentration, per ml	T ANGVEST	No		Diagnostic agent Radio-		Х	Х	Х									Х		Paper Claim. Send copy of the invoice which includes the NDC billed
Q9960	High osmolar contrast material, 200-249 mg/ml iodine concentration, per ml	Conray 43	No		Diagnostic agent Radio-		Х	Х	X									Х		Paper Claim. Send copy of the invoice which includes the NDC billed
Q9961	High osmolar contrast material, 250-299 mg/ml iodine concentration, per ml	Cholografin Reno-60 Renografin- 60	No		Diagnostic agent Radio-		Х	Х	Х									Х		Paper Claim. Send copy of the invoice which includes the NDC billed
Q9962	High osmolar contrast material, 300-349 mg/ml iodine concentration, per ml	CMAINE	No		Diagnostic agent Radio-		Х	Х	Х									Х		Paper Claim. Send-copy of the invoice which includes the NDC billed

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	MH	HS	PC	OPH	Т-	ıı lın	TIT	DC Special Instructions
	·		req. for drug rebate ?	of measure		Service Limits	OP	OP		NP	IMINA	IVIFI	no	70	UPF		F	F	
	High osmolar contrast material, 350-399 mg/ml iodine concentration, per ml	Gastrografin Sinografin Renocal-76 Hypaque Md-76R Md	No		Diagnostic agent Radio- pharmaceutical		X	Х	X								>	K	Paper Claim. Send copy of the invoice which includes the NDC billed
	High osmolar contrast material, 400 or greater mg/ml iodine concentration, per ml	Conray 400	No		Diagnostic agent Radio-		X	X	X								×	X	Paper Claim. Send copy of the invoice which includes the NDC billed
	Low osmolar contrast material, 100-199 MG/ML IODINE CONCENTRATION, PER ML		No		Diagnostic agent Radio- pharmaceutical		Х	Х	X								×	X	Paper Claim. Send copy of the invoice which includes the NDC billed
	Low osmolar contrast material, 200-299 MG/ML lodine Concentration, Per ML		No		Diagnostic agent Radio- pharmaceutical		Х	Х	Х								×	K	Paper Claim. Send copy of the invoice which includes the NDC billed
	Low osmolar contrast material, 300-399 MG/ML lodine Concentration, Per ML		Yes		Diagnostic agent Radio- pharmaceutical		Х	Х	Х								>	K	Effective 6/1/17, claim must be submitted with NDC participating in federal rebate program. Paper Claim. Send copy of the invoice which includes the NDC billed
	Injection, non- radioactive, non- contrast, visualization adjunct																		Not covered.
	Injection, ferric carboxymaltose, 750 mg./15 ml.	Injectafer	Yes	ML	Iron therapy	None	Х	Х	Х										Closed 12/31/14. See J1439 after this date. Effective 7/1/14. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 280.1 - 280.9. Minimum age restriction of 16 years.
	Injection, morphine sulfate, preservative-free for epidural or intrathecal use, 10mg	Duramorph	yes	ML	Analgesic narcotic	None	X	Х	Х										Closed 12/31/14. See J2274 after this date. Effective 7/1/14. Cannot be billed with J2271 or J2275 for same DOS.
	Injection, factor viii, fc fusion protein, (recombinant), per IU	Eloctate	Yes	IU	Anti-hemophilic		Х	Х	Х										Closed 12/31/15. See J7205 after this date. Effective 10/1/2015 ICD-10 diagnosis code D66 Effective 4/1/15. Restricted to ICD-9 diagnosis of 286.0 Minimum age restriction of 2 years.
Q9979	Injection, alemtuzumab 1 mg.	Lemtrada	Yes	ML	Anti-schlerotic	None	Х	Х	Х										Closed 12/31/15. See J0202 after this date. Effective 10/1/2015. Restricted to diagnosis ICD-10 G35. Minimum age restriction of 17 years.
	Levonorgetrel-releasing IUD contraceptive, 19.5 mg.	Kyleena	Yes	EA	Contraceptive	Once in five years	Х	Х	Х	Х	Х								Closed 12/31/17. See J7296 after this date. Effective 7/1/17.
	Ustekinumab 10 mg. IV injection	Stelara	Yes	ML	Antipsoriatic	None	Х	Х	Х										Closed 12/31/17. See J3358 after this date. Effective 7/1/17. Restricted to ICD-10 L30.5, L40.0 - L40.4, L40.50 - L40.54, L40.59, L40.8, L40.9, L41.0, L41.1, L41.3 - L41.5, L41.8, L41.9, L42, L44.0, L44.8, L45 or L94.5.

Code	Description	Brand Name	NDC	NDC unit	Category	Service		CAH	Р	NP	MW	МН	HS	РО	OPI	1 Н			DC Special Instructions
			req. for drug rebate ?	of measure		Limits	OP	OP									F	F	
	Injection, triamcinolone acetonide, preservative-free, extended-release, microsphere formulation, 1 mg.	Zilretta	Yes	EA	Anti- inflammatory	Max. 32 mg. once yearly	Х	X	X	X									Closed 12/31/18. Effective 7/1/18. Restricted to ICD-10 diagnosis of M17.1 - M17.9.
\$0012	Butorphanol tartrate,		N/A																Not covered.
50012	nasal sprav. 25 mg.		IV/A																Not covered.
S0014	Tacrine HCl, 10 mg.		N/A																Not covered.
S0017	Injection, aminocaproic acid		N/A		Hemorrhage														Not Covered
S0020	Injection, bupivicaine hvdro		N/A		Anesthetic														Not Covered
S0021	Injection, cefoperazone		N/A		Antibiotic														Not Covered
S0023	Injection, cimetidine		N/A		Anti-Ulcer														Not Covered
S0028	hvdroc Injection, famotidine, 20		N/A		Preparation Anti-Ulcer														Not Covered
00000	Injection, metronidazole		N/A		Preparation Anti-protoxoal								1		-				Not Covered
	Injection, nafcillin		Yes	EA	Penicillin-		Х	Х							-		-	-	Effective 7/1/20.
00002	sodium. 2 G.		100	_/\	Antibiotic		^	^											2.100.176 77.126.
S0034	Injection, ofloxacin, 400		N/A		Quinolone- Antibiotic														Not Covered
S0039	Injection, sulfamethoxazole		N/A		Sulfa - Antibiotic														Not Covered
S0040	Injection, ticarcillin disod		N/A		Penicillin- Antibiotic														Not Covered
	Injection, aztreonam, 500 mg	Actazam	Yes	UN	Betalactam- Antibiotic	Anti-bacterial	Х	Х											Closed 6/30/23. See J0457 after this date. Effective 1/1/20. Cost invoice with NDC required.
S0074	Injection, cefotetan disodiu		N/A		Cephalosporin- Antibiotic														Not Covered
S0077	Injection, clindamycin phosp		N/A		Lincosamide- Antibiotic														Not Covered
S0078	Injection, fosphenytoin sodi		N/A		Anticonvulsant														Not Covered
	Injection, pentamidine isethionate, 300 mg.	Pentam	Yes	UN	Antimicrobial	1 per day	Х	Х											Effective 1/1/19.
S0081	Injection, piperacillin sodi		N/A		Penicillin- Antibiotic														Not Covered
S0088	Imatinib 100 mg		N/A		Leukemia									i i	1	1	1	T	Not Covered
S0090	Sildenafil citrate, 25 mg		N/A		Impotency														Not Covered
S0091	Granisetron 1mg		N/A		Antiemetic/ Antivertigo Agents														Not Covered
	Hydromorphone 250 mg		N/A		Narcotic														Not Covered
	Morphine 500 mg	-	N/A		Narcotic	-							1	-	+	+	_	_	Not Covered
	Zidovudine, oral, 100 mg Bupropion HCL SR 60		N/A N/A		HIV- Antiviral Anti-Smoking								1			1	\dagger	+	Not Covered Not Covered
\$0100	tablets Mercaptopurine 50 mg	1	N/A		Leukemia	1			┢		\vdash		1	1	+	+	+	+	Not Covered
	Methadone oral 5mg	1	Yes	EA	Narcotic	20 units daily			1					 	1	1	+	+	Effective 7/1/17. Covered entities are Mental Health Clinic & Mental Health Rehabilitation.
S0117	Tretinoin topical 5 g		N/A		Acne	2 2to daily										上	1	1	Not Covered
S0122	Inj menotropins 75 iu		N/A		Follicle Stim /Lutenizing														Not Covered. Code closed effective 12/31/07.
					Homones														

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	мн	HS	РО	OP	Ή	нι Ι	IDT	DC	Special Instructions
Jour	Sessipion	Diana Name	req. for drug rebate ?	of measure	dategory	Limits	OP	OP	•									F	20	
S0126	Inj follitropin alfa 75 iu		N/A		Follicle Stim /Lutenizing															Not Covered. Code closed effective 12/31/07.
S0128	Inj follitropin beta 75 iu		N/A		Homones Follicle Stim /Lutenizing Homones															Not Covered. Code closed effective 12/31/07.
S0132	Inj ganirelix acetat 250 mcg		N/A		LHRH (GNRH) Antagonist, Pituitary															Not Covered. Code closed effective 12/31/07.
S0136	Clozapine, 25 mg		N/A		Atypical Antipsychotic															Not Covered
S0137	Didanosine, 25 mg		N/A		HIV- Antiviral															Not Covered
	Finasteride, 5 mg		N/A		Prostatic Hypertrophy															Not Covered
S0139	Minoxidil, 10 mg		N/A		Anti hypertensive															Not Covered
S0140	Saquinavir, 200 mg		N/A		HIV Antiviral															Not Covered
S0141	Zalcitabine, 0.375 mg ,		N/A		HIV- Antiviral															Not Covered
S0142	Colistimethate inh sol		N/A		Polymyxin- Antibiotic															Not Covered
S0143	Aztreonam, inh sol gram		N/A		Betalactam- Antibiotic															Not Covered
S0145	Peg interferon alfa- 2A/180		N/A		Hepatitis C															Not Covered
S0146	Peg interferon alfa- 2b/10		N/A		Hepatitis C															Not Covered
S0147	Alglucosidase alfa 20 mg		N/A		Enzyme Replacement															Not Covered. Code closed effective 12/31/07.
S0155	Sterile dilutant for epoprostenol, 50 ml		N/A		Diluent Solutions															Not Covered. Code closed effective 12/31/07.
S0156	Exemestane, 25 mg		N/A		Antineoplastic															Not Covered. Code closed effective 12/31/07.
S0157	Becaplermin gel 1%, 0.5 gm		N/A		Diabetic Ulcer Preparations															Not Covered. Code closed effective 12/31/07.
S0160	Dextroamphetamine		N/A		ADHD, Narcolepsy															Not Covered
	Calcitrol		N/A		Vitamin D															Not Covered
	Injection efalizumab		N/A N/A		Psoriasis Castrio Poffux						ļ		-	1		-	_	\dashv		Not Covered Not Covered
	Injection pantroprazole				Gastric Reflux, Esophogitis															Not Covered
S0166	Inj olanzapine 2.5mg		N/A		Atypical Antipsychotic															Not Covered
S0170	Anastrozole 1 mg		N/A		Antineoplastic															Not Covered
S0171	Bumetanide 0.5 mg		N/A		Loop Diuretics															Not Covered
S0172	Chlorambucil 2 mg		N/A		Alkylating Agents															Not Covered. Code closed effective 12/31/07.
S0174	Dolasetron 50 mg		N/A		Antiemetic/ Antivertigo Agents															Not Covered. Code closed effective 12/31/07.

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	РО	ОРН	Н	II ID1	T D	C Special Instructions
			req. for drug rebate ?	of measure	,	Limits	OP	OP									F		
S0175	Flutamide 125 mg		N/A		Antiandrogenic Agent														Not Covered. Code closed effective 12/31/07.
S0176	Hydroxyurea 500 mg		N/A		Alkylating Agents														Not Covered. Code closed effective 12/31/07.
S0177	Levamisole 50 mg		N/A																Not Covered. Code closed effective 12/31/07.
S0178	Lomustine 10 mg		N/A		Alkylating Agents														Not Covered. Code closed effective 12/31/07.
S0179	Megestrol 20 mg		N/A		Appetite Stim. For Anorexia														Not Covered. Code closed effective 12/31/07.
	Etonogestrel implant system		N/A		Contraceptive, Implantable														Code closed effective 12/31/07. Claims will deny when S code billed after dates of service 12/31/07. See J7307 effective 1/1/08.
S0181	Ondansetron 4 mg		N/A		Antiemetic/ Antivertigo Agents														Not Covered. Code closed effective 12/31/07.
S0182	Procarbazine 5 mg		N/A		Antineoplastic														Not Covered. Code closed effective 12/31/07.
S0183	Prochlorperazine 5 mg		N/A		Antiemetic/ Antivertigo Agents														Not Covered. Code closed effective 12/31/07.
S0187	Tamoxifen 10 mg		N/A		Selective Estrogen Receptor Modulators														Not Covered. Code closed effective 12/31/07.
S0189	Testosterone pellet 75 mg		N/A		Androgenic Agent														Not Covered. Code closed effective 12/31/07.
	Mifepristone, oral, 200 mg	Mifeprex	Yes		Abortifacient, Progesterone Receptor Antagonist				Х										
S0191	Misoprostol, oral, 200 mcg	Cytotec	Yes		Anti-Ulcer Prep/Abortifacie				Х										
S0196	Poly-I-lactic acid 1ml face		N/A		THE STATE OF THE S														Not Covered
	Contracept IUD		N/A		IUD Contraceptive														Not Covered
	Nicotine patches, legend		N/A		Auti Ossaldası														Not Covered
	Nicotine patches, nonlegend Contraceptive pills for bc		N/A N/A		Anti-Smoking Oral													1	Not Covered Not Covered
			N/A		Contraceptive								-			-	_	-	Not Covered
	Smoking cessation gum Prescription drug, generic		N/A N/A		Anti-Smoking IV Fluid														Not Covered Not Covered
S5001	Prescription drug,brand		N/A		IV Fluid														Not Covered
	5% dextrose and 45% normal saline, 1000 ml		N/A		IV Fluid														Not Covered
	5% dextrose in lactated ringer's, 1000 ml		N/A		IV Fluid														Not Covered

Code	Description	Brand Name	NDC	NDC unit	Category	Service		CAH	Р	NP	MW	МН	HS	РО	OPH	HI	IDT	DC	Special Instructions
			req.	of		Limits	OP	OP									F		
			for	measure															
			drug																
			rebate																
			?																
S5012	5% dextrose with		N/A		IV Fluid												1		Not Covered
000.2	potassium chloride, 1000		,, .																
	ml																		
	5% dextrose/45%		N/A		IV Fluid														Not Covered
	normal saline with																		
	potassium chloride and																		
	magnesium sulfate,																		
_	1000 ml																		
	5% dextrose/45%		N/A		IV Fluid														Not Covered
	normal saline with																		
	potassium chloride and																		
	magnesium sulfate,																		
CEEEO	1500 ml Insulin rapid 5 u		N/A	1	Diabetes				-				_				+	-	Not Covered
	Insulin rapid 5 u		N/A		Diabetes														Not Covered Not Covered
	Insulin intermed 5 u		N/A		Diabetes														Not Covered Not Covered
	Insulin long acting 5 u		N/A		Diabetes												1		Not Covered
	Insulin cartridge 150 u		N/A		Diabetes												1		Not Covered
	Insulin cartridge 300 u		N/A		Diabetes														Not Covered
			,																
	Acute Care Outpatient Hos																		
	- Critical Access Outpatien	nt Hospital																	
*P - Phy	sician rse Practitioner																		
*MW - Mi																			
***HS - Hemophilia Services																			
PO - Podiatry																			
*OPH- Ophthalmologist																			
	*HI - Home IV Infusion *IDTF - Independent Diagnostic Treatment Facility																		
	DUTE - Independent Diagnostic Treatment Facility **O - Dialysis Center**																		
	D - Dialysis Center																		