HCPCS/Drug Code List Version 12.2 Revised 11/22/19

List will be updated routinely

Disclaimer: For drug codes that require an NDC, coverage depends on the drug NDC status (rebate eligible, Non-DESI, non-termed, etc) on the date of service.

Note: Physician/Facility-administered medications are reimbursed using the Centers for Medicare and Medicaid Services (CMS) Part B Drug pricing file found on the CMS website--www.cms.hhs.gov. absence of a fee, pricing may reflect the methodolgy used for retail pharmacies.

In the Go

to data.medicaid.gov for a complete list of drug NDCs participating in the Medicaid drug rebate program.

																			of the Down On the Line
	l	1		l.	H	ighlights re	pres	ent u	ıpda	ted r	mate	rial f	or ea	ich s	pecit	ic re	evisi	ion	of the Drug Code List.
Code	Description	Brand Name	NDC Requi red	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	HS	PO	ОРН	Н	il ID	T D	C Special Instructions
90281	human ig, im	Gamastan	Yes	ML	Antisera	NONE	X	X	Х	X									Closed 3/31/13.
		Gamimune, Flebogamma, Gammagard	Yes	ML	Antisera	NONE	X	X	X	X									Closed 3/31/13. Cost invoice required with claim. Restricted to ICD-9 diagnoses codes 204.10 - 204.12, 279.02, 279.04, 279.06, 279.12, 287.31, and 446.1, and must be included on claim form, effective 10/1/09.
	botulinum antitoxin		N/A		Antisera														Not Covered
90288	botulism ig, iv		No	ML		NONE	Χ	X	Χ										Requires documentation and medical review
90291	cmv ig, iv	Cytogam	Yes	ML	Antisera	NONE	Χ	X	Х										Closed 3/31/13.
90296 90371	diphtheria antitoxin hep b ig, im	Bayhep B, Hyperhep B, Nabi-HB	No Yes	ML ML	Antisera	NONE NONE	X	X	X	X									Closed 3/31/13.
90375	rabies ig, im/sc	HyperRab	Yes	ML	Antisera	NONE	Χ	X	Χ										
90376		Imogam	Yes	ML	Antisera	NONE	Χ	Х	Χ	Х									
90378	Respiratory syncytial virus immune globulin(RSV-IgIM), for intramuscular use, 50	Synagis	Yes	ML	Antisera	NONE	X	X	X										Pends for manual review. Requires prior authorization from Rational Drug Therapy Program (RDTP), at 1-800-847-3859.
90379		Respigam	Yes	ML	Antisera	NONE	Х	X	Х										Closed.
90384	Rho(D) immune globulin (Rhlg), human, full-dose, 300 mcg., intramuscular	Gamulin RH	Yes	EA=UN SOL=ML	Immune globulin	NONE	Х	Х	Х	Х	Х								Code closed 3/31/13. See J2790 after this date.
90385	Rho(D) immune globulin (Rhlg), human, mini- dose, 50 mcg., intramuscular use	BayRho-D MicrhoGam Hyprho-D	Yes	SOL=ML EA=UN	Immune globulin	NONE	Х	Х	Х	Х									Code closed 3/31/13. See J2788 after this date.
90386		BAYrho-D Winrho SDF	Yes	EA=UN SOL=ML	Immune globulin	NONE	Х	Х	Х	Х									Closed 3/31/13.
90393	vaccina ig, im		No	ML		NONE	Х	Х	Χ	Х									Requires documentation and medical review
	9,	Varicella- Zoster	Yes	ML	Antisera	NONE	Х	Х	Х	Х									
90399	immune globulin	Gammagard Polygam	Yes	ML	Antisera	NONE	Х	Х	Х	Х									Requires documentation and medical review
 					Radiopharm	naceutical	s												

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	САН	Р	NP	MW	МН	HS	PO	ОРН	н	IDT	DC	Special Instructions
0000	2000p	2.4	Requi	of	outogo.,	Limits	OP	OP						. •	0		F	``	
			red	measure															
A4216	Sterile water, saline			See															Covered under Chapter 506, DME & Supplies of the Medicaid Manual
	and/or dextrose,	Multiple products	Yes	product															
	diluent/flush, 10 ml	products		code															
A4217	Sterile water/saline, 500	Multiple		See															Covered under Chapter 506, DME & Supplies of the Medicaid Manual
	ml	products	Yes	product code															
A4641	Radiopharmaceutical,			oodo														1	Not Covered
	diagnostic, not otherwise																		
	classified																		
	In111 satumomab				Diagnostic		Х	Х	Χ								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	INDIUM IN-111 SATUMOMAB				agent														
	PENDETIDE,				Radio-														
	DIAGNOSTIC, PER				pharmaceutical														
	STUDY DOSE, UP TO 6																		
	MILLICURIES																		
A9500	Tc99m sestamibi				Diagnostic		Х	Х	Х								Х		
	TECHNETIUM TC-99M				agent														
	SESTAMIBI, DIAGNOSTIC, PER				Radio-														
	STUDY DOSE				nharmaceutical														
	Technetium TC-99M Teboroxime, Diagnostic,				Diagnostic agent		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	per Study Dose				agent														
	,				Radio-														
					pharmaceutical														
	Tc99m tetrofosmin				Diagnostic		Х	Х	Χ								Х		
	TECHNETIUM TC-99M TETROFOSMIN,				agent														
	DIAGNOSTIC, PER				Radio-														
	STUDY DOSE Tc99m medronate				nharmaceutical Diagnostic		Х	Х	Х				ļ		1		X	<u> </u>	
	TECHNETIUM TC-99M				agent		^	^	^								^		
	MEDRONATE,																		
	DIAGNOSTIC, PER				Radio-														
	STUDY DOSE, UP TO				pharmaceutical														
	Tc99m apcitide				Diagnostic		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	TECHNETIUM TC-99M APCITIDE,				agent														
	DIAGNOSTIC, PER				Radio-														
	STUDY DOSE, UP TO				pharmaceutical														
A9505	20 MILLICURIES TL201 thallium				Diagnostic		Х	Х	Х				1				Х		
	THALLIUM TL-201				agent														
					Padio														
	MILLICURIE				nharmacoutical													<u>L</u>	
	THALLIUM TL-201 THALLOUS CHLORIDE, DIAGNOSTIC, PER																		

Cada	Description	Duand Name	NDC	NDC!t	Catamami	Camilaa	40	CALL	ъ.	ND	BANA/	841	LLIC	_ DO	Lonu		ıı lıp:		C Cussial Instructions
Code	Description	Brand Name	NDC Requi red	NDC unit of measure	Category	Service Limits	OP	OP	Р	NP	MW	МН	нѕ	PO	ОРН	H	II IID	ΓD	C Special Instructions
	In111 capromab INDIUM IN-111 CAPROMAB PENDETIDE, DIAGNOSTIC, PER STUDY DOSE, UP TO	Prostascint Kit			Diagnostic agent Radio- pharmaceutical		Х	Х	X								X		Paper Claim. Send copy of the invoice which includes the NDC billed
	IOMILICULES I131 iodobenguate, dx IODINE I-131 IOBENGUANE SULFATE, DIAGNOSTIC, PER 0.5				Diagnostic agent Radio- pharmaceutical		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	IODINE I-123 Sodium IODINE I-123 Sodium Iodide, Diagnostic, Per Millicurie				Diagnostic agent Radio- pharmaceutical		Х	X	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	TC99m disofenin TECHNETIUM TC-99M DISOFENIN, DIAGNOSTIC, PER STUDY DOSE, UP TO				Diagnostic agent Radio- pharmaceutical		Х	Х	Х								X		Paper Claim. Send copy of the invoice which includes the NDC billed
					Diagnostic agent Radio- pharmaceutical		X	X	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	I123 iodide cap, dx IODINE I-123 SODIUM IODIDE CAPSULE(S), DIAGNOSTIC, PER 100				Diagnostic agent Radio-		X	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
A9517	IODINE I-131 SODIUM IODINE I-131 SODIUM IODIDE CAPSULE(S), THERAPEUTIC, PER				Diagnostic agent Radio- pharmaceutical		X	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	Technetium tc-99m, tilmanocept, diagnostic, up to 0.5 millicuries				Diagnostic agent Radio- pharmaceutical		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	Tc99m exametazime TECHNETIUM TC-99M EXAMETAZIME, DIAGNOSTIC, PER STUDY DOSE, UP TO 25 MILLICURIES				Diagnostic agent Radio- pharmaceutical		Х	х	Х								X		Paper Claim. Send copy of the invoice which includes the NDC billed

					1 .											1		
Code	Description	Brand Name	NDC	NDC unit Categor		AC	CAH	Р	NP	MW	МН	HS	PO	OPH	HI		DC	Special Instructions
1			Requi	of	Limits	OP	OP									F	l	
			red	measure														
A9524	I131 serum albumin, dx			Diagnost	С	Х	Х	Χ				1				Х	t	Paper Claim. Send copy of the invoice which includes the NDC billed
	IODINE I-131			agent														
	IODINATED SERUM																	
	ALBUMIN,			Radio-														
	DIAGNOSTIC, PER 5			pharmaceu	ical													
	MICROCLIRIES			· ·			<u> </u>								<u> </u>	1	_	
A9526	Nitrogen N-13 ammonia			Diagnost	С	Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	NITROGEN N-13			agent														
	AMMONIA,																	
	DIAGNOSTIC, PER			Radio-														
I	STUDY DOSE, UP TO		1	pharmaceu	ical								l		1		1	
A9527	lodine I-125 sodium		1	Diagnost	c	Х	Х	Х							 	Х	t	Paper Claim. Send copy of the invoice which includes the NDC billed
1	iodide		l	agent	_	1 ^	``	^`								1	Ì	- Special Section Control of Million Million Million Control of Million
	IODINE I-125, SODIUM		l	agoni												1	Ì	
	IODINE 1-125, GODIONI		l	Radio-												1	Ì	
	THERAPEUTIC, PER		l	pharmaceu	ical											1	Ì	
	MILLICURIE			pharmacea	loai													
A9528	lodine I-131 iodide cap,			Diagnost	С	X	Х	Х								X		Paper Claim. Send copy of the invoice which includes the NDC billed
	dx			agent														
	IODINE I-131 SODIUM																	
	IODIDE CAPSULE(S),			Radio-														
	DIAGNOSTIC, PER			pharmaceu	ical													
A0520	I131 iodide sol, dx			Diagnost	•	Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
A9529	IODINE I-131 SODIUM					_ ^	^	^								^		Paper Claim. Send copy of the invoice which includes the NDC billed
	IODINE 1-131 SODIOM			agent														
	DIAGNOSTIC, PER			Radio-														
	MILLICURIE			nharmaceu	ical													
A9530	I131 iodide sol, rx			Diagnost		Х	Х	Χ								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	IODINE I-131 SODIUM			agent														
	IODIDE SOLUTION,																	
	THERAPEUTIC, PER			Radio-														
	MILLICURIE			nharmaceu	ical		<u> </u>								<u> </u>	1	_	
A9531	I131 max 100uCi		1	Diagnost	С	Х	Х	Х					l		1	Х	1	Paper Claim. Send copy of the invoice which includes the NDC billed
	IODINE I-131 SODIUM		l	agent												1	Ì	
1	IODIDE, DIAGNOSTIC,		1	[1	1	1	1	
	PER MICROCURIE (UP		l	Radio-												1	Ì	
Δ9532	TO 100 MICROCURIES) I125 serum albumin, dx		<u> </u>	nharmaceu Diagnost		Х	Х	Х				1	-	1	 	Х	╁	Paper Claim. Send copy of the invoice which includes the NDC billed
, 10002	IODINE I-125 SERUM		1	agent	<u> </u>	^	_ ^	^					l		1	^	1	application of the service which mode to the the billion
	ALBUMIN.		l	agent												1	Ì	
1	DIAGNOSTIC, PER 5		1	Radio-	1								l		1		1	
	MICROCURIES			nharmaceu													L	
A9535	Injection, methylene blue	Methylene	1	Diagnost	c	Х	Х	Х								Х	1 -	Closed 1/1/10. CodeTermed
	INJECTION,	Blue	l	agent												1	Ì	
I	METHYLENE BLUE, 1		1		1										1		1	
	ML		l	Radio-	1												l	
VOE30	To00m doprostido		-	nharmaceu	ical	Х	Х	Х				1	-		1	Х	┢	Paper Claim. Send copy of the invoice which includes the NDC billed
ASSSB	Tc99m depreotide TECHNETIUM TC-99M		l	Diagnost agent		^	^	^								^	l	Paper Claim. Send copy of the invoice which includes the NDC billed
	DEPREOTIDE,		l	ageni												1	Ì	
	DIAGNOSTIC, PER		l	Radio-												1	Ì	
	STUDY DOSE, UP TO		l	pharmaceu	ical											1	Ì	
	25 MILLICHDIES		<u> </u>	priarriaceu	ioal												L	

<u> </u>	5								_								l.s-		
Code	Description	Brand Name	NDC	NDC unit	Category	Service		CAH	Р	NP	MW	МН	HS	PO	OPH	HI	IDT F		Special Instructions
			Requi	of		Limits	OP	OP									F		
			red	measure															
A9537	Tc99m mebrofenin				Diagnostic		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	TECHNETIUM TC-99M				agent														
	MEBROFENIN, DIAGNOSTIC, PER				D II -														
	STUDY DOSE, UP TO				Radio-														
	15 MILLICURIES				pharmaceutical														
A9538	Tc99m pyrophosphate				Diagnostic		Х	Χ	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	TECHNETIUM TC-99M				agent														
	PYROPHOSPHATE,																		
	DIAGNOSTIC, PER				Radio-														
	STUDY DOSE, UP TO				pharmaceutical														
A9539	Tc99m pentetate	CA-DTPA			Diagnostic		Х	Х	Χ								Х	t	Paper Claim. Send copy of the invoice which includes the NDC billed
	TECHNETIUM TC-99M	ZN-DTPA	l		agent													1	
1	PENTETATE,		l		Ĭ													1	
	DIAGNOSTIC, PER		1		Radio-							l		l	1	1		1	
1	STUDY DOSE, UP TO		l		pharmaceutical													1	
Δ9540	75 MILLICURIES Tc99m MAA		1		Diagnostic		Х	Х	Χ						-	1	Х	╁	
73340	TECHNETIUM TC-99M		1		agent		^	^	^			l		l	1	1	^	1	
	MACROAGGREGATED				agont														
	ALBUMIN,				Radio-														
	DIAGNOSTIC, PER				pharmaceutical														
	STUDY DOSE, UP TO				•														
	10 MILLICURIES																		
A9541	Tc99m sulfur colloid	Sulfer Powder-			Diagnostic		Х	Χ	Χ								Х		
	TECHNETIUM TC-99M	Colloidal			agent														
	SULFUR COLLOID,																		
	DIAGNOSTIC, PER				Radio-														
	STUDY DOSE, UP TO				pharmaceutical														
A9542	In111 ibritumomab, dx	Zevalin	1		Diagnostic		Х	Х	Х								Х	t	
1	INDIUM IN-111		l		agent												1	1	
1	IBRITUMOMAB		l		Ĭ													1	
1	TIUXETAN,		l		Radio-													1	
	DIAGNOSTIC, PER		l		pharmaceutical													1	
	STUDY DOSE, UP TO 5		1									l		l	1	1		1	
A9543	Y90 ibritumomab, rx		1		Diagnostic		Х	Х	Х								Х	t	
1	YTTRIUM Y-90		1		agent			••	'			l		l	1	1	``	1	
1	IBRITUMOMAB		1									l		l	1	1		1	
1	TIUXETAN,		l		Radio-													1	
1	THERAPEUTIC, PER		l		pharmaceutical													1	
1	TREATMENT DOSE,		l															1	
A9544	I131 tositumomab, dx	Bexxar			Diagnostic		Х	Х	Х							t	Х	t	Closed.
1.00.4	IODINE I-131	20,0.0.	l		agent												``	1	
1	TOSITUMOMAB,		1									l		l	1	1		1	
1	DIAGNOSTIC, PER		1		Radio-							l		l	1	1		1	
A 0.5.45	STUDY DOSE	Poverer			nharmaceutical		V	~	_						ļ	1	~	+-	Closed
A9545	I131 tositumomab, rx IODINE I-131	Bexxar	l		Diagnostic		Х	Х	Х								Х	1	Closed.
1	TOSITUMOMAB,		l		agent													1	
1	THERAPEUTIC, PER		1		Radio-							l		l	1	1		1	
	TREATMENT DOSE				nharmaceutical														

				1100 11					_								l.s-		
Code	Description	Brand Name	NDC Requi	NDC unit of	Category	Service Limits	AC OP	CAH OP	Р	NP	MW	МН	HS	PO	ОРН	HI	IDT	DC	Special Instructions
			red	measure		Lillits	OF	OF									-		
				measure															
A9546	Co57/58	Various			Diagnostic		Х	Х	Χ								Х		
	COBALT CO-57/58,	Generic			agent														
	CYANOCOBALAMIN,																		
	DIAGNOSTIC, PER STUDY DOSE, UP TO 1				Radio-														
	MICROCURIE				pharmaceutical														
	In111 oxyquinoline				Diagnostic		Х	Х	Х								Х		
	INDIUM IN-111 OXYQUINOLINE,				agent														
	DIAGNOSTIC, PER 0.5				Radio-														
	MILLICURIE				nharmaceutical														
A9548	In111 pentetate				Diagnostic		Х	Х	Х								Х		
	INDIUM IN-111 PENTETATE,				agent														
	DIAGNOSTIC, PER 0.5				Radio-									1					
	MILLICURIE				nharmaceutical								4				1	1	
A9550	Tc99m gluceptate TECHNETIUM TC-99M				Diagnostic		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	SODIUM				agent														
	GLUCEPTATE,				Radio-														
	DIAGNOSTIC, PER				pharmaceutical														
	STUDY DOSE, UP TO																		
A9551	Tc99m succimer	DMSA			Diagnostic		Х	Х	Х								Х		
	TECHNETIUM TC-99M	Powder			agent														
	SUCCIMER,																		
	DIAGNOSTIC, PER STUDY DOSE, UP TO				Radio-														
	10 MILLICURIES				pharmaceutical														
	F18 fdg				Diagnostic		Х	Х	Х								Х		
	FLUORODEOXYGLUC OSE F-18 FDG,				agent														
	DIAGNOSTIC, PER				Radio-														
	STUDY DOSE, UP TO				pharmaceutical														
Δ0553	Cr51 chromate				Diagnostic		Х	Х	Y				-				Х	-	
, 10000	CHROMIUM CR-51				agent			^	^					1			^		
	SODIUM CHROMATE,				<u> </u>									1					
	DIAGNOSTIC, PER				Radio-														
	STUDY DOSE, UP TO				pharmaceutical														
	I125 iothalamate, dx				Diagnostic		Х	Χ	X								Х		
	IODINE I-125 SODIUM				agent									1					
	IOTHALAMATE, DIAGNOSTIC. PER				Radio-									1					
	STUDY DOSE, UP TO				pharmaceutical									1					
	10 MICPOCLIPIES						.,		V		<u> </u>		1	<u> </u>				<u> </u>	Denos Claim. Conding on of the invaine which includes the NDO Miles.
A9555	Rb82 rubidium RUBIDIUM RB-82,				Diagnostic agent		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	DIAGNOSTIC, PER				ayon									1					
	STUDY DOSE, UP TO				Radio-														
	60 MILLICURIES				pharmaceutical									1					
A9556	Ga67 gallium				Diagnostic		Х	Х	Х				1				Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	GALLIUM GA-67				agent									1					· · · · · · · · · · · · · · · · · · ·
	CITRATE,				[]									1					
	DIAGNOSTIC, PER				Radio-														
	INNI I IL JURIE				- marmacentical						•				•				•

	5 1.0								_		T				- -		1			
Code	Description	Brand Name	NDC	NDC unit	Category	Service		CAH	Р	NP	MW	MI	H HS	1 19	0 0	РН	н		DC	Special Instructions
			Requi	of		Limits	OP	OP										F		
			red	measure																
10557	T 00 1111				D: .:							<u> </u>	_	4	_					
	Tc99m bicisate				Diagnostic		Х	Х	Х									Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	TECHNETIUM TC-99M				agent															
	BICISATE,																			
	DIAGNOSTIC, PER				Radio-															
	STUDY DOSE, UP TO				pharmaceutical															
	25 MILLICURIES											<u> </u>		1						
	Xe133 xenon 10mci				Diagnostic		Х	Х	Х									Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	XENON XE-133 GAS,				agent															
	DIAGNOSTIC, PER 10																			
	MILLICURIES				Radio-															
					nharmaceutical															
	Co57 cyano				Diagnostic		Х	Х	Х	l	1	1						Х		
	COBALT CO-57				agent						1	l		1						
	CYANOCOBALAMIN,						l			l	1	1								
	ORAL, DIAGNOSTIC,				Radio-						1	l		1					J	
	PER STUDY DOSE, UP				pharmaceutical		l			l	1	1								
	TO 1 MICPOCUPIE				'						<u> </u>	1								
A9560	Tc99m labeled rbc		Ţ		Diagnostic		Χ	Х	Х		1	1	1	1		ſ	Ţ	Х	I	
	TECHNETIUM TC-99M				agent															
	LABELED RED BLOOD				-															
	CELLS, DIAGNOSTIC,				Radio-															
	PER STUDY DOSE, UP				pharmaceutical															
	TO 30 MILLICURIES										1	l		1						
					D'				V		-	 	_	-	_					David Chile Condition of the Statistical State of the NDO Life.
	Tc99m oxidronate				Diagnostic		Х	Х	Х									Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	TECHNETIUM TC-99M				agent															
	OXIDRONATE,																			
	DIAGNOSTIC, PER				Radio-															
	STUDY DOSE, UP TO				pharmaceutical															
10500	20 MILLICLIDIES				D: .:						-	 	_	-	_					
	Tc99m mertiatide				Diagnostic		Х	Х	Х									Χ		Paper Claim. Send copy of the invoice which includes the NDC billed
	TECHNETIUM TC-99M				agent															
	MERTIATIDE,																			
	DIAGNOSTIC, PER				Radio-															
	STUDY DOSE, UP TO				pharmaceutical															
A 0.E.C.C	DOO No sheeshets				Diamontic			V			1	1		+-				_		Dance Claim Cond. conv. of the invaine which includes the NDC billed
	P32 Na phosphate				Diagnostic		Х	Х	X		1	l		1				Х	J	Paper Claim. Send copy of the invoice which includes the NDC billed
	SODIUM PHOSPHATE				agent						1	l		1					J	
	P-32, THERAPEUTIC,						l			l	1	1								
	PER MILLICURIE				Radio-						1	l		1					J	
AOEC4	D22 chromic phoophets				nharmaceutical Diagnostic		V	~	-	<u> </u>	₩	+-	+	+	+			<u> </u>	+	Paper Claim, Sand capy of the invoice which includes the NDC hilled
	P32 chromic phosphate				Diagnostic		Х	Х	^		1	l		1				Х	J	Paper Claim. Send copy of the invoice which includes the NDC billed
	CHROMIC				agent						1	l		1					J	
	PHOSPHATE P-32						l			l	1	1								
	SUSPENSION,				Radio-		l			l	1	1								
	THERAPEUTIC, PER				pharmaceutical		l			l	1	1								
A OFFE	In 1.11 poptotrootido				Diognostic		Х	Х	Х		1	1		+-	+			Х		Classed Paper Claim, Sand conv. of the invoice which includes the NDC billed
	In111 pentetreotide				Diagnostic		_ ^	^	^		1	l		1				^	J	Closed. Paper Claim. Send copy of the invoice which includes the NDC billed
	INDIUM IN-111				agent						1	l		1					J	
	PENTETREOTIDE,				D- "						1	l		1					J	
	DIAGNOSTIC, PER				Radio-		l			l	1	1								
	MILLICURIE Tc99m fanolesomab				nharmaceutical Diagnostic		~	~	~		1	1		+-	+			Х		
					Diagnostic		Х	Х	^		1	l		1				^	J	
	TECHNETIUM TC-99M				agent		l			l	1	1							J	
	FANOLESOMAB,						l			l	1	1								
	DIAGNOSTIC, PER				Radio-		l			l	1	1								
	STUDY DOSE, UP TO				pharmaceutical						1	l		1					J	
	25 MILLICHDIES						i .				1	1		1						

0 - 1 -	B do do	B N	NDO	NDO'r	0-1	01				ND					OBIL		IDT		Description of the second of t
Code	Description	Brand Name	NDC Requi red	NDC unit of measure	Category	Service Limits	AC OP	OP	Р	NP	MW	МН	HS	PO	ОРН	HI	F	DC	Special Instructions
	Technetium TC-99m aerosol TECHNETIUM TC-99M PENTETATE, DIAGNOSTIC, AEROSOL, PER STUDY DOSE, UP TO				Diagnostic agent Radio- pharmaceutical		Х	Х	X								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
A9568	Technetium tc-99m arcitumomab per dose up to 45 millicuries				Diagnostic agent Radio-		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
A9569	Technetium TC-99M Exametazime Labeled Autologous White Blood Cells, Diagnostic				Diagnostic agent Radio- pharmaceutical		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
A9570	Indium IN-111 Labeled Autulogous White Blood Cells, Diagnostic, Per Study Dose				Diagnostic agent Radio- pharmaceutical		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	Indium IN-111 Labeled Autulogous Platelets, Diagnostic, Per Study Dose				Diagnostic agent Radio- pharmaceutical		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
	Indium IN-111 Pentetreotide, Diagnostic, Per Study Dose, up to 6 Millicuries				Diagnostic agent Radio- pharmaceutical		Х	Х	X								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
A9575	Injection, gadoterate meglumine, 0.1ml				Contrast agent		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
A9576	Injection, Gadoteridol, (Prohance multipack), per ML				Diagnostic agent Radio- pharmaceutical		X	Х	Х								Х		
A9577	Injection, Gadobenate Dimeglumine (Multihance), Per ML				Diagnostic agent Radio- pharmaceutical		Х	Х	Х								Х		

Code	Description	Brand Name	NDC Requi red	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	HS	PO	ОРН	НІ	IDT F	D	C Special Instructions
A9578	Injection, Gadobenate Dimeglumine (Multihance Multipack), Per ML				Diagnostic agent Radio- pharmaceutical		Х	Х	х								X		
A9579	Injection, Gadolinium- Based Magnetic Resonance Contrast Agent, Not Otherwise Classified				Diagnostic agent Radio- pharmaceutical		Х	Х	Х								Х		
A9581	Injection Gadoxetate Disodium, 1ML				Diagnostic agent Radio- pharmaceutical		Х	Х	Х								Х		
A9582	lodine I-123 lobenguane, diagnostic, per study dose, up to 15 Millicuries				Diagnostic agent Radio- pharmaceutical		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed.
A9583	Injection Gadofosvese T Trisodium, 1 ML				Diagnostic agent Radio- pharmaceutical		Х	Х	Х								Х		
A9584	lodine I-123 loflupane, diagnostic, per study dose, up to 5 Millicuries				Diagnostic agent Radio- pharmaceutical		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed.
A9585	Injection, gadobutrol, 0.1 ml.				Contrast agent		Х	Х	Х								X		Paper Claim. Send copy of the invoice which includes the NDC billed.
A9599	Radiopharmaceutical, diagnostic, for beta- amyloid positron emission tomography (pet) imaging, per study dose.				Diagnostic agent Radio- pharmaceutical		X	Х	Х								X		Paper Claim. Send copy of the invoice which includes the NDC billed.
A9600	Sr89 strontium STRONTIUM SR-89 CHLORIDE, THERAPEUTIC, PER				Diagnostic agent Radio-		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed.

Code	Description	Brand Name	NDC Requi red	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	HS	PO	ОРН	Н	I ID		Special Instructions
	Samarium SM-153 Lexidronam, Therapeutic, per treatment dose, up to				Diagnostic agent Radio-		X	Х	X								X	(Paper Claim. Send copy of the invoice which includes the NDC billed
	Sm 153 lexidronm SAMARIUM-SM-153- LEXIDRONAMM, THERAPEUTIC, PER- 50 MILLICURIES	Quadramet	No		nharmaceutical Diagnostic- agent Radio- pharmaceutical		X	Х	X								Х	(Paper Claim. Send copy of the invoice which includes the NDC billed Only covered when billed with the following CPT codes on the same claim: 79101. Closed 12/31/09. See A9604-
	Radium ra-223 dichloride, therapeutic, per microcurie				Radio- pharmaceutical		Х	Х	Х										Requires Prior authorization through the UMC. Paper Claim. Send copy of the invoice which includes the NDC billed
	Nonradioactive contrast imaging material, not otherwise classified, per study																		Not Covered
	Radiopharmaceutical, therapeutic, not otherwise classified																		Not Covered
	Contrast Material Supply of injectable contrast material for use in echocardiography, per study				Diagnostic agent Radio-		Х	Х	Х								Х	(Paper Claim. Send copy of the invoice which includes the NDC billed
	Lutetium Lu 177, dotatate, therapeutic, 1 mCi.	Lutatera	Yes	UN	Genetic therapy	N/A	Х												Effective 1/1/19. Contact Kepro at 800-346-8272 for prior authorization requests.
005	D. II																	4	11.0
C9014	Palivizumab, per 50 mg Injection, cerliponase alfa, 1 mg.	Synagis Brineura	N/A Yes	UN	Antisera Enzymatic	None	Х	Х											Not Covered Closed 12/31/18. See J0567 after this date. Effective 1/1/18. Cost invoice with NDC required. Restricted to ICD-10 E75.4. Minimum age of 3 years.
	Injection, triptorelin pamoate ER, 3.5 mg.	Triptodur	Yes	UN	Gonadotropin	None	Х	Х											Closed 12/31/18. See J3316 after this date. Effective 1/1/18. Cost invoice with NDC required. ICD-10 diagnosis restriction of E30.1. Minimum age of 2 years.
C9021	Injection, obinutuzumab, 10 mg.	Gazyva	Yes	ML	Antineoplastic	none	Х	Х											Closed 12/31/14. See J9301 after this date. Effective 4/1/14. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 204.10. Minimum age restriction of 16 years.
C9022	Injection, elosulfase alfa, 1 mg.	Vimizim	Yes	ML	Enzymatic	none	Х	Х											Closed 12/31/14. See J1322 after this date. Effective 7/1/14. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 277.5. Minimum age restriction of 5 years.
	Injection, liposomal, 1 mg daunorubicin and 2.27 mg cytarabine	Vyxeos	Yes	UN	Antineoplastic	none	Х	Х											Closed 12/31/18. See J9153 after this date. Effective 1/1/18. Cost invoice with NDC required. Restricted to ICD-10 C92.00 - C92.02. Minimum age of 16 years.

Code	Description	Brand Name	NDC Requi red	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	HS	PO	OP	Н	HI I	DT D	C Special Instructions
C9025	Injection, ramucirumab, 5 mg.	Cyramza	Yes	ML	Antineoplastic	none	Х	Х											Closed 12/31/15. See J9308 after this date. diagnosis codes C16.0 - C16.9, C18.0 - C18.9, C19, C20, C21.0 - C21.2, C21.8, C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, or C34.80 - C34.82 Effective 4/24/15, ICD-9 restriction of 153.0 - 154.8 added. Effective 12/12/14, ICD-9 diagnosis restriction of 162.0 - 162.8 added. Effective 4/24/15, ICD-9 diagnosis of 151.0 - 151.9. Minimum age restriction of 16
C9026	Injection, vedolizumab, 1 mg.	Entyvio	Yes	UN	Anti-Infective	none	X	Х											Closed 12/31/15. See J3380 after this date. Effective 10/1/2015 ICD-10 diagnosis codes K50.00, K50.011 - K50.014, K50.018, K50.019, K50.10, K50.111 - K50.114, K50.118, K50.119, K50.80, K50.811 - K50.814, K50.818, K50.819, K50.90, K50.911 - K50.914, K50.918, K50.919, K51.00, K51.011 - K51.014, K51.018, K51.019, K51.20, K51.211 - K51.214, K51.218, K51.219, K51.30, K51.311 - K51.314, K51.318, K51.319, K51.40, K51.411 - K51.414, K51.418, K51.419, K51.50, K51.511 - K51.514, K51.518, K51.519, K51.80, K51.811 - K51.814, K51.818, K51.819, K51.90, K51.911 - K51.914, K51.918 or K51.919 Effective 10/1/14. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 555.0 - 556.9.
C9027	Injection, pembrolizumab, 1 mg	Keytruda	Yes	UN	Antineoplastic	none	X	X											Closed 12/31/15. See J9271 after this date. Effective 10/2/15, new indication of ICD-10 C33, C34.00, C34.01, C34.02, C34.10, C34.11, C34.12, C34.2, C34.30, C34.31, C34.32, C34.80, C34.81, C34.82, C34.90, C34.91, or C34.92 added. Effective 10/1/2015 ICD-10 diagnosis codes C00.5, C43.0, C43.10 - C43.12, C43.20 - C43.22, C43.30, C43.31, C43.39, C43.41, C43.51, C43.52, C43.59 - C43.62, C43.70 - C43.72, C43.8, C43.9, C44.09 - C44.09, C44.09, C44.101, C44.102, C44.109, C44.111, C44.112, C44.119, C44.121, C44.122, C44.129, C44.121, C44.129, C44.129, C44.229, C44.229, C44.229, C44.209, C44.201, C44.201, C44.202, C44.209, C44.310, C44.311, C44.311, C44.321, C44.329, C44.391, C44.391, C44.399, C44.40 - C44.42, C44.49, C44.602, C44.600, C44.601, C44.611, C44.612, C44.619, C44.621, C44.622, C44.629, C44.691, C44.691, C44.701, C44.702, C44.709, C44.711, C44.712, C44.719, C44.721, C44.722, C44.729, C44.791, C44.792, C44.89, C44.89, C44.80, C44.80, C44.82, C44.89, C44.90, C4A.711, C44.712, C44.712, C44.722, C44.729, C44.791, C44.792, C44.80, C44.81, C44.82, C44.89, C44.90, C44.81, D03.31, D03.10 - D03.12, D03.20 - D03.22, D03.30, D03.34, D03.4, D03.51, D03.52, D03.59 - D03.62, D03.70 - D03.72, D03.80 r D03.9 Effective 1/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 172.0 - 172.9 or 173.0 - 173.9. Minimum age restriciton of 16 years.
C9028	Injection, inotuzumab ozogamicin, 0.1 mg.	Besponsa	Yes	UN	Antineoplastic	none	Х	Х											Effective 1/1/18. Cost invoice with NDC required. Restricted to ICD-10 C91.00 - C91.02. Minimum age of 16 years.
C9030	Injection, copanlisib, 1 mg	Aliqopa	Yes	EA	Antineoplastic	60 units daily	Х	Х											Effective 7/1/18. Cost invoice with NDC required. Restricted to ICD-10 diagnosis of C82.00 - C82.99. Minimum age of 16 years.
C9031	Injection, Lutetium Lu 177, dotatate, therapeutic 1 mCi.	Lutathera	Yes	EA	Radiologic	N/A	Х												Closed 12/31/18. See A9513 after this date. Contact Kepro at 800-346-8272 for prior authorization requests. Effective 7/1/8.
C9032	Injection, voretigene neparvovec-rzyl, 1 billion vector genome	Luxturna	Yes	ML	Genetic therapy	N/A	Х												Closed 12/31/18. See J3398 after this date. Contact Kepro at 800-346-8272 for prior authorization requests. Effective 7/1/8.
C9036	Injection, patisiran, 0.1 mg	Onpattro	Yes	ML	Amyloidosis agent	Maximum 300 units	Х	Х											Closed 9/30/19. See J0222 after this date. Effective 1/1/19. Cost invoice with NDC required. Restricted to ICD-10 E85.1. Minimumg age 18 yars.

Code	Description	Brand Name	NDC Requi red	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	HS	PO	ОРН	Н	I ID	C Special Instructions
C9038	Injection, mogamulizumab-kpkc, 1 mg	Poteligeo	Yes	ML	Anti-neoplastic	None	Х	Х										Effective 1/1/19. Cost invoice with NDC required. Restricted to ICD-10 C84.01 - C84.09, C84.11 - C84.19.
C9043	Injection, levoleucovorin, 1 mg.	Khapzory	Yes	UN	Folate analog	None	Х	Х										Effective 4/1/19. Cost invoice with NDC required.
C9044	Injection, cemiplimab- rwlc, 1 mg.	Libtayo	Yes	ML	Anti-neoplastic	350 units daily	Х	Х										Effective 4/1/19. Cost invoice with NDC required. Minimum age of 16 years.
	Injection, moxetumomab pasudotox-tdfk, 0.01 mg.	Lumoxiti	Yes	UN	Anti-neoplastic	None	Х	Х										Effective 4/1/19. Cost invoice with NDC required. Restricted to ICD-10 of C91.40, C91.41, C91.42. Minimum age of 16 years.
C9049	Injection, tagraxofusperzs, 10 mcg	Elzonris	Yes	ML	Anti-neoplastic	None	Х	Х										Effective 7/1/19. Cost invoice with NDC required. Restricted to ICD-10 C86.4. Minimum age of 2 years.
C9052	Injection, ravulizumab- cwvz, 10 mg	Ultomiris	Yes	ML	Anti-anemia	360 units daily	Х	Х										Effective 71/19. Cost invoice with NDC required. Restricted to ICD-10 D59.5. Minimum age of 16 years.
C9113	Inj pantoprazole sodium,	Protonix	N/A		Gastric Reflux, Esophogitis													Not Covered
C9121	Injection, argatroban	Argatroban	N/A		Thrombin Inhibitor													Not Covered
C9131	Injection, ado- traztuzumab emtansine, 1 mg.	Kadcyla	Yes	EA	Anti-neoplastic	none	Х	Х										Closed 12/31/13. See J9354. Effective 7/1/13. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 174.0 - 174.9 or 175.0 - 175.9. Minimum age restriction of 16 years.
	Prothrombin complex concentrate (human), per i.u. of factor ix activity	Kcentra	Yes	UN	Coagulation factor		Х	Х										Effective 10/1/2015 ICD-10 diagnosis codes D68.32 or D68.4 Effective 10/1/13. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis code of 286.7. Minimum age restriction of 16 years.
C9133	Factor IX (antihemophilic factor, recombinant), per i.u.	Rixubis	Yes	UN	Anti-hemophilic	none	Х	Х										Closed 12/31/14. See J7200 after this date. Effective 1/1/14. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 286.1. Minimum age restriction of 16 years.
C9134	Injection, Antihemophilic factor XIIIA, recombinant	Tretten	Yes	UN	Anti-hemophilic	none	Х	Х										Closed 12/31/14. See J7181 after this date. Effective 7/1/14. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 286.3.
C9135	Injection, factor ix (antihemophilic factor, recombinant), per IU	Alprolix	Yes	UN	Anti-hemophilic		Х	Х										Closed 12/31/14. See J7201 after this date. Effective 10/1/14. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 286.1.
	Injection, factor viii, fc fusion protein, (recombinant), per IU	Eloctate	Yes	UN	Anti-hemophilic		Х	Х										Closed 3/31/15. See Q9975 after this date. Effective 1/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 286.0. Minimum age restriction of 2 years.
	Injection, Antihemophilic factor VIII, recombinant, PEGylated, 1 IU	Adynovate	Yes	IU	Anti-hemophilic	none	Х	Х										Closed 12/31/16. See J7207 after this date. Effective 4/1/16. Cost invoice with NDC required. Restricted to ICD-10 D66. Minimum age restriction of 12 years.
C9138	Injection, antihemophilia factor VIII, recombinant, 1 IU	Nuwiq	Yes	IU	Anti-hemophilic	none	Х	Х										Closed 12/31/16. See J7209 after this date. Effective 4/1/16. Cost invoice with NDC required. Restricted to ICD-10 D66. Minimum age restriction of 2 years.

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	РО	OPI	1 1			OC Special Instructions
			Requi	of		Limits	OP	OP										F	
			red	measure															
	Injection, factor IX,	Idelvion	Yes	IU	Anti-hemophilic		Х	Х											Closed 12/31/16 See J7202 after this date. Effective 10/1/16. Cost invoice with NDC required. Restricted
	albumin fusion protein, recombinant, 1 IU																		to ICD-10 diagnosis D67.
C9140	Injection, factor VIII	Afstyla	Yes	IU	Anti-hemophilic		Х	Х											Effective 1/1/17. Cost invoice with NDC required. Restricted to ICD-10 diagnosis D66.
	(antihemophilic factor, recombinant), 1 IU																		
C9232	Injection, idursulfase	Elaprase	N/A		Metabolic								+		+	+		 -	Closed 12/31/07. See J1743 Effective 1/1/08
03232	injection, iddisdilase	Гаргазе	IN/A		Enzyme														010364 12/31/01. GGC 31743 Ellective 1/1/00
					Replacement														
C9233	Injection, ranibizumab	Lucentis	N/A		neovascular-														Closed 12/31/07 - remove from J3490 list. See J2778 effective 1/1/08
					Age related														
					Macular Degeneration														
C9234	Inj, alglucosidase alfa	Myozyme	N/A		Metabolic														Closed 12/31/07 See J0220 effective 1/1/08
					Enzyme														
C0225	Injection, panitumumab	Vectibix	N/A		Replacement Colorectal								-					-	Closed 12/31/07 See J9303 effective 1/1/08
03233	injection, panitumumab	Vectibix	IN/A		Cancer														Closed 12/31/01 See 39303 effective 1/1/00
C9236	Injection, Eculizumab 10																		Closed 12/31/07 See J1300 effective 1/1/08
C9239	Injection, temsirolimus, 1	Torisel	Yes	UN	Anti-neoplastic		Х	Х	Х									Ì	Opened 1/1/08. Closed 12/31/08. Cost invoice required with ICD-9 diagnosis of 189.0-189.9, advanced renal
	mg.																		cell carcinoma See J9330.
C9240	Injection, ixabepilone, 1	Ixempra	Yes	UN	Anti-neoplastic		Х	Х	Х										Opened 1/1/08. Closed 12/31/08. Cost invoice required with ICD-9 diagnosis of 174.0-174.9,
C9245	mg. Injection, romiplostim, 10	Nplate	Yes	UN												_		-	metastatic/locally advanced breast cancer. See J9207 Closed 12/31/09. See J2796.
	mcg.			•															
C9246	Injection, gadoxetate	Eovist																	
C9248	disodium, per ml. Injection, clevidipine	Cleviprex														_		-	
002-10	butyrate, 1 mg.	Olevipiex																	
C9249	Injection, certolizumab	Cimzia	Yes	UN	TNF blocker														Closed 12/31/09. See J0717.
COSEO	pegol. 1 mg. human plasma ,fibrin	Artiss											-			-	_	_	
C9250	sealant. 2 ml.	Artiss																	
C9251	Injection, C1 esterase	Cinryze	Yes	UN	C1 protein														Closed 12/31/09. See J0598.
00050	inhibitor (human), 10 U		.,		inhibitor								-		-	-	_		01 1400400 0 10700
C9252	Injection, plerixafor, 1	Mozobil	Yes	ML	Hematopoietic														Closed 12/31/09. See J2562.
C9253	Injection, temozolomide,	Temodar	Yes	UN															Closed 12/31/09. See J9328.
C0254	1 mg. Injection, lacosamide, 1	Vimpat	Yes	ML	Anti-convulsive	400 units por	Х	Х	1		-		-		+				Effective 10/1/2015 ICD-10 diagnosis codes G40.001, G40.009, G40.011, G40.019, G40.101, G40.109,
C9254	mg.	Viripat	162	IVIL	Ariti-corruisive	day	^	^											G40.111, G40.119, G40.201, G40.209, G40.211, G40.219, G40.301, G40.309, G40.311, G40.319, G40.401,
	9.					aay													G40.409, G40.411, G40.419, G40.501, G40.509, G40.801- G40.804, G40.811 - G40.814, G40.821 - G40.824,
																			G40.89, G40.901, G40.909, G40.911, G40.919, G40.A01, G40.A09, G40.A11, G40.A19, G40.B01, G40.B09,
																			G40.B11 or G40.B19
													1						Effective 1/1/10. Cost invoiice with NDC is required with claim. ICD-9 restriction 345.00 - 345.91. Approved
C9255	Injection, paliperidone	Invega	Yes	SOL=ML	Anti-psychotic	234 units	Х	Х											Closed 12/31/10. See J2426. Effective 1/1/10. Cost invoice with NDC is required with claim. ICD-9
C0256	palmitate, 1 mg. Injection,	Sustenna Ozurdex	Yes	EA	Anti-		Х	Х			 	-	+	1	+			-	restriction 295.00 - 295.95. Approved for age 18 and above. See J3490 for coverage of other providers. Closed 12/31/10. See J7312. Effective 1/1/10. Cost invoice with NDC is required with claim. ICD-9
	dexamethasone	Ozurdex	168	EA	inflammatory		_ ^	^			1		1						restriction 362.83 and 362.35, or 362.83 and 362.36. Approved for age 16 and above. See J3490 for
	intravitreal, implant, 0.1				arminatory														coverage of other providers.
	ma				l														* '

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	PO	OF	Н	нΠ	IDT	DC	Special Instructions
			Requi	of		Limits	OP	OP						1	-			F	-	
			red	measure																
C9257	Injection, bevacizumab, 0.25 mg.	Avastin	Yes	SOL=ML	Anti-neoplastic	20 u. per month	Х	Х												Effective 10/1/2015 ICD-10 diagnosis codes E08.311, E08.319, E08.321, E08.329, E08.331, E08.339, E08.341, E08.349, E09.311, E09.319, E09.321, E09.329, E09.331, E09.339, E09.341, E09.349, E10.311, E10.319, E11.311, E11.319, E11.329, E11.339, E11.349, E11.359, E13.311, E13.319, H34.811 - H34.813, H34.819, H34.831 - H34.833, H34.839, H34.91, H35.051 - H35.053, H35.059, H35.071 - H35.073, H35.079, H35.23, H35.32, H35.35, H35.353, H35.359, H35.723, H35.729, H35.81, H35.82, or H40.89 Opthalmologists use J3490. Effective 11/1/10. ICD-9 restriction 362.01 - 362.07, 362.15, 362.16, 362.29,
C9258	Telavancin HCl., inj., 10 mg.	Vibativ	Yes	UN	Anti-Infective	None	Х	Х												Closed 12/31/10. See J3095. Effective 4/1/10. Cost invoice with NDC required with claim. ICD-9 restriction of 680.0 - 686.9 and 041.0 - 041.9. Minimum age restriction of 18 years. See J3490 for coverage of other
C9259	Pralatrexate, inj., 1mg.	Folotyn	Yes	ML	Anti- neoplastic	None	Х	Х												Closed 12/31/10. See J9307. Effective 4/1/10. Cost invoice with NDC is required with claim. ICD-9 restriction of 202.70 - 202.78. Minimum age restriction of 18 years. See J3490 for coverage of other provides.
C9260	Ofatumumab, inj., 10 mg.	Arzerra	Yes	ML	Anti-neoplastic	200 u. Daily	Х	Х												Closed 12/31/10. See J9302. Effective 4/1/10. Cost invoice with NDC is required with claim. ICD-9 restriction of 204.10 - 204.12. Minimum age restriction of 18 years. See J3490 for coverage of other providers.
	Ustekinumab, inj., 1 mg.	Stelara	N/A		Anti-neoplastic															Not covered.
C9262	Fludarabine phosphate, oral, 1 mg.	Oforta	N/A		Anti-metabolite															Not covered.
C9263	Injection, ecallantide 1 mg	Kalbitor	Yes	ML	Hematological	30 u. daily	Х	Х												Closed 12/31/10. See J1290 after this date. Effective 4/1/10. Cost invoice with NDC is required with claim. ICD-9 restriction of 277.6. Minimum age restriction of 16 years. See J3490 for coverage of other providers.
C9264	Injection, tocilizumab, 1 mg.	Actemra	Yes	ML	Immunologic	Maximum servicd limit of 800 u. monthly	Х	Х												Closed 12/31/10. See J3262. Effective 7/1/10. Cost invoice with NDC requried with claim. ICD-9 restriction of 714.0 - 714.2. Minimum age restriction of 16 years.
C9265	Injection, romidepsin, 1	Istodax	Yes	UN	Antineoplastic	None	Х	Х												Closed 12/31/10. See J9315. Effective 7/1/10. Cost invoice with NDC required with claim. ICD-9 restriction of 202.10 - 202.28. Minimum age restriction of 18.
C9266	Injection, Collagenase clostridium histolyticum, 0.1 mg.	Xiaflex	Yes	UN	Enzymatic	None	Х	Х												Closed 12/31/10. See J0775. Effective 7'/1/10. Cost invoice with NDC required with claim. ICD-9 restriction of 728.6. Minimum age restriction of 18 years.
C9267	Injection, von Willebrand factor complex(human), per 100 IU	Wilate	Yes	UN	Coagulation factor	None	Х	Х												Closed 12/31/10. See J7184. Effective 7/1/10. Cost invoice with NDC required with claim. ICD-9 restriction of 286.4. Minimum age restriction of 5 years.
C9268	Capsaicin patch	Qutenza	Yes	UN	Anallgesic	1 patch per 90 days	Х	Х												Closed 12/31/10. See J7335. Effective 7/1/10. Cost invoice with NDC required with claim. ICD-9 diagnosis restriction of 053.19. Minimum age restriction of 18 years.
C9269	Injection, C-1 Esterase inhibitor (human), 10 u.	Berinert	Yes	UN	Protein C-1 inhibitor	Maximum service limit 28 u. daily	Х	Х												Closed 12/31/10. See J0597. Effective 10/1/10. Cost invoice with NDC required with claim. ICD-9 restriction of 277.6. Minimum age restriction 4 years and above.
C9270	Injection, Immune globulin, IV, non- lyophilized (e.g. liquid), 500 mg.	Gammaplex	N/A		Immune globulin															Not covered.
C9271	Injection, velaglucerase alfa, 100 u.	Vpriv	Yes	UN	Enzymatic	Maximum service limit 1650 u. monthly	Х	Х												Closed 12/31/10. See J3385. Effective 10/1/10. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 272.7. Minimum age restriction of 4 years.
C9272	Injection, denosumab, 1 mg.	Prolia Xgeva	Yes	ML	Osteoporotic	Maximum service limit of 60 u. twice yearly	Х	Х												Closed 12/31/11. Effective 10/1/10. Cost invoice with NDC required with claim. ICD-9 diagnosis restriction of 733.01.

Code	Description	Brand Name	NDC Requi red	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	Р	NP	MW	MH	нѕ	PO	ОРН	HI	IDT F	DC	Special Instructions
	Sipuleucel-T, minimum of 50 millioin autologous cells, including all preparatory procedures, per infusion	Provenge																	Not covered. See Q2043.
	Crotalidae polyvalent immune fab (ovine), 1	Crofab																	Not covered.
C9276	Injection, cabazitaxel, 1 mg.	Jevtana	Yes	ML	Antineoplastic	None	Х	Х											Closed 12/31/11. See J9043. Effective 1/1/11. Cost invoice with NDC required with claim. ICD-9 restriction of 185.0.
	Injection, alglucosidase alfa, 1 mg.	Lumizyme	Yes	UN	Enzymatic	None	Х	Х											Closed 12/31/11. See J0221. Effective 1/1/11. Cost invoice with NDC requred with claim. ICD-9 restriction of 271.0. Minimum age restriction of 8 years.
	Injection, incobotulinimtoxins, 1 u	Xeomin	N/A																Not covered. See Q2040.
	Injection, ibuprofen, 100 mg.		N/A																Not covered.
C9280	Injection, eribulin mesylate, 1 mg.	Halaven	Yes	ML	Antineoplastic	8 u. in 21 days	Х	Х											Closed 12/31/11. See J9179. Effective 4/1/11. Cost invoice with NDC required with claim. ICD-9 restriction of 174.0 - 175.9 or 198.81. Minimum age restriction of 18 years.
C9281	Injection, pegloticase, 1 mg.	Krystexxa	Yes	ML	Hyperuricemic	16 u. monthly	Х	Х											Closed 12/31/11. See J2507. Effective 4/1/11. Cost invoice with NDC required with claim. ICD-9 restriction of 274.0 - 274.89. Minimum age restriction of 18 years.
	Injection, cetaroline fosamil, 10 mg.	Teflaro	Yes	UN	Antibiotic	12 units per dose	Х	Х											Closed 12/31/11. See J0712. Effective 4/1/11. Cost invoice with NDC required with claim. ICD-9 restriction of 041.00 - 041.89 or 482.0 - 482.89. Minimum age restriction of 18 years.
	Injection, ipilimumab, 1 mg.	Yervoy	Yes	UN	Antineoplastic	400 units per 21 days	Х	Х											Closed 12/31/11. See J9228. Effective 7/1/11. Restricted to ICD-9 diagnosis of 154.2, 154.3, 172.0 - 172.9, 184.0 - 184.4, 187.1 - 187.9, 196.0 - 196.9, 197.0 - 197.8, 198.0 - 198.8. Minimum age restriction of 16 years.
	Patch, lidocaine, 70 mg. & tetracaine, 70 mg.	Synera	Yes	UN	Anallgesic	None	Х	Х											Effective 7/1/11.
	Injection, belatacept, 250 mg.	Nulojix	Yes	UN	Immunosuppres sive	5.4 units daily maximum	Х	Х											Closed 12/31/12. See J0485 after this date. Effective 10/1/11. Must submit V42.0 with claim. Minimum age restriction of 18 years.
	Injection, brentuximab vedotin, 1 mg.	Adcetris	Yes	UN	Antineoplastic	180 units per day	Х	Х											Closed 12/31/12. See J9042 after this date. Effective 1/1/12. Cost invoice with NDC required with claim. ICD-9 restriction of 200.60 - 200.68 or 201.00 - 201.98. Minimum age restriction of 18 years.
	Injection, asparaginase erwinia chrysanthemia, 1000 U.	Erwinaze	Yes	UN	Antineoplastic	None	Х	Х											Closed 12/31/12. See J9019 after this date. Effective 4/1/12. Cost invoice with NDC requried with claim. ICD-9 restriction of 204.00 - 204.02.
C9291	Injection, aflibercept, 2 mg.	Eylea	Yes	ML	neovascular- Age related Macular Degeneration	2 units weekly	X	Х											Closed 6/30/12. See Q2046 after this date. Effective 4/1/12. Cost invoice with NDC required with claim. ICD-9 restriction of 362.52. Minimum age restriction of 16 years.
	Injection, pertuzumab, 10 mg.	Perjeta	Yes	ML	Antineoplastic	84 units per 21 days	Х	Х											Closed 12/31/13. See J9306. Effective 10/1/12. Cost invoice with NDC required with claim. ICD-9 diagnosis restriction of 174.0 - 174.9 or 175.0 - 175.9. Minimum age restriction of 16 years.

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	РО	OPI	1 1	HI I	DT D	C Special Instructions
			Requi	of		Limits	OP	OP										F	
			red	measure															
C9294	Injection, taliglucerase	Elelyso	Yes	UN	Enzymatic	82 units per	Х	Х										+	Closed 12/31/12. See J3060. Effective 1/1/13. Cost invoice with NDC required with claim. ICD-9 diagnosis
	alfa, 10 units					14 days													restriction of 272.7. Minimum age restriction of 16 years.
C9295	Injection, carfilzomib, 1	Kyprolis	Yes	UN	Antineoplastic	None	Х	Х											Closed 12/31/13. See J9047. Effective 1/1/13. Cost invoice with NDC required with claim. ICD-9 diagnosis
	mg																		restriction of 203.02. Minimum age restriction of 16 years.
C9296	Injection, ziv-aflibercept, 1 mg	Zaltrap	Yes	ML	Antineoplastic	550 units per 14 days	Х	Х											Closed 12/31/13. See J9400. Effective 1/1/13. Cost invoice with NDC required with claim. ICD-9 diagnosis restriction of 153.0 - 153.9, 154.0, 154.1, or 154.8. Minimum age restriction of 16 years.
	T mg					14 days													165th Cloth Oi 103.0 * 103.9, 104.0, 104.1, Oi 104.0. William of the George Control of 10 years.
C9297	Injection, omacetazine	Synribo	Yes	UN	Antineoplastic	None	Х	Х								-		_	Closed 12/31/13. See J9262. Effective 4/1/13. Cost invoice with NDC required with claim. ICD-9 diagnosis
	mepesuccinate, 0.01	ĺ																	restriction of 205.10 - 205.12. Minimum age restriction of 16 years.
	mg.																		
C9298	Injection, ocriplasmin,	Jetrea	Yes	ML	Ophthalmic	None	Х	Х											Closed 12/31/13. See J7316. Effective 4/1/13. Cost invoice with NDC required with claim. ICD-9 diagnosis
	0.125 mg.																		restriction of 379.27. Minimum age restriction of 16 years.
C9399	Unclassified drugs or biolog	Misc Drugs	N/A																Not Covered
C9441	Injection, ferric	Injectafer	yes	ML	Iron supplement	none	Х	Х											Closed 6/30/14. See Q9970 after this date. Effective 1/1/14. Cost invoice with NDC required. Restricted to
	carboxymaltose, 1 mg																		ICD-9 diagnosis of 280.1 - 280.9. Minimum age restriction of 16 years.
C9442	Injection, belinostat, 10	Beleodaq	Yes	UN	Antineoplastic		Х	Х											Closed 12/31/15. See J9032 after this date. Effective 10/1/2015 ICD-10 diagnosis
	mg																		codes C84.40 - C84.49 Effective 1/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 202.7.
																			Minimum age restriction of 16 years.
C9443	Injection, dalbavancin HCl, 10 mg.	Dalvance	Yes	UN	Anti-infective		Х	Х											Closed 12/31/15. See J0875 after this date. Effective 10/1/2015 ICD-10 diagnosis codes B78.1, K12.2, L01.00 - L01.03, L01.09, L01.1, L02.01 - L02.03, L02.11 - L02.13, L02.211 -
	in any manage																		L02.216, L02.219, L02.221 - L02.226, L02.229, L02.231 - L02.236, L02.239, L02.31 - L02.33, L02.411 -
																			L02.416, L02.419, L02.421 - L02.426, L02.429, L02.431 - L02.436, L02.439, L02.511, L02.512, L02.519, L02.521, L02.522, L02.529, L02.531, L02.532, L02.539, L02.611, L02.612, L02.619, L02.621, L02.622,
																			L02.629, L02.631, L02.632, L02.639, L02.811, L02.818, L02.821, L02.828, L02.831, L02.838, L02.91 - L02.93,
																			L03.011, L03.012, L03.019 - L03.022, L03.029, L03.031, L03.032, L03.039, L03.041, L03.042, L03.049, L03.111 - L03.116, L03.119, L03.121 - L03.126, L03.129, L03.211, L03.212, L03.221, L03.222, L03.311 -
																			L03.317, L03.319, L03.321 - L03.327, L03.329, L03.811, L03.818, L03.891, L03.898, L03.90, L03.91, L04.0 -
																			L04.3, L04.8, L04.9, L05.01, L05.02, L05.91, L05.92, L08.0, L08.81, L08.82, L08.89, L08.9, L88, L92.8, L98.0 or L98.3
																			Effective 1/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 680.0 - 686.9.
C9444	Injection, oritavancin, 10	Orbactiv	Yes	UN	Anti-infective		Х	Х											Closed 12/31/15. See J2407 after this date. Effective 10/1/2015 ICD-10 diagnosis
	mg																		codes B78.1, K12.2, L01.00 - L01.03, L01.09, L01.1, L02.01 - L02.03, L02.11 - L02.13, L02.211 - L02.216, L02.219, L02.221 - L02.226, L02.229, L02.231 - L02.236, L02.239, L02.31 - L02.33, L02.411 - L02.416,
																			L02.419, L02.421 - L02.426, L02.429, L02.431 - L02.436, L02.439, L02.511, L02.512, L02.519, L02.521,
																			L02.522, L02.529, L02.531, L02.532, L02.539, L02.611, L02.612, L02.619, L02.621, L02.622, L02.629, L02.631, L02.632, L02.639, L02.811, L02.818, L02.821, L02.828, L02.831, L02.838, L02.91 - L02.93, L03.011,
																			L03.012, L03.019 - L03.022, L03.029, L03.031, L03.032, L03.039, L03.041, L03.042, L03.049, L03.111 -
																			L03.116, L03.119, L03.121 - L03.126, L03.129, L03.211, L03.212, L03.221, L03.222, L03.311 - L03.317, L03.319, L03.321 - L03.327, L03.329, L03.811, L03.818, L03.891, L03.898, L03.90, L03.91, L04.0 - L04.3,
																			L04.8, L04.9, L05.01, L05.02, L05.91, L05.92, L08.0, L08.81, L08.82, L08.89, L08.9, L88, L92.8, L98.0 or
																			L98.3 Effective 1/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 680.0 - 686.9.
	l	ı		l .								1	1	1					2.000.00 % % 10.00 Cook and the Coopering With Order to Coopering

Code	Description	Brand Name	NDC Requi red	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	I HS	PO	OF	Н	HI	IDT F	DC	Special Instructions
C9445	Injection, C-1 Esterase inhibitor (human), 10 u.	Ruconest	Yes	EA	Enzymatic		X	Х												Closed 12/31/15. See J0596 after this date. diagnosis codes D81.810 or D84.1 Effective 4/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 277.6. Minimum age restriction of 13 years.
C9449	Injection, blinatumomab, 1 mcg.	Blincyto	Yes	EA	Antineoplastic		х	Х												Closed 12/31/15. See J9039 after this date. diagnosis codes C91.00 - C91.02 Effective 4/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 204.00 - 204.02. Minimum age restriciton of 13 years.
C9450	Injection, fluocinolone acetonide intravitreal implant, 0.01 mg.	Iluvien	Yes	EA	Anti- inflammatory		Х	X												Closed 12/31/15. See J7313 after this date. Effective 10/1/2015 ICD-10 diagnosis codes E10.311, E10.319, E10.321, E10.329, E10.331, E10.339, E10.341, E10.349, E10.351, E10.359, E10.36, E10.36, E10.36, E10.36, E10.36, E11.311, E11.31, E11.321, E11.329, E11.331, E11.339, E11.341, E11.349, E11.351, E11.359, E11.36, E11.39, E11.65, E13.311, E13.319, E13.321, E13.329, E13.321, E13.339, E13.341, E13.349, E13.351, E13.359, E13.36 or E13.39 Effective 4/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 250.50-250.53.
C9451	Injection, peramivir, 1 mg.	Rapivab	Yes	ML	Anti-influenza	600 units per day	X	х												Closed 12/31/15. See J2547 after this date. diagnosis codes J09.X1 - J09.X3, J09.X9, J10.00, J10.01, J10.08, J10.1, J10.2, J10.81, J10.89, J11.00, J11.08, J11.1, J11.2, J11.81 or J11.89 Effective 4/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 487.0 - 487.8 or 488.01 - 488.89. Minimum age restriction of 18 years.
C9452	Injection, ceftolozane/tazobactam 1.5 G.	Zerbaxa	Yes	EA	Anti-infective		Х	Х												Closed 12/31/15. See J0695 after this date. NDC required with claim. Minimum age restriction of 18 years. Effective 4/1/15. Cost invoice with
C9453	Injection, nivolumab 1 mg.	Opdivo	Yes	ML	Antineoplastic	none	X	X												Closed 12/31/15. See J9299 after this date. Effective 10/1/15 ICD-10 diagnosis codes C00.5, C33, C34.00, C34.01, C34.02, C34.10, C34.11, C34.12, C34.2, C34.30, C34.31, C34.32, C34.80, C34.81, C34.82, C34.90, C34.91, C34.92, C43.51, C43.52, C43.51, C43.52, C43.59, C43.61, C43.51, C43.52, C43.59, C43.61, C43.52, C43.59, C43.61, C43.62, C43.70, C43.71, C43.72, C43.8, C43.9, C44.00, C44.01, C44.09, C44.101, C44.102, C44.109, C44.111, C44.112, C44.119, C44.121, C44.122, C44.129, C44.291, C44.291, C44.292, C44.299, C44.209, C44.211, C44.211, C44.212, C44.219, C44.291, C44.291, C44.292, C44.299, C44.300, C44.301, C44.309, C44.310, C44.311, C44.319, C44.320, C44.321, C44.329, C44.390, C44.391, C44.391, C44.399, C44.301, C44.309, C44.311, C44.310, C44.311, C44.310, C44.311, C44.311, C44.311, C44.311, C44.501, C44.509, C44.501, C44.509, C44.501, C44.509, C44.501, C44.509, C44.501, C44.611, C44.612, C44.619, C44.612, C44.629, C44.691, C44.702, C44.709, C44.701, C44.712, C44.719, C44.712, C44.712, C44.712, C44.712, C44.710, C44.702, C44.703, C44.704, C44.90, C44.91, C44.92, C44.709, C44.704, C44.
C9455	Injection, siltuximab 10 mg.	Sylvant	Yes	EA	Monoclonal antibody	none	Х	Х												Closed 12/31/15. See J2860 after this date. Effective 7/1/15. Cost invoice with NDC required with claim. Restricted to diagnosis of ICD-9 785.6 or ICD-10 R59.0, R59.1, or R59.9. Minimum age restriction of 16 years.

Code	Description	Brand Name	NDC Requi red	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	HS	PO	OPH	I Н	II ID	C Special Instructions
C9456	Injection, isavuconazonium sulfate, 1 mg.	Cresemba vial	Yes	EA	Anti-Infective	none	Х	X										Closed 12/31/15. See J1833 after this date. Effective 10/1/15. Cost invoice with NDC required with claim. Restrictetd to diagnosis of ICD-10 B44.0, B44.1, B44.2, B44.7, B44.89, B44.9. Minimum age restriction of 18 years.
C9462	Injection, delafloxacin, 1 mg	Baxdela	Yes	EA	Anti-Infective	None	Х	Х										Effective 4/4/18. Cost invoice with NDC required.
C9463	Injection, aprepitant, 1 mg.	Cinvanti	Yes	ML	Anti-emetic	none	Х	Х										Closed 12/31/18. See J0185 after this date. Effective 4/1/18. Cost invoice with NDC required.
C9466	Injection, benralizumab, 1 mg	Fasenra	Yes	ML	Anti-asthmatic	None	Х	Х										Closed 12/31/18. See J0517 after this date. Effective 4/4/18. Cost invoice with NDC required. Restricted to ICD-10 J45.50. Minimum age of 12 years.
C9467	Injection, rituximab and hyaluronidase, 10 mg	Rituxan Hycela	Yes	ML	Anti-neoplastic	None	Х	Х										Closed 12/31/18. See J9311 after this date. Effective 4/1/18. Cost invoice with NDC required. Restricted to ICD-10 diagnosis of C82.00 - C82.99, C83.30 - C83.39, C91.10, C91.12. Minimum age of 16 years.
C9469	Injection, triamcinolone acetonide, preservative- free, extended-release, microsphere formulation, 1 mg.	Zilretta	Yes	EA	Anti- inflammatory	Max. 32 mg. once yearly	Х	Х										Closed 6/30/18. See Q9993 after this date. 4/1/18. Cost iinvoice with NDC required. diagnosis of M17.1 - M17.9.
C9472	Injection, talimogene laherparepvec, 1 M PFU	Imlygic	Yes	ML	Anti-neoplastic	none	Х	Х										Closed 12/31/16. See J9325 after this date. Effective 4/1/16. Cost invoice with NDC required with claim. Minimum age restriction of 16 years.
C9473	Injection, mepolizumab, 1mg.	Nucala	Yes	EA	Monoclonal antibody	none	Х	Х										Closed 12/31/16. See J2182 after this date. Effective 4/1/16. Cost invoice with NDC required with claim. Restricted to ICD-10 J45.50. Minimum age restriction of 12 years.
C9474	Injection, irinotecan liposome, 1 mg.	Onivyde	Yes	ML	Anti-neoplastic	none	Х	Х										Closed 12/31/16. See J9205 after this date. Effective 4/1/16. Cost invoice with NDC required with claim. Restricted to ICD-10 C25.0, C25.1, C25.2, C25.3, C25.4, C25.7, C25.8, C25.9. Minimum age restriction of 16 years.
C9475	Injection, necitumumab 1 mg.	Portrazza	Yes	ML	Anti-neoplastic	800 units daily	Х	Х										Closed 12/31/16. See J9295 after this date. Effective 4/1/16. Cost invoice with NDC required with claim. Restricted to ICD-10 diagnosis C34.01, C34.02, C34.11, C34.12, C34.2, C34.31, C34.32, C34.81, C34.82, C34.91, C34.92, C38.4, C78.01, C78.02. Minimum age restriction of 16 years.
C9476	Injection, daratumumab, 10 mg.	Darzalex	Yes	ML	Anti-neoplastic	210 units dailiy	Х	Х										Closed 12/31/16. See J9145 after this date. Effective 7/1/16. Cost invoice with NDC required with claim. Restricted to ICD-10 C90.02. Minimum age restriction of 16 years.
C9477	Injection, elotuzumab, 1 mg.	Empliciti	Yes	UN	Anti-neoplastic	None	Х	Х										Closed 12/31/16. See J9176 after this date. Effective 7/1/16. Cost invoice with NDC required with claim. Restricted to ICD-10 C90.00, C90.01, C90.02. Minimum age restriction of 16 years.
C9478	Injection, sebelipase alfa, 1 mg.	Kanuma	Yes	ML	Metabolic Enzyme Replacement	None	Х	Х										Closed 12/31/16. See J2840 after this date. Effective 7/1/16. Cost invoice with NDC required with claim.
C9479	Injection, ciprofloxacin otic, 6 mg.	Otiprio	Yes	ML	Anti-Infective	None	Х	Х										Closed 12/31/16. See J7342 after this date. Effective 7/1/16. Cost invoice with NDC required with claim.
C9480	Injection, trabectedin, 0.1 mg.	Yondelis	Yes	EA	Anti-neoplastic	None	Х	Х										Closed 12/31/16. See J9352 after this date. Effective 7/1/16. Cost invoice with NDC required with claim. Restricted to ICD-10 C49.9. Minimum age restriction of 16 years.
C9481	Injection, reslizumab, 1 mg.	Cinqair	Yes	ML	Anti-asthmatic	None	Х	Х								İ	T	Closed 12/31/16 See J2786 after this date. Effective 10/1/16. Cost invoice with NDC required. Restricted to ICD-10 J45.50. Minimum age of 18 years.

Code	Description	Brand Name	NDC Requi red	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	HS	PO	ОРН	Н	I ID1		Special Instructions
C9483	Injection, atezolizumab, 10 mg.	Tecentriq	Yes	ML	Anti-Infective	120 units daily.	Х	X											Closed 12/31/17. See J9022 after this date. Effective 10/18/16, approved ICD-10 diagnosis of C34.00 - C34.92. Effective 10/1/16. Cost invoice with NDC required. Restricted to ICD-10 C65.1, C65.2, C65.9, C66.1, C66.2, C66.9, C67.0, C67.1, C67.2, C67.3, C67.4, C67.5, C67.6, C67.7, C67.8, C67.9, C68.0. Minimum age restriction of 16 years.
C9484	Injection, eteplirsen 10 mg.	Exondys 51	Yes	ML	Genetic therapy	none	Х	Х											Closed 12/31/17. See J1428 after this date. Effective 4/1/17. Cost invoice with NDC required.
C9485	Injection, oloratumab 10 mg.	Lartruvo	Yes	ML	Antineoplastic	none	Х	Х											Closed 12/31/17. See J9285 after this date. Effective 4/1/17. Cost invoice with NDC required.
	Ustekinumab, IV injection, 1 mg.	Stelara	Yes	ML	Antipsoriatic	none	Х	Х											Closed 6/30/17. See Q9989. Effective 4/1/17. Cost invoice with NDC required. Restricted to ICD-10 L30.5, L40.0 - L40.4, L40.50 - L40.54, L40.59, L40.8, L40.9, L41.0, L41.1, L41.3 - L41.5, L41.8, L41.9, L42, L44.0, L44.8, L45 or L94.5.
C9490	Injection, bezlotoxumab 10 mg.	Zinplava	Yes	ML	Anti-Infective	none	Х	Х											Effective 10/1/17, ICD-10 diagnosis restriction modified to A04.71 or A04.72. Fifective 7/1/117. Restricted to ICD-10 diagnosis A04.7. Minimum age restriction of 18 years.
C9491	Injection, avelumab, 10 mg.	Bavencio	Yes	ML	Antineoplastic	None	Х	Х											Closed 12/31/17. See J9023 after this date. 10/1/17. Cost invoice with NDC required. Restricted to ICD-10 of C4A.0, C4A.10 - C4A.12, C4A.20 - C4A.22, C4A.30 - C4A.39, C4A.4, C4A.51 - C4A.59, C4A.60 - C4A.62, C4A.70 - C4A.72, C4A.8, C4A.9; C65.1, C65.2, C66.1, C66.2, C67.0 - C67.9, C68.0, C68.8. Minimum age of 12 years.
	Injection, durvalumab, 10 mg.	Imfinzi	Yes	ML	Antineoplastic	None	Х	Х											Closed 12/31/18. See J9173 after this date. Effective 2/16/18, ICD-10 C33, C34.01, C34.02, C34.11, C34.12, C34.2, C34.31, C34.32, C34.81, C34.82, C34.91, C34.92 added. Effective 10/1/17. Cost invoice with NDC required. Restricted to ICD-10 C65.1, C65.2, C66.1, C66.2, C67.0 - C67.9, C68.0, C68.8. Minimum age of 16 years.
C9493	Injection, edaravone, 1 mg.	Radicava	Yes	ML	Antineoplastic	60 units daily	Х	Х											Closed 12/31/18. See J1301 after this date. Effective 10/1/17. Cost invoice with NDC required. Restricted to ICD-10 G12.21. Minimum age of 16 years.
C9494	Injection, ocrelizumab, 1 mg.	Ocrevus	Yes	ML	Multiple sclerosis	600 units per day	Х	Х											Closed 12/31/17. See 2350 after this date. Effective 10/1/17. Cost invoice with NDC required. Restricted to ICD-10 G35.
G9020	Rimantadine HCL	Flumadine	N/A		Antiviral														Not Covered
G9033	100mg oral Amantadine HCL oral	Symmetrel	N/A		Parkinsons													-	Not Covered
G9034	brand Zanamivir, inh pwdr,	Relenza	N/A		Disease Antiviral										1				Not Covered
G9035	brand Oseltamivir phosp, brand	Tamiflu	N/A		Antiviral								1					1	Not Covered
G9036	Rimantadine HCL, brand	Flumandine	N/A		Antiviral												£	L	Not Covered
	Injection tetracycline up to 250mg	Achromycin Sumycin Panmycin	Yes	UN	Antibiotic	4 per day	Х	Х	Х	Х									
J0128	Injection abarelix 10mg	Plenaxis	Yes	UN	Gonadotropin	None	Х	Х	Х										Effective 10/1/2015 ICD-10 diagnosis code C61 Maximum dosage 100 mg on days 1, 15 & 29, then maximum 100 mg every 4 weeks thereafter. ICD-9 code 185 required on claim form

									_				T				1		
Code	Description	Brand Name	NDC Requi	NDC unit of	Category	Service Limits	AC OP	CAH	Р	NP	MW	МН	HS	РО	ОРН	' '		OT C F	C Special Instructions
			red	measure		Limits	OP	UP									'	- I	
			reu	illeasure															
J0129	Injection, Abatecept, 10	Orencia	Yes	UN	Anti-rheumatic	100 units	Х	Х	Х	Х						+	-	+	Effective 10/1/2015 ICD-10 diagnosis codes M05.00, M05.011, M05.012, M05.019, M05.021, M05.022,
	mg					every													M05.029, M05.031, M05.032, M05.039, M05.041, M05.042, M05.049, M05.051, M05.052, M05.059, M05.061,
	· ·					2 weeks													M05.062, M05.069, M05.071, M05.072, M05.079, M05.09, M05.10, M05.111, M05.112, M05.119, M05.121,
																			M05.122, M05.129, M05.131, M05.132, M05.139, M05.141, M05.142, M05.149, M05.151, M05.152, M05.159,
																			M05.161, M05.162, M05.169, M05.171, M05.172, M05.179, M05.19, M05.30, M05.60, M05.611, M05.612,
																			M05.619, M05.621, M05.622, M05.629, M05.631, M05.632, M05.639, M05.641, M05.642, M05.649, M05.651,
																			M05.652, M05.659, M05.661, M05.662, M05.669, M05.671, M05.672, M05.679, M05.69, M05.711, M05.712, M05.719, M05.721, M05.722, M05.729, M05.731, M05.732, M05.739, M05.741, M05.742, M05.749, M05.751,
																			M05.752, M05.751, M05.752, M05.761, M05.763, M05.753, M05.753, M05.754, M05.754, M05.754, M05.754, M05.755, M05.759, M05.761, M05.762, M05.769, M05.811, M05.812, M05.819, M05.821, M05.822, M05.829,
																			M05.831, M05.832, M05.839, M05.841, M05.842, M05.849, M05.851, M05.852, M05.859, M05.861, M05.862,
																			M05.869, M06.071, M06.072, M06.079, M06.1, M06.211, M06.212, M06.219, M06.221, M06.222, M06.229,
																			M06.231, M06.232, M06.239, M06.241, M06.242, M06.249, M06.251, M06.252, M06.259, M06.261, M06.262,
																			M06.269, M06.811, M06.812, M06.819, M06.821, M06.822, M06.829, M06.831, M06.832, M06.839, M06.841,
																			M06.842, M06.849, M06.851, M06.852, M06.859, M06.861, M06.862, M06.869, M06.871, M06.872, M06.879 or M06.9
J0130	Injection abciximab 10mg	ReoPro	N/A		Antiplatelet														Not Covered
J0131	Injection,		N/A																Not Covered
	acetaminophen, 10 mg.																		
J0132	Injection, acetylcysteine, 100 mg	Acetadote Mucomyst	Yes	ML	Antidote	None	Х	Х	Х										Effective 10/1/2015 ICD-10 diagnosis codes T39.012A, T39.014A, T39.014D, T39.014S, T39.092A,
	100 mg	Mucomyst																	T39.094A, T39.094D, T39.094S, T39.1X1A -T39.1X4A, T39.2X2A, T39.2X4A, T39.2X4D, T39.2X4S, T39.311A, T39.311D, T39.311S, T39.312A, T39.312D, T39.312S, T39.313A, T39.313D, T39.313S, T39.314A,
																			T39.314D, T39.314S, T39.392A, T39.394A, T39.394D, T39.394S, T39.4X4A, T39.4X4D,
																			T39.4X4S, T39.8X2A, T39.8X4A, T39.92xA, T39.94xA, T40.0X2A, T40.0X4A, T40.0X4D, T40.0X4S,
																			T40.1X2A, T40.1X4A, T40.1X4D, T40.1X4S, T40.2X2A, T40.2X4A, T40.2X4D, T40.2X4S, T40.3X2A,
																			T40.3X4A, T40.3X4D, T40.3X4S, T40.4X2A, T40.4X4A, T41.1X2A, T41.202A, T41.292A, T41.3X2A or
																			T41.42xA ICD-9 codes required on claim form: 965.4, E850.4, E935.4, E950.0, E962.0, E980.0
																			10D-9 codes required on claim form. 965.4, E650.4, E955.4, E950.0, E962.0, E960.0
J0133	Injection, acyclovir, 5mg	Zovirax	Yes	PWD=UN	Antiviral	None	Х	Х	Х	Х						1		+	Nurse practitioner added 1/1/09.
10405				SOL=ML												-		4	
J0135	Injection adalimumab 20mg	Humira	N/A		Anti-rheumatic														Not Covered
J0150	Injection adenosine 6mg	Adenoscan Adenocard	Yes	ML	Anti-arrhythmic	None													Not Covered
J0151	Injection, adenosine for diagnostic use, 1 mg	Adenocard	Yes	ML	Diagnostic	None	Х	Х	Х	l	1				1		- '	X	Closed 12/31/14. See J0153 after this date. Effective 1/1/14.
1	(Not to be used to report				Agent					l	1				1				
	any adenosine																		
1	phosphate compounds,									l	1				1				
J0152	Injection adenosine for	Adenocard	Yes	PWD=UN	Diagnostic	None	Х	Х	Х				1		1	+)	X	Closed 12/31/13. See J0151. Replaces J0151. Use only for stress testing. Separate billing when test
	diag. use 30mg			SOL=ML	Agent								<u> </u>		<u> </u>				provided in physician's office or IDTF. Adults only.
J0153	Injection, adenosine, 1	Adenocard	Yes	ML	Diagnostic	None	Х	Х	Х	l	1				1)	X	Effective 1/1/15.
1	mg (not to be used to report any adenosine				Agent				1	l	1								
	phosphate compounds)														<u></u>				
J0170	Injection adrenalin epi-	Epipen	Yes	ML	Respiratory	1 per day	Х	Х	Х	Х							T	T	Closed 12/31/10. See J0171 after this date.
	nephprine up to 1ml ampule	Adrenalin Chloride,																	
L		Chloride, SusPhrine									<u> </u>				<u> </u>				
J0171	Injection, epinephrine, 0.1 MG.	Adrenalin	Yes	ML	Antidote	None	Х	Х	Х	Х									New code effective 1/1/11.
	U. I MG.			l	l l			Ц		L			1		1		!_		

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	MI	I HS	PO	OP	н	ні Іп	ם דם	DC Special Instructions
Code	Description	Diana Name	Requi	of	Category	Limits	OP	OP	•				.	. ୯	0.			F	o opecial manucions
			red	measure															
J0178	Injection, aflibercept, 1 mg	Eylea	Yes	ML	neovascular- Age related	4 units per week	Х	Х							X				Effective 5/13/19, added ICD-10: E08.319, E08.3291 - E08.3293, E08.3391 - E08.3393, E08.3491 - E08.3493, E08.3521 - E08.3523, E08.3531 - E08.3533, E08.3541 - E08.3543, E08.3551 - E08.3553,
					Macular Degeneration														E08.3591 - E08.3593, E09.319, E09.3291 - E08.3293, E09.3391 - E08.3393, E09.3491 - E09.3493, E09.3521 - E09.3523, E09.3531 - E09.3534, E09.3541 - E09.3543, E09.3551 - E09.3553, E09.3591, E10.3593, E10.3591 - E10.3593, E10.3591 - E10.3593, E10.3521 - E10.3523, E10.3531 - E10.3533, E10.3541 - E10.3593, E10.3591 - E10.3593, E11.3591 - E10.3593, E11.3391 - E11.3393, E11.3391 - E11.3393, E11.3391 - E11.3393, E11.3491 - E11.3493, E11.3523, E11.3523, E11.3531 - E11.3533, S11.3541 - E11.3543, E13.319, E13.3591 - E13.3593, E13.3591 - E13
J0180	Injection agalsidase beta 1mg	Fabrazyme	Yes	UN	Enzyme	None	х	Х	X										Effective 10/1/2015 ICD-10 diagnosis codes E75.21, E75.22, E75.240 - E75.243, E75.248, E75.249, E75.3, E77.0, E77.1, E77.8, or E77.9 Requires Prior Authorization for children 16-years of age. Submit copies of physician's medical records, specialist's medical records (as appropriate), member's weight, signs and symptoms and diagnostic test results to confirm diagnosis of ICD-9-CM code 272.7 to BMS Medical Director. Children 16> years of age, do not
J0185	Injection, aprepitant, 1 mg.	Cinvanti	Yes	ML	Anti-emetic	None	Х	Х	Х										Effective 1/1/19.
J0190	Injection biperiden	Akineton	Yes	UN	Anti-dyskinetic	4 per day	Х	Х	Х										
J0200		Trovan IV Trova-floxacin	N/A		Antibiotic														Not Covered
J0202	Injection, alemtuzumab, 1 mg	Lemtrada	Yes	ML	Anti-schlerotic	none	Х	Х	Х										Effective 1/1/16. Restricted to diagnosis ICD-10 G35. Minimum age restriction of 17 years.
J0205	Injection alglucerase 10U	Ceredase	Yes	ML	Enzyme	None	Х	Х	Х										Effective 10/1/2015 ICD-10 diagnosis codes E75.21, E75.22, E75.240 - E75.243, E75.248, E75.249, E75.3, E77.0, E77.1, E77.8, or E77.9
J0207	Injection amifostine 500mg	Ethyol	Yes	UN	Anti-neoplastic	None	Х	Х	Х										
J0210	Injection methyldopate HCl up to 250ma	Aldomet Aldoril	Yes	ML	Anti- hypertensive	None	X	Х	X			<u> </u>							
J0215	0.5mg	Amevive	Yes	UN	Monoclonal Antibody	30 units per week X 12 weeks in 6 month period	Х	Х	Х										30 units per week X 12 weeks in a 6 month period per lifetime.
J0220	Injection, alglucosidase alfa, 10 mg.	Myozyme	Yes	UN	Metabolic Enzyme Replacement	None	Х	Х	Х										New code effective 1/1/08. Replaces C9234.
J0221	Injection, alglucosidase alfa, 10 mg.	Lumizyme	Yes	UN	Enzymatic	none	Х	Х	Х)	X		Effective 10/1/2015 ICD-10 diagnosis codes E74.00 - E74.04 or E74.09 Effective 8/1/14, minimum age restriction removed. Effective 1/1/12. Restricted to ICD-9 diagnosis 271.0. Minimum age restriction of 8 years

Cada	Description	Dues d Name	NDC	NDCi4	Catamami	Comiles	40	CALL	_	NP	MW	BALL	ше	ВО.	OPLI	1	IDT		C Consider Instructions
Code	Description	Brand Name	NDC Requi	NDC unit of	Category	Service Limits	AC OP	CAH OP	Р	NP	IVIVV	МН	HS	РО	OPH	HI	F		C Special Instructions
			red	measure		Lillius	UF	UF									-		
			reu	illeasure															
.10256	Injection alpha 1	Prolastin-C	Yes	UN	Alpha-1	800 u. weekly	Х	Х	Х									+	Service limit adjusted upward, 10/1/10.
30230	proteinase inhibitor	Aralast	163	OIV	antitrypsin	000 d. Weekly	^		^										Cervice with adjusted upward, 10/1/10.
	human 10mg	Zemaira			arititi ypoii i														
J0257	Injection, alpha-1	Glassia	Yes	UN	Enzymatic	820 units per	Χ	Х	Х							Х			Effective 10/1/2015 ICD-10 diagnosis codes J43.0 - J43.2, J43.8 or J43.9
	proteinase inhibitor					week													Effective 1/1/12. Restricted to ICD-9 diagnosis 492.8. Minimum age restriction of 16 years.
	(human), 10 MG																	4	
J0270	Injection alprostadil	Caverject	Yes	PWD=UN	Pro-staglandin	None	Х	Х	Х										Not for self administration. IV only
	1.25mcg	Muse Prostin		SOL=ML															
.10275	Alprostadil urethral	VR Pediatric Muse	N/A		Pro-staglandin													+	Not Covered
00270	suppository	Widoc	14//		i io stagianam														not deviced
J0278	Injection, amikacin	Amikin	Yes	PWD=UN	Antibiotic	None	Χ	Χ	Χ	Χ				Х				T	Nurse practitioner added 1/1/09.
	sulfate, 100 mg			SOL=ML															
J0280	Injection aminophyllin up	Phyllocontin	Yes	PWD=UN	Broncho-dilator	None	Х	Х	Х)	x
10000	to 250mg	0		SOL=ML	And make the			L			-			-	 	<u> </u>	+-	+	Effective ON NO. common and a few OR has reliable
JU282	Injection, amiodarone HCI 30 mg	Cordarone	Yes		Anti-arrhythmic		Х	Х		l		l			1			1	Effective 2/1/16, coverage added for OP hospitals.
.10285	Injection amphotericinB	Abelcent,	Yes	UN	Anti-fungal	None	Х	Х	Х				1		1	1	+	+	
30203	50mg	Amphocin,	163	OIV	Anti-Turigai	140116	^		^										
	oonig	Fungizonef																	
J0287	Injection amphotericinB	Abelcet	Yes	ML	Anti-fungal	None	Χ	Х	Χ									T	
	lipid complex 10mg																		
J0288	Injection amphotericinB	Amphotec	Yes	UN	Anti-fungal	None	Х	Х	Х										
	cholesteryl sulfate com-																		
10280	plex 10ma Injection amphotericinB	Ambisome	Yes	UN	Antibiotic	None	Х	Х	Х							-	-	+	+
30203	liposome 10mg.	Ambisome	163	OIV	Antibiotic	None	^		^										
J0290	Injection ampicillin	Totacillin-N	Yes	UN	Antibiotic	None	Х	Х	Х	Х)	x
	sodium 500mg.	Omnipen-N																	
J0295	Injection ampicillin	Unasyn	Yes	UN	Antibiotic	None	Х	Х	Х	Х									
	sodium sulbactam																		
10200	sodium 1.5a	A man deal	Vee	LINI	Anti consulant	None										-	+	+	
30300	Injection amobarbital up to 125mg.	Amytal	Yes	UN	Anti-convulant	None	Х	Х	Х										
J0330	Injection succinylcholine	Anectine	Yes	PWD=UN	Neuro-muscular	None	Х	Х	Х									+	
00000	chloride up to 20mg.	Quelicin	. 00	SOL=ML	blocker	110110	, ,	,,	,,										
		Sucostrin																	
J0348	Injection, anidulafungin,	Eraxis	Yes	UN	Anti-fungal	200 units per	Χ	Х	Χ	Х									New code effective 1/1/07. Nurse practitioner added 1/1/09.
1005	1 mg					day								<u> </u>	<u> </u>		1	+	
J0350	Injection anistreplase	Eminase	N/A		Thrombolytic												1		Not Covered
.10360	30U Injection hydralazine HCI	Apresoline	Yes	PWD=UN	agent Anti-	None	Х	Х	Х		-		1	 	1	1	+	+	+
30300	up to 20mg	, thiesonile	163	SOL=ML	hypertensive	None	^	_ ^	_ ^								1		
J0364	Injection, apomorphine	Apokyn	Yes	PWD=UN	Dopamine	20 units per	Х	Х	Х	Х							1	T	Effective 10/1/2015 ICD-10 diagnosis codes G20 or G21.4
	HCl, 1 mg			SOL=ML	Agonist	day												L	New code effective 1/1/07. ICD-9 code 332.0 required on claim form. Nurse practitioner added 1/1/09.
J0365	Injection, aprotonin,	Trasylol	N/A		Blood Product														Not covered.
1000-	10.000kiu			DIVID III	Derivative				L.,		ļ		1		<u> </u>	1	1	+	
JU380	Injection metaraminol	Aramine	Yes	PWD=UN	Adrenergic	None	Х	Х	Х	l		l			1			1	
10300	bitartrate 10mg Injection chloroquine HCI	Aralen	N/A	SOL=ML	agonist Anti-infective		—	 		<u> </u>	 	 	1	 	\vdash	1	+	+	Not Covered
30330	up to 250mg	Aldiell	13/7		/ TITLE IIII COLIVE		l			l		l			1			1	THE COVERED TO SERVICE OF THE COVERED TO SER
J0395	Injection arbutamine HCI	GenESA	Yes	UN	Thrombolytic	None	Х	Х	Х								Х	T	
	1 ma				agent													\perp	
J0400	Injection, Aripiprazole	Abilify	N/A		Atypical anti-												1		New code effective 1/1/08. Not covered. See POS pharmacy.
10.404	IM, 0.25 mg	A In 1976	N1/A		psychotic							<u> </u>	1	-	<u> </u>	1	1	+	New and affective 4/4/44. Not sourced. Can DOC at a control
JU4U1	Injection, aripiprazole, extended release, 1 mg	Abilify	N/A		Atypical anti-												1		New code effective 1/1/14. Not covered. See POS pharmacy.
J0456	Injection azithromycin	Maintena Zithromax	Yes	UN	psychotic Antibiotic	1 per day	Х	Х	Х		1		1	1	1		+	+	
30400	500 mg.	Littionida	1	0.1	71111010110	. por day			\ ^								1		
•	11191		-				-	•	-		-	-	•	-	•	•	•		

		r							-		1								
Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	PO	OPH	HI			Special Instructions
			Requi	of		Limits	OP	OP									F		
			red	measure															
10.400	laiastian atranias sulfata	AtroPen	Vaa	NAI	Anti abalanassia	2	V	V		V			+		1	-	+	+	(Classed 40/04/00, Cas. 10404
J0460	Injection atropine sulfate	AttoPen	Yes	ML	Anti-cholenergic	3 per day	Х	Х	Х	Х									Closed 12/31/09. See J0461.
J0461	up to 0.3mg Injection, atropine	AtroPen	Yes	ML	Anti-cholenergic	None	Х	Х	Х	Х					-			-	Effective 1/1/10.
30461	sulfate, 0.01 mg.	Alloren	165	IVIL	Anti-cholenergic	None	^	_ ^	^	^									Ellective 1/1/10.
J0470	Injection dimercaprol	BAL in oil	Yes	ML	Antidote	None	Х	Х	Х		1		-	1	1	1	-	1	
30470	100 mg.	DAL III OII	163	IVIL	Antidote	INOTIC	^	_ ^	^										
10475	Injection baclofen 10mg	Lioresal	Yes	PWD=UN	Skeletal muscle	4 per day	Х	Х	Х		1			1	1		1	Y	Effective 10/1/2015 ICD-10 diagnosis codes G04.1, G40.401, G40.409, G40.411, G40.419, G80.0 - G80.2,
30473	injection bactoren ronig	Lioresai	103	SOL=ML	relaxant	4 per day	^	_ ^	_ ^									^	G80.4, G80.8 - G81.14, G82.20 - G82.22, G82.50 - G82.54, G83.0, G83.10 - G83.14, G83.20 - G83.24,
				OOL-IVIL	Tolaxam														G83.30 - G83.34, G83.4, G83.5, G83.81 - G83.84, G83.89, G83.9, I63.50, I63.511, I63.512, I63.519, I63.521,
																			163.522, 163.529, 163.531, 163.532, 163.539, 163.541, 163.542, 163.549, 163.59, R25.0 - R25.3, R25.8 or R25.9
																			ICD-9 diagnosis of 342.1 to 342.10, 342.11, 342.12, 343.0 - 344.9, 345.60 - 345.61, 434.91, or 781.0 must be
.10476	Injection baclofen 50mcg	Lioresal for	Yes	ML	Skeletal muscle	1 per week	Х	Х	Х									Х	For intrathecal trial only.
00.70	injection bacieron comeg	intrathecal			relaxant	. po. wook	^`	, ,	l '`									^`	. or anidational distriction
		trial			Tolaxam														
J0480	Injection, basiliximab,	Simulect	N/A		Immuno-													1	Not Covered
00.00	20 ma	Oa.oot	,, .		suppressant														1.01.0510.00
J0485	Injection, belatacept, 1	Nulojix	Yes	UN	Immuno-	1350 units	Х	Х	Х										Effective 10/1/2015 ICD-10 diagnosis codes Z48.22 or Z94.0
	ma	,			suppressant	daily													Effective 1/1/13. Must be billed with V42.0. Minimum age restriction of 18 years.
J0490	Injection, belimumab, 10	Benlysta	Yes	UN	Immunlologic	260 units per	Х	Х	Х							Х			Effective 10/1/2015 ICD-10 diagnosis codes M32.0, M32.10 - M32.15, M32.19, M32.8 or M32.9
	ma.	. ,				month													Effective 1/1/12. Restricted to ICD-9 diagnosis 710.0. Minimum age restriction of 16 years
J0500	Injection dicyclomine HCI	Bentyl	Yes	PWD=UN	Anti-cholenergic	None	Х	Χ	Х										
	up to 20mg	Antispas		SOL=ML	· ·														
	,	Dilomine																	
		Dibent																	
		DiSpaz																	
		Negguess																	
J0515	Injection benztropine	Cogentin	Yes	PWD=UN	Anti-cholenergic	None	X	Х	Х	Χ		Х							
	mesylate 1mg			SOL=ML															
J0517	Injection, benralizumab,	Fasenra	Yes	ML	Anti-asthmatic	None	X	X	Х										Effective 1/1/19.
	1 mg																		Restricted to J45.50. Minimum of 12 years.
10520	Injection bethanechol	Urecholine	Yes	UN	Cholenergic	None	Х	Х	Х				+		1	-	+	+-	· ·
30320	chloride up to 5mg	Mytonachol	163	ON	Cholenergic	INOTIC	^	_ ^	^										
10530	Injection penicillinG	Bicillin CR	Yes	ML	Antibiotic	None	Х	Х	Х	Х			+				+	1	Closed12/31/09. See J0559.
30330	benzathine & penicillinG	Diciniii Oix	103	IVIL	Antibiotic	INOTIC	^	_ ^	_ ^	^									0.036412/31/03. Gee 30033.
	procaine up to 600K U																		
10540	Injection penicillinG	Bicillin CR	Yes	ML	Antibiotic	None	Х	Х	Х	Х	1			1	1		1	1	Closed 12/31/09. See J0559.
30340	benzathine & penicillinG	Diciniii Oix	103	IVIL	Antibiotic	INOTIC	^	_ ^	_ ^	^									010364 123 1703. Gee 30303.
	procaine up to 1.2m U																		
10550	Injection penicillin G	Bicillin CR	Yes	ML	Antibiotic	None	Х	Х	Х	Х							1	1	Closed 12/31/09. See J0559.
30330	benzathine & penicillinG	Dicimii OK	163	IVIL	ATTUDIOUG	None	^	_ ^	^	^			1				1	1	0.000 120 1700.
	procaine up to 2.4m U		l										1				1	1	
J0558	Injection, penicillin G	Bicillin CR	Yes	ML	Antibiotic	none	Х	Х	Х	Х			1		1	Х	1	t	Effective 1/1/11.
1 2000	benzathine & penicillin G						^`	``	l ^`	l ^`		1	1		1	``		1	
	procaine, 100,000 U.		1				1	1	1	1		1	1					1	
J0559	Injection, penicillin G	Bicillin CR	Yes	ML	Antibiotic	none	Х	Х	Х	Х						Х	1	t	Closed 12/31/10. See J0558 after this date. Original effective date, 1/1/10. Deny with ICD-9 diagnosis of
	benzathene and							l	1	1			1			1 .,	1	1	090.0 - 097.9
1	penicillin G procaine,		l										1				1	1	33.13
	2500 II		l										1				1	1	
J0560	Injection penicillinG	Bicillin LA	Yes	ML	Antibiotic	None	Х	Х	Х	Х							1	1	Closed 12/31/10. See J0561 after this date.
1	benzathine up to 600K U	Permapen	l										1				1	1	
L			L					<u></u>							<u> </u>			<u>L</u>	
J0561	Injection, penicillin G	Bicillin LA	Yes	ML	Antibiotic	None	Х	Χ	Х							Х			New code effective 1/1/11.
	benzathine, 100,000 U.	Permapen	L					<u></u>							<u> </u>			<u>L</u>	
J0565	Injection, bezlotoxumab,	Zinplava	Yes	ML	Anti-infective	None	Х	Χ	Х	Х									Effective 1/1/18. Restricted to ICD-10 A04.71, A04.72. Minimum age of 18 years.
<u></u>	10 ma.		<u> </u>					<u></u>							1			<u> </u>	

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	PO	OF	нΙ	нι	IDT	DC	Special Instructions
Oode	Description	Diana Name	Requi	of	Category	Limits	OP	OP	•	141			110	'"				F	-	opecial manucions
			red	measure																
J0567	Injection, cerliponase	Brineura	Yes	ML	Enzymatic	None	Х	Х	Х											Effective 1/1/19.
	alfa, 1 mg			(individual																Restricted to ICD-10 E75.4. Minimum of 3 years.
				syringe) UN (kit)																
	Buprenorphine implant, 74.2 mg	Probuphine	Yes	ML	Anti- dependence	Eight units yearly			Х											Effective 1/1/17. Restricted to ICD-10 diagnosis F11.20, F11.21, F11.229, F11.259, F11.23, F11.93. Minimum age of 16 years.
J0571	Buprenorphine, oral, 1 mg.	Subutex	Yes	EA	Anti- dependence	24 units daily														Effective 7/1/17. Covered entities are Mental Health Clinic & Mental Health Rehabilitation.
J0572	Buprenorhpine/Naloxone , oral, 2 mg./0.5 mg.	Suboxone	Yes	EA	Anti- dependence	3 units daily														Effective 7/1/17. Covered entities are Mental Health Clinic & Mental Health Rehabilitation.
J0574	Buprenorhpine/Naloxone , oral, 8 mg./2 mg.	Suboxone	Yes	EA	Anti- dependence	3 units daily														Effective 7/1/17. Covered entities are Mental Health Clinic & Mental Health Rehabilitation.
J0583	Injection bivalirudin 1mg	Angiomax	Yes	UN	Anti-coagulant	None	Х	Х												0
J0584	Injection, burosumab- twza 1 mg	Crysvita	Yes	ML	Hypophosphate mia	90 units daily	Х	Х	Х											Effective 1/1/19. Restricted to ICD-10 E83.31
J0585	Botulinum toxin type A	Botox	Yes	UN	Neuro-muscular	none	Х	Х	Х				-			-				See previous webpage for Botulinim Code Coverage and diagnoses.
	per unit.				blocker															Prior authorization required. Contact Kepro Healthcare at 800-346-8272 or 304-343-9663.
																				Effective 1/1/07. CPT codes 31513, 31570, 31571, 43201, 43236, 46505, 52287 , 64615 , 64616 , 64617 , 64614, 64640, 64642 , 64643 , 64644 , 64645 , 64646 , 64647 , 64650, 64653 or 67345 must be billed on claim
J0586	Injection, abobotulinumtoxinA, 5 U	Dysport	Yes	UN	Neuro-muscular blocker	none	Х	Х	Х											See previous webpage for Botulinim Code Coverage and diagnoses.
	abobotulinumtoxina, 5 U				DIOCKEI															Prior authorization required. Contact Kepro Healthcare at 800-346-8272 or 304-343-9663 Effective 1/1/10. CPT codes 31513, 31570, 31571, 43201, 43236, 46505, 64616, 64617, 64614, 64640,
J0587	Botulinum toxin type B	Myobloc	Yes	ML	Neuro-muscular	none	Х	Х	Х				-			-				See previous webpage for Botulinim Code Coverage and diagnoses.
	per 100 U	,			blocker															Prior authorization required. Contact Kepro Healthcare at 800-346-8272 or 304-343-9663
																				Effective 1/1/07. CPT codes 31513, 31570, 31571, 43201, 43236, 46505, 64616, 64617, 64614, 64640, 64643, 64643, 64644, 64
J0588	Injection, incobotulinimtoxin A, 1	Xeomin	Yes	UN	Neuro-muscular blocker	none	Х	Х	Х											See previous webpage for Botulinim Code Coverage and diagnoses. Prior authorization required. Contact Kepro Healthcare at 800-346-8272 or 304-343-9663
	unit																			Effective 1/1/12. CPT codes 31513, 31570, 31571, 43201, 43236, 46505, 64616, 64617, 64614, 64640,
																				64642 , 64643 , 64644 , 64645 , 64646 , 64647 , 64650, 64653 or 67345 must be billed on claim form. Minimum age restriction of 5 years.
																				age restriction of 3 years.
.10592	Injection buprenorphine	Buprenix	Yes	PWD=UN	Analgesic	6 per day	Х	Х	Х		<u> </u>	<u> </u>	-	 			_			
	HCI 0.1mg	·		SOL=ML	narcotic	. ,					<u> </u>	<u> </u>	1_	<u> </u>		_				Name of the Control o
	Injection, busulfan, 1 mg Injection butorphanol	Busulfex Stadol	Yes Yes	ML PWD=UN	Alkylating agent Analgesic	None None	X	X	X				+	1	-	+				New code effective 1/1/07.
J0596	tartrate 1mg Injection, c1 esterase	Ruconest	Yes	SOL=ML UN	narcotic Enzymatic	None	Х	Х	Х				-	1		-				Effective 1/1/16. Restricted to ICD-10 D81.810, D84.1. Minimum age restriction of 13 years.
30000	inhibitor (recombinant),		100			140110			^											The state of the second of the
10505	10 units	Daribard	V		04 ===1=1	Mandana			V				1				,			
	Injection, C-1 esterase inhibitor (human), 10 U.	Berinert	Yes	UN	C1 protein inhibitor	Maximum service limit 280 u. daily	Х	Х	Х								Х			Effective 10/1/2015 ICD-10 diagnosis codes D81.810 or D84.1 Update to service limit, effective 1/1/11. New code effective 1/1/11. Restricted to ICD-9 diagnosis 277.6. Restricted to age 16 and above
	Injection, C1 esterase inhibitor (human), 10 U	Cinryze	Yes	UN	C1 protein inhibitor	none	Х	Х	Х	Х							Х			Effective 10/1/2015 ICD-10 diagnosis codes D81.810 or D84.1 Service limit update, effective 4/1/11. Code effective 1/1/10. Restricted to ICD-9 diagnosis 277.6. Restrict
J0600	Injection edetate calcium	Calcium	Yes	PWD=UN	Antidote	None	Х	Х	Х				+	1	+	+				to age 16 and above
	disodium up to 1000mg.	Disodium Versenate,		SOL=ML																
		Calcium																		
	l	FDTA												1						

Code	Description	Brand Name	NDC Requi red	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	HS	PO	ОРН	Н	I IDT F		C Special Instructions
J0606	Injection, etelcalcetide, 0.1 mg.	Parsabiv	Yes	ML	Parathyroid	None	Х	Х	Х	X									Effective 1/1/18. Restricted to ICD-10 N25.81. Minimum age of 16 years.
J0610	Injection calcium gluco- nate 10ml	Kaleinate	Yes	UN	Electrolyte Supplement	None	Х	Х											
	Injection calcium glycer- ophosphate & calcium lactate 10ml	Calphosan	Yes	ML	Electrolyte Supplement	1 per day	Х	Х	Х										
J0630	Injection calcitonin salmon up to 400 U	Miacalcin Caalcimar	N/A		Antidote														Not covered.
J0636	Injection calcitrol 0.1mcg	Calcijex	Yes	ML	Vitamin, fat soluble	30 per day	Х	Х	Х									Х	
J0637	Injection caspofungin acetate 5mg	Cancidas	Yes	UN	Anti-fungal	14 per day	Х	Х	Х										
J0638	Injection, canakinumab, 1 mg.	Ilaris	Yes	UN	Interleukin- 1beta blocker	Maximum service limit 150 u. daily	Х	Х	Х							Х			Code closed 10/31/13. Refer to Pharmcy Point of Sale. New code effective 1/1/11. Restricted to ICD-9 diagnosis 708.2. Restricted to age 4 and above.
J0640	Injection Leucovorin calcium 50mg	Wellcovorin	Yes	PWD=UN SOL=ML	Antidote	25 per day	Х	Х	Х										
J0641	Injection, Levoleucovorin calcium, 0.5 mg.	Fusilev	Yes	UN	Folate analog		Х	Х	Х										Physician added to covered providers, effective 1/1/10. New code effective 1/1/09.
	Injection mepivacine HCL 10ml.	Carbocaine Polocaine Isocaine HCL	Yes	ML	Local Anesthetic	1 per day	Х	Х	Х										
	Injection cefazolin sodium 500mg.	Ancef Kefzol Zolicef	Yes	PWD=UN SOL=ML	Antibiotic	None	Х	Х	Х	Х								Х	
J0692	Injection cefepime HCL 500ma	Maxipime	Yes	UN	Antibiotic	8 per day	Х	Х	Х	Х									
J0694	Injection cefoxitin sodium 1g	Mefoxin	Yes	PWD=UN SOL=ML	Antibiotic	1 per day	Х	Х	Х	Х									
	Injection, ceftolozane 50 mg and tazobactam 25 mg	Zerbaxa	Yes	UN	Antibiotic	None	Х	Х	Х	Х									Effective 1/1/16. Minimum age of 18 years.
J0696	Injection ceftriaxone sodium 250 mg.	Rocephin	Yes	PWD=UN SOL=ML	Antibiotic	8 per day	Х	Х	Х	Х	Х							Х	
J0697	Injection sterile cefuroxime sodium 750ma	Kefurox Zinacef	Yes	PWD=UN SOL=ML	Antibiotic	2 per day	Х	Х	Х	Х								X	
J0698	Cefotaxime sodium per g	Claforan	Yes	PWD=UN SOL=ML	Antibiotic	1 per day	Х	Х	Х	Х								Х	
	Injection betamethasone acetate & betamethasone sodium phosphate. 3mg	Celestone Soluspan	Yes	ML	Anti- inflammatory	9 per day	Х	Х	Х	Х				Х					
	Injection bemethasone sodium phosphate 4mg.	Adbeon	Yes	UN	Anti- inflammatory	2 per day	Х	Х	Х	Х	Х			Х					
	Injection caffeine citrate 5 mg	Cafcit	Yes	PWD=UN SOL=ML	Analeptic	None	Х	Х	Х							L			
J0710	Injection cephapirin sodium up to 1a	Cefadyl	Yes	UN	Antibiotic	1 per day	Х	Х	Х									Х	
	Injection, ceftaroline fosamil, 10 mg.	Teflaro	Yes	UN	Antibiotic	120 units per day	Х	Х	Х	Х						Х			Effective 10/1/2015 ICD-10 diagnosis codes A48.1, A49.02, A49.1 - A49.3, A49.8, B95.0, B95.1 - B95.5, B95.61, B95.62, B95.7, B95.8, B96.0, B96.1, B96.20, B96.23, B96.29, B96.3 - B96.7, B96.81, B96.89, J14, J15.0, J15.1, J15.20, J15.21, J15.21, J15.29, J15.3 - J15.6 or J15.8 or J15.8 - J15.8 - J15.8 or J15.8 - J15.8 or J15.8 o
	Injection ceftazidime 500 mg	Ceptaz Fortaz Tazidime	N/A		Antibiotic														Not Covered

Code	Description	Brand Name	NDC	NDC unit	Cotogony	Convine	۸.	CAH	Р	NP	MW	МН	HS	ВО	OP	u I	ы Іп	DT	DC.	Special Instructions
Code	Description	Brand Name	Requi	of	Category	Service Limits	AC OP	OP	Р	NP	IVIVV	IVIH	нъ	PO	OP	Н		F	DC	Special Instructions
			red	measure		Lillits	OF	O.										•		
			100	module																
J0714	Injection, ceftazidime and avibactam, 0.5 g/0.125 g	Avycaz	Yes	UN	Antibiotic	None	Х	Х	Х	Х										Effective 1/1/16. Minimum age of 18 years.
J0715	Injection ceftizoxime sodium 500 ma	Ceflzox	Yes	PWD=UN SOL=ML	Antibiotic	2 per day	Х	Х	Х	Х										
J0717	Injection, certolizumab pegol, 1 mg	Cimzia	Yes	Z	TNF blocker	400 units per day	X	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes K50.00, K50.011 - K50.014, K50.018, K50.019, K50.10, K50.111 - K50.111 + K50.114, K50.118, K50.810, K50.80, K50.811 - K50.814, K50.818, K50.819, K50.90, K50.911 - K50.914, K50.918, K50.919, M05.003, M05.001, M05.012, M05.021, M05.022, M05.029, M05.031, M05.032, M05.039, M05.041, M05.042, M05.049, M05.051, M05.052, M05.059, M05.061, M05.062, M05.069, M05.071, M05.072, M05.072, M05.079, M05.09, M05.10, M05.111, M05.112, M05.119, M05.121, M05.122, M05.129, M05.131, M05.132, M05.133, M05.144, M05.142, M05.149, M05.151, M05.151, M05.152, M05.161, M05.162, M05.604, M05.6171, M05.172, M05.179, M05.19, M05.30, M05.60, M05.611, M05.612, M05.619, M05.621, M05.622, M05.629, M05.631, M05.632, M05.639, M05.641, M05.642, M05.641, M05.651, M05.651, M05.652, M05.659, M05.661, M05.662, M05.669, M05.671, M05.672, M05.679, M05.69, M05.711, M05.712, M05.719, M05.722, M05.722, M05.729, M05.731, M05.732, M05.732, M05.739, M05.741, M05.742, M05.762, M05.699, M05.681, M05.682, M05.831, M05.832, M05.831, M05.833, M05.841, M05.842, M05.849, M05.851, M05.852, M05.859, M05.861, M05.862, M05.869, M06.071, M06.072, M06.079, M06.1, M06.211, M06.212, M06.219, M06.221, M06.222, M06.229, M06.231, M06.232, M06.831, M06.832, M06.841, M06.842, M06.841, M06.842, M06.841, M06.842, M06.851, M06.852, M06.851, M06.852, M06.851, M06.852, M06.851, M06.852, M06.851, M06.852, M06.851, M06.862, M06.869, M06.871, M06.872, M06.879, M06.871, M06.872, M06.879, M06.871, M06.872, M06.879, M06.871, M06.872, M06.879, M06.871, M06.882, M06.881, M06.882, M06.881, M06.882, M06.881, M06.882, M06.881, M06.881, M06.882, M06.881, M06.881, M06.882, M06.881, M0
J0718	Injection, certolizumab	Cimzia	Yes	UN	TNF blocker	400 units per	Х	Х	Х	Х							Х			Closed 12/31/13. See J0717. Effective 1/1/10. Restricted to ICD-9 diagnosis 555.0 - 555.9 or 714.0 - 714.9. Restrict to age 18 and shove
J0720	Injection chloramphenicol sodium succinate up	Chloromyceti n Sodium Succinate	Yes	UN	Antibiotic	None	Х	Х	Х											
J0725	Injection, chorionic gonadotropin per 1000 USP units	Novarel Profasi Pregnyl	Yes	UN	Gonadotropin	10 per day	Х	Х	Х											Not for fertility treatment and diagnosis. Restricted to female, maximum age of 21 years. Service limit updated, effective 11/1/09.
	Injection clonidine HCI 1mg	Catapres Duracion	Yes	PWD=UN SOL=ML	Alpha Adrenergic Agonist	None	Х	Х	Х											
	Injection cidofovir 375mg	Vistide	Yes	ML	Anti-viral	None	Х	Х	Χ									Ţ		
	Injection cilastatin sodium imipenem 250 ma.	Primaxin	Yes	UN	Anti-infective	None	Х	Х	Х	Х									Х	
J0744	Injection ciprofloxacin for	Cipro	Yes	ML	Antibiotic	None	Х	Х	Х	Х									Ī	
J0745	IV infusion 200mg Injection codeine	Ciloxan Phenaphen	Yes	PWD=UN	Analgesic	None	Х	Х	Х	 	1		+	1	+	+	+	\dashv		
	phosphate 30mg	with codeine		SOL=ML	narcotic															
	Injection colchicine 1mg	O-L-M	Yes	PWD=UN SOL=ML	Anti-gout	None	X	X	X											
J0770	Injection colistimethate sodium up to 150mg.	Coly-Mycin M	Yes	UN	Antibiotic	None	Х	Х	Х											
J0775	Injection, collagenase, clostridium histolyticum, 0.01 mg.	Xiaflex	Yes	UN	Enzymatic	None	Х	Х	Х	Х										Effective 10/1/2015 ICD-10 diagnosis code M72.0 New code effective 1/1/11. Restricted to ICD-9 diagnosis 728.6 Restricted to ages 18 years and above.

<u> </u>	5 1.0								_					-			1			
Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC OP	CAH	Р	NP	MW	MH	I HS	PC	OF	'H	н	IDT F	DC	Special Instructions
			Requi	of		Limits	OP	OP										۲		
			red	measure																
J0780	Injection prochlorperazine up to	Compazine Compa-Z	Yes	PWD=UN SOL=ML	Antiemetic	None	Х	Х	Х	Х										
	10ma	Contrazine		3OL-IVIL																
	Injection, corticorelin ovine triflutate. 1 mca	ACTHREL	Yes		Diagnostic Agent															New code effective 1/1/06. Bundled into service.
J0800	Injection corticotropin up to 40U	Cortrosyn ACTH Acthar	Yes	ML	Diagnostic Agent	None			Х									Х		
J0833	Injection, cosyntropin, NOS, 0.25 ma.	7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			Diagnostic Agent															Not covered.
J0834	Injection, cosyntropin, 0.25 ma.	Cortrosyn	Yes	UN	Diagnostic Agent	3 per day	Х	Х	Х	Х							Х			Diagnosis restrictions removed, effective 1/1/12. Code opened 1/1/10. Restricted to ICD-9 diagnosis 255.41 - 255.42
J0835	Injection cosyntropin 0.25mg	Cortrosyn	Yes	UN	Diagnostic Agent	3 per day			Х									Х		Closed 12/31/09. See J0833 & J0834.
J0840	Injection, crotalidae polyvalent immune fab (ovine), up to 1 gram	CroFab	No	N/A	Anti-venom	Maximum of 4 unit	Х	Х												Effective 8/1/18.
J0850	Injection cytomegalovirus immune globulin IV (human) per vial	CytoGam	N/A		Immune globulin															Not covered.
	Injection, dalbavancin, 5mg	Dalvance	Yes	UN	Antibiotic	none	×	×	×											Effective 1/1/16. Restricted to diagnosis ICD-10 B78.1, K12.2, L01.00 - L01.03, L01.09, L01.1 - L02.03, L02.11 - L02.213, L02.211 - L02.216, L02.219, L02.221 - L02.226, L02.229, L02.231 - L02.236, L02.239, L02.31 - L02.33, L02.411 - L02.416, L02.419, L02.421 - L02.426, L02.429, L02.431 - L02.436, L02.439, L02.511, L02.512, L02.519, L02.521, L02.522, L02.529, L02.531, L02.532, L02.539, L02.611, L02.612, L02.619, L02.621, L02.622, L02.631, L02.632, L02.639, L02.811, L02.818, L02.821, L02.828, L02.831, L02.838, L02.91 - L02.93, L03.011, L03.012, L03.019, L03.021, L03.022, L03.029, L03.031, L03.032, L03.039, L03.041, L03.042, L03.049, L03.111 - L03.116, L03.119, L03.121 - L03.126, L03.129, L03.211, L03.212, L03.221, L03.222, L03.311 - L03.316, L03.317, L03.319, L03.321 - L03.326, L03.327, L03.329, L03.811, L03.891, L03.891, L03.898, L03.90, L03.91, L04.0 - L04.3, L04.8, L04.9, L05.01, L05.01, L05.02, L05.91, L05.92, L08.0, L08.81, L08.82, L08.89, L08.9, L88, L92.8, L98.0 or L98.3. Minimum age of 16 years.
J0878	Injection daptomycin 1mg.	Cubicin	Yes	UN	Antibiotic		Х	Х	Х											Service limit removed, effective 6/1/18. Maximum dose 4 units per day X 14 days. Adults only.
J0881	Injection, darbepoetin alfa, 1 mcg(non-ESRD use)	Aranesp	Yes	ML	Colony stimulating factor	None	Х	Х	Х	Х										Effective 10/1/2015 ICD-10 diagnosis codes N18.6 (End Stage Renal Disease) Exclude ICD-9 585.6(End Stage Renal Disease). Nurse practitioner added 1/1/09.
J0882	Injection, darbepoetin alfa, 1 mcg(for ESRD on dialysis)	Aranesp	Yes	ML	Colony stimulating factor	None	Х	Х	Х	Х									Х	Effective 10/1/2015 ICD-10 diagnosis codes N18.6 (End Stage Renal Disease) ICD-9 585.6(End Stage Renal Disease) needed on claim form. Nurse practitioner added 1/1/09.
J0883	Injection, argatroban, 1				iacioi															Effective 1/1/17. Not covered.
J0884	Injection, argatroban, 1 mg (for ESRD on dialysis)																			Effective 1/1/17. Not covered.
J0885	Injection, epoetin alfa, 1000 units(for non- ESRD use)	Epogen, Procrit	Yes	ML	Colony stimulating factor	None	Х	Х	Х	Х										Effective 10/1/2015 ICD-10 diagnosis codes N18.6 (End Stage Renal Disease) Exclude ICD-9 585.6(End Stage Renal Disease). Nurse practitioner added 1/1/09.

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	РО	ОРН	Н	II ID	Т	Specia	ial Instructions
			Requi red	of measure		Limits	OP	OP									F	•		
			160	illeasure																
J0886	Injection, epoetin alfa,	Epogen,	Yes	ML	Colony	None	Х	Х	Х	X			+		1	-	-	-	Close	ed 12/31/15. See Q4081. Effective 10/1/2015 ICD-
	1000 units(for ESRD on	Procrit			stimulating														10 diag	agnosis codes N18.6 (End Stage Renal Disease)
	dialysis)				factor														ICD-9	9 585.6(End Stage Renal Disease) needed on claim form. Nurse practitioner added 1/1/09.
J0887	Injection, epoetin beta, 1	Mircera	Yes	ML	Erythropoieton	none									1				Effecti	tive 1/1/15. Include diagnosis of ICD-9 585.6 or ICD-10 N18.6.
	mcg. (ESRD use)				Stimulating agent															
J0888	Injection, epoetin beta, 1	Mircera	Yes	ML	Erythropoieton	none													Effecti	tive 1/1/15. Exclude diagnosis of ICD-9 585.6 or ICD-10 N18.6.
	mcg. (non-ESRD use)				Stimulating agent															
J0890	Injection, peginesatide,	Omontys	Yes	ML	Erythropoieton	None													Volu	untary Drug Recall: Effective 2/24/13, until further notice. Effective 1/1/13.
	0. 1 mg				Stimulating agent															ricted to ICD-9 diagnosis of 285.21 and 585.6. Minimum age restriction of 16 years.
J0894	Injection, decitabine, 1	Dacogen	Yes	UN	Anti-neoplastic	None	Х	Х	Х										New co	code effective 1/1/07.
J0895	Injection deferoxamine	Desferal	Yes	UN	Antidote	12 per day	Х	Х	Х						1	-	-			
J0897	mesylate 500mg Injection, denosumab, 1	Prolia	Yes	ML	Osteoporotic	120 units per	Х	Х		Х					-	X		_	E ((1)	When 14440 10D 40 all all all 040 00 044 0 are 1 D40 0
J0897	mg.	Xgeva	res	IVIL	Osteoporotic	27 days	^	_ ^	Х	^						^	٠			tive 4/1/19, ICD-10 added: C40.00 - C40.92, C41.9, and D48.0. tive 1/4/18, C90.00, C90.01, C90.02 added to Xgeva in physician and hospital contracts.
						,													Effecti	etive 10/1/2015 ICD-10 diagnosis codes:
																				Hospital and Physician restricted to: C33, C34.00, C34.01, C34.02, C34.10 - C34.12, C34.2, C34.30 - 80, C34.81, C34.82, C34.90 - C34.92, C50.012, C50.019, C50.021, C50.022, C50.029, C50.111,
																				112, C50.119, C50.121, C50.122, C50.129, C50.211, C50.212, C50.219, C50.221, C50.222, C50.229,
																				311, C50.312, C50.319, C50.321, C50.322, C50.329, C50.411, C50.412, C50.419, C50.421, C50.422,
																				429, C50.511, C50.512, C50.519, C50.521, C50.522, C50.529, C50.611, C50.612, C50.619, C50.621, 622, C50.629, C50.811, C50.812, C50.819, C50.821, C50.822, C50.829, C50.911, C50.912, C50.919,
																			C50.92	921, C50.922, C50.929, C61, C64.1, C64.2, C64.9, C65.1, C65.2, C65.9, C73, C79.51, C79.52 and those
																				fied for Nurse Practitioners below.
																				00xG, M80.00xK, M80.00xP, M80.00xS, M80.011A, M80.012A, M80.019A, M80.021A, M80.022A,
																			M80.0	029A, M80.031A, M80.032A, M80.039A, M80.041A, M80.042A, M80.049A, M80.051A, M80.052A,
																				059A, M80.061A, M80.062A, M80.069A, M80.069D, M80.069G, M80.069K, M80.069P, M80.071A, 072A, M80.079A, M80.08xA, M80.80xA, M80.80xD, M80.80xG, M80.80xK, M80.80xP, M80.80xS,
																			M80.8	811A, M80.812A, M80.819A, M80.821A, M80.822A, M80.829A, M80.831A, M80.832A, M80.839A,
																				841A, M80.842A, M80.849A, M80.851A, M80.852A, M80.859A, M80.861A, M80.861D, M80.861G,
																				861K, M80.861P, M80.862A, M80.862D, M80.862G, M80.862K, M80.862P, M80.869A, M80.869D, 869G, M80.869K, M80.869P, M80.871A, M80.872A, M80.879A, M80.88xA, M81.0, M81.6, M81.8,
																			M84.4	40xA, M84.40xD, M84.40xG, M84.40xK, M84.40xP, M84.40xS, M84.411A, M84.412A, M84.419A,
																				421A, M84.422A, M84.429A, M84.431A - M84.434A, M84.439A, M84.441A - M84.446A, M84.451A, 452A, M84.453A, M84.454A, M84.459A, M84.461A - M84.464A, M84.469A, M84.469S, M84.471A.
																				471S, M84.472A, M84.472S, M84.473A, M84.473D, M84.473S, M84.474A - M84.479A, M84.48xA,
																				50xA, M84.50xD, M84.50xG, M84.50xK, M84.50xP, M84.50xS, M84.511A, M84.512A, M84.519A,
																				521A, M84.522A, M84.529A, M84.531A - M84.534A, M84.539A, M84.541A, M84.542A, M84.549A, 550A - M84.553A, M84.559A, M84.561A - M84.564A, M84.569A, M84.571A - M84.576A, M84.58xA,
															1		ĺ		M84.6	60xA, M84.60xD, M84.60xG, M84.60xK, M84.60xP, M84.60xS, M84.611A, M84.612A, M84.619A,
															1		ĺ			621A, M84.622A, M84.629A, M84.631A - M84.634A, M84.639A, M84.641A, M84.642A, M84.649A - 653A, M84.659A, M84.661A - M84.664A, M84.669A, M84.669S, M84.671A - M84.676A or M84.68xA
																1				ice limit updated, 3/13/14. Effective 1/1/12. Restricted to 162.0 - 162.9, 174.0 - 174.9, 175.0 - 175.9,
																1				189.0, 189.1, 193, 198.5, 733.01 - 733.19 for Hospital and Physician. Restricted to ICD-9 diagnosis
															1		ĺ		733.01	01 - 733.19 only for Nurse Practitioner and Home infusion.
																1				
															1		ĺ			
		1																		

Code	Description	Brand Name	NDC Requi	NDC unit of	Category	Service Limits	AC OP	CAH OP	Р	NP	MW	МН	HS	РО	OPH	1 1	DT I	OC Special Instructions
			red	measure														
J0900	Injection testosterone enanthate & estradiol valerate up to 1cc	Andro-Estro 90-4 Androgyn LA	Yes	UN	Androgen	1 every 3 weeks	Х	Х	Х									Female only.
	Injection brompherinamine maleate10mg	ND Stat	Yes	PWD=UN SOL=ML	Respiratory agent	1 per day	Х	Х	Х									
	Injection estradiol valerate up to 40mg	Delestrogen Estradiol LA Valergen Estra-I	Yes	PWD=UN SOL=ML	Contraceptive	1 every 3 weeks	Х	Х	X	Х								Female only.
J1000	Injection depoestradiol cyplonate up to 5mg	Estradiol Cypionate Estra-D Estra-Cyp	Yes	PWD=UN SOL=ML	Hormonal Replacement	1 per 3 weeks	X	Х	X	X								Female only.
J1020	Injection methylprednisolone acetate 20mg	DepoMedrol	Yes	UN	Anti- inflammatory	None	Х	Х	Х	Х				Х				
	Injection methylprednisolone acetate 40mg	DepoMedrol MPrednisol Rep-Pred	Yes	PWD=UN SOL=ML	Anti- inflammatory	None	Х	Х	Х	Х				Х				
	Injection methylprednisolone acetate 80mg	DepoMedrol Medralone Prednisol RedPred	Yes	ML	Anti- inflammatory	None	Х	Х	X	Х				X				Podiatrist added as covered provider, effective 1/1/10.
J1050	Injection, medroxyprogesterone acetate. 1 mg	Depo-Provera	Yes	ML	Contraceptive	None	Х	Х	Х	Х	Х							Effective 1/1/13.
J1051	Injection medroxyprogesterone acetate 50mg	Depo-Provera	Yes	ML	Contraceptive	20 per day	Х	Х	Х									Closed 12/31/12. See J1050 after this date. Female only.
J1055	Injection medroxyprogesterone acetate 150 mg	Depo-Provera	Yes	ML	Contraceptive	1 per day	Х	Х	Х	Х	Х							Closed 12/31/12. See J1050 after this date. Female only.
	Injection medroxyprogesterone acetate/estradiol	Lunelle	Yes	ML	Contraceptive	1 per day	Х	Х	X	Х	Х							Female only.
J1060	Injection testosterone cypionate & estradiol cypionate up to 1ml	Depo- Testadiol Andro/Fem	Yes	ML	Androgen	1 per 3 weeks	Х	Х	Х									Female only.
J1070	Injection testosterone cypionate up to 100mg	Depo- Testosterone Depotest	Yes	PWD=UN SOL=ML	Androgen	Male only.	Х	Х	Х	Х								Closed 12/31/14. See J1071 after this date. Service limit removed 1/1/13. Nurse practitioner added 1/1/09.
J1071	Injection, testosterone cypionate, 1mg	Depo- Testosterone Depotest	Yes	PWD=UN SOL=ML	Androgen	Male only.	Х	Х	Х	Х								X Effective 1/1/15.
J1080	Injection testosterone cypionate 1cc 200mg	Depo- Testosterone Depotest Andro-Cyp	Yes	ML	Androgen	1 per week	Х	Х	Х	Х								Closed 12/31/14. See J1071 after this date. Male only. Nurse practitioner added 1/1/09.
J1094	Injection dexamethasone acetate 1mg		Yes	PWD=UN SOL=ML	Anti- inflammatory	20 per day	Х	Х	Х					Х				

0 - 1 -	B!	D I N	NDO	NDO!r	0-1	0			_	ND	1 mma/				LOBU		I.s		O O cold Instructions
Code	Description	Brand Name	NDC Regui	NDC unit of	Category	Service Limits	AC OP	CAH	Р	NP	IVIVV	IVIH	HS	РО	ОРН	"		F	C Special Instructions
			red	measure		Lilling	٥.	ļ ^{0.}									'		
J1100	Injection dexamethosone	Cortastat	Yes	ML	Anti-	None	Х	Х	Х	Х				Х					Service limit removed, effective 1/1/11.
	sodium phosphate 1mg	Dalalone			inflammatory														
	Injection dihydroergotamine mesvlate 1mg	DHE 45	Yes	PWD=UN SOL=ML	Anti-migraine	3 per day	Х	Х	Х										
	Injection acetazolamide sodium up to 500mq Injection, diclofenac	Diamox	Yes	UN	Glaucoma	None	Х	Х	Х										Titlestine MM7. Not assessed. Can absence: DOC
	sodium, 0.5 mg																		Effective 1/1/17. Not covered. See pharmacy POS.
J1160	Injection digoxin up to 0.5 mg	Lanoxin	Yes	PWD=UN SOL=ML	Anti-arrhythmic	None	Х	Х	Х										
J1162	Injection, digoxin immune fav (ovine), per vial	Digibind, Digifab	Yes	ÜN	Antidote	10 vials	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes 736.0X2A, T36.0X2D, T36.0X2B, T36.0X4A, T36.0X4D, T36.2X2B, T36.2X2B, T36.2X2B, T36.2X2A, T36.2X2A, T36.2X2B, T36.2X2A, T36.2X2A, T36.3X2A, T36.3X2A, T36.3X2B, T36.3X2A, T36.3X2B, T36.3X2A, T36.3X2B, T36.3X2B, T36.3X2B, T36.3X2B, T36.3X2B, T36.3X2B, T36.3X2B, T36.3X2B, T36.3X2B, T36.6X2B, T36.7X2B, T36.7X2B, T36.7X2B, T36.7X4B, T37.0X2B, T37.0X2B, T37.0X4B, T37.0X4D, T37.0X4B, T37.4X4B, T37.2X2B, T37.8X2B, T38.8X2B, T
J1165	Injection phenytoin sodium 50ma	Dilantin	Yes	PWD=UN SOL=ML	Anti-convulsant	None	Х	Х	Х										
J1170	Injection hydromorphone up to 4ma	Dilaudid	Yes	PWD=UN SOL=ML	Analgesic narcotic	12 units per dav	Х	Х	Х										
J1180	Injection dyphylline up to 500ma	Lufyllin Diler	Yes	PWD=UN SOL=ML	Broncho-dilator	None	Х	Х	Х										

									-											
Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	PO	OPI	1 1			DC	Special Instructions
			Requi	of		Limits	OP	OP										F		
			red	measure																
.11190	Injection dexrazoxane	Zinecard	Yes	UN	Cardio-	None	Х	Х	Х									\dashv		
000	HCl per 250ma	2000.0		0.1	protective Agent	110.10			, ,											
J1200	Injection	Benadryl	Yes	PWD=UN	Anti-histamine	None	Х	Х	Х	Х										
	diphenhydramine HCl up	,		SOL=ML																
	to 50ma.																			
J1205	Injection chlorothiazide	Diuril Sodium	Yes	UN	Anti-	None	Χ	Х	Χ	Χ										
	sodium 500ma				hypertensive															
J1212	Injection DMSO di-	Rimso	Yes	ML	Anti-	1 per day	Χ	Х	Х											Effective 10/1/2015 ICD-10 diagnosis codes N30.10 or N30.11
	methylsulfoxide 50%,				inflammatory															ICD-9 code 595.1 required on claim form.
14000	50 ml	5	.,	514/5 1111										<u> </u>				_		
J1230	Injection methadone HCI	Dolphine HCL	Yes	PWD=UN	Analgesic	None	Х	Х	Х											
14040	up to 10ma Injection dimenhydrinate	Dramamine	N/A	SOL=ML	narcotic Antiemetic													-+		Not Covered
J1240	up to 50ma	Dramamine	IN/A		Antiemetic															Not Covered
11245	Injection dipyridamole	Persantine	Yes	PWD=UN	Antiplatelet	None	Х	Х	Х				-			+	-	Х		
31243	10 ma	i cisanine	163	SOL=ML	Antiplatelet	None	^	^	^									^		
J1250	Injection dobutamine	Dobutrex	Yes	PWD=UN	Adrenergic	None	Х	Х	Х									Х		
0.200	HCI 250ma.	Boballox		SOL=ML	agonist	110.10			, ,								1	`		
J1260	Injection dolasetron	Anzemet	Yes	ML	Antiemetic	None	Х	Х	Х											
	mesylate 10mg																			
J1265	Injection, dopamine Hcl,	Hydrochlor-	Yes	PWD=UN	Adrenergic	None	Χ	Χ	Χ	Χ										Nurse practitioner added 1/1/09.
	40mg	ide Intorpin		SOL=ML	agonist															
J1267	Injection, Doripenem, 10	Doribax	Yes	UN	Antibiotic	limited to 18	Χ	Х												New code effective 1/1/09. Approved for maximum dose of 1500 mg. administered over 24 hours.
	mg.					years or older														
														<u> </u>				_		
J1270	Injection doxercalciferol	Hectorol	Yes	ML	Vitamin D	20 per day	Х	Х	Х										Χ	
J1290	1mcq. Injection, ecallantide 1	Kalbitor	Yes	ML	analog	30 u. daily	V	Х	Х	Х				-		٠,	x	-		Exception 4014/2015 IOD 40 Normaria and a D 04 040 a D04 4
J1290	*	Kaibitor	res	IVIL	Hematological	30 u. daily	Х	^	^	^						'	^			Effective 10/1/2015 ICD-10 diagnosis codes D.81.810 or D84.1
	mg.																			Effective 6/1/14, minimum age restriction modified to 12 years. New code effective 1/1/11. Restricted to ICD-9 diagnosis 277.6. Restricted to age 16 and above
.11300	Injection, Eculizumab 10	Soliris	Yes	ML	Monoclonal	None	Х	Х	Х									\dashv		Effective 10/1/2015 ICD-10 diagnosis codes D59.3, D59.5, D59.6 or D59.8
0.000	ma	000			Antibody	110.10			, ,											ICD-9 diagnosis codes expanded to include 283.11, effective 10/1/11. New code effective 1/1/08.
	g				, without															Replaces C9236 ICD-9 code 283 2 required on claim form
J1301	Injection, edaravone, 1	Radicava	Yes	ML	ALS agent	None	Χ	Х	Х											Effective 1/1/19.
	ma				Ü															Restricted to ICD-10 G12,21. Minimum age of 16 years.
J1320	Injection amitriptyline	Elavil	Yes	PWD=UN	Anti-depressant	1 per day	Х	Х	Х	Χ		Х						T		
	HCl up to 20ma	Enovil	ļ	SOL=ML										<u> </u>						
J1322	Injection, elosulfase alfa,	Vimizim	yes	ML	Enzymatic	None	Х	Х	Х											Effective 1/1/15. Restricted to ICD-9 277.5. Minimum age restriction of 5 years.
	1mg		1				l	l		l		l	1	1						
J1324	Injection, enfuvirtide, 1	Fuzeon	N/A		Fusion inhibitor													1		Not covered. Refer to Pharmacy Point of Sale.
L	mg		L	L	<u> </u>													╝		<u> </u>
J1325	Injection epoprostenol	Flolan	Yes	UN	Prostaglandin	None	Χ	Χ	Χ									T		Effective 10/1/2015 ICD-10 diagnosis codes I10, I27.0 - I27.2, I27.81, I27.82, I27.89 or I27.9
	0.5mg.													<u> </u>						Requires ICD-9 code 416.XX on claim form.
J1327	Injection eptifibatide 5mg	Integrillin	Yes	ML	Antiplatelet	None	Χ	Х												
L			L.,					<u> </u>	L.				1	<u> </u>		_		_		
J1330	Injection ergonovine	Ergotrate	Yes	PWD=UN	Antimigraine	None	Х	Х	Х			l	1	1						
14005	maleate up to 0.2mg	Maleate		SOL=ML	A ('le ' (' -	Ness	· ·		L				-	<u> </u>	-	+		+		
J1335	Injection ertapenem	Invanz	Yes	UN	Antibiotic	None	Х	Х	Х											
14004	sodium 500ma		Vaa	UN	A ntibintin	4 nor dec.	~	V	V				-	 		+		\dashv		
J 1304	Injection erythromycin lactobionate 500 mg		Yes	UN	Antibiotic	4 per day	Х	Х	Х											
.11380	Injection estradiol	Delestrogen	N/A		Contraceptive								1-	!		+	-	\dashv		Not Covered
01300	valerate up to 10mg	Estradiol	13//		Johnacephive			1				l	1	1						1100 OOTOIOU
I	valerate up to rorrig	Gynogen	1]			1				l	1	1						
		CANTOUGHT	•	•	•			•	•				•	•	•					

	5						••		-				T				1	-1-	
Code	Description	Brand Name	NDC	NDC unit	Category	Service Limits	AC OP	CAH	Р	NP	MW	МН	HS	PO	OPH	н	שון ווי F		C Special Instructions
			Requi	of		Limits	OP	OP											
			red	measure															
J1390	Inection estradiol	Delestrogen	Yes	ML	Contraceptive	None	Х	Х	Х	Х	Х							+	Female only.
	valerate up to 20mg	Dioval																	1
	valorate up to zomig	Estradiol																	
		Gynogen																	
		Valergan																	
		Fetra I																	
J1410	Injection estrogen	Premarin IV	Yes	UN	Estrogen	1 per day	X	Х	Х										Female only.
	conjugated 25mg				Derivative													_	
J1428	Injection, eteplirsen, 10	Exondys 51	Yes	ML	Genetic therapy	None	Х	Х											Effective 1/1/18. As of 6/1/18, contact Kepro at 800-346-8272 for prior authorization requests.
14.420	mg. Injection, ethanolamine	Ethatrolin	Yes	ML	Calazasias	None	Х	Х	Х				1			1		+	Effective 10/1/2015 ICD-10 diagnosis codes I85.00, I85.01, I85.10, I85.11, I86.0 - I86.3, I86.8, K92.0 - K92.2
J1430		Ematrolin	res	IVIL	Sclerosing	None	٨	^	^										
	oleate, 100 mg				Agent														or N43.3
11/135	Injection estrone 1mg	Theelin	N/A		Hormonal														IN JEW CODE 455 XX 578 XX OF 613 Y ON CIBIT FORM
01400	injection estrone ring	Aqueous	IN/A		Replacement														Not covered
		Estone 5			replacement														
		Kestrone 5																	
J1436	Injection etidronate	Didronel	Yes	ML	Bone	None	Χ	Х	Х										
	disod ium 300mg				Restorative														
					Agent														
J1438	Injection etanercept	Enbrel	Yes	PWD=UN	Anti-rheumatic	2 per day	X	Х	Х										
14.400	25mg		.,	SOL=ML			.,						1			1		+	
J1439	Injection, ferric	Injectafer	Yes	ML	iron therapy	none	Х	Х	Х										Effective 10/1/2015 ICD-10 diagnosis codes D50.0, D50.1, D50.8, D50.9, D53.8 or D64.9
	carboxymaltose, 1mg																		Effective 1/1/15. Restricted to ICD-9 diagnosis of 280.0 - 280.9. Minimum age restriction of 16 years.
J1440	Injection filgrastim (G-	Neupogen	Yes	ML	Colony	5 per day	Χ	Х	Х										Closed 12/31/13. See J1442.
	CSF) 300mcg				stimulating														
					factor			<u> </u>										4	
J1441	Injection filgrastim (G-	Neupogen	Yes	ML	Colony	2 per day	Х	Х	Х										Closed 12/31/13. See J1442.
	CSF) 480mcg				stimulating														
11/1/2	Injection, filgrastim (g-	Neupogen	Yes	ML	factor Colony	1500 units	Х	Х	Х	-	-	-	+			1		+	Effective 1/1/14.
J 1442	csf), excludes	Neupogen	168	IVIL	stimulating	per day	^	_ ^	^									1	Ellective 1/1/14.
	biosimilars, 1 microgram				factor	per day													
J1446	Injection, tbo-filgrastim, 5	Granix	Yes	ML	Colony	140 units per	Х	Х	Х				1			1	-	1	Closed 12/31/15. See J1447 after this date. Effective 10/1/2015 ICD-10
1	micrograms	J. G			stimulating	day	•	``	``									'	diagnosis codes D70.0 - D70.4, D70.8 or D70.9
	Ü		l		factor	<i>aa,</i>												1	Effective 1/1/14. Restricted to ICD-9 diagnosis of 288.00 - 288.09. Minimum age restriction of 16 years.
J1447	Injection, tbo-filgrastim, 1	Granix	Yes	ML	Colony	700 units per	Х	Х	Х)	K Effective 1/1/16. Restricted to diagnosis ICD-10 D70.0 - D70.4, D70.8 or D70.9. Minimum age restriction of
	microgram		l		stimulating	day .												1	16 years.
	•				factor	•													
J1450	Injection fluconazone	Diflucan	Yes	PWD=UN	Antifungal	None	Х	Х	Х										
	200ma		l	SOL=ML				1											

Process										_				T				[
1460 Reporter, Numeropasce, 15	Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	PO	OPH	' '			Special Instructions
1465							Limits	OP	OP									'	-	
Proceedings				ieu	illeasure															
Proceedings																				
sodium intracoculur 1.65m.o. 1	J1451	Injection, fomepizole, 15 mg	Antizol	Yes	ML	Antidote	None	X	X	X										T51.1X1S, T51.1X2A - T51.1X4Ā, T51.2X2A - T51.2X4A, T51.3X2A - T51.3X4A, T51.8X2A - T51.8X4A, T51.91XA - T51.94XA, T52.0X2A - T52.0X4A, T52.2X1A - T52.2X4A, T52.2X1A - T52.2X4A, T52.3X1A - T52.3X4A, T52.4X1A - T52.4X4A, T52.4X1A - T52.9X4A, T53.0X2A, T53.0X2A, T53.3X2A, T53.3X2A, T53.3X2A, T53.3X2A, T53.3X2A, T53.3X2A, T53.4X2A, T56.0X2A - T56.0X4A, T56.1X2A - T56.1X4A, T56.2X2A - T56.2X2A - T56.5X2A - T56.9X2A, T57.0X3A - T57.3X3A, T57.8X2A - T57.8X4A, T57.92XA, T57.94XA, T60.0X3A - T60.9X3A, T60.9X3A, T61.0X2A - T61.04XA, T61.12XA - T61.14XA, T61.772A - T61.774A, T61.782A - T61.784A, T61.8X2A - T61.8X4A, T61.92XA - T61.94XA, T62.0X2A - T62.0X2A - T62.0X4A, T62.1X2A - T62.1X4A, T62.2X2A - T62.2X4A, T62.8X2A - T63.032A - T63.04A, T63.002A - T63.004A, T63.072A - T63.074A, T63.02A - T63.02A - T63.04A, T63.02A - T63.04A, T63.02A - T63.04A, T63.02A - T63.04A, T63.32A - T63.34A, T63.42A - T63.44A, T63.42
J1455 Injection, fosaprepitant, lemed	J1452	sodium intraocculur	Vitravene	Yes	ML	Anti-viral		Х	Х							Х				
31455 Njection foscamet Sociari Yes ML Anti-viral None X X X	J1453	Injection, fosaprepitant,	Emend	Yes	UN	Anti-emetic		Х	Х	Х										New code effective 1/1/09.
J1458 Injection, gallum nitrate Gante N/A Malthodology N/A Mal	J1455		Foscavir	Yes	ML	Anti-viral	None	Х	Х	Х										
J1458 Injection, galsulfase, 1 Maglazyme Wes ML Enzyme replenisher	J1457	Injection gallium nitrate	Ganite	N/A																Not Covered
globulin, IV, nonlyophilized(liquid), 500 monlyophilized(liquid), 500 monlyophilized(l	J1458		Naglazyme	Yes	ML	Enzyme	None	Х	Х	Х										E76.29, E76.3, E76.8 or E76.9
Gobulin IM 1cc Gamastan Gammar	J1459	globulin, IV, nonlyophilized(liquid),	Privigen	Yes		Immune globulin														New code effective 1/1/09.
IM 2cc Gamastan Yes ML Immune globulin 1 per day X X X X X X X X X		globulin IM 1cc		Yes		_	1 per day	Х	Х											
J1480 Injection gamma globulin M 3cc Gamastan J1490 Injection gamma globulin M 4cc Gamastan J1500 Injection gamma globulin IM 5cc Gamastan J1510 Injection gamma globulin IM 5cc Gamastan J1510 Injection gamma globulin Gammar Ga		IM 2cc		Yes		Immune globulin	1 per day	Х	Х	Х										
IM 4cc Gamastan Ves ML Immune globulin 1 per day X X X X X X X X X		IM 3cc	Gammar	Yes		Immune globulin	1 per day	X												
Globulin IM Scc Gamastan Gammar Yes ML Immune globulin 1 per day X X X X X X X X X	J1490		Gammar	Yes		Immune globulin	1 per day	X	Х	Х										
IM 6cc Gamastan	J1500			Yes		Immune globulin	1 per day	Х												
J1520 Injection gamma Gammar Gammar Gammar Ves ML Immune globulin 1 per day X X X X X I X I Injection gamma globulin IM 7cc Gamastan Ves ML Immune globulin 1 per day X X X X X I Injection gamma globulin Gammar Ves ML Immune globulin 1 per day X X X X I I Infection gamma globulin Injection gamma globulin gamma	J1510			Yes	ML	Immune globulin	1 per day	X	X	Х									\prod	
J1530 Injection gamma globulin Gammar Yes ML Immune globulin 1 per day X X X X	J1520	Injection gamma	Gammar	Yes	ML	Immune globulin	1 per day	X	X	Χ										
	J1530			Yes	ML	Immune globulin	1 per day	Х	Х	Χ										

Cada	Description	Duan d Name	NDC	NDCit	Catamami	Camilaa	40	CALL	_	ND	BASA/	BALL	ш	ВО.	OBL		IDT	-	Non-sigl Instructions
Code	Description	Brand Name	NDC Requi	NDC unit of	Category	Service Limits	AC OP	CAH	Р	NP	MW	МН	HS	РО	OPH	Н	F	DC	Special Instructions
			red	measure		Lillits	٥.	0.									'		
J1540	Injection gamma globulin IM 9cc	Gammar Gamastan	Yes	ML	Immune globulin	1 per day	Х	Х	Х										
J1550	Injection gamma globulin	Gammar	Yes	ML	Immune globulin	1 per day	Х	Х	Х										
14555	IM 10cc	Gamastan	Vaa	NAI.	lanaria a alahiilia	Nana		V	V										Filestha AMMO Destinate Door Door Missian and Course
	Injection, immune globulin (cuvitru), 100	Cuvitru	Yes	ML	Immune globulin	None	Х	Х	Х										Effective 1/1/18. Restricted to D83.0 - D83.9. Minimum age of 2 years.
J1556	Injection, immune globulin, 500 mg	Bivigam	N/A																New code effective 1/1/14. Not Covered. See pharmacy POS.
	Injection, immune	Gammaplex	Yes	ML	Immune globulin	none	Х	Х	Х							Х			Effective 10/1/2015 ICD-10 diagnosis codes D69.3, D80.0 - D80.9, D81.0 - D81.2, D81.4, D81.6, D81.7,
	globulin, intravenous,																		D81.89, D81.9, D82.0, D82.1, D83.0, D83.1, D83.2, D83.8 or D83.9
	non-lyophilized (e.g. liquid) 500 mg																		Effective 3/8/13, new ICD-9 diagnosis restriction of 287.31 added. Effective 1/1/12. Restricted to ICD-9
	Injection, immune globulin, 100 mg	Hizentra	N/A																Not covered. Refer to Pharmacy Point of Sale.
J1560	Injection gamma globulin IM over 10cc	Gammar Gamastan	Yes	ML	Immune globulin	5 per day	Х	Х	Х	X									
J1561	Injection, immune	Gamunex-C	Yes	ML	Immune globulin	None	Х	Х									1 1		New code effective 1/1/08. Replaces Q4092.
	globulin,																		
	(Gamunex/Gamunex- C/Gammaked),																		
	nonlyophilized (e.g.,																		
	liquid), 500 mg																		
	Injection, immune		N/A		Immune globulin														Not covered.
	globulin, subcutaneous, 100 mg																		
J1565	Injection RSV immune globulin IV 50mg	RespiGam	Yes	ML	Immune globulin	None	Х	Х	Х	Χ									Closed effective 4/01/08.
	Injection, immune	Carimune	Yes	UN	Immune globulin	None	Х	Х	Х										Effective 1/1/09.
	globulin, intravenous, lyophilized (e.g.,	Gammagard S/D																	
	powder), not otherwise	3/D																	
	specified, 500 mg																		
	Injection, immune globulin, IV, lyophilized,		Yes	ML	Immune globulin	None	Х	Х	Х										Closed effective 12/31/07.
	500ma																		
	Octagam injection,	Octagam	Yes	ML	Immune globulin	None	Х	Х	Х										Physician added as covered provider, effective 1/1/16. New code effective 1/1/08. Replaces Q4087.
	immune globulin, (Octagam) IV, non-																		
	lyophilized (i.e., liquid),																		
J1569	500ma Injection, immune	Gammagard	Yes	ML	Immune globulin	None	Х	Х	Х								+		New code effective 1/1/08. Replaces Q4088. Approved for physician billing, effective 1/1/08.
	globulin, (Gammagard	,agara	. 50		g.o.o		'`	``	``										The state of the s
	liquid), nonlyophilized,																		
	(e.g., liquid), 500 mg	0.1	V		Antivinal	Mana													
J1570	Injection ganciclovir sodium 500mg	Cytovene	Yes	UN	Anti-viral	None	Х	Х	Х										
	HepaGam B Injection -	Hepagam B	Yes	ML	Immune globulin	None	Х	Х											New code effective 1/1/08. Replaces Q4090.
	Injection, hepatitis B immune globulin																		
	(HepaGam B) IM 0.5m																		
	Fiebogamma Injection -	Flebogamma	Yes	ML	Immune globulin	None	Х	Х											New code effective 1/1/08. Replaces Q4091.
	Injection, immune globulin (Flebogamma),																		
	IV, non-lypohilized (e.g.,																		
	liquid) 500ma						İ	<u> </u>						<u> </u>	<u> </u>				

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	BALL	HS	ВО.	ОРН		LIDT		C Special Instructions
Code	Description	Brand Name	Requi	of	Category	Limits	OP	OP	P	NP	IVIVV	IVIT	пъ	PU	UPH	, n	וטון ו F		Special instructions
			red	measure		Lillits	OF	OF									-		
			100	measure															
J1573	Injection, Hepatitis B	Hepagam B	Yes	ML	Immune globulin	None	Х	Х					1		1	+		╁	New code effective 1/1/08.
	immune globulin				Ŭ														
	(Hepagam B) IV 0.5 m.	L																4	
	Injection Garamycin	Gentamine	Yes	ML	Antibiotic	None	Х	Х	Х									>	
	gentamicin up to 80mg	Sulfate Jenamicin																	
J1590	Injection gatifloxacin 10	Tequin	Yes	ML	Antibiotic	40 per day	Х	Х	Х									T	
	mq	Zymar				.,,													
J1595	Injection glatiramer	Copaxone	N/A		Multiple														Not Covered
J1599	acetate injection, immune	N/A	N/A		Sclerosis								1		1		_	+	Not Covered
31599	globulin, intravenous,	IN/A	IN/A																Not Covered
	non-lyophilized(liquid),																		
	NOS, 500 mg.																		
J1600	Injection gold sodium	Aurolate	Yes	PWD=UN	Anti-rheumatic	None	Х	Х	Х						1				
.11602	thiomalate up to 50mg Injection, golimumab, 1	Myochrysine Simponi Aria	Yes	SOL=ML ML	TNF blocker	300 units per	Х	Х	Х	Х		-	1	1	1	+	+	╁	Effective 10/1/2015 ICD-10 diagnosis codes M05.00, M05.011, M05.012, M05.019, M05.021, M05.022,
	mg, for intravenous use	Simponi Ana	163	IVIL	TINI DIOCKEI	month	^	^	^	^									M05.029, M05.031, M05.032, M05.039, M05.041, M05.042, M05.049, M05.051, M05.052, M05.059, M05.061,
	ing, for intraverseds doe					month													M05.062, M05.069, M05.071, M05.072, M05.079, M05.09, M05.10, M05.111, M05.112, M05.119, M05.121,
																			M05.122, M05.129, M05.131, M05.132, M05.139, M05.141, M05.142, M05.149, M05.151, M05.152, M05.159,
																			M05.161, M05.162, M05.169, M05.171, , M05.172, M05.179, M05.19, M05.30, M05.60, M05.611, M05.612,
																			M05.619, M05.621, M05.622, M05.629, M05.631, M05.632, M05.639, M05.641, M05.642, M05.649, M05.651,
																			M05.652, M05.659, M05.661, M05.662, M05.669, M05.671, M05.672, M05.679, M05.69, M05.711, M05.712,
																			M05.719, M05.721, M05.722, M05.729, M05.731, M05.732, M05.739, M05.741, M05.742, M05.749, M05.751,
																			M05.752, M05.759, M05.761, M05.762, M05.769, M05.811, M05.812, M05.819, M05.821, M05.822, M05.829,
																			M05.831, M05.832, M05.839, M05.841, M05.842, M05.849, M05.851, M05.852, M05.859, M05.861, M05.862, M05.869, M06.071, M06.072, M06.079, M06.1, M06.211, M06.212, M06.212, M06.221, M06.222, M06.229, M06.209, M06.000, M06.000
																			M06.231, M06.232, M06.239, M06.241, M06.242, M06.249, M06.251, M06.252, M06.259, M06.261, M06.262, M06.262, M06.264, M06
																			M06.269, M06.4, M06.811, M06.812, M06.819, M06.821, M06.822, M06.829, M06.831, M06.832, M06.839,
																			M06.841, M06.842, M06.849, M06.851, M06.852, M06.859, M06.861, M06.862, M06.869, M06.871, M06.872,
																			M06.879, M06.9, M08.00, M08.3, M08.40, M08.411, M08.412, M08.419, M08.421, M08.422, M08.429,
																			M08.431, M08.432, M08.439, M08.441, M08.442, M08.449, M08.451, M08.452, M08.459, M08.461, M08.462,
																			M08.469, M08.471, M08.472, M08.479, M08.48, M12.00, M12.011, M12.012, M12.019, M12.021, M12.022,
																			M12.029, M12.031, M12.032, M12.039, M12.041, M12.042, M12.049, M12.051, M12.052, M12.059, M12.061,
																			M12.062, M12.069, M12.071, M12.072, M12.079, M12.08 or M12.09
J1610	Injection glucagon HCI	Glucagon	Yes	UN	Antidote	None	Х	Х	Х									\dagger	Effective 1/1/14 Pactricted to ICD 0 diagnosis 71/10 71/10 Minimum ago restriction of 19 years
	1ma.	GlucaGen																1	
J1620	Injection gonadorelin HCl 100mca		Yes	UN	Gonadotropin	None	Х	Х	Х										Not for fertility treatment and diagnosis.
.11626	Injection granisetron HCI	Lutrepulse Kytril	Yes	ML	Antiemetic	20 per day	Х	Х	Х						1	-		╁	
	100mca																		
J1630	Injection haloperidol up	Haldol	Yes	PWD=UN	Anti-psychotic	2 per day	Х	Х	Х	Х		Х						Π	Nurse practitioner added 1/1/09.
14004	to 5mg	Haldal	Vaa	SOL=ML	Anti-navahari	4		V	L V	V			1		1	-	1	+	Nives prostitions added 4/4/00
J 1031	Injection haloperidol decanoate 50mg	Haldol Decanoate 50	Yes	ML	Anti-psychotic	1 per day	Х	Х	Х	Х		Х			1				Nurse practitioner added 1/1/09.
J1640	Injection, hemin, 1mg	Panhematin	Yes	UN	Enzyme	None	Х	Х	Х						1	1		╅	Effective 10/1/2015 ICD-10 diagnosis codes E70.20, E70.21, E70.29, E70.30, E70.310, E70.311, E70.318 -
·		1			inhibitor		l					l	1		1			1	E70.321, E70.328 - E70.331, E70.338, E70.339, E70.39, E70.5, E70.8, E70.9, E80.0, E80.1, E80.20, E80.21,
		1					l					l	1		1			1	E80.29, P70.8, P72.0, P72.2, P72.8, P74.5, P74.6, P74.8 or P84
11642	Injection heparin sodium	HepLock	Yes	PWD=UN	Anti-coagulant	5 per day						_	1	 	1	Х	+	+	ICD-9 code 277.1 270.2 775.8 775.81 775.89 required on claim form
J 1042	(heparin lock flush) 10U.	HepLock U/P	162	SOL=ML	Anti-coagulant	J per day	l					l	1		1	^		1	
J1644	Injection heparin sodium	Heparin	Yes	PWD=UN	Anti-coagulant	1 unit X 7	Х	Х	Х	Х					1	1		>	Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime. Nurse
	1000U	Sodium		SOL=ML		consecutive									1				practitioner added 1/1/09.
		Liqusemin				days - lifetime									1				
		Sodium												1					

				,											,					
Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	РО	OPH	H			CS	pecial Instructions
			Requi	of		Limits	OP	OP									F	١.		
			red	measure																
14045	Late offers define and	En moite			A - 1' 1 1	4 2 7			V				1					+		hand the matter of the shade between the Body of the 4 and 10 M 7 and 10 M 10 M 10 M 10 M 10 M 10 M 10 M 10
J1645	Injection dalteparin sodium 2500IU	Fragmin	Yes	ML	Anti-coagulant	1 unit X 7 consecutive	Х	Х	Х	Х									Pr	hysician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime.
	Socium 250010					days - lifetime														
						uays - illetillle														
J1650	Injection enoxaparin	Lovenox	Yes	ML	Anti-coagulant	1 unit X 7	Х	Х	Χ	Х									Pł	hysician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime.
	sodium 10mg					consecutive														
						days - lifetime														
11652	Injection fondaparinux	Atrixtra	Yes	ML	Anti-coagulant	1 unit X 7	Х	Х	Χ	Х			1					+	DI	hysician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime.
J 1652	sodium 0.5 mg	Allixila	165	IVIL	Ariti-coagularit	consecutive	^	^	^	^									F	hysician reimbursement for administrator is innited to 1 unit × 7 consecutive days per illetime.
	30diditi 0.5 mg					days - lifetime														
						dayo momilio														
J1655	Injection tinzaparin	Innohep	Yes	ML	Anti-coagulant	1 unit X 7	X	Х	Χ	Х									Ph	hysician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime.
	sodium 1000 IU.					consecutive														
						days - lifetime														
J1670	Injection tetanus immune	HyperTet	Yes	ML	Immune globulin	1 per	Х	Х	Х	Х	l -	 	1				+	+	+	
	globulin human up to	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				10 years														
	250U																	\perp		
J1675	Injection, histrelin	Vantas	Yes	UN	Gonadotropin	1 per year	Х	Х	Х										C	ost invoice required with claim form
14.000	acetate, 10mcg	RiaSTAP	V	UN	A matifile since but in		V	Х	V				Х			X	,	+		losed 12/31/12. See J7178 after this date. Effective 1/1/10. Restricted to ICD-9 diagnosis 286.3 or 286.6.
J1680	Injection, human fibrinogen concentrate,	RIASTAP	Yes	UN	Antifibrinolytic	none	Х	^	Х				_ ^			^	١		CI	losed 12/31/12. See J7176 after this date. Effective 1/1/10. Restricted to ICD-9 diagnosis 286.3 of 286.6.
	100 mg.																			
J1700	Injection hydrocortisone	Hydrocortone	Yes	PWD=UN	Anti-	None	Χ	Χ	Χ	Х										
	acetate up to 25mg	Acetate		SOL=ML	inflammatory													\perp		
J1710	Injection hydrocortisone	Hydrocortone	Yes	PWD=UN	Anti-	None	Χ	Х	Х	Х										
	sodium phosphate up to	Phosphate		SOL=ML	inflammatory															
J1720	Injection hydrocortisone	Solu-Cortef	Yes	UN	Anti-	None	Х	Х	Х	Х			1					+	+	
	sodium succinate up to	A-Hydrocort			inflammatory															
	100ma	,			,															
J1725	Injection,	Makena	Yes	ML		250 u. weekly	Х	Х	Х	Х	Х									losed 6/30/17. Refer to Pharmacy Point of Sale (POS).
	hydroxyprogesterone																			ffective 10/1/2015 ICD-10 diagnosis codes O09.211 - O09.213, O09.219, O47.00, O47.9, O47.02, O47.03,
	caproate, 1 mg.																			47.1, O47.9, O60.00, O60.02, O60.03.
																				ffective 1/1/12. Restricted to ICD-9 diagnosis 644.0 - 644.2 or V23.41. Cost invoice with NDC required with aim. Minimum age restriction of 16 years. Service limit of 250 units weekly at 16 - 36 weeks gestation.
																				lease note: If product on cost invoice indicates a multi-dose vial, then reimbursement will be one-
																				fth invoice amount.
													1					_		
J1730	Injection diazoxide up to	Hyperstat IV	Yes	PWD=UN SOL=ML	Anti-	1 per day	Х	Х	Х											
J1740	Injection, ibandronate	Boniva	Yes		hypertensive Bisphosphonate	3 units every	Х	Х	Х	Х	-	-	1				+	+	Ff	ffective 10/1/2015 ICD-10 diagnosis codes M81.0, M81.6 or M81.8
01740	sodium, 1 mg	Bornva	100	SOL=ML	Diopriooprioriate	3 months	^	^	^	^										ew code effective 1/1/07. ICD-9 codes 733.00-733.09 are required on claim form. Restricted to females.
			l																	roviders should be able to document why patient cannot take oral bisphosphonate. Nurse practitioner added
L			L.,					L										_		1//19
J1742	Injection ibutilide	Corvert	Yes	ML	Anti-arrhythmic	None	Х	Х	Х	l	1	l	1							
J1743	fumarate 1mg Injection, idursulfase 1	Elaprase	Yes	ML	Metabolic	None	Х	Х	Х		-	 	1				+	+	NI	ew code effective 1/1/08. Replaces Q9232.
31743	mg	Liapiase	163	IVIL	Enzyme	NOHE	^	_ ^	^										146	Code ellective 1/1/00. Treplaces Q3232.
L	3		L	<u> </u>	Replacement			<u> </u>		<u> </u>	<u></u>	<u> </u>	<u> </u>				$\perp \! \! \! \perp$	\perp		
J1745	Injection, infliximab,	Remicade	Yes	UN	Anti-rheumatic	None	X	Х	Χ											
I	excludes bio-similar, 10		1					l		l	l	l	1							
	mg.															1	$\bot \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \! \!$	ᆚ		
J1750	Injection, iron dextran,	Infed	Yes	ML	iron salt	None	X	Х	Х	Х)	Ne	ew code effective 1/1/09. Nurse practitioner added 1/1/09.
J1751	per 50 ma.	Dexferrum Infod	Yes	ML	Iron salt	None	~	~	- V	~	 	 	+		1		+	+	C.	ode closed effective 6/30/08. See Q4098.
31/51	Injection, iron dextran 165, 50 mg	Infed Dexferrum	168	IVIL	non sait	None	Х	Х	Х	Х	1	l	1						C	045 010564 611501178 0/30/00. 388 44080.
	100. 00 mu	Devicinalii		•							•	•	•							

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	PO	OPH	Н			C Special Instructions
			Requi	of		Limits	OP	OP									F		
			red	measure															
J1752	Injection, iron dextran 267, 50 mg	Infed Dexferrum	Yes	ML	Iron salt	None	Х	Х	Х	Х									Code closed effective 6/30/08. See Q4098.
J1756	Injection iron sucrose	Venofer	Yes	ML	Iron	1000 mg.	Х	Х	Х							Х		X	Home infusion provider added, effective 4/1/12.
	1mg IV				supplement	per 13 days,													
						effective 2/1/16													
J1785	Injection imiglucerase per unit	Cerezyme	Yes	UN	Enzyme	None	Х	Х	Х										Code closed 12/31/10. See J1786 after this date. ICD-9 code 272.7 required on claim form.
J1786	injection, imiglucerase,	Cerezyme	Yes	UN	Enzyme	Maximum	Х	Х	Х							Х			Effective 10/1/2015 ICD-10 diagnosis codes E75.21, E75.22, E75.240 - E75.243, E75.248, E75.249, E75.3,
	10 units					service limit													E77.0, E77.1, E77.8, or E77.9
						1650 u.													Home Infusion provider added, effective 1/1/11. New code effective 1/1/11. Restricted to ICD-9 diagnosis
14700			.,	DIA/D LINE		monthly										1		4	272.7. Minimum age restriction of 2 years and above.
J1790	Injection droperidol up to	Inapsine	Yes	PWD=UN	Antiemetic	1 per day	Х	Х	Х										
J1800	Injection propranolol HCI	Inderal	Yes	SOL=ML PWD=UN	Anti-anginal	None	Х	Х	Х				1	1	t	1	+	+	
0.000	up to 1ma.	maorai	. 00	SOL=ML	, and angina	110.10	,,		,,										
J1810	Injection droperidol &	Innovar	Yes	UN	Antiemetic	None	Х	Х	Х										
	fentanyl cit-rate up to																		
11015	2ml ampule Injection insulin 5U	Humalog	Yes	ML	Anti-diabetic	20 per day	Х	Х	Х	Х						1	-	+	Effective 10/1/2015 ICD-10 diagnosis codes E10.10, E10.11, E10.21, E10.22, E10.29, E10.311, E10.319,
31013	injection insulin 50	Humulin	165	IVIL	Anti-diabetic	20 per day	^	^	^	^									E10.321, E10.329, E10.331, E10.339, E10.341, E10.349, E10.351, E10.359, E10.36, E10.39 - E10.44,
		Lispo																	E10.49, E10.51, E10.52, E10.59, E10.610, E10.618, E10.620 - E10.622, E10.628, E10.630, E10.638,
		Liopo																	E10.641, E10.649, E10.65, E10.69, E10.8, E10.9, E11.00, E11.01, E11.21, E11.22, E11.29, E11.311,
																			E11.319, E11.321, E11.329, E11.331, E11.339, E11.341, E11.349, E11.351, E11.359, E11.36, E11.39 -
																			E11.44, E11.49, E11.51, E11.52, E11.59, E11.610, E11.618, E11.620 - E11.622, E11.628, E11.630, E11.638,
																			E11.641, E11.649, E11.65, E11.69, E11.8, E11.9, E13.00, E13.01, E13.10, E13.11, E13.21, E13.22, E13.29,
																			E13.311, E13.319, E13.321, E13.329, E13.331, E13.339, E13.341, E13.349, E13.351, E13.359, E13.36,
																			E13.39 - E13.44, E13.49, E13.51, E13.52, E13.59, E13.610, E13.618, E13.620 - E13.622, E13.628, E13.630,
																			E13.638, E13.641, E13.649, E13.65, E13.69, E13.8 or E13.9
J1817	Insulin for administration	Humalog	N/A		Anti-diabetic														Not Covered
	thru insulin pump per 50																		
J1825	Injection interferon beta	Avonex	N/A		Biological														Not covered. Refer to Pharmacy Point of Sale.
	1a 33mcg				Response														, in the second of the second
					Modulator													4	
J1826	Injection, interferon beta-	Avonex	N/A		Biological														Not covered. Refer to Pharmacy Point of Sale.
	1a, 30 mcg.	Rebif			Response Modulator	1		1		l		l		l		1		1	
J1830	Injection interforon beta	Betaseron	N/A		Biological	1		†					1		<u> </u>	1	+	\dagger	Not covered. Refer to Pharmacy Point of Sale.
	1b 0.25mg				Response	1												1	
L			L		Modulator	 	L	<u> </u>	L.,				<u> </u>		<u> </u>	1		4	
J1833	Injection,	Cresemba	Yes	UN	Anti-Infective	None	Х	Х	Х										Effective 1/1/16. Restricted to diagnosis ICD-10 B44.0, B44.1, B44.2, B44.7, B44.89, B44.9, B48.4. Minimum
	isavuconazonium, 1 mg	vial																	age of 18 years.
J1835	Injection itraconazole 50	Sporanox	Yes	UN	Anti-fungal	None	Х	Х	Х										
J1840	Injection kanamycin	Kantrex	Yes	PWD=UN	Antibiotic	None	Х	Х	Х				1		1	t	1	+	
	sulfate up to 55mg	Klebcil		SOL=ML														1	
J1850	Injection kanamycin	Kantrex	Yes	UN	Antibiotic	None	Х	Х	Х										
14.005	sulfate up to 75mg	Klebcil	Var	DWD LIN	A malmani -	None		L .	L_		-	<u> </u>	1		<u> </u>	1	-	+	,
J1885	Injection ketoralac tro- methamine 15mg	Toradol	Yes	PWD=UN SOL=ML	Analgesic	None	Х	Х	Х	Х		l	1	Х		1		×	·
J1890	Injection cephalothin	Cephalothin	Yes	N/A	Antibiotic	None	Х	Х	Х							1	+	+	
1	sodium up to to 1g	Sodium		',,,	,		``	``	()										
	,	Keflin													<u></u>			$oldsymbol{\perp}$	

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	РО	OPH	Н	I ID)T D	C Special Instructions
			Requi	of	,	Limits	OP	OP									F		
			red	measure															
.11930	Injection, lanreotide, 1	Somatuline	Yes	UN	Somatostatic		Х	Х								1	_	+	Effective 10/1/2015 ICD-10 diagnosis codes C25.4, C7A.010 - C7A.012, C7A.019 - C7A.026, C7A.029,
01000	mg.	Depot	103	011	agent		^												C7A.092 - C7A.096, D13.7, D3A.010 - D3A.012, D3A.019 - D3A.026, D3A.029, D3A.092 - D3A.096, E22.0 or
	· ·				Ü														E34.4
																			New ICD-9 diagnoses added, effective 12/16/14. Full range includes 157.4, 209.00 - 209.03, 209.10 -
																			209.17, 209.23 - 209.27, 209.40 - 209.43, 209.50 - 209.57, 209.63 - 209.67, 211.7, 253.0. New code effective 1/1/09.
																			17 1709.
11031	Injection laronidase 0.1	Aldurazyme	Yes	ML	Enzyme	None	Х	Х	Х							1	-	+	Effective 10/1/2015 ICD-10 diagnosis codes E76.01 - E76.03, E76.1, E76.210, E76.211, E76.219, E76.22,
31931	mg	Aldulazyille	163	IVIL	Liizyiiie	None	^	^	^										E76.29, E76.3, E76.8 or E76.9
	3																	4	ICD-9 code 277.5 required on claim form
J1940	Injection furosemide up	Lasix	Yes	PWD=UN	Anti-	None	Х	Х	Х	Х									
	to 20mg.	Furomide		SOL=ML	hypertensive Diuretic														
J1942	Injection, aripiprazole				Dioreito														Effective 1/1/17. Not covered. See pharmacy POS.
11045	lauroxil. 1 mg Injection, lelpirudin, 50	Refludan	Yes	UN	Anti conquiant	None			~				-		1	-	-	+	
J1945	ma	Relludan	res	UN	Anti-coagulant	None	Х	Х	Х										
J1950	Injection leuprolide	Lupron Depot	Yes	UN	Anti-neoplastic	None	Χ	Х	Х										
14050	acetate 3.75mg.	Venne	Vaa	UN	Anti anilantia	limited to 16	V		V									4	New and affective 4/4/00
J1953	Injection, levetiracetam, 10 mg.	Keppra	Yes	UN	Anti-epileptic	vears or older	Х	Х	Х										New code effective 1/1/09.
	Ü					years or older													
J1955	Injection levocarnitine1g.	Carnitor	N/A		Nutritional														Not Covered
.11956	Injection, levofloxacin,	Levaquin	Yes	ML	Supplement Antibiotic	3 per day	Х	Х	Х									+	
31330	250 ma.	Levaquiii	103	IVIL	Antibiotic	3 per day	^	^	^										
J1960	Injection levorphanol	Levo	Yes	PWD=UN	Analgesic	1.5 per day	Χ	Х	Х										
11080	tartrate up to 2mq Injection hyoscyamine	Dromoran Levsin	Yes	SOL=ML	narcotic Anti-cholenergic	2 per day	Х	Х	Х	Х							_	+	
01300	sulfate up to 0.25mg.	LOVOIII	103	SOL=ML	7 titti orioloriorgio	2 per day	^		^										
	Injection	Librium	N/A		Benzodiazepine														Not Covered
	chlordiazepoxide HCL up to 100mg.																		
J2001	Injection lidocaine HCI IV	Xylocaine	Yes	PWD=UN	Anti-arrhythmic	None	Χ	Х										\top	
	infusion 10mg			SOL=ML					L.,				ļ					_	
J2010	Injection lincomycin HCl up to 300mg	Lincocin	Yes	PWD=UN SOL=ML	Antibiotic	None	Х	Х	Х	Х									
J2020	Injection linezolid 200	Zyvox	Yes	ML	Antibiotic	6 per day	Х	Х	Х									\top	
	mg												ļ					4	
J2060	Injection lorazepam 2mg	Ativan	Yes	PWD=UN SOL=ML	Anti-anxiety	2 per day	Х	Х	Х	Х		Х						1	Nurse practitioner added 1/1/09.
J2150	Injection mannitol in 25%	Osmitrol	Yes	PWD=UN	Diuretic	None	Χ	Х	Х	Х								\top	Nurse practitioner added 1/1/09.
	in 50ml			SOL=ML							<u> </u>							_	, in the second
J2170	Injection, mecasermin, 1	Increlex	N/A		Insulin-like growth factor														Not covered.
J2175	Injection meperidine HCI	Demerol	Yes	PWD=UN	Analgesic	2 per day	Х	Х	Х	Х	 					1	+	$^{+}$	Nurse practitioner added 1/1/09.
	per 100ma			SOL=ML	narcotic	, ,					<u> </u>		1				_	_	•
	Injection meperidine &	Mepergan	Yes	ML	Analgesic	2 per day	Х	Х	Х	Х	l								
	promethazine HCI up to 50mg				combo narcotic			l	1		l								
J2182	Injection, mepolizumab,	Nucala	Yes	UN	Anti-asthmatic	None	Х	Х	Х	Х									Effective 12/12/17, ICD-10 diagnosis M30.1 added. Effective
	1 mg		L.,					L.,	L.,		<u> </u>		1				_	_	1/1/17. Restricted to ICD-10 45.50. Minimum age of 12 years.
J2185	Injection meropenem 100 ma	Merrem	Yes	UN	Antibiotic	None	Х	Х	Х	Х	l								Nurse practitioner added 1/1/09.
J2210	Injection	Methergine	Yes	ML	Ergot alkaloid &	1 per day	Х	Х	Х		1					1	+	$^{+}$	
	methylergonovine				derivative			l						l					
	maleate up to 0.2mg.	l		L									1		1				1

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	PΩ	ОРН	Н	I IDI	тп	C Special Instructions
Code	Description	Brana Name	Requi	of	Category	Limits	OP	OP	'	141	10.00		110	'	0	'"	F		O Opecial instructions
			red	measure			-												
J2248	Injection, micafungin	Mycamine	Yes	UN	Anti-fungal	150 units per	Х	Х	Х	X									New code effective 1/1/07. Nurse practitioner added 1/1/09.
.12250	sodium, 1 mg Iniection midazolam HCI	Versed	N/A		Benzodiazepine	day										-	-	+	Not Covered.
32230	per 1mg	versed	IN/A		Delizodiazepilie														Not covered.
J2260	Injection milrinone	Primacor	Yes	ML	Enzyme	None	Х	Х	Х										
IDDOF	lactate 5mg	Minosia	NI/A										-			+	-	+	Not assessed
J2205	Injection, minocycline hydrochloride, 1 mg.	Minocin	N/A																Not covered.
J2270	Injection morphine	Roxanol	Yes	ML	Analgesic	5 per day	Χ	Х	Х	Χ									Nurse practitioner added 1/1/09.
100=1	sulfate up to 10mg			DWD 1111	narcotic											-		4	
J22/1	Injection morphine sulfate 100mg.	Roxanol	Yes	PWD=UN SOL=ML	Analgesic narcotic	None	Х	Х	Х										Closed 12/31/14. See J2274 after this date.
J2274	Injection, morphine		Yes	ML	Analgesic	None	Х	Х	Х)	Effective 1/1/15. Must be billed with CPT 62310, 62311, 62318, 62319, 62360, 62361, 62362, 62365, 62367,
	sulfate, preservative-free				narcotic														62368, 62369, or 62370.
	for epidural or intrathecal																		
	use, 10mg																		
	Injection, morphine	Astramorph	Yes	ML	Analgesic	None	Х	Х	Х)	Closed 12/31/14. See J2274 after this date.
	sulfate (preservative-free sterile solution)10mg	PF Duramorph			narcotic														
J2278	Injection, ziconotide,	Prialt	Yes	ML	Analgesic	Max. 500 per	Х	Х	Х									T	Change to service limit effective 7/1/17.
	1mca					dav												_	
J2280	Injection moxifloxacin 100 ma	Avelox	Yes	ML	Antibiotic	5 per day	Х	Х	Х	X									
J2300	Injection nalbuphine HCI	Nubain	Yes	PWD=UN	Analgesic	6 per day	Х	Х	Х	Х								$^{+}$	Nurse practitioner added 1/1/09.
	per 10ma			SOL=ML	narcotic													1	
J2310	Injection naloxone HCI	Narcan	Yes	PWD=UN	Antidote	None	Х	Х	Х	X									Nurse practitioner added 1/1/09.
J2315	per 1mq Injection, naltrexone,	Depade,	Yes	SOL=ML UN	Opioid receptor	380 units per	Х	Х	Х			Х				+	-	+	Effective 10/1/2015 ICD-10 diagnosis codes F10.20, F10.21 or F10.229
	depot form, 1 mg	ReVia, Vivitrol		-	antagonist	4 weeks													New code effective 1/1/07. ICD-9 code 303.XX required on claim form.
10000	laisetian nendualana	Deservine	Yes	PWD=UN	A nahalia atausid	4		~	V									+	<u> </u>
J2320	Injection nandrolone decanoate up to 50mg.	Decadura- bolin	res	SOL=ML	Anabolic steroid	1 per week	Х	Х	Х										
J2321	Injection nandrolone	Decadur-	Yes	PWD=UN	Anabolic steroid	1 per week	Х	Х	Х)	
	decanoate up to 100mg.	abolin		SOL=ML															
		Hybolin																	
J2322	Injection nandrolone	Decanoate Decaduraboli	Yes	ML	Anabolic steroid	1 per week	Х	Х	Х							1	-	╁	
	decanoate up to 200mg	n Neo-				·													
10000	Injection, Natalizumab 1	burabolic Tysabri	Yes	ML	Leukocyte	None	Х	Х	Х							-	-	+	New code effective 1/1/08. Replaces Q4079.
	mg	Тубарп	168	IVIL	Adhesion	None	^	^	^										New code effective 1/1/06. Replaces Q4079.
	•				Inhibitor														
	Injection, nesiritide,	Natrecor	Yes	UN	Vasodilator	None	Х	Х											Effective 10/1/2015 ICD-10 diagnosis codes I50.20, I50.21, I50.23, I50.30, I50.31, I50.33, I50.40 - I50.43, or
	0.1mg																		I50.9 ICD-9 code 428.0, 428.20, 428.21, 428.23, 428.30, 428.31, 428.33, 428.40, 428.41, or 428.43 required on
																			claim form. Not for office use
J2326	Injection, nusinersen 0.1	Spinraza	Yes	SOL=ML	Genetic therapy	None	Х	Х								1		1	Effective 1/1/18. Contact Kepro at 800-346-8272 for prior authorization requests.
.12350	mg. Injection, ocrelizumab, 1	Ocrevus	Yes	ML	Multiple	600 units	Х	Х	Х				<u> </u>		<u> </u>	╂	+-	+	Effective 1/1/18. Restricted to ICD-10 G35. Minimum age of 16 years.
	mg.	Joievus	163	IVIL	Sclerosis	daily	^	^	_ ^										Enecure 1/1/10. Resultated to 100-10 055. Williamidin age of 10 years.
	Injection octreotide	Sandostatin	Yes	UN	Antidiarrheal	None	Х	Х	Х				1		1	1	+	+	
	depot form for IM 1mg																		
	Injection onctreotide non-	Sandostatin	Yes	ML	Antidiarrheal	1 unit X 7	Х	Х	Х										For IV route only. Physician reimbursement for administration is limited to 1 unit X 7 consecutive days per
	depot form for SQ or IV 25 mcg					consecutive days - lifetime										1			lifetime.
	•					uays - IIIellifle										L		\perp	
J2355	Injection oprelvekin 5 mg	Neumega	Yes	UN	Platelet growth	2 per day	Х	Х	Х										Effective 10/1/2015 ICD-10 diagnosis codes D69.51 or D69.59
				i .	factor								1		1	1			ICD-9 code 287.4 required on claim form.

Code	Description	Brand Name	NDC Requi red	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	HS	PO	ОРН	HI	IDT F	D	C Special Instructions
J2357	Injection omalizumab 5 mg.	Xolair	Yes	UN	Anti-asthmatic	None	Х	X	Х										Effective 7/6/16, Minimum age restriction of 6 years. 10/1/2015 ICD-10 diagnosis codes J44.0, J44.1, J44.9, J45.20 - J45.22, J45.30 - J45.32, J45.40 - J45.42, J45.50 - J45.52, J45.901, J45.902, J45.909, J45.990, J45.991, J45.998 or L50.1 Effective 3/21/14, ICD-9 diagnosis of 708.1 added. ICD-9 code 493.XX required on claim form. For children: the first dose may be split into 2 doses the first week.
J2358	Injection, olanzapine, long-acting, 1 mg.	Zyprexa Relprevv	Yes	UN	Antipsychotic	Maximum service limit 405 u. monthly	Х	Х	Х	Х		Х				Х			Effective 10/1/2015 ICD-10 diagnosis codes F20.0 - F20.3, F20.5, F20.81, F20.89, F20.9 or F25.9 New code effective 1/1/11. Restricted to ICD-9 diagnosis 295.00 - 295.95. Restricted to age 18 and above.
J2360	Injection orphenadrine citrate up to 60 mg.	Norflex	Yes	PWD=UN SOL=ML	Muscle relaxant	1 per day	Х	Х	Х										
J2370	Injection phenylephrine HCl up to 1ml	Neo- Synephrine	Yes	ML	Adrenergic agonist	1 per day	Х	Х	Х										
J2400	Injection chloroprocaine HCl 30ml	Nesacaine Nesacaine MPF	Yes	ML	Local Anesthetic	1 per day	Х	Х	Х										
J2405	Injection ondansetron HCI 1mg	Zofran	Yes	PWD=UN SOL=ML	Antiemetic	32 per day	Х	Х	Х										
	Injection, oritavancin, 10 mg	Orbactiv	Yes	UN	Antibiotic	None	X	X	X										Effective 1/1/16. Restricted to diagnosis ICD-10 B78.1, K12.2, L01.00 - L01.03, L01.09, L01.1 - L02.03, L02.11 - L02.13, L02.211 - L02.216, L02.219, L02.221 - L02.226, L02.229, L02.231 - L02.236, L02.239, L02.31 - L02.33, L02.411 - L02.416, L02.419, L02.421 - L02.426, L02.429, L02.431 - L02.436, L02.439, L02.511, L02.512, L02.519, L02.521, L02.522, L02.529, L02.531, L02.532, L02.539, L02.611, L02.612, L02.614, L02.624, L02.629, L02.629, L02.631, L02.639, L02.811, L02.818, L02.821, L02.828, L02.831, L02.838, L02.91 - L02.93, L03.011, L03.012, L03.019, L03.021, L03.022, L03.029, L03.031, L03.032, L03.039, L03.041, L03.049, L03.111 - L03.116, L03.119, L03.121 - L03.126, L03.129, L03.211, L03.212, L03.221, L03.222, L03.311 - L03.316, L03.317, L03.319, L03.321 - L03.327, L03.329, L03.811, L03.818, L03.891, L03.898, L03.90, L03.91, L04.0 - L04.3, L04.8, L04.9, L05.01, L05.02, L05.91, L05.92, L08.0, L08.81, L08.82, L08.89, L08.9, L88, L92.8, L98.0 or L98.3. Minimum age of 18 years.
J2410	Injection oxymorphone HCl up to 1 ma	Numorphan	Yes	ML	Analgesic- narcotic	9 per day	Х	Х	Х										
	Injection, palifermin, 50	Kepivance Keratinocyte	Yes	UN	Growth factor	None	Х	Х	Х										3 days before + 3 days after chemo.
J2426	Injection, paliperidone palmitate extended release, 1 mg.	Invega Sustenna	Yes	ML	Antipsychotic	Maximum service limit 234 u. daily	Х	Х	Х			Х					Х		Effective 10/1/2015 ICD-10 diagnosis codes F20.0 - F20.3, F20.5, F20.81, F20.89, F20.9 or F25.9 New code effective 1/1/11. Restricted to ICD-9 diagnosis 295.00 - 295.95. Restricted to age 18 and above.
J2430	Injection, pamidronate disodium 30 mg	Aredia	Yes	PWD=UN SOL=ML	Antidote	None	Х	Х	Х										
	Injection papaverine HCL up to 60 mg.	Para-Time SR	N/A		Vasodilator														Not covered
J2460	Injection oxytetracycline HCl up to 50 mg	Terramycin	Yes	UN	Antibiotic	4 per day	Х	Х	Х										

Code Description Brand Name NDC Required NDC Required NDC Required NDC NDC unit Category Service Limits AC CAH P NP MW MH HS PO Category NDC NDC unit NDC ND	Effective 10/1/2015 ICD-10 diagnosis codes C00.0 - C00.9, C01, C02.0 - C02.9, C03.0, C03.1, C03.9, C04.0, C04.1, C04.8, C04.9, C05.0 - C05.2, C05.8, C05.9, C06.0 - C06.2, C06.80, C06.89, C06.9, C07, C08.0, C08.1, C08.9, C09.0, C09.1, C09.8, C09.9, C10.0 - C10.9, C11.0 - C11.3, C11.8, C11.9, C12, C13.0 - C13.2, C13.8, C13.9, C14.0, C14.2, C14.8, C15.3 - C15.5, C15.8, C15.9, C16.0 - C16.6, C16.6, C16.8, C16.9, C17.0 - C17.3, C17.8, C17.9, C18.0 - C18.9, C19, C20.10 - C21.2, C21.8, C22.0 - C22.4, C22.7 - C22.9, C23, C24.0, C24.1, C24.8, C24.9, C25.0 - C25.4, C25.7 - C25.9, C26.0, C26.1, C26.9, C30.0, C30.1, C31.0 - C31.3, C31.8, C31.9, C32.0 - C32.3, C32.8, C32.9, C33.0, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.82, C34.80 - C34.82, C34.90 - C34.92, C37, C38.0 - C38.4, C38.8, C39.9, C30.0, C30.0 - C40.02, C40.10 - C40.12, C40.20 - C40.22, C40.30 - C40.32, C40.80 - C40.82, C40.90 - C40.92, C41.0 - C41.4, C43.0, C43.10 - C43.12, C43.20 - C43.22, C43.30, C43.31, C43.39, C43.4, C43.51, C43.52, C43.59 - C43.62, C43.70 -
J2469 Injection palonesetron Aloxi Yes ML Antiemetic None X X X	C04.0, C04.1, C04.8, C04.9, C05.0 - C05.2, C05.8, C05.9, C06.0 - C06.2, C06.80, C06.89, C06.9, C07, C08.0, C08.1, C08.9, C09.0, C09.1, C09.8, C09.9, C10.0 - C10.9, C11.0 - C11.3, C11.8, C11.9, C12, C13.0 - C13.2, C13.8, C13.9, C14.0, C14.2, C14.8, C15.3 - C15.5, C15.8, C15.9, C16.0 - C16.6, C16.8, C16.9, C17.0 - C17.3, C17.8, C17.9, C18.0 - C18.9, C19.0, C21.0 - C21.2, C21.8, C22.0 - C22.4, C22.7 - C22.9, C23, C24.0, C24.1, C24.8, C24.9, C25.0 - C25.4, C25.7 - C25.9, C26.0, C26.1, C26.9, C30.0, C30.1, C31.0 - C31.3, C31.8, C31.9, C32.0 - C32.3, C32.8, C32.9, C33.034.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92, C37.0 - C38.8, C39.9, C30.0, C30.1, C31.0 - C40.12, C40.20 - C40.22, C40.30 - C40.32, C40.80 - C40.82, C40.90 - C40.92, C41.0 - C41.4, C43.0, C43.10 - C43.12, C43.20 - C43.22, C43.30, C43.31, C43.39, C43.4, C43.51, C43.52, C43.59 - C43.62, C43.70 -
	C04.0, C04.1, C04.8, C04.9, C05.0 - C05.2, C05.8, C05.9, C06.0 - C06.2, C06.80, C06.89, C06.9, C07, C08.0, C08.1, C08.9, C09.0, C09.1, C09.8, C09.9, C10.0 - C10.9, C11.0 - C11.3, C11.8, C11.9, C12, C13.0 - C13.2, C13.8, C13.9, C14.0, C14.2, C14.8, C15.3 - C15.5, C15.8, C15.9, C16.0 - C16.6, C16.8, C16.9, C17.0 - C17.3, C17.8, C17.9, C18.0 - C18.9, C19.0, C21.0 - C21.2, C21.8, C22.0 - C22.4, C22.7 - C22.9, C23, C24.0, C24.1, C24.8, C24.9, C25.0 - C25.4, C25.7 - C25.9, C26.0, C26.1, C26.9, C30.0, C30.1, C31.0 - C31.3, C31.8, C31.9, C32.0 - C32.3, C32.8, C32.9, C33.034.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92, C37.0 - C38.8, C39.9, C30.0, C30.1, C31.0 - C40.12, C40.20 - C40.22, C40.30 - C40.32, C40.80 - C40.82, C40.90 - C40.92, C41.0 - C41.4, C43.0, C43.10 - C43.12, C43.20 - C43.22, C43.30, C43.31, C43.39, C43.4, C43.51, C43.52, C43.59 - C43.62, C43.70 -
	C04.0, C04.1, C04.8, C04.9, C05.0 - C05.2, C05.8, C05.9, C06.0 - C06.2, C06.80, C06.89, C06.9, C07, C08.0, C08.1, C08.9, C09.0, C09.1, C09.8, C09.9, C10.0 - C10.9, C11.0 - C11.3, C11.8, C11.9, C12, C13.0 - C13.2, C13.8, C13.9, C14.0, C14.2, C14.8, C15.3 - C15.5, C15.8, C15.9, C16.0 - C16.6, C16.8, C16.9, C17.0 - C17.3, C17.8, C17.9, C18.0 - C18.9, C19.0, C21.0 - C21.2, C21.8, C22.0 - C22.4, C22.7 - C22.9, C23, C24.0, C24.1, C24.8, C24.9, C25.0 - C25.4, C25.7 - C25.9, C26.0, C26.1, C26.9, C30.0, C30.1, C31.0 - C31.3, C31.8, C31.9, C32.0 - C32.3, C32.8, C32.9, C33.034.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92, C37.0 - C38.8, C39.9, C30.0, C30.1, C31.0 - C40.12, C40.20 - C40.22, C40.30 - C40.32, C40.80 - C40.82, C40.90 - C40.92, C41.0 - C41.4, C43.0, C43.10 - C43.12, C43.20 - C43.22, C43.30, C43.31, C43.39, C43.4, C43.51, C43.52, C43.59 - C43.62, C43.70 -
	C43.72, C43.8, C43.9, C44.00 - C44.02, C44.09, C44.101, C44.102, C44.109, C44.111, C44.112, C44.119, C44.121, C44.122, C44.129, C44.191, C44.192, C44.199, C44.201, C44.202, C44.209, C44.201, C44.201, C44.211, C44.211, C44.212, C44.219, C44.229, C44.229, C44.299, C44.299, C44.300, C44.301, C44.309, C44.311, C44.319 - C44.321, C44.329, C44.391, C44.399, C44.399, C44.40 - C44.42, C44.49, C44.500, C44.501, C44.509 - C44.511, C44.519 - C44.521, C44.521, C44.529, C44.590, C44.591, C44.699, C44.699, C44.601, C44.602, C44.609, C44.611, C44.612, C44.619, C44.622, C44.629, C44.691, C44.692, C44.699, C44.701, C44.702, C44.709, C44.711, C44.712, C44.719, C44.722, C44.722, C44.791, C44.792, C44.791, C44.792, C44.791, C44.792, C44.791, C44.792, C44.791, C44.792, C44.791, C44.80 - C44.82, C44.89 - C44.92, C44.99, C45.0 - C45.2, C45.9, C46.0 - C46.4, C46.50 - C46.52, C46.7, C46.9, C47.0, C47.10 - C47.12, C47.20 - C47.22, C47.3 - C47.6, C47.8, C47.9, C48.0 - C48.2, C48.8, C49.0, C49.10 - C49.12, C49.20 - C49.22, C49.3 - C49.6, C49.9, C49.9, C40.0, C40.4, C50.011, C50.012, C50.019 - C50.022, C50.029, C50.111, C50.112, C50.119, C50.121, C50.122, C50.129, C50.211, C50.212, C50.219, C50.221, C50.222, C50.229, C50.311, C50.312, C50.312, C50.322, C50.329, C50.411, C50.412, C50.419, C50.421, C50.429, C50.512, C50.512, C50.512, C50.522, C50.529, C50.611, C50.612, C50.619, C50.621, C50.622, C50.629, C50.611, C50.612, C50.619, C50.621, C50.621, C50.622, C50.629, C50.811, C50.812, C50.819, C50.821, C50.829, C50.911, C50.912, C50.919, C50.911, C50.912, C50.919, C50.921, C50.922, C50.929, C51.0, C51.1, C50.512, C51.8, C51.9, C52, C53.0, C53.1, C50.38, C53.9, C54.1, C56.2, C65.9, C67.00, C67.00, C67.00, C67.00, C67.20, C67.20, C62.00 - C66.20, C62.00 - C66.20, C66.20
J2501 Injection paricalcitol 1 Zemplar Yes ML Vitamin D None X X X X mca mca analog 12503 Injection, pegaptanib Macuqen Yes ML Ophthmalogic 1 every X X X	X Effective 10/1/2015 ICD-10 diagnosis codes N25.0, N25.1, N25.81, N25.89 or N25.9 ICD-9 code 588.XX required on claim form. X Effective 10/1/2015 ICD-10 diagnosis code H35.32 plus CPT 67028-RT or 67028-LT required on claim form.
J2503 Injection, pegaptanib Macugen Yes ML Ophthmalogic 1 every X X S Sodium, 0.3 mg	
J2504 Injection, pegademase bovine, 25 mcg Adagen Yes ML Enzyme None X X X	I ICD-9 code 362.52 plus CPT 67028-RT or 67028-LT required on claim form.
J2505 Injection pegfilgrastim Neulasta Yes ML Colony 1 per day X X X	ICD-9 code 362.52 plus CPT 67028-RT or 67028-LT required on claim form. Effective 10/1/2015 ICD-10 diagnosis codes D80.0 - D80.9, D81.0 - D81.2, D81.4, D81.6, D81.7, D81.89, D81.9, D82.0 - D82.4, D82.8, D82.9, D83.9, D83.2, D83.8, D83.9, D84.0, D84.1, D84.8, D84.9, D89.3, D89.810 - D89.813, D89.82, D89.89 or D89.9
6mg stimulating	Effective 10/1/2015 ICD-10 diagnosis codes D80.0 - D80.9, D81.0 - D81.2, D81.4, D81.6, D81.7, D81.89, D81.9, D82.0 - D82.4, D82.8, D82.9, D83.0 - D83.2, D83.8, D83.9, D84.0, D84.1, D84.8, D84.9, D89.3,

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	і Інѕ	РО	ОР	н	ні Іі	пΤГ	DC Special Instructions
Jour	Description	Brana Name	Requi	of	Gategory	Limits	OP	OP	•				.	` `	0.			F	operation included the
			red	measure															
J2507	Injection, pegloticase, 1 mg.	Krystexxa	Yes	ML	Hyperuricemic	16 units per month	X	X	X	X				X			x		Effective 10/1/2015 ICD-10 diagnosis codes M10.00, M10.011, M10.012, M10.019, M10.021, M10.022, M10.031, M10.032, M10.033, M10.033, M10.041, M10.042, M10.049, M10.051, M10.052, M10.059, M10.061, M10.062, M10.068, M10.071, M10.072, M10.079, M10.08 - M10.10, M10.111, M10.112, M10.119, M10.121, M10.122, M10.129, M10.131, M10.132, M10.139, M10.141, M10.142, M10.149, M10.151, M10.152, M10.159, M10.161, M10.162, M10.169, M10.171, M10.172, M10.179, M10.18, M10.19, M10.201, M10.241, M10.222, M10.229, M10.231, M10.231, M10.233, M10.239, M10.241, M10.242, M10.249, M10.251, M10.255, M10.259, M10.261, M10.262, M10.269, M10.271, M10.272, M10.279, M10.28, M10.29, M10.30, M10.311, M10.312, M10.319, M10.321, M10.322, M10.329, M10.331, M10.332, M10.339, M10.341, M10.342, M10.349, M10.351, M10.352, M10.359, M10.361, M10.369, M10.369, M10.371, M10.372, M10.379, M10.38, M10.39, M10.40, M10.411, M10.412, M10.419, M10.421, M10.369, M10.369, M10.371, M10.372, M10.379, M10.38, M10.39, M10.40, M10.411, M10.412, M10.419, M10.421, M10.369, M10.402, M10.431, M10.432, M10.439, M10.441, M10.442, M10.449, M10.451, M10.452, M10.459, M10.462, M10.469, M10.471, M10.472, M10.479, M10.48, M10.49, M10.9, M1A.0030, M1A.0031, M1A.0211, M1A.0191, M1A.0191, M1A.0210, M1A.0211, M1A.0220, M1A.0221, M1A.0290, M1A.0291, M1A.0310, M1A.0311, M1A.0320, M1A.0321, M1A.0390, M1A.0391, M1A.0411, M1A.0420, M1A.0421, M1A.0520, M1A.0520, M1A.0521, M1A.0689, M1A.0691, M1A.0611, M1A.0620, M1A.0621, M1A.0690, M1A.0691,
																			M1A.4311, M1A.4320, M1A.4321, M1A.4390, M1A.4391, M1A.4410, M1A.4411, M1A.4420, M1A.4421, M1A.4490, M1A.4491, M1A.4510, M1A.4511, M1A.4520, M1A.4520, M1A.4521, M1A.4590, M1A.4591, M1A.4591, M1A.4611, M1A.4620, M1A.4621, M1A.4690, M1A.4691, M1A.4710, M1A.4711, M1A.4720, M1A.4721, M1A.4790, M1A.4791, M1A.47
J2510	Injection penicillinG procaine aqueous up to 600K U	Wycillin Pfizerpen AS	Yes	ML	Antibiotic	None	Х	Х	Х										The state of the s
J2513	Injection, pentastarch,	Pentaspan	N/A		Plasma volume								1		1		\dashv		Not covered.
J2515	10% solution, 100 ml Injection pentobarbital	Nembutal	Yes	PWD=UN	expander Anti-convulsant	10 per day	Х	Х	Х				+		-	+	\dashv		Not covered effective 12/31/07
	sodium per 50 ma.			SOL=ML											1				100 000 000 000 120 1701
J2540	Injection penicillinG potassium up to 600K U	Pfizerpen	Yes	PWD=UN SOL=ML	Antibiotic	None	Х	Х	Х										
J2543	Injection piperacillin sodium/tazobactam sodium 1g/0.125g (1.125	Zosyn	Yes	PWD=UN SOL=ML	Antibiotic	24 per day	Х	Х	Х										
J2545	Pentamidine isethionate inhalation solution	Nebupent Pentam 300	N/A		Antibiotic														Not Covered
J2547	300mg Injection, peramivir, 1	Rapivab	Yes	ML	Anti-influenza	600 units	Х	Х	Х	Х					+	+	\dashv	+	Effective 1/1/16. Restricted to diagnosis ICD-10 J09.X1 - J09.X3, J09.X9, J10.00, J10.01, J10.08, J10.1,
J2550	ma Injection promethazine	Phenergan	Yes	PWD=UN	Antiemetic	dailv 6 per day	Х	Х	Х	X					+	+	\dashv	-	J10.2, J10.81, J10.89, J11.00, J11.08, J11.1, J11.2, J11.81 or J11.89. Minimum of 18 years.
32330	HCl up to 50mg	Prorex-25	169	SOL=ML	Antiemetic	o per uay		^	^	^									
J2560	Injection phenobarbital sodium up to 120mg	Luminal Sodium	Yes	PWD=UN SOL=ML	Anti-convulsant	3 per day	Х	Х	Х							T	T		20/mg/kg for status epilepticus.
	isoaium up to 120ma	Soaium		SOT=MF	l		l				l			1					I

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	РО	OPI	Н	II ID	DT D	C Special Instructions
			Requi red	of measure		Limits	OP	OP									F	F	
			ieu	measure															
J2562	Injection, plerixafor, 1 mg.	Mozobil	Yes	ML	Hematopoietic	None	×	×	X							X			Effective 1/1/15 diagnosis of ICD-9 201.00 - 201.78 added to original diagnosis restriction. Effective 10/1/15 diagnosis of ICD-10 C81.00, C81.01, C81.02, C81.03, C81.04, C81.05, C81.06, C81.07, C81.08, C81.09, C81.10, C81.11, C81.12, C81.13, C81.14, C81.15, C81.16, C81.17, C81.18, C81.19, C81.20, C81.21, C81.22, C81.23, C81.24, C81.25, C81.26, C81.27, C81.28, C81.29, C81.30, C81.31, C81.31, C81.33, C81.34, C81.35, C81.36, C81.37, C81.38, C81.39, C81.41, C81.42, C81.42, C81.43, C81.44, C81.45, C81.46, C81.47, C81.48, C81.49, C81.70, C81.71, C81.72, C81.73, C81.74, C81.75, C81.76, C81.77, C81.78, C81.77, C81.79 added to original diagnosis restriction. Effective 10/1/2015 ICD-10 diagnosis codes C82.07, C82.17, C82.00 - C82.69, C82.80 - C82.99, C83.01-C83.08, C83.10 - C83.19, C83.30 - C83.39, C83.50 - C83.59, C83.70 - C83.59, C84.00 - C84.19, C84.40 - C84.49, C84.60 - C84.79, C84.90 - C84.99, C84.40 - C84.49, C84.20 - C84.29, C85.10 - C85.29, C85.80 - C85.99, C86.0 - C86.4, C86.6, C88.2 - C88.4, C88.8, C88.9, C90.00 - C90.02, C90.10 - C90.12, C90.20 - C90.22, C90.30 - C90.32, C91.40 - C91.42, C96.0, C96.2, C96.A, C96.9 Effective 1/1/10. Restricted to ICD-9 diagnosis 200.00 - 200.88, 201.00 - 201.98, 202.00 - 202.98, 203.00 - 203.82. Must be billed with J1440 (closed, see J1442), J1441 (closed, see J1442), J1442 (added effective 1/1/14), or J2505 (granulocyte colony stimulating factor). Restrict to 18 years and above.
J2590	Injection oxytocin up to 10U.	Pitocin	Yes	ML	Oxytocic agent	4 per day	Х	Х	Х								T		May increase to maximum 4 units for post partum hemorrhage.
J2597	Injection desmopressin	DDAVP	Yes	ML	Anti-diuretic	None	Х	X										t	Effective 7/1/19.
J2650	acetate 1mcq Injection prednisolone	Stimate AK-Pred	Yes	PWD=UN	Anti-	None	Х	Х	Х										
	acetate up to 1ml	Inflammase Forte Pediapred Prelone Key-Pred Predcor Predoject Predalone		SOL=ML	inflammatory														
J2670	Injection tolazoline HCI up to 25mg	Priscoline	Yes	PWD=UN SOL=ML	Alpha- adrenergic blocking agent	8 per day	Х	Х	Х										
J2675	Injection progesterone 50 mg	Crinone Progestasert	Yes	OIL=ML PWD=UN	Progestin	8 per day	Х	Х	Х	Х	Х								Not for fertility treatment and diagnosis. For menorrhagia, amenorrhea.
J2680	Injection fluphenazine decanoate up to 25mg	Prolixin Decanoate	Yes	OIL=ML PWD=UN	Anti-psychotic	2 per day	Х	Х	Х	Х		Х				Ì		×	Nurse practitioner added 1/1/09.
J2690	Injection procainamide	Pronestyl	Yes	PWD=UN	Anti-arrhythmic	None	Х	Х	Х							1			Weight based 50mg/kg/day.
J2700	HCl up to 1q Injection oxacillin sodium up to 250mg	Procanbid Bactocill Prostaphlin PCN Methyl-phenyl Isoxazolyl	Yes	SOL=ML PWD=UN SOL=ML	Antibiotic	None	Х	Х	Х										
J2704	Injection, propofol, 10	Diprivan	Yes	ML	Sedative	none	Х	Х	Х								1		Effective 1/1/15.
J2710	Injection neostigmine methylsulfate up to 0.5	Prostigmin	Yes	PWD=UN SOL=ML	Hypnotic Acetychol- inesterase inhibitor	4 per day	Х	Х	Х										
J2720	Injection protamine sulfate 10mg		Yes	PWD=UN SOL=ML	Antidote for heparin	None	Х	Х	Х										
J2724	Injection, Protein C Concentrate, IV, Human,	Ceprotin	Yes	UN	Thrombolytic agent	None	Х	Х	Х										Effective 10/1/2015 ICD-10 diagnosis codes D68.51, D68.59 or D68.62 New code effective 1/1/08. Home Infusion added as provider, effective 1/1/10. Restricted to ICD-9 diagnosis code 289.81

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	P	NP	MW								
			Requi	of	5.,	Limits	OP	OP	•			IVIII	HS	FU	OPH	111	F	טט	Special Instructions
			red	measure		Lillius	OF	OF											
			ieu	measure															
	Injection protirelin 250 mcq	Relefact TRH Thypi-nome	Yes	PWD=UN SOL=ML	Diagnostic agent	2 per day	Х	Х	Х										
J2730	Injection pralidoxime chloride up to 1q	Protopam Chloride	Yes	UN	Antidote	None	Х	Х	Х										
J2760	Injection phentolamine	Regitine	N/A		Diagnostic	1 per day													Not covered
10705	mesylate up to 5mg	Dealer	V	DWD UN	agent	0		· ·	V										
	Injection metoclopramide HCl up to 10mg	Reglan	Yes	PWD=UN SOL=ML	Antiemetic	8 per day	X	Х	Х	Х									
	Injection quinupristin/dalfopristin 500mg (150/350)	Synercid	N/A		Antibiotic														Not Covered
	Inection, ranibizumab 0.1 mg.	Lucentis	Yes	ML	Neovascular- Age related Macular Degeneration	None	×	X							×				Effective 10/1/16, ICD-10 diagnosis restrictions of E08.3211, E08.3212, E08.3213, E08.3291, E08.3292, E08.3293, E08.3311, E08.3312, E08.3313, E08.3391, E08.3391, E08.3392, E08.3391, E08.3411, E08.3412, E08.3413, E08.3492, E08.3714, E08.3714, E08.3714, E08.3714, E09.3292, E09.3293, E09.3293, E09.3311, E09.3311, E09.3312, E09.3313, E09.3391, E09.3392, E09.3393, E09.3411, E09.3412, E09.3413, E09.3491, E09.3492, E09.3493, E09.3714, E09.3722, E09.3733, E10.3211, E10.3212, E10.3213, E10.3291, E10.3292, E10.3293, E10.3391, E10.3391, E10.3392, E10.3293, E10.3391, E10.3393, E10.3391, E10.3392, E10.3411, E10.3311, E10.3312, E10.3313, E10.3511, E10.3512, E10.3513, E10.3521, E10.3523, E10.3531, E10.3533, E10.3533, E10.3541, E10.3542, E10.3543, E10.3551, E10.3552, E10.3553, E10.3591, E10.3592, E10.3593, E10.3771, E10.3772, E10.3773, E11.3211, E11.3212, E11.3213, E11.3292, E11.3293, E11.3311, E11.3312, E11.3313, E11.3391, E11.3392, E11.3393, E11.3411, E11.3412, E11.3514, E11.3514, E11.3514, E11.3514, E11.3515, E11.3552, E11.3553, E11.3592, E11.3593, E11.3593, E11.3771, E11.3772, E11.3773, E13.3392, E13.3393, E13.3311, E13.3312, E13.3313, E13.3391, E13.3514, E13.
J2780	Injection ranitidine HCI	Zantac	Yes	PWD=UN SOL=ML	Anti-histamine	6 per day	Χ	Х	Х										
J2783	Injection rasburicase 0.5	Elitek	Yes	UN	Enzyme	None	Х	Х	Х										
	Injection, regadenoson, 0.1 mg.	Lexiscan	Yes	ML	Vasodilator	limited to 18 years or older	Х	Х	Х								Х		New code effective 1/1/09. Approved for physicians and to IDTF. effective 1/1/09.
J2786	Injection, reslizumab, 1 ma	Cinqair	Yes	ML	Anti-asthmatic	None	Х	Х	Х	Х									Effective 1/1/17. Restricted to ICD-10 45.50. Minimum age of 18 years.

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	РО	ОРН	Н			C Special Instructions
			Requi red	of measure		Limits	OP	OP									F	:	
	Injection Rhod immune globulin human minidose 50 mca	MicrhoGam HyperRho S/D	Yes	EA=UN SOL=ML	Immune globulin	none	Х	Х	Х	Х	Х								Effective 4/1/13. Replacing 90385.
	Injection Rhod immune globuliln human full dose 300 mcg	Gamulin RH HyperRho S/D Rhogam	Yes	EA=UN SOL=ML	Immune globulin	none	Х	Х	Х	X	Х								Effective 4/1/13. Replacing 90384.
	Rhophylac Injection - Injection, Rho(d) immune globulin (human) 100 IU	Rhophylac	Yes	ML	Immune globulin	None	Х	Х	Х	Х	Х								New code effective 1/1/08. Replaces Q4089. Open to physician, nurse practitioner, and midwife, effective 3/1/08.
	Injection RhoD immune globulin IV human solvent detergent 100 IU	Winrho SDF	N/A		Immune globulin														
J2793	Injection, rilonacept, 1	Arcalyst	Yes	UN	Anti- inflammatory	none	Х	Х	Х	Х						Х			Effective 1/1/10.
	Injection Risperidone long acting 0.5mg	Risperdal Consta IM	Yes	UN	Anti-psychotic	100 units every 2 weeks	Х	Х	Х	Х		Х							Effective 10/1/2015 ICD-10 diagnosis codes F20.0 - F20.3, F20.5, F20.81, F20.89, F20.9 or F25.9 ICD-9 code 295XX.required on claim form. Age limit 18-years. Nurse practitioner added 1/1/09.
J2795	Injection ropivacaine HCI 1mg	Naropin	N/A		Local Anesthetic	Z WEEKS													Not Covered
J2796	Injection, romiplostim, 10 mcg.	Nplate	Yes	UN	Hematopoietic	none	Х	Х	Х	Х									Effective 10/1/2015 ICD-10 diagnosis codes D47.3, D69.3, D69.41, D69.42, D69.49 or D69.6 Effective 1/1/12, age restriction of 18 years removed. Effective 1/1/10. Restricted to ICD-9 diagnosis 287.30 - 287.33. Restrict to age 18 and above
J2800	Injection methocarbamol up to 10ml	Robaxin	Yes	PWD=UN SOL=ML	Skeletal muscle relaxant	3 per day	Х	Х	Х										207.30 - 207.33 Resulti Ittalie To alittalitive
J2805	Injection, sincalide, 5	Kinevac	Yes	UN	Diagnostic	None	Х	Х									X		Closed 8/31/19. No drug manufacturers partitipating in federal drug rebate program.
J2810	Injection theophylline 40	Theo-Dur	N/A		agent Broncho-dilator														Not Covered
	Injection sargramostim (GM-CSF) 50mcg	Leukine Prokine	Yes	PWD=UN SOL=ML	Colony stimulating factor	20 per day	Х	Х	Х										
J2840	Injection, sebelipase alfa, 1 mg	Kanuma	Yes	ML	Enzyme replacement	None	Х	Х	Х										Effective 1/1/17.
	Injection, secretin, synthetic, human, 1 mcg		Yes	UN	Hormonal Replacement	None	Х	Х									Х	(Use with CPT 43271, 89105, or 82938
J2860	Injection, siltuximab, 10	Sylvant	Yes	UN	Monoclonal antibody	None	Х	Х	Х										Effective 1/1/16. Restricted to diagnosis ICD-10 R59.0, R59.1, or R59.9. Minimum age of 18 years.
	Injection aurothioglucose up to 50mg	Solganal	Yes	ML	Anti- inflammatory	1 per day	Х	Х	Х										
J2912	Injection sodium chloride 0.9% per 2ml		N/A			None													CMS closed code effective 12/31/06
	Injection, sodium ferric gluconate complex in sucrose injection,	Ferrlecit	Yes	ML	Iron supplement	20 per day	Х	Х	Х									>	
	Injection methylprednisolone sodium succinate up to 40ma	SoluMedrol Ametha-Pred	Yes	UN	Anti- inflammatory	None	Х	Х	Х	Х									
	Injection methlprednisolone sodium succinate up to	SoulMedrol Ametha-Pred	Yes	UN	Anti- inflammatory	None	Х	Х	Х	Х									
J2940	Injection somatrem 1mg	Protropin	N/A		Growth hormone														Not Covered

Code	Description	Brand Name	NDC Requi red	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	HS	PO	ОРН	HI	IDT F	DO	Special Instructions
	Injection somatropin 1mg	Humatrope Genotropin Nutropin	N/A		Growth hormone														Not Covered
J2950	Injection promazine HCl up to 25mg	Sparine Prozine-50	Yes	PWD=UN SOL=ML	Anti-psychotic Analgesic	40 per day	Х	Х	Х			Х							
J2993	Injection reteplase 18.1 mg	Retavase	Yes	UN	Fibrinolytic	none	Х	Х	Х										Effective 10/1/2015 ICD-10 diagnosis codes I21.01, I21.02, I21.09, I21.11, I21.19, I21.21, I21.29, I21.3, I21.4, I22.0 - I22.2, I22.8 or I22.9 Restricted to ICD-9 diagnoses 410.00 - 410.92: with minimum age 18 years and above, effective 1/1/10
J2995	Injection streptokinase per 250KIU	Streptase	Yes	UN	Fibrinolytic	4 per day	Х	Х	Х										TESTILIFE II RAJEST INTILITES STITUTE STITUSE WITH INMINIMITALIE IN VERIS AUIT ANAME EURANNE IVITALI
J2997	Injection alteplase recombinant 1mg	Activase	Yes		Fibrinolytic		Х	Х											Effective 10/1/13.
	Injection streptomycin up to 1g	Streptomy-cin Sulfate	Yes	UN	Antibiotic	2 per day	Х	Х	Х										
J3010	Injection fentanyl citrate 0.1mg	Sublimaze Duragesic	Yes	PWD=UN SOL=ML	Analgesic narcotic	1 per day	Х	Х											
J3030	Injection sumatriptan succinate 6mg	Imitrex	N/A	OOL-IVIL	Antimigraine	1 per day												l	Not covered
	Injection, taliglucerace alfa, 10 units	Elelyso	Yes	UN	Enzyme replacement	41 units bi- weekly	Х	Х	Х										Effective 10/1/2015 ICD-10 diagnosis codes E75.21, E75.22, E75.240 - E75.243, E75.248, E75.249, E75.3, E77.0, E77.1, E77.8, or E77.9 Effective 8/27/14, minimum age restriction reduced to 4 years from 16 years of age. Effective 1/1/14. Restricted to ICD-9 diagnosis of 272.7. Minimum age restriction of 16 years.
J3070	Injection pentazocine 30	Talwin	Yes	ML	Analgesic narcotic	12 per day	Х	Х	Х									Х	
J3095	Injection, televancin, 10 mg.	Vibativ	Yes	UN	Antibiotic	None	Х	Х	Х	Х						Х			Effective 10/1/2015 ICD-10 diagnosis codes B78.1, K12.2, L01.00 - L01.03, L01.09, L01.1, L02.01 - L02.03, L02.11 - L02.13, L02.211 - L02.216, L02.219, L02.221 - L02.226, L02.229, L02.231 - L02.236, L02.239, L02.31 - L02.236, L02.231, L02.411 - L02.416, L02.419, L02.421 - L02.426, L02.429, L02.431 - L02.436, L02.439, L02.511, L02.512, L02.519, L02.521, L02.522, L02.529, L02.531, L02.532, L02.539, L02.611, L02.612, L02.619, L02.621, L02.622, L02.629, L02.631, L02.639, L02.811, L02.818, L02.821, L02.828, L02.831, L02.838, L02.91 - L02.93, L03.011, L03.012, L03.019 - L03.022, L03.029, L03.031, L03.032, L03.039, L03.041, L03.042, L03.049, L03.111 - L03.116, L03.119, L03.121 - L03.126, L03.129, L03.211, L03.212, L03.221, L03.222, L03.311 - L03.317, L03.319, L03.321 - L03.327, L03.329, L03.811, L03.818, L03.891, L03.891, L03.91, L04.0 - L04.3, L04.8, L04.9, L05.01, L05.02, L05.91, L05.92, L08.0, L08.81, L08.82, L08.89, L08.9, L88, L92.8, L98.0 or L98.3
J3100	Injection tenecteplase 50	TNKase	Yes	UN	Fibrinolytic	1 per day													See J3101.
J3101	Injection, tenecteplase, 1	TNKase	Yes	UN	Fibrinolytic		Х	Х											New code effective 1/1/09.
J3105	Injection terbutaline sulfate up to 1mg	Brethine	Yes	ML	Broncho-dilator	2 per day	Х	Х	Х										
J3110	Injection teriparatide 10	Forteo	N/A		Parathyroid hormone														Not Covered
J3111	Injection, romosozumab- aqqg, 1 mg	Evenity	Yes	ML	Bone Resorption Inhibitor	None	Х	Х	X	Х									Effective 10/1/19.
J3120	Injection testosterone enanthate up to 100mg	Delatestryl	Yes	ML	Androgen	1 per day	Х	Х	Х	Х									Closed 12/31/14. See J3121 after this date. Nurse practitioner added 1/1/09.
J3121	Injection, testosterone enanthate, 1mg	Delatestryl	Yes	ML	Androgen	400 u. per week	Х	Х	Х	Х								Х	Effective 1/1/15.
J3130	Injection testosterone enanthate up to 200mg	Delatestryl	Yes	OIL=ML PWD=UN	Androgen	2 per week	Х	Х	Х	Х								Х	Closed 12/31/14. See J3121 after this date. Nurse practitioner added 1/1/09.
J3140	Injection testosterone suspension up to 50mg	Andronaq 50	Yes	PWD=UN SOL=ML	Androgen	3 per week	Х	Х	Х	Х							T		May increase to 4 doses for post partum breast engorgement.
J3145	Injection, testosterone undecanoate, 1 mg.	Aveed	Yes	ML	Androgen		Х	Х	Х				1						Effective 5/1/17. Restricted to ICD-10 diagnosis of E29.1, E19.8.
J3150	Injection testosterone propionate up to 100mg	Testex	Yes	OIL=ML PWD=UN	Androgen	3 per week	Х	Х	Х	Х									May increase to 4 doses for post partum breast engorgement.

												,			,	_			
Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	PO	OPH	H			C Special Instructions
			Requi	of		Limits	OP	OP									F		
			red	measure															
12220	laisatian ablamanamina	Thoussias	Vaa	DWD LIN	Anti navahatia	40 === de	V	V		~	+		-	1	1	+	-	+	Numa assettisaas addad 4/4/00
J3230	Injection chlorpromazine	Thorazine	Yes	PWD=UN	Anti-psychotic	10 per day	Х	Х	Х	Х		Х							Nurse practitioner added 1/1/09.
12240	HCI up to 50mg Injection thyrotropin	Thyrogen	Yes	SOL=ML UN	Diagnostic	3 per day	Х	Х	Х		+		-	1	+	+		+	
J3240		rriyrogen	165	UN	0	3 per day	^	_ ^	^										
	alpha 0.9 mg provided in 1.1 mg vial				agent														
12242	Injection, tigecycline, 1	Tygacil	Yes	UN	Antibiotic	150 units per	Х	Х	Х	Х	1	1	_	1		+	-	+	New code effective 1/1/07. Nurse practitioner added 1/1/09.
33243	ma	rygacii	163	ON	ATTUDIOTIC	dav	^	_ ^	^	^									New code effective 1/1/07. Nuise practitioner added 1/1/03.
13246	Injection tirofiban HCL	Aggrastat	Yes	ML	Antiplatelet	None	Х	Х	Х		1	1		1		1	_	+	Must be billed daily.
002-10	0.25mg IV	riggrasiai	100	IVIL	riniplatolot	140110	^	_ ^	^										Made be blied daily.
.13250	Injection trimeth-	Tigan	N/A		Antiemetic						1	1		1		1	_	+	Not Covered
00200	obenzamide HCl up to	- igaii	,, .		7 111101110110														1.6.1 607-6164
	200mg																		
J3260	Injection tobramycin	Nebcin	Yes	ML	Antibiotic	None	Х	Х	Х		1	1						X	
1	sulfate up to 80mg						``	``	l ^`		1	1		1				1	
J3262	Injection, tocilizumab, 1	Actemra	Yes	ML	Immunologic	Maximum	Х	Х	Х			1	İ					T	Effective 1/1/17, service limit incresed to 1100 units.
	mg.					service limit													Effective 1/1/14, age restriction removed AND diagnosis ICD-9 714.30, 714.31, 714.32, 714.33 and ICD-10
	g.					1100 u.													M08.00, M08.3, M08.471, M08.472, M08.479, M08.40, M08.411, M08.412, M08.419, M08.421, M08.422,
						monthly													
						Hioritrily													M08.429, M08.431, M08.432, M08.439, M08.441, M08.442, M08.449, M08.451, M08.452, M08.459, M08.461,
																			M08.462, M08.469, M08.471, M08.472, M08.479, M08.40, M08.48 added.
																			Effective 10/1/2015 ICD-10 diagnosis codes M05.00, M05.011, M05.012, M05.019, M05.021, M05.022,
																			M05.029, M05.031, M05.032, M05.039, M05.041, M05.042, M05.049, M05.051, M05.052, M05.059, M05.061,
																			M05.062, M05.069, M05.071, M05.072, M05.079, M05.09, M05.30, M05.60, M05.611, M05.612, M05.619,
																			M05.621, M05.622, M05.629, M05.631, M05.632, M05.639, M05.641, M05.642, M05.649, M05.651, M05.652,
																			M05.659, M05.661, M05.662, M05.669, M05.671, M05.672, M05.679, M05.69, M05.711, M05.712, M05.719,
																			M05.721, M05.722, M05.729, M05.731, M05.732, M05.739, M05.741, M05.742, M05.749, M05.751, M05.752,
																			M05.759, M05.761, M05.762, M05.769, M05.811, M05.812, M05.819, M05.821, M05.822, M05.829, M05.831,
																			M05.832, M05.839, M05.841, M05.842, M05.849, M05.851, M05.852, M05.859, M05.861, M05.862, M05.869,
																			M06.071, M06.072, M06.079, M06.1, M06.211, M06.212, M06.219, M06.221, M06.222, M06.229, M06.231,
																			M06.232, M06.239, M06.241, M06.242, M06.249, M06.251, M06.252, M06.259, M06.261, M06.262, M06.269,
																			M06.811, M06.812, M06.819, M06.821, M06.822, M06.829, M06.831, M06.832, M06.839, M06.841, M06.842,
																			M06.849, M06.851, M06.852, M06.859, M06.861, M06.862, M06.869, M06.871, M06.872, M06.879 or M06.9
																			Now code offeeting 1/1/11 Rectricted to ICD 9 diagnosis 714.0 714.2 Rectricted to 200 16 and above
J3265	Injection torsemide	Demadex	Yes	ML	Anti-		Х	X											
L	10mg/ml		L.,	L	hypertensive		L.	L	<u> </u>	.	4—	1	-	<u> </u>	_	4—	_	4	
J3280	Injection thiethylperazine	Torecan	Yes	ML	Antiemetic	1 per day	Х	Х	Х							1		1	
1	maleate up to 10mg	Norzine	l													1		1	
L			L.,	L			L.,	<u> </u>	<u> </u>	L.,	1	1		1	1	4		1	
J3285	Injection, treprostinil, 1	Remodulin	Yes	ML	Vasodilator	None	Х	Х	Х	Х	1	1		1				1	Effective 10/1/2015 ICD-10 diagnosis codes I10, I27.0 - I27.2, I27.81, I27.82, I27.89 or I27.9 or P29.3
10	mg	- .	L.,		01411		L.,.	L.,	<u> </u>	.	1-	1				4	_	4	ICD-9 code 416.XX or 747.83 required on claim form. Nurse practitioner added 1/1/09.
J3300	Injection, triamcinolone	Triesence	Yes	UN	Ophthalmic Anti-		Х	Х	1	1	1	1		1	Х	1			New code effective 1/1/09. Covered to Ophthalmology physician specialty only, effective 10/1/10.
L.—	acetonide, PF, 1 mg.				inflammatory			<u> </u>	<u> </u>	L	1	1		1	1	4		1	
J3301	Injection triamcinolone	Kenalog-10	Yes	PWD=UN	Anti-	4 per day	Х	Х	Х	Х				Х		1		1	
1	acetonide 10mg	Kenalog-40	l	SOL=ML	inflammatory		l	l						1	1				
L.		Triam-A	<u> </u>				<u> </u>	<u> </u>	<u> </u>	L	1	<u> </u>		<u> </u>	<u> </u>	1		1	
J3302	Injection triamcinolone	Aristocort	Yes	PWD=UN	Anti-	8 per day	Х	Х	Х	Х	1	1		Х		1			
1	diacetate 5mg	Intralesional	l	SOL=ML	inflammatory		l	l						1	1				
1		Aristocort	l				l	l						1	1				
1		Forte	l				l	l						1	1				
1		Cinolone	l				l	l						1	1				
1		Trilone	l													1		1	
L	<u> </u>	Clipacort	L	<u> </u>				<u></u>		<u> </u>		<u> </u>		<u> </u>				L	
J3303	Injection triamcinolone	Aristospan	Yes	ML	Anti-	4 per day	Χ	Χ	Х	Х				Х					
	hexacetonide 5mg	Intralesional	l		inflammatory	. ,	l	l						1	1				
1		Aristospan	1		,		l	1	1	1	1	1		1		1			
L		Intra-articular																L	

Code	Description	Brand Name	NDC Requi	NDC unit	Category	Service Limits	AC OP	CAH	Р	NP	MW	МН	HS	РО	ОРН	НІ	IDT F		C Special Instructions
			red	measure		Limits	0.	0.									ľ		
	Injection, triamcinolone	Zilretta	Yes	UN	Anti-	Max. 32 mg.	Х	Х	Х	Х									Effective 1/1/19. Restricted to ICD-10 M17.1 - M17.9.
	acetonide, preservative- free, extended-release, microsphere formulation,				inflammatory	once yearly													
	1 ma Injection trimetrexate	Neutraxin	Yes	UN	Anti-	None	Х	Х	Х								-		Weight based.
	glucoronate 25mg				inflammatory														Weight based.
J3310	Injection perphenazine up to 5ma	Trilafon	Yes	PWD=UN SOL=ML	Anti-psychotic	3 per day	Х	Х	Х	Х		Х							
	Injection triptorelin pamoate 3.75mg	Trelstar LA	Yes	UN	Luteinizing hormone- releasing hormone	3 per month	Х	Х	Х										
	Injection, triptorelin, extended-release, 3.75 mg	Triptodur	Yes	UN	Luteinizing hormone- releasing	6 units per 23 weeks	Х	Х	Х										Effective 1/1/19. Restricted to ICD-10 E30.1. Minimum age of 2 years.
J3320	Injection spectinomycin dihydrochloride up to 2g	Trobicin	Yes	UN	Antibiotic	None	Х	Х	Х										
	Injection urea up to 40g	Ureaphil	N/A		Diuretic														Not Covered
J3355	Injection, urofollitropin, 75 IU	Metrodin	N/A		Hormonal Replacement														Not Covered.
	Injection, ustekinumab, 1 mg.	Bravelle Stelara	Yes	ML	Antipsoriatic	None	Х	Х	Х										Closed 6/30/17. See Q9989. Effective 10/1/2015 ICD-10 diagnosis codes L30.5, L40.0 - L40.4, L40.50 - L40.54, L40.59, L40.8, L40.9, L41.0, L41.1, L41.3 - L41.5, L41.8, L41.9, L42, L44.0, L44.8, L45 or L94.5 Effective 7/1/15, remove physician as covered provider. Refer to pharmacy POS coverage. New code effective 1/1/11. Restricted to ICD-9 diagnosis 696.0 - 696.8. Restricted to age 18 and above.
	Ustekinumab, for intravenous injection, 1 mg.	Stelara	Yes	ML	Antipsoriatic	None	X	Х	Х										Effective 5/1/18, ICD-10 K50.00, K50.01, K50.011 - K50.019, K50.10, K50.111 - K50.119, K50.80, K50.811 - K50.819, K50.90, K50.911 - K50.919 added. Effective 1/1/18. Restricted to ICD-10 L30.5, L40.0 - L40.4, L40.50 - L40.54, L40.59, L40.8, L40.9, L41.0, L41.1, L41.3 - L41.5, L41.8, L41.9, L42, L44.0, L44.8, L45 or L94.5.
J3360	Injection diazepam up to 5mg	Valium	N/A		Benzodiaze- pine														Not Covered
J3364	Injection urokinase 5000	Abbokinase open cath	Yes	UN	Fibrinolytic	2 per day	Х	Х	Х									Х	
J3365	Injection IV urokinaase 250000 IU vial	Abbokinase	N/A		Fibrinolytic														Not Covered
	Injection vancomycin HCI 500mg	Varocin Vancocin	Yes	PWD=UN SOL=ML	Antibiotic	None	Х	Х	Х									Х	
J3380	Injection, vedolizumab, 1 mg	Entyvio	Yes	UN	Anti-Infective	None	Х	Х	X										Effective 1/1/16. Restricted to diagnosis ICD-10 K50.00, K50.011 - K50.014, K50.018, K50.019, K50.10, K50.111 - K50.114, K50.118, K50.119, K50.80, K50.811 - K50.814, K50.818, K50.819, K50.90, K50.911 - K50.914, K50.918, K50.919, K51.00, K51.011 - K51.014, K51.018, K51.019, K51.20, K51.211 - K51.214, K51.218, K51.219, K51.20, K51.311 - K51.314, K51.319, K51.319, K51.40, K51.411 - K51.414, K51.418, K51.419, K51.50, K51.511 - K51.514, K51.518, K51.519, K51.80, K51.811 - K51.814, K51.818, K51.819, K51.90, K51.911 - K51.914, K51.918 or K51.919. Minimum age of 16 years.
	Injection, velaglucerase alfa, 100 units.	Vpriv	Yes	UN	Enzyme	Maximum service limit 165 u. monthly	Х	Х	Х							Х			Effective 10/1/2015 ICD-10 diagnosis codes E75.21, E75.22, E75.240 - E75.243, E75.248, E75.249, E75.3, E77.0, E77.1, E77.8, or E77.9 New code effective 1/1/11. Restricted to ICD-9 diagnosis 272.7. Restricted to ages 4 and above.

Code	Description	Brand Name	NDC Requi red	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	HS	PO	ОРН	НІ	F		C Special Instructions
	Injection, verteporfin 0.1mg	Visudyne	Yes	UN	Macular degeneration	None	Х	Х							X				Effective 1/1/15 diagnosis of ICD-9 362.41 added, and effective 10/1/15 diagnosis of ICD-10 H35.711, H35.712, and H35.713 added. Effective 10/1/2015 ICD-10 diagnosis codes B39.4, B39.5, B39.9, H32, H35.051 - H35.053, H35.059, H35.32 or H44.20 - H44.23 ICD-9 code 115.02, 115.12, 115.92, 360.21, 362.16, OR 362.52 required on claim form. Only bill CPT codes 67221 or 67225 with J3396. Must be billed daily.
	Injection, voretigene neparvovec-rzyl, 1 billion vector genomes	Luxturna	Yes	UN	Genetic therapy	N/A	Х												Effective 1/1/19. Contact Kepro at 800-346-8272 for prior authorization requests.
	Injection triflupromazine HCl up to 20mg	Vesprin	Yes	ML	Anti-psychotic	150 mg per day	Х	Х	Х			Х							
J3410	Injection hydroxyzine up to 25mg	Vistaril Hyzine-50 Atarax	Yes	PWD=UN SOL=ML	Antianxiety	None	Х	Х	Х	Х		Х							
J3411	Injection thiamine HCL 100ma	Thiamilate	Yes	PWD=UN SOL=ML	Vitamin supplement	2 per day	Х	Х	Х										
J3415	Injection pyridoxine HCI 100ma	Nestrex	Yes	PWD=UN SOL=ML	Vitamin supplement	2 per day	Х	Х	Х										
	Injection vitamin B-12 cyanocobalamin up to	Sytobex Residol Rubramin PC	Yes	PWD=UN SOL=ML	Vitamin supplement	1 per day	Х	Х	Х	Х									
	Injection phytonadione (viatamin K) per 1mg	Aqua Mephyton Konakion	Yes	PWD=UN SOL=ML	Vitamin supplement	25 per day	Х	Х	Х									7	X
J3465	Injection voriconazole	VFEND	Yes	UN	Anti- fungal	None	Х	Х	Х										
J3470	Injection hyaluronidase up to 150units	Wydase	Yes	PWD=UN SOL=ML	Enzyme	1 per day	Х	Х	Х										
	Injection, hyaluronidase, ovine, preservative free, per 1 USP unit (up to		Yes	ML	Enzyme	None	Х	Х							Х				
J3472	Injection, hyaluronidase, ovine, preservative free, per 1000 USP units		Yes	UN	Enzyme	None	Х	Х							Х				
J3473	Injection,hyaluronidase, recombinant, 1 USP unit	Vitrase	Yes	ML	Enzyme	300 units per	Х	Х	Х								Х		New code effective 1/1/07.
	Injection magnesium sulfate 500mg	Sulfamag	Yes		Mineral supplement		Х	Х	X										Effective 2/1/17, Oncology physician specialty restriction removed. Effective 10/1/2015 ICD-10 diagnosis codes E83.40 - E83.42, E83.49 or E83.89 Effective 1/1/10, coverage restricted to Oncology physician specialty only. Restrict to ICD-9 diagnosis code 275.2. Must be billed with CPT 96365 - 96368(infusion) or CPT 96401 - 96411, or 96413 - 96417, or 96420 - 96425, or 96440 - 96450, or 96542 - 96549(chemotherapy).
J3480	Injection potassium chloride 2mEq	Kdur Kaon-Cl	Yes	PWD=UN SOL=ML	Electrolyte Supplement	None	Х	Х	Х	Х								T	
	Injection zidovudine 10ma	Retrovir	N/A	JOL=IVIL	Anti-retroviral													T	Not Covered
	Injection zipraosidone mesylate 10mg	Geodon	Yes	UN	Anti-psychotic	10 per day	Х	Х	Х	Х		Х							Nurse practitioner added 1/1/09.
J3487	Injection zoledronic acid	Zometa	Yes	PWD=UN SOL=ML	Antidote	4 per day	Х	Х	Х										Closed 12/31/13. See J3489.
	Zoledronic Acid/Mannitol/Water Reclast, 1 mg. (5	Reclast	Yes	ML	Bone Resorption Inhibitor	Max. 5 mg. yearly	Х	Х	Х	Х									Closed 12/31/13. See J3489. New code effective 1/1/08. Replaces Q4095. Nurse practitioner added 1/1/09.

Code	Description	Brand Name	NDC Requi red	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	HS	PO	OPH	H H		DT I	OC Special Instructions
J3489	Injection, zoledronic acid, 1 mg	Zometa Reclast	Yes	ML	Bone Resorption	None	Х	Х	Х	Х									Effective 1/1/14.
J3490	Unclassified drugs. Used only if a more specific code is not		Yes	KIT=UN SOL=ML PWD=UN	Inhibitor														Refer to the list of Approved Drugs from preceding page billed with HCPCS Code J3490. Cost invoice may be required with claim form.
J3520	Edetate disodium 10mg	Endrate Disotate	Yes	PWD=UN SOL=ML	Antidote	None	Х	Х	Х										Covered only for treatment for lead or heavy metal poisoning; duration <2 weeks.
J3530	Nasal vaccine inhalation		N/A																Not Covered
J3535	Drug administered thru a metered dose inhaler.		N/A																Not Covered
J3570	Laetrile amygdalin vitamin B-17.		N/A		Vitamin														Not Covered
J3590	Unclassified biologics. Used only if a more specific code is not		Yes	KIT=UN SOL=ML PWD=UN															Refer to the list of Approved Drugs from preceding page billed with HCPCS Code J3490. Cost invoice may be required with claim form.
J7030	Infusion normal saline solution 1000cc		Yes	ML		None	Х	Х	Х	Х									
J7040	Infusion normal saline solution sterile (500ml = 1 unit)		Yes	ML		None	Х	Х	Х	Х									
J7042	5% dextrose/normal saline (500ml - 1 unit)		Yes	ML		None	Х	Х	Х	Х									
J7050	Infusion normal saline solution 250cc		Yes	ML		None	Х	Х	Х	Х									
J7060	5% dextrose/water (500 ml = 1 unit)		Yes	ML		None	Х	Х	Х	Х									
J7070	Infusion D-5-W 1000cc		Yes	PWD=UN SOL=ML		None	Х	Х	Х	Х									
J7100	Infusion dextran 40 500ml	Rheomacrode x Gentran 75	Yes	ML		None	Х	Х	Х										
J7110	Infusion dextran 75 500ml	Gentran 75	Yes	ML		None	Х	Х	Х										
J7120	Ringer's lactate infusion up to 1000cc		Yes	ML		None	Х	Х	Х										
J7130	Hypertonic saline solution 50 or 100 mEq 20cc vial		Yes	ML		None	Х	Х	Х										Closed 12/31/11. See J7131.
J7131	Hypertonic saline solution, 1 ml.	N/A	Yes	ML		None	Х	Х	Х							>	<	Ī	Effective 1/1/12.
J7175	Injection, Coagulation Factor X. human	Coagadex	Yes	IU			Х	Х	Х				Х						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 1/1/17. Restricted to D68.2. Minimum age of 12 years.
J7178	Injection, human fibrinogen concentrate, NOS, 1 mg	RiaSTAP	Yes	EA	Antifibrinolytic	None	Х	Х	Х				Х						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes D68.2 or D65 Effective 1/1/13. Restricted to ICD-9 diagnosis 286.3 or 286.6.
J7179	Injection, von willebrand factor (recombinant), 1	Vonvendi																	Effective 1/1/17. Not covered.
J7180	Injection, Factor XIII (antihemophilic factor, human), 1 IU	Corifact	Yes	UN	Anti-hemophilic	None	Х	Х	Х							>	<		Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). 10/1/2015 ICD-10 diagnosis code D68.2 Effective 1/1/12. Restricted to ICD-9 diagnosis 286.3
J7181	Injection, factor xiii a- subunit, (recombinant), per IU	Tretten	Yes	UN	Anti-hemophilic	None	Х	Х	Х										Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). 10/1/2015 ICD-10 diagnosis codes D68.2 Effective 1/1/15. Restricted to ICD-9 diagnosis of 286.3

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	PO	OPH	HI	IDT	DC	Special Instructions
			Requi	of	J	Limits	OP	OP									F	-	
			red	measure															
J7182	Injection, factor viii,	Novoeight	Yes	UN	Anti-hemophilic	none	Х	Х	Х										Closed 6/30/17. Refer to Pharmacy Point of Sale (POS).
	antihemophilic factor, recombinant, per iu																		Effective 10/1/2015 ICD-10 diagnosis codes D66
17400		\$401-1-	V	1151	And because hills	None	X									X		<u> </u>	Effective 4/1/15. Restricted to ICD-9 diagnosis restriction of 286.0. Minimum age restriction of 6 years.
	Injection, von Willebrand factor complex (human),	Wilate	Yes	UN	Anti-hemophilic	None	X	Х	Х							×			Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes D68.0
	1 IU. VWF:RCO Injection, von Willebrand																		Effective 1/1/12. Restricted to ICD-9 diagnosis 286.4. Restrict to age 5 and above.
J7184	factor complex (human), per 100 IU, VFW:RCO	Wilate	Yes	UN	Coagulation factor	None	Х	Х	Х				Х			Х			Closed 12/31/11. See J7183. Effective 1/1/11. Restricted to ICD-9 diagnosis 286.4. Restrict to age 5 and above.
	Injection, Factor	Xyntha	Yes	UN	Anti-hemophilic	none	Х	Х	Х				Χ			Х			Closed 6/30/17. Refer to Pharmacy Point of Sale (POS).
	VIII(antihemophilic factor, recombinant), per																		Effective 10/1/2015 ICD-10 diagnosis codes D66 or D68.311, D68.312, or D68.318 Effective 1/1/10. Restricted to ICD-9 diagnosis 286.0 or 286.5.
	Injection, antihemophilic	Alphanate	Yes	UN	Anti-hemophilic		Х	Х	Х				Х						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS).
	factor VIII/von Willebrand factor																		Effective 10/1/2015 ICD-10 diagnosis codes D66 or D68.0
	complex(human), per																		New code effective 1/1/09. Claim form requires ICD-9 codes 286.0 or 286.4, DOS, POS, J code, description of code, brand name of factor, total units dispensed, NDC# and total charges. Physician's and other lates are required to the code, brand total charges.
	Injection, Von Willebrand	Biopool	Yes	IU	Anti-hemophilic	None	Х	Х	Х				Χ						Closed 8/31/17. Refer to Pharmacy Point of Sale (POS).
	factor complex, human, ristocetin cofactor, per	Humate-P																	Effective 10/1/2015 ICD-10 diagnosis codes D66, D67, D68.1, D68.2, D68.0, D68.311, D68.312, D68.318, D65, D68.32, or D68.4
	IU																		New code effective 1/1/07. Claim form requires ICD-9 codes 286.0 -286.7, DOS, POS, J code, description of
																			code, brand name of factor, total units dispensed, NDC# and total charges. Physician's order/provider's Rx
																			with units dispensed must be attached.
J7188	Injection, Von Willebrand factor complex, human,	Obizur	N/A		Anti-hemophilic	None	Х	Х	Х				Х						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). 1/1/16. Restricted to diagnosis ICD-10 D68.32 or D68.4. Minimum age of 16 years.
	Factor VIIa	NovoSeven	Yes	F2=IU	Anti-hemophilic	None	Х	Х	Х				Х						Closed 8/31/17. Refer to Pharmacy Point of Sale (POS).
	(antihemophilic factor,																		Effective 10/1/2015 ICD-10 diagnosis codes D66, D67, D68.1, D68.2, D68.0, D68.32, or D68.4
	recombinant), per 1 mcg																		New code 1/1/06. Replaces Q0187. Requires completed claim form to include documentation of ICD-9 code 286.0 - 286.4; and ICD-9 code 286.7 added, effective 10/13/06; dates of service, place of service, appropriate
																			J code, description of code and brand name of factor, total units or mg dispensed, appropriate NDC# and total
																			charges. Physician's order and provider's Rx form documenting units dispensed must be attached to the claim.
J7190	Factor VIII human per IU	Kogenate	Yes	F2=IU	Anti-hemophilic	None	Х	Х	Х				Х				+		Closed 6/30/17. Refer to Pharmacy Point of Sale (POS).
		Monarc-M Koate HP																	10/1/2015 ICD-10 diagnosis codes D66, D67, D68.1, D68.2 or D68.0 Requires completed claim form to include documentation of ICD-9 code 286.0 - 286.4; dates of service, place
		Hemofil-M															ĺ		of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed,
		Alphanate															1		appropriate NDC# and total charges. Physician's order and provider's Rx form documenting units dispensed
		Humate P Koate DVI															1		must be attached to the claim.
		MonoclateP																	
J7191	Factor VIII porcine per	Hyate-C	Yes	UN	Anti-hemophilic	None	Х	Х	Х	_			Х				1		Closed 6/30/17. Refer to Pharmacy Point of Sale (POS).
	10																1		Effective 10/1/2015 ICD-10 diagnosis codes D66, D67, D68.1, D68.2 or D68.0 Requires completed claim form to include documentation of ICD-9 code 286.0 - 286.4; dates of service, place
																	ĺ		of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed,
											l	l			I	l	1		appropriate NDC# and total charges. Physician's order and provider's Rx form documenting units dispensed

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	PC	0	РН	HI		DO	Special Instructions
			Requi red	of measure		Limits	OP	OP										F		
J7192	Factor VIII recombinant per IU	Bioclate Genarc Human Method M Recombinate Kogenate Helixate FS Refacto Advate Kovaltry	Yes	F2=IU	Anti-hemophilic	None	Х	Х	Х				X							Closed 8/31/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis code D.66 Requires completed CMS 1500 claim form to include documentation of ICD-9 code 286.0; dates of service, place of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed, appropriate NDC# and total charges. Physician's order and provider's Rx form documenting units dispensed must be attached to the claim for payment consideration.
J7193	Factor IX purified, non- combinant per IU	AlphaNine SD Mononine	Yes	F2=IU	Anti-hemophilic	None	X	Х	Х				X							Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis code D.66 Requires completed claim form to include documentation of ICD-9 code 286.0 dates of service, place of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed, appropriate NDC# and total charges. Physician's order and provider's Rx form documenting units dispensed must be attached to the claimfor payment consideration.
J7194	Factor IX complex per IU	Alphanine SD Bebulin VH Profilnine HT & SD Konyne-80 Proplex T,	Yes	F2-IU	Anti-hemophilic	None	X	Х	X				X							Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes D.66 or D.67 Requires completed claim form to include documentation of ICD-9 code 286.0 - 286.1; dates of service, place of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed, appropriate NDC# and total charges. Physician's order and provider's Rx form documenting units dispensed must be attached to the claim.
	Factor IX (antihemophilic factor, recombinant) per IU	Proplex T Konyne 80 Benefix	Yes	W/DIL=IU PWD=UN	Anti-hemophilic	None	Х	Х	Х				Х							Closed 8/31/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis code D.67 Requires completed claim form to include documentation of ICD-9 code 286.1; dates of service, place of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed, appropriate NDC#and total charges. Physician's order and provider's Rx form documenting units dispensed must be described to the observed.
J7197	Antithrombin III human per IU	Throbate III Atnativ	Yes	F2-IU	Anti-hemophilic	None	Х	Х	Х				Х							Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis code D.66 Requires completed claim form to include documentation of ICD-9 code 286.0; dates of service, place of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed, appropriate NDC# and total charges. Physician's order and provider's Rx form documenting units dispensed must be described to the schim.
J7198	Anti-inhibitor per IU	Autoplex T FEIBA	Yes	F2=IU	Anti-inhibitor coagulant complex	None	Х	Х	Х				Х							Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes D.66 or D.67 Requires completed claim form to include documentation of ICD-9 code 286.0 - 286.1; dates of service, place of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed, appropriate NDC# and total charges. Physician's order and provider's Rx form documenting units dispensed
	Hemophilia clotting factor NEC. Used only if a more specific code is not available		N/A		Anti-hemophilic															Not covered
J7200	Injection, factor ix, (antihemophilic factor, recombinant), per IU	Rixubis	Yes	UN	Anti-hemophilic	none	Х	Х	Х											Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis code D.67 Effective 1/1/15. Restricted to ICD-9 diagnosis of 286.1.
J7201	Injection, factor ix, fc fusion protein (recombinant), per IU	Alprolix	yes		Anti-hemophilic	none	Х	Х	Х											Closed 8/31/17. Refer to Pharmacy Point of Sale (POS). 10/1/2015 ICD-10 diagnosis code D.67 Effective 1/1/15. Restricted to ICD-9 diagnosis of 286.1.
J7202	Injection, factor ix, albumin fusion protein, (recombinant), 1 IU	Idelvion	Yes	IU	Anti-hemophilic	None	Х	Х	Х				Х							Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 1/1/17. Restricted to D67.

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	РО	OPI	1 1			Special Instructions
			Requi red	of measure		Limits	OP	OP										F	
	Injection, factor VIII fc fusion (recombinant), per IU	Eloctate	yes	UN	Anti-hemophilic	none	Х	Х	Х				Х						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 1/1/16. Restricted to diagnosis ICD-10 D66. Minimum age of 2 years.
	Injection, factor viii, (antihemophilic factor, recombinant), pegylated, 1 i.u.	Adynovate	Yes	IU	Anti-hemophilic	None	Х	Х	Х				Х						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Restricted to D66. Minimum age of 12 years.
J7209	Injection, factor viii, (antihemophilic factor, recombinant), 1 IU	Nuwiq	Yes	IU	Anti-hemophilic	None	Х	Х	Х				Х						Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). 1/1/17. Restricted to D66. Minimum age of 2 years.
	Levonorgestrel-releasing intrauterine contraceptive system, 19.5 mg.	Kyleena	Yes	UN	Contraceptive	1 unit in 5 years	Х	Х	Х	Х	Х								Effective 1/1/18.
	Levonorgestrel-releasing intrauterine contraceptive system, 52mg, 3 year duration	Liletta	Yes	UN	Contraceptive	1 unit in 3 years	Х	Х	Х	X	X								Effective 1/1/16.
	Levonorgestrel-releasing intrauterine contraceptive system, 52 mg, 5 year duration	Mirena	Yes	UN	Contraceptive	1 unit in 5 years	Х	Х	Х	X	X								Effective 1/1/16.
J7300	Intrauterine copper contraceptive.	Paragard T380A	Yes	UN	Contraceptive	None	Х	Х	Х	Χ	Х								
	Levonorgestrel-releasing intrauterine contraceptive system (Skyla), 13.5 mg	Skyla	Yes	EA	Contraceptive	1 per 3 years	Х	Х	Х	Х	X								Effective 1/1/14. Minimum age restriction of 16 years.
	Levonorgestrel releasing intrauterine contraceptive system	Mirena Liletta	Yes	UN	Contraceptive	None	Х	Х	Х	Х	Х								Closed 12/31/15. See J7297 and J7298.
J7303	Contraceptive supply hormone containing vaginal ring each		N/A		Contraceptive														Not Covered
J7304	Contraceptive supply, hormone containing I patch each		N/A		Contraceptive														Not Covered
	Levonorgestrel (contraceptive) implant system, including implants and supplies	Norplant	Yes	UN	Contraceptive	1 every 3 years	X	Х	X	X	X								Code closed 6/30/11. Females only. Cost invoice required with claim form.
J7307	Etonogestrel implant system	Implanon Nexplanon	Yes	UN	Contraceptive	1 every 3 vears	Х	Х	Х	Х	Χ								New code effective 1/1/08. Replaces S0180. Females only.
	Aminolevulinic acid HCI for topical administration 20%, single unit	Levulan Kerastick	Yes	UN	Photo-sensitivity agent	Vears None			Х										Effective 10/1/2015 ICD-10 diagnosis code L57.0 Restricted to ICD-9 code 702.0, Actinic keratosis, effective 2/1/09. Covered to physician's only, effective 2/1/09.
	dosage form (354mg) methyl aminolevulinate (mal) for topical administration, 16.8%, 1 gram	Metvixia	Yes	GR	Photo-sensitivity agent	None			Х										Effective 10/1/2015 ICD-10 diagnosis code L57.0 New code effective 1/1/11. Restricted to ICD-9 diagnosis 702.0. Restricted to age 18 and above.
J7310	Ganciclovir 4.5 mg long- acting implant	Vitrasert Cvtovene	Yes	UN	Anti-viral	None	Х	Х							Х				One per each eye per 5 months.

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MAA	М	I HS	РО	OPI	<u>- 1</u>	ш	IDT	DC	Special Instructions
Code	Description	Brand Name	Requi	of	Category	Limits	OP	OP	-	INF	IVIVV	IVII	1 113	-	, 0 - 1	'	""	F	ьс	Special ilistituctions
			red	measure		Lillito	0.	0.										٠.		
			ieu	illeasure																
								L.,				<u> </u>		<u> </u>		4				
J7311	Fluocinolone acetonide,	Retisert	Yes	UN	Corticosteroid	1 per eye per	Х	Х							Х					Effective 10/1/2015 ICD-10 diagnosis codes H30.001 - H30.003, H30.009, H30.011 - H30.013, H30.019,
	intravitreal implant					30 months														H30.021 - H30.023, H30.029, H30.031 - H30.033, H30.039, H30.041 - H30.043, H30.049, H30.101 - H30.103,
																				H30.109, H30.111 - H30.113, H30.119, H30.121 - H30.123, H30.129, H30.131 - H30.133, H30.139, H30.141 -
																				H30.143, H30.149, H30.891 - H30.893, H30.899 or H30.90 - H30.93 New code effective 1/1/07. Claim form requires ICD-9 363.00-363.08, 363.10-363.15, or 363.20. Must bill with
																				CPT 67027.
J7312	Injection,	Ozurdex	Yes	UN	Anti-	None	X	Х							Х					Effective 1/1/19, approved ICD-10 diagnoses: E10.311, E10.3211 - E10.3513, E11.311, E11.3211 -
	dexamethasone,				inflammatory															E11.3513, H30.001 - H30.101, H30.891, H30.892, H30.893, H30.91, H30.92, H30.93, H34.8110, H34.8120,
	intravitreal implant, 0.1																			H34.8130, H34.9, H34.821, H34.822, H34.823, H35.81, H34.8310, H34.8320, H34.8330.
	mg.																			Effective 10/1/2015 ICD-10 diagnosis codes E11.311, H30.001 - H30.003, H30.009, H30.011 - H30.013,
																				H30.019, H30.021 - H30.023, H30.029, H30.031 - H30.033, H30.039, H30.041 - H30.043, H30.049, H34.811 -
																				H34.813, H34.819, H34.831 - H34.833, H34.839 or H35.81
																				Effective 6/30/14, ICD-9 diagnosis of 362.07 added. New code effective 1/1/11. Restricted to ICD-9
																				diagnosis 362.83 and 362.35 or 362.83 and 362.36, or 363.00 - 363.08. Restricted to ages 16 and above.
17212	Injection, fluocinolone	Iluvien	Yes	un	Anti-	None	Х	Х				1	+	1	Х	+				Effective 10/1/16, E10.3211, E10.3212, E10.3213, E10.3311, E10.3312, E10.3313, E10.3411, E10.3412,
37313	acetonide, intravitreal	navien	163	un	inflammatory	None	^	^												E10.3413, E10.3511, E10.3512, E10.3513, E10.3521, E10.3522, E10.3523, E11.3211, E11.3212, E11.3213,
	implant, 0.01 mg				ii iii ai i ii i i ai i i i i i i i i i															E11.3311, E11.3312, E11.3313, E11.3411, E11.3412, E11.3413, E11.3511, E11.3512, E11.3513 added.
	implant, c.or mg																			Effective 1/1/16. Restricted to diagnosis of ICD-10 E10.311, E10.319, E10.321, E10.329, E10.331, E10.339,
																				E10.341, E10.349, E10.351, E10.359, E10.36, E10.39, E10.65, E11.311, E11.319, E11.321, E11.329,
																				E11.331, E11.339, E11.341, E11.349, E11.351, E11.359, E11.36, E11.39, E11.65, E13.311, E13.319,
																				E13.321, E13.329, E13.331, E13.339, E13.341, E13.349, E13.351, E13.359, E13.36 or E13.39.
17040	Interdice contains	1-1	V		On hith alon?	Mana		L	 	<u> </u>		1		1	+.,	+		_		F(foother 40/4/004F IAD 40 discovering and an III/0 000 and II/0 000
J/316	Injection, ocriplasmin, 0.125 mg	Jetrea	Yes	ML	Ophthalmic	None	Х	Х							Х					Effective 10/1/2015 ICD-10 diagnosis codes H43.821 - H43.823 or H43.829 Effective 1/1/14. Restricted to ICD-9 diagnosis of 379.27. Minimum age restriction of 16 years.
.17317	Sodium hyaluronate per	Hyalgan 20	No		Osteoarthritic	10 injections	Х	Х	Х	Х						+	l	_		CMS closed code effective 12/31/06. See J7319
0.0	20 to 25 mg dose for	Supartz 25			ootoodi tiiitto	(5 per knee)		, ,	, ,											Child Side Side Side Side Side Side Side Sid
	intra-articular injection	0.00				X 6 months														
J7318	Sodium hyaluronate for	Orthovisc	No		Osteoarthritic	8 injections	Х	Х	Х	Х						Τ		T		CMS closed code effective 12/31/06. See J7319. ICD-9 code 715.16, 715.25, 715.36, or 715.96 billed with
	intra-articular injection,					(4 per knee)									1			J		CPT 20610 required on claim form. Cost invoice required with claim form.
17040	30 ma	Lhalaa CC	Ne		Onto a pathwitt-	X 6 months					!	₩	-	1-	+-	+		-		New and effective 4/4/07 ICD 0 and 245 VV or 740 VV required on plain form. At a table 10040
J/319	Hyaluronan (sodium	Hyalgan 20 Supartz 25	No		Osteoarthritic	10 injections	Х	Х	Х	Х								J		New code effective 1/1/07. ICD-9 code 715.XX or 716.XX required on claim form. Must be billed with 20610
	hyaluronate) or derivative, intra-articular	Supartz 25 Synvisc				(5 per knee) X 6 months									1			J		on claim. Code closed effective 10/1/08. See J7321-J7324.
	injection, per dose	Orthovisc				A O ITIOTIONS									1			J		
	, , ,	Fuflexxa																		
J7320	Hylan G-F20 16mg/2ml	Synvisc	No		Osteoarthritic	6 injections	Х	Х	Х	Х										CMS closed code effective 12/31/06. See J7319. ICD-9 code 715.XX or 716.XX required on claim form.
	for intra-articular					(3 per knee)									1					
	iniection					X 6 months				İ					1	L				

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	/ MI	н н	S	РО	ОРН	Н		Special Instructions
			Requi red	of measure		Limits	OP	OP										F	
			reu	measure															
J7321	Hyaluronan or derivate, Hyalgan or Supartz, for intra-articular injection	Hyalgan Supartz	No	ML	Osteoarthritic	10 injections (5 per knee) per 170 rolling days	X	X	X	x									Effective 10/1/2015 ICD-10 diagnosis codes M12.10, M12.111, M12.112, M12.119, M12.121, M12.122, M12.129, M12.131, M12.132, M12.139, M12.141, M12.142, M12.149, M12.151, M12.151, M12.159, M12.159, M12.162, M12.169, M12.169, M12.511, M12.512, M12.519, M12.511, M12.521, M12.521, M12.522, M12.529, M12.529, M12.531, M12.534, M12.541, M12.542, M12.544, M12.549, M12.551, M12.552, M12.569, M12.561, M12.562, M12.569, M12.561, M12.572, M12.572, M12.572, M12.599, M12.59, M12.59, M12.80, M12.81, M12.812, M12.819, M12.821, M12.822, M12.829, M12.831, M12.832, M12.839, M12.841, M12.842, M12.88 M12.851, M12.852, M12.859, M12.861, M12.862, M12.869, M12.871, M13.129, M13.129, M13.111, M13.112, M13.119, M13.121, M13.122, M13.129, M13.129, M13.131, M13.132, M13.139, M13.141, M13.142, M13.149, M13.151, M13.152, M13.159, M13.161, M13.162, M13.169, M13.172, M13.179, M13.80, M13.811, M13.812, M13.819, M13.821, M13.822, M13.829, M13.831, M13.833, M13.839, M13.841, M13.849, M13.851, M13.852, M13.859, M13.861, M13.862, M13.869, M13.861, M13.863, M13.869, M13.861, M13.881, M13.881, M13.881, M13.881, M13.881, M13.881, M13.881, M13.899, M15.0- M16.0- M16.12, M16.2, M16.2, M16.32, M16.4, M16.50 - M16.52, M16.6, M16.7, M16.9, M17.0, M17.10 - M17.12, M17.2, M17.30 - M17.31, M17.4, M17.5, M17.9, M18.0, M18.10 - M18.12, M18.2, M18.30, M19.032, M19.039, M19.039, M19.041, M19.0019, M19.0019, M19.002, M19.002, M19.003, M19.031, M19.032, M19.039, M19.041, M19.014, M19.017, M19.072, M19.072, M19.022, M19.029, M19.031, M19.032, M19.139, M19.141, M19.142, M19.149, M19.171, M19.172, M19.179, M19.211, M19.212, M19.234, M19.234, M19.234, M19.234, M19.244, M19.244, M19.249, M19.271, M19.237, M19.233, M19.239, M19.241, M19.242, M19.249, M19.271, M19.279, or M19.90 - M19.90
J7322	Hyaluronan or derivate, Synvisc, for intra- articular injections, per	Synvisc	No	ML	Osteoarthritic	6 injections (3 per knee) per 170	Х	Х	Х										New code effective 1/1/08. Replaces Q4084. Requires ICD-9 code 715.XX or 716.XX on claim form for payment consideration. Closed 12/3/109. See J7325.
J7323	Hyaluronan or derivate, Euflexxa, for intra- articular injections, per dose	Euflexxa	No	ML	Osteoarthritic	10 injections (5 per knee) per 170 rolling days	Х	Х	Х	х									Effective 10/1/2015 ICD-10 diagnosis codes M12.10, M12.111, M12.112, M12.119, M12.121, M12.122, M12.129, M12.131, M12.132, M12.139, M12.141, M12.142, M12.149, M12.151, M12.151, M12.152, M12.159, M12.11, M12.162, M12.169, M12.171, M12.172, M12.179, M12.18, M12.19, M12.50, M12.511, M12.512, M12.519, M12.559, M12.561, M12.529, M12.529, M12.531, M12.532, M12.539, M12.541, M12.542, M12.549, M12.551, M12.559, M12.561, M12.561, M12.569, M12.561, M12.561, M12.561, M12.571, M12.572, M12.579, M12.579, M12.581, M12.80, M12.80, M12.811, M12.812, M12.819, M12.819, M12.80, M12.811, M12.812, M12.819, M12.820, M12.804, M12.801, M12.811, M12.812, M12.8131, M12.832, M12.839, M12.841, M12.842, M12.89, M12.814, M12.859, M12.861, M12.869, M12.871, M12.872, M12.879, M12.88, M12.89, M13.101, M13.111, M13.112, M13.119, M13.121, M13.122, M13.129, M13.129, M13.131, M13.132, M13.139, M13.141, M13.142, M13.149, M13.151, M13.152, M13.159, M13.161, M13.162, M13.169, M13.171, M13.172, M13.179, M13.80, M13.811, M13.812, M13.819, M13.821, M13.822, M13.829, M13.831, M13.833, M13.839, M13.841, M13.842, M13.849, M13.851, M13.852, M13.859, M13.861, M13.862, M13.869, M13.861, M13.862, M13.869, M13.861, M13.862, M13.861, M13.862, M13.869, M13.861, M13.862, M13.863, M13.872, M13.879, M13.884, M13.89, M15.0 - M15.4, M15.5, M15.9, M16.0, M16.10 - M16.12, M16.2, M16.4, M16.50 - M16.52, M16.6, M16.7, M16.9, M17.0, M17.10, M17.12, M17.2, M17.30 - M17.33, M13.814, M13.814, M13.814, M13.82, M13.83, M

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	I HS	PC	О	ы	нι Ιι	пт	DC	Special Instructions
Code	Description	Brand Name	Requi	of	Category	Limits	OP	OP		INF	IVIVV	IVII	1 113	1				F	ьс	Special instructions
			red	measure																
J7324	Hyaluronan or derivative, Orthovisc, for intra- articular injections, per dose	Orthovisc	No	ML	Osteoarthritic	8 injections (4 per knee) per 170 rolling days	×	X	X	X										Effective 10/1/2015 ICD-10 diagnosis codes M12.10, M12.111, M12.112, M12.119, M12.121, M12.122, M12.129, M12.131, M12.132, M12.139, M12.141, M12.142, M12.149, M12.151, M12.152, M12.159, M12.161, M12.162, M12.169, M12.161, M12.512, M12.522, M12.529, M12.531, M12.532, M12.539, M12.541, M12.50, M12.511, M12.512, M12.551, M12.552, M12.559, M12.561, M12.562, M12.562, M12.569, M12.571, M12.572, M12.579, M12.58, M12.59, M12.561, M12.562, M12.562, M12.569, M12.571, M12.572, M12.579, M12.58, M12.59, M12.80, M12.811, M12.812, M12.819, M12.821, M12.822, M12.839, M12.831, M12.832, M12.839, M12.841, M12.849, M12.854, M12.861, M12.861, M12.862, M12.869, M12.871, M12.879, M12.88, M12.89, M12.81, M13.130, M13.10, M13.111, M13.112, M13.119, M13.121, M13.122, M13.129, M13.131, M13.132, M13.139, M13.141, M13.142, M13.149, M13.151, M13.152, M13.159, M13.161, M13.162, M13.169, M13.171, M13.172, M13.179, M13.80, M13.811, M13.812, M13.819, M13.821, M13.822, M13.829, M13.831, M13.831, M13.832, M13.839, M13.841, M13.842, M13.849, M13.851, M13.852, M13.852, M13.861, M13.862, M13.869, M13.871, M13.872, M13.879, M13.88, M13.89, M15.0 - M15.4, M15.8, M15.9, M16.0, M16.10 - M16.12, M16.2, M16.30 - M16.32, M16.4, M16.50 - M16.52, M16.6, M16.7, M16.9, M17.0 - M17.12, M17.2, M17.2, M17.30 - M17.32, M17.4, M17.5, M17.9, M18.0, M18.10 - M18.12, M18.20, M19.031, M19.032, M19.031, M19.014, M19.012, M19.019, M19.021, M19.022, M19.031, M19.032, M19.039, M19.041, M19.042, M19.049, M19.071, M19.072, M19.079, M19.111, M19.112, M19.119, M19.121, M19.121, M19.212, M19.219, M19.221, M19.222, M19.229, M19.231, M19.232, M19.239, M19.241, M19.242, M19.240, M19.271, M19.272, M19.279 or M19.90 - M19.93
J7325	Hyaluronan or derivative, Synvisc or Synvisc-1, for intra-articular use	Synvisc Synvisc-1	No	ML	Osteoarthritic	6 injections maximum every 180 days	х	x	Х	х										Effective 10/1/2015 ICD-10 diagnosis codes M12.10, M12.111, M12.112, M12.119, M12.121, M12.122, M12.129, M12.131, M12.132, M12.139, M12.141, M12.142, M12.149, M12.151, M12.152, M12.159, M12.161, M12.162, M12.169, M12.511, M12.529, M12.511, M12.523, M12.539, M12.541, M12.540, M12.549, M12.551, M12.552, M12.559, M12.551, M12.552, M12.559, M12.551, M12.552, M12.559, M12.551, M12.552, M12.559, M12.551, M12.562, M12.569, M12.571, M12.572, M12.579, M12.58, M12.59, M12.80, M12.811, M12.812, M12.819, M12.821, M12.822, M12.829, M12.831, M12.832, M12.839, M12.841, M12.842, M12.849, M12.851, M12.852, M12.859, M12.861, M12.862, M12.869, M12.871, M12.872, M13.129, M13.10, M13.111, M13.112, M13.119, M13.121, M13.122, M13.129, M13.131, M13.132, M13.139, M13.141, M13.142, M13.149, M13.151, M13.152, M13.159, M13.161, M13.162, M13.169, M13.171, M13.172, M13.179, M13.80, M13.811, M13.812, M13.819, M13.821, M13.822, M13.829, M13.831, M13.832, M13.839, M13.841, M13.849, M13.851, M13.852, M13.859, M13.861, M13.862, M13.869, M13.871, M13.872, M13.879, M13.879, M13.889, M13.89,
J7326	Hyaluronan or derivative, for intra-articular injection, per dose	Gel-One	No																	Not covered. See J7325.
	Hyaluronan or derivative, for intra-articular injection, per dose	Monovisc	No																	Not covered. See J7325.
	Capsaicin 8% patch, per 10 square centimeters	Qutenza	Yes	UN	Analgesic	1 patch per 90 days	Х	Х	X											Closed 12/31/14. See J7336 after this date. New code effective 1/1/11. Restricted to ICD-9 diagnosis 053.19. Restricted to 18 years and above.
J7336	Capsaicin 8% patch, per square centimeter	Qutenza	Yes	UN	Analgesic	1 patch per 90 davs	Х	Х	Х											Effective 10/1/2015 ICD-10 diagnosis codes B02.0, B02.29, or B02.32 Effective 1/1/15. Restricted to ICD-9 diagnosis 053.19. Restricted to 18 years and above.

Code	Description	Brand Name	NDC Requi red	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	HS	PO	ОРН	Н	DT C	OC Special Instructions
J7340	Dermal & empidermal(substitute) bioengineered or processed elements with metabolically active elements per square cm.	Apligraf	No			See special intructions	X	X	X					X				For diabetes: ICD-9 code 250.xx and 707.xx for surgeons; or, ICD-9 code 250.xx and 707.13, 707.14, or 707.15 for podiatrists. For venous stasis ulcer: ICD-9 code 454.0, 454.1, or 454.2 and 707.xx for surgeons; or ICD-9 code 454.0, 454.1, or 454.2 and 707.13, 707.14, or 707.15 for podiatrists required on claim form. Service limits for diabetic ulcer are: 3 applications in 9 weeks per year per ulcer. Service limits for venous statsis ulcer are: 3 applications in 12 weeks per year per ulcer. Closed 12/31/08. See Q4101
J7341	Dermal (substitute) tissue of nonhuman origin, with or without other bioengineered or processed elements, with metabolically active elements, per square		No			None	Х	X	х					X				New code 1/1/06. Closed 12/31/08. See Q4102 and Q4103.
J7342	Installation, ciprofloxacin otic suspension, 6 mg	Otiprio	Yes	ML	Anti-Infective	1 unit daily	Х	Х	Х	Х								Effective 1/1/17. Covered to ASC.
J7343	Dermal & epidermal (substitute) tissue nonhuman origin with or without other bioengineered or processed elements without metabolically elements per square cm.		No			None	х	X	x					X				For surgeons; ICD-9 code 941.30 - 941.39; 941.40 - 941.49; 942.30 - 942.39; 942.40 - 942.49; 943.30 - 943.39; 943.40 - 943.49; 944.30 - 944.38; 944.40 - 944.48; 945.30 - 945.39; 945.40 - 945.49; 946.3; 946.4; 949.3 or 949.4 required on claim form. For podiatrists; ICD-9 code 945.x2 or 945.x3 required on claim form. Closed 12/31/08. See Q4104 and Q4105.
J7344	Dermal (substitute) human origin with or without bioengineered or processed elements without metabolically active elements per		No			None	Х	Х	X					Х				Closed 12/31/08. See Q4107.
J7345	Dermal (substitute) tissue of nonhuman origin, with or without other bioengineered or processed elements, without metabolically active elements, per		No			None	х	Х	X					X				New code effective 1/1/07. Closed 12/31/07.
J7346	Dermal (substitute) tissue of human origin, injectable, with or without other bioengineered or processed elements, but without metabotically active elements, 1 cc		No			None	х	Х	Х					Х				New code effective 1/1/07. Closed 12/31/08.
J7347	Dermal (substitute) tissue of nonhuman origin, with or without other bioengineered or processed elements; without metabolically active elements(Integra	N/A	No															Not covered. See Q4108.

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	РО	ОРН	Н	II IID	тс	DC Special Instructions
0000	2000р	2.4	Requi	of	outogo.,	Limits	OP	OP		•••				. •	0		F		
			red	measure															
J7348	Dermal (substitute)	N/A	No															$^{+}$	Not covered. See Q4109.
	tissue of nonhuman																		
	origin, with or without other bioengineered or																		
	processed elements;																		
	without metabolically																		
	active																		
170.40	elements(TissueMend);																	_	N
J7349	Dermal (substitute) tissue of nonhuman	N/A	No																Not covered. See Q4110.
	origin; with or without																		
	other bioengineered or																		
	processed elements; without metabolically																		
	active elements																		
J7350	Dermal (substitute)		No			None	Х	Х	Х				1	Х		1	-	$^{+}$	CMS closed code effective 12/31/06. See J7346.
	tissue, human origin,																		
	injectable, with or without other																		
	bioengineered or																		
	processed elements but																		
	without metabolized active elements per 10																		
	donve didinente per 10																	-	
J7500	Azathioprine oral 50mg	Imuran	Yes		Immuno-														Medicare X-over
J7501	Azathioprine parenteral	Imuran	Yes	UN	suppressant Immuno-	None	Х	Х	Х								+	+	
17500	100mg Cyclosporine oral 100mg	Neoral	Yes		suppressant								-			-	_	_	Medicare X-over
		Sandimmune	163		Immuno- suppressant														Ividuidate A-over
J7504	Lymphocyte immune	Atgam	Yes	ML	Immune globulin	None	Х	Х	Х										
	globulin antihymocyte globulin equine																		
17505	parenteral 250mg	0.11	.,				.,	.,										_	
J/505	Muromonab-CD3 parenteral 5mg	Orthoclone OKT3	Yes	ML	Immuno- suppressant	1 per day	Х	Х	Х										
J7506	Prednisone oral per 5mg	Deltasone	Yes		Immuno-														Medicare X-over
		Meticorten Orasone			suppressant											ĺ			
J7507	Tacrolimus, immediate	Prograf	Yes		Immuno-											1	1	T	Medicare X-over
J7508	release, oral, 1 mg Tacrolimus, extended	Astagraf	N/A		suppressant				\vdash							1	+	+	New code effective 1/1/14. Not covered. See pharmacy POS.
17500	release, oral, 0.1 mg Methylprednisol-one oral	Medrol	Voc		Immuno-								 		1		_	-	Medicare X-over
3/509	per 4ma	iviedroi	Yes		suppressant						<u> </u>			<u> </u>				\perp	Ivieuicale A-ovei
J7510	Prednisolone oral per	Deltacortef	Yes		Immuno-		•												Medicare X-over
J7511	5ma Lymphocyte immune	Thymoglob-	Yes	UN	suppressant Immune globulin	None	Х	Х	Х							1	+	+	Weight based.
	globulin antithymocyte	ulin]														
	globulin rabbit parenteral															ĺ			
J7513	Daclizumab parenteral	Zenapax	Yes	ML	Immuno-	None	Х	Х	Χ							1	T	T	
J7515	25 mg Cyclosporine oral 25mg	Neoral	Yes		suppressant Immuno-								1		1	1	+	+	Medicare X-over
		Sandimmune			suppressant														
J7516	Cyclosporine parenteral 250mg	Neoral Sandimmune	Yes	PWD=UN SOL=ML	Immuno- suppressant	6 per day	Х	Х	Х							ĺ			
	ZJVIIIU	Januillilliune		SUL=IVIL	suppressant	·							1						I.

Code	Description	Brand Name	NDC Requi red	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	HS	PO	OPH	l F	DT I	DC Special Instructions
J7517	Mycophenolate mofetil oral 250mg	CellCept	Yes		Immuno- suppressant													Medicare X-over
J7518	Mycophenolic acid oral 180mg	Myfortic	Yes		Immuno- suppressant													Medicare X-over
J7520	Sirolimus oral 1mg	Rapamune	Yes		Immuno- suppressant													Medicare X-over
J7525	Tacrolimus parenteral 5	Prograf	Yes	ML	Immuno- suppressant	None	Х	Х	Х									
	Immunosuppressive drug NOS. Used only if a more specific code is		Yes		Gappingga.ii													Medicare X-over
	Albuterol, all formulations including separated isomers, inhalation solution, FDA approved final product, non-compounded, administered through DME, concentrated form, per 1 mg (albuterol) or per 0.5 mg	Proventil, Ventolin, Xopenex	N/A	ML	Broncho-dilator	None	Х	Х	Х	Х								New code effective 1/1/08. Replaces Q4093. Code closed 3/31/08.
	Albuterol, all formulations including separated isomers, inhalation solution, FDA approved final product, non-compounded, administered through DME, unit dose, per 1 mg. (albuterol), or 0.5	Proventil, Ventolin, Xopenex	N/A	ML	Broncho-dilator	None	X	X	X	X								New code effective 1/1/08. Replaces Q4094. Code closed 3/31/08.
	Acetylcysteine inhalation solution compounded product, administered through				Mucolytic	None												Not covered
J7605	Arformoterol, inhalation solution, FDA approved, final product, non-	Brovana	Yes	ML	Broncho-dilator	None	Х	Х										New code effective 1/1/08
	Formoterol fumarate, inhalation solution, FDA approved final product, noncompounded, administered through DME, unit dose form, 20	Perforomist	N/A		Broncho-dilator													Not covered.
	Levalbuterol, inhalation solution, compounded product, administered through DMF	Xopenex	N/A		Adrenergic bronchodilator													Not covered.
	Acetylcysteine inhalation solution unit dose form	Mucomyst Mucosil	Yes	ML	Mucolytic		Х	Х	Х	Х								New code effective 1/1/08. Nurse practitioner added 1/1/09.
	per ma. Albuterol, inhalation solution, compounded product, administered through DME	Proventil, Proventil Repetabs, Ventolin,	N/A		Broncho-dilator													Not covered.

				1																
Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC OP	CAH	Р	NP	MW	МН	HS	РО	ОРН	Н	II ID		oc	Special Instructions
			Requi red	of measure		Limits	OP	OP												
			rea	measure																
.17610	Albuterol, inhalation	Proventil,	N/A		Broncho-dilator												-	-	_	Not covered.
37010	solution, compounded	Proventil	IN/A		Dionono-dilator														ľ	Not covered.
	product, administered	Repetabs,																		
	through DME	Ventolin,																		
		Volmax					L.,	L.,	L.,									_		
J7611	Albuterol inhalation	Proventil,	Yes		Broncho-dilator	None	Х	Х	Х											Effective 10/1/2015 ICD-10 diagnosis codes A22.1, A37.91, A48.1, B25.0, B44.0, B44.1, J05.0, J09.X1,
	concentrated form 1mg	Proventil																		J09.X2, J09.X3, J09.X9, J10.00, J10.01, J10.08, J10.1, J10.2, J10.81, J10.89, J11.00, J11.08, J11.1, J11.2,
		Repetabs, Ventolin,																		J11.81, J11.89, J12.0, J12.1, J12.2, J12.3, J12.81, J12.89, J12.9, J13, J14, J15.0, J15.1, J15.20, J15.211,
		Veritoliri, Volmax																		J15.212, J15.29, J15.3, J15.4, J15.5, J15.6, J15.7, J15.8, J15.9, J16.0, J16.8, J17, J18.0, J18.1, J18.8, J18.9, J20.8, J20.9, J21.0, J21.8, J21.9, J40, J41.0, J41.1, J41.8, J42, J43.0, J43.1, J43.2, J43.8, J43.9, J44.0,
		Volitiax																		J44.1, J44.9, J45.20, J45.21, J45.22, J45.30, J45.31, J45.32, J45.40, J45.41, J45.42, J45.50, J45.51, J45.52,
																				J45.901, J45.902, J45.909, J45.990, J45.991, or J45.998
																				Opened effective 1/1/07. ICD-9 codes 464.4, 466-466.19, 480-487.8, 490-491.9, 492-492.8 and 493-493.9
17040	Lovolbutorol inhelation	Vonces	Vaa	-	Propohe dilet-	None	~	~	V	 	<u> </u>	1	1		 	+	+	-		
J/612	Levalbuterol inhalation solution concentrated	Xopenex	Yes		Broncho-dilator	None	Х	Х	Х							1				Effective 10/1/2015 ICD-10 diagnosis codes A22.1, A37.91, A48.1, B25.0, B44.0, B44.1, J05.0, J09.X1, J09.X2, J09.X3, J09.X9, J10.00, J10.01, J10.08, J10.1, J10.2, J10.81, J10.89, J11.00, J11.08, J11.1, J11.2,
	form 0.5mg																			J11.81, J11.89, J12.0, J12.1, J12.2, J12.3, J12.81, J12.89, J12.9, J13, J14, J15.0, J15.1, J15.20, J15.211,
	ioiiii o.oiiig																			J15.212, J15.29, J15.3, J15.4, J15.5, J15.6, J15.7, J15.8, J15.9, J16.0, J16.8, J17, J18.0, J18.1, J18.8, J18.9,
																				J20.8, J20.9, J21.0, J21.8, J21.9, J40, J41.0, J41.1, J41.8, J42, J43.0, J43.1, J43.2, J43.8, J43.9, J44.0,
																				J44.1, J44.9, J45.20, J45.21, J45.22, J45.30, J45.31, J45.32, J45.40, J45.41, J45.42, J45.50, J45.51, J45.52,
																				J45.901, J45.902, J45.909, J45.990, J45.991, or J45.998
																				Opened effective 1/1/07. ICD-9 codes 464.4, 466-466.19, 480-487.8, 490-491.9, 492-492.8 and 493-493.9
.17613	Albuterol inhalation	Accuneb	Yes	SOL=ML	Broncho-dilator		Х	Х	Х	Х								+	_	Code change; re-opened 1/1/09. Code closed effective 12/31/07.
07010	solution unit dose 1mg	Proventil	100	OOL-IVIL	Bronono dilator		^	^		^									- [Code dilange, to opened 1/1/00. Code discout circulary 12/01/07.
	column and accounting	Respirol																		
		Ventolin																		
J7614	Levalbuterol inhalation	Xopenex	Yes	SOL=ML	Broncho-dilator		Х	Х	Х	Х									(Code change; re-opened 1/1/09. Code closed effective 12/31/07.
J7615	solution unit dose 0.5mg Levalbuterol, inhalation	Xopenex	N/A		Adrenergic												-	-	_	Not covered.
3/013	solution, compounded	voheriex	IN/A		bronchodilator														ď	Not covered.
	product, adminstered				brononoaliator															
	through DMF																			
J7620	Albuterol, up to 2.5 mg	Duoneb	N/A		Broncho-dilator															Not covered.
	and ipratropium bromide,																			
	up to 0.5 mg, non-																			
.17622	compounded Betamethasone		N/A		Corticosteroid												_	+	-	Not Covered
0.022	inhalation solution unit		,, .		00111000101010														ľ	100.000
	dose form per ma										<u> </u>						_ _			
J7624	Betamethasone		N/A		Corticosteroid											1			I	Not Covered
	inhalation solution unit		l													1				
.17626	dose form per ma Budesonide inhalation	Pulmicort	N/A		Corticosteroid		 	 	\vdash	<u> </u>	1	\vdash	+	 	 	+	+	+	-	Not Covered
0,020	solution, non-	Respules	13/7		Johnson		1	1	1	l		1	1		1					
1	compounded,	госранов	1				1	1	1	l		1	1		1					
1	administered thru DME,		1				1	1	1	l		1	1		1					
	unit dose un to 0.5mg						<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>	1		<u> </u>	1		4	4	
J7627	Budesonide, powder,	Pulmicort	N/A	1	Corticosteroid		1	1	1	l		1	1		1				ا	Not covered.
1	compounded for		1	1			1	1	1	l		1	1		1					
	inhalation solution, administered through		l													1				
1	DME, unit dose form up		1	1			1	1	1	l		1	1		1					
	to 0.5mg																			
J7628	Bitolterol mesylate	Tornalate	N/A		Sympathomimet												T	T	Ţ	Not Covered
	inhalation solution con-		l		ic											1				
17620	centrated form per ma Bitolterol mesylate	Tornalate	N/A		Cumpathamim -		 	 	├	-	1	├	1		 	+	+	+	-	Not Covered
3/629	inhalation solution unit	romalate	IN/A	1	Sympathomimet ic		1	1	1	l		1	1		1					INUL COVETEU
	dose form per ma		l		IC IC											1				
	AVVE INTIL DEL HIG														•	-			_	

C-4-	Decembelon	Drawd Name	NDC	NDC'	Catamami	Camilaa	40	CALL	_ n	NP	8414	BAL:	Luc	DC.	ODL	122	IDT	l DC	Non-sial Instructions
Code	Description	Brand Name	NDC Requi	NDC unit of	Category	Service Limits	AC OP	CAH OP	Р	NP	MW	IVIH	HS	100	ОРН	HI	IDI F	DC	Special Instructions
			red	measure		LIIIIIIS	UP	UP					1			l	-		
			reu	illeasure															
17631	Cromolyn sodium	Gastrocrom	Yes	PWD=UN	Anti-allergic	None	Х	Y	Х	Y	 	-	+-	-	1	<u> </u>	+	1	New code effective 1/1/08. Nurse practitioner added 1/1/09.
37031	inhaltion solution unit	Intal	163	SOL=ML	Anti-allergic	None	^	^	^	^									New code effective 1/1/00. Naise practitioner added 1/1/05.
	dose form per 10mg	Nasalcrom		OOL-IVIL															
J7632	Cromolyn Sodium				Mast cell														Not covered.
	inhalation solution,				stabilizer														
	compounded product, administered through																		
J7633	Budesonide inhalation	Pulmicort	N/A		Cortico														Not Covered
	solution concentrated				steroid														
	form per 0.25ma																	<u> </u>	
J7634	Budesonide, inhalation	Rhinocort	N/A		Anti-														Not covered.
	solution, compounded product, administered				inflammatory, corticosteroid														
	through DMF				conticosteroid														
J7635	Atropine inhalation	Sal-Tropine	N/A		anticholinergics/													1	Not Covered
	solution concentrated				antispasmodics														
.17636	form per ma. Atropine inhalation	Sal-Tropine	N/A		anticholinergics/				\vdash				1		-		+	1	Not Covered
0.000	solution administered	Cai Tropino			antispasmodics														
	through DME unit dose																		
17007	form per ma	December	N1/A		0										-			<u> </u>	No Council
J/63/	Dexamethasone inhalation solution	Decadron	N/A		Corticosteroid														Not Covered
	concentrated form per																		
	ma .																		
J7638	Dexamethasone	Decadron	N/A		Corticosteroid														Not Covered
	inhalation administered through DME unit dose																		
	form per ma																		
J7639	Dornase alpha inhalation	Pulmozyme	N/A		Enzyme														Not Covered
	solution unit dose form																		
J7640	per ma Formoterol, inhalation	Foradil	N/A		Corticosteroid										1		1		Not covered.
	solution, administered																		
	through DME, unit dose																		
176/11	form 12 micrograms Flunisolide inhalation	Nasalide	N/A		Corticosteroid												-		Not Covered
37641	solution unit dose per	Nasaliue	IN/A		Conticosteroid														INOT COVERED
	ma .																		
J7642	Glycopyrrolate inhalation	Robinul	N/A		Anti-cholinergic														Not Covered
	solution concentrated form per mg																		
	iom per mg																		
J7643	Glycopyrrolate inhalation	Robinul	N/A		Anti-cholinergic														Not Covered
	solution unit dose form																		
.17644	per ma Ipratropium bromide	Atrovent	N/A		Broncho-dilator				\vdash				+				+	1	Not Covered
3,044	inhalation solution unit	, 111040111	14// 1		2.3110110 dilator														
	dose form per ma																1		
J7645	Ipratropium bromide,	Atrovent	N/A		Broncho-dilator						1		1			l			Not covered.
	inhalation solution, compounded product,										1		1			l			
	compounded product, administered thru DMF			<u> </u>			L				L	L	L			L	L	L	
J7647	Isoetharine HCI,	Bronkometer,	N/A		Broncho-dilator														Not covered.
	inhalation solution,	Bronkosol																	
	compounded product,																		
	administered through																		
									-								•		

													1		T = =		1		
Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC OP	CAH	Р	NP	MW	МН	HS	PO	OPH	H			C Special Instructions
			Requi	of		Limits	OP	OP									'	F	
			red	measure															
J7648	Isoetharine HCI	Bronkometer,	N/A		Broncho-dilator														Not Covered
	inhalation solution	Bronkosol																	
	concentrated form per																		
.17649	Isoetharine HCI	Bronkometer.	N/A		Broncho-dilator								1			+	+	\dashv	Not Covered
	inhalation solution unit	Bronkosol	14// (Bronono dilator														not covered
	dose form per ma	Di di modo.																	
J7650	Isoetharine HCI,	Bronkometer,	N/A		Broncho-dilator														Not covered.
	inhalation solution,	Bronkosol																	
	compounded product,																		
	administered through																		
17657	DMF	Jaural HC	N/A		Vacapragas		-		\vdash			<u> </u>	<u> </u>	 	<u> </u>	-	-	_	Not covered
	Isoproterenol HCI, inhalation solution,	Isuprel HCI Medihaler-	IN/A		Vasopressor														Not covered.
	compounded product,	150					1					l							
	administered through	150																	
	DME	1					1	l				l		1					
J7658	Isoproterenol HCI	Isuprel HCI	N/A		Vasopressor														Not Covered
	inhalation solution con-	Medihaler-																	
	centrated form per mg	150																_	
	Isoproterenol HCI	Isuprel HCI	N/A		Vasopressor														Not Covered
	inhalation solution unit	Medihaler-																	
17660	dose form per ma Isoproterenol HCI,	150 Isuprel HCI	N/A		Vasopressor													+	Not covered.
	inhalation solution,	Medihaler-	IN/A		vasopiessoi														Not covered.
	compounded product,	150																	
	administered through	130																	
	DME																		
J7665	Mannitol, administered	Aridol	N/A																Not covered.
17007	via inhaler. 5 mg. Metaporterenol sulfate,	Almana	N1/A		Broncho-dilator								-					_	Numerous
	inhalation solution,	Alupent	N/A		Broncho-dilator														Not covered.
	compounded product,																		
	concentrated																		
J7668	Metaproterenol sulfate	Alupent	Yes	ML	Broncho-dilator	None			Х	Χ									Code closed 6/30/11. Opened effective 1/1/07. ICD-9 codes 464.4, 466-466.19, 480-487.8, 490-491.9, 492-
	inhalation solution con-																		492.8 and 493-493.9 required on claim form.
	centrated form per 10mg																	_	
	Metaproterenol sulfate	Alupent	Yes	PWD=UN	Broncho-dilator	None			Х	Χ									Effective 10/1/2015 ICD-10 diagnosis codes A22.1, A37.91, A48.1, B25.0, B44.0, B44.1, J05.0, J09.X1,
	inhalation solution unit			SOL=ML															J09.X2, J09.X3, J09.X9, J10.00, J10.01, J10.08, J10.1, J10.2, J10.81, J10.89, J11.00, J11.08, J11.1, J11.2,
	dose form per 10 mg																		J11.81, J11.89, J12.0, J12.1, J12.2, J12.3, J12.81, J12.89, J12.9, J13, J14, J15.0, J15.1, J15.20, J15.211,
																			J15.212, J15.29, J15.3, J15.4, J15.5, J15.6, J15.7, J15.8, J15.9, J16.0, J16.8, J17, J18.0, J18.1, J18.8, J18.9,
																			J20.8, J20.9, J21.0, J21.8, J21.9, J40, J41.0, J41.1, J41.8, J42, J43.0, J43.1, J43.2, J43.8, J43.9, J44.0,
		1																	J44.1, J44.9, J45.20, J45.21, J45.22, J45.30, J45.31, J45.32, J45.40, J45.41, J45.42, J45.50, J45.51, J45.52, J45.901, J45.902, J45.909, J45.990, J45.991, or J45.998
														İ					Opened effective 1/1/07. ICD-9 codes 464.4, 466-466.19, 480-487.8, 490-491.9, 492-492.8 and 493-493.9
		.					<u> </u>		Ш				<u> </u>						1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Metaproterenol sulfate,	Alupent	N/A		Broncho-dilator		1					l							Not covered.
	inhalation solution,	I					1					l							
	compounded product, administered	1					1	l				l		1					
J7674	Methacholine chloride as	Provocholine	N/A		Cholinergic											1	\dashv	+	Not Covered
	inhalation solution				broncho-														
	through a nebulizer per	1			constrictor														
	1mg	ļ											<u> </u>						
	Pentamidine Isethionate				Anti-protozoal									ĺ					Not covered
	inhalation solution,	I					1					l							
	compounded product,	1																	
	administered through	ı		1	I	1							1		1	1	_ !		

	5																		
Code	Description	Brand Name	NDC	NDC unit	Category	Service		CAH	Р	NP	MW	МН	HS	РО	OPH	HI		DC	Special Instructions
			Requi	of		Limits	OP	OP									F		
			red	measure															
J7680	Terbutaline sulfate	Brethine	N/A		Broncho-dilator														Not Covered
	inhalation solution con-	Bricanyl																	
	centrated form per mg	·																	
J7681	Terbutaline sulfate	Brethine	N/A		Broncho-dilator														Not Covered
	inhalation solution unit	Bricanyl																	
	dose form per ma																		
	Tobramycin unit dose	Tobi	N/A		Antibiotic														Not Covered
	form 300mg inhalation																		
17692	solution Triamcinolone inhalation	Azmacort	N/A		Corticosteroid						-								Not Covered
	solution concentrated	Azillacon	IN/A		Corticosteroid														Not covered
	form per ma																		
J7684	Triamcinolone inhalation	Azmacort	N/A		Corticosteroid														Not Covered
	solution unit dose form																		
	per ma																		
J7685	Tobramycin, inhalation	Tobrex	N/A		Anti-bacterial,														Not covered.
	solution, compounded				opthalmic														
	product, administered																		
	through DMF																		
	Treprostinil, inhalation	Tyvaso	N/A		Pulmonary Anti-														Not covered.
	solution, FDA-approved				hypertensive														
	final product, non-																		
	compounded,																		
	administered through																		
	DME, unit dose form,																		
J7699	NOC drugs in-halation		N/A																Not Covered
	drugs. Used only if a																		
	more specific code is not																		
	available																		
	NOC drugs other than		N/A																Not Covered
	inhalation drugs. Used																		
	only if a more specific																		
10.400	code is not available		N/A																Net engaged
J8498	Antiemetic drug,		IN/A																Not covered.
	rectal/suppository, not otherwise specified																		
J8499	Prescription drug oral		N/A																Not Covered
	non-chemotherapeutic																		
	NOS																		
J8501	Aprepitant oral 5mg	Emend	N/A		Antiemetic				T		T								Not Covered
		Emend																	
105:-	5	Tri-Fold											\vdash				—	1	
	Bulsulfan oral2 mg	Myleran	N/A		Anti-neoplastic													├	Not Covered Not Covered
	Cabergoline, 0.25 mg	Dostinex	N/A		Anti noonloctic								\vdash		 		1	 	THE COVERED.
J852U	Capecitabine oral 150mg	Xeloda	N/A		Anti-neoplastic														Not Covered.
.18521	Capecitabine oral 500mg	Xeloda	N/A		Anti-neoplastic					_			H						Not Covered.
30021	Capoolabilio olai oooliig	Acidua	14/7		, and neoplastic														
J8530	Cyclophosphamide oral	Cytoxan	N/A		Anti-neoplastic														Not Covered.
	25mg	Procytox																	
J8540	Dexamethasone, oral,	Decadron	N/A		Anti-														Not Covered.
	0.25 mg				inflammatory														
	Etoposide oral 50mg	VePesid	N/A		Anti-neoplastic														Not Covered.
J8561	Everolimus, oral, 0.25	Afinitor	N/A																Not Covered.
10500	ma.	Ofeste	NI/A		Anti-nanning ()														Not en orași
J8562	Fludarabine phosphate,	Oforta	N/A		Anti-neoplastic														Not covered.
IRECE	oral, 10 mg. Gefitnib oral 250mg	Iressa	N/A		Anti-neoplastic					-			\vdash		1			\vdash	Not Covered.
00000	Jentino Orai ZOUTIŲ	แธงจิส	IN/A		ATTU-HEOPIASUC						l						1	-	Indi covered.

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	PO	ОРН	Н	IDT	DC	Special Instructions
0000	2000	2.4	Requi	of	outogo.,	Limits	OP	OP	•					. •		'''	F	- '	
			red	measure															
J8597	Antiemetic drug, oral,		N/A																Not Covered.
	not othrwise specified																		
	Melphalan oral 2mg	Alkeran	N/A		Anti-neoplastic														Not Covered.
J8610	Methotrexate oral 2.5mg	Rheumatrex	N/A		Anti-rheumatic														Not Covered.
10050	Nabilone, oral, 1 mg	Dose Pack Cesamet	N/A		Antiemetic												-		Not Covered.
	Rolapitant, oral, 1 mg	Varubi	IN/A	1	Antiemetic														Effective 1/1/17. Not covered. See pharmacy POS.
	Temozolomide oral 5mg	Temodar	N/A		Anti-neoplastic														Not Covered.
	Topotecan, oral, 0.25	Hycamtin	N/A	İ	Anti-neoplastic														Not covered.
	ma.	,			,														
J8999	Prescription drug oral		N/A																Not Covered.
	chemotherapeutic NOS.																		
	Used only if a more																		
	specific code is not																		
.19000	available Doxorubicin HCl 10mg	Adriamycin	Yes	PWD=UN	Anti-neoplastic	20 per day	Х	Х	Х							<u> </u>		H	
03000	DONOR ODDICITE FOR TOTAL	Aunamyom	169	SOL=ML	Anti-neopiastic	20 per uay	^	^	^							ĺ			
J9001	Doxorubicin HCl, all lipid	Doxil	Yes	ML	Anti-neoplastic	10 per day	Х	Х	Х										Closed 12/31/12.
	formulations, 10mg					.,,													
J9002	Injection, doxorubicin	Doxil	Yes	ML	Anti-neoplastic	10 per day	Χ	Х	Х										Effective 1/1/13.
	hydrochloride, liposomal,																		
	10 ma																		
J9010	Injection, alemtuzumab,	Campath	Yes	ML	Anti-neoplastic	3 per day	Х	Х	Х										Drug not available on market, effective 9/4/12.
10015	10ma Aldesleukin per single	Proleukin	Yes	UN	Biological	3 per day	Х	Х	Х										
	use vial.	Proleukiri	165	UN	Response	3 per day	^	^	^										
	use viai.				Modulator														
J9017	Arsenic trioxide 1mg	Trisenox	Yes	PWD=UN	Anti-neoplastic	15 per day	Χ	Х	Х										
	_			SOL=ML	·														
J9019	Injection, asparaginase,	Erwinaze	Yes	UN	Anti-neoplastic	None	Х	Х	Х										Effective 10/1/2015 ICD-10 diagnosis codes C91.00 - C91.02
10020	1.000 iu Asparaginase 10000U	Elspar	Yes	UN	Anti-neoplastic	3 per day	Х	Х	Х								-		Effective 1/1/13. Restricted to ICD diagnosis of 204.00 - 204.02.
	Injection, atezolizumab,	Tecentriq	Yes	ML	Anti-neoplastic	120 units	X	X	X										Effective 1/1/18. Restricted to ICD-10 C34.00 - C34.92, C65.1, C65.2, C65.9, C66.1, C66.2, C66.9, C67.0,
	10 mg.	roconing	100	IVIL	7 ti ti Noopiastio	daily	^	_ ^	_ ^										C67.1, C67.2, C67.3, C67.4, C67.5, C67.6, C67.7, C67.8, C67.9, C68.0. Minimum age of 16 years.
	. og.					uany													001.11, 001.2, 001.01, 001.01, 001.01, 001.01, 001.01, 001.01, 001.01, 000.01. William age of 10 years.
.19023	Injection, avelumab, 10	Bavencio	Yes	ML	Anti-neoplastic	None	Х	Х	Х								1		Effective 5/14/19, ICD-10 added: C4A.111, C4A.112, C4A.121, C4A.122, C61, C64.1, C64.2, C64.9, C66.9,
	mg.	Davericio	163	IVIL	Anti-neoplastic	None		^	^										D09.0, Z85.51, Z85.528. Effective 1/1/18.
	9.																		Restricted to ICD-10 C4A.0, C4A.10 -C4A.12 , C4A.20 - C4A.22, C4A.30 - C4A.39, C4A.4, C4A.51 - C4A.59,
																			C4A.60 - C4A.62, C4A.70 - C4A.72, C4A.8, C4A.9; C65.1, C65.2, C66.1, C66.2, C67.0 - C67.9, C68.0, C68.8.
																			Minimum age of 12 years.
																			William age of 12 years.
J9025	Injection, azacitidine, 1	Vidaza	Yes	UN	Anti-neoplastic	None	Χ	Х	Х										Effective 6/1/19, ICD-10 added: C92.00, C92.01, C92.02, C92.50, C92.51, C92.52, C92.60, C92.61, C92.62,
	mg				·														C92A0, C92.A1, C92.A2, E83.42. Effective
	•																		10/1/2015 ICD-10 diagnosis codes C88.8, C92.10, C92.20, C94.40, C94.41, C94.42, C94.6, D46.0, D46.1,
																			D46.20, D46.21, D46.22, D46.4, D46.9, D46.A, D46.B, D46.C, D46.Z, D47.1, D47.3, D47.9, or D47.Z9
																			ICD-9 code 238.7, 238.71, 238.72, 238.73, 238.74, 238.75, 238.76, 238.79 or 205.10 required on claim form.
J9027	Injection, clofarabine, 1	Clolar	Yes	ML	Anti-neoplastic	None	Х	Х	Х							l			New code effective 1/1/06.
J9030	mg BCG live intravesical	BCG Tice	Yes	UN	Biological	None	Х	Х	Х									\vdash	Effective 7/1/19.
33000	instillation, 1 mg	500 1100	103	0.1	Response	140110	^	^	^										
	otction, i mg				Modulator														
J9031	BCG live (intravesical)	TheraCys	Yes	UN	Biological	3 per day	Х	Х	Х										Code can be used for therapeutic reasons, and claim must include the NDC being billed.
		Tice BCG			Response		l	l					1		l	l	1	1	
	per instillation	TICE DCG			Modulator														

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	I HS	РО	OP	- 1	ні Іп	DT D	DC Special Instructions
Jour	Description	Diana Name	Requi	of	Gategory	Limits	OP	OP	•				.	. •		Ή.	[.	F	
			red	measure															
J9032	Injection, belinostat, 10	Beleodaq	Yes	UN	Anti-neoplastic		Х	Х	Х										Effective 1/1/16. Restricted to diagnosis ICD-10 C84.40 - C84.49. Minimum age of 16 years.
J9033	mg Injection, bendamustine	Treanda	Yes	UN	Anti-neoplastic	None	Х	Х	Х							-	-	-	Effective 10/1/2015 ICD-10 diagnosis codes C82.00 - C82.69, C82.80 - C82.99, C83.01 - C83.08, C83.10 -
00000	HCl, 1 mg.	rrounda		0.1	7 title 1100pidotio	110110		,	^										C83.19, C83.30 - C83.39, C83.50 - C83.59, C83.70 - C83.99, C84.00 - C84.19, C84.40 - C84.49, C84.60 -
																			C84.79, C84.90 - C84.99, C84.A0 -C84.A9, C84.Z0 - C84.Z9, C85.10 - C85.29, C85.80 - C85.99, C86.0 -
																			C86.4, C86.6, C88.2 - C88.4, C88.8, C88.9, C90.00, C90.10, C90.20, C90.30, C91.10 - C91.12, C91.40 - C91.42, C96.0, C96.2, C96.A, or D47.Z9
																			New code effective 1/1/09. Replaces C9239. Restricted to ICD-9 diagnois 200.00-200.88, 202.00-202.88,
J9034	Injection, bendamustine	Bendeka	Yes	ML	Anti-neoplastic	None	Х	Х	Х										Effective 1/1/17. Restricted to ICD-10 diagnosis C82.00 - C82.69, C82.80 - C82.99, C83.01 - C83.08, C83.10
	HCl, 1 mg.				·														C83.19, C83.30 - C83.39, C83.50 - C83.59, C83.70 - C83.99, C84.00 - C84.19, C84.40 - C84.49, C84.60 -
																			C84.79, C84.90 - C84.99, C84.A0 -C84.A9, C84.Z0 - C84.Z9, C85.10 - C85.29, C85.80 - C85.99, C86.0 - C86.4, C86.6, C88.2 - C88.4, C88.8, C88.9, C90.00, C90.10, C90.20, C90.30, C91.10 - C91.12, C91.40 -
																			C91.42, C96.0, C96.2, C96.A, or D47.Z9.
10005	Interded by a second	A t'e	V		And an allerda	Mana			· ·		-		-						F((-)) = 0(4) = -11(0) 40 (1-m) = -0514 0514 05140 m + 05140
J9035	Injection bevacizumab 10 mg	Avastin	Yes	ML	Anti-neoplastic	None	Х	Х	Х										Effective 2/1/17, add ICD-10 diagnoses C54.1, C54.2, C54.3, and C54.9. Effective 10/1/2015 ICD-10 diagnosis codes C18.0 - C18.9, C19, C20, C21.0 - C21.2, C21.8, C33, C34.00 -
	l o mg																		C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92, C38.4, C44.500,
																			C44.501, C44.509, C44.90, C45.1, C48.0, C48.1, C48.8, C53.0, C53.1, C53.8, C56.1, C56.2, C56.9, C57.00 -
																			C57.02, C57.10 - C57.12, C57.20 - C57.22, C57.3, C57.4, C64.1, C64.2, C64.9, C65.1, C65.2, C65.9, C66.1, C66.2, C66.9, C68.0, C68.1, C68.8, C68.9, C70.0, C70.1, C70.9, C71.0 - C71.9, C72.0, C72.1, C72.20 -
																			C72.22, C72.30 - C72.32, C72.40 - C72.42, C72.50, C72.9, D43.0 - D43.2, or D43.4
																			Effective 11/14/14, ICD-9 diagnosis restriction of 158.0 - 158.8 and 183.0 - 183.8 added. Effective
																			8/14/14, ICD-9 diagnosis restriction of 180.0, 180.1, and 180.8 added. Effective 10/1/13, ICD-9 diagnosis
																			restriction of 237.5 added. Effective 4/1/13, approved ICD-9 diagnoses 174.0 - 175.9 removed, per FDA recommendation. ICD-9 codes 153.0-154.8, 173.5, 174.0-174.9 or 175.0-175.9 required on claim form. New
																			ICD-9 diagnois code of 162.0 - 163.0, effective 9/20/07. New ICD-9 diagnosis code of 191.0-192.9, effective
10020	Injection, blinatumomab,	Blincyto	Yes	UN	Anti-neoplastic	None	Х	Х	Х				-			_			5/5/09. New approved ICD-9 diagnosis of 189.0 - 189.9, effective 8/1/09. Bill J3490 for provider specialty Effective 6/1/18, minimum age restriction was removed. Effective
39039	1 microgram	Billicyto	163	ON	Anti-neoplastic	None	^	^	^										1/1/16. Restricted to diagnosis ICD-10 C91.00 - C91.02. Minimum age of 13 years.
																			,
	Bleomycin sulfate 15U	Blenoxane	Yes	UN	Anti-neoplastic	4 per day	X	X											F((-)) - 404/04F IOD 40 11
J9041	Injection bortezomib (Velcade), 0.1 mg	Velcade	Yes	UN	Proteasome Inhibitor	None	Х	Х	Х										Effective 10/1/2015 ICD-10 diagnosis codes C83.10 - C83.19, C90.00, C90.02, T86.00 - T86.03, T86.09 - T86.13, T86.19 - T86.23, T86.290, T86.298, T86.30 - T86.33, T86.39 - T86.43, T86.810 - T86.812, T86.818,
	(T86.819, T86.850 - T86.852, T86.858, T86.859, T86.890 - T86.898 or T86.899
																			ICD-9 diagnosis restriction of 996.81 - 996.87 added, effective 3/1/15. ICD-9 code 203.00 or 203.02, initial
																			or relapsed multiple myeloma, required on claim form. New indication of mantle cell lymphoma added effective 7/1/08. Claim must include ICD-9 range of 200.40 to 200.48.
																			17 1700. Claim must include 105-3 famge of 200.40 to 200.40.
J9042	Injection, brentuximab	Adcetris	Yes	UN	Anti-neoplastic	180 units	Х	Х	Х							+			Effective 10/1/2015 ICD-10 diagnosis codes C81.00 - C81.49, C81.70 - C81.79, C81.90 - C81.98, or C84.60 -
	vedotin, 1 mg			-		daily													C84.79
J9043	Injection, cabazitaxel, 1	Jevtana	Yes	ML	Anti-neoplastic	None	Х	Х	Х			-	-			-			Effective 1/1/13. Restricted to ICD-9 diagnosis of 200.60 - 200.68 or 201.00 - 201.98. Effective 10/1/2015 ICD-10 diagnosis code C61
	mg.				·														Effective 1/1/12. Restricted to ICD-9 diagnosis 185.0,
J9044	Injection, bortezomib, not otherwise specified,	Velcade	Yes	UN	Proteasome Inhibitor	None	Х	Х	Х										Effective 1/1/19.
	0.1 mg				Inhibitor														Restricted to ICD-10 C83.10 - C83.19, C90.00, C90.02, and T86.00 - T86.03, T86.09 - T86.13, T86.19 - T86.23, T86.290, T86.298, T86.30 - T86.33, T86.39 - T86.43, T86.810 - T86.812, T86.818, T86.819, T86.850 -
																			T86.852, T86.858, T86.859, T86.890 - T86.892, T86.898 or T86.899.
J9045	Carboplatin 50mg	Paraplatin	Yes	PWD=UN	Anti-neoplastic	18 per day	Х	Х	Х										
J9047	Injection, carfilzomib, 1	Kyprolis	Yes	SOL=ML UN	Anti-neoplastic	None	Х	Х	Х		1	\vdash	+			+			Effective 10/1/2015 ICD-10 diagnosis codes C90.00, C90.01 or C90.02
	ma	71			·					<u> </u>		<u> </u>					_		Effective 1/1/14. Restricted to ICD-9 diagnosis of 203.00 - 203.02. Minimum age restriction of 16 years.
J9050	Carmustine 100mg	BICNU	Yes	PWD=UN SOL=ML	Anti-neoplastic	5 per day	Х	Х	Х										
	1			30L=IVIL					L	<u> </u>		1		1	1				

Code	Description	Brand Name	NDC Requi red	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	HS	PO	OF	Н	HI	IDT F	DC	Special Instructions
J9055	Injection Cetuximab 10 mg	Erbitux	Yes	ML	Anti-neoplastic	None	Х	х	X											Effective 10/1/2015 ICD-10 diagnosis codes C00.0 - C00.6, C00.8, C00.9, C01, C02.0 - C02.4, C02.8, C02.9, C03.0, C03.1, C03.9, C04.0, C04.1, C04.8, C04.9, C05.0 - C05.2, C05.8, C05.9, C06.0 - C06.2, C06.80, C06.89, C06.9, C07, C08.0, C08.1, C08.9, C09.0, C09.1, C09.8, C09.9, C10.0 - C10.4, C10.8 - C10.9, C11.0 - C11.3, C11.8, C11.9, C12, C13.0 - C13.2, C13.8, C13.9, C14.0, C14.2, C14.8, C18.0 - C18.9, C19.0, C21.0 - C21.2, C21.8, C30.0, C30.1, C31.0 - C31.3, C31.8, C31.9, C32.0 - C32.3, C32.8, C32.9, C4A.0
	Injection, copanlisib, 1 mg	Aliqopa	Yes	UN	Anti-neoplastic	60 units daily	Х	Х	Х											or C76.0 Effective 1/1/19. Restricted to ICD-10 C82.00 - C82.99. Minimum age of 16 years.
J9060	Cisplatin powder or	Platinol AQ	Yes	PWD=UN	Anti-neoplastic	18 per day	Х	Х	Х											William age of 10 years.
10000	solution per 10ma	District AO	V	SOL=ML	A - 1' 1 1'-	0					-	-	+	-	+			_		Olympia 40/04/40 Dec. 10000
	Cisplatin 50mg	Platinol AQ	Yes	ML MI	Anti-neoplastic	6 per day	X	X	X	<u> </u>	+	!	+	<u> </u>	-	$-\vdash$	1			Closed 12/31/10. See J9060.
	Injection cladribine per 1 mg	Leustatin	Yes	ML	Anti-neoplastic	40 per day	Х	Х	Х				1							
J9070	Cyclophosphamide 100ma	Cytoxan Neosar	Yes	UN	Anti-neoplastic	68 per day	Х	Х	Х											
J9080	Cyclophosphamide 200	Cytoxan Neosar	Yes	UN	Anti-neoplastic	34 per day	Х	Х	Х											Closed 12/31/10. See J9070 after this date.
J9090	Cyclophosphamide 500	Cytoxan	Yes	UN	Anti-neoplastic	14 per day	Х	Х	Х											Closed 12/31/10. See J9070 after this date.
J9091	Cyclophosphamide 1g	Neosar Cytoxan	Yes	UN	Anti-neoplastic	7 per day	Х	Х	Х											Closed 12/31/10. See J9070 after this date.
J9092	Cyclophosphamide 2g	Neosar Cytoxan Neosar	Yes	UN	Anti-neoplastic	4 per day	Х	Х	Х											Closed 12/31/10. See J9070 after this date.
J9093	Cyclophosphamide	Cytoxan	Yes	UN	Anti-neoplastic	68 per day	Х	Х	Х											Closed 12/31/10. See J9070 after this date.
J9094	lyophilized 100mq Cyclophosphamide lyophilized 200 mq	Lyophilized Cytoxan Lyophilized	Yes	UN	Anti-neoplastic	34 per day	Х	Х	Х											Closed 12/31/10. See J9070 after this date.
J9095	Cyclophosphamide lyophilized 500 gm	Cytoxan Lyophilized	Yes	UN	Anti-neoplastic	14 per day	Х	Х	Х											Closed 12/31/10. See J9070 after this date.
J9096	Cyclophosphamide	Cytoxan Lvophilized	Yes	UN	Anti-neoplastic	7 per day	Х	Х	Х											Closed 12/31/10. See J9070 after this date.
J9097	Cyclophosphamide	Cytoxan	Yes	UN	Anti-neoplastic	4 per day	Х	Х	Х											Closed 12/31/10. See J9070 after this date.
J9098	lvophilized 2a Cytarabine liposome 10	Lvophilized DepoCyt	Yes	ML	Anti-neoplastic	5 per day	Х	Х	Х											
J9100	Cytarabine 100mg	Cytosar-U	Yes	PWD=UN	Anti-neoplastic	75 per day	Х	Х	Х											
J9110	Cytarabine 500mg	Cytosar-U	Yes	SOL=ML PWD=UN SOL=ML	Anti-neoplastic	15 per day	Х	Х	Х											Closed 12/31/10. See J9100.
J9120	Dactinomycin 0.5mg	Cosmegen	Yes	UN	Anti-neoplastic	2 per day	Х	Х	Х		1	1	1	1						
	Dacarbazine 100mg	DTIC-Dome	Yes	UN	Anti-neoplastic	9 per day	X	X	X					L	1		1	1		
	Dacarbazine 200mg	DTIC-Dome	Yes	UN	Anti-neoplastic	5 per day	Χ	Χ	Χ											Closed 12/31/10. See J9130.
J9145	Injection, daratumumab, 10 mg	Darzalex	Yes	ML	Anti-neoplastic	210 units daily	Х	Х	Х	L			\perp	L						Effective 1/1/17. Restricted to ICD-10 diagnosis C90.02. Minimum age of 16 years.
J9150	Daunorubicin HCl 10mg	Cerubidine	Yes	PWD=UN SOL=ML	Anti-neoplastic	11 per day	Х	Х	Х										-	
J9151	Daunorubicin citrate liposomal formulation 10	Daunoxome	Yes	ML	Anti-neoplastic	11 per day	Х	Х	Х											
	Injection, liposomal, 1 mg daunorubicin and 2.27 mg cytarabine	Vyxeos	Yes	UN	Anti-neoplastic	None	Х	Х	Х											Effective 1/1/19. Restricted to ICD-10 C92.00 - C92.02. Minimum age of 16 years.
J9155	Injection, degarelix, 1	Firmagon	Yes	UN	Anti-neoplastic	240 units per dav	Х	Х	Х											Effective 10/1/2015 ICD-10 diagnosis code C61 Effective 1/1/10. Restricted to ICD-9 diagnosis 185. Exclude female. Restrict to age 18 and above.
J9160	Denileukin diftitox 300mca	Ontak	N/A		Anti-neoplastic	uav														Not Covered

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	I HS	PO	OP	н	ні Іі	DT	DC	Special Instructions
1	2000	2.4	Requi	of	cuiogo.y	Limits	OP	OP	-				. •	. •				F		
			red	measure																
.19165	Diethylstilbestrol	Stilphostrol	Yes	UN	Palliative	4 per day	Х	Х	Х				-		-	_				Only for cancer diagnosis.
33103	diphosphate 250 mg	Othpriostroi	103	OIV	therapy prostate	4 per day	^	^												only for cancer diagnosis.
	-				cancer															
	Docetaxel 20mg Injection, docetaxel, 1	Taxotere Taxotere	Yes Yes	ML ML	Anti-neoplastic Anti-neoplastic	10 per day 200 u. per	X	X	X							+	Х			Closed 12/31/09. See J9171. Effective 10/1/2015 ICD-10 diagnosis codes C00.0 - C00.6, C00.8, C00.9, C15.3 - C15.5, C15.8, C15.9,
39171	mg.	Taxolere	163	IVIL	Anti-neoplastic	day	^	^	^							1	^			C16.0 - C16.6, C16.8, C16.9, C25.0 - C25.4, C25.7 - C25.9, C30.0, C30.1, C31.0 - C31.3, C31.8, C31.9,
	3					,														C32.0 - C32.3, C32.8, C32.9, C33, C34.00, C34.01, C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32,
																				C34.80 - C34.82, C34.90 - C34.92, C44.00 - C44.02, C44.09, C44.201, C44.202, C44.209, C44.211, C44.212,
																				C44.219, C44.221, C44.222, C44.229, C44.291, C44.292, C44.299 - C44.301, C44.309 - C44.311, C44.319 -
																				C44.321, C44.329, C44.390, C44.391, C44.399, C44.40 - C44.42, C44.49, C45.1, C45.9, C47.0, C47.10 - C47.12, C47.20 - C47.22, C47.4, C47.8, C47.9, C48.0 - C48.2, C48.8, C49.0, C49.10 - C49.12, C49.20 -
																				C49.22, C49.4, C49.8, C49.9, C4A.0, C4A.4, C50.011, C50.012, C50.019, C50.021, C50.022, C50.029,
																				C50.111, C50.112, C50.119, C50.121, C50.122, C50.129, C50.211, C50.212, C50.219, C50.221, C50.222,
																				C50.229, C50.311, C50.312, C50.319, C50.321, C50.322, C50.329, C50.411, C50.412, C50.419. C50.421,
																				C50.422, C50.429, C50.511, C50.512, C50.519, C50.521, C50.522, C50.529, C50.611, C50.612, C50.619,
																				C50.621, C50.622, C50.629, C50.811, C50.812, C50.819, C50.821, C50.822, C50.829, C50.911, C50.912, C50.919, C50.921, C50.922, C50.929, C51.0 - C51.2, C51.8, C51.9, C52, C53.0, C53.1, C53.8, C53.9, C54.0 -
																				C54.3, C54.8, C54.9, C55, C56.1, C56.2, C56.9, C57.00 - C57.02, C57.10 - C57.12, C57.20 - C57.22, C57.3,
																				C57.4, C57.7 - C57.9, C61, C65.1, C65.2, C65.9, C66.1, C66.2, C66.9, C67.0 - C67.9, C68.0, C68.8, C68.9,
																				C76.0, C7B.00 - C7B.04, C7B.1, C7B.8, C80.0, C80.1, D09.0, D37.01, D37.02, D37.04, D37.05, D37.09,
																				D48.1, D48.2, D49.0 - D49.2, D49.6, D49.81, D49.89 or D49.9
																				New code effective 1/1/10. The following are ICD-9 diagnoses approved for this code, including newly
																				approved ICD-9 diagnoses. effective 7/1/10: 140.0 - 149.9, 150.0 - 150.9, 151.0 - 151.9, 157.0 - 157.9, 158.0, 158.8, 158.9, 160.0 - 160.9, 161.0 - 161. 9, 162.0, 162.2, 162.3, 162.4, 162.5, 162.8, 162.9, 171.0, 171.2,
																				171.3, 171.5, 171.8, 171.9, 173.0, 173.2, 173.3, 173.4, 174.0 - 174.9, 175.0 - 175.9, 179, 180.0 - 180.9, 182.0,
																				182.1, 182.8, 183.0, 183.2, 183.3 - 183.5, 183.8, 183.9, 185, 188.0 - 188.9, 189.1, 189.2, 189.3, 189.8, 189.9,
J9173	Injection, durvalumab,	Imfinzi	Yes	ML	Anti-neoplastic	None	Х	Х	Х											Effective 1/1/19.
	10 mg																			Restricted to ICD-10 C33, C34.01, C34.02, C34.11, C34.12, C34.2, C34.31, C34.32, C34.81, C34.82, C34.91,
																				C34.91, NSMLC, C65.1, C65.2, C66.1, C66.2, C67 - C67.9, C68.0, C68.8.
J9175	Injection, Eliotts' B	dextrose/	Yes	ML		None	Х	Х												Manufactura and the Means
J9176	solution, 1 ml Injection, elotuzumab, 1	electsol, IV Empliciti	Yes	UN	Anti-neoplastic	None	Х	Х	Х							+		_		Effective 1/1/17. Restricted to ICD-10 diagnosis C90.00, C90.01, C90.92. Minimum age of 16 years.
	mg				· ·															v · · · · · · · · · · · · · · · · · · ·
J9178	Injection epirubicin HCl 2	Ellence	Yes	PWD=UN SOL=ML	Anti-neoplastic	None	Х	Х	Х											
J9179	Injection, eribulin	Halaven	Yes	ML	Anti-neoplastic	80 units per	Х	Х	Х											Effective 10/1/2015 ICD-10 diagnosis codes C50.011, C50.012, C50.019, C50.021, C50.022, C50.029,
	mesylate, 0.1 mg.					21 days														C50.111, C50.112, C50.119, C50.121, C50.122, C50.129, C50.211, C50.212, C50.219, C50.221, C50.222,
																				C50.229, C50.311, C50.312, C50.319, C50.321, C50.322, C50.329, C50.411, C50.412, C50.419, C50.421,
																				C50.422, C50.429, C50.511, C50.512, C50.519, C50.521, C50.522, C50.529, C50.611, C50.612, C50.619, C50.621, C50.622, C50.629, C50.811, C50.812, C50.819, C50.821, C50.822, C50.829, C50.911, C50.912,
																				C50.919, C50.921, C50.922, C50.929, C79.10, C79.11, C79.19 or C79.81
																				Effective 1/1/12. Restricted to ICD-9 diagnosis 198.81 or 174.0 - 175.9. Minimum age restriction of 18 years.
J9181	Etoposide 10mg	VesPesid	Yes	PWD=UN	Anti-neoplastic	25 per day	Х	Х	Х								\dashv			
10400	Etoposide 100mg	Toposar VesPesid	Yes	SOL=ML UN	Anti nocoloctic	2 por dou	~	~	Х		1	!	-	1	-	+	+			
J9182	Lioposide roomg	VesPesid Toposar	res	UN	Anti-neoplastic	3 per day	Х	Х	_^		L	L	\perp	L				_		
J9185		Fludara	Yes	PWD=UN	Anti-neoplastic	5 per day	Х	Х	Χ											
J9190	50mq Fluorouracil 500 mg	Adrucil	Yes	SOL=ML PWD=UN	Anti-neoplastic	5 per 27 days	Х	Х	Х		1		+	1	-	+		+		
39190	i idolodiacii 300 Hig	Autucii	162	SOL=ML	Anti-neopiastic	o per zr uays	^	^	^											
	Floxuridine 500 mg	FUDR	Yes	UN	Anti-neoplastic	2 per day	Х	Х	Х											
	Gemcitabine HCl 200mg Goserelin acetate	Gemzar Zoladex	Yes Yes	UN UN	Anti-neoplastic	None 1 per month	X	X	X		<u> </u>	<u> </u>	-	1	-	+		_		
J9202	implant per 3.6mg	Zoladex	res	UN	Anti-neoplastic	1 per month	Х	Х	Х									J		
					•			•	•	•	•			•						

-	· · ·								-		I	1						1		
Code	Description	Brand Name	NDC Requi red	NDC unit of measure	Category	Service Limits	AC OP	OP	P	NP	MW	MI	H H:	S	PO	ОРН	НІ	F F	DO	C Special Instructions
J9203	Injection, gemtuzumab ozogamicin, 0.1 mg.	Mylotarg	Yes	UN	Anti-neoplastic	800 units per day	Х	Х	Х											Effective 1/1/18.
J9205	Injection, irinotecan	Onivyde	Yes	ML	Anti-neoplastic	None	Х	Х	Х											Effective 1/1/17. Restricted to ICD-10 diagnosis C25.0, C25.1, C25.2, C25.3, C25.4, C25.7, C25.8, C25.9. Minimum age of 16 years.
J9206	Irinotecan 20mg	Camptosar	Yes	ML	Anti-neoplastic	35 per day	X	X	X											Effective 101/2015 (16.9ea.s.) Effective 101/2015 (16.9ea.s.) Effective 101/2015 (16.9ea.s.) Effective 101/2015 (16.9ea.s.) C17.0 - C17.3, C17.8, C17.9, C18.0 - C18.9, C19, C20, C21.0 - C21.2, C21.8, C25.0 - C25.4, C25.7 - C25.9, C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92, C45.9, C53.0, C53.1, C53.8, C53.9, C56.1, C56.2, C56.9, C57.00 - C57.02, C57.10 - C57.12, C57.20 - C57.22, C57.3, C57.4, C71.0 - C71.9, C80.0, C80.1, C82.00 - C82.69, C82.80 - C82.99, C83.01 - C83.08, C83.10 - C83.19, C83.30 - C83.39, C83.50 - C83.59, C83.70 - C83.99, C84.00 - C84.19, C84.40 - C84.49, C84.60 - C84.79, C84.90 - C84.99, C84.A0 - C84.A9, C84.Z0 - C84.Z9, C85.10 - C85.29, C85.20 - C85.29, C85.80 - C85.99, C86.0 - C86.4, C86.6, C88.4, C91.40 - C91.42, C96.0, C96.2, C96.4, C96.9, C96.A, C96.Z, C7B.00 - C7B.04, C7B.1, C7B.8, D49.0 - D49.7, D49.81, D49.89, or D49.9 ICD-9 diagnosis code required on claim form: Effective 5/1/10, the following are approved, 150.0 - 150.9, 151.0 - 151.9, 152.0 - 152.9, 153.0 - 154.8, 157.0 - 157.9, 162.0, 162.2, 162.3, 162.4, 162.5 162.8, 162.9, 180.0, 180.1, 180.8, 180.9, 183.0, 183.2 - 183.5, 183.8, 183.9, 191.0 - 191.9, 199.0 - 199.1, 200.00 - 200.88, 202.00 - 202.88, 202.70 - 202.78, 202.80 - 202.88, 202.90 - 202.98, 209.70 - 209.99, and 239.0 - 239.9.
J9207	Injection, ixabepilone, 1 mg.	Ixempra	Yes	UN	Anti-neoplastic	Limit removed effective, 1/1/16	Х	Х	X											Effective 10/1/2015 ICD-10 diagnosis codes C50.011, C50.012, C50.019, C50.111, C50.112, C50.119, C50.211, C50.212, C50.219, C50.311, C50.312, C50.319, C50.411, C50.412, C50.419, C50.511, C50.512, C50.519, C50.611, C50.612, C50.619, C50.611, C50.612, C50.619, C50.611, C50.612, C50.619, C50.611, C50.612, C50.619, C50.6
	Ifosfamide per 1g	Ifex	Yes	UN	Anti-neoplastic	3 per day	Χ	Χ												THE TOTAL OF THE PARTY OF THE P
	Mesna 200mg	Mesnex	Yes	ML	Anti-neoplastic	3 per day	Χ	Χ	Χ											
	Idarubicin HCI 5mq Injection interferon alfa- con1 recombinant 1mcg	Idamycin Pfs Infergen	Yes Yes	ML ML	Anti-neoplastic Anti-viral	12 per day 1 per day X 7 consecutive days - lifetime	X	X	X											Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime.
J9213	Interferon alfa-2A recombinant 3 million U	Roferon-A	Yes	KIT=UN SOL=ML	Anti-viral	1 per day X 7 consecutive days - lifetime	Х	Х	Х											Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime.
J9214	Interferon alfa-2B recombinant 1 million U	Intron-A	Yes	PWD=UN SOL=ML KIT=UN	Anti-viral	none	Х	Х	Х											Effective 4/1/14, service limit removed.
J9215	Interferon alfo-n3 human leukocyte derived 250,000 IU	Alferon-N	Yes	ML	Biological Response Modulator	1 per day X 7 consecutive days - lifetime	х	х	X											Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime.

Carlo	Description	Duesed Never	NDC	NDC'	Catamami	Complex	40	CALL	-	NP	B4161	Da:	1110	T p/	- I -	DIII.		IDT ¹	DC	Considerations
Code	Description	Brand Name	NDC Requi	NDC unit of	Category	Service Limits	AC OP	CAH OP	Р	NP	MW	МН	HS	PC	0	PH	н	F	DC	Special Instructions
			red	measure		Limits	UP	UP										-		
			rea	measure																
.19216	Interferon gamma 1B 3	Actimmune	Yes	ML	Biological	1 per day	Х	Х	Х					-	-					Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime.
33210	million U	Adminute	163	IVIL	Response Modulator	X 7 consecutive days - lifetime	^	^												i Trystaan Tennoursentett for administrator is immed to 1 dink X 7 consecutive days per imedine.
J9217	Leuprolide acetate for depot suspension 7.5mg	Lupron Depot Eligard Lupron Depot- Ped	Yes	UN	Anti-neoplastic	None	Х	Х	Х											
J9218	Leuprolide acetate 1mg	Lupron	Yes	PWD=UN SOL=ML	Anti-neoplastic	1 per day X 7 consecutive days - lifetime	X	X	X											Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime.
J9219	Leuprolide acetate	Lupron	Yes	UN	Anti-neoplastic	1 per 3 months	Х	Х	Х											Per manufacturer's notification, Viadur is no longer made as of December 2007.
J9225	Histrelin implant, 50 mg	Vantas	Yes	UN	Gonadotropin	1 per year	Х	Х	Х											Effective 10/1/2015 ICD-10 diagnosis code C61
J9226	Histrelin implant, 50 mg	Supprelin LA	Yes	UN	Gonadotropin	Age: 2 yrs	Х	Х	Х	Х										ICD-9 code 185 required on claim form. Males only. Effective 10/1/2015 ICD-10 diagnosis codes E30.1, E30.8 or E30.9
	, , 3					and older														New code effective 1/1/08. Diagnosis restriction, central precocious puberty(259.1). Nurse practitioner added 1/1/09
J9228	Injection, ipilimumab, 1 mg.	Yervoy	Yes	ML	Antibody(anti- neoplastic)	400 units per 20 days	X	X	X								X			Effective 1/1/15, the service limit of 21 days was reduced to 20 days. Providers are encouraged to examine previous claims for accuracy from date of service 1/1/15. Effective 10/1/2015 ICD-10 diagnosis codes C21.1, C21.0, C43.0, C43.4, C43.10, C43.12, C43.20, C43.22, C43.30, C43.31, C43.31, C43.31, C43.51, C43.52, C43.52, C43.59, C43.62, C43.70, C43.72, C43.8, C43.9, C51.0 - C51.2, C51.9, C52, C60.0 - C60.2, C60.8, C60.9, C63.00 - C63.02, C63.10 - C63.12, C63.2, C63.7 - C63.9, C77.0 - C77.5, C77.8, C77.9, C78.00 - C78.02, C78.1, C78.2, C78.30, C78.39, C78.4, C78.5, C78.6, C78.7, C78.80, C78.89, C79.00 - C79.02, C79.10, C79.11, C79.19, C79.2, C79.31, C79.32, C79.40, C79.49, C79.51, C79.52, C79.60 - C79.62, C79.70 - C79.72, C79.81, C79.82, C79.89, C79.9, D03.0, D03.4, D03.8, D03.9, D03.10 - D03.12, D03.20 - D03.22, D03.30, D03.52, D03.52, D03.59 - D03.62, or D03.70 - D03.72 Effective 1/1/12, Restricted to ICD-9 diagnosis 154.2, 154.3, 172.0 - 172.9, 184.0 - 184.4, 187.1 - 187.9, 196.0 - 196.9, 197.0 - 197.8, 198.0 - 198.8 (Date of change: April 2012). Minimum age restriction of 16
J9229	Injection, inotuzumab ozogamicin, 0.1 mg	Besponsa	Yes	UN	Anti-neoplastic	None	Х	Х	Х											Effective 1/1/19. Restricted to ICD-10 C91.00 - C91.02. Minimum age of 16 years.
J9230	Mechlorethamine HCl nitrogen mustard 10mg	Mustargen	Yes	UN	Anti-neoplastic	5 per day	Х	Х	Х											
J9245	Injection melphalan HCI 50mg	Alkeran Lphenylala- nine mustard	Yes	UN	Anti-neoplastic	2 per day	Х	Х	Х											
	Methotrexate sodium 5mg	Rheumatrex Trexall Methotrexate sodium L of	Yes	PWD=UN SOL=ML	Anti-neoplastic	10 per day	Х	Х	Х											
J9260	Methotrexate sodium 50mg	Rheumatrex Trexall Methotrexate sodium Lnf	Yes	UN	Anti-neoplastic	3 per day	Х	Х	Х											
J9261	Injection, nelarabine, 50	Arranon	Yes	ML	Anti-neoplastic	None	Х	Х	Х											New code effective 1/1/07.
J9262	Injection, omacetaxine mepesuccinate, 0.01 mg	Synribo	Yes	UN	Anti-neoplastic	None	Х	Х	Х											Effective 10/1/2015 ICD-10 diagnosis codes C92.10 - C92.12 or C92.20 Effective 1/1/14. Restricted to IDC-9 diagnosis of 205.10 - 205.12. Minimum age restriction of 16 years.

Code	Description	Brand Name	NDC Requi red		Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	нѕ	PO	ОРН	HI	IDT F	DC	Special Instructions
	Injection oxaliplatin 0.5mg	Eloxatin	Yes	PWD=UN SOL=ML	Anti-neoplastic	None	Х	Х	Х										Effective 10/1/2015 ICD-10 diagnosis codes C15.3 - C15.5, C15.8, C15.9, C16.0 - C16.6, C16.8, C16.9, C18.0 - C18.9, C19, C20, C21.0 - C21.2, C21.8, C22.1, C23, C24.0, C24.1, C24.8, C24.9, C25.0 - C25.3, C25.7 - C25.9, C26.0, C26.1, C26.9, C45.1, C48.1, C48.2, C48.8, C56.1, C56.2, C56.9, C57.00 - C57.02, C57.10 - C57.12, C57.20 - C57.22, C57.3, C57.4, C62.00 - C62.02, C62.10 - C62.12, C62.90 - C62.92, C81.90, C82.01 - C82.08, C82.11 - C82.18, C82.21 - C82.28, C82.31 - C82.38, C82.41 - C82.48, C82.50 - C82.59, C82.61 - C82.68, C82.81 - C82.88, C82.91 - C82.98, C83.31 - C83.39, C83.80 - C83.89, C84.90 - C84.90, C84.40 - C84.49, C84.20 - C84.29, C85.10 - C85.29, C85.80 - C85.99, C86.0 - C86.4 or C88.4 - C64.49, C84.70, C87.10, Insulist of approved ICD-9 diagnosis codes: 150.0 - 150.9, 151.0 - 151.9, 153.0 - 154.8, 155.1, 156.0 - 156.9, 157.0 - 157.3, 157.8, 157.9, 158.8, 183.0 - 183.9, 186.0, 186.9, 200.30 - 200.38, 200.70 - 200.78, 201.90, 202.01 - 202.08, 202.80 - 202.88. Added ICD-9 code 201.90 effective 1/1/08. ICD-9 code
	Injection, paclitaxel protein-bound particles, 1 mg	Abraxane	Yes	UN	Anti-neoplastic	None	Х	X	Х										Effective 10/1/2015 ICD-10 diagnosis codes C25.0 - C25.4, C25.7 - C25.9, C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92, C50.011, C50.012, C50.019, C50.021, C50.022, C50.029, C50.111, C50.112, C50.119, C50.121, C50.122, C50.219, C50.221, C50.229, C50.311, C50.312, C50.319, C50.321, C50.322, C50.329, C50.411, C50.412, C50.419, C50.419, C50.421, C50.429, C50.511, C50.512, C50.519, C50.521, C50.522, C50.529, C50.611, C50.612, C50.619, C50.621, C50.622, C50.629, C50.611, C50.612, C50.612, C50.912, C50.919, C50.921, C50.922 or C50.929 Approved ICD-9 diagnosis codes of 157.0 - 157.9 added, 9/6/13. Nurse practitioner removed as covered provider, effective 7/1/13. Effective 10/11/12, approved ICD-9 diagnosis 162.0 - 162.9 added. ICD-9 code
J9265	Paclitaxel 20mg	Taxol Onxol	Yes	PWD=UN SOL=ML	Anti-neoplastic	20 per day	Х	Х	Х										Closed 12/31/14. See J9267 after this date.
	Pegaspargase per single dose vial	Oncaspar	Yes	ML	Anti-neoplastic	8 per day	Х	Х	Х										
J9267	Injection, paclitaxel, 1	Taxol	Yes	ml	Anti-neoplastic	400 u. per	Х	Х	Х										Effective 1/1/15.
10268	mg Pentostatin per 10mg	Onxol Nipent	Yes	UN	Anti-neoplastic	dav 1 per dav	X	Х	Х				1						
	Plicamycin 2.5mg	Mithracin Mithramvcin	Yes	UN	Anti-neoplastic	2 per day	X	X	X										

32271	<u> </u>			ND.C		•				-				1		I	1	ı lırı	=1=	
Jacob President Jacob	Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC		Р	NP	MW	MH	HS	PO	OPH	H			C Special Instructions
Jazzi Importion. Federative 9/22/17, ICD-10 C16.0, C16.1, C16.2, C16.3, C16.4, C16.5, C16.6, C16.8, C16.3, C16.4, C16.3, C16.4, C16.5, C16.6, C16.8, C16.3, C16.4, C16.3, C16.4, C16.5, C16.6, C16.8, C16.3, C16.4, C16.5, C16.6, C16.8, C16.3, C16.4, C16.3, C16.4, C16.5, C16.6, C16.6, C16.8, C16.3, C16.4, C16.3, C16.4, C16.5, C16.6, C16.8, C16.3, C16.4, C16.3, C16.4, C16.5, C16.6, C16.6, C16.8, C16.3, C16.4, C16.3, C16.4, C16.3, C16.4, C16.3, C16.4, C16.3, C16.4, C16.3, C16.4, C16.3, C16.4, C16.3, C16.4, C16.3, C16.4, C16.3, C16.4, C							Limits	OP	OP									F		
### Principle Communication Multiple Communi				red	measure															
Pembroizumah, 1 mg																				
Pembroizumah, 1 mg																				
Perfective Signature Perfective Signature																				
Badded. Effective 9/19/17, ICD-10 CSS.1, C6S.2, C6S.1, C6S.2, C6S.1, C6S.2, C6S.1, C6S.2, C6S.1, C6S.2, C6S.1, C6S.2, C6S.1, C6S.2, C6S.2, C6S.3,	J9271	Injection,	Keytruda	Yes	UN	Antineoplastic		Х	Х	Х										Effective 9/22/17, ICD-10 C16.0, C16.1, C16.2, C16.3, C16.4, C16.5, C16.6, C16.8, C16.9 added.
Effective 9/18/17, ICD-10 C65.1, C65.2, C66.2, C67.3, C67.7, C67.2, C67.3, C67.4, C67.5, C67.7, C67.2, C67.3, C67.7, C67.2, C67.3, C67.7, C67.2, C67.3, C67.7, C67.2, C67.3, C67.7, C67.2, C67.3, C67.7, C67.2, C67.3, C67.7, C67.2, C67.3, C67.7, C67.2, C67.3, C67.7, C67.3, C6		pembrolizumab, 1 mg			ML															Effective 5/23/17, ICD-10 C18.0, C18.1, C18.2, C18.3, C18.4, C18.5, C18.6, C18.7, C18.8, C18.9, C19, C20
CG77, CG78, CG79, CG80, CG88, Z6550, Z8551, Z8553, Z8554, Z8553, 28554, Z8553, 28554, Z8553, 28554, Z8553, Z8554, Z8553, Z8554, Z8553, Z8554, Z8553, Z8554, Z8553, Z8554, Z8553, Z85544, Z855444, Z855444, Z855444, Z855444, Z85																				added.
Effective 3/477, ICD-10 C81.10, C81.11, C81.12, C81.13, C81.14, C81.15, C81.16, C81.17, C81.10, C81.10, C81.10, C81.10, C81.20, C81.20, C81.22, C81.22, C81.22, C81.22, C81.23, C81.23, C81.23, C81.23, C81.24, C81.26, C81.27, C81.26, C81.27, C81.25, C81.26, C81.27, C81.25, C81.26, C81.27, C81.25, C81.26, C81.27, C81.25, C81.26, C81.27, C81.25, C81.26, C81.27, C81.25, C81.26, C81.27, C81.25, C81.26, C81.27, C81.25, C81.26, C81.27, C81.25, C81.26, C81.27, C81.25, C81.26, C81.																				Effective 5/18/17, ICD-10 C65.1, C65.2, C66.1, C66.2, C67.0, C67.1, C67.2, C67.3, C67.4, C67.5, C67.6,
C81.20, C81.21, C81.22, C81.23, C81.24, C81.25, C81.24, C81.25, C81.24, C81.25, C81.24, C81.25, C81.24, C81.25, C81.24, C81.25, C81.24, C81.25, C81.																				C67.7, C67.8, C67.9, C68.0, C68.8, Z85.50, Z85.51, Z85.53, Z85.54, Z85.59 added.
C81.33, C81.34, C81.35, C81.36, C81.37, C81.38, C81.37, C81.38, C81.37, C81.38, C81.37, C81.44, C81.42, C81.45, C81. C81.46, C81.47, C81.46, C81.47, C81.4																				Effective 3/4/17, ICD-10 C81.10, C81.11, C81.12, C81.13, C81.14, C81.15, C81.16, C81.17, C81.18, C81.19,
Ca1.46, Ca1.47, Ca1.48, Ca1.49, Ca1.77, Ca1.71, Ca1.72, Ca1.75, Ca1.76, Ca1.76, Ca1. Ca1.75 gaded. Ca2.4, Ca2.4, Ca2.2, Ca2.2, Ca2.3, Ca2.4, Ca																				C81.20, C81.21, C81.22, C81.23, C81.24, C81.25, C81.26, C81.27, C81.28, C81.29, C81.30, C81.31, C81.32,
Cel.73 added. Signification Cel.73 added. Signification Cel.73 added. Signification Cel.74 added. Signification Cel.74 added. Signification Cel.74 added. Signification Cel.74 added. Cel.74 added																				C81.33, C81.34, C81.35, C81.36, C81.37, C81.38, C81.39, C81.40, C81.41, C81.42, C81.43, C81.44, C81.45,
S8/56 ICD-10 C00.0, C00.1, C00.2, C00.3, C00.4, C00.5, C00.6, C00.6, C00.6, C00.0, C																				C81.46, C81.47, C81.48, C81.49, C81.70, C81.71, C81.72, C81.73, C81.74, C81.75, C81.76, C81.77, C81.78,
C024, C02.8, C02.9, C03.0, C03.1, C03.9, C04.0, C04.1, C04.8, C04.9, C05.0, C05.1, C05.2, C06.0, C																				C81.79 added. Effective
C024, C02.8, C02.9, C03.0, C03.1, C03.9, C04.0, C04.1, C04.8, C04.9, C05.0, C05.1, C05.2, C06.0, C														1						8/5/16 ICD-10 C00.0, C00.1, C00.2, C00.3, C00.4, C00.5, C00.6, C00.8, C00.9, C01, C02.0, C02.1, C02.3,
Cos. 0, Cos. 2, Cos. 2, Cos. 3, Cos. 2, Cos. 3, Cos.																				C02.4, C02.8, C02.9, C03.0, C03.1, C03.9, C04.0, C04.1, C04.8, C04.9, C05.0, C05.1, C05.2, C05.8, C05.9,
C13.2, C13.8, C13.9, C14.0, C14.2, C14.8, C30.0, C30.1, C31.1, C31.2, C31.3, C31.8, C32. C23.1, C32.2, C32.3, C32.3, C32.3, C32.9, C40.2, C44.0, C44.2, C44.22, C44.22, C44.22, C44.320, C44.320, C44.320, C44.320, C44.320, C44.320, C44.320, C44.320, C44.320, C44.320, C44.320, C44.320, C44.320, C44.320, C44.320, C44.320, C44.320, C43.30, C33.1, C33.30, C3																				C06.0, C06.1, C06.2, C06.80, C06.89, C06.9, C07, C08.0, C08.1, C08.9, C09.0, C09.1, C09.8, C09.9, C10.0,
C13.2, C13.8, C13.9, C14.0, C14.2, C14.8, C30.0, C30.1, C31.1, C31.2, C32.3, C32.8, C32.3, C32.8, C32.3, C32.8, C32.3, C32.8, C32.3, C32.8, C32.3, C32.8, C32.3, C32.8, C32.3, C32.8, C32.3, C32.8, C32.3, C44.3, C44.320, C44.320, C44.320, C44.320, C44.320, C44.320, C44.320, C44.320, C44.320, C44.320, C44.320, C44.320, C44.320, C44.320, C44.320, C44.320, C44.320, C43.30, C43.11, C43.12, C43.30, C43.30, C43.11, C43.12, C43.30, C43.30, C43.11, C43.12, C43.30, C43.30, C43.41, C43.12, C43.22, C43.31, C43.30, C43.41, C43.12, C43.22, C43.31, C43.30, C43.41, C43.12, C43.22, C43.30, C43.41, C43.12, C43.22, C43.31, C43.32, C43.31, C43.32, C43.31, C43.32, C43.32, C43.43, C43.32, C43.43, C																				C10.1, C10.2, C10.3, C10.4, C10.8, C10.9, C11.0, C11.1, C11.2, C11.3, C11.8, C11.9, C12, C13.0, C13.1,
C321, C322, C323, C328, C329, C44, 122, C44.122, C44.122, C44.122, C44.222, C44 C44.320, C44.321, C44.42, C64.512, C64.42, C65.52, C65.61, C66.92, C66.92, C76.02, Z65.21, Z65.21, Z65.22, Z65.818, Z65.819 added Effective 1/1/16, ICD-10 C430, C43.11, C43.12, C43.21, C43.22, C43.31, C43.32, C43.43, C43.53, C43.51, C63.72, C63.8, C68.03, C63.01, C63.02, C69.11, C69.12, C69.23, C69.31, C69.32, C69.31, C69.32, C69.31, C69.32, C69.31, C69.32, C69.31, C69.32, C69.31, C69.32, C69.31, C69.32, C69.31, C69.32, C69.31, C69.32, C69.31, C69.32, C69.31, C69.32, C69.31, C69.32, C69.31, C69.32, C69.31, C69.32, C69.31, C69.32, C69.31, C69.32, C69.32, C69.31, C69.32,																				C13.2, C13.8, C13.9, C14.0, C14.2, C14.8, C30.0, C30.1, C31.0, C31.1, C31.2, C31.3, C31.8, C31.9, C32.0,
C4.320, C4.321, C4.322, C4.322, C69.51, C69.52, C69.61, C69.52, C69.61, C69.52, C76.0, Z85.21, Z85.22, Z8 Z85.819 added Effective 1/1/16, ICD-10 C43.0, C43.11, C43.12, C43.21, C43.22, C43.31, C43.22, C43.31, C43.22, C43.31, C43.22, C43.31, C43.22, C43.31, C43.22, C43.31, C43.22, C43.31, C43.22, C43.31, C43.22, C43.31, C43.22, C43.31, C43.22, C43.31, C43.22, C43.31, C43.22, C43.31, C43.22, C43.31, C43.22, C43.31, C43.22, C43.31, C43.22, C43.31, C43.22, C69.31, C69.32, C69.31, C69.32, C69.31, C69.32, C69.31, C69.32, C69.31, C69.32, C69.31, C69.32, C69.31, C69.32, C69.31, C69.32, C69.31, C69.32, C69.31, C69.32, C69.31, C69.32, C69.31, C69.32, C69.31, C69.32, C69.31, C69.32, C69.31, C69.32, C69.32, C69.31, C6																				C32.1, C32.2, C32.3, C32.8, C32.9, C44.02, C44.121, C44.122, C44.129, C44.221, C44.222, C44.229,
25.5.818, 25.819 added Effective 11/16, [Ch-10 C43.0, C43.11, C43.12, C43.21, C43.22, C43.31, C43.39, C43.4, C43.51, C43.59, C43.61, C43.62, C43.71, C43.72, C43.8, C20.0, C21.0, C21.1, C51.0, C51.1, C51.2, C51.8, C52, C57.7, C50.0, C60.1, C60.2, C60.3, C60.3, C63.01, C63.02, C63.11, C63.22, C53.31, C63.22, C53.21, C63.22, C69.31, C69.32, C69.31																				C44.320, C44.321, C44.329, C44.42, C69.51, C69.52, C69.61, C69.62, C76.0, Z85.21, Z85.22, Z85.810,
Section Sect																				Z85.818, Z85.819 added
J9280 Mitomycin 5mg																				Effective 1/1/16, ICD10 C43.0, C43.11, C43.12, C43.21, C43.22, C43.31, C43.39, C43.4, C43.51, C43.52,
J9280 Mitomycin 5mg																				C43.59, C43.61, C43.62, C43.71, C43.72, C43.8, C20, C21.0, C21.1, C51.0, C51.1, C51.2, C51.8, C51.9,
J9280 Mitomycin 5mg																				C52, C57.7, C57.8, C57.9, C60.0, C60.1, C60.2, C60.8, C60.9, C63.01, C63.02, C63.11, C63.12, C63.2,
J9280 Mitomycin 5mg																				C63.7, C63.8, C69.01, C69.02, C69.11, C69.12, C69.21, C69.22, C69.31, C69.32, C69.41, C69.42, C69.51,
J9280 Mitomycin 5mg																				C69.52, C69.61, C69.62, C69.81, C69.82, Z85.820, C33, C34.01, C34.02, C34.11, C34.12, C34.2, C34.31,
J9280 Mitomycin 5mg Mutamycin Yes UN Anti-neoplastic 10 per day X X X X X X X X X																				
J9280 Mitomycin 5mg Mutamycin Yes UN Anti-neoplastic 10 per day X X X X J Effective 1/1/18. J9285 Injection, olaratumab, 10 Lartruvo Yes ML Anti-neoplastic None X X X X Effective 1/1/18. J9290 Mitomycin 20mg Mutamycin Yes UN Anti-neoplastic 3 per day X X X J Effective 1/1/18. J9291 Mitomycin 40mg Mutamycin Yes UN Anti-neoplastic X X X X J Effective 1/1/18. J9293 Injection mitaxan-trone HCI 5mg J9295 Injection, necitumumab, Portrazza Yes ML Anti-neoplastic 800 units X X X X J Effective 1/1/17. Restricted to ICD-10 diagnosis C34.01, C34.02, C34.11, C34.12, C34.23, C34.31, C34.12, C34.23, C34.31, C34.12, C34.23, C34.31, C34.12, C34.23, C34.31, C34.12, C34.23, C34.31, C34.12, C34.23, C34.31, C34.12, C34.23, C34.31, C34.12, C34.23, C34.31, C34.12, C34.23, C34.31, C34.12, C34.23, C34.31, C34.12, C34.31, C34.12, C34.31, C34.12, C34.31, C34.12, C34.31, C34.12, C34.31, C34.12, C34.31, C34.12, C34.31, C34.12, C34.31, C34.12, C34.31, C34.12, C34.31, C34.12, C34.31, C34.12, C34.31,																				
J9285 Injection, olaratumab, 10 Lartruvo Yes ML Anti-neoplastic None X X X X																				Minimum age of 16 years.
J9285 Injection, olaratumab, 10 Lartruvo Yes ML Anti-neoplastic None X X X X																				
J9285 Injection, olaratumab, 10 Lartruvo Yes ML Anti-neoplastic None X X X X																				
J9285 Injection, olaratumab, 10 Lartruvo Yes ML Anti-neoplastic None X X X X																				
J9285 Injection, olaratumab, 10 Lartruvo Yes ML Anti-neoplastic None X X X X																				
J9285 Injection, olaratumab, 10 Lartruvo Yes ML Anti-neoplastic None X X X X																				
J9285 Injection, olaratumab, 10 Lartruvo Yes ML Anti-neoplastic None X X X X																				
J9285 Injection, olaratumab, 10 Lartruvo Yes ML Anti-neoplastic None X X X X														1						
J9285 Injection, olaratumab, 10 Lartruvo Yes ML Anti-neoplastic None X X X X														1						
mg. J9290 Mitomycin 20mg Mutamycin Yes UN Anti-neoplastic 3 per day X X X X J9291 Mitomycin 40mg Mutamycin Yes UN Anti-neoplastic X X X X J9291 Mitomycin 40mg Mutamycin Yes UN Anti-neoplastic X X X X J9291 Injection mitaxan-trone Navatrone Yes ML Anti-neoplastic 6 per day X X X HCI 5mg J9295 Injection, necitumumab, Portrazza Yes ML Anti-neoplastic 800 units X X X X J8295 Injection, necitumumab, Portrazza Yes ML Anti-neoplastic 800 units X X X X J8295 Injection, necitumumab, Portrazza Yes ML Anti-neoplastic 800 units X X X X X J8295 Injection, necitumumab, Portrazza Yes ML Anti-neoplastic 800 units X X X X X X X X X X X X X X X X X X X	J9280		Mutamycin	Yes	UN	Anti-neoplastic	10 per day	Х		Х										
J9290 Milomycin 20mg Mutamycin Yes UN Anti-neoplastic 3 per day X X X	J9285		Lartruvo	Yes	ML	Anti-neoplastic	None	X	X	X									Τ	Effective 1/1/18.
Jacob Mitomycin 40mg Mutamycin Yes UN Anti-neoplastic X X X										L	<u> </u>		1	1	<u> </u>		1		\bot	
J9293 Injection mitaxan-trone Navatrone Yes ML Anti-neoplastic 6 per day X X X							3 per day				 	 	1	1	 	1	+-	_	+	
HCI 5mg J9295 Injection, necitumumab, Portrazza Yes ML Anti-neoplastic 800 units X X X X Effective 1/1/17. Restricted to ICD-10 diagnosis C34.01, C34.02, C34.11, C34.12, C34.2, C34.31,							6 par da:				 	1	1	1	 	1	+	-	+	Closed. See J9280.
J9295 Injection, necitumumab, Portrazza Yes ML Anti-neoplastic 800 units X X X X Effective 1/1/17. Restricted to ICD-10 diagnosis C34.01, C34.02, C34.11, C34.12, C34.2, C34.31,	J9293		ivavatione	res	IVIL	Anti-neopiastic	o per day	_ ^	^	_ ^				1						
	.19295		Portrazza	Yes	MI	Anti-neonlastic	800 units	X	X	X	 	1	1	+		1	+	-	+	Effective 1/1/17 Restricted to ICD-10 diagnosis C34 01 C34 02 C34 11 C34 12 C34 2 C34 31 C34 32
I ILINO I I I I I I I I I I I I I I I I I I	30200	1 mg	. Ortidzza	100	IVIL	Hoopiastic	daily	l ^	^	^				1						C34.81, C34.82, C34.91, C34.92, C38.4, C78.01, C78.02. Minimum age of 16 years.
g		9					daliy													004.01, 004.02, 004.01, 004.02, 000.4, 070.01, 070.02. Williaminum age of to years.

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	MH	HS	PC	0	РН	Н		DC	Special Instructions
			Requi red	of measure		Limits	OP	OP										F		
J9299	Injection, nivolumab, 1 mg	Opdivo	Yes	ML	Antineoplastic	None	X	X	X											Effective 2/7/17, diagnosis of ICD-10 C65.1, C65.2, C66.1, C66.2, C67.0, C67.1, C67.2, C67.3, C67.4, C67.5, C67.6, C67.8, C67.9, C68.0, C68.8. Effective 11/1/016, diagnosis of ICD-10 C00.0 - C00.9, C01., C02.0 - C02.9, C03.0 - C03.9, C04.0 - C04.9, C05.0 - C05.9, C06.0 - C06.9, C09.0 - C09.9, C10.0 - C10.9, C12, C13.0 - C13.9, C14.0 - C14.8, C32.0 - C32.9, C76.0 added. Effective 5/17/16, diagnosis of ICD-10 C81.10 - C81.19, C81.20 - C81.29, C81.30 - C81.39, C81.40 - C81.49, and C81.70 - Effective 11/16. Restricted to diagnosis ICD-10 C00.5, C33, C34.00, C34.01, C34.02, C34.10, C34.11, C34.12, C34.2, C34.20, C34.31, C34.32, C34.30, C34.31, C34.32, C34.30, C34.31, C34.32, C34.30, C34.31, C34.32, C34.30, C34.31, C34.32, C34.30, C34.31, C34.32, C34.30, C34.31, C34.32, C34.30, C43.31, C43.22, C43.30, C43.31, C43.22, C43.30, C43.31, C43.22, C43.30, C43.31, C43.22, C43.30, C43.31, C43.22, C43.30, C43.31, C43.22, C43.30, C43.31, C43.22, C43.30, C43.31, C43.22, C43.30, C43.21, C44.22, C44.29, C44.19, C44.102, C44.109, C44.111, C44.119, C44.112, C44.119, C44.112, C44.119, C44.122, C44.129, C44.191, C44.192, C44.109, C44.102, C44.109, C44.101, C44.202, C44.209, C44.211, C44.211, C44.212, C44.211, C44.221, C44.222, C44.229, C44.291, C44.292, C44.292, C44.290, C44.300, C44.301, C44.310, C44.311, C
J9300	Gemtuzumab ozogamicin 5mg	Mylotarg	Yes	UN	Anti-neoplastic	4 per day	Х	Х	Х											Closed 12/31/17. See J9203 after this date.
J9301	Injection, obinutuzumab, 10 mg	Gazyva	Yes	ML	Anti-neoplastic	100 units maximum dose	Х	Х	Х											Effective 10/1/2015 ICD-10 diagnosis code C91.10 Effective 1/1/15. Restricted to 204.10. Minimum age restriction of 16 years.
J9302	Injection, ofatumumab, 10 mg.	Arzerra	Yes	ML	Anti-neoplastic	Maximum service limit 200 u. weekly														Effective 10/1/2015 ICD-10 diagnosis codes C91.10 - C91.12 New code effective 1/1/11. Restricted to ICD-9 diagnosis 204.10 - 204.12. Restricted to age 18 and above.
	Injection, panitumumab	Vectibix	Yes	ML	Anti-neoplastic	None	Χ	Х	Χ											New code effective 1/1/08.
J9305	Injection pemetrexed 10mg	Alimta	Yes	UN	Anti-neoplastic	None	Х	Х	X											Effective 6/1/15, ICD-9 diagnosis of 146.0 - 146.8 and 195.0 added and IDC-10 daignosis of C09.0, C09.1, C09.8, C09.9, C10.1, C10.2, C10.3, 10.4, C10.8 and C76.0 added. Effective 10/1/2015 ICD-10 diagnosis codes C33, C34.00 - C34.02, or C34.10 - C34.12 Restricted to ICD-9 diagnosis 162-163.9.
J9306	Injection, pertuzumab, 1 mg	Perjeta	Yes	ML	Anti-neoplastic	900 units per 20-day period	X	X	X											Effective 10/1/2015 ICD-10 diagnosis codes C50.011, C50.012, C50.019, C50.021, C50.022, C50.029, C50.111, C50.112, C50.119, C50.121, C50.122, C50.129, C50.211, C50.212, C50.219, C50.221, C50.222, C50.229, C50.311, C50.312, C50.319, C50.321, C50.322, C50.329, C50.411, C50.412, C50.419, C50.421, C50.422, C50.429, C50.511, C50.512, C50.519, C50.522, C50.529, C50.611, C50.612, C50.619, C50.622, C50.629, C50.629, C50.811, C50.812, C50.812, C50.821, C50.822, C50.829, C50.911, C50.912, C50.919, C50.912, C50.9
J9307	Injection, pralatrexate, 1 mg.	Folotyn	Yes	ML	Metabolic inhibitor	None	Х	Х	Х								Х			Effective 10/1/2015 ICD-10 diagnosis codes C84.40 - C84.49 New code effective 1/1/11. Restricted to ICD-9 diagnosis 202.70 - 202.78. Restricted to age 18 and above. Open to Opcology specialty for Physician provider type.
J9308	Injection, ramucirumab, 5 mg	Cyramza	Yes	ML	Antineoplastic	None	Х	Х	Х											Effective 1/1/16. Restricted to diagnosis ICD-10 C16.0 - C16.9, C18.0 - C18.9, C19, C20, C21.0 - C21.2, C21.8, C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, or C34.80 - C34.82. Minimum age of 16 years
J9310	Rituximab 100mg	Rituxan	Yes	ML	Anti-neoplastic	10 per day	Χ	Χ	Χ											Closed 12/31/18. See J9312 after this date.

23-31 Imperiors, Nationals 10 Princetor Very ML	Code	Description	Brand Name	NDC Requi red	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	HS	PO	ОРН	НІ	I IDT		C Special Instructions
Miles	J9311			Yes	ML	Anti-neoplastic	None	X	X	Х										Restricted to ICD-10 C82.00 - C82.99, C83.00 - C83.39, C91.10, C91.12.
Proceedings Process	J9312	Injection, rituximab, 10	Rituxan	Yes	ML	Anti-neoplastic	10 per day	Х	Х	Х										Effective 1/1/19.
	J9315		Istodax	Yes	UN	Anti-neoplastic	None	Х	Х	Х							Х			New code effective 1/1/11. Restricted to ICD-9 diagnosis 202.10 - 202.28. Restricted to age 18 and above.
Second Content of the Content of t	J9320	Streptozocin 1a	Zanosar	Yes	UN	Anti-neoplastic	3 per day	Х	Х	Х								+	╁	Unen to Uncolody specialty for Physician broviner type.
10		laherparepvec, per 1 million plaque forming																		Effective 1/1/17. Minimum age of 16 years.
	J9328		Temodar	Yes	UN	Anti-neoplastic	none	Х	Х	Х							Х			
19355 Transference 19355 Projection to protection 19355 Projection to protection 19355 Projection to protection 19355 Projection to protection 19355 Projection to protection 19355 Projection to protection 19355 Projection to protection 19355 Projection to protection 19355 Projection to protection 19355 Projection to protection 19355 Projection to protection 19355 Projection to protection 19355 Projection to protection 19355 Projection to protection 19355 Projection to protection 19355 Projection to protection 19355 Projection to protection 19355 Projection to projection 19355 Projection to projection 19355 Projection to projection 19355 Projection 19355 Projection to projection 19355 Projection to projection 19355 Projection to projection 19355 Projection	J9330		Torisel	Yes	UN	Anti-neoplastic	removed effective,	Х	Х	Х										Effective 10/1/2015 ICD-10 diagnosis codes C64.1, C64.2, C64.9, C65.1, C65.2, C65.9, C66.1, C66.2, C66.9, C68.0, C68.1, C68.8 or C68.9 New code effective 1/1/09. Restricted to ICD-9 code 189.0 - 189.9, advanced renal cell carcinoma, with a
19355 Transference 19355 Projection to protection 19355 Projection to protection 19355 Projection to protection 19355 Projection to protection 19355 Projection to protection 19355 Projection to protection 19355 Projection to protection 19355 Projection to protection 19355 Projection to protection 19355 Projection to protection 19355 Projection to protection 19355 Projection to protection 19355 Projection to protection 19355 Projection to protection 19355 Projection to protection 19355 Projection to protection 19355 Projection to protection 19355 Projection to projection 19355 Projection to projection 19355 Projection to projection 19355 Projection 19355 Projection to projection 19355 Projection to projection 19355 Projection to projection 19355 Projection	J9340	Thiotepa 15mg	Thioplex	Yes	UN	Anti-neoplastic	10 per day	Х	Х	Х									T	For Bone Marrow Transplants.
C34.32; C34.80 - C34.82; C34.80 - C34.82; C34.80 - C34.82; C35.30, C53.1, C53.8, C53.9, C56.1, C56.22; C56.9, C57.00 - C57.92; C57.10 - C57.22; C57.30, C57.24; C57.26; C57.22; C57.30, C57.24; C57.26; C57.25; C57.30, C57.20; C57.80 - C57.26; C57.80 - C57.82; C57.80 - C57.82; C57.80 - C57.82; C57.80 - C57.82; C57.80 - C57.82; C57.80 - C57.82; C58.9, C57.00 - C57.82; C58.9, C57.00 - C57.82; C58.9, C57.00 - C57.82; C58.9, C57.00 - C57.82; C58.9, C57.00 - C57.82; C58.9, C57.00 - C57.82; C58.9, C57.00 - C57.82; C58.9, C57.00 - C57.82; C58.9, C57.00 - C57.82; C59.9, C	J9350	Topotecan 4mg	Hycamtin	Yes	UN	Anti-neoplastic	None	Χ	Χ	Χ										Closed 12/31/10. See J9351 after this date.
0.1 mg	J9351		Hycamtin	Yes	UN	Anti-neoplastic	None	Х	Х	X							X			C34.32, C34.80 - C34.82, C34.90 - C34.92, C53.0, C53.1, C53.8, C53.9, C56.1, C56.2, C56.9, C57.00 - C57.02, C57.10 - C57.12, C57.20 - C57.22, C57.3, C57.4, C79.60 - C79.62 or C79.82
Irastuzumab emtansine, 1 mg	J9352		Yondelis	Yes	UN	Anti-neoplastic	None	Х	Х	Х										Effective 1/1/17. Restricted to ICD-10 diagnosis C49.9. Minimum age of 16 years.
J9356 Injection, trastuzumab, 10 mg and 10 mg	J9354	trastuzumab emtansine,	Kadcyla	Yes	UN	Anti-neoplastic	None	X	X	X										10/1/2015 ICD-10 diagnosis codes C50.011, C50.012, C50.019, C50.021, C50.022, C50.029, C50.111, C50.112, C50.119, C50.121, C50.122, C50.129, C50.211, C50.212, C50.221, C50.221, C50.222, C50.229, C50.311, C50.312, C50.319, C50.321, C50.322, C50.329, C50.411, C50.412, C50.419, C50.422, C50.429, C50.511, C50.512, C50.519, C50.512, C50.522, C50.529, C50.611, C50.612, C50.619, C50.621, C50.622, C50.629, C50.611, C50.812, C50.812, C50.821, C50.822, C50.829, C50.911, C50.912, C50.919, C50.921, C50.922, C50.929, C79.10, C79.11, or C79.19 Effective 1/1/14. Restricted to ICD-9 diagnosis of 174.0 - 174.9 or 175.0 - 175.9. Minimum age restriction of
J9356 Injection, trastuzumab, 10 mg and hydroridase-wsk hydror	J9355	Trastuzumab 10mg	Herceptin	Yes	UN	Anti-neoplastic		Х	Х	Х										Service limit added, effective 10/1/15.
J9357 Valrubicin intravesical 200ma Vinblastine sulfate 1mg Vinblastine Sulfate 1mg Vinblastine Sulfate 1mg Vincristine sulfate 1mg Oncovin Vincasar Pfs Vincristine sulfate 2mg Oncovin Vincristine sulfate 2mg Oncovin Vincasar Pfs Vincristine sulfate 2mg Oncovin Vincasar Pfs Vincristine sulfate 2mg Oncovin Vincasar Pfs Vincristine Sulfate 2mg Oncovin Vincasar Pfs Vincristine Sulfate 2mg Oncovin Vincasar Pfs Vincristine Sulfate 2mg Oncovin Vincasar Pfs Vincristine Sulfate 2mg Oncovin Vincasar Pfs Vincristine Sulfate 2mg Oncovin Vincasar Pfs Vincristine Sulfate 2mg Oncovin Vincristine Sulfate 2mg Oncov	J9356	10 mg and		Yes	ML	Anti-neoplastic		X	Х	Х										
J9370 Vincristine sulfate 1mg Vinblastine Sulfate 1mg Vinblastine Sulfate 1mg Vincristine sulfate 1mg Oncovin Velhan Vincasar Pfs Vincristine sulfate 2mg Oncovin Vincristine Sulfate 2mg Oncovin Vincasar Pfs Vincristine Sulfate 2mg Oncovin Vincasar Pfs Vincristine Sulfate 2mg Oncovin Vincasar Pfs Vincristine Sulfate 2mg Oncovin Vincristine Sulfate 2mg Oncovin Vincasar Pfs Vincristine Sulfate 2mg Oncovin Vincristine Sulfate 2mg Oncovin Vincasar Pfs Vincristine Sulfate 2mg Oncovin Vincristine Sulfate 2mg Onc	J9357	Valrubicin intravesical	Valstar	Yes	ML	Anti-neoplastic	6 per day	Х	Х	Х										monument and resumment of Th VPAIS
J9370 Vincristine sulfate 1mg Oncovin Vincasar Pfs Vincas	J9360		Sulfate	Yes		Anti-neoplastic	46 per day	Х	Х	Х										
J9371 Injection, vincristine sulfate Iposome, 1 mg J9375 Vincristine sulfate 2 mg Oncovin Vincasar Pfs Marqibo Yes UN Anti-neoplastic None X X X X Marqibo Yes UN Anti-neoplastic None X X X X Effective 10/1/2015 ICD-10 diagnosis codes C91.00 - C91.02, C91.10 - C91.12, C91.30 - C91.32, C91.50 - C91.52, C91.60 - C91.62, C91.91, C91.92, C91.40 - C91.42 or C91.70 - C91.	J9370	Vincristine sulfate 1mg	Oncovin	Yes		Anti-neoplastic	7 per day	Х	Х	Х										
J9375 Vincristine sulfate 2mg Oncovin Yes ML Anti-neoplastic 4 per day X X X X Closed 12/31/10.	J9371			Yes	UN	Anti-neoplastic	None	X	X	Х										C91.52, C91.60 - C91.62, C91.91, C91.92, C91.A0 - C91.A2 or C91.Z0 - C91.Z2
		· ·	Vincasar Pfs			·	. ,													

	•			•	1	1			,			,	,		,				
Code	Description	Brand Name	NDC Requi red	NDC unit of measure	Category	Service Limits	AC OP	OP	P	NP	MW	МН	HS	PO	ОРН	HI	IDT F	DC	Special Instructions
J9390	Vinorelbine tartrate	Navelbine	Yes	ML	Anti-neoplastic	10 per day	X	Х	Х										
J9395	10mq Injection fulvestrant	Faslodex	Yes	ML	Anti-neoplastic	20 units daily	Х	Х	Х										Update to service limit, effective 9/9/10.
J9400	25mq Injection, ziv-aflibercept, 1 mg	Zaltrap	Yes	ML	Anti-neoplastic	550 units bi- weekly	Х	Х	Х										Effective 10/1/2015 ICD-10 diagnosis codes C18.0 - C18.9, C19, C20, C21.2 or C21.8 Effective 1/1/14. Restricted to ICD-9 diagnosis of 153.0 - 153.9, 154.0, 154.1, or 154.8. Minimum age
	Ü					,													restriction of 16 years
	Porfimer sodium 75mg Unclassified	Photofrin	Yes Yes	UN KIT=UN	Anti-neoplastic	3 per day	X	X	X										Closed 10/31/19. No drug manufacturers partitipating in federal drug rebate program. Refer to the list of Approved Drugs from preceding page billed with HCPCS Code J3490. Cost invoice
	Antineoplastics. Use only if a more specific		165	SOL=ML PWD=UN			^		_										may be required with claim form.
00000		·	L v/										_	1					Tax
	Levonorgestrel-releasing intrauterine contraceptive system, 13.5 mg.	Skyla	Yes	UN	Contraceptive	1 unit per 3 years	Х	Х	Х	X	Х								Closed 12/31/13. See J7301. Effective 7/1/13. Minimum age restriction of 16 years.
Q0112	All potassium hydroxide (KOH) preparations		N/A																Not covered
Q0138	Injection, ferumoxytol, for treatment of iron deficiency anemia, 1 mg. (non-ESRD)	Feraheme	Yes	ML	Iron salt	none	Х	Х	Х	Х						Х		X	Effective 1/1/17, ICD-10 diagnosis restriction of D63.1 added. Effective 10/1/2015 ICD-10 diagnosis codes D50.0, D50.1, D50.8, D50.9, D53.8 or D64.9 Deny if billed with ICD10 diagnosis N18.6 Effective 1/1/10. Restricted to ICD-9 diagnosis 280.0 - 280.9. Deny if billed with ICD-9 diagnosis 585.6.
Q0139	Injection, ferumoxytol, for treatment of iron deficiency anemia, 1 mg. (ESRD use)	Feraheme	Yes	ML	Iron salt	none	Х	Х	Х	Х						Х		Х	Effective 1/1/17, ICD-10 diagnosis restriction of D63.1 added. Effective 1/1/17, ICD-10 diagnosis codes D50.0, D50.1, D50.8, D50.9, D53.8, D64.9 or N18.6 Effective 1/1/10. Restricted to ICD-9 diagnosis 280.0 - 280.9 and 585.6. Restrict to age 16 and above.
Q0144	Azithromycin dehydrate, oral, capsules/powder, 1 gram	Zithromax Zithromax Z- pak	Yes	UN					Х	Х									New code effective 1/1/08.
Q0162	Ondansetron 1 mg., oral, FDA-approved prescription anti-emetic, not to exceed a 48-hour desage regimen.	Zofran	N/A																Not covered.
Q0163	Diphenhydramine HCl 50 mg, oral, FDA approved prescription antiemetic, for use as a complete therapeutic substitute for an IV antiemetic at time of chemotherapy treatment not to exceed a 48 hour dosage regimen	Truxadryl	Yes	SOL=ML		None	Х	Х	X	X									Must be billed with chemo agent.
Q0164	Prochlorperazine maleate, 5mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitue for an IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage	Compa-zine	Yes	UN		None	Х	Х	X	Х									Must be billed with chemo agent.

			Lung										1						
Code	Description	Brand Name	NDC Requi red	NDC unit of measure	Category	Service Limits	AC OP	OP	Р	NP	MW	МН	HS	PO	ОРН	н	F	DC	Special Instructions
Q0165	Prochlorperazine maleate, 10mg, oral, FDA approved antiemetic, for use as a complete therapeutic substitue for an IV antiemetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen	Compazine	Yes	UN		None	X	X	Х	X									Must be billed with chemo agent.
	Granisetron HCI, 1mg, oral, FDA approved anti- emetic, for use as a complete therapeutic substitute for an IV anti- emetic at the time of chemotherapy treatment, not to exceed a 24 hour dosage regimen	Kytril	Yes	SOL=ML		None	X	X	X	Х									Must be billed with chemo agent.
Q0167	Dronabinol, 2.5mg, oral, FDA approved anti- emetic, for use as a complete therapeutic susbstitute for an IV anti- emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen	Marinol	Yes	UN		None	X	Х	Х	X									Must be billed with chemo agent.
Q0168	Dronabinol, 5mg, oral, FDA approved anti- emetic, for use as a complete therapeutic susbstitute for an IV anti- emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen	Marinol	Yes	UN		None	х	Х	Х	X									Must be billed with chemo agent.
Q0169	Promethazine HCl, 12.5mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitute for an IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen	Phenergan Amergan	Yes	UN		None	Х	X	X	X									Must be billed with chemo agent.

	1																		
Code	Description	Brand Name	NDC Requi red	NDC unit of measure	Category	Service Limits	AC OP	OP	Р	NP	MW	МН	HS	PO	ОРН	НІ	IDT F	DC	Special Instructions
Q0170	Promethazine HCI, 25mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitute for an IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen		Yes	SYR=ML		None	Х	X	X	X									Must be billed with chemo agent.
Q0171	Chlorpromazine HCI, 10mg, oral, FDA approved antiemetic, for use as a complete therapeutic substitute for an IV antiemetic at the time of chemotherapy treatment, not to exceed a 48 hour regimen	Thorazine	Yes	SYR=ML		None	X	X	X	X									Must be billed with chemo agent.
Q0172	Chlorpromazine HCI, 25mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitute for an IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour regimen		Yes	SOL=ML		None	X	Х	Х	X									Must be billed with chemo agent.
Q0173	Trimethobenzamide HCl, 250mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitute for an IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen	Thimazide	N/A																Not Covered
Q0174	Thiethylperazine maleate, 10mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitute for an IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen	Torecan	Yes	UN		None	Х	X	Х	X									Must be billed with chemo agent.

_	1	r		T															
Code	Description	Brand Name	NDC Requi red		Category	Service Limits	AC OP	OP	P	NP	MW	МН	HS	PO	ОРН	HI	F F	DC	Special Instructions
	Perphenzaine, 4mg, oral, FDA approved anti- emetic, for use as a complete therapeutic substitute for an IV anti- emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen	Trilifon	Yes	UN		None	X	X	X	X									Must be billed with chemo agent.
Q0176	Perphenzaine, 8mg, oral, FDA approved anti- emetic, for use as a complete therapeutic substitute for an IV anti- emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen	Trilifon	Yes	UN		None	X	X	X	Х									Must be billed with chemo agent.
Q0177	Hydroxyzine pamoate, 25mg, oral, FDA approved antiemetic, for use as a complete therapeutic substitute for IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage	Vistaril	Yes	SUS=ML		None	X	Х	Х	Х									Must be billed with chemo agent.
Q0178	Hydroxyzine pamoate, 50mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitute for IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage	Vistaril	Yes	PWD=UN		None	х	Х	Х	X									Must be billed with chemo agent.
Q0179	Ondansetron HCI, 8mg, FDA approved anti- emetic, for use as a complete therapeutic substitute for an IV anti- emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen	Zofran	Yes	UN		None	Х	Х	Х	X									Must be billed with chemo agent.

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	PΩ	ОРН	Н	חו וו	חדו	DC Special Instructions
Joue	Description	Static Name	Requi	of	Category	Limits	OP	OP	-	MP		.4111	1.13		OFIT	Π"	" IU F		Openial monactions
			red	measure			٠.	•									-		
Q0180	Dolasetron mesylate,	Anzemet	Yes	UN		None	Х	Х	Х	Х						1		+	Must be billed with chemo agent.
	100mg, oral, FDA																		
	approved anti-emetic, for																		
	use as a complete																		
	therapeutic substitute for an IV anti-emetic at the																		
	time of chemotherapy																		
	treatment, not to exceed																		
	a 24 hour dosage																		
	regimen																		
Q0181	Unspecified oral dosage		N/A													1		+	Not covered
	form, FDA approved anti-																		
	emetic, for use as a																		
	complete therapeutic																		
	substitute for an IV anti-																		
	emetic at the time of chemotherapy treatment,																		
	not to exceed a 48 hour																		
	dosage regimen																		
Q0511	Pharmacy supply fee for		N/A													+			Medicare X-over
40011	oral anticancer,		,, .																modela A CTG
	oral antiemetic																		
00545	or immunosuppressive Injection, sermorelin	Geref -	N/A						-	-			1			+	-		Not covered
Q0515	acetate. 1 microgram	Diagnostic	IN/A																Not covered
Q2004	Irrigation solution for	Renacidin	N/A																Not covered
	treatment of bladder																		
	calculi, for example																		
Q2009	Renacidin per 500 ml Injection, fosphenytoin,	Cerebyx	N/A										1			1		+	Not covered
	50 mg	,																	
Q2024	Injection, bevacizumab,						Х	Х	Х						Х				Closed 12/31/09. See J3490 for Ophthalmology .
02040	0.25 mg. Injection, incobotulinim	Xeomin	Yes	UN	Neuromuscular	120 u. per 90	Х	Х	Х				-			+	-	+	Closed 12/31/11. See J0588. Effective 4/1/11. Restricted to ICD-9 diagnosis codes of 333.81 & 333.83.
Q2040	toxin A, 1 u.	AGOITIIIT	103	OIV	blocker	days	^	^											Minimum age restriction of 18 years.
						,													
Q2040	Injection,	Kymriah	Yes	UN	Genetic therapy	N/A	Х	Х	İ							1		1	Closed 12/31/18. See Q2042 after this date.
	tisagenlecleucel																		Effective 1/1/18. Contact Kepro at 800-346-8272 for prior authorization requests.
Q2041	Axicabtagene ciloleucel	Yescarta	Yes	EA	Genetic therapy	N/A	Х		İ							1		T	Effective 4/1/18. Contact Kepro at 800-346-8272 for prior authorization requests.
1					1						l								
Q2042	Injection,	Kymriah	Yes	UN	Genetic therapy	N/A	Х	Х								1			Effective 1/1/19. Contact Kepro at 800-346-8272 for prior authorization requests.
	tisagenlecleucel				1														
Q2043	Sipuleucel-T, minimum	Provenge	Yes	UN	Anti-neoplastic	1 per 14 days	Х	Х	Х		 				 	+	-	+	Effective 10/1/2015 ICD-10 diagnosis code C61
	of 50 million autologous										1		1	1					Effective 7/1/11. Restricted to ICD-9 diagnosis 185. Minimum age restriction of 18 years.
	cells, including all				1		l				1		1	1					
	preparatory procedures,				ĺ														
	per infusion																		
															<u> </u>	_			
Q2046	Injection, aflibercept 1	Eylea	Yes	ML	neovascular-	4 units	Х	Х							Х				Effective 10/1/2015 ICD-10 diagnosis codes H34.811 - H34.813, H34.819, H35.32 or H35.81
	mg.				Age related	weekly	l				1		1	1					Ophthalmology physician specialty added 7/1/12. New ICD-9 diagnosis restriction of 362.83 and 362.35
					Macular Degeneration														added, effective 9/21/12. Code opened 7/1/12. Restricted to ICD-9 diagnosis code of 362.52. Minimum age
							•	•	•	-	•	-	•	•	•	•			- Marie - Mari

Code	Description	Brand Name	NDC Requi	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	HS	PO	OPI	ł	DT F	DC	Special Instructions
	Injection, peginesatide 0.1 mg.	Omontys	Yes	ML	Erythropoiesis stimulating agent													Х	Effective 10/1/2015 ICD-10 diagnosis codes D63.1 or N18.6 Effective 7/1/12. Restricted to ICD-9 diagnosis 285.21 and 585.6. Minimum age restriction of 16 years.
	Injection, doxorubicin HCl., liposomal, 10 mg.	Lipodox (imported)	Yes	ML	Anti-neoplastic	10 per day	Х	Х	X										Effective 7/1/12.
	Injection, doxorubicin hydrochloride, liposomal, not otherwise specified, 10mg	Doxil	Yes	ML	Anti-neoplastic	10 per day	Х	Х	Х										Effective 1/1/14.
Q3025	Injection, interferon beta-1a, 11 mcg for intramuscular use	Rebif Avonex	Yes	UN		4 daily	Х	Х	Х	Х									For IM only.
	Injection, interferon beta-1a, 11 mcg for subcutaneous use	Rebif Avonex	N/A																Closed 7/1/05
	Illoprost, inhalation solution, FDA-approved final product, non-																		Not covered.
Q4079	Injection, Natalizumab 1 mg	Tysabri	Yes		Leukocyte Adhesion Inhibitor														Code closed 12/31/07. See J2323 effective 1/1/08.
	Iloprost inhalation solution administered thru DME up to 20 mca	Ventavis	N/A		HIRORE														Not Covered. Closed 12/31/09. See Q4074
Q4081	Injection, Epoetin Alfa, 100 units (for ESRD on dialvsis)	Epogen Procrit	Yes	ML		900 units 3 times weekly	Х	Х	Х	Х								Х	Effective 10/1/2015 ICD-10 diagnosis code N18.6 New code 1/1/07. If more than 900 units needed, bill with J0886. ICD-9 585.6 needed on claim form.
	Drug or Biological, not otherwise classified, Part B drug		N/A																New code 1/1/07. Not covered.
	Hyaluronan or derative, Hyalgan or Supartz, for intra-articular injection per dose	Hyalgan Supartz	No		Osteoarthritic	10 injection (5 per knee) per 170 rolling days													Code closed 12/31/07. Claims will deny when billed with Q code with dates of service after 12/31/07. See J7321 effective 1/1/08.
	Hyaluronan or derivative, Synvisc, for intra- articular injection, per	Synvisc	No		Osteoarthritic	6 injections (3 per knee) per 170													Code closed 12/31/07. Claims will deny when billed with Q code with dates of service after 12/31/07. See J7322 effective 1/1/08.
	Hyaluronan or derivative, Euflexxa, for intra- articular injection, per	Euflexxa	No		Osteoarthritic	10 injection (5 per knee) per 170 rolling days													Code closed 12/31/07. Claims will deny when billed with Q code with dates of service after 12/31/07. See J7323 effective 1/1/08.
	Hyaluronan or derivative, Orthovisc, for intra- articular injections, per	Orthovisc	No		Osteoarthritic	8 injections (4 per knee) per 170 rolling days													Code closed 12/31/07. Claims will deny when billed with Q code with dates of service after 12/31/07. See J7324 effective 1/1/08.
	Octagam injection - injection , immune globulin,(Octagam) IV, non-lyophilized (i.e.,		N/A			minio navs													New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J1568 effective 1/1/08.

													T		T			
Code	Description	Brand Name	NDC	NDC unit of	Category	Service Limits	AC OP	CAH OP	Р	NP	MW	МН	HS	PO	ОРН	HI	I IDT	Special Instructions
			Requi	_		Limits	OP	OP										
			red	measure														
Q4088	Gammagard Liquid		N/A															New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J1569 effective 1/1/08.
	Injection -																	
	Injection,immune																	
	globulin (Gammagard																	
	Liquid), IV, non- lyophilized (e.e., liquid),																	
	500mg																	
Q4089	Rhophylac Injection -		N/A															New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J2791 effective 1/1/08.
	Injection, Rho(d)																	
	immune globulin																	
	(human), (Rhohylac), IM																	
	or IV, 100iu - Note that																	
	currently Rhophylac is the only product that																	
	should be billed using																	
	code Q0489. If other																	
	products under the Food																	
	and Drug Administration																	
	(FDA) approval for																	
	Rhophylac become																	
	available, Q4089 would																	
	be used to bill for such																	
	HepaGam B Injection -		N/A															New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J1571 effective 1/1/08.
	Injection, hepatitis B																	
	immune globulin																	
	(HepaGam B, IM, 0.5																	
Q4091	Fiebogamma Injection -		N/A															New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J1572 effective 1/1/08.
	Injection, immune																	
	globulin (Flebogamma),																	
	IV, non-lypohilized (e.g.,																	
04002	liquid) 500ma Gamunex Injection -		N/A	-													-	New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J1561 effective 1/1/08.
Q4092	Injection, immune		IN/A															New Code ellective 7/1/07. Not covered. Code closed ellective 12/3/107. See 3/301 ellective 1/1/08.
	globulin (Gamunex), IV,																	
	non-lypohilized (e.g.,																	
	liquid) 500mg																	
	Albuterol, all		N/A															New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J7602 effective 1/1/08.
	formulations including																	
	separated isomers,																	
	inhaltion solution, FDA approved final product,																	
	non-compounded,																	
	administered through																	
	DME, concentrated																	
	form, per 1 mg																	
	(albuterol) or per 0.5mg																	
	, , ,						I						1		1	_		

Code	Description	Brand Name	NDC	NDC unit	Category	Service	AC	CAH	Р	NP	MW	МН	HS	РО	OPH	Н	IDT	D	C Special Instructions
	·		Requi	of		Limits	OP	OP									F		
			red	measure															
04004	Albuterol, all		N/A															+-	New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J7603 effective 1/1/08.
	formulations including		IN/A																Thew code ellective 1/1/01. Not covered. Code closed ellective 12/31/01. Gee 3/303 ellective 1/1/00.
	separated isomers,																		
	inhaltion solution, FDA																		
	approved final product,																		
	non-compounded,																		
	administered through DME, concentrated																		
	form, per 1 mg																		
	(albuterol) or per 0.5mg																		
	Zoledronic	Reclast	Yes	ML	Bone												+	+	Code closed effective 12/31/07. See J3488 effective 1/1/08.
	Acid/Mannitol/Water				Resorption														
	Reclast 5mg/100ml				Inhibitor														
04006	hottles Injection, Von Willebrand	Alphanate	N/A	IU	Anti-hemophilic												-	+-	Not covered.
	factor complex, human,	Alphanate	19/75	10	Ana-nemophilic										l				INVI COVERGU.
	Ristocetin cofactor,																		
	(NOS), per IU.																		
	VWF:RCO																		
Q4098	Injection, iron dextrans,	Infed	Yes	ML	Iron salt	None	Х	Х	Х	Х									New code. Opened 7/1/08. Closed 12/31/08. See J1750 after 1/1/09.
	50 mg.															<u> </u>		↓_	
	Skin substitute, NOS Skin substitute, Oasis	N/A N/A	No No			None None	X	X	X				-	X			-	-	Requires description of skin substitute on claim form, requires cost invoice with claim form, add to edit 162 Replaces J7341.
	Wound Matrix, per sq.	IN/A	INO			None	^	^	^					^					Replaces 37341.
	cm.																		
Q4103	Skin substitute, Oasis	N/A	No			None	Х	Х	Х					Х					Replaces J7341.
Q4107	Burn Matrix, per sq. cm. Skin substitute, Graft	N/A	No			None	Х	Х	Х					Х				+-	
	Jacket, per sq. cm.																		
Q4108	Skin substitute, Integra	N/A	No			None	Х	Х	Х					Х					Replaces J7347.
04109	Matrix, per sq. cm. Skin substitute,	N/A	No			None	Х	Х	Х					Х			-	-	Replaces J7348.
	Tissuemend, per sq. cm.	14//	'**			140110								^					Tropiaces of 646.
	Skin substitute, Primatrix, per sq. cm.	N/A	No			None	Х	Х	Х					Х					Replaces J7349.
	Skin substitute,	N/A	No			None	Х	Х	Х					Х			1	+	
	GammaGraft, per sq.																		
0/112	cm. Allograft, Cmyetra,	N/A	No			None	Х	Х	Х				\vdash	Х		1		+	Replaces J7346.
Q411Z	iniectable, 1 cc.	14/74	INU			INOTIC	_^	_^	^		L!			_^					Ιτοριασσό στοπο.
	Allograft,	N/A	No			None	Х	Х	Х					Х					Replaces J7346.
	GRAFTJACKET														1	1			
	express, injectable, 1 cc.															1			
Q4114	Integra flowable wound	N/A	No			None	Х	Х	Х					Х					
	matrix, injectable, 1 cc.															1			
04124	Theraskin, per sq. cm.	N/A	No			None	Х	Х	Х					Х		-		+	Effective 7/1/15. Covered to ASC, effective 7/1/15. Restricted to physician specialties of Podiatrist and
Q4121	meraskin, per sq. cm.	IN/A	INO			None	^	_ ^	^					^					Podiatric Surgeon, General Surgeon, Plastic Surgeon, and Dermatologist.
Q5101	Injection, filgrastim G-	Zarxio	Yes			1500 units	Х	Х	Х								-	+	Effective 10/1/15.
	CSF, biosimiliar, 1 mg.					daily	``	^`	^						l				
	Infliximab, bio-similar, 10	Inflectra	Yes		Anti-rheumatic	-	Х	Х	Х								1	+	Closed 3/31/18. See Q5103 after this date.
	mg.													l	1	1			Effective 1/1/17.
	-	1		1			1	1							<u> </u>				

Code	Description	Brand Name	NDC Requi red	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	HS	PO	OP	Н	DT F	DC	Special Instructions
Q5103	Injection, infliximab-dyyb, bio-similar, 10 mg.	Inflectra	Yes	EA	Anti-rheumatic	None	Х	Х	Х										Effective 4/1/18.
Q5104	Injection, infliximab- abda, bio-similar, 10 mg.	Renflexis	Yes	EA	Anti-rheumatic	None	Х	Х	Х										Effective 4/1/18.
Q5108	Injection, pegfilgrastim- jmdb, biosimilar, 0.5 mg	Fulphila	Yes	ML	Colony stimulating factor	None	Х	Х	Х	Х									Effective 10/1/18.
Q5111	Injection, pegfilgrastim- cbqv, biosimilar, 0.5 mg	Udenyca	Yes	ML	Colony stimulating factor	12 units daily	Х	Х	Х										Effective 1/1/19. Restricted to ICD-10 D70.0 - D70.4, D70.8, D70.9. Minimum age of 16 years.
Q9951	Low osmolar contrast material, 400 mg/.ml or greater,iodine concentration per ml		No		Diagnostic agent Radio-		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
Q9952	Injection Gadolinim- based magnetic resonance contrast agent , per ml	Magnevist 46.9% Prohance Multihance Omniscan	No		Diagnostic agent Radio- pharmaceutical		Х	Х									Х		Closed. Paper Claim. Send copy of the invoice which includes the NDC billed
Q9953	Injection iron-based magnetic resonance contrast agent, per ml	Feridex IV	No		Diagnostic agent Radio-		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
Q9954	Oral magnetic resonance contrast agent, per 100ml	Gastromark	No		Diagnostic agent Radio-		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
Q9955	Injection, perflexane lipid microsphere, per ml		No		Diagnostic agent Radio-		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
Q9956	Injection octafluoropropane microspheres, per ml	Optison	No		Diagnostic agent Radio-		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed
Q9957	Injection , perfluitren lipid microspheres, per ml	Definity	Yes		Diagnostic agent Radio-		Х	Х	Х								Х		Paper Claim. Send copy of the invoice which includes the NDC billed. Cardiology specialty added as covered provider, effective 1/1/09.
Q9958	High osmolar contrast material, up to 149 mg/ml iodine concentration, per ml	Cystografin Reno-30 Cystografin Hypaque Cysto-Conray	No		Diagnostic agent Radio- pharmaceutical		X	Х	Х								Х		Paper Claim. Send-copy of the invoice which includes the NDC billed

Code	Description	Brand Name	NDC Requi red	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	нѕ	PO	OPI	H		DT I	oc s	Special Instructions
Q9959	High osmolar contrast material, 150-199 mg/ml iodine concentration, per ml		No		Diagnostic agent Radio-		Х	Х	Х								,	х	F	Paper Claim. Send copy of the invoice which includes the NDC billed
Q9960	High osmolar contrast material, 200-249 mg/ml iodine concentration, per ml	Conray 43	No		Diagnostic agent Radio-		Х	Х	Х)	X	F	² aper-Claim. Send-copy-of-the-invoice-which-includes-the-NDC-billed
Q9961	High osmolar contrast material, 250-299 mg/ml iodine concentration, per ml	Cholografin Reno-60 Renografin- 60	No		Diagnostic agent Radio-		X	Х	X)	X	F	Paper Claim. Send copy of the invoice which includes the NDC billed
Q9962	High osmolar contrast material, 300-349 mg/ml iodine concentration, per ml		No		Diagnostic agent Radio-		Х	Х	Х)	X	F	Paper Claim. Send copy of the invoice which includes the NDC billed
Q9963	High osmolar contrast material, 350-399 mg/ml iodine concentration, per ml	Gastrografin Sinografin Renocal-76 Hypaque Md-76R Md	No		Diagnostic agent Radio- pharmaceutical		Х	Х	Х)	Х	F	Paper Claim. Send copy of the invoice which includes the NDC billed
Q9964	High osmolar contrast material, 400 or greater mg/ml iodine concentration, per ml	Conray 400	No		Diagnostic agent Radio-		Х	Х	Х)	Х	F	Paper Claim. Send copy of the invoice which includes the NDC billed
Q9965	Low osmolar contrast material, 100-199 MG/ML IODINE CONCENTRATION, PER ML		No		Diagnostic agent Radio- pharmaceutical		Х	х	Х								,	Х	F	aper Claim. Send copy of the invoice which includes the NDC billed
Q9966	Low osmolar contrast material, 200-299 MG/ML lodine Concentration, Per ML		No		Diagnostic agent Radio- pharmaceutical		Х	Х	Х								,	Х	F	Paper Claim. Send copy of the invoice which includes the NDC billed
Q9967	Low osmolar contrast material, 300-399 MG/ML lodine Concentration, Per ML		Yes		Diagnostic agent Radio- pharmaceutical		X	Х	Х								,	Х		Effective 6/1/17, claim must be submitted with NDC participating in federal rebate program. Paper Claim. Send copy of the invoice which includes the NDC billed
Q9968	Injection, non- radioactive, non- contrast, visualization adjunct																		N	Not covered.
Q9970	Injection, ferric carboxymaltose, 750 mg./15 ml.	Injectafer	Yes	ML	Iron therapy	None	Х	Х	Х											Closed 12/31/14. See J1439 after this date. Effective 7/1/14. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 280.1 - 280.9. Minimum age restriction of 16 years.

Code	Description	Brand Name	NDC Requi red	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	HS	PO	OPH	I H		T [C Special Instructions
	Injection, morphine sulfate, preservative-free for epidural or intrathecal use, 10mg	Duramorph	yes	ML	Analgesic narcotic	None	Х	Х	Х										Closed 12/31/14. See J2274 after this date. Effective 7/1/14. Cannot be billed with J2271 or J2275 for same DOS.
	Injection, factor viii, fc fusion protein, (recombinant), per IU	Eloctate	Yes	IU	Anti-hemophilic		Х	Х	Х										Closed 12/31/15. See J7205 after this date. Effective 10/1/2015 ICD-10 diagnosis code D66 Effective 4/1/15. Restricted to ICD-9 diagnosis of 286.0 Minimum age restriction of 2 years.
Q9979	Injection, alemtuzumab 1 mg.	Lemtrada	Yes	ML	Anti-schlerotic	None	Х	Х	Х										Closed 12/31/15. See J0202 after this date. Effective 10/1/2015. Restricted to diagnosis ICD-10 G35. Minimum age restriction of 17 years.
	Levonorgetrel-releasing IUD contraceptive, 19.5 mg.	Kyleena	Yes	EA	Contraceptive	Once in five years	Х	Х	Х	Х	Х								Closed 12/31/17. See J7296 after this date. Effective 7/1/17.
Q9989	Ustekinumab 10 mg. IV injection	Stelara	Yes	ML	Antipsoriatic	None	Х	Х	Х										Closed 12/31/17. See J3358 after this date. Effective 7/1/17. Restricted to ICD-10 L30.5, L40.0 - L40.4, L40.50 - L40.54, L40.59, L40.8, L40.9, L41.0, L41.1, L41.3 - L41.5, L41.8, L41.9, L42, L44.0, L44.8, L45 or L94.5.
	Injection, triamcinolone acetonide, preservative- free, extended-release, microsphere formulation, 1 mg.	Zilretta	Yes	EA	Anti- inflammatory	Max. 32 mg. once yearly	Х	Х	Х	Х									Closed 12/31/18. Effective 7/1/18. Restricted to ICD-10 diagnosis of M17.1 - M17.9.
S0012	Butorphanol tartrate,		N/A																Not covered.
S0014	nasal sprav. 25 mg. Tacrine HCl, 10 mg.		N/A																Not covered.
S0017	Injection, aminocaproic acid		N/A		Hemorrhage														Not Covered
S0020	Injection, bupivicaine hydro		N/A		Anesthetic														Not Covered
S0021	Injection, cefoperazone		N/A		Antibiotic														Not Covered
S0023	sod Injection, cimetidine		N/A		Anti-Ulcer											+	+	+	Not Covered
S0028	hvdroc Injection, famotidine, 20		N/A		Preparation Anti-Ulcer											-	-		Not Covered
	ma				Preparation														
	Injection, metronidazole Injection, nafcillin sodium		N/A N/A		Anti-protoxoal Penicillin-										+		-	-	Not Covered Not Covered
					Antibiotic														
S0034	Injection, ofloxacin, 400 ma		N/A		Quinolone- Antibiotic														Not Covered
S0039	Injection,		N/A		Sulfa - Antibiotic														Not Covered
S0040	sulfamethoxazole Injection, ticarcillin disod		N/A		Penicillin- Antibiotic														Not Covered
S0073	Injection, aztreonam,		N/A		Betalactam-												T	T	Not Covered
S0074	500 mg Injection, cefotetan		N/A		Antibiotic Cephalosporin-												-	\dagger	Not Covered
S0077	disodiu Injection, clindamycin		N/A		Antibiotic Lincosamide-									1	1	+	-	+	Not Covered
	phosp				Antibiotic									<u> </u>					
S0078	Injection, fosphenytoin sodi		N/A		Anticonvulsant														Not Covered
S0080	Injection, pentamidine iseth		N/A		Antiprotozoal														Not Covered

Code	Description	Brand Name	NDC Requi red	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	HS	PC	0 0	РН	HI	IDT F	DC	Special Instructions
S0081	Injection, piperacillin sodi		N/A		Penicillin-															Not Covered
00000	laradali 400 ara		N1/A		Antibiotic									1	_					Not Occupy d
	Imatinib 100 mg Sildenafil citrate, 25 mg		N/A N/A		Leukemia Impotency								-	1				-		Not Covered Not Covered
	Granisetron 1mg		N/A		Antiemetic/									1						Not Covered Not Covered
00001	Granise con Tring		14,71		Antivertigo Agents															The Colored
	Hydromorphone 250 mg		N/A		Narcotic															Not Covered
	Morphine 500 mg		N/A		Narcotic															Not Covered
S0104	Zidovudine, oral, 100 mg		N/A		HIV- Antiviral									1	_					Not Covered
	Bupropion HCL SR 60 tablets		N/A		Anti-Smoking															Not Covered
	Mercaptopurine 50 mg Methadone oral 5mg		N/A Yes	EA	Leukemia	20 units daily	<u> </u>							1	_					Not Covered
	Tretinoin topical 5 q		Yes N/A	EA	Narcotic Acne	∠∪ units daily	 	<u> </u>	\vdash			\vdash	+	+	+	-				Effective 7/1/17. Covered entities are Mental Health Clinic & Mental Health Rehabilitation. Not Covered
	Inj menotropins 75 iu		N/A		Follicle Stim /Lutenizing Homones															Not Covered. Code closed effective 12/31/07.
S0126	Inj follitropin alfa 75 iu		N/A		Follicle Stim /Lutenizing Homones															Not Covered. Code closed effective 12/31/07.
S0128	Inj follitropin beta 75 iu		N/A		Follicle Stim /Lutenizing Homones															Not Covered. Code closed effective 12/31/07.
S0132	Inj ganirelix acetat 250 mcg		N/A		LHRH (GNRH) Antagonist, Pituitary															Not Covered. Code closed effective 12/31/07.
S0136	Clozapine, 25 mg		N/A		Atypical Antipsychotic															Not Covered
	Didanosine, 25 mg		N/A		HIV- Antiviral															Not Covered
	Finasteride, 5 mg		N/A		Prostatic Hypertrophy															Not Covered
	Minoxidil, 10 mg		N/A		Anti hypertensive															Not Covered
	Saquinavir, 200 mg Zalcitabine, 0.375 mg ,		N/A N/A		HIV Antiviral HIV- Antiviral									1						Not Covered
																				Not Covered
	Colistimethate inh sol		N/A		Polymyxin- Antibiotic															Not Covered
	Aztreonam, inh sol gram		N/A		Betalactam- Antibiotic															Not Covered
	Peg interferon alfa- 2A/180 Peg interferon alfa-		N/A N/A		Hepatitis C															Not Covered
	2b/10				Hepatitis C															Not Covered Not Covered Code should effect in 40/04/07
	Alglucosidase alfa 20 mg		N/A		Enzyme Replacement															Not Covered. Code closed effective 12/31/07.
S0155	Sterile dilutant for epoprostenol, 50 ml		N/A		Diluent Solutions															Not Covered. Code closed effective 12/31/07.
S0156	Exemestane, 25 mg		N/A		Antineoplastic															Not Covered. Code closed effective 12/31/07.
	Becaplermin gel 1%, 0.5 gm		N/A		Diabetic Ulcer Preparations															Not Covered. Code closed effective 12/31/07.
S0160	Dextroamphetamine		N/A		ADHD, Narcolepsv															Not Covered

Code	Description	Brand Name	NDC Requi red	NDC unit of measure	Category	Service Limits	AC OP	CAH OP	P	NP	MW	МН	HS	PO	ОРН	Н	I ID	C Special Instructions
	Calcitrol		N/A		Vitamin D													Not Covered
	Injection efalizumab		N/A		Psoriasis													Not Covered
S0164	Injection pantroprazole		N/A		Gastric Reflux, Esophogitis													Not Covered
	Inj olanzapine 2.5mg		N/A		Atypical Antipsychotic													Not Covered
S0170	Anastrozole 1 mg		N/A		Antineoplastic													Not Covered
S0171	Bumetanide 0.5 mg		N/A		Loop Diuretics													Not Covered
S0172	Chlorambucil 2 mg		N/A		Alkylating Agents													Not Covered. Code closed effective 12/31/07.
S0174	Dolasetron 50 mg		N/A		Antiemetic/ Antivertigo Agents													Not Covered. Code closed effective 12/31/07.
S0175	Flutamide 125 mg		N/A		Antiandrogenic Agent													Not Covered. Code closed effective 12/31/07.
S0176	Hydroxyurea 500 mg		N/A		Alkylating Agents													Not Covered. Code closed effective 12/31/07.
S0177	Levamisole 50 mg		N/A															Not Covered. Code closed effective 12/31/07.
S0178	Lomustine 10 mg		N/A		Alkylating Agents													Not Covered. Code closed effective 12/31/07.
S0179	Megestrol 20 mg		N/A		Appetite Stim. For Anorexia													Not Covered. Code closed effective 12/31/07.
S0180	Etonogestrel implant system		N/A		Contraceptive, Implantable													Code closed effective 12/31/07. Claims will deny when S code billed after dates of service 12/31/07. See J7307 effective 1/1/08.
S0181	Ondansetron 4 mg		N/A		Antiemetic/ Antivertigo Agents													Not Covered. Code closed effective 12/31/07.
S0182	Procarbazine 5 mg		N/A		Antineoplastic													Not Covered. Code closed effective 12/31/07.
S0183	Prochlorperazine 5 mg		N/A		Antiemetic/ Antivertigo Agents													Not Covered. Code closed effective 12/31/07.
S0187	Tamoxifen 10 mg		N/A		Selective Estrogen Receptor Modulators													Not Covered. Code closed effective 12/31/07.
S0189	Testosterone pellet 75 mg		N/A		Androgenic Agent													Not Covered. Code closed effective 12/31/07.
S0190	Mifepristone, oral, 200 mg	Mifeprex	Yes		Abortifacient, Progesterone Receptor Antagonist				Х									
S0191	Misoprostol, oral, 200 mcg	Cytotec	Yes		Anti-Ulcer Prep/Abortifacie nt				Х									
S0196	Poly-I-lactic acid 1ml face		N/A															Not Covered

Requi red of measure														_				_		
Ref Mark M	Code	Description	Brand Name			Category	Service	AC		Р	NP	MW	МН	HS	РО	ОРН	HI	IDT	DC	Special Instructions
See Contracept ILD		i					LIIIIIIS	OF	UF									-		
April Not Covered		i		reu	measure															
April Not Covered		i																		
April Not Covered		1																		
April Not Covered	0.4000	0																		
Not Covered Not Covered	S4989	Contracept IUD		N/A		-														Not Covered
Notice patches	S4990	Nicotine natches legend	1	N/A		Contraceptive								_						Not Covered
April Apri	04330	rvicotine pateries, legend		IN/A																Not covered
Auto-Courte Auto-Courte	S4991	Nicotine patches,		N/A		Anti-Smoking														Not Covered
Smoking_sesation_gum						_														
April Apri	S4993	Contraceptive pills for bc		N/A																Not Covered
S000 Prescription drug, MA IV Fluid Not Covered Not Co	0.4005	0 1: ::																		
sometic of the composition of th														_		1				
Scott Prescription drug brand N/A	33000		1	IN/A		I V FIUIU														INOL COVERED
Not Covered	S5001		1	N/A		IV Fluid								1				1		Not Covered
March Marc			<u> </u>										<u> </u>	<u>L</u>			<u></u>		L	
Not Covered	S5010	5% dextrose and 45%		N/A		IV Fluid														Not Covered
Solid Soli																				
Sofice S	S5011		1	N/A		IV Fluid														Not Covered
potassium chloride, 1000 ml Not Covered S013 SM dextrose/45% normal saline with potassium sulfate, 1000 ml Not Covered S014 SM dextrose/45% N/A IV Fluid Normal saline with potassium sulfate, 1000 ml Not Covered S014 SM dextrose/45% N/A IV Fluid Normal saline with potassium chloride and magnesium sulfate, 1500 ml Not Covered S0550 Insulin rapid 5 u N/A Diabetes N/	CE012			NI/A		IV/ Eluid														Not Covered
Mathematics Mathematics	55012			IN/A		IV Fluid														Not Covered
normal saline with potassium chloride and magnesium sulfate, 1000 rel 1000		ml																		
normal saline with potassium chloride and magnesium sulfate, 1000 rel 1000	S5013	5% dextrose/45%		N/A		IV Fluid														Not Covered
magnesium sulfate, 100.mcl 150.14 S% dextrosel45%, normal saline with potassium chloride and magnesium sulfate, 150.mcl 150.mcl magnesium sulfate, 150.mcl 150.mcl most rapid 5 u N/A Diabetes Dissosi Insulin most rapid 5 u N/A Diabetes Dissosi Insulin intermed 5 u N/A Diabetes Dissosi Insulin cartridge 300 u N/A Diabetes Dissosi Insulin cartridge 150 u N/A Diabetes Dissosi Insulin cartridge 300 u N/A Diabetes Dissosi Insuli																				
1.000 ml		potassium chloride and																		
Social Sis destrose/45%																				
normal saline with potassium chloride and magnesium sulfate, 1500 ml 1	CE04.4	1000 ml		NI/A		N/ Ebilal								1		1				Net Caused
potassium chloride and magnesium sulfate, 1507 ml 1507 ml 1507 ml 1508				IN/A		IV Fluid														Not Covered
magnesium sulfate, 150 ml																				
1500 m																				
Insulin most rapid 5 u		1500 ml																		
Signature Sign																				
S5553 Insulin long acting 5 u																				
Scale Insulin cartridge 150 u			.							$\vdash \vdash$		-		1		<u> </u>	-	-		
ACOP - Acute Care Outpatient Hospital CAHOP - Critical Access Outpatient Hospital P - Physician NP - Nurse Practitioner MW - Midwife HH - Mental Health/Rehabilitation HS - Hemophilia Services PO - Podiatry OPH- Ophthalmologist HI - Home IV Infusion IDTF - Independent Diagnostic Treatment Facility			+							\vdash				1		1		+	1	
ACOP - Acute Care Outpatient Hospital CAHOP - Critical Access Outpatient Hospital P - Physician NP - Nurse Practitioner MW - Midwife MH - Mental Health/Rehabilitation HS - Hemophilia Services PO - Podiatry OPH - Ophthalmologist HI - Home IV Infusion IDTF - Independent Diagnostic Treatment Facility			†							\vdash				1				1	1	
CAHOP - Critical Access Outpatient Hospital P - Physician NP - Nurse Practitioner MW - Midwife MH - Mental Health/Rehabilitation HS - Hemophilia Services PO - Podiatry OPH- Ophthalmologist HI - Home IV Infusion IDTF - Independent Diagnostic Treatment Facility			1	11/7		Diabetes								+				1		THE COVERED TO THE CONTROL OF THE CO
P - Physician NP - Nurse Practitioner MW - Midwife MH - Mental Health/Rehabilitation HH - Hemophilia Services PO - Podiatry OPH - Ophthalmologist HI - Home IV Infusion IDTF - Independent Diagnostic Treatment Facility	*ACOP -	Acute Care Outpatient Hos	pital	•		ı I						•					•	•		
NP - Nurse Practitioner MW - Midwife MH - Mental Health/Rehabilitation HS - Hemophilia Services PO - Podiatry OPH- Ophthalmologist HI - Home IV Infusion IDTF - Independent Diagnostic Treatment Facility			nt Hospital																	
MW - Midwife MH - Mental Health/Rehabilitation HS - Hemophilia Services PO - Podiatry OPH - Ophthalmologist HI - Home IV Infusion IDTF - Independent Diagnostic Treatment Facility	*NP - N:	' - Physician																		
HS - Hemophilia Services PO - Podiatry OPH- Ophthalmologist HI - Home IV Infusion IDTF - Independent Diagnostic Treatment Facility	*MW - M	idwife																		
PO - Podiatry OPH- Ophthalmologist HI - Home IV Infusion IDTF - Independent Diagnostic Treatment Facility	*MH - Me	MH - Mental Health/Rehabilitation																		
OPH- Ophthalmologist HI - Home IV Infusion IDTF - Independent Diagnostic Treatment Facility																				
HI - Home IV Infusion IDTF - Independent Diagnostic Treatment Facility	*OPH- O	phthalmologist																		
	*HI - Hor	ne IV Infusion																		
u - Draivsis Center			atment Facility																	
	יומוט - טייו	sis center																		