REVISED 6/29/05 Reposted: 6/29/05 Originally Poster 6/9/05

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
ACE INHIBITORS		ACE INHIBITORS	Four of the preferred agents must be tried for at least 30 days each
	ACEON (perindopril)	ACCUPRIL (quinapril)	before a non-preferred agent will be authorized unless one of the
Implement 1/3/05	ALTACE (ramipril)	CAPOTEN (captopril)	exceptions on the PA form is present.
	benazepril	fosinopril	
	captopril	LOTENSIN (benazepril)	
	enalapril	MONOPRIL (fosinopril)	
	lisinopril	PRINIVIL (lisinopril)	
	MAVIK (trandolapril)	quinapril	
	moexepril	VASOTEC (enalapril)	
	UNIVASC (moexepril)	ZESTRIL (lisinopril)	
	ACE INHIBITO	DR/DIURETIC COMBINATIONS	
	benazepril/HCTZ	ACCURETIC (quinapril/HCTZ)	
	captopril/HCTZ	CAPOZIDE (captopril/HCTZ)	
	enalapril/HCTZ	LOTENSIN HCT (benazepril/HCTZ)	
	lisinopril/HCTZ	MONOPRIL HCT (fosinopril/HCTZ)	
	UNIRETIC (moexepril/HCTZ)	PRINZIDE (lisinopril/HCTZ)	
		quinapril/HCTZ	
		VASERETIC (enalapril/HCTZ)	
		ZESTORETIC (lisinopril/HCTZ)	
ACE INHIBITOR/CALCIUM	LOTREL (benazepril/amlodipine)	LEXXEL (enalapril/felodipine)	Each of the preferred agents must be tried for at least two weeks each
CHANNEL BLOCKER	TARKA (trandolapril/verapamil)		before a non-preferred agent in that group will be authorized unless
COMBINATIONS			one of the exceptions on the PA form is present.
Effective 7/1/05			
ALZHEIMER'S AGENTS	CHOLIN	ESTERASE INHIBITORS	Patients starting therapy in this class must show a documented
	ARICEPT (donepezil)	COGNEX (tacrine)	allergy to the preferred agents before a non-preferred agent will be
Implement 10/1/04	EXELON (rivastigmine)	RAZADYNE ER (galantamine) ^{NR}	authorized.
	RAZADYNE (galantamine)		
	REMINYL (galantamine)		
	NMDA R	ECEPTOR ANTAGONIST	
	NAMENDA (memantine)		

REVISED 6/29/05 Reposted: 6/29/05 Originally Poster 6/9/05

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANALGESICS, NARCOTIC		SHORT ACTING	Three of the preferred agents must be tried for at least 72 hours
(Non-parenteral)	Non-parenteral) acetaminophen/codeine AC aspirin/codeine AN	ACTIQ (fentanyl) ANEXSIA (hydrocodone/APAP)	before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. (The three agents tried must include at least one of the long-acting agents when requesting a PA
Effective 7/1/05	•	` , ,	exceptions on the PA form is present. (The three agents tried must include at least one of the long-acting agents when requesting a PA for a non-preferred long acting agent.) Actiq will only be approved as an adjunct to a long-acting agent. No Actiq for monotherapy will be approved. Limits: Quantities exceeding 240 tablets per 30 days (8 tablets/day) for agents containing 500 mg of acetaminophen will require a prior authorization
		SYNALGOS-DC (dihydrocodeine/ASA/caffeine) TALACEN (pentazocine/APAP)	
		TALWIN NX (pentazocine/naloxone) TYLENOL W/CODEINE (APAP/codeine)	

REVISED 6/29/05 Reposted: 6/29/05 Originally Poster 6/9/05

THERAPEUTIC	DDEFEDDED	NON PREFERRED	Originally Poster 6/9/05
DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	CRITERIA
DRUG CLASS		ULTRACET (tramadol/APAP)	CINILINA
		ULTRAM (tramadol)	
		VICODIN (hydrocodone/APAP)	
		VICOPROFEN (hydrocodone/ibuprofen)	
		ZYDONE (hydrocodone/APAP)	
		LONG-ACTING	
	DURAGESIC (fentanyl)	AVINZA (morphine)	
	KADIAN (morphine)	fentanyl patches	
	morphine SR	MS CONTIN (morphine)	
	Inorphine SK	ORAMORPH SR (morphine)	
		oxycodone ER	
		OXYCONTIN (oxycodone)	
		PALLADONE (hydromorphone ER)	
ANGIOTENSIN II RECEPTOR	ANCIOTENS	SIN RECEPTOR BLOCKERS	Each of the preferred agents in the corresponding group must be tried
BLOCKERS (ARBs)			for at least two weeks each before a non-preferred agent in that group
BEGORENO (ANDS)	AVAPRO (irbesartan)	ATACAND (candesartan)	will be authorized, unless one of the exceptions on the PA form is
Effective 7/1/05	COZAAR (losartan)	BENICAR (olmesartan)	present.
Linealive 17 1700	DIOVAN (valsartan)	TEVETEN (eprosartan)	
	MICARDIS (telmisartan)		
		IRETIC COMBINATIONS	
	AVALIDE (irbesartan/HCTZ)	ATACAND-HCT (candesartan/HCTZ)	
	DIOVAN-HCT (valsartan/HCTZ)	BENICAR-HCT (olmesartan/HCTZ)	
	HYZAAR (losartan/HCTZ)	TEVETEN-HCT (eprosartan/HCTZ)	
	MICARDIS-HCT (telmisartan/HCTZ)		
ANTICOAGULANTS,	FRAGMIN (dalteparin)	ARIXTRA (fondaparinux)	A non-preferred agent will only be authorized if one of the exceptions
INJECTABLECL	LOVENOX (enoxaparin)	INNOHEP (tinzaparin)	on the PA form is present for each preferred agent.
F# 1: 7/1/05			
Effective 7/1/05			
ANTIDEPRESSANTS, OTHER (non-SSRI)	bupropion SR	bupropion IR	A non-preferred agent will only be authorized if there has been a six- week trial of a preferred agent in this class unless one of the
(11011-33K1)	CYMBALTA (duloxetine)	DESYREL (trazodone)	exceptions on the PA form is present.
Effective 7/1/05	EFFEXOR XR (venlafaxine)	EFFEXOR (venlafaxine)	SASSPRISHE SHARE FATORINE PROCESSION
Energive 7/1/05	mirtazapine	nefazodone	
	trazodone	REMERON (mirtazapine)	
		SERZONE (nefazodone)	
		WELLBUTRIN (bupropion)	
		WELLBUTRIN SR (bupropion)	
		WELLBUTRIN XL (bupropion)	

REVISED 6/29/05 Reposted: 6/29/05 Originally Poster 6/9/05

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIDEPRESSANTS, SSRIs	citalopram	CELEXA (citalopram)	None of the non-preferred dosage forms will be authorized unless
	fluoxetine	LUVOX (fluvoxamine)	there is documentation showing that the preferred dosage forms of
Implement 1/3/05	fluvoxamine	paroxetine	the corresponding agents are inappropriate for the patient.
	LEXAPRO (escitalopram)	PAXIL (paroxetine)	
	PAXIL CR (paroxetine)	PEXEVA (paroxetine)	
	ZOLOFT (sertraline)	PROZAC (fluoxetine)	
		RAPIFLUX (fluoxetine)	
		SARAFEM (fluoxetine)	
ANTIEMETICS	5HT3 REC	CEPTOR BLOCKERS	A trial of the preferred agent is required before a non-preferred agent
(Oral)	ZOFRAN (ondansetron)	ANZEMET (dolasetron)	will be approved unless one of the exceptions on the PA form is
	ZOFRAN ODT (ondansetron)	EMEND (aprepitant)	present.
Implement 4/1/04	,	KYTRIL (granisetron)	
		,	Quantity limits apply for this drug class.
ANTIFUNGALS, ORAL	clotrimazole	ANCOBON (flucytosine)	Non-preferred agents will be approved only if one of the exceptions on the PA form is present.
	fluconazole	DIFLUCAN (fluconazole)	the PA form is present.
Implement 1/3/05	ketoconazole ^{CL}	FULVICIN (griseofulvin)	PA is required when limits are exceeded.
	LAMISIL (terbinafine) ^{CL}	GRIFULVIN V (griseofulvin)	PA is required when limits are exceeded.
	MYCOSTATIN Pastilles (nystatin)	GRISACTIN (griseofulvin)	PA is not required for Grifulvin-V Suspension for children up to 6
	nystatin	griseofulvin	years of age.
		GRIS-PEG (griseofulvin)	your or ago.
		MYCELEX (clotrimazole)	
		MYCOSTATIN Tablets (nystatin)	
		NIZORAL (ketoconazole)	
		SPORANOX (itraconazole)	
		VFEND (voriconazole)	
ANTIFUNGALS, TOPICAL		NTIFUNGALS	Three of the preferred agents must be tried for at least two weeks each before one of the non-preferred agents will be authorized unless
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	EXELDERM (sulconazole)	ciclopirox	one of the exceptions on the PA form is present.
Implement 1/3/05	ketoconazole	econazole	
	LOPROX Cream, Gel, Shampoo (ciclopirox)	ERTACZO (sertaconazole)	
	MENTAX (butenafine)	LOPROX TS (ciclopirox)	
	NAFTIN (naftifine)	MYCOSTATIN (nystatin)	
	nystatin	NIZORAL (ketoconazole)	
	OXISTAT (oxiconazole)	PENLAC (ciclopirox)	
		SPECTAZOLE (econazole)	

REVISED 6/29/05 Reposted: 6/29/05 Originally Poster 6/9/05

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
	ANTIFUNGAL/S	STEROID COMBINATIONS	
	nystatin/triamcinolone	clotrimazole/betamethasone	
		LOTRISONE (clotrimazole/betamethasone)	
		MYCOLOG (nystatin/triamcinolone)	
ANTIHISTAMINES,	ANT	TIHISTAMINES	A preferred agent must be tried before a non-preferred agent will be
MINIMALLY SEDATING	loratadine	ALLEGRA (fexofenadine)	authorized unless one of the exceptions on the PA form is present.
	CLARINEX Syrup (desloratadine)	CLARINEX tablets (desloratadine)	
Effective 7/1/05	ALAVERT (loratadine)	CLARITIN (loratadine)	
	TAVIST-ND (loratadine)	ZYRTEC (cetirizine)	
	ANTIHISTAMINE/DEC	CONGESTANT COMBINATIONS	
	ALAVERT D (loratadine/psuedoephedrine)	ALLEGRA-D (fexofenadine/pseudoephedrine)	
	loratadine/pseudoephedrine	CLARITIN-D (loratadine/pseudoephedrine)	
		ZYRTEC-D (cetirizine/pseudoephedrine)	
ANTIMIGRAINE AGENTS,	AXERT (almotriptan)	AMERGE (naratriptan)	Two of the oral agents must be tried before a non-preferred agent will
TRIPTANS	IMITREX Injection (sumatriptan)	FROVA (frovatriptan)	be approved, unless one of the exceptions on the PA form is present.
	MAXALT (rizatriptan)	IMITREX Nasal (sumatriptan)	
Effective 7/1/05	ZOMIG (zolmitriptan)	IMITREX Tablets (sumatriptan)	Quantity limits apply for this drug class.
		RELPAX (eletriptan)	
ANTIPARKINSON'S AGENTS	ANTICHOLINERGICS		Patients starting therapy on drugs in this class must show a
(Oral)	benztropine	COGENTIN (benztropine)	documented allergy to all of the preferred agents before a non-
	KEMADRIN (procyclidine)		preferred agent will be authorized.
Implement 10/1/04	trihexyphenidyl		
	COM	IT INHIBITORS	
	COMTAN (entacapone)	TASMAR (tolcapone)	
	DOPA	MINE AGONISTS	
	MIRAPEX (pramipexole)	pergolide	
	REQUIP (ropinirole)	PERMAX (pergolide)	
	OTHER ANTII	PARKINSON'S AGENTS	
	LARODOPA (levodopa)	ELDEPRYL (selegiline)	
	levodopa/carbidopa	SINEMET (levodopa/carbidopa)	
	selegiline		
	STALEVO		
	(levodopa/carbidopa/entacapone)		

REVISED 6/29/05 Reposted: 6/29/05 Originally Poster 6/9/05

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIPSYCHOTICS,		ORAL	Upon discharge, hospitalized patients stabilized on non-preferred
ATYPICAL	clozapine	ABILIFY (aripiprazole)	agents will receive authorization to continue these drugs.
(Oral)	GEODON (ziprasidone)	CLOZARIL (clozapine)	
	RISPERDAL (risperidone)	FAZACLO (clozapine) ^{NR}	New patients for this class of drugs will be required to try a preferred
Implement 10/1/04	SEROQUEL (quetiapine)	ZYPREXA (olanzapine)	agent for two weeks unless one of the exceptions on the PA form is
		INJECTABLE	present.
		GEODON (ziprasidone) ^{NR}	
		RISPERDAL CONSTA (risperidone) ^{NR}	
		ZYPREXA (olanzapine) ^{NR}	
	ATYPICAL A	ANTIPSYCHOTIC/SSRI COMBINATIONS	
		SYMBYAX (olanzapine/fluoxetine)	
ANTIVIRALS	acyclovir	CYTOVENE (ganciclovir)	All of the appropriate preferred agents with the applicable indication
(Oral)	amantadine	FLUMADINE (rimantadine)	must be tried before the non-preferred agents will be authorized
•	FAMVIR (famciclovir)	ganciclovir	unless one of the exceptions on the PA form is present.
Implement 10/1/04	rimantadine	RELENZA (zanamivir)	
•	VALTREX (valacyclovir)	SYMMETREL (amantadine)	
		TAMIFLU (oseltamivir)	
		VALCYTE (valganciclovir)	
		ZOVIRAX (acyclovir)	
ANXIOLYTICS	alprazolam	ATIVAN (lorazepam)	All of the preferred agents in the class must be tried before a non-
(Oral)	buspirone	BUSPAR (buspirone)	preferred agent will be authorized unless one of the exceptions on the
	chlordiazepoxide	clorazepate (Tranxene)	PA form is present.
Implement 1/2/04	diazepam	EQUANIL (meprobamate)	V VS W I I I I I I I I I I I I I I I I I I
	lorazepam	LIBRIUM (chlordiazepoxide)	Xanax XR will only be approved for patients with a documented diagnosis of panic disorder and for whom compliance is an issue.
	oxazepam	meprobamate	diagnosis of partic disorder and for whom compilance is all issue.
		SERAX (oxazepam)	
		TRANXENE (clorazepate)	
		VALIUM (diazepam)	
		XANAX (alprazolam)	
		XANAX XR (alprazolam)	
ATOPIC DERMATITIS	ELIDEL (pimecrolimus)	PROTOPIC (tacrolimus)	The preferred agent must be tried for at least 30 days before the non-
			preferred agent will be authorized.
Implement 4/1/04			
BETA BLOCKERS		BETA BLOCKERS	If one of the exceptions on the PA form is present or if the physician

REVISED 6/29/05 Reposted: 6/29/05 Originally Poster 6/9/05

THED A DELITIO	PREFEREN	NON PRESERVE	Originally Poster 6/9/05
THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
			feels that the patient cannot be stabilized with any of the preferred
(Oral)	atenolol	acebutolol	agents, one of the non-preferred agents will be approved.
E#==#::= 7/4/0F	INDERAL LA (propranolol)	BETAPACE (sotalol)	
Effective 7/1/05	INNOPRAN XL (propranolol)	betaxolol	
	metoprolol	bisoprolol	
	nadolol	BLOCADREN (timolol)	
	propranolol	CARTROL (carteolol)	
	sotalol	CORGARD (nadolol)	
	timolol	KERLONE (betaxolol)	
	TOPROL XL (metoprolol)	LEVATOL (penbutolol)	
		LOPRESSOR (metoprolol)	
		pindolol	
		SECTRAL (acebutolol)	
		TENORMIN (atenolol)	
		ZEBETA (bisoprolol)	
	BETA- AN	D ALPHA- BLOCKERS	
	COREG (carvedilol)	NORMODYNE (labetalol)	
	labetalol	TRANDATE (labetalol)	
BLADDER RELAXANT	DITROPAN XL (oxybutynin)	DETROL (tolterodine)	Two chemical entities in the class must be tried before a non-
PREPARATIONS	ENABLEX (darifenacin)	DETROL LA (tolterodine)	preferred agent will be authorized, unless one of the exceptions on the PA form is present.
	oxybutynin	DITROPAN (oxybutynin)	the PA form is present.
Effective 7/1/05	OXYTROL (oxybutynin)	SANCTURA (trospium)	
		VESICARE (solifenacin)	
BONE RESORPTION	BISF	PHOSPHONATES	Forteo will be approved for patients with a history of osteoporotic
SUPPRESSION AND	ACTONEL (risedronate)	BONIVA (ibandronate) NR	fractures or if one of the exceptions on the PA form is present.
RELATED AGENTS	DIDRONEL (etidronate)		
luanta na ant 40/4/04	FOSAMAX (alendronate)		
Implement 10/1/04	FOSAMAX PLUS D (alendronate/vitamin D)		
	OTHER BONE RESORPTION	SUPPRESSION AND RELATED AGENTS	
	EVISTA (raloxifene)	FORTEO (teriparatide)	
	MIACALCIN (calcitonin)		
BPH AGENTS	ALF	PHA BLOCKERS	One of the preferred agents must be tried before a non-preferred
	doxazosin	CARDURA (doxazosin)	agent will be authorized unless one of the exceptions on the PA form
Effective 7/1/05	FLOMAX (tamsulosin)	HYTRIN (terazosin)	is present.
	terazosin		
	UROXATRAL (alfuzosin)		
	5-ALPHA-RED	UCTASE (5AR) INHIBITORS	

REVISED 6/29/05 Reposted: 6/29/05 Originally Poster 6/9/05

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
	PROSCAR (finasteride)	AVODART (dutasteride)	

REVISED 6/29/05 Reposted: 6/29/05 Originally Poster 6/9/05

DRUG CLASS AGENTS AGENTS	CRITERIA
	CRITERIA
BRONCHODILATORS, ANTICHOLINERGIC	The preferred agents in the class must be tried before the non-
ANTICHOLINERGIC ATROVENT Inhaler (ipratropium) ATROVENT Inhalation Solution (ipratropium)	ium) preferred agent will be authorized unless one of the exceptions on the
ATROVENT HFA (ipratropium)	PA form is present.
Implement 1/3/05 ipratropium	
SPIRIVA (tiotropium)	
ANTICHOLINERGIC-BETA AGONIST COMBINATIONS	
COMBIVENT (albuterol/ipratropium)	
DUONEB (albuterol/ipratropium)	
BRONCHODILATORS, BETA INHALERS, SHORT-ACTING	All of the preferred agents in a group must be tried before a non-
AGONIST albuterol ALUPENT (metaproterenol)	preferred agent in that group will be authorized unless one of the
MAXAIR (pirbuterol) PROVENTIL (albuterol)	exceptions on the PA form is present.
Implement 1/3/05 PROVENTIL HFA (albuterol) VENTOLIN HFA (albuterol)	
INHALERS, LONG-ACTING	
FORADIL (formoterol)	
SEREVENT (salmeterol)	
INHALATION SOLUTION	
ACCUNEB (albuterol) metaproterenol	
albuterol PROVENTIL (albuterol)	
XOPENEX (levalbuterol)	
ORAL	
albuterol BRETHINE (terbutaline)	
terbutaline metaproterenol	
VOSPIRE ER (albuterol)	
CALCIUM CHANNEL SHORT-ACTING	One of the preferred agents must be tried before a non-preferred
BLOCKERS diltiazem ADALAT (nifedipine)	agent will be authorized unless one of the exceptions on the PA form
(Oral) verapamil CALAN (verapamil)	is present.
CARDENE (nicardipine)	
Effective 7/1/05 CARDIZEM (diltiazem)	Nimodipine will be approved with the appropriate diagnosis.
DYNACIRC (isradipine)	
nicardipine	
nifedipine	
NIMOTOP (nimodipine)	
PROCARDIA (nifedipine)	

REVISED 6/29/05 Reposted: 6/29/05 Originally Poster 6/9/05

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	Li	ONG-ACTING	
	CARDIZEM LA (diltiazem)	ADALAT CC (nifedipine)	
	diltiazem	CALAN SR (verapamil)	
	DYNACIRC CR (isradipine)	CARDENE SR (nicardipine)	
	felodipine	CARDIZEM CD (diltiazem)	
	nifedipine	CARDIZEM SR (diltiazem)	
	SULAR (nisoldipine)	COVERA-HS (verapamil)	
	verapamil	DILACOR XR (diltiazem)	
	VERELAN PM (verapamil)	ISOPTIN SR (verapamil)	
		NORVASC (amlodipine)	
		PLENDIL (felodipine)	
		PROCARDIA XL (nifedipine)	
		TIAZAC (diltiazem)	
		VERELAN (verapamil)	
EPHALOSPORINS AND	BETA LACTAM/BETA-LACTAMASE INHIBITOR COMBINATIONS		The preferred agents must be tried before a non-preferred agent will
ELATED ANTIBIOTICS	amoxicillin/clavulanate	AUGMENTIN (amoxicillin/clavulanate)	be authorized unless one of the exceptions on the PA form is present.
Oral)	AUGMENTIN XR (amoxicillin/clavulanate)	AUGMENTIN ES-600 (amoxicillin/clavulanate)	
mplement 4/1/04	CEPHALOSPORINS		
	CEDAX (ceftibuten)	CECLOR (cefaclor)	
	cefaclor	CEFTIN (cefuroxime)	
	cefadroxil	DURICEF (cefadroxil)	
	cefpodoxime	KEFLEX (cephalexin)	
	cefuroxime	LORABID (loracarbef)	
	CEFZIL (cefprozil)	PANIXINE (cephalexin) ^{NR}	
	cephalexin	RANICLOR (cefaclor) ^{NR}	
	cephradine	SUPRAX (cefixime)	
	OMNICEF (cefdinir)	VANTIN (cefpodoxime)	
	SPECTRACEF (cefditoren)	VELOSEF (cephradine)	
RYTHROPOIESIS	ARANESP (darbepoetin)	EPOGEN (rHuEPO)	The preferred agents must be tried before a non-preferred agent will
STIMULATING PROTEINS ^{CL}	PROCRIT (rHuEPO)	·	be authorized unless one of the exceptions on the PA form is present.
mplement 7/1/05			

REVISED 6/29/05 Reposted: 6/29/05 Originally Poster 6/9/05

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ESTROGEN AGENTS,		ORAL	The preferred agents of a dosage form must be tried for at least 90
COMBINATIONS	ACTIVELLA (17ß-estradiol/norethindrone acetate)		days before a non-preferred agent of that dosage form will be authorized unless one of the exceptions on the PA form is present.
Implement 7/1/05	FEMHRT (EE/norethindrone acetate)		
	PREFEST (17ß-estradiol/norgestimate)		
	PREMPHASE (CE/MPA)		
	PREMPRO (CE/MPA)		
		TOPICAL	
	COMBIPATCH (17ß-estradiol/norethindrone acetate)	CLIMARA PRO (estradiol/levonorgestrel)	
FLUROQUINOLONES, ORAL	ciprofloxacin	AVELOX (moxifloxacin)	The preferred agents must be tried before a non-preferred agent will
	LEVAQUIN (levofloxacin)	CIPRO (ciprofloxacin)	be authorized unless one of the exceptions on the PA form is present.
Implement 10/1/04	TEQUIN (gatifloxacin)	CIPRO XR (ciprofloxacin extended-release)	
•		FACTIVE (gemifloxacin) ^{NR}	
		FLOXIN (ofloxacin)	
		MAXAQUIN (lomefloxacin)	
		NOROXIN (norfloxacin)	
		ofloxacin	
GLUCOCORTICOIDS,	GLU	COCORTICOIDS	All of the preferred agents of a dosage form must be tried before a
INHALED	AEROBID (flunisolide)	PULMICORT (budesonide)	non-preferred agent of that dosage form will be authorized unless one
	AEROBID-M (flunisolide)		of the exceptions on the PA form is present.
Implement 1/3/05	AZMACORT (triamcinolone)		
	FLOVENT (fluticasone)		Pulmicort Respules do not require a prior authorization for children
	FLOVENT HFA (fluticasone)		through 8 years of age.
	QVAR (beclomethasone)		
	,	ONCHODILATOR COMBINATIONS	
	ADVAIR (fluticasone/salmeterol)		
GROWTH HORMONE ^{CL}	NORDITROPIN (somatropin)	GENOTROPIN (somatropin)	The preferred agents must be tried before a non-preferred agent will
	NUTROPIN AQ (somatropin)	HUMATROPE (somatropin)	be authorized unless one of the exceptions on the PA form is present.
Implement 7/1/05	TEV-TROPIN (somatropin)	NUTROPIN (somatropin)	
		SAIZEN (somatropin)	
		SEROSTIM (somatropin)	

REVISED 6/29/05 Reposted: 6/29/05 Originally Poster 6/9/05

THERABELLE	PREFERRED	NON PREEDRED	Originally Poster 6/9/05
THERAPEUTIC	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA
DRUG CLASS	1		CRITERIA
HEPATITIS C TREATMENTS ^{CL}	PEG-INTRON (pegylated IFN) REBETOL (ribavirin)	COPEGUS (ribavirin) INFERGEN (consensus IFN) PEGASYS (pegylated IFN)	Patients already on a non-preferred agent will receive authorization to continue therapy on that agent. Patients starting therapy in this class must try the preferred agent of a dosage form before a non-preferred agent of that dosage form will
Implement 7/1/05		REBETRON (IFNα/ribavirin) ribavirin	be authorized, with the exception of the following conditions: (1) Hepatitis B infection or (2) co-infection with Hepatitis C and HIV.
HYPOGLYCMICS, ALPHA- GLUCOSIDASE INHIBITORS	GLYSET (miglitol)	PRECOSE (acarbose)	The preferred agent must be tried before the non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
Implement 10/1/04			
HYPOGLYCEMICS,	IN	SULIN VIALS	Non-preferred insulins will be available for pediatric patients requiring
INSULINS AND RELATED AGENTS	LANTUS (insulin glargine) NOVOLIN (insulin)	HUMALOG (insulin lispro) HUMALOG MIX (insulin lispro/lispro protamine)	diluted doses.
	NOVOLOG (insulin aspart)	HUMULIN (insulin)	Non-preferred insulins will only be authorized with documented proof
Implement 10/1/04	NOVOLOG MIX (insulin aspart/aspart protamine)	,	of an allergic reaction to the preferred insulins.
	RELION (insulin)		Insulin Pens: Non-preferred insulin systems will only be authorized
	INSULIN PENS		with documented proof of an allergic reaction to the preferred insuli unless one of the exceptions on the PA form is present.
	NOVOLIN INNOLET (N, R, 70/30)	All other insulin pens and insulin pen systems	unless one of the exceptions of the LA form is present.
	REL	ATED AGENTS	
		BYETTA (exenatide) ^{NR}	
		SYMLIN (amylin) ^{NR}	
HYPOGLYCEMICS, MEGLITINIDES	STARLIX (nateglinide)	PRANDIN (repaglinide)	The preferred agent must be tried before the non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
Implement 7/1/05			
HYPOGLYCEMICS,	N.	METFORMIN	The preferred agents must be tried before a non-preferred agent will
METFORMINS	metformin	FORTAMET	be authorized, unless one of the exceptions on the PA form is
	RIOMET	GLUCOPHAGE	present.
Implement 10/1/04	METFORMIN-CO	NTAINING COMBINATIONS	
	AVANDAMET (metformin/rosiglitazone) METAGLIP (metformin/glipizide) metformin/glyburide	GLUCOVANCE (metformin/glyburide)	

REVISED 6/29/05 Reposted: 6/29/05 Originally Poster 6/9/05

			Originally Poster 6/9/05
THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
HYPOGLYCEMICS, SULFONYLUREAS	AMARYL (glimepiride) glipizide glyburide	acetohexamide chlorpropamide DIABETA (glyburide) DIABINESE (chlorpropamide)	A two-month trial of the maximum dose of each of the preferred agents is required before authorization will be given for a non-preferred product.
		GLUCOTROL (glipizide) GLYNASE (glyburide) MICRONASE (glyburide) tolazamide tolbutamide TOLINASE (tolazamide)	Requests for acetohexamide, chlorpropamide, tolazamide, and tolbutamide must be approved by the BMS Medical Director.
HYPOGLYCEMICS, TZDS Implement 7/1/05	ACTOS (pioglitazone)	AVANDIA (rosiglitazone)	The preferred agent must be tried before the non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
	ANIT	OHOLINEROIDO	All of the grade made made to the field had a second and a second
INTRANASAL RHINITIS AGENTS	ANII	CHOLINERGICS	All of the preferred agents must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is
AGENTS		ATROVENT (ipratropium)	present.
		ipratropium	procent.
Implement 1/3/05	AN	TIHISTAMINES	
	ASTELIN (azelastine)		
	COR	TICOSTEROIDS	
	FLONASE (fluticasone)	BECONASE AQ (beclomethasone)	
	NASACORT AQ (triamcinolone)	flunisolide	
	NASONEX (mometasone)	NASALIDE (flunisolide)	
		NASAREL (flunisolide)	
		RHINOCORT AQUA (budesonide)	
LEUKOTRIENE RECEPTOR BLOCKERS	SINGULAIR (montelukast)	ACCOLATE (zafirlukast)	The preferred agent must be tried before the non-preferred agent will be approved unless one of the exceptions on the PA form is present.
Implement 1/3/05			
LIPOTROPICS, OTHER	BILE ACID SEQUESTRANTS		The preferred agents must be tried before a non-preferred agent will
(non-statins)	cholestyramine	QUESTRAN (cholestyramine)	be authorized unless one of the exceptions on the PA form is present.
	COLESTID (colestipol)	WELCHOL (colesevalam)	
Implement 7/1/05			Zetia, as monotherapy, will only be approved for patients who cannot take statins or other preferred agents.
			Zetia and Welchol will be approved for add-on therapy only after an insufficient response to the maximum tolerable dose of a statin after

REVISED 6/29/05 Reposted: 6/29/05 Originally Poster 6/9/05

THERABELITIC	22555225	NON PRESERVE	Originally Poster 6/9/05
THERAPEUTIC	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
DRUG CLASS			CRITERIA 12 weeks of therapy.
	CHOLESTER	ROL ABSORPTION INHIBITORS	12 WOORS OF HICIAPY.
	ZETIA (ezetimibe)		If patients require the addition of Zetia to Zocor to achieve goal, use of
FIBRIC ACID DERIVATIVES			the combination product, Vytorin, will be required. If patients are on
	gemfibrozil	ANTARA (fenofibrate)	other statins and require the addition of Zetia, patients will not be
	TRICOR (fenofibrate)	LOFIBRA (fenofibrate)	required to switch the statin that they have been using.
		LOPID (gemfibrozil)	
		TRIGLIDE (fenofibrate) ^{NR}	
		NIACIN	
	niacin	NIACELS (niacin)	
	NIASPAN (niacin)	NIADELAY (niacin)	
		SLO-NIACIN (niacin)	
LIPOTROPICS, STATINS		STATINS	One of the preferred statins must be tried before a non-preferred
	ALTOPREV (lovastatin)	LIPITOR (atorvastatin)	agent will be authorized unless one of the exceptions on the PA form is present.
Implement 7/1/05	CRESTOR (rosuvastatin)	lovastatin	is present.
	LESCOL (fluvastatin)	MEVACOR (lovastatin)	
	LESCOL XL (fluvastatin)	PRAVACHOL (pravastatin)	
	ZOCOR (simvastatin)		
	ST	ATIN COMBINATIONS	
	ADVICOR (lovastatin/niacin)	CADUET (atorvastatin/amlodipine)	
	VYTORIN (ezetimibe/stimvastatin)	PRAVIGARD PAC (pravastatin/ASA)	
MACROLIDES/KETOLIDES		MACROLIDES	The preferred agents must be tried before a non-preferred agent will
(Oral)	BIAXIN XL (clarithromycin)	BIAXIN (clarithromycin)	be authorized unless one of the exceptions on the PA form is present.
	clarithromycin	DYNABAC (dirithromycin)	
Implement 4/1/04	erythromycin base	E.E.S. (erythromycin ethylsuccinate)	
	erythromycin ethylsuccinate	E-MYCIN (erythromycin)	
	erythromycin stearate	ERYC (erythromycin)	
	ZITHROMAX (azithromycin)	ERYPED (erythromycin ethylsuccinate)	
		ERY-TAB (erythromycin)	
		ERYTHROCIN (erythromycin stearate)	
		erythromycin estolate	
		PCE (erythromycin)	
	KETOLIDES		
		KETEK (telithromycin) ^{NR}	
I	1	1	

REVISED 6/29/05 Reposted: 6/29/05 Originally Poster 6/9/05

			Originally Poster 6/9/05
THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
MULTIPLE SCLEROSIS	AVONEX (interferon beta-1a)	COPAXONE (glatiramer)	Patients already on non-preferred agents will receive authorization for
AGENTS ^{CL}	BETASERON (interferon beta-1b)		those agents for one year.
	REBIF (interferon beta-1a)		
Implement 7/1/05			Patients starting therapy in this class will be required to try the preferred agents unless one of the exceptions on the PA form is
			present.
NSAIDS	NONSELECTIVE		Non-preferred agents will only be approved after the preferred agents
	diclofenac	ADVIL (ibuprofen)	have been tried unless one of the exceptions on the PA form is
Implement 1/3/05	etodolac	ALEVE (naproxen)	present.
	flurbiprofen	ANAPROX (naproxen)	
	ibuprofen	ANSAID (flurbiprofen)	
	indomethacin	CATAFLAM (diclofenac)	
	ketoprofen	CLINORIL (sulindac)	
	ketorolac	DAYPRO (oxaprozin)	
	naproxen	FELDENE (piroxicam)	
	oxaprozin	INDOCIN (indomethacin)	
	piroxicam	LODINE (etodolac)	
	sulindac	meclofenamate	
		MOTRIN (ibuprofen)	
		nabumetone	
		NALFON (fenoprofen)	
		NAPRELAN (naproxen)	
		NAPROSYN (naproxen)	
		NUPRIN (ibuprofen)	
		ORUDIS (ketoprofen)	
		ORUVAIL (ketoprofen)	
		PONSTEL (meclofenamate)	
		RELAFEN (nabumetone)	
		TOLECTIN (tolmetin)	
		tolmetin	
		TORADOL (ketorolac)	
		VOLTAREN (diclofenac)	
		ROTECTANT COMBINATIONS	
	PREVACID NAPRAPAC	ARTHROTEC (diclofenac/misoprostol)	
	(naproxen/lansoprazole)		

REVISED 6/29/05 Reposted: 6/29/05 Originally Poster 6/9/05

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
DIGO OLAGO	COX-II SELECTIVE ^{CL}		ONTENA
	CELEBREX (celecoxib)		
	MOBIC (meloxicam)		
OPHTHALMIC ANTIBIOTICS	FLUOI	ROQUINOLONES	All of the preferred agents must be tried before non-preferred agents
	ciprofloxacin	CILOXAN (ciprofloxacin)	will be authorized unless one of the exceptions on the PA form is
Implement 10/1/04	VIGAMOX (moxifloxacin)	OCUFLOX (ofloxacin)	present.
		ofloxacin	
		QUIXIN (levofloxacin)	
		ZYMAR (gatifloxacin)	
	OTHER	SINGLE AGENTS	
	bacitracin	BLEPH-10 (sulfacetamide)	
	erythromycin	CETAMIDE (sulfacetamide)	
	gentamicin	CHLOROMYCETIN (chloramphenicol)	
	polymyxin B	CHLOROPTIC (chloramphenicol)	
	sulfacetamide	GARAMYCIN (gentamicin)	
	tobramycin	GENOPTIC (gentamicin)	
		ILOTYCIN (erythromycin)	
		TOBREX (tobramycin)	
	COMBI	NATION AGENTS	
	neomycin/polymyxin/bacitracin	NEOSPORIN (neomycin/polymyxin/bacitracin)	
	neomycin/polymyxin/gramicidin	NEOSPORIN (neomycin/polymyxin/gramicidin)	
	polymyxin/bacitracin	POLYSPORIN (polymyxin/bacitracin)	
	polymyxin/trimethoprim	POLYTRIM (polymyxin/trimethoprim)	
		TERAK W/ POLYMYXIN (oxytetracycline/polymyxin)	
		TERRAMYCIN W/ POLYMYXIN	
		(oxytetracycline/polymyxin)	
OPHTHALMICS FOR	ALOCRIL (nedocromil)	ACULAR (ketorolac)	All of the preferred agents must be tried before non-preferred agents
ALLERGIC CONJUNCTIVITIS	ALREX (loteprednol)	ALAMAST (pemirolast)	will be authorized, unless one of the exceptions on the PA form is present.
January 1 40/4/04	ELESTAT (epinastine)	ALOMIDE (lodoxamide)	present.
Implement 10/1/04	EMADINE (emedastine)	CROLOM (cromolyn)	
	OPTIVAR (azelastine)	cromolyn	
	PATANOL (olopatadine)	LIVOSTIN (levocabastine)	
	ZADITOR (ketotifen)	OPTICROM (cromolyn)	

REVISED 6/29/05 Reposted: 6/29/05 Originally Poster 6/9/05

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
OPHTHALMICS, GLAUCOMA	PARASYMPATHOMIMETICS		Authorization for a non-preferred agent will only be given if there is an
AGENTS	CARBOPTIC (carbachol)	ISOPTO CARPINE (pilocarpine)	allergy to the preferred agents.
	ISOPTO CARBACHOL (carbachol)	PILOCAR (pilocarpine)	
Implement 10/1/04	MIOSTAT (carbachol)	PILOPINE HS (pilocarpine)	
	PHOSPHOLINE IODIDE		
	(echothiophate iodide)		
	pilocarpine		
	S	SYMPATHOMIMETICS	
	ALPHAGAN P (brimonidine)	ALPHAGAN (brimonidine)	
	brimonidine	EPIFRIN (epinephrine)	
	dipivefrin	PROPINE (dipivefrin)	
		BETA BLOCKERS	
	BETIMOL (timolol)	BETAGAN (levobunolol)	
	BETOPTIC S (betaxolol)	BETOPTIC (betaxolol)	
	betaxolol	ISTALOL (timolol) ^{NR}	
	carteolol	OCUPRESS (carteolol)	
	levobunolol	OPTIPRANOLOL (metipranolol)	
	metipranolol	TIMOPTIC (timolol)	
	timolol		
	CARBONIC ANHYDRASE INHIBITORS		
	AZOPT (brinzolamide)		
	TRUSOPT (dorzolamide)		
	PROSTAGLANDIN ANALOGS		
	LUMIGAN (bimatoprost)	RESCULA (unoprostone)	
	TRAVATAN (travoprost)	XALATAN (latanoprost)	
	COMBINATION AGENTS		
	COSOPT (dorzolamide/timolol)	E-PILO-1 (pilocarpine/epinephrine)	
OTIC ANTIBIOTIC	CIPRODEX	CIPRO HC (ciprofloxacin/hydrocortisone)	All of the preferred agents must be tried before a non-preferred agent
PREPARATIONS	(ciprofloxacin/dexamethasone)	CORTISPORIN (neomycin/polymyxin/hydrocortisone)	will be approved unless one of the exceptions on the PA form is
	COLY-MYCIN S	CORTISPORIN TC (neomycin/hydrocortisone)	present.
Effective 7/1/05	(neomycin/hydrocortisone)	PEDIOTIC (neomycin/polymyxin/hydrocortisone)	
	FLOXIN (ofloxacin)		
	neomycin/polymyxin/hydrocortisone		

REVISED 6/29/05 Reposted: 6/29/05 Originally Poster 6/9/05

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
PHOSPHATE BINDERS	FOSRENOL (lanthanum)		ONTENA
THOSI HATE BINDERO	MAGNEBIND 400 (magnesium/calcium		
Implement 7/1/05	carbonate)		
Implement 17 1700	PHOSLO (calcium acetate)		
	RENAGEL (sevelamer)		
PROTON PUMP INHIBITORS	PREVACID (lansoprazole)	ACIPHEX (rabeprazole)	The preferred agent must be tried before a non-preferred agent will be
(Oral)	` ' '	NEXIUM (esomeprazole)	approved unless one of the exceptions on the PA form is present.
,		omeprazole	
Implement 7/1/05		PRILOSEC (omeprazole)	Prevacid given more than once daily does require a prior
		PRILOSEC OTC (omeprazole)	authorization.
		PROTONIX (pantoprazole)	
		ZEGERID (omeprazole)	
SEDATIVE HYPNOTICS	E	BENZODIAZEPINES	Prior authorization is required for these agents for patients over 65
	RESTORIL 7.5 mg (temazepam)	DALMANE (flurazepam)	years of age.
Implement 7/1/05	temazepam	DORAL (quazepam)	
		estazolam	*Prescriptions for members currently on Ambien therapy will not
		flurazepam	require prior authorization for an additional sixty days, in order to allow
		HALCION (triazolam)	for tapering or switching to an appropriate preferred agent. All Ambien prescriptions will require prior authorization beginning on September
		PROSOM (estazolam)	1, 2005.)
		RESTORIL 15, 22.5, 30 mg (temazepam)	
		triazolam	
	OTHERS		
	SONATA (zaleplon)	AMBIEN (zolpidem)*	
		AQUA CHLORAL (chloral hydrate)	
		chloral hydrate	
		LUNESTA (eszolpiclone) NR	
		SOMNOTE (chloral hydrate)	

REVISED 6/29/05 Reposted: 6/29/05 Originally Poster 6/9/05

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
STIMULANTS AND RELATED	AMPHETAMINES		Except for Strattera, PA is required for adults >18 years.	
AGENTS	ADDERALL XR (amphetamine salt combination)	ADDERALL (amphetamine salt combination) DESOXYN (methamphetamine)	One of the preferred agents in each group (amphetamines and non-	
Implement 1/3/05	amphetamine salt combination dextroamphetamine	DEXEDRINE (dextroamphetamine) DEXTROSTAT(dextroamphetamine)	amphetamines) must be tried before a non-preferred agent will be authorized.	
		methamphetamine	Amphetamines will be authorized for the treatment of depression only	
	NO	DN-AMPHETAMINE	- after documented failure of multiple antidepressants.	
	CONCERTA (methylphenidate) FOCALIN (dexmethylphenidate) METADATE CD (methylphenidate) methylphenidate RITALIN LA (methylphenidate) STRATTERA (atomoxetine)	CYLERT (pemoline) METADATE ER (methylphenidate) pemoline PROVIGIL (modafanil) RITALIN (methylphenidate) RITALIN-SR (methylphenidate)	Provigil will only be approved for patients >16 years of age with a diagnosis of narcolepsy. Straterra will not be approved for concurrent administration with amphetamines or methyphenidates, exept for 30 days or less for tapering purposes. Only two doses of each strength, or two concurrent doses of any strength, and a maximum of one dose of a 60 mg capsule, will be approved in a 34-day period.	
ULCERATIVE COLITIS		ORAL	The preferred agents of a dosage form must be tried before a non-	
AGENTS Implement 7/1/05	COLAZAL (balsalazide) PENTASA (mesalamine) sulfasalazine	ASACOL (mesalamine) AZULFIDINE (sulfasalazine) DIPENTUM (olsalazine)	preferred agent of that dosage form will be authorized unless one of the exceptions on the PA form is present.	
	RECTAL			
	mesalamine	CANASA (mesalamine) ROWASA (mesalamine)		
		KOWASA (IIIesaiailiille)		