

**BUREAU FOR MEDICAL SERVICES
WEST VIRGINIA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**REVISED 6/1/05
Posted: 6/6/05**

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ACE INHIBITORS <i>Implement 1/3/05</i>	ACE INHIBITORS		Four of the preferred agents must be tried for at least 30 days each before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
	ACEON (perindopril) ALTACE (ramipril) benazepril captopril enalapril lisinopril MAVIK (trandolapril) moexepiril	ACCUPRIL (quinapril) CAPOTEN (captopril) fosinopril LOTENSIN (benazepril) MONOPRIL (fosinopril) PRINIVIL (lisinopril) quinapril UNIVASC (moexepiril) VASOTEC (enalapril) ZESTRIL (lisinopril)	
	ACE INHIBITOR/DIURETIC COMBINATIONS		
	benazepril/HCTZ captopril/HCTZ enalapril/HCTZ lisinopril/HCTZ UNIRETIC (moexepiril/HCTZ)	ACCURETIC (quinapril/HCTZ) CAPOZIDE (captopril/HCTZ) LOTENSIN HCT (benazepril/HCTZ) MONOPRIL HCT (fosinopril/HCTZ) PRINZIDE (lisinopril/HCTZ) quinapril/HCTZ VASERETIC (enalapril/HCTZ) ZESTORETIC (lisinopril/HCTZ)	
ACE INHIBITOR/CALCIUM CHANNEL BLOCKER COMBINATIONS <i>Effective 7/1/05</i>	LOTREL (benazepril/amlodipine) TARKA (trandolapril/verapamil)	LEXXEL (enalapril/felodipine)	Each of the preferred agents must be tried for at least two weeks each before a non-preferred agent in that group will be authorized unless one of the exceptions on the PA form is present.
ALZHEIMER'S AGENTS <i>Implement 10/1/04</i>	CHOLINESTERASE INHIBITORS		Patients starting therapy in this class must show a documented allergy to the preferred agents before a non-preferred agent will be authorized.
	ARICEPT (donepezil) EXELON (rivastigmine) REMINYL (galantamine)	COGNEX (tacrine)	
	NMDA RECEPTOR ANTAGONIST		
	NAMENDA (memantine)		

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

^{CL} - Requires Clinical PA

^{NR} - New drug has not been reviewed by P & T Committee

**BUREAU FOR MEDICAL SERVICES
WEST VIRGINIA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**REVISED 6/1/05
Posted: 6/6/05**

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANALGESICS, NARCOTIC (Non-parenteral) <i>Effective 7/1/05</i>	SHORT ACTING		Three of the preferred agents must be tried for at least 72 hours before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. (The three agents tried must include at least one of the long-acting agents when requesting a PA for a non-preferred long acting agent.) Limits: Quantities exceeding 240 tablets per 30 days (8 tablets/day) for agents containing 500 mg of acetaminophen will require a prior authorization.
	acetaminophen/codeine aspirin/codeine codeine hydrocodone/APAP hydrocodone/ibuprofen hydromorphone levorphanol methadone morphine oxycodone oxycodone/APAP oxycodone/aspirin pentazocine/APAP pentazocine/naloxone propoxyphene/APAP tramadol ULTRACET (tramadol/APAP)	ACTIQ (fentanyl) ANEXSIA (hydrocodone/APAP) BANCAP HC (hydrocodone/APAP) butalbital/APAP/caffeine/codeine butalbital/ASA/caffeine/codeine DARVOCET (propoxyphene/APAP) DARVON (propoxyphene) DARVON N (propoxyphene) DEMEROL (meperidine) DILAUDID (hydromorphone) FIORICET W/ CODEINE (butalbital/APAP/caffeine/codeine) FIORINAL W/ CODEINE (butalbital/ASA/caffeine/codeine) LORCET, LORTAB (hydrocodone/APAP) MAXIDONE (hydrocodone/APAP) meperidine MSIR (morphine) NORCO (hydrocodone/APAP) OXYFAST, OXYIR (oxycodone) PANLOR (dihydrocodeine/APAP/caffeine) PERCOCET (oxycodone/APAP) PERCODAN (oxycodone/aspirin) PERCOLONE (oxycodone) PHRENILIN W/ CAFFEINE AND CODEINE (butalbital/ASA/caffeine/codeine) propoxyphene propoxyphene/ASA/caffeine propoxyphene napsylate REPREXAIN (hydrocodone/ibuprofen) SYNALGOS-DC (dihydrocodeine/ASA/caffeine) TALACEN (pentazocine/APAP) TALWIN NX (pentazocine/naloxone) TYLENOL W/CODEINE (APAP/codeine) ULTRAM (tramadol) VICODIN (hydrocodone/APAP)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

^{CL} - Requires Clinical PA

^{NR} – New drug has not been reviewed by P & T Committee

**BUREAU FOR MEDICAL SERVICES
WEST VIRGINIA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**REVISED 6/1/05
Posted: 6/6/05**

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		VICOPROFEN (hydrocodone/ibuprofen) ZYDONE (hydrocodone/APAP)	
	LONG-ACTING		
	DURAGESIC (fentanyl) KADIAN (morphine) morphine SR	AVINZA (morphine) fentanyl patches MS CONTIN (morphine) ORAMORPH SR (morphine) oxycodone ER OXYCONTIN (oxycodone) PALLADONE (hydromorphone ER)	
ANGIOTENSIN II RECEPTOR BLOCKERS (ARBs) <i>Effective 7/1/05</i>	ANGIOTENSIN RECEPTOR BLOCKERS		Each of the preferred agents in the corresponding group must be tried for at least two weeks each before a non-preferred agent in that group will be authorized, unless one of the exceptions on the PA form is present.
	AVAPRO (irbesartan) COZAAR (losartan) DIOVAN (valsartan) MICARDIS (telmisartan)	ATACAND (candesartan) BENICAR (olmesartan) TEVETEN (eprosartan)	
	ARB/DIURETIC COMBINATIONS		
	AVALIDE (irbesartan/HCTZ) DIOVAN-HCT (valsartan/HCTZ) HYZAAR (losartan/HCTZ) MICARDIS-HCT (telmisartan/HCTZ)	ATACAND-HCT (candesartan/HCTZ) BENICAR-HCT (olmesartan/HCTZ) TEVETEN-HCT (eprosartan/HCTZ)	
ANTICOAGULANTS, INJECTABLE^{CL} <i>Effective 7/1/05</i>	FRAGMIN (dalteparin) LOVENOX (enoxaparin)	ARIXTRA (fondaparinux) INNOHEP (tinzaparin)	
ANTIDEPRESSANTS, OTHER (non-SSRI) <i>Effective 7/1/05</i>	bupropion SR CYMBALTA (duloxetine) EFFEXOR XR (venlafaxine) mirtazapine trazodone	bupropion IR DESYREL (trazodone) EFFEXOR (venlafaxine) nefazodone REMERON (mirtazapine) SERZONE (nefazodone) WELLBUTRIN (bupropion) WELLBUTRIN SR (bupropion) WELLBUTRIN XL (bupropion)	A non-preferred agent will only be authorized if there has been a six-week trial of a preferred agent in this class unless one of the exceptions on the PA form is present.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

^{CL} - Requires Clinical PA

^{NR} - New drug has not been reviewed by P & T Committee

**BUREAU FOR MEDICAL SERVICES
WEST VIRGINIA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**REVISED 6/1/05
Posted: 6/6/05**

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIDEPRESSANTS, SSRIs <i>Implement 1/3/05</i>	citalopram fluoxetine fluvoxamine LEXAPRO (escitalopram) PAXIL CR (paroxetine) ZOLOFT (sertraline)	CELEXA (citalopram) LUVOX (fluvoxamine) paroxetine PAXIL (paroxetine) PEXEVA (paroxetine) PROZAC (fluoxetine) RAPIFLUX (fluoxetine) SARAFEM (fluoxetine)	None of the non-preferred dosage forms will be authorized unless there is documentation showing that the preferred dosage forms of the corresponding agents are inappropriate for the patient.
ANTIEMETICS (Oral) <i>Implement 4/1/04</i>	5HT3 RECEPTOR BLOCKERS		A trial of the preferred agent is required before a non-preferred agent will be approved unless one of the exceptions on the PA form is present. Quantity limits apply for this drug class.
	ZOFRAN (ondansetron) ZOFRAN ODT (ondansetron)	ANZEMET (dolasetron) KYTRIL (granisetron)	
ANTIFUNGALS, ORAL <i>Implement 1/3/05</i>	clotrimazole fluconazole ketoconazole ^{CL} LAMISIL (terbinafine) ^{CL} MYCOSTATIN (nystatin) nystatin	ANCOBON (flucytosine) DIFLUCAN (fluconazole) FULVICIN (griseofulvin) GRIFULVIN V (griseofulvin) GRISACTIN (griseofulvin) griseofulvin GRIS-PEG (griseofulvin) MYCELEX (clotrimazole) NIZORAL (ketoconazole) SPORANOX (itraconazole) VFEND (voriconazole)	Non-preferred agents will be approved only if one of the exceptions on the PA form is present. PA is required when limits are exceeded. PA is not required for Grifulvin-V Suspension for children up to 6 years of age.
ANTIFUNGALS, TOPICAL <i>Implement 1/3/05</i>	ANTIFUNGALS		Three of the preferred agents must be tried for at least two weeks each before one of the non-preferred agents will be authorized unless one of the exceptions on the PA form is present.
	EXELDERM (sulconazole) ketoconazole LOPROX Cream, Gel, Shampoo (ciclopirox) MENTAX (butenafine) NAFTIN (naftifine) nystatin OXISTAT (oxiconazole)	ciclopirox econazole ERTACZO (sertaconazole) LOPROX TS (ciclopirox) MYCOSTATIN (nystatin) NIZORAL (ketoconazole) PENLAC (ciclopirox) SPECTAZOLE (econazole)	
	ANTIFUNGAL/STEROID COMBINATIONS		
	nystatin/triamcinolone	clotrimazole/betamethasone LOTRISONE (clotrimazole/betamethasone) MYCOLOG (nystatin/triamcinolone)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

^{CL} - Requires Clinical PA

^{NR} - New drug has not been reviewed by P & T Committee

**BUREAU FOR MEDICAL SERVICES
WEST VIRGINIA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**REVISED 6/1/05
Posted: 6/6/05**

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIHISTAMINES, MINIMALLY SEDATING <i>Effective 7/1/05</i>	ANTIHISTAMINES		A preferred agent must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
	loratadine CLARINEX Syrup (desloratadine) ALAVERT (loratadine) TAVIST-ND (loratadine)	ALLEGRA (fexofenadine) CLARINEX tablets (desloratadine) CLARITIN (loratadine) ZYRTEC (cetirizine)	
	ANTIHISTAMINE/DECONGESTANT COMBINATIONS		
	ALAVERT D (loratadine/pseudoephedrine) loratadine/pseudoephedrine	ALLEGRA-D (fexofenadine/pseudoephedrine) CLARITIN-D (loratadine/pseudoephedrine) ZYRTEC-D (cetirizine/pseudoephedrine)	
ANTIMIGRAINE AGENTS, TRIPTANS <i>Effective 7/1/05</i>	AXERT (almotriptan) IMITREX Injection (sumatriptan) MAXALT (rizatriptan) ZOMIG (zolmitriptan)	AMERGE (naratriptan) FROVA (frovatriptan) IMITREX Nasal (sumatriptan) IMITREX Tablets (sumatriptan) RELPAX (eletriptan)	Two of the oral agents must be tried before a non-preferred agent will be approved, unless one of the exceptions on the PA form is present. Quantity limits apply for this drug class.
	ANTICHOLINERGICS		Patients starting therapy on drugs in this class must show a documented allergy to all of the preferred agents before a non-preferred agent will be authorized.
ANTIPARKINSON'S AGENTS (Oral) <i>Implement 10/1/04</i>	benztropine KEMADRIN (procyclidine) trihexyphenidyl	COGENTIN (benztropine)	
	COMT INHIBITORS		
	COMTAN (entacapone)	TASMAR (tolcapone)	
	DOPAMINE AGONISTS		
	MIRAPEX (pramipexole) REQUIP (ropinirole)	pergolide PERMAX (pergolide)	
	OTHER ANTIPARKINSON'S AGENTS		
	LARODOPA (levodopa) levodopa/carbidopa selegiline STALEVO (levodopa/carbidopa/entacapone)	ELDEPRYL (selegiline) SINEMET (levodopa/carbidopa)	
ANTIPSYCHOTICS, ATYPICAL (Oral) <i>Implement 10/1/04</i>	ATYPICAL ANTIPSYCHOTICS		Upon discharge, hospitalized patients stabilized on non-preferred agents will receive authorization to continue these drugs. New patients for this class of drugs will be required to try a preferred agent for two weeks unless one of the exceptions on the PA form is present.
	clozapine GEODON (ziprasidone) RISPERDAL (risperidone) SEROQUEL (quetiapine)	ABILIFY (aripiprazole) CLOZARIL (clozapine) FAZACLO (clozapine) ^{NR} RISPERDAL CONSTA (risperidone) ZYPREXA (olanzapine)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

^{CL} - Requires Clinical PA

^{NR} - New drug has not been reviewed by P & T Committee

**BUREAU FOR MEDICAL SERVICES
WEST VIRGINIA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**REVISED 6/1/05
Posted: 6/6/05**

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ATYPICAL ANTIPSYCHOTIC/SSRI COMBINATIONS		
		SYMBYAX (olanzapine/fluoxetine)	
ANTIVIRALS (Oral) <i>Implement 10/1/04</i>	acyclovir amantadine FAMVIR (famciclovir) rimantadine VALTREX (valacyclovir)	CYTOVENE (ganciclovir) FLUMADINE (rimantadine) ganciclovir RELENZA (zanamivir) SYMMETREL (amantadine) TAMIFLU (oseltamivir) VALCYTE (valganciclovir) ZOVIRAX (acyclovir)	All of the appropriate preferred agents with the applicable indication must be tried before the non-preferred agents will be authorized unless one of the exceptions on the PA form is present.
ANXIOLYTICS (Oral) <i>Implement 1/2/04</i>	alprazolam buspirone chlordiazepoxide diazepam lorazepam oxazepam	ATIVAN (lorazepam) BUSPAR (buspirone) clorazepate (Tranxene) EQUANIL (meprobamate) LIBRIUM (chlordiazepoxide) meprobamate SERAX (oxazepam) TRANXENE (clorazepate) VALIUM (diazepam) XANAX (alprazolam) XANAX XR (alprazolam)	All of the preferred agents in the class must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. Xanax XR will only be approved for patients with a documented diagnosis of panic disorder and for whom compliance is an issue.
ATOPIC DERMATITIS <i>Implement 4/1/04</i>	ELIDEL (pimecrolimus)	PROTOPIC (tacrolimus)	The preferred agent must be tried for at least 30 days before the non-preferred agent will be authorized.
BETA BLOCKERS (Oral) <i>Effective 7/1/05</i>	BETA BLOCKERS		
	atenolol INDERAL LA (propranolol) INNOPRAN XL (propranolol) metoprolol nadolol propranolol sotalol timolol TOPROL XL (metoprolol)	acebutolol BETAPACE (sotalol) betaxolol bisoprolol BLOCADREN (timolol) CARTROL (carteolol) CORGARD (nadolol) KERLONE (betaxolol) LEVATOL (penbutolol) LOPRESSOR (metoprolol) pindolol	If one of the exceptions on the PA form is present or if the physician feels that the patient cannot be stabilized with any of the preferred agents, one of the non-preferred agents will be approved.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

^{CL} - Requires Clinical PA

^{NR} - New drug has not been reviewed by P & T Committee

**BUREAU FOR MEDICAL SERVICES
WEST VIRGINIA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**REVISED 6/1/05
Posted: 6/6/05**

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		SECTRAL (acebutolol) TENORMIN (atenolol) ZEBETA (bisoprolol)	
	BETA- AND ALPHA- BLOCKERS		
	COREG (carvedilol) labetalol	NORMODYNE (labetalol) TRANDATE (labetalol)	
BLADDER RELAXANT PREPARATIONS <i>Effective 7/1/05</i>	DITROPAN XL (oxybutynin) ENABLEX (darifenacin) oxybutynin OXYTROL (oxybutynin)	DETROL (tolterodine) DETROL LA (tolterodine) DITROPAN (oxybutynin) SANCTURA (trospium) VESICARE (solifenacin)	Two chemical entities in the class must be tried before a non-preferred agent will be authorized, unless one of the exceptions on the PA form is present.
BONE RESORPTION SUPPRESSION AND RELATED AGENTS <i>Implement 10/1/04</i>	BISPHOSPHONATES		Forteo will be approved for patients with a history of osteoporotic fractures or if one of the exceptions on the PA form is present.
	ACTONEL (risedronate) DIDRONEL (etidronate) FOSAMAX (alendronate)		
	OTHER BONE RESORPTION SUPPRESSION AND RELATED AGENTS		
	EVISTA (raloxifene) MIACALCIN (calcitonin)	FORTEO (teriparatide)	
BPH AGENTS <i>Effective 7/1/05</i>	ALPHA BLOCKERS		One of the preferred agents must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
	doxazosin FLOMAX (tamsulosin) trazosin UROXATRAL (alfuzosin)	CARDURA (doxazosin) HYTRIN (terazosin)	
	5-ALPHA-REDUCTASE (5AR) INHIBITORS		
	PROSCAR (finasteride)	AVODART (dutasteride)	
BRONCHODILATORS, ANTICHOLINERGIC <i>Implement 1/3/05</i>	ANTICHOLINERGIC		The preferred agent in the class must be tried before the non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
	ATROVENT (ipratropium) ipratropium SPIRIVA (tiotropium)		
	ANTICHOLINERGIC-BETA AGONIST COMBINATIONS		
	COMBIVENT (albuterol/ipratropium) DUONEB (albuterol/ipratropium)		
BRONCHODILATORS, BETA AGONIST <i>Implement 1/3/05</i>	INHALERS, SHORT-ACTING		All of the preferred agents in a group must be tried before a non-preferred agent in that group will be authorized unless one of the exceptions on the PA form is present.
	albuterol MAXAIR (pirbuterol) PROVENTIL HFA (albuterol)	ALUPENT (metaproterenol) PROVENTIL (albuterol) VENTOLIN HFA (albuterol)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

^{CL} - Requires Clinical PA

^{NR} - New drug has not been reviewed by P & T Committee

**BUREAU FOR MEDICAL SERVICES
WEST VIRGINIA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**REVISED 6/1/05
Posted: 6/6/05**

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	INHALERS, LONG-ACTING		
	FORADIL (formoterol) SEREVENT (salmeterol)		
	INHALATION SOLUTION		
	ACCUNEB (albuterol) albuterol XOPENEX (levalbuterol)	metaproterenol PROVENTIL (albuterol)	
	ORAL		
	albuterol terbutaline	BRETHINE (terbutaline) metaproterenol VOSPIRE ER (albuterol)	
CALCIUM CHANNEL BLOCKERS (Oral) <i>Effective 7/1/05</i>	SHORT-ACTING		One of the preferred agents must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. Nimodipine will be approved with the appropriate diagnosis.
	diltiazem verapamil	ADALAT (nifedipine) CALAN (verapamil) CARDENE (nicardipine) CARDIZEM (diltiazem) DYNACIRC (isradipine) nicardipine nifedipine NIMOTOP (nimodipine) PROCARDIA (nifedipine)	
	LONG-ACTING		
	CARDIZEM LA (diltiazem) diltiazem DYNACIRC CR (isradipine) felodipine nifedipine SULAR (nisoldipine) verapamil VERELAN PM (verapamil)	ADALAT CC (nifedipine) CALAN SR (verapamil) CARDENE SR (nicardipine) CARDIZEM CD (diltiazem) CARDIZEM SR (diltiazem) COVERA-HS (verapamil) DILACOR XR (diltiazem) ISOPTIN SR (verapamil) NORVASC (amlodipine) PLENDIL (felodipine) PROCARDIA XL (nifedipine) TIAZAC (diltiazem) VERELAN (verapamil)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

^{CL} - Requires Clinical PA

^{NR} - New drug has not been reviewed by P & T Committee

**BUREAU FOR MEDICAL SERVICES
WEST VIRGINIA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**REVISED 6/1/05
Posted: 6/6/05**

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CEPHALOSPORINS AND RELATED ANTIBIOTICS (Oral) <i>Implement 4/1/04</i>	BETA LACTAM/BETA-LACTAMASE INHIBITOR COMBINATIONS		The preferred agents must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
	amoxicillin/clavulanate AUGMENTIN XR (amoxicillin/clavulanate)	AUGMENTIN (amoxicillin/clavulanate) AUGMENTIN ES-600 (amoxicillin/clavulanate)	
ERYTHROPOIESIS STIMULATING PROTEINS^{CL} <i>Implement 7/1/05</i>	CEPHALOSPORINS		The preferred agents must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
	CEDAX (ceftibuten) cefaclor cefadroxil cefepodoxime cefuroxime CEFZIL (cefprozil) cephalexin cephradine OMNICEF (cefdinir) SPECTRACEF (cefditoren)	CECLOR (cefaclor) CEFTIN (cefuroxime) DURICEF (cefadroxil) KEFLEX (cephalexin) LORABID (loracarbef) PANIXINE (cephalexin) ^{NR} RANICLOR (cefaclor) ^{NR} SUPRAX (cefixime) VANTIN (cefepodoxime) VELOSEF (cephradine)	
ESTROGENS, COMBINATIONS <i>Implement 7/1/05</i>	ORAL		The preferred agents of a dosage form must be tried for at least 90 days before a non-preferred agent of that dosage form will be authorized unless one of the exceptions on the PA form is present.
	ACTIVELLA (17β-estradiol/norethindrone acetate) FEMHRT (EE/norethindrone acetate) PREFEST (17β-estradiol/norgestimate) PREMPHASE (CE/MPA) PREMPRO (CE/MPA)		
TOPICAL			
	COMBIPATCH (17β-estradiol/norethindrone acetate)	CLIMARA PRO (estradiol/levonorgestrel)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

^{CL} - Requires Clinical PA

^{NR} – New drug has not been reviewed by P & T Committee

**BUREAU FOR MEDICAL SERVICES
WEST VIRGINIA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**REVISED 6/1/05
Posted: 6/6/05**

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
FLUROQUINOLONES, ORAL <i>Implement 10/1/04</i>	ciprofloxacin LEVAQUIN (levofloxacin) TEQUIN (gatifloxacin)	AVELOX (moxifloxacin) CIPRO (ciprofloxacin) CIPRO XR (ciprofloxacin extended-release) FACTIVE (gemifloxacin) ^{NR} FLOXIN (ofloxacin) MAXAQUIN (lomefloxacin) NOROXIN (norfloxacin) ofloxacin	The preferred agents must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
GLUCOCORTICOIDS, INHALED <i>Implement 1/3/05</i>	GLUCOCORTICOIDS		All of the preferred agents of a dosage form must be tried before a non-preferred agent of that dosage form will be authorized unless one of the exceptions on the PA form is present. Pulmicort Respules do not require a prior authorization for children through 8 years of age.
	AEROBID (flunisolide) AEROBID-M (flunisolide) AZMACORT (triamcinolone) FLOVENT (fluticasone) QVAR (beclomethasone)	PULMICORT (budesonide)	
	GLUCOCORTICOID/BRONCHODILATOR COMBINATIONS		
	ADVAIR (fluticasone/salmeterol)		
GROWTH HORMONE^{CL} <i>Implement 7/1/05</i>	NORDITROPIN (somatropin) NUTROPIN AQ (somatropin) TEV-TROPIN (somatropin)	GENOTROPIN (somatropin) HUMATROPE (somatropin) NUTROPIN (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin)	The preferred agents must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
HEPATITIS C TREATMENTS^{CL} <i>Implement 7/1/05</i>	PEG-INTRON (pegylated IFN) REBETOL (ribavirin)	COPEGUS (ribavirin) INFERGEN (consensus IFN) PEGASYS (pegylated IFN) REBETRON (IFN α /ribavirin) ribavirin	Patients already on a non-preferred agent will receive authorization to continue therapy on that agent. Patients starting therapy in this class must try the preferred agent of a dosage form before a non-preferred agent of that dosage form will be authorized, with the exception of the following conditions: (1) co-infection of Hepatitis B and C, (2) co-infection with Hepatitis C and HIV, (3) Genotype I virus with high viral load, and (4) mild cirrhosis of the liver (Child-Pugh Class A).
HYPOGLYCMICS, ALPHA- GLUCOSIDASE INHIBITORS <i>Implement 10/1/04</i>	GLYSET (miglitol)	PRECOSE (acarbose)	The preferred agent must be tried before the non-preferred agent will be authorized unless one of the exceptions on the PA form is present.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

^{CL} - Requires Clinical PA

^{NR} – New drug has not been reviewed by P & T Committee

**BUREAU FOR MEDICAL SERVICES
WEST VIRGINIA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**REVISED 6/1/05
Posted: 6/6/05**

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
HYPOGLYCEMICS, INSULINS <i>Implement 10/1/04</i>	LANTUS (insulin glargine) NOVOLIN (insulin) NOVOLOG (insulin aspart) NOVOLOG MIX (insulin aspart/aspart protamine) RELION (insulin)	HUMALOG (insulin lispro) HUMALOG MIX (insulin lispro/lispro protamine) HUMULIN (insulin)	Non-preferred insulins will be available for pediatric patients requiring diluted doses. Non-preferred insulins will only be authorized with documented proof of an allergic reaction to the preferred insulins. Insulin Pens: Non-preferred insulin systems will only be authorized with documented proof of an allergic reaction to the preferred insulins, unless one of the exceptions on the PA form is present.
	INSULIN PENS		
	NOVOLIN INNOLET (N, R, 70/30)	All other insulin pens and insulin pen systems	
HYPOGLYCEMICS, MEGLITINIDES <i>Implement 7/1/05</i>	STARLIX (nateglinide)	PRANDIN (repaglinide)	The preferred agent must be tried before the non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
HYPOGLYCEMICS, METFORMINS <i>Implement 10/1/04</i>	METFORMIN		The preferred agents must be tried before a non-preferred agent will be authorized, unless one of the exceptions on the PA form is present.
	metformin RIOMET	FORTAMET GLUCOPHAGE	
	METFORMIN-CONTAINING COMBINATIONS		
HYPOGLYCEMICS, SULFONYLUREAS <i>Implement 10/1/04</i>	AMARYL (glimepiride) glipizide glyburide	acetohexamide chlorpropamide DIABETA (glyburide) DIABINESE (chlorpropamide) GLUCOTROL (glipizide) GLYNASE (glyburide) MICRONASE (glyburide) tolazamide tolbutamide TOLINASE (tolazamide)	A two-month trial of the maximum dose of each of the preferred agents is required before authorization will be given for a non-preferred product. Requests for acetohexamide, chlorpropamide, tolazamide, and tolbutamide must be approved by the BMS Medical Director.
HYPOGLYCEMICS, TZDS <i>Implement 7/1/05</i>	ACTOS (pioglitazone)	AVANDIA (rosiglitazone)	The preferred agent must be tried before the non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
INTERMITTENT CLAUDICATION <i>Implement 4/1/04</i>	cilostazol pentoxifylline	TRENTAL (pentoxifylline) PLETAL (cilostazol)	The preferred agents must be tried before a non-preferred agent will be approved unless one of the exceptions on the PA form is present.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

^{CL} - Requires Clinical PA

^{NR} - New drug has not been reviewed by P & T Committee

**BUREAU FOR MEDICAL SERVICES
WEST VIRGINIA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**REVISED 6/1/05
Posted: 6/6/05**

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CORTICOSTEROIDS, NASAL <i>Implement 1/3/05</i>	ANTICHOLINERGICS		All of the preferred agents must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
		ATROVENT (ipratropium) ipratropium	
	ANTIHISTAMINES		
	ASTELIN (azelastine)		
LEUKOTRIENE RECEPTOR BLOCKERS <i>Implement 1/3/05</i>	CORTICOSTEROIDS		The preferred agent must be tried before the non-preferred agent will be approved unless one of the exceptions on the PA form is present.
	FLONASE (fluticasone) NASACORT AQ (triamcinolone) NASONEX (mometasone)	BECONASE AQ (beclomethasone) flunisolide NASALIDE (flunisolide) NASAREL (flunisolide) RHINOCORT AQUA (budesonide)	
	SINGULAIR (montelukast)	ACCOLATE (zafirlukast)	
LIPOTROPICS, OTHER (non-statins) <i>Implement 7/1/05</i>	BILE ACID SEQUESTRANTS		The preferred agents must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. Zetia, as monotherapy, will only be approved for patients who cannot take statins or other preferred agents. Zetia and Welchol will be approved for add-on therapy only after an insufficient response to the maximum tolerable dose of a statin after 12 weeks of therapy. If patients require the addition of Zetia to Zocor to achieve goal, use of the combination product, Vytorin, will be required. If patients are on other statins and require the addition of Zetia, patients will not be required to switch the statin that they have been using.
	cholestyramine COLESTID (colestipol)	QUESTRAN (cholestyramine) WELCHOL (colesevalam)	
	CHOLESTEROL ABSORPTION INHIBITORS		
		ZETIA (ezetimibe)	
	FIBRIC ACID DERIVATIVES		
	gemfibrozil TRICOR (fenofibrate)	ANTARA (fenofibrate) LOFIBRA (fenofibrate) LOPID (gemfibrozil)	
	NIACIN		
	niacin NIASPAN (niacin)	NIACELS (niacin) NIADELAY (niacin) SLO-NIACIN (niacin)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

^{CL} - Requires Clinical PA

^{NR} – New drug has not been reviewed by P & T Committee

**BUREAU FOR MEDICAL SERVICES
WEST VIRGINIA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**REVISED 6/1/05
Posted: 6/6/05**

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LIPOTROPICS, STATINS <i>Implement 7/1/05</i>	STATINS		One of the preferred statins must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
	ALTOPREV (lovastatin) CRESTOR (rosuvastatin) LESCOL (fluvastatin) LESCOL XL (fluvastatin) ZOCOR (simvastatin)	LIPITOR (atorvastatin) lovastatin MEVACOR (lovastatin) PRAVACHOL (pravastatin)	
	STATIN COMBINATIONS		
	ADVICOR (lovastatin/niacin) VYTORIN (ezetimibe/stimvastatin) ^{CL}	CADUET (atorvastatin/amlodipine) PRAVIGARD PAC (pravastatin/ASA)	
MACROLIDES (Oral) <i>Implement 4/1/04</i>	BIAXIN (clarithromycin) BIAXIN XL (clarithromycin) erythromycin base erythromycin ethylsuccinate erythromycin stearate ZITHROMAX (azithromycin)	DYNABAC (dirithromycin) E.E.S. (erythromycin ethylsuccinate) E-MYCIN (erythromycin) ERYC (erythromycin) ERYPED (erythromycin ethylsuccinate) ERY-TAB (erythromycin) ERYTHROCIN (erythromycin stearate) erythromycin estolate KETEK (telithromycin) ^{NR} PCE (erythromycin)	The preferred agents must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
MULTIPLE SCLEROSIS AGENTS^{CL} <i>Implement 7/1/05</i>	AVONEX (interferon beta-1a) BETASERON (interferon beta-1b) REBIF (interferon beta-1a)	COPAXONE (glatiramer)	Patients already on non-preferred agents will receive authorization for those agents for one year. Patients starting therapy in this class will be required to try the preferred agents unless one of the exceptions on the PA form is present.
NICOTINE REPLACEMENT <i>Implement 10/1/04</i>	COMMIT NICODERM CQ NICORETTE NICOTROL PATCH NICOTROL NS	nicotine gum nicotine patch NICOTROL Inhaler	The non-preferred agent will be authorized only if one of the exceptions on the PA form is applicable to all preferred agents.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

^{CL} - Requires Clinical PA

^{NR} - New drug has not been reviewed by P & T Committee

**BUREAU FOR MEDICAL SERVICES
WEST VIRGINIA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**REVISED 6/1/05
Posted: 6/6/05**

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
NSAIDS <i>Implement 1/3/05</i>	NONSELECTIVE		Non-preferred agents will only be approved after the preferred agents have been tried unless one of the exceptions on the PA form is present.
	diclofenac etodolac flurbiprofen ibuprofen indomethacin ketoprofen ketorolac naproxen oxaprozin piroxicam sulindac	ADVIL (ibuprofen) ALEVE (naproxen) ANAPROX (naproxen) ANSAID (flurbiprofen) CATAFLAM (diclofenac) CLINORIL (sulindac) DAYPRO (oxaprozin) FELDENE (piroxicam) INDOCIN (indomethacin) LODINE (etodolac) meclofenamate MOTRIN (ibuprofen) nabumetone NALFON (fenoprofen) NAPRELAN (naproxen) NAPROSYN (naproxen) NUPRIN (ibuprofen) ORUDIS (ketoprofen) ORUVAIL (ketoprofen) PONSTEL (meclofenamate) RELAFEN (nabumetone) TOLECTIN (tolmetin) tolmetin TORADOL (ketorolac) VOLTAREN (diclofenac)	
	NSAID/GI PROTECTANT COMBINATIONS		
	PREVACID NAPRAPAC (naproxen/lansoprazole)	ARTHROTEC (diclofenac/misoprostol)	
	COX-II SELECTIVE^{CL}		
	BEXTRA (valdecoxib) CELEBREX (celecoxib) MOBIC (meloxicam)		

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

^{CL} - Requires Clinical PA

^{NR} – New drug has not been reviewed by P & T Committee

**BUREAU FOR MEDICAL SERVICES
WEST VIRGINIA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**REVISED 6/1/05
Posted: 6/6/05**

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
OPHTHALMIC ANTIBIOTICS <i>Implement 10/1/04</i>	FLUOROQUINOLONES		All of the preferred agents must be tried before non-preferred agents will be authorized unless one of the exceptions on the PA form is present.	
	ciprofloxacin VIGAMOX (moxifloxacin)	CILOXAN (ciprofloxacin) OCUFLOX (ofloxacin) ofloxacin QUIXIN (levofloxacin) ZYMAR (gatifloxacin)		
	OTHER SINGLE AGENTS			
	bacitracin erythromycin gentamicin polymyxin B sulfacetamide tobramycin	BLEPH-10 (sulfacetamide) CETAMIDE (sulfacetamide) CHLOROMYCETIN (chloramphenicol) CHLOROPTIC (chloramphenicol) GARAMYCIN (gentamicin) GENOPTIC (gentamicin) ILOTYCIN (erythromycin) TOBEX (tobramycin)		
COMBINATION AGENTS				
neomycin/polymyxin/bacitracin neomycin/polymyxin/gramicidin polymyxin/bacitracin polymyxin/trimethoprim	NEOSPORIN (neomycin/polymyxin/bacitracin) NEOSPORIN (neomycin/polymyxin/gramicidin) POLYSPORIN (polymyxin/bacitracin) POLYTRIM (polymyxin/trimethoprim) TERAQ W/ POLYMYXIN (oxytetracycline/polymyxin) TERRAMYCIN W/ POLYMYXIN (oxytetracycline/polymyxin)			
OPHTHALMICS FOR ALLERGIC CONJUNCTIVITIS <i>Implement 10/1/04</i>	ALOCRI (nedocromil) ALREX (loteprednol) ELESTAT (epinastine) EMADINE (emedastine) OPTIVAR (azelastine) PATANOL (olopatadine) ZADITOR (ketotifen)		ACULAR (ketorolac) ALAMAST (pemirolast) ALOMIDE (iodoxamide) CROLOM (cromolyn) cromolyn LIVOSTIN (levocabastine) OPTICROM (cromolyn)	All of the preferred agents must be tried before non-preferred agents will be authorized, unless one of the exceptions on the PA form is present.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

^{CL} - Requires Clinical PA

^{NR} - New drug has not been reviewed by P & T Committee

**BUREAU FOR MEDICAL SERVICES
WEST VIRGINIA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**REVISED 6/1/05
Posted: 6/6/05**

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
OPHTHALMICS, GLAUCOMA AGENTS <i>Implement 10/1/04</i>	PARASYMPATHOMIMETICS		Authorization for a non-preferred agent will only be given if there is an allergy to the preferred agents.
	CARBOPTIC (carbachol) ISOPTO CARBACHOL (carbachol) MIOSTAT (carbachol) PHOSPHOLINE IODIDE (echothiophate iodide) pilocarpine	ISOPTO CARPINE (pilocarpine) PILOCAR (pilocarpine) PILOPINE HS (pilocarpine)	
	SYMPATHOMIMETICS		
	ALPHAGAN P (brimonidine) brimonidine dipivefrin	ALPHAGAN (brimonidine) EPIFRIN (epinephrine) PROPINE (dipivefrin)	
	BETA BLOCKERS		
	BETIMOL (timolol) BETOPTIC S (betaxolol) betaxolol carteolol levobunolol metipranolol timolol	BETAGAN (levobunolol) BETOPTIC (betaxolol) OCUPRESS (carteolol) OPTIPRANOLOL (metipranolol) TIMOPTIC (timolol)	
	CARBONIC ANHYDRASE INHIBITORS		
	AZOPT (brinzolamide) TRUSOPT (dorzolamide)		
	PROSTAGLANDIN ANALOGS		
	LUMIGAN (bimatoprost) TRAVATAN (travoprost)	RESCULA (unoprostone) XALATAN (latanoprost)	
	COMBINATION AGENTS		
	COSOPT (dorzolamide/timolol)	E-PILO-1 (pilocarpine/epinephrine)	
OTIC ANTIBIOTIC PREPARATIONS <i>Effective 7/1/05</i>	CIPRODEX (ciprofloxacin / dexamethasone) COLY-MYCIN S (neomycin / hydrocortisone) FLOXIN (ofloxacin) neomycin / polymyxin / hydrocortisone	CIPRO HC (ciprofloxacin / hydrocortisone) CORTISPORIN (neomycin / polymyxin / hydrocortisone) CORTISPORIN TC (neomycin / hydrocortisone) PEDIOTIC (neomycin / polymyxin / hydrocortisone)	All of the preferred agents must be tried before a non-preferred agent will be approved unless one of the exceptions on the PA form is present.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

^{CL} - Requires Clinical PA

^{NR} - New drug has not been reviewed by P & T Committee

**BUREAU FOR MEDICAL SERVICES
WEST VIRGINIA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**REVISED 6/1/05
Posted: 6/6/05**

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PHOSPHATE BINDERS <i>Implement 7/1/05</i>	FOSRENOL (lanthanum) MAGNEBIND 400 (magnesium/calcium carbonate) PHOSLO (calcium acetate) RENAGEL (sevelamer)		
PLATELET AGGREGATION INHIBITORS <i>Implement 4/1/04</i>	AGGRENOL (dipyridamole/ASA) dipyridamole PLAVIX (clopidogrel)	TICLID (ticlopidine) ticlopidine	All of the preferred agents must be tried before a non-preferred agent will be approved unless one of the exceptions on the PA form is present.
PROTON PUMP INHIBITORS (Oral) <i>Implement 7/1/05</i>	PREVACID (lansoprazole)	ACIPHEX (rabeprazole) NEXIUM (esomeprazole) omeprazole PRILOSEC (omeprazole) PRILOSEC OTC (omeprazole) PROTONIX (pantoprazole) ZEGERID (omeprazole)	The preferred agent must be tried before a non-preferred agent will be approved unless one of the exceptions on the PA form is present. Prevacid given more than once daily does require a prior authorization.
SEDATIVE HYPNOTICS <i>Implement 7/1/05</i>	BENZODIAZEPINES		Prior authorization is required for these agents for patients over 65 years of age. *Prescriptions for members currently on Ambien therapy will not require prior authorization for an additional sixty days, in order to allow for tapering or switching to an appropriate preferred agent. All Ambien prescriptions will require prior authorization beginning on September 1, 2005.)
	RESTORIL 7.5 mg (temazepam) temazepam	DALMANE (flurazepam) DORAL (quazepam) estazolam flurazepam HALCION (triazolam) PROSOM (estazolam) RESTORIL 15, 22.5, 30 mg (temazepam) triazolam	
	OTHERS		
	SONATA (zaleplon)	AMBIEN (zolpidem)* AQUA CHLORAL (chloral hydrate) chloral hydrate Lunesta (Eszolpiclone) ^{NR} SOMNOTE (chloral hydrate)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

^{CL} - Requires Clinical PA

^{NR} - New drug has not been reviewed by P & T Committee

**BUREAU FOR MEDICAL SERVICES
WEST VIRGINIA MEDICAID
PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA**

**REVISED 6/1/05
Posted: 6/6/05**

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
STIMULANTS AND RELATED AGENTS <i>Implement 1/3/05</i>	AMPHETAMINES		<p>Except for Strattera, PA is required for adults >18 years.</p> <p>One of the preferred agents in each group (amphetamines and non-amphetamines) must be tried before a non-preferred agent will be authorized.</p> <p>Amphetamines will be authorized for the treatment of depression only after documented failure of multiple antidepressants.</p> <p>Provigil will only be approved for patients >16 years of age with a diagnosis of narcolepsy.</p> <p>Strattera will not be approved for concurrent administration with amphetamines or methylphenidates, except for 30 days or less for tapering purposes. Only two doses of each strength, or two concurrent doses of any strength, and a maximum of one dose of a 60 mg capsule, will be approved in a 34-day period.</p>
	ADDERALL XR (amphetamine salt combination) amphetamine salt combination dextroamphetamine	ADDERALL (amphetamine salt combination) DESOXYN (methamphetamine) DEXEDRINE (dextroamphetamine) DEXTROSTAT(dextroamphetamine) methamphetamine	
	NON-AMPHETAMINE		
	CONCERTA (methylphenidate) FOCALIN (dexmethylphenidate) METADATE CD (methylphenidate) methylphenidate RITALIN LA (methylphenidate) STRATTERA (atomoxetine)	CYLERT (pemoline) METADATE ER (methylphenidate) pemoline PROVIGIL (modafanil) RITALIN (methylphenidate) RITALIN-SR (methylphenidate)	
ULCERATIVE COLITIS AGENTS <i>Implement 7/1/05</i>	ORAL		<p>The preferred agents of a dosage form must be tried before a non-preferred agent of that dosage form will be authorized unless one of the exceptions on the PA form is present.</p>
	COLAZAL (balsalazide) PENTASA (mesalamine) sulfasalazine	ASACOL (mesalamine) AZULFIDINE (sulfasalazine) DIPENTUM (olsalazine)	
	RECTAL		
	mesalamine	CANASA (mesalamine) ROWASA (mesalamine)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug.

^{CL} - Requires Clinical PA

^{NR} - New drug has not been reviewed by P & T Committee