REVISED 1/19/07 Implementation Date: 10/02/06 Originally Posted 9/15/06

Version VI of VI

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
			-
ACE INHIBITORS Implement 10/2/06	ACEON (perindopril) ALTACE (ramipril) benazepril captopril enalapril lisinopril MAVIK (trandolapril)	ACCUPRIL (quinapril) CAPOTEN (captopril) fosinopril LOTENSIN (benazepril) MONOPRIL (fosinopril) PRINIVIL (lisinopril) quinapril UNIVASC (moexepril) VASOTEC (enalapril)	Four of the preferred agents must be tried for at least 30 days each before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
	ACE INITIDITOR	ZESTRIL (lisinopril) //DIURETIC COMBINATIONS	
ACE INHIBITOR/CALCIUM	benazepril/HCTZ captopril/HCTZ enalapril/HCTZ lisinopril/HCTZ LOTREL (benazepril/amlodipine)	ACCURETIC (quinapril/HCTZ) CAPOZIDE (captopril/HCTZ) fosinopril/HCTZ LOTENSIN HCT (benazepril/HCTZ) MONOPRIL HCT (fosinopril/HCTZ) PRINZIDE (lisinopril/HCTZ) quinapril/HCTZ UNIRETIC (moexepril/HCTZ) VASERETIC (enalapril/HCTZ) ZESTORETIC (lisinopril/HCTZ) LEXXEL (enalapril/felodipine)	Each of the preferred agents must be tried for at least two weeks each
CHANNEL BLOCKER COMBINATIONS Effective 4/1/06	TARKA (trandolapril/verapamil)	ELXXEE (Gridiaphi/igiouphile)	before a non-preferred agent must be thed to at least two weeks each before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. Patients starting therapy in this class must show a documented allergy to the preferred agents before a non-preferred agent will be authorized.
ACNE AGENTS, TOPICAL		ANTIBIOTICS	A trial of 30 days of one of the preferred agents in each category will
Effective 4/1/06	AKNE-MYCIN (erythromycin) clindamycin erythromycin	CLINDAGEL (clindamycin) EVOCLIN (clindamycin)	be required before a non-preferred agent will be authorized. (In cases of pregnancy, a trial of retinoids will not be required.) PA required after 17 years of age for tretinoin products.
	RETIN-A MICRO (tretinoin) ^{CL} TAZORAC (tazarotene) Tretinoin ^{CL}	DIFFERIN (adapalene)	

Version VI of VI

REVISED 1/19/07 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		OTHERS	-
	AZELEX (azelaic acid) BENZACLIN (benzoyl peroxide/clindamycin) benzoyl peroxide DUAC (benzoyl peroxide/clindamycin) erythromycin/benzoyl peroxide NUOX (benzoyl peroxide/sulfur)	BENZAMYCIN PAK (benzoyl peroxide/erythromycin) BREVOXYL (benzoyl peroxide) CLINAC BPO (benzoyl peroxide) KLARON (sodium sulfacetamide) ZACLIR (benzoyl peroxide) TRIAZ (benzoyl peroxide) SULFOXYL (benzoyl peroxide/sulfur) ZODERM (benzoyl peroxide)	
ALZHEIMER'S AGENTS	CHOLINES	TERASE INHIBITORS	A trial of a preferred agent will be required before a non-preferred
Implement 10/2/06	-	COGNEX (tacrine) RAZADYNE (galantamine) RAZADYNE ER (galantamine) EPTOR ANTAGONIST	agent In this class will be authorized. Currrent prescriptions for Razadyne and Razadyne ER will be grandfathered
	NAMENDA (memantine)		

Version VI of VI

REVISED 1/19/07 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANALGESICS, NARCOTIC	SHORT ACTING		
	acetaminophen/codeine aspirin/codeine codeine hydrocodone/APAP hydrocodone/ibuprofen hydromorphone levorphanol methadone morphine oxycodone/APAP oxycodone/APAP oxycodone/APAP pentazocine/APAP pentazocine/naloxone propoxyphene/APAP tramadol tramadol/APAP	ORT ACTING ACTIQ (fentanyl) butalbital/APAP/caffeine/codeine butalbital/ASA/caffeine/codeine COMBUNOX (oxycodone/ibuprofen) DARVOCET (propoxyphene/APAP) DARVON (propoxyphene) DEMEROL (meperidine) DILAUDID (hydromorphone) FIORICET W/ CODEINE	Three of the preferred agents must be tried for at least 72 hours before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. (The three agents tried must include at least one of the long-acting agents when requesting a PA for a non-preferred long acting agent.) Exception: Oxycodone ER will be authorized if a diagnosis of cancer is submitted without a trial of the preferred agents. Actiq will only be approved as an adjunct to a long-acting agent. Actiq for monotherapy will not be approved. Limits: Quantities exceeding 240 tablets per 30 days (8 tablets/day) for agents containing 500 mg of acetaminophen will require a prior authorization and review by the Medical Director.
		VICOPROFEN (hydrocodone/ibuprofen)	

Version VI of VI

REVISED 1/19/07 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	LC	NG-ACTING	
	DURAGESIC (fentanyl)	AVINZA (morphine)	
	KADIAN (morphine)	fentanyl	
	morphine SR	MS CONTIN (morphine)	
		ORAMORPH SR (morphine)	
		oxycodone ER	
		OXYCONTIN (oxycodone)	
ANDROGENIC AGENTS	ANDRODERM (testosterone)	TESTIM (testosterone)	The non-preferred agents will be approved only if one of the
Implement 10/2/06	ANDROGEL (testosterone)		exceptions on the PA form is present.
ANGIOTENSIN II RECEPTOR	ANGIOTENSIN	RECEPTOR BLOCKERS	Each of the preferred agents in the corresponding group must be tried
BLOCKERS (ARBs)	AVAPRO (irbesartan)	ATACAND (candesartan)	for at least two weeks each before a non-preferred agent in that group
	BENICAR (olmesartan)	TEVETEN (eprosartan)	will be authorized unless one of the exceptions on the PA form is
Effective 4/1/06	COZAAR (losartan)		present.
	DIOVAN (valsartan)		
	MICARDIS (telmisartan)		
	ARB/DIURI	L ETIC COMBINATIONS	
	AVALIDE (irbesartan/HCTZ)	ATACAND-HCT (candesartan/HCTZ)	
	BENICAR-HCT (olmesartan/HCTZ)	TEVETEN-HCT (eprosartan/HCTZ)	
	DIOVAN-HCT (valsartan/HCTZ)		
	HYZAAR (losartan/HCTZ)		
	MICARDIS-HCT (telmisartan/HCTZ)		
ANTICOAGULANTS,	ARIXTRA (fondaparinux)	FRAGMIN (dalteparin)	A trial of each of the preferred agents will be required before a non-
INJECTABLE ^{CL}	LOVENOX (enoxaparin)	INNOHEP (tinzaparin)	preferred agent will be approved unless one of the exceptions on the PA form is present.
Effective 4/1/06			

Version VI of VI

REVISED 1/19/07 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTICONVULSANTS	ВА	RBITURATES	Treatment naive patients must have a trial of a preferred agent before
F: 4/4/00	mephobarbital	MEBARAL (mephobarbital)	a non-preferred agent in its corresponding class will be authorized. Patients stabilized on non-preferred agents will receive authorization
Effective 4/1/06	phenobarbital	MYSOLINE (primidone)	to continue these drugs. Additions to that therapy will require a trial of
	primidone		preferred agent in its respective class unless one of the exceptions on the PA form is present.
	н	YDANTOINS	the FA form is present.
	PEGANONE (ethotoin)	DILANTIN (phenytoin)	
	Phenytoin	PHENYTEK (phenytoin)	
	SL	ICCINIMIDES	
	CELONTIN (methsuximide)	ZARONTIN (ethosuximide)	
	Ethosuximide	ZAROWIN (cinosaxiiniae)	
	BENZODIAZEPINES		
	clonazepam	KLONOPIN (clonazepam)	
	DIASTAT (diazepam rectal)		
	diazepam		
	A	DJUVANTS	
	carbamazepine	CARBATROL (carbamazepine)	
	DEPAKOTE (divalproex)	DEPAKENE (valproic acid)	
	DEPAKOTE ER (divalproex)	NEURONTIN (gabapentin)	
	EQUETRO (carbamazepine)	TEGRETOL (carbamazepine)	
	FELBATOL (felbamate)	TEGRETOL XR (carbamazepine)	
	gabapentin	ZONEGRAN (zonisamide)	
	GABITRIL (tiagabine)		
	KEPPRA (levetiracetam)		
	LAMICTAL (lamotrigine)		
	LYRICA (pregabalin) TOPAMAX (topiramate)		
	TRILEPTAL (oxcarbazepine)		
	valproic acid		
	zonisamide		

Version VI of VI

REVISED 1/19/07 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
ANTIDEPRESSANTS, OTHER (second generation, non-SSRI) Effective 4/1/06	CYMBALTA (duloxetine) EFFEXOR XR (venlafaxine) mirtazapine trazodone WELLBUTRIN XL (bupropion)	bupropion IR bupropion SR DESYREL (trazodone) EFFEXOR (venlafaxine) EMSAM (selegiline) ^{NR} nefazodone REMERON (mirtazapine) SERZONE (nefazodone) WELLBUTRIN (bupropion) WELLBUTRIN SR (bupropion)	A non-preferred agent will only be authorized if there has been a sixweek trial of an SSRI and a preferred agent in this class unless one of the exceptions on the PA form is present.
ANTIDEPRESSANTS, SSRIs Implement 10/2/06	citalopram fluoxetine fluvoxamine LEXAPRO (escitalopram) paroxetine PAXIL CR (paroxetine) PEXEVA (paroxetine) ZOLOFT (sertraline)	CELEXA (citalopram) PAXIL (paroxetine) PROZAC (fluoxetine) RAPIFLUX (fluoxetine) SARAFEM (fluoxetine) sertraline	None of the non-preferred dosage forms will be authorized unless there is documentation showing that the preferred dosage forms of the corresponding agents are inappropriate for the patient.
ANTIEMETICS, ORAL	5HT3 REC	EPTOR BLOCKERS	A trial of Zofran is required before a non-preferred agent will be
Implement 10/2/06	ZOFRAN (ondansetron) ZOFRAN ODT (ondansetron) EMEND (aprepitant)	ANZEMET (dolasetron) KYTRIL (granisetron)	authorized unless one of the exceptions on the PA form is present. Quantity limits apply for this class* Zofran*-14 tablets per 21 days; in cases of hyperemesis during pregnancy, increased quantities may be authorized. EMEND*-12 tablets per 28 days

REVISED 1/19/07 Implementation Date: 10/02/06 Originally Posted 9/15/06

Version VI of VI

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
ANTIFUNGALS, ORAL	clotrimazole	ANCOBON (flucytosine)	Non-preferred agents will be approved only if one of the exceptions on
	fluconazole	DIFLUCAN (fluconazole)	the PA form is present.
Implement 10/2/06	ketoconazole ^{CL}	GRIFULVIN V (griseofulvin)	
	LAMISIL (terbinafine) ^{CL}	griseofulvin	PA is required when limits are exceeded.
	MYCOSTATIN Pastilles (nystatin)	GRIS-PEG (griseofulvin)	
	nystatin	itraconazole	PA is not required for Grifulvin-V Suspension for children up to 6
		MYCELEX (clotrimazole)	years of age for the treatment of tinea capitis
		MYCOSTATIN Tablets (nystatin)	
		NIZORAL (ketoconazole)	
		SPORANOX (itraconazole)	
		VFEND (voriconazole)	
ANTIFUNGALS, TOPICAL	ANTIFUNGALS		Three of the preferred agents must be tried for at least two weeks
	econazole	ciclopirox	each before one of the non-preferred agents will be authorized unless
Implement 10/2/06	EXELDERM (sulconazole)	ERTACZO (sertaconazole)	one of the exceptions on the PA form is present.
	ketoconazole	LOPROX (ciclopirox)	
	NAFTIN (naftifine)	MENTAX (butenafine)	
	nystatin	MYCOSTATIN (nystatin)	
		NIZORAL (ketoconazole)	
		OXISTAT (oxiconazole)	
		PENLAC (ciclopirox)	
		SPECTAZOLE (econazole)	
		VUSION (miconazole/petrolatum/zinc oxide)	
	ANTIFUNGA	L/STEROID COMBINATIONS	
	clotrimazole/betamethasone	LOTRISONE (clotrimazole/betamethasone)	
	nystatin/triamcinolone	MYCOLOG (nystatin/triamcinolone)	

Version VI of VI

REVISED 1/19/07 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
ANTIHISTAMINES,	ANT	TIHISTAMINES	A preferred agent, in the age appropriate dosage form, must be tried
MINIMALLY SEDATING	ALAVERT (loratadine)	ALLEGRA (fexofenadine)	before a non-preferred agent will be authorized unless one of the
	CLARINEX Syrup (desloratadine)	CLARINEX Tablets (desloratadine)	exceptions on the PA form is present.
Effective 4/1/06	loratadine	CLARITIN (loratadine)	
	TAVIST-ND (loratadine)	fexofenadine	
		ZYRTEC (cetirizine)	
	ANTIHISTAMINE/DEC	CONGESTANT COMBINATIONS	
	loratadine/pseudoephedrine	ALAVERT-D (loratadine/pseudoephedrine)	
		ALLEGRA-D (fexofenadine/pseudoephedrine)	
		CLARINEX-D (desloratadine/pseudoephedrine)	
		CLARITIN-D (loratadine/pseudoephedrine)	
		ZYRTEC-D (cetirizine/pseudoephedrine)	
ANTIMIGRAINE AGENTS,	AXERT (almotriptan)	AMERGE (naratriptan)	All of the preferred agents must be tried before a non-preferred agent
TRIPTANS	IMITREX (sumatriptan)	FROVA (frovatriptan)	will be approved unless one of the exceptions on the PA form is
	MAXALT (rizatriptan)	ZOMIG (zolmitriptan)	present.
Effective 4/1/06	RELPAX (eletriptan)		Out of the Professional Constitution design
			Quantity limits apply for this drug class.

Version VI of VI

REVISED 1/19/07 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIPARKINSON'S AGENTS	ANT	ICHOLINERGICS	Patients starting therapy on drugs in this class must show a
(Oral)	benztropine	COGENTIN (benztropine)	documented allergy to all of the preferred agents before a non-
	KEMADRIN (procyclidine)		preferred agent will be authorized.
Implement 10/2/06	trihexyphenidyl		
	СО	MT INHIBITORS	
	COMTAN (entacapone)	TASMAR (tolcapone)	
	DOPA	AMINE AGONISTS	
	MIRAPEX (pramipexole)	pergolide	
	REQUIP (ropinirole)	PERMAX (pergolide)	
	OTHER ANT	IPARKINSON'S AGENTS	
	carbidopa/ levodopa	AZILECT (rasagiline) ^{NR}	
	selegiline	ELDEPRYL (selegiline)	
	STALEVO	PARCOPA (levodopa/carbidopa)	
	(levodopa/carbidopa/entacapone)	SINEMET (levodopa/carbidopa)	
ANTIPSYCHOTICS,		ORAL	Upon discharge, hospitalized patients stabilized on non-preferred
ATYPICAL	clozapine	ABILIFY (aripiprazole)	agents will receive authorization to continue these drugs.
(Oral)	FAZACLO (clozapine)	CLOZARIL (clozapine)	New year for the feet the section of the control to
	GEODON (ziprasidone)	ZYPREXA (olanzapine)	New patients for this class of drugs will be required to try a preferred agent for two weeks unless one of the exceptions on the PA form is
Implement 10/2/06	RISPERDAL (risperidone)		present.
	SEROQUEL (quetiapine)		
	ATYPICAL ANTIPS	YCHOTIC/SSRI COMBINATIONS	
		SYMBYAX (olanzapine/fluoxetine)	
ANTIVIRALS	acyclovir	CYTOVENE (ganciclovir)	All of the appropriate preferred agents with the applicable indication
(Oral)	amantadine	FAMVIR (famciclovir)	must be tried before the non-preferred agents will be authorized
	ganciclovir	FLUMADINE (rimantadine)	unless one of the exceptions on the PA form is present.
Implement 10/2/06	VALCYTE (valganciclovir)	rimantadine	
	VALTREX (valacyclovir)	RELENZA (zanamivir)	
		SYMMETREL (amantadine)	
		TAMIFLU (oseltamivir)	
		ZOVIRAX (acyclovir)	

REVISED 1/19/07 Implementation Date: 10/02/06 Originally Posted 9/15/06

Version VI of VI

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ATOPIC DERMATITIS	ELIDEL (pimecrolimus)		J 2
	PROTOPIC (tacrolimus)		
Implement 10/2/06	, , ,		
BETA BLOCKERS	BE	TA BLOCKERS	If one of the exceptions on the PA form is present or if the physician
(Oral)	acebutolol	BETAPACE (sotalol)	feels that the patient cannot be stabilized with any of the preferred
	atenolol	betaxolol	agents, one of the non-preferred agents will be approved.
Effective 4/1/06	INDERAL LA (propranolol)	bisoprolol	
	metoprolol	BLOCADREN (timolol)	
	nadolol	CARTROL (carteolol)	
	pindolol	CORGARD (nadolol)	
	propranolol	INNOPRAN XL (propranolol)	
	sotalol	KERLONE (betaxolol)	
	timolol	LEVATOL (penbutolol)	
	TOPROL XL (metoprolol)	LOPRESSOR (metoprolol)	
		SECTRAL (acebutolol)	
		TENORMIN (atenolol)	
		ZEBETA (bisoprolol)	
	BETA- AN	D ALPHA- BLOCKERS	
	COREG (carvedilol)	NORMODYNE (labetalol)	
	labetalol	TRANDATE (labetalol)	
BLADDER RELAXANT	DITROPAN XL (oxybutynin)	DETROL (tolterodine)	All of the preferred agents in the class must be tried before a non-
PREPARATIONS	ENABLEX (darifenacin)	DETROL LA (tolterodine)	preferred agent will be authorized unless one of the exceptions on the
	oxybutynin	DITROPAN (oxybutynin)	PA form is present.
Effective 4/1/06	OXYTROL (oxybutynin)		
	SANCTURA (trospium)		
	VESICARE (solifenacin)		

Version VI of VI

REVISED 1/19/07 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BONE RESORPTION	BISPHOSPHONATES		One of the preferred agents must be tried for at least one month
SUPPRESSION AND RELATED AGENTS Implement 10/2/06	FOSAMAX (alendronate) FOSAMAX PLUS D (alendronate/vitamin D)	ACTONEL (risedronate) ACTONEL WITH CALCIUM (risedronate/calcium) BONIVA (ibandronate) DIDRONEL (etidronate)	before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
	OTHER BONE RESORPTION :	L SUPPRESSION AND RELATED AGENTS	
	EVISTA (raloxifene)	FORTEO (teriparatide)	
	MIACALCIN (calcitonin)	FORTICAL (calcitonin)	
BPH AGENTS	ALPI	HA BLOCKERS	One of the preferred agents must be tried before a non-preferred
	doxazosin	CARDURA (doxazosin)	agent will be authorized unless one of the exceptions on the PA form
Effective 4/1/06	FLOMAX (tamsulosin)	CARDURA XL (doxazosin) ^{NR}	is present.
	trazosin	HYTRIN (terazosin)	
	UROXATRAL (alfuzosin)		
	5-ALPHA-REDUCTASE (5AR) INHIBITORS		
	AVODART (dutasteride)	PROSCAR (finasteride)	
BRONCHODILATORS,	ANT	CHOLINERGIC	The preferred agents in the class must be tried before the non-
ANTICHOLINERGIC	ATROVENT HFA (ipratropium)	ATROVENT Inhalation Solution (ipratropium)	preferred agent will be authorized unless one of the exceptions on the
	ipratropium	· · · · · ·	PA form is present.
Implement 10/2/06	SPIRIVA (tiotropium)		
	ANTICHOLINERGIC-B	ETA AGONIST COMBINATIONS	
	COMBIVENT (albuterol/ipratropium)	DUONEB (albuterol/ipratropium)	For severely compromised patients, DUONEB will be approved if the combined volume of albuterol and ipratropium nebules is inhibitory.

Version VI of VI

REVISED 1/19/07 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
BRONCHODILATORS, BETA	INHALERS, SHORT-ACTING		All of the preferred agents in a group must be tried before a non-
AGONIST	albuterol CFA	albuterol HFA	preferred agent in that group will be authorized unless one of the
	MAXAIR (pirbuterol)	ALUPENT (metaproterenol)	exceptions on the PA form is present.
Implement 10/2/06	XOPENEX HFA (levalbuterol)	PROVENTIL (albuterol) PROVENTIL HFA (albuterol) VENTOLIN HFA (albuterol)	Xopenex Inhalatiion Solution will be approved for 12 months for a diagnosis of asthma or COPD for patients on concurrent asthma controller therapy (either oral or inhaled) with documentation of failure on a trial of albuterol or documented intolerance of albuterol, or for a
	INHALEF	RS, LONG-ACTING	concurrent diagnosis of heart disease.
	FORADIL (formoterol)	SEREVENT (salmeterol)	
			**No PA is required for ACCUNEB for children up to 5 years of age.
		ATION SOLUTION	
	albuterol	ACCUNEB (albuterol)**	
		metaproterenol	
		PROVENTIL (albuterol)	
		XOPENEX (levalbuterol)	
		ORAL DESTUDIE (C. L. C. E.)	
	albuterol	BRETHINE (terbutaline)	
	terbutaline	metaproterenol VOSPIRE ER (albuterol)	
CALCIUM CHANNEL	SH4	ORT-ACTING	One of the preferred agents must be tried before a non-preferred
BLOCKERS (Oral)	diltiazem	ADALAT (nifedipine)	agent will be authorized unless one of the exceptions on the PA form
(0.5)	verapamil	CALAN (verapamil)	is present.
Effective 4/1/06	verapanni	CARDENE (nicardipine) CARDIZEM (diltiazem) DYNACIRC (isradipine) isradipine nicardipine nifedipine NIMOTOP (nimodipine) PROCARDIA (nifedipine)	Nimodipine will be approved with the appropriate diagnosis.

Version VI of VI

REVISED 1/19/07 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
DRUG CLASS		DNG-ACTING	CRITERIA
	CARDIZEM LA (diltiazem)	ADALAT CC (nifedipine)	1
	diltiazem	CALAN SR (verapamil)	
	DYNACIRC CR (isradipine)	CARDENE SR (nicardipine)	
	felodipine	CARDIZEM CD (diltiazem)	
	nifedipine	CARDIZEM SR (diltiazem)	
	SULAR (nisoldipine)	COVERA-HS (verapamil)	
	verapamil	DILACOR XR (diltiazem)	
	VERELAN PM (verapamil)	ISOPTIN SR (verapamil)	
		NORVASC (amlodipine)	
		PLENDIL (felodipine)	
		PROCARDIA XL (nifedipine)	
		TIAZAC (diltiazem)	
		VERELAN (verapamil)	
CEPHALOSPORINS AND	BETA LACTAM/BETA-LAC	TAMASE INHIBITOR COMBINATIONS	The preferred agents must be tried before a non-preferred agent will
RELATED ANTIBIOTICS	amoxicillin/clavulanate	AUGMENTIN (amoxicillin/clavulanate)	be authorized unless one of the exceptions on the PA form is present.
(Oral)	AUGMENTIN XR (amoxicillin/clavulanate)	AUGMENTIN ES-600 (amoxicillin/clavulanate)	
Implement 10/2/06	CED	HALOSPORINS	
,	CEDAX (ceftibuten)	CECLOR (cefaclor)	1
	cefaclor	cefpodoxime	
	cefadroxil	CEFTIN (cefuroxime)	
	cefprozil	CEFZIL (cefprozil)	
	cefuroxime	DURICEF (cefadroxil)	
	cephalexin	KEFLEX (cephalexin)	
	OMNICEF (cefdinir)	LORABID (loracarbef)	
	SPECTRACEF (cefditoren)	PANIXINE (cephalexin)	
	SUPRAX (cefixime)	RANICLOR (cefaclor)	
		VANTIN (cefpodoxime)	
CYTOKINE & CAM	ENBREL (etanercept)		
ANTAGONISTS CL	HUMIRA (adalimumab)		
	KINERET (anakinra)		
Implement 10/2/06	RAPTIVA (efalizumab)		

Version VI of VI

REVISED 1/19/07 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
ERYTHROPOIESIS STIMULATING PROTEINS ^{CL}	ARANESP (darbepoetin) PROCRIT (rHuEPO)	EPOGEN (rHuEPO)	The preferred agents must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
Implement 4/1/06			
FLUROQUINOLONES, ORAL Implement 10/2/06	AVELOX (moxifloxacin) ciprofloxacin CIPRO (ciprofloxacin suspension) FACTIVE (gemifloxacin)	CIPRO (ciprofloxacin) CIPRO XR (ciprofloxacin extended-release) FLOXIN (ofloxacin) LEVAQUIN (levofloxacin) ofloxacin PROQUIN XR (ciprofloxacin extended-release)	One of the preferred agents must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
GLUCOCORTICOIDS,	GLUC	COCORTICOIDS	All of the preferred agents of a dosage form must be tried before a
INHALED Implement 10/2/06	AEROBID (flunisolide) AEROBID-M (flunisolide)	FLOVENT HFA (fluticasone) PULMICORT (budesonide)	non-preferred agent of that dosage form will be authorized unless one of the exceptions on the PA form is present.
Implement 10/2/00	ASMANEX (mometasone) AZMACORT (triamcinolone) QVAR (beclomethasone)		Pulmicort Respules do not require a prior authorization for children through 8 years of age or for individuals unable to use an MDI.
	GLUCOCORTICOID/BRO	ONCHODILATOR COMBINATIONS	Flovent HFA will not require a PA for children through age 6.
	ADVAIR (fluticasone/salmeterol)		Thoventrin A will not require a TA for enilulent unough age o.
GROWTH HORMONE ^{CL}	NORDITROPIN (somatropin) NUTROPIN AQ (somatropin)	GENOTROPIN (somatropin) HUMATROPE (somatropin)	The preferred agents must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
Implement 4/1/06	SAIZEN (somatropin) SEROSTIM (somatropin) TEV-TROPIN (somatropin)	NUTROPIN (somatropin)	
HEPATITIS C TREATMENTS ^{CL}	COPEGUS (ribavirin) PEG-INTRON (pegylated interferon) PEGASYS (pegylated interferon)	INFERGEN (consensus interferon) REBETRON (interferon alpha/ribavirin) ribavirin	Patients already on a non-preferred agent will receive authorization to continue therapy on that agent.
Implement 4/1/06	REBETOL (ribavirin)		Patients starting therapy in this class must try the preferred agents of a dosage form before a non-preferred agent of that dosage form will be authorized.

Version VI of VI

REVISED 1/19/07 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
HYPOGLYCEMICS,		INSULIN	PA Criteria for Exubera: Patient must:
INSULINS AND RELATED AGENTS	HUMALOG (insulin lispro)	APIDRA (insulin glulisine)	1. be 18 years or older;
AGENTS	HUMALOG MIX (insulin lispro/lispro	EXUBERA (insulin) NR	have no history of smoking in the past six months;
Implement 10/2/06	protamine) HUMULIN (insulin)		 have no history of chronic lung disease in the past two year or presence of acute lower respiratory lung infection;
•	LANTUS (insulin glargine)		4. have a base line spriometry to measure FEV1. For
	LEVEMIR (insulin detemir)		renewal, spriometry to measure FEV1 six months after
	NOVOLIN (insulin)		treatment initiation and then annually from second FEV1
	NOVOLOG (insulin aspart)		measure;
	NOVOLOG MIX (insulin aspart/aspart protamine)		have a diagnosis of Type 1 diabetes (stated or inferred) with concomitant use of a longer acting insulin; OR
	RELA	ATED AGENTS	have a diagnosis of Type II Diabetes (stated or inferred)
	BYETTA (exenatide)		and maximization of dosage of at least one available oral
	SYMLIN (amylin)		agent (sulfonylurea, metformin or thiazolindinediones), unless contraindicated;
			Diagnosis of lipodystrophy or needle phobia that prevents self-injection or injection by a caregiver.
			PA Criteria for Apidra: Patient must:
			1. be 18 years or older;
			be currently on a regimen including a longer-acting or basal insulin.
			 have had a trial of a similar preferred agent, Novolog or Humulin, with documentation that the desired results were not achieved.
HYPOGLYCEMICS, MEGLITINIDES	STARLIX (nateglinide)	PRANDIN (repaglinide)	The preferred agent must be tried before a non-preferred agent will be authorized, unless one of the exceptions on the PA form is present.
Implement 4/1/06			
HYPOGLYCEMICS, METFORMINS			
Class Retired			
Implement 10/2/06			

Version VI of VI

REVISED 1/19/07 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA
DRUG CLASS HYPOGLYCEMICS, TZDS		ZOLINEDIONES	CRITERIA A preferred agent must be tried before the non-preferred agent will be
Implement 4/1/06	ACTOS (pioglitazone) AVANDIA (rosiglitazone)	COLINEDIONES	authorized unless one of the exceptions on the PA form is present.
Implement 1, 1, ee		COMBINATIONS	
	ACTOPLUS MET (pioglitazone/metformin) AVANDAMET (rosiglitazone/metformin)	AVANDARYL (rosiglitazone/glimepiride) ^{NR}	
INTRANASAL RHINITIS	, ,	CHOLINERGICS	All of the preferred agents must be tried before a non-preferred agent
AGENTS		ATROVENT (ipratropium) ipratropium	will be authorized unless one of the exceptions on the PA form is present.
Implement 10/2/06	ANT	THISTAMINES	
	ASTELIN (azelastine)		
	CORT	TICOSTEROIDS	
	FLONASE (fluticasone)	BECONASE AQ (beclomethasone)	
	NASACORT AQ (triamcinolone)	flunisolide	
	NASONEX (mometasone)	fluticasone	
		NASALIDE (flunisolide)	
		NASAREL (flunisolide)	
		RHINOCORT AQUA (budesonide)	
LEUKOTRIENE RECEPTOR BLOCKERS	ACCOLATE (zafirlukast)	ZYFLO (zileuton)	
BEOCKERS	SINGULAIR (montelukast)		
Implement 10/2/06			
LIPOTROPICS, OTHER	BILE ACI	D SEQUESTRANTS	The preferred agents must be tried before a non-preferred agent will
(non-statins)	cholestyramine	QUESTRAN (cholestyramine)	be authorized unless one of the exceptions on the PA form is present.
	COLESTID (colestipol)	WELCHOL (colesevalam)	
Implement 4/1/06		,	Zetia, as monotherapy, will only be approved for patients who cannot
	CHOLESTEROL	ABSORPTION INHIBITORS	take statins or other preferred agents.
		ZETIA (ezetimibe)	Zetia and Welchol will be approved for add-on therapy only after an insufficient response to the maximum tolerable dose of a statin after 12 weeks of therapy.
			If patients require the addition of Zetia to Zocor to achieve goal, use of the combination product, Vytorin, will be required. If patients are on other statins and require the addition of Zetia, patients will not be required to switch the statin that they have been using.

Version VI of VI

REVISED 1/19/07 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	FATTY ACIDS		0.11.2.11.
		OMACOR (omega-3-acid ethyl esters)	
	FIBRI	IC ACID DERIVATIVES	
	fenofibrate	ANTARA (fenofibrate)	
	gemfibrozil	LOFIBRA (fenofibrate)	
	TRICOR (fenofibrate)	LOPID (gemfibrozil)	
		TRIGLIDE (fenofibrate)	
		All A GIN	
		NIACIN	
	niacin	NIACELS (niacin)	
	NIASPAN (niacin)	NIADELAY (niacin) SLO-NIACIN (niacin)	
		SLO-MACIN (Hacili)	
LIPOTROPICS, STATINS		STATINS	One of the preferred statins must be tried before a non-preferred
	ALTOPREV (lovastatin)	LIPITOR (atorvastatin)	agent will be authorized unless one of the exceptions on the PA form
Implement 4/1/06	CRESTOR (rosuvastatin)	MEVACOR (lovastatin)	is present.
	LESCOL (fluvastatin)	PRAVACHOL (pravastatin)	
	LESCOL XL (fluvastatin)	pravastatin ^{NR}	
	lovastatin	simvastatin	
	ZOCOR (simvastatin)		
		TIN COMBINATIONS	
	ADVICOR (lovastatin/niacin)	CADUET (atorvastatin/amlodipine)	
	VYTORIN (ezetimibe/simvastatin)		

Version VI of VI

REVISED 1/19/07 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
MACROLIDES/KETOLIDES		MACROLIDES	The preferred agents must be tried before a non-preferred agent
(Oral)	azithromycin	BIAXIN (clarithromycin)	will be authorized unless one of the exceptions on the PA form is
	BIAXIN XL (clarithromycin)	clarithromycin	present.
Implement 10/2/06	erythromycin (base, ethylsuccinate,	DYNABAC (dirithromycin)	
	stearate)	E.E.S. (erythromycin ethylsuccinate)	
		E-MYCIN (erythromycin)	
		ERYC (erythromycin)	
		ERYPED (erythromycin ethylsuccinate)	
		ERY-TAB (erythromycin)	
		ERYTHROCIN (erythromycin stearate)	
		erythromycin estolate	
		PCE (erythromycin)	
		ZITHROMAX (azithromycin)	
		ZMAX Suspension (azithromycin)	
		KETOLIDES	Requests for telithromycin will be authorized if there is
		KETEK (telithromycin)	documentation of the use of any antibiotic within the past 28 days.
MULTIPLE SCLEROSIS	AVONEX (interferon beta-1a)		
AGENTS ^{CL}	BETASERON (interferon beta-1b)		
	COPAXONE (glatiramer)		
Implement 4/1/06	REBIF (interferon beta-1a)		

REVISED 1/19/07 Implementation Date: 10/02/06 Originally Posted 9/15/06

Version VI of VI

		VCISION VI OI VI	Originally 1 osted 3/13/00
THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
NSAIDS	NONSELECTIVE		The preferred agents must be tried before a non-preferred agent
	diclofenac	ADVIL (ibuprofen)	will be authorized unless one of the exceptions on the PA form is
Implement 10/2/06	etodolac	ANAPROX (naproxen)	present.
	fenoprofen	ANSAID (flurbiprofen)	
	flurbiprofen	CATAFLAM (diclofenac)	
	ibuprofen (Rx and OTC)	CLINORIL (sulindac)	
	indomethacin	DAYPRO (oxaprozin)	
	ketoprofen	FELDENE (piroxicam)	
	ketorolac	INDOCIN (indomethacin)	
	naproxen (Rx only)	LODINE (etodolac)	
	oxaprozin	meclofenamate	
	piroxicam	MOTRIN (ibuprofen)	
	PONSTEL (meclofenamate)	nabumetone	
	sulindac	NALFON (fenoprofen)	
	tolmetin	NAPRELAN (naproxen)	
		NAPROSYN (naproxen)	
		NUPRIN (ibuprofen)	
		ORUDIS (ketoprofen)	
		ORUVAIL (ketoprofen)	
		RELAFEN (nabumetone)	
		TOLECTIN (tolmetin)	
		TORADOL (ketorolac)	
		VOLTAREN (diclofenac)	
	NSAID/0	GI PROTECTANT COMBINATIONS	
		ARTHROTEC (diclofenac/misoprostol)	
		PREVACID NAPRAPAC (naproxen/lansoprazole)	
		COX-II SELECTIVE ^{CL}	COX-II selective NSAIDs will be approved for patients with a GI
		CELEBREX (celecoxib)	Risk Score of >13.
		meloxicam	
		MOBIC (meloxicam)	
		, ,	

Version VI of VI

REVISED 1/19/07 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
OPHTHALMIC ANTIBIOTICS	FLUOF	OQUINOLONES	All of the preferred agents must be tried before non-preferred agents
Implement 10/2/06	VIGAMOX (moxifloxacin)	ciprofloxacin CILOXAN (ciprofloxacin)	will be authorized unless one of the exceptions on the PA form is present.
		OCUFLOX (ofloxacin)	
		ofloxacin	
		QUIXIN (levofloxacin)	
		ZYMAR (gatifloxacin)	
	OTHER	SINGLE AGENTS	
	bacitracin	BLEPH-10 (sulfacetamide)	
	erythromycin	GENOPTIC (gentamicin)	
	gentamicin	TOBREX (tobramycin)	
	polymyxin B		
	sulfacetamide		
	tobramycin		
		NATION AGENTS	
	neomycin/polymyxin/bacitracin	NEOSPORIN (neomycin/polymyxin/bacitracin)	
	neomycin/polymyxin/gramicidin	NEOSPORIN (neomycin/polymyxin/gramicidin)	
	polymyxin/bacitracin	POLYSPORIN (polymyxin/bacitracin)	
	polymyxin/trimethoprim	POLYTRIM (polymyxin/trimethoprim)	
OPHTHALMICS FOR ALLERGIC CONJUNCTIVITIS	ACULAR (ketorolac)	ALOCRIL (nedocromil)	All of the preferred agents must be tried before non-preferred agents
ALLERGIC CONJUNCTIVITIS	ALREX (loteprednol)	ALAMAST (pemirolast)	will be authorized, unless one of the exceptions on the PA form is present.
Implement 10/2/06	cromolyn	ALOMIDE (lodoxamide)	proofit.
Implement 10/2/06	ELESTAT (epinastine)	CROLOM (cromolyn)	
	OPTIVAR (azelastine)	EMADINE (emedastine)	
	PATANOL (olopatadine)	OPTICROM (cromolyn)	
		ZADITOR (ketotifen)	

Version VI of VI

REVISED 1/19/07 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
OPHTHALMICS, GLAUCOMA	PARASYN	MPATHOMIMETICS	Authorization for a non-preferred agent will only be given if there is an	
AGENTS Implement 10/2/06	CARBOPTIC (carbachol) ISOPTO CARBACHOL (carbachol) PHOSPHOLINE IODIDE (echothiophate iodide)	ISOPTO CARPINE (pilocarpine) PILOPINE HS (pilocarpine)	allergy to the preferred agents.	
	pilocarpine			
		ATHOMIMETICS		
	ALPHAGAN P (brimonidine) brimonidine	ALPHAGAN (brimonidine) PROPINE (dipivefrin)		
	dipivefrin			
		A BLOCKERS		
	BETIMOL (timolol)	BETAGAN (levobunolol)		
	BETOPTIC S (betaxolol)	ISTALOL (timolol)		
	betaxolol	OPTIPRANOLOL (metipranolol)		
	carteolol	TIMOPTIC (timolol)		
	levobunolol			
	metipranolol timolol			
		HYDRASE INHIBITORS		
	AZOPT (brinzolamide)	INTURASE INHIBITORS		
	TRUSOPT (dorzolamide)			
	11(050) 1 (doizoiainide)			
	PROSTAG	LANDIN ANALOGS		
	LUMIGAN (bimatoprost)	XALATAN (latanoprost)		
	TRAVATAN (travoprost)	, ,		
	COMBIN	NATION AGENTS		
	COSOPT (dorzolamide/timolol)			
OTIC ANTIBIOTIC PREPARATIONS Effective 4/1/06	CIPRODEX (ciprofloxacin/dexamethasone) COLY-MYCIN S (neomycin/hydrocortisone) FLOXIN (ofloxacin)	CIPRO HC (ciprofloxacin/hydrocortisone) CORTISPORIN (neomycin/polymyxin/hydrocortisone) CORTISPORIN TC (neomycin/hydrocortisone)	All of the preferred agents must be tried before a non-preferred agent will be approved unless one of the exceptions on the PA form is present.	
2554,00 47,700	neomycin/polymyxin/hydrocortisone	PEDIOTIC (neomycin/polymyxin/hydrocortisone)		

REVISED 1/19/07 Implementation Date: 10/02/06 Originally Posted 9/15/06

Version VI of VI

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PHOSPHATE BINDERS Implement 4/1/06	FOSRENOL (lanthanum) PHOSLO (calcium acetate) RENAGEL (sevelamer)	MAGNEBIND 400 (magnesium/calcium carbonate)	A trial of the preferred agents will be required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
PLATELET AGGREGATION INHIBITORS Implement 10/2/06	AGGRENOX (dipyridamole/ASA) PLAVIX (clopidogrel)	dipyridamole PERSANTINE (dipyridamole) TICLID (ticlopidine) ticlopidine	All of the preferred agents must be tried before a non-preferred agent will be approved unless one of the exceptions on the PA form is present.
PROTON PUMP INHIBITORS (Oral) Implement 4/1/06	NEXIUM (esomeprazole) PREVACID (lansoprazole)	ACIPHEX (rabeprazole) omeprazole PROTONIX (pantoprazole) ZEGERID (omeprazole)	The preferred agents must be tried before a non-preferred agent will be approved unless one of the exceptions on the PA form is present.
SEDATIVE HYPNOTICS	BENZ	ODIAZEPINES	Each of the preferred agents, in its respective class, must be tried for 10
Implement 4/1/06	temazepam	DALMANE (flurazepam) DORAL (quazepam) estazolam flurazepam HALCION (triazolam) PROSOM (estazolam) RESTORIL (temazepam) triazolam	days before a non-preferred agent in that class will be authorized.
		OTHERS	
	AMBIEN (zolpidem) LUNESTA (eszopiclone) ROZEREM (ramelteon)	AMBIEN CR (zolpidem) AQUA CHLORAL (chloral hydrate) chloral hydrate SOMNOTE (chloral hydrate)	

Version VI of VI

REVISED 1/19/07 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
STIMULANTS AND	AM	IPHETAMINES	Except for Strattera, PA is required for adults >18 years.
RELATED AGENTS	ADDERALL XR (amphetamine salt	ADDERALL (amphetamine salt combination)	
	combination)	DESOXYN (methamphetamine)	One of the preferred agents in each group (amphetamines and non-
Implement 10/2/06	amphetamine salt combination	DEXEDRINE (dextroamphetamine)	amphetamines) must be tried before a non-preferred agent will be
	dextroamphetamine	DEXTROSTAT(dextroamphetamine)	authorized.
	NON	-AMPHETAMINE	A such a facility of the control of the facility of the facili
	CONCERTA (methylphenidate)	DAYTRANA (methylphenidate) ^{NR}	Amphetamines will be authorized for the treatment of depression only after documented failure of multiple antidepressants.
	FOCALIN (dexmethylphenidate)	METADATE ER (methylphenidate)	documented failure of multiple antidepressants.
	FOCALIN XR (dexmethylphenidate)	pemoline	Provigil will only be approved for patients >16 years of age with a
	METADATE CD (methylphenidate)	PROVIGIL (modafanil)	diagnosis of narcolepsy.
	methylphenidate	RITALIN (methylphenidate)	
	methylphenidate ER	RITALIN LA (methylphenidate)	Straterra will not be approved for concurrent administration with
	STRATTERA (atomoxetine)	RITALIN-SR (methylphenidate)	amphetamines or methyphenidates, exept for 30 days or less for tapering purposes. Only two doses of each strength, or two concurrent doses of any strength, and a maximum of one dose of a 60 mg capsule, will be approved in a 34-day period.
ULCERATIVE COLITIS		ORAL	The preferred agents of a dosage form must be tried before a non-
AGENTS	ASACOL (mesalamine)	AZULFIDINE (sulfasalazine)	preferred agent of that dosage form will be authorized unless one of the
	DIPENTUM (olsalazine)	COLAZAL (balsalazide)	exceptions on the PA form is present.
Implement 4/1/06	PENTASA (mesalamine)	, , ,	
	sulfasalazine		
		RECTAL	
	CANASA (mesalamine)	ROWASA (mesalamine)	
	Mesalamine		