REVISED 10/4/06 Implementation Date: 10/02/06 Originally Posted 9/15/06

Version II of II

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
			-
ACE INHIBITORS Implement 10/2/06	ACEON (perindopril) ALTACE (ramipril) benazepril captopril enalapril lisinopril MAVIK (trandolapril)	ACCUPRIL (quinapril) CAPOTEN (captopril) fosinopril LOTENSIN (benazepril) MONOPRIL (fosinopril) PRINIVIL (lisinopril) quinapril UNIVASC (moexepril) VASOTEC (enalapril)	Four of the preferred agents must be tried for at least 30 days each before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
	ACE INILIIDITOR	ZESTRIL (lisinopril)	
ACE INHIBITOR/CALCIUM CHANNEL BLOCKER	benazepril/HCTZ captopril/HCTZ enalapril/HCTZ lisinopril/HCTZ LOTREL (benazepril/amlodipine)	ACCURETIC (quinapril/HCTZ) CAPOZIDE (captopril/HCTZ) fosinopril/HCTZ LOTENSIN HCT (benazepril/HCTZ) MONOPRIL HCT (fosinopril/HCTZ) PRINZIDE (lisinopril/HCTZ) quinapril/HCTZ UNIRETIC (moexepril/HCTZ) VASERETIC (enalapril/HCTZ) ZESTORETIC (lisinopril/HCTZ) LEXXEL (enalapril/felodipine)	Each of the preferred agents must be tried for at least two weeks each before a non-preferred agent will be authorized unless one of the
COMBINATIONS Effective 4/1/06	TARKA (trandolapril/verapamil)		exceptions on the PA form is present. Patients starting therapy in this class must show a documented allergy to the preferred agents before a non-preferred agent will be authorized.
ACNE AGENTS, TOPICAL		ANTIBIOTICS	A trial of 30 days of one of the preferred agents in each category will
Effective 4/1/06	AKNE-MYCIN (erythromycin) clindamycin erythromycin	CLINDAGEL (clindamycin) EVOCLIN (clindamycin)	be required before a non-preferred agent will be authorized. (In cases of pregnancy, a trial of retinoids will not be required.) PA required after 17 years of age for tretinoin products.
	7. T.	RETINOIDS	
	RETIN-A MICRO (tretinoin) ^{CL} TAZORAC (tazarotene) Tretinoin ^{CL}	DIFFERIN (adapalene)	

Version II of II

REVISED 10/4/06 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	OTHERS		
	AZELEX (azelaic acid) BENZACLIN (benzoyl peroxide/clindamycin) benzoyl peroxide DUAC (benzoyl peroxide/clindamycin) erythromycin/benzoyl peroxide NUOX (benzoyl peroxide/sulfur)	BENZAMYCIN PAK (benzoyl peroxide/erythromycin) BREVOXYL (benzoyl peroxide) CLINAC BPO (benzoyl peroxide) KLARON (sodium sulfacetamide) ZACLIR (benzoyl peroxide) TRIAZ (benzoyl peroxide) SULFOXYL (benzoyl peroxide/sulfur) ZODERM (benzoyl peroxide)	
ALZHEIMER'S AGENTS	CHOLINES	TERASE INHIBITORS	A trial of a preferred agent will be required before a non-preferred
Implement 10/2/06		COGNEX (tacrine) RAZADYNE (galantamine) RAZADYNE ER (galantamine) EPTOR ANTAGONIST	agent In this class will be authorized. Currrent prescriptions for Razadyne and Razadyne ER will be grandfathered
	NAMENDA (memantine)		

Version II of II

REVISED 10/4/06 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
ANALGESICS, NARCOTIC (Non-parenteral) Effective 4/1/06	acetaminophen/codeine aspirin/codeine codeine hydrocodone/APAP hydrocodone/ibuprofen hydromorphone levorphanol methadone morphine oxycodone/APAP oxycodone/APAP oxycodone/APAP pentazocine/APAP pentazocine/naloxone propoxyphene/APAP tramadol tramadol/APAP	ACTING ACTIQ (fentanyl) butalbital/APAP/caffeine/codeine butalbital/ASA/caffeine/codeine COMBUNOX (oxycodone/ibuprofen) DARVOCET (propoxyphene/APAP) DARVON (propoxyphene) DEMEROL (meperidine) DILAUDID (hydromorphone) FIORICET W/ CODEINE	Three of the preferred agents must be tried for at least 72 hours before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. (The three agents tried must include at least one of the long-acting agents when requesting a PA for a non-preferred long acting agent.) Exception: Oxycodone ER will be authorized if a diagnosis of cancer is submitted without a trial of the preferred agents. Actiq will only be approved as an adjunct to a long-acting agent. Actiq for monotherapy will not be approved. Limits: Quantities exceeding 240 tablets per 30 days (8 tablets/day) for agents containing 500 mg of acetaminophen will require a prior authorization and review by the Medical Director.

Version II of II

REVISED 10/4/06 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	LONG-ACTING		
	DURAGESIC (fentanyl)	AVINZA (morphine)	
	KADIAN (morphine)	fentanyl	
	morphine SR	MS CONTIN (morphine)	
		ORAMORPH SR (morphine)	
		oxycodone ER	
		OXYCONTIN (oxycodone)	
ANDROGENIC AGENTS	ANDRODERM (testosterone)	TESTIM (testosterone)	The non-preferred agents will be approved only if one of the
Implement 10/2/06	ANDROGEL (testosterone)		exceptions on the PA form is present.
ANGIOTENSIN II RECEPTOR	ANGIOTENSIN	RECEPTOR BLOCKERS	Each of the preferred agents in the corresponding group must be tried
BLOCKERS (ARBs)	AVAPRO (irbesartan)	ATACAND (candesartan)	for at least two weeks each before a non-preferred agent in that group
	BENICAR (olmesartan)	TEVETEN (eprosartan)	will be authorized unless one of the exceptions on the PA form is present.
Effective 4/1/06	COZAAR (losartan)		prosont.
	DIOVAN (valsartan)		
	MICARDIS (telmisartan)		
	ARB/DIURI	ETIC COMBINATIONS	
	AVALIDE (irbesartan/HCTZ)	ATACAND-HCT (candesartan/HCTZ)	
	BENICAR-HCT (olmesartan/HCTZ)	TEVETEN-HCT (eprosartan/HCTZ)	
	DIOVAN-HCT (valsartan/HCTZ)		
	HYZAAR (losartan/HCTZ)		
	MICARDIS-HCT (telmisartan/HCTZ)		
ANTICOAGULANTS,	ARIXTRA (fondaparinux)	FRAGMIN (dalteparin)	A trial of each of the preferred agents will be required before a non-
INJECTABLE ^{CL}	LOVENOX (enoxaparin)	INNOHEP (tinzaparin)	preferred agent will be approved unless one of the exceptions on the PA form is present.
Effective 4/1/06			

Version II of II

REVISED 10/4/06 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTICONVULSANTS	ВА	RBITURATES	Treatment naive patients must have a trial of a preferred agent before
F: 4/4/00	mephobarbital	MEBARAL (mephobarbital)	a non-preferred agent in its corresponding class will be authorized. Patients stabilized on non-preferred agents will receive authorization
Effective 4/1/06	phenobarbital	MYSOLINE (primidone)	to continue these drugs. Additions to that therapy will require a trial of
	primidone		preferred agent in its respective class unless one of the exceptions on the PA form is present.
	н	YDANTOINS	the FA form is present.
	PEGANONE (ethotoin)	DILANTIN (phenytoin)	
	Phenytoin	PHENYTEK (phenytoin)	
	SL	ICCINIMIDES	
	CELONTIN (methsuximide)	ZARONTIN (ethosuximide)	
	Ethosuximide	ZAROWIN (cinosaxiiniae)	
	BENZODIAZEPINES		
	clonazepam	KLONOPIN (clonazepam)	
	DIASTAT (diazepam rectal)		
	diazepam		
	A	DJUVANTS	
	carbamazepine	CARBATROL (carbamazepine)	
	DEPAKOTE (divalproex)	DEPAKENE (valproic acid)	
	DEPAKOTE ER (divalproex)	NEURONTIN (gabapentin)	
	EQUETRO (carbamazepine)	TEGRETOL (carbamazepine)	
	FELBATOL (felbamate)	TEGRETOL XR (carbamazepine)	
	gabapentin	ZONEGRAN (zonisamide)	
	GABITRIL (tiagabine)		
	KEPPRA (levetiracetam)		
	LAMICTAL (lamotrigine)		
	LYRICA (pregabalin) TOPAMAX (topiramate)		
	TRILEPTAL (oxcarbazepine)		
	valproic acid		
	zonisamide		

REVISED 10/4/06 Implementation Date: 10/02/06 Originally Posted 9/15/06

Version II of II

THERAPEUTIC	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA
DRUG CLASS		110=1110	CRITERIA
ANTIDEPRESSANTS, OTHER (second generation, non-SSRI)	CYMBALTA (duloxetine) EFFEXOR XR (venlafaxine) mirtazapine	bupropion IR bupropion SR DESYREL (trazodone)	A non-preferred agent will only be authorized if there has been a six- week trial of an SSRI and a preferred agent in this class unless one of the exceptions on the PA form is present.
Effective 4/1/06	trazodone WELLBUTRIN XL (bupropion)	EFFEXOR (venlafaxine) nefazodone REMERON (mirtazapine) SERZONE (nefazodone) WELLBUTRIN (bupropion) WELLBUTRIN SR (bupropion)	
ANTIDEPRESSANTS, SSRIs Implement 10/2/06	citalopram fluoxetine fluvoxamine LEXAPRO (escitalopram) paroxetine PAXIL CR (paroxetine) PEXEVA (paroxetine) ZOLOFT (sertraline)	CELEXA (citalopram) PAXIL (paroxetine) PROZAC (fluoxetine) RAPIFLUX (fluoxetine) SARAFEM (fluoxetine) sertraline	None of the non-preferred dosage forms will be authorized unless there is documentation showing that the preferred dosage forms of the corresponding agents are inappropriate for the patient.
ANTIEMETICS, ORAL	5HT3 REC	EPTOR BLOCKERS	A trial of Zofran is required before a non-preferred agent will be
Implement 10/2/06	ZOFRAN (ondansetron) ZOFRAN ODT (ondansetron) EMEND (aprepitant)	ANZEMET (dolasetron) KYTRIL (granisetron)	authorized unless one of the exceptions on the PA form is present. Quantity limits apply for this class* Zofran*-14 tablets per 21 days; in cases of hyperemesis during pregnancy, increased quantities may be authorized. EMEND*-12 tablets per 28 days

REVISED 10/4/06 Implementation Date: 10/02/06 Originally Posted 9/15/06

Version II of II

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIFUNGALS, ORAL	clotrimazole fluconazole	ANCOBON (flucytosine) DIFLUCAN (fluconazole)	Non-preferred agents will be approved only if one of the exceptions on the PA form is present.
Implement 10/2/06	ketoconazole ^{CL}	GRIFULVIN V (griseofulvin)	
	LAMISIL (terbinafine) ^{CL}	griseofulvin	PA is required when limits are exceeded.
	MYCOSTATIN Pastilles (nystatin)	GRIS-PEG (griseofulvin)	PA is not required for Grifulvin-V Suspension for children up to 6
	nystatin	itraconazole MYCELEX (clotrimazole)	years of age for the treatment of tinea capitis
		MYCOSTATIN Tablets (nystatin)	
		NIZORAL (ketoconazole)	
		SPORANOX (itraconazole)	
		VFEND (voriconazole)	
ANTIFUNGALS, TOPICAL		ANTIFUNGALS	Three of the preferred agents must be tried for at least two weeks
	econazole	ciclopirox	each before one of the non-preferred agents will be authorized unless one of the exceptions on the PA form is present.
Implement 10/2/06	EXELDERM (sulconazole)	ERTACZO (sertaconazole)	one of the exceptions of the FA form is present.
	ketoconazole	LOPROX (ciclopirox)	
	NAFTIN (naftifine)	MENTAX (butenafine)	
	nystatin	MYCOSTATIN (nystatin)	
		NIZORAL (ketoconazole)	
		OXISTAT (oxiconazole)	
		PENLAC (ciclopirox)	
		SPECTAZOLE (econazole)	
		VUSION (miconazole/petrolatum/zinc oxide)	
	ANTIFUNGA	L/STEROID COMBINATIONS	
	clotrimazole/betamethasone	LOTRISONE (clotrimazole/betamethasone)	
	nystatin/triamcinolone	MYCOLOG (nystatin/triamcinolone)	

Version II of II

REVISED 10/4/06 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIHISTAMINES,	ANTIHISTAMINES		A preferred agent, in the age appropriate dosage form, must be tried
MINIMALLY SEDATING	ALAVERT (loratadine)	ALLEGRA (fexofenadine)	before a non-preferred agent will be authorized unless one of the
	CLARINEX Syrup (desloratadine)	CLARINEX Tablets (desloratadine)	exceptions on the PA form is present.
Effective 4/1/06	Ioratadine	CLARITIN (loratadine)	
	TAVIST-ND (loratadine)	fexofenadine	
		ZYRTEC (cetirizine)	
	ANTIHISTAMINE/DEC	CONGESTANT COMBINATIONS	
	loratadine/pseudoephedrine	ALAVERT-D (loratadine/pseudoephedrine)	
		ALLEGRA-D (fexofenadine/pseudoephedrine)	
		CLARINEX-D (desloratadine/pseudoephedrine)	
		CLARITIN-D (loratadine/pseudoephedrine)	
		ZYRTEC-D (cetirizine/pseudoephedrine)	
ANTIMIGRAINE AGENTS,	AXERT (almotriptan)	AMERGE (naratriptan)	All of the preferred agents must be tried before a non-preferred agent
TRIPTANS	IMITREX (sumatriptan)	FROVA (frovatriptan)	will be approved unless one of the exceptions on the PA form is
	MAXALT (rizatriptan)	ZOMIG (zolmitriptan)	present.
Effective 4/1/06	RELPAX (eletriptan)		Our after the land of an thin down shows
			Quantity limits apply for this drug class.

Version II of II

REVISED 10/4/06 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIPARKINSON'S AGENTS		CHOLINERGICS	Patients starting therapy on drugs in this class must show a
(Oral)	benztropine KEMADRIN (procyclidine)	COGENTIN (benztropine)	documented allergy to all of the preferred agents before a non- preferred agent will be authorized.
Implement 10/2/06	trihexyphenidyl		
		MT INHIBITORS	
	COMTAN (entacapone)	TASMAR (tolcapone)	
	DOPA	 MINE AGONISTS	
	MIRAPEX (pramipexole)	pergolide	
	REQUIP (ropinirole)	PERMAX (pergolide)	
	, , ,	PARKINSON'S AGENTS	
	carbidopa/ levodopa	AZILECT (rasagiline) ^{NR}	
	selegiline	ELDEPRYL (selegiline)	
	STALEVO	EMSAM (selegiline) ^{NR}	
	(levodopa/carbidopa/entacapone)	PARCOPA (levodopa/carbidopa)	
		SINEMET (levodopa/carbidopa)	
ANTIPSYCHOTICS,		ORAL	Upon discharge, hospitalized patients stabilized on non-preferred
ATYPICAL	clozapine	ORAL ABILIFY (aripiprazole)	Upon discharge, hospitalized patients stabilized on non-preferred agents will receive authorization to continue these drugs.
	FAZACLO (clozapine)	ORAL ABILIFY (aripiprazole) CLOZARIL (clozapine)	agents will receive authorization to continue these drugs.
ATYPICAL (Oral)	FAZACLO (clozapine) GEODON (ziprasidone)	ORAL ABILIFY (aripiprazole)	agents will receive authorization to continue these drugs. New patients for this class of drugs will be required to try a preferred
ATYPICAL	FAZACLO (clozapine) GEODON (ziprasidone) RISPERDAL (risperidone)	ORAL ABILIFY (aripiprazole) CLOZARIL (clozapine)	agents will receive authorization to continue these drugs.
ATYPICAL (Oral)	FAZACLO (clozapine) GEODON (ziprasidone) RISPERDAL (risperidone) SEROQUEL (quetiapine)	ORAL ABILIFY (aripiprazole) CLOZARIL (clozapine) ZYPREXA (olanzapine)	agents will receive authorization to continue these drugs. New patients for this class of drugs will be required to try a preferred agent for two weeks unless one of the exceptions on the PA form is
ATYPICAL (Oral)	FAZACLO (clozapine) GEODON (ziprasidone) RISPERDAL (risperidone) SEROQUEL (quetiapine)	ORAL ABILIFY (aripiprazole) CLOZARIL (clozapine) ZYPREXA (olanzapine)	agents will receive authorization to continue these drugs. New patients for this class of drugs will be required to try a preferred agent for two weeks unless one of the exceptions on the PA form is
ATYPICAL (Oral)	FAZACLO (clozapine) GEODON (ziprasidone) RISPERDAL (risperidone) SEROQUEL (quetiapine)	ORAL ABILIFY (aripiprazole) CLOZARIL (clozapine) ZYPREXA (olanzapine)	agents will receive authorization to continue these drugs. New patients for this class of drugs will be required to try a preferred agent for two weeks unless one of the exceptions on the PA form is
ATYPICAL (Oral)	FAZACLO (clozapine) GEODON (ziprasidone) RISPERDAL (risperidone) SEROQUEL (quetiapine)	ORAL ABILIFY (aripiprazole) CLOZARIL (clozapine) ZYPREXA (olanzapine)	agents will receive authorization to continue these drugs. New patients for this class of drugs will be required to try a preferred agent for two weeks unless one of the exceptions on the PA form is present. All of the appropriate preferred agents with the applicable indication
ATYPICAL (Oral) Implement 10/2/06	FAZACLO (clozapine) GEODON (ziprasidone) RISPERDAL (risperidone) SEROQUEL (quetiapine) ATYPICAL ANTIPSY	ORAL ABILIFY (aripiprazole) CLOZARIL (clozapine) ZYPREXA (olanzapine) CHOTIC/SSRI COMBINATIONS SYMBYAX (olanzapine/fluoxetine)	agents will receive authorization to continue these drugs. New patients for this class of drugs will be required to try a preferred agent for two weeks unless one of the exceptions on the PA form is present. All of the appropriate preferred agents with the applicable indication must be tried before the non-preferred agents will be authorized
ATYPICAL (Oral) Implement 10/2/06 ANTIVIRALS	FAZACLO (clozapine) GEODON (ziprasidone) RISPERDAL (risperidone) SEROQUEL (quetiapine) ATYPICAL ANTIPSY acyclovir	ORAL ABILIFY (aripiprazole) CLOZARIL (clozapine) ZYPREXA (olanzapine) CHOTIC/SSRI COMBINATIONS SYMBYAX (olanzapine/fluoxetine) CYTOVENE (ganciclovir)	agents will receive authorization to continue these drugs. New patients for this class of drugs will be required to try a preferred agent for two weeks unless one of the exceptions on the PA form is present. All of the appropriate preferred agents with the applicable indication
ATYPICAL (Oral) Implement 10/2/06 ANTIVIRALS	FAZACLO (clozapine) GEODON (ziprasidone) RISPERDAL (risperidone) SEROQUEL (quetiapine) ATYPICAL ANTIPSY acyclovir amantadine	ORAL ABILIFY (aripiprazole) CLOZARIL (clozapine) ZYPREXA (olanzapine) CCHOTIC/SSRI COMBINATIONS SYMBYAX (olanzapine/fluoxetine) CYTOVENE (ganciclovir) FAMVIR (famciclovir)	agents will receive authorization to continue these drugs. New patients for this class of drugs will be required to try a preferred agent for two weeks unless one of the exceptions on the PA form is present. All of the appropriate preferred agents with the applicable indication must be tried before the non-preferred agents will be authorized
ATYPICAL (Oral) Implement 10/2/06 ANTIVIRALS (Oral)	FAZACLO (clozapine) GEODON (ziprasidone) RISPERDAL (risperidone) SEROQUEL (quetiapine) ATYPICAL ANTIPSY acyclovir amantadine ganciclovir	ORAL ABILIFY (aripiprazole) CLOZARIL (clozapine) ZYPREXA (olanzapine) CCHOTIC/SSRI COMBINATIONS SYMBYAX (olanzapine/fluoxetine) CYTOVENE (ganciclovir) FAMVIR (famciclovir) FLUMADINE (rimantadine)	agents will receive authorization to continue these drugs. New patients for this class of drugs will be required to try a preferred agent for two weeks unless one of the exceptions on the PA form is present. All of the appropriate preferred agents with the applicable indication must be tried before the non-preferred agents will be authorized
ATYPICAL (Oral) Implement 10/2/06 ANTIVIRALS (Oral)	FAZACLO (clozapine) GEODON (ziprasidone) RISPERDAL (risperidone) SEROQUEL (quetiapine) ATYPICAL ANTIPSY acyclovir amantadine ganciclovir VALCYTE (valganciclovir)	ORAL ABILIFY (aripiprazole) CLOZARIL (clozapine) ZYPREXA (olanzapine) CHOTIC/SSRI COMBINATIONS SYMBYAX (olanzapine/fluoxetine) CYTOVENE (ganciclovir) FAMVIR (famciclovir) FLUMADINE (rimantadine) rimantadine	agents will receive authorization to continue these drugs. New patients for this class of drugs will be required to try a preferred agent for two weeks unless one of the exceptions on the PA form is present. All of the appropriate preferred agents with the applicable indication must be tried before the non-preferred agents will be authorized
ATYPICAL (Oral) Implement 10/2/06 ANTIVIRALS (Oral)	FAZACLO (clozapine) GEODON (ziprasidone) RISPERDAL (risperidone) SEROQUEL (quetiapine) ATYPICAL ANTIPSY acyclovir amantadine ganciclovir VALCYTE (valganciclovir)	ORAL ABILIFY (aripiprazole) CLOZARIL (clozapine) ZYPREXA (olanzapine) CHOTIC/SSRI COMBINATIONS SYMBYAX (olanzapine/fluoxetine) CYTOVENE (ganciclovir) FAMVIR (famciclovir) FLUMADINE (rimantadine) rimantadine RELENZA (zanamivir)	agents will receive authorization to continue these drugs. New patients for this class of drugs will be required to try a preferred agent for two weeks unless one of the exceptions on the PA form is present. All of the appropriate preferred agents with the applicable indication must be tried before the non-preferred agents will be authorized
ATYPICAL (Oral) Implement 10/2/06 ANTIVIRALS (Oral)	FAZACLO (clozapine) GEODON (ziprasidone) RISPERDAL (risperidone) SEROQUEL (quetiapine) ATYPICAL ANTIPSY acyclovir amantadine ganciclovir VALCYTE (valganciclovir)	ORAL ABILIFY (aripiprazole) CLOZARIL (clozapine) ZYPREXA (olanzapine) CHOTIC/SSRI COMBINATIONS SYMBYAX (olanzapine/fluoxetine) CYTOVENE (ganciclovir) FAMVIR (famciclovir) FLUMADINE (rimantadine) rimantadine RELENZA (zanamivir) SYMMETREL (amantadine)	agents will receive authorization to continue these drugs. New patients for this class of drugs will be required to try a preferred agent for two weeks unless one of the exceptions on the PA form is present. All of the appropriate preferred agents with the applicable indication must be tried before the non-preferred agents will be authorized

REVISED 10/4/06 Implementation Date: 10/02/06 Originally Posted 9/15/06

Version II of II

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ATOPIC DERMATITIS	ELIDEL (pimecrolimus)		
	PROTOPIC (tacrolimus)		
Implement 10/2/06			
BETA BLOCKERS		BETA BLOCKERS	If one of the exceptions on the PA form is present or if the physician
(Oral)	acebutolol	BETAPACE (sotalol)	feels that the patient cannot be stabilized with any of the preferred
	atenolol	betaxolol	agents, one of the non-preferred agents will be approved.
Effective 4/1/06	INDERAL LA (propranolol)	bisoprolol	
	metoprolol	BLOCADREN (timolol)	
	nadolol	CARTROL (carteolol)	
	pindolol	CORGARD (nadolol)	
	propranolol	INNOPRAN XL (propranolol)	
	sotalol	KERLONE (betaxolol)	
	timolol	LEVATOL (penbutolol)	
	TOPROL XL (metoprolol)	LOPRESSOR (metoprolol)	
		SECTRAL (acebutolol)	
		TENORMIN (atenolol)	
		ZEBETA (bisoprolol)	
	BET	A- AND ALPHA- BLOCKERS	
	COREG (carvedilol)	NORMODYNE (labetalol)	
	labetalol	TRANDATE (labetalol)	
BLADDER RELAXANT	DITROPAN XL (oxybutynin)	DETROL (tolterodine)	All of the preferred agents in the class must be tried before a non-
PREPARATIONS	ENABLEX (darifenacin)	DETROL LA (tolterodine)	preferred agent will be authorized unless one of the exceptions on the
	oxybutynin	DITROPAN (oxybutynin)	PA form is present.
Effective 4/1/06	OXYTROL (oxybutynin)	Diffici Aid (Oxybutyliii)	
	SANCTURA (trospium)		
	VESICARE (solifenacin)		
	1 20.57 title (comoridani)		

Version II of II

REVISED 10/4/06 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
BONE RESORPTION	BISPHOSPHONATES		One of the preferred agents must be tried for at least one month
SUPPRESSION AND	FOSAMAX (alendronate)	ACTONEL (risedronate)	before a non-preferred agent will be authorized unless one of the
RELATED AGENTS	FOSAMAX PLUS D (alendronate/vitamin D)	ACTONEL WITH CALCIUM (risedronate/calcium)	exceptions on the PA form is present.
lund		BONIVA (ibandronate)	
Implement 10/2/06		DIDRONEL (etidronate)	
	OTHER BONE RESORPTION S	SUPPRESSION AND RELATED AGENTS	For severely compromised patients, albuterol/ipratropium will be
	EVISTA (raloxifene)	FORTEO (teriparatide)	approved if the combined volume of albuterol and ipratropium nebules
	MIACALCIN (calcitonin)	FORTICAL (calcitonin)	is inhibitory.
BPH AGENTS	ALPHA BLOCKERS		One of the preferred agents must be tried before a non-preferred
	doxazosin	CARDURA (doxazosin)	agent will be authorized unless one of the exceptions on the PA form
Effective 4/1/06	FLOMAX (tamsulosin)	CARDURA XL (doxazosin) ^{NR}	is present.
	trazosin	HYTRIN (terazosin)	
	UROXATRAL (alfuzosin)		
	5-ALPHA-REDU	CTASE (5AR) INHIBITORS	
	AVODART (dutasteride)	PROSCAR (finasteride)	
BRONCHODILATORS,	ANTI	CHOLINERGIC	The preferred agents in the class must be tried before the non-
ANTICHOLINERGIC	ATROVENT HFA (ipratropium)	ATROVENT Inhalation Solution (ipratropium)	preferred agent will be authorized unless one of the exceptions on the PA form is present.
	ipratropium		PA form is present.
Implement 10/2/06	SPIRIVA (tiotropium)		
	ANTICHOLINERGIC-B	ETA AGONIST COMBINATIONS	
	COMBIVENT (albuterol/ipratropium)	DUONEB (albuterol/ipratropium)	For severely compromised patients, DUONEB will be approved if the combined volume of albuterol and ipratropium nebules is inhibitory.

Version II of II

REVISED 10/4/06 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA	
DRUG CLASS	AGENTS	AGENTS	CRITERIA	
BRONCHODILATORS, BETA	INHALERS, SHORT-ACTING		All of the preferred agents in a group must be tried before a non-	
AGONIST	albuterol CFA	albuterol HFA	preferred agent in that group will be authorized unless one of the	
	MAXAIR (pirbuterol)	ALUPENT (metaproterenol)	exceptions on the PA form is present.	
Implement 10/2/06	XOPENEX HFA (levalbuterol)	PROVENTIL (albuterol)	Variation labeletiine Colution will be approved for 40 months for a	
		PROVENTIL HFA (albuterol)	Xopenex Inhalatiion Solution will be approved for 12 months for a diagnosis of asthma or COPD for patients on concurrent asthma	
		VENTOLIN HFA (albuterol)	controller therapy (either oral or inhaled) with documentation of failure	
			on a trial of albuterol or documented intolerance of albuterol, or for a	
	INHALEI	RS, LONG-ACTING	concurrent diagnosis of heart disease.	
	FORADIL (formoterol)	SEREVENT (salmeterol)		
	INILIAL	L ATION SOLUTION	**No PA is required for ACCUNEB for children up to 5 years of age.	
		T		
	albuterol	ACCUNEB (albuterol)**		
		metaproterenol		
		PROVENTIL (albuterol)		
		XOPENEX (levalbuterol) ORAL		
	albuterol	BRETHINE (terbutaline)		
	terbutaline	metaproterenol		
	lerbutaline	VOSPIRE ER (albuterol)		
CALCIUM CHANNEL	en en	ORT-ACTING	One of the preferred agents must be tried before a non-preferred	
BLOCKERS (Oral)	diltiazem	ADALAT (nifedipine)	agent will be authorized unless one of the exceptions on the PA form	
	verapamil	CALAN (verapamil)	is present.	
Effective 4/1/06	Verapariii	CARDENE (nicardipine)		
		CARDIZEM (diltiazem)	Nimodipine will be approved with the appropriate diagnosis.	
		DYNACIRC (isradipine)		
		isradipine		
		nicardipine		
		nifedipine		
		NIMOTOP (nimodipine)		
		PROCARDIA (nifedipine)		
		TROOMEDIA (Illiculpino)		

Version II of II

REVISED 10/4/06 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
DRUG CLASS		DNG-ACTING	CRITERIA
	CARDIZEM LA (diltiazem)	ADALAT CC (nifedipine)	-
	diltiazem	CALAN SR (verapamil)	
	DYNACIRC CR (isradipine)	CARDENE SR (nicardipine)	
	felodipine	CARDIZEM CD (diltiazem)	
	nifedipine	CARDIZEM SR (diltiazem)	
	SULAR (nisoldipine)	COVERA-HS (verapamil)	
	verapamil	DILACOR XR (diltiazem)	
	VERELAN PM (verapamil)	ISOPTIN SR (verapamil)	
	(cospanii)	NORVASC (amlodipine)	
		PLENDIL (felodipine)	
		PROCARDIA XL (nifedipine)	
		TIAZAC (diltiazem)	
		VERELAN (verapamil)	
CEPHALOSPORINS AND	BETA LACTAM/BETA-LAC	TAMASE INHIBITOR COMBINATIONS	The preferred agents must be tried before a non-preferred agent will
RELATED ANTIBIOTICS	amoxicillin/clavulanate	AUGMENTIN (amoxicillin/clavulanate)	be authorized unless one of the exceptions on the PA form is present.
(Oral)	AUGMENTIN XR (amoxicillin/clavulanate)	AUGMENTIN ES-600 (amoxicillin/clavulanate)	
Implement 10/2/06	CEP	 HALOSPORINS	
	CEDAX (ceftibuten)	CECLOR (cefaclor)	
	cefaclor	cefpodoxime	
	cefadroxil	CEFTIN (cefuroxime)	
	cefprozil	CEFZIL (cefprozil)	
	cefuroxime	DURICEF (cefadroxil)	
	cephalexin	KEFLEX (cephalexin)	
	OMNICEF (cefdinir)	LORABID (loracarbef)	
	SPECTRACEF (cefditoren)	PANIXINE (cephalexin)	
	SUPRAX (cefixime)	RANICLOR (cefaclor)	
		VANTIN (cefpodoxime)	
CYTOKINE & CAM	ENBREL (etanercept)		
ANTAGONISTS CL	HUMIRA (adalimumab)		
	KINERET (anakinra)		
Implement 10/2/06	RAPTIVA (efalizumab)		

REVISED 10/4/06 Implementation Date: 10/02/06 Originally Posted 9/15/06

Version II of II

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
ERYTHROPOIESIS STIMULATING PROTEINS ^{CL}	ARANESP (darbepoetin) PROCRIT (rHuEPO)	EPOGEN (rHuEPO)	The preferred agents must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
Implement 4/1/06			
FLUROQUINOLONES, ORAL Implement 10/2/06	AVELOX (moxifloxacin) ciprofloxacin CIPRO (ciprofloxacin suspension) FACTIVE (gemifloxacin)	CIPRO (ciprofloxacin) CIPRO XR (ciprofloxacin extended-release) FLOXIN (ofloxacin) LEVAQUIN (levofloxacin)	One of the preferred agents must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
		ofloxacin	
		PROQUIN XR (ciprofloxacin extended-release)	
GLUCOCORTICOIDS, INHALED		COCORTICOIDS	All of the preferred agents of a dosage form must be tried before a
INHALED	AEROBID (flunisolide)	FLOVENT HFA (fluticasone)	non-preferred agent of that dosage form will be authorized unless one of the exceptions on the PA form is present.
Implement 10/2/06	AEROBID-M (flunisolide)	PULMICORT (budesonide)	or the exceptions on the revenue of pressum
Implement 10/2/00	ASMANEX (mometasone)		Pulmicort Respules do not require a prior authorization for children
	AZMACORT (triamcinolone)		through 8 years of age or for individuals unable to use an MDI.
	QVAR (beclomethasone)	L ONCHODILATOR COMBINATIONS	
		UNCHODILATOR COMBINATIONS	
	ADVAIR (fluticasone/salmeterol)		
GROWTH HORMONE ^{CL}	NORDITROPIN (somatropin) NUTROPIN AQ (somatropin)	GENOTROPIN (somatropin) HUMATROPE (somatropin)	The preferred agents must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
Implement 4/1/06	SAIZEN (somatropin) SEROSTIM (somatropin) TEV-TROPIN (somatropin)	NUTROPIN (somatropin)	
HEPATITIS C TREATMENTS ^{CL}	COPEGUS (ribavirin) PEG-INTRON (pegylated interferon) PEGASYS (pegylated interferon)	INFERGEN (consensus interferon) REBETRON (interferon alpha/ribavirin) ribavirin	Patients already on a non-preferred agent will receive authorization to continue therapy on that agent.
Implement 4/1/06	REBETOL (ribavirin)		Patients starting therapy in this class must try the preferred agents of a dosage form before a non-preferred agent of that dosage form will be authorized.

Version II of II

REVISED 10/4/06 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
HYPOGLYCEMICS,		INSULIN	PA Criteria for Exubera: Patient must:
INSULINS AND RELATED AGENTS	HUMALOG (insulin lispro)	APIDRA (insulin glulisine)	1. be 18 years or older;
AGENTS	HUMALOG MIX (insulin lispro/lispro	EXUBERA (insulin) NR	have no history of smoking in the past six months;
Implement 10/2/06	protamine) HUMULIN (insulin)		 have no history of chronic lung disease in the past two year or presence of acute lower respiratory lung infection;
•	LANTUS (insulin glargine)		4. have a base line spriometry to measure FEV1. For
	LEVEMIR (insulin detemir)		renewal, spriometry to measure FEV1 six months after
	NOVOLIN (insulin)		treatment initiation and then annually from second FEV1
	NOVOLOG (insulin aspart)		measure;
	NOVOLOG MIX (insulin aspart/aspart protamine)		have a diagnosis of Type 1 diabetes (stated or inferred) with concomitant use of a longer acting insulin; OR
	RELA	ATED AGENTS	have a diagnosis of Type II Diabetes (stated or inferred)
	BYETTA (exenatide)		and maximization of dosage of at least one available oral
	SYMLIN (amylin)		agent (sulfonylurea, metformin or thiazolindinediones), unless contraindicated;
			Diagnosis of lipodystrophy or needle phobia that prevents self-injection or injection by a caregiver.
			PA Criteria for Apidra: Patient must:
			1. be 18 years or older;
			be currently on a regimen including a longer-acting or basal insulin.
			 have had a trial of a similar preferred agent, Novolog or Humulin, with documentation that the desired results were not achieved.
HYPOGLYCEMICS, MEGLITINIDES	STARLIX (nateglinide)	PRANDIN (repaglinide)	The preferred agent must be tried before a non-preferred agent will be authorized, unless one of the exceptions on the PA form is present.
Implement 4/1/06			
HYPOGLYCEMICS, METFORMINS			
Class Retired			
Implement 10/2/06			

Version II of II

REVISED 10/4/06 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
HYPOGLYCEMICS, TZDS	THIA	ZOLINEDIONES	A preferred agent must be tried before the non-preferred agent will be
Implement 4/1/06	ACTOS (pioglitazone) AVANDIA (rosiglitazone)		authorized unless one of the exceptions on the PA form is present.
	TZD (COMBINATIONS	
	ACTOPLUS MET (pioglitazone/metformin) AVANDAMET (rosiglitazone/metformin)	AVANDARYL (rosiglitazone/glimepiride) ^{NR}	
INTRANASAL RHINITIS	ANTIO	CHOLINERGICS	All of the preferred agents must be tried before a non-preferred agent
AGENTS		ATROVENT (ipratropium) ipratropium	will be authorized unless one of the exceptions on the PA form is present.
Implement 10/2/06	ANT	THISTAMINES	
	ASTELIN (azelastine)		
	COR*	FICOSTEROIDS	
	FLONASE (fluticasone) NASACORT AQ (triamcinolone) NASONEX (mometasone)	BECONASE AQ (beclomethasone) flunisolide fluticasone	
		NASALIDE (flunisolide) NASAREL (flunisolide) RHINOCORT AQUA (budesonide)	
LEUKOTRIENE RECEPTOR BLOCKERS	ACCOLATE (zafirlukast) SINGULAIR (montelukast)	ZYFLO (zileuton)	
Implement 10/2/06			
LIPOTROPICS, OTHER (non-statins)	cholestyramine COLESTID (colestipol)	D SEQUESTRANTS QUESTRAN (cholestyramine) WELCHOL (colesevalam)	The preferred agents must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
Implement 4/1/06	CHOLESTEROL	ABSORPTION INHIBITORS	Zetia, as monotherapy, will only be approved for patients who cannot take statins or other preferred agents.
		ZETIA (ezetimibe)	Zetia and Welchol will be approved for add-on therapy only after an insufficient response to the maximum tolerable dose of a statin after 12 weeks of therapy.
			If patients require the addition of Zetia to Zocor to achieve goal, use of the combination product, Vytorin, will be required. If patients are on other statins and require the addition of Zetia, patients will not be required to switch the statin that they have been using.

Version II of II

REVISED 10/4/06 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		FATTY ACIDS	
		OMACOR (omega-3-acid ethyl esters)	
	FIBRIC	ACID DERIVATIVES	
	fenofibrate	ANTARA (fenofibrate)	
	gemfibrozil	LOFIBRA (fenofibrate)	
	TRICOR (fenofibrate)	LOPID (gemfibrozil)	
		TRIGLIDE (fenofibrate)	
		NIACIN	
	niacin	NIACELS (niacin)	
	NIASPAN (niacin)	NIADELAY (niacin)	
		SLO-NIACIN (niacin)	
LIPOTROPICS, STATINS		STATINS	One of the preferred statins must be tried before a non-preferred
	ALTOPREV (lovastatin)	LIPITOR (atorvastatin)	agent will be authorized unless one of the exceptions on the PA form
Implement 4/1/06	CRESTOR (rosuvastatin)	MEVACOR (lovastatin)	is present.
	LESCOL (fluvastatin)	PRAVACHOL (pravastatin)	
	LESCOL XL (fluvastatin)	pravastatin ^{NR}	
	lovastatin		
	ZOCOR (simvastatin)	IN COMBINATIONS	
	ADVICOR (lovastatin/niacin)	CADUET (atorvastatin/amlodipine)	
	VYTORIN (ezetimibe/simvastatin)	OADOLT (atorvastatin/armodipine)	
	VIII (OZOMINOC/OMIVACIAMI)		

Version II of II

REVISED 10/4/06 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
MACROLIDES/KETOLIDES	M	ACROLIDES	The preferred agents must be tried before a non-preferred agent
(Oral)	azithromycin	BIAXIN (clarithromycin)	will be authorized unless one of the exceptions on the PA form is
	BIAXIN XL (clarithromycin)	clarithromycin	present.
Implement 10/2/06	erythromycin (base, ethylsuccinate,	DYNABAC (dirithromycin)	
	stearate)	E.E.S. (erythromycin ethylsuccinate)	
		E-MYCIN (erythromycin)	
		ERYC (erythromycin)	
		ERYPED (erythromycin ethylsuccinate)	
		ERY-TAB (erythromycin)	
		ERYTHROCIN (erythromycin stearate)	
		erythromycin estolate	
		PCE (erythromycin)	
		ZITHROMAX (azithromycin)	
		ZMAX Suspension (azithromycin)	
		KETOLIDES	Requests for telithromycin will be authorized if there is
			documentation of the use of any antibiotic within the past 28 days.
		KETEK (telithromycin)	
MULTIPLE SCLEROSIS	AVONEX (interferon beta-1a)		
AGENTS ^{CL}	BETASERON (interferon beta-1b)		
	COPAXONE (glatiramer)		
Implement 4/1/06	REBIF (interferon beta-1a)		

REVISED 10/4/06 Implementation Date: 10/02/06 Originally Posted 9/15/06

Version II of II

		VEISION II OI II	Originally Posted 9/15/00
THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
NSAIDS		NONSELECTIVE	The preferred agents must be tried before a non-preferred agent
	diclofenac	ADVIL (ibuprofen)	will be authorized unless one of the exceptions on the PA form is
Implement 10/2/06	etodolac	ANAPROX (naproxen)	present.
	fenoprofen	ANSAID (flurbiprofen)	
	flurbiprofen	CATAFLAM (diclofenac)	
	ibuprofen (Rx and OTC)	CLINORIL (sulindac)	
	indomethacin	DAYPRO (oxaprozin)	
	ketoprofen	FELDENE (piroxicam)	
	ketorolac	INDOCIN (indomethacin)	
	naproxen (Rx only)	LODINE (etodolac)	
	oxaprozin	meclofenamate	
	piroxicam	MOTRIN (ibuprofen)	
	PONSTEL (meclofenamate)	nabumetone	
	sulindac	NALFON (fenoprofen)	
	tolmetin	NAPRELAN (naproxen)	
		NAPROSYN (naproxen)	
		NUPRIN (ibuprofen)	
		ORUDIS (ketoprofen)	
		ORUVAIL (ketoprofen)	
		RELAFEN (nabumetone)	
		TOLECTIN (tolmetin)	
		TORADOL (ketorolac)	
		VOLTAREN (diclofenac)	
	NSAID/0	GI PROTECTANT COMBINATIONS	
		ARTHROTEC (diclofenac/misoprostol)	
		PREVACID NAPRAPAC (naproxen/lansoprazole)	
		COX-II SELECTIVE ^{CL}	COV II coloctive NCAIDs will be expressed for petitode with a CI
		CELEBREX (celecoxib)	COX-II selective NSAIDs will be approved for patients with a GI Risk Score of >13.
		meloxicam	
		MOBIC (meloxicam)	

Version II of II

REVISED 10/4/06 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
OPHTHALMIC ANTIBIOTICS	FLUOF	OQUINOLONES	All of the preferred agents must be tried before non-preferred agents
Implement 10/2/06	VIGAMOX (moxifloxacin)	ciprofloxacin CILOXAN (ciprofloxacin)	will be authorized unless one of the exceptions on the PA form is present.
		OCUFLOX (ofloxacin)	
		ofloxacin	
		QUIXIN (levofloxacin)	
		ZYMAR (gatifloxacin)	
	OTHER	SINGLE AGENTS	
	bacitracin	BLEPH-10 (sulfacetamide)	
	erythromycin	GENOPTIC (gentamicin)	
	gentamicin	TOBREX (tobramycin)	
	polymyxin B		
	sulfacetamide		
	tobramycin		
		NATION AGENTS	
	neomycin/polymyxin/bacitracin	NEOSPORIN (neomycin/polymyxin/bacitracin)	
	neomycin/polymyxin/gramicidin	NEOSPORIN (neomycin/polymyxin/gramicidin)	
	polymyxin/bacitracin	POLYSPORIN (polymyxin/bacitracin)	
	polymyxin/trimethoprim	POLYTRIM (polymyxin/trimethoprim)	
OPHTHALMICS FOR ALLERGIC CONJUNCTIVITIS	ACULAR (ketorolac)	ALOCRIL (nedocromil)	All of the preferred agents must be tried before non-preferred agents
ALLERGIC CONJUNCTIVITIS	ALREX (loteprednol)	ALAMAST (pemirolast)	will be authorized, unless one of the exceptions on the PA form is present.
Implement 10/2/06	cromolyn	ALOMIDE (lodoxamide)	proofit.
Implement 10/2/06	ELESTAT (epinastine)	CROLOM (cromolyn)	
	OPTIVAR (azelastine)	EMADINE (emedastine)	
	PATANOL (olopatadine)	OPTICROM (cromolyn)	
		ZADITOR (ketotifen)	

Version II of II

REVISED 10/4/06 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA
DRUG CLASS			CRITERIA
OPHTHALMICS, GLAUCOMA AGENTS	-	MPATHOMIMETICS	Authorization for a non-preferred agent will only be given if there is an allergy to the preferred agents.
AGENTO	CARBOPTIC (carbachol)	ISOPTO CARPINE (pilocarpine)	allorgy to the preferred agents.
Implement 10/2/06	ISOPTO CARBACHOL (carbachol)	PILOPINE HS (pilocarpine)	
Implement 10/2/00	PHOSPHOLINE IODIDE (echothiophate		
	iodide)		
	pilocarpine	ATHOMIMETICS	
		ATHOMIMETICS	
	ALPHAGAN P (brimonidine)	ALPHAGAN (brimonidine)	
	brimonidine	PROPINE (dipivefrin)	
	dipivefrin		
		A BLOCKERS	
	BETIMOL (timolol)	BETAGAN (levobunolol)	
	BETOPTIC S (betaxolol)	ISTALOL (timolol)	
	betaxolol	OPTIPRANOLOL (metipranolol)	
	carteolol	TIMOPTIC (timolol)	
	levobunolol		
	metipranolol		
	timolol		
	CARBONIC AN	HYDRASE INHIBITORS	
	AZOPT (brinzolamide)		
	TRUSOPT (dorzolamide)		
	PROSTAGLANDIN ANALOGS		
	LUMIGAN (bimatoprost)	XALATAN (latanoprost)	
	TRAVATAN (travoprost)		
	, , ,		
	COMBINATION AGENTS		
	COSOPT (dorzolamide/timolol)		
OTIC ANTIBIOTIC	CIPRODEX	CIPRO HC (ciprofloxacin/hydrocortisone)	All of the preferred agents must be tried before a non-preferred agent
PREPARATIONS	(ciprofloxacin/dexamethasone)	CORTISPORIN (neomycin/polymyxin/hydrocortisone)	will be approved unless one of the exceptions on the PA form is present.
	COLY-MYCIN S (neomycin/hydrocortisone)	CORTISPORIN TC (neomycin/hydrocortisone)	
Effective 4/1/06	FLOXIN (ofloxacin)	PEDIOTIC (neomycin/polymyxin/hydrocortisone)	
	neomycin/polymyxin/hydrocortisone	- (() - ()	

REVISED 10/4/06 Implementation Date: 10/02/06 Originally Posted 9/15/06

Version II of II

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PHOSPHATE BINDERS Implement 4/1/06	FOSRENOL (lanthanum) PHOSLO (calcium acetate) RENAGEL (sevelamer)	MAGNEBIND 400 (magnesium/calcium carbonate)	A trial of the preferred agents will be required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
PLATELET AGGREGATION INHIBITORS Implement 10/2/06	AGGRENOX (dipyridamole/ASA) PLAVIX (clopidogrel)	dipyridamole PERSANTINE (dipyridamole) TICLID (ticlopidine) ticlopidine	All of the preferred agents must be tried before a non-preferred agent will be approved unless one of the exceptions on the PA form is present.
PROTON PUMP INHIBITORS (Oral) Implement 4/1/06	NEXIUM (esomeprazole) PREVACID (lansoprazole)	ACIPHEX (rabeprazole) omeprazole PROTONIX (pantoprazole) ZEGERID (omeprazole)	The preferred agents must be tried before a non-preferred agent will be approved unless one of the exceptions on the PA form is present.
SEDATIVE HYPNOTICS	BEN	IZODIAZEPINES	Each of the preferred agents, in its respective class, must be tried for 10
Implement 4/1/06	temazepam	DALMANE (flurazepam) DORAL (quazepam) estazolam flurazepam HALCION (triazolam) PROSOM (estazolam) RESTORIL (temazepam) triazolam	days before a non-preferred agent in that class will be authorized.
		OTHERS	
	AMBIEN (zolpidem) LUNESTA (eszopiclone) ROZEREM (ramelteon) SONATA (zaleplon)	AMBIEN CR (zolpidem) AQUA CHLORAL (chloral hydrate) chloral hydrate SOMNOTE (chloral hydrate)	

Version II of II

REVISED 10/4/06 Implementation Date: 10/02/06 Originally Posted 9/15/06

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
STIMULANTS AND	An	MPHETAMINES	Except for Strattera, PA is required for adults >18 years.
RELATED AGENTS	ADDERALL XR (amphetamine salt	ADDERALL (amphetamine salt combination)	
	combination)	DESOXYN (methamphetamine)	One of the preferred agents in each group (amphetamines and non-
Implement 10/2/06	amphetamine salt combination	DEXEDRINE (dextroamphetamine)	amphetamines) must be tried before a non-preferred agent will be
	dextroamphetamine	DEXTROSTAT(dextroamphetamine)	authorized.
	NON	-AMPHETAMINE	
	CONCERTA (methylphenidate)	DAYTRANA (methylphenidate) ^{NR}	Amphetamines will be authorized for the treatment of depression only after documented failure of multiple antidepressants.
	FOCALIN (dexmethylphenidate)	METADATE ER (methylphenidate)	documented failure of multiple antidepressants.
	FOCALIN XR (dexmethylphenidate)	pemoline	Provigil will only be approved for patients >16 years of age with a
	METADATE CD (methylphenidate)	PROVIGIL (modafanil)	diagnosis of narcolepsy.
	methylphenidate	RITALIN (methylphenidate)	3
	methylphenidate ER	RITALIN LA (methylphenidate)	Straterra will not be approved for concurrent administration with
	STRATTERA (atomoxetine)	RITALIN-SR (methylphenidate)	amphetamines or methyphenidates, exept for 30 days or less for tapering purposes. Only two doses of each strength, or two concurrent doses of
			any strength, and a maximum of one dose of a 60 mg capsule, will be approved in a 34-day period.
ULCERATIVE COLITIS		ORAL	The preferred agents of a dosage form must be tried before a non-
AGENTS	ASACOL (mesalamine)	AZULFIDINE (sulfasalazine)	preferred agent of that dosage form will be authorized unless one of the
	DIPENTUM (olsalazine)	COLAZAL (balsalazide)	exceptions on the PA form is present.
Implement 4/1/06	PENTASA (mesalamine)		
	sulfasalazine		
		RECTAL	
	CANASA (mesalamine)	ROWASA (mesalamine)	
	Mesalamine		