Effective 9/2/08 Version 2008.7

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ACNE AGENTS, TOPICAL	AKNE-MYCIN (erythromycin) AZELEX (azelaic acid) clindamycin erythromycin sodium sulfacetamide	CLEOCIN-T (clindamycin) EVOCLIN (clindamycin) KLARON (sodium sulfacetamide) EETINOIDS AVITA DIFFERIN (adapalene) RETIN-A cream, gel (tretinoin)	A trial of at least 30 days each with at least one preferred retinoid and two unique chemical entities in at least two other subclasses, including the generic version of a requested non-preferred product, will be required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. (In cases of pregnancy, a trial of retinoids will not be required.) PA required after 17 years of age for tretinoin products.
	BENZAC WASH (benzoyl peroxide) benzoyl peroxide ETHEXDERM (benzoyl peroxide) OSCION (benzoyl peroxide)	BREVOXYL (benzoyl peroxide) DESQUAM (benzoyl peroxide) LAVOCLEN (benzoyl peroxide) TRIAZ (benzoyl peroxide) NATION AGENTS	With the exception of Duac CS, acne kits are non-preferred
	benzoyl peroxide/urea DUAC CS (benzoyl peroxide/ clindamycin) erythromycin/benzoyl peroxide sulfacetamide sodium/sulfur wash/cleanser	BENZACLIN GEL (benzoyl peroxide/clindamycin) BENZAMYCIN PAK (benzoyl peroxide/erythromycin) CLENIA (sulfacetamide sodium/sulfur) INOVA 4/1 (benzoyl peroxide/salicylic acid) NUOX (benzoyl peroxide/sulfur) PLEXION (sulfacetamide sodium/sulfur) PRASCION (sulfacetamide sodium/sulfur) ROSAC (sulfacetamide sodium/avobenzone/sulfur) ROSADERM (sulfacetamide sodium/sulfur) ROSANIL (sulfacetamide sodium/sulfur) ROSULA (sulfacetamide sodium/sulfur/urea) sulfacetamide sodium/sulfur lotion, gel SULFOXYL (benzoyl peroxide/sulfur) SULFATOL (sulfacetamide sodium/sulfur/urea) ZIANA (clindamycin/tretinoin)	

Effective 9/2/08 Version 2008.7

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ALZHEIMER'S AGENTS	CHOLINESTE ARICEPT (donepezil) ARICEPT ODT(donepezil) EXELON (rivastigmine)	RASE INHIBITORS COGNEX (tacrine) RAZADYNE (galantamine) RAZADYNE ER (galantamine)	A trial of a preferred agent will be required before a non-preferred agent In this class will be authorized.
	NMDA RECEP	TOR ANTAGONIST	
	NAMENDA (memantine)		

Effective 9/2/08 Version 2008.7

THERAPEUTIC DRUG CLASS	PREFERRED	NON-PREFERRED	PA
	AGENTS	AGENTS	CRITERIA
ANALGESICS, NARCOTIC - SHORT ACTING (Non-parenteral)	APAP/codeine ASA/codeine codeine dihydrocodone/APAP hydrocodone/ibuprofen hydromorphone levorphanol morphine oxycodone/APAP oxycodone/APAP pentazocine/APAP pentazocine/APAP ROXICET (oxycodone/acetaminophen) tramadol tramadol/APAP VOPAC (codeine/acetaminophen)	ACTIQ (fentanyl) butalbital/APAP/caffeine/codeine butalbital/ASA/caffeine/codeine butorphanol COMBUNOX (oxycodone/ibuprofen) DARVOCET (propoxyphene/APAP) DARVON (propoxyphene) DEMEROL (meperidine) DILAUDID (hydromorphone) fentanyl FENTORA (fentanyl) FIORICET W/ CODEINE	A trial of at least four (4) chemically distinct (based or narcotic ingredient only) preferred agents, including the generic formulation of a requested non-preferred product, must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. Fentanyl lozenges will only be approved as an adjunct to a long-acting agent. Fentanyl lozenges will not be approved for monotherapy. Limits: Quantities exceeding 240 tablets per 30 days (8 tablets/day) for agents containing 500 mg of acetaminophen will require a prior authorization. .

Effective 9/2/08 Version 2008.7

THERAPEUTIC DRUG CLASS ANALGESICS, NARCOTIC - LONG ACTING (Non-parenteral)	PREFERRED AGENTS fentanyl KADIAN (morphine) methadone morphine ER ANDRODERM (testosterone)	NON-PREFERRED AGENTS AVINZA (morphine) DURAGESIC (fentanyl) MS CONTIN (morphine) OPANA ER (oxymorphone) ORAMORPH SR (morphine) oxycodone ER OXYCONTIN (oxycodone) ULTRAM ER (tramadol) TESTIM (testosterone)	PA CRITERIA A total of four (4) preferred narcotic analgesics, including at least one long-acting agent, must be tried for at least six (6) days before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. The generic form of the requested non-preferred agent, if available, must be tried before the non-preferred agent will be approved. Exception: Oxycodone ER will be authorized if a diagnosis of cancer is submitted without a trial of the preferred agents. The non-preferred agents will be approved only if one
ANDROGENIC AGENTS	ANDROGEL (testosterone)	TESTIWI (lestosterone)	of the exceptions on the PA form is present.
ANGIOTENSIN MODULATORS	ALTACE (ramipril) benazepril captopril enalapril fosinopril lisinopril quinapril	ACCUPRIL (quinapril) ACEON (perindopril) CAPOTEN (captopril) LOTENSIN (benazepril) MAVIK (trandolapril) moexipril MONOPRIL (fosinopril) PRINIVIL (lisinopril) ramipril trandolapril UNIVASC (moexipril) VASOTEC (enalapril) ZESTRIL (lisinopril)	Each of the preferred agents in the corresponding group and the generic formulation of the requested non-preferred agent, with the exception of Direct Renin Inhibitors, must be tried for at least two weeks each before a non-preferred agent in that group will be authorized unless one of the exceptions on the PA form is present.
	benazepril/amlodipine benazepril/HCTZ captopril/HCTZ enalapril/HCTZ fosinopril/HCTZ lisinopril/HCTZ quinapril/HCTZ	ACCURETIC (quinapril/HCTZ) CAPOZIDE (captopril/HCTZ) LEXXEL (enalapril/felodipine) LOTENSIN HCT (benazepril/HCTZ) LOTREL (benazepril/amlodipine) moexipril/HCTZ MONOPRIL HCT (fosinopril/HCTZ) PRINZIDE (lisinopril/HCTZ) TARKA (trandolapril/verapamil) UNIRETIC (moexipril/HCTZ) VASERETIC (enalapril/HCTZ) ZESTORETIC (lisinopril/HCTZ)	

Effective 9/2/08 Version 2008.7

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANGIOTENSIN MODULATORS	ANGIOTENSIN II RECE	PTOR BLOCKERS (ARBs)	
	AVAPRO (irbesartan) BENICAR (olmesartan) COZAAR (losartan) DIOVAN (valsartan) MICARDIS (telmisartan)	ATACAND (candesartan) TEVETEN (eprosartan)	
	ARB COI	MBINATIONS	
	AVALIDE (irbesartan/HCTZ) BENICAR-HCT (olmesartan/HCTZ) DIOVAN-HCT (valsartan/HCTZ) EXFORGE (valsartan/amlodipine) HYZAAR (losartan/HCTZ) MICARDIS-HCT (telmisartan/HCTZ)	ATACAND-HCT (candesartan/HCTZ) AZOR (olmesartan/amlodipine) TEVETEN-HCT (eprosartan/HCTZ)	
	DIRECT REI	NIN INHIBITORS	A thirty-day trial of one of the preferred ACE, ARB,
		TEKTURNA (aliskiren)	or combination agents, at the maximum tolerable dose, is required before Tekturna will be approved.
ANTICOAGULANTS, INJECTABLE ^{CL}	ARIXTRA (fondaparinux) FRAGMIN (dalteparin) LOVENOX (enoxaparin)	INNOHEP (tinzaparin)	A trial of each of the preferred agents will be required before a non-preferred agent will be approved unless one of the exceptions on the PA form is present.

Effective 9/2/08 Version 2008.7

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTICONVULSANTS	ADJ	UVANTS	Treatment naive patients must have a trial of a
	carbamazepine CARBATROL (carbamazepine) DEPAKOTE (divalproex) DEPAKOTE ER (divalproex) DEPAKOTE SPRINKLE (divalproex) FELBATOL (felbamate) gabapentin GABITRIL (tiagabine) KEPPRA (levetiracetam) LAMICTAL (lamotrigine) LYRICA (pregabalin) TOPAMAX (topiramate) TRILEPTAL (oxcarbazepine) valproic acid zonisamide	DEPAKENE (valproic acid) Divalproex EC EQUETRO (carbamazepine) lamotrigine NEURONTIN (gabapentin) oxcarbazepine STAVZOR (valproic acid) - NR TEGRETOL (carbamazepine) TEGRETOL XR (carbamazepine) ZONEGRAN (zonisamide)	preferred agent before a non-preferred agent in its corresponding class will be authorized. Additions to that therapy will require a trial of preferred agent in its respective class unless one of the exceptions on the PA form is present.
	BARB	TURATES	
	mephobarbital phenobarbital primidone	MEBARAL (mephobarbital) MYSOLINE (primidone)	
	BENZOI	DIAZEPINES	
	clonazepam DIASTAT (diazepam rectal) diazepam	KLONOPIN (clonazepam)	
	HYDA	ANTOINS	
	DILANTIN INFATABS (phenytoin) PEGANONE (ethotoin) phenytoin	CEREBYX (fosphenytoin) DILANTIN (phenytoin) EPITOL (phenytoin) PHENYTEK (phenytoin)	
		INIMIDES	
	CELONTIN (methsuximide) ethosuximide	ZARONTIN (ethosuximide)	

Effective 9/2/08 Version 2008.7

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIDEPRESSANTS, OTHER (second generation, non-SSRI)	bupropion SR CYMBALTA (duloxetine) EFFEXOR XR (venlafaxine) mirtazapine trazodone	bupropion IR bupropion XL DESYREL (trazodone) EFFEXOR (venlafaxine) EMSAM (selegiline) nefazodone PRISTIQ (desvenlafaxine) REMERON (mirtazapine) venlafaxine WELLBUTRIN (bupropion) WELLBUTRIN SR (bupropion) WELLBUTRIN XL (bupropion)	A non-preferred agent will only be authorized if there has been a six-week trial of an SSRI and a preferred agent in this class unless one of the exceptions on the PA form is present.
ANTIDEPRESSANTS, SSRIS	citalopram fluoxetine fluvoxamine paroxetine sertraline	CELEXA (citalopram) LEXAPRO (escitalopram) LUVOX (fluvoxamine) LUVOX CR (fluvoxamine) PAXIL (paroxetine) PAXIL CR (paroxetine) paroxetine ER PEXEVA (paroxetine) PROZAC (fluoxetine) RAPIFLUX (fluoxetine) SARAFEM (fluoxetine) ZOLOFT (sertraline)	A trial of two of the preferred agents will be required, for at least 30 days, before a non-preferred agent will be approved unless one of the exceptions on the PA form is present. Upon hospital discharge, patients admitted with a primary mental health diagnosis and have been stabilized on a non-preferred SSRI will receive authorization to continue that drug.

Effective 9/2/08 **Version 2008.7**

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIEMETICS, ORAL	ondansetron ondansetron ODT	ANZEMET (dolasetron) KYTRIL (granisetron) granisetron ZOFRAN (ondansetron) ZOFRAN ODT (ondansetron)	A trial of the preferred agent is required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. PA is required when limits are exceeded.
	CANN	ABINOIDS CESAMET (nabilone) MARINOL (dronabinol)	Cesamet will be authorized only for the treatment of nausea and vomiting associated with cancer chemotherapy for patients who have failed to respond adequately to conventional treatments such as promethazine or ondansetron and are over 18 years of age. Marinol will be authorized only for the treatment of anorexia associated with weight loss in patients with AIDS or cancer and unresponsive to megestrol, the prophylaxis of chemotherapy induced nausea and vomiting unresponsive to ondansetron or promethazine and for patients between the ages of 18 and 65 years of age.
	SUBSTANCE EMEND (aprepitant)	P ANTAGONISTS	PA is required when limits are exceeded.
ANTIFUNGALS, ORAL	clotrimazole fluconazole* ketoconazole cL nystatin terbinafine cL	ANCOBON (flucytosine) DIFLUCAN (fluconazole) GRIFULVIN V (griseofulvin) griseofulvin GRIS-PEG (griseofulvin) itraconazole LAMISIL (terbinafine) MYCELEX (clotrimazole) MYCOSTATIN Tablets (nystatin) NIZORAL (ketoconazole) NOXAFIL (posaconazole) SPORANOX (itraconazole) VFEND (voriconazole)	Non-preferred agents will be approved only if one of the exceptions on the PA form is present. *PA is required when limits are exceeded. PA is not required for Grifulvin-V Suspension for children up to 6 years of age for the treatment of tinea capitis.

Effective 9/2/08 Version 2008.7

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIFUNGALS, TOPICAL	econazole ketoconazole MENTAX (butenafine) NAFTIN (naftifine) nystatin	ciclopirox ERTACZO (sertaconazole) EXELDERM (sulconazole) LOPROX (ciclopirox) MYCOSTATIN (nystatin) NIZORAL (ketoconazole) OXISTAT (oxiconazole) PENLAC (ciclopirox) SPECTAZOLE (econazole) VUSION (miconazole/petrolatum/zinc oxide) XOLEGEL (ketoconazole)	Two of the preferred agents must be tried for at least two weeks each before one of the non-preferred agents will be authorized unless one of the exceptions on the PA form is present.
	ANTIFUNGAL/STE	ROIDCOMBINATIONS	
	clotrimazole/betamethasone nystatin/triamcinolone	LOTRISONE (clotrimazole/betamethasone) MYCOLOG (nystatin/triamcinolone)	
ANTIHISTAMINES, MINIMALLY SEDATING	ANTIHISTAMINES		A trial of at least 2 chemically distinct preferred agents, in the age appropriate form, including the
SEDATING	ALAVERT (loratadine) cetirizine (OTC) loratadine TAVIST-ND (loratadine)	ALLEGRA (fexofenadine) CLARINEX Tablets (desloratadine) CLARINEX REDITABS (desloratadine) CLARINEX Syrup (desloratadine) CLARITIN (loratadine) fexofenadine XYZAL (levocetirizine) ZYRTEC (Rx and OTC) (cetirizine) ZYRTEC SYRUP (Rx and OTC) (cetirizine)	generic formulation of a requested non-preferred product, must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
		IGESTANT COMBINATIONS	
	ALAVERT-D (loratadine/pseudoephedrine) cetirizine /pseudoephedrine (OTC) loratadine/pseudoephedrine SEMPREX-D (acrivastine/ pseudoephedrine)	ALLEGRA-D (fexofenadine/pseudoephedrine) CLARINEX-D (desloratadine/pseudoephedrine) CLARITIN-D (loratadine/pseudoephedrine) ZYRTEC-D (Rx and OTC) (cetirizine/pseudoephedrine)	

Effective 9/2/08 Version 2008.7

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIMIGRAINE AGENTS, TRIPTANS	AMERGE (naratriptan) IMITREX (sumatriptan) MAXALT (rizatriptan) RELPAX (eletriptan)	AXERT (almotriptan) FROVA (frovatriptan) ZOMIG (zolmitriptan)	All of the preferred agents must be tried before a non-preferred agent will be approved unless one of the exceptions on the PA form is present. Quantity limits apply for this drug class.
	TRIPTAN C TREXIMET (sumatriptan/naproxen sodium)	OMBINATIONS	
ANTIPARKINSON'S AGENTS (Oral)	benztropine KEMADRIN (procyclidine)	DLINERGICS COGENTIN (benztropine)	Patients starting therapy on drugs in this class must show a documented allergy to all of the preferred agents, in the corresponding class, before a non-preferred agent will be authorized.
	trihexyphenidyl COMT INHIBITORS		
		COMTAN (entacapone) TASMAR (tolcapone)	
		IE AGONISTS	4
	ropinirole	MIRAPEX (pramipexole) REQUIP (ropinirole) REQUIP XL (ropinirole)	
		RKINSON'S AGENTS	
	carbidopa/levodopa selegiline STALEVO (levodopa/carbidopa/entacapone)	AZILECT (rasagiline) ELDEPRYL (selegiline) PARCOPA (levodopa/carbidopa) SINEMET (levodopa/carbidopa) ZELAPAR (selegiline)	

Effective 9/2/08 **Version 2008.7**

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIPSYCHOTICS, ATYPICAL (Oral)	clozapine GEODON (ziprasidone) INVEGA (paliperidone) RISPERDAL (risperidone) SEROQUEL (quetiapine) SEROQUEL XR (quetiapine)	ABILIFY (aripiprazole) CLOZARIL (clozapine) FAZACLO (clozapine) risperidone ZYPREXA (olanzapine) OTIC/SSRI COMBINATIONS SYMBYAX (olanzapine/fluoxetine)	Treatment naïve patients for this class of drugs will be required to try a preferred agent for two weeks unless one of the exceptions on the PA form is present. Upon discharge, hospitalized patients stabilized on non-preferred agents will receive authorization to continue these drugs for labeled indications and at recommended dosages. Abilify will be prior authorized for MDD if the following criteria are met: 1. The patient is at least 18 year of age. 2. Diagnosis of Major Depressive Disorder (MDD) not responsive to other antidepressants. 3. Evidence of trials of appropriate therapeutic duration at a maximum tolerable dose of at least two (2) of the following agents: Selective Serotonin Reuptake Inhibitors (SSRI), Norepinephrine Reuptake Inhibitors, or bupropion. 4. Prescribed in conjunction with an SSRI, SNRI or bupropion. The daily dose does not exceed 15 mg.
ANTIVIRALS (Oral)	ANTI	HERPES	All of the appropriate preferred agents must be tried before the non-preferred agents will be
	acyclovir VALTREX (valacyclovir)	FAMVIR (famciclovir) ZOVIRAX (acyclovir)	authorized unless one of the exceptions on the PA form is present.
		NFLUENZA	All of the appropriate preferred agents must be tried before the non-preferred agents will be
	amantadine	FLUMADINE (rimantadine) RELENZA (zanamivir) rimantadine SYMMETREL (amantadine) TAMIFLU (oseltamivir)	authorized unless one of the exceptions on the PA form is present.
ATOPIC DERMATITIS	ELIDEL (pimecrolimus) PROTOPIC (tacrolimus)		

Effective 9/2/08 Version 2008.7

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BETA BLOCKERS (Oral)	BE	TA BLOCKERS	A trial of three chemically distinct preferred agents,
	acebutolol atenolol betaxolol bisoprolol metoprolol metoprolol ER nadolol pindolol propranolol propranolol ER sotalol timolol	BETAPACE (sotalol) BLOCADREN (timolol) BYSTOLIC (nebivolol) CARTROL (carteolol) CORGARD (nadolol) INDERAL LA (propranolol) INNOPRAN XL (propranolol) KERLONE (betaxolol) LEVATOL (penbutolol) LOPRESSOR (metoprolol) SECTRAL (acebutolol) TENORMIN (atenolol)	including the generic formulation of a requested non-preferred product, is required before one of the non-preferred agents will be approved unless one of the exceptions on the PA form is present. Toprol XL will be approved after a trial of an equivalent generic formulation when there is a diagnosis of cardiovascular complications, asthma chronic bronchitis, COPD, or failure to achieve the desired outcomes on the generic formulation.
		TOPROL XL (metoprolol) ZEBETA (bisoprolol)	
	BETA BLOCKER/DI	URETIC COMBINATION DRUGS	
	atenolol/chlorthalidone bisoprolol/HCTZ metoprolol/HCTZ nadolol/bendroflumethiazide propranolol/HCTZ BETA- AN	CORZIDE (nadolol/bendroflumethiazide) INDERIDE (propranolol/HCTZ) LOPRESSOR HCT (metoprolol/HCTZ) TENORETIC (atenolol/chlorthalidone) ZIAC (bisoprolol/HCTZ) D ALPHA-BLOCKERS	
	carvedilol labetalol	COREG (carvedilol) COREG CR (carvedilol) TRANDATE (labetalol)	
BLADDER RELAXANT PREPARATIONS	ENABLEX (darifenacin) oxybutynin oxybutynin ER OXYTROL (oxybutynin) SANCTURA (trospium) SANCTURA XR (trospium) VESICARE (solifenacin)	DETROL (tolterodine) DETROL LA (tolterodine) DITROPAN (oxybutynin) DITROPAN XL (oxybutynin)	A trial of at least one of each of the chemically distinct preferred agents must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.

Effective 9/2/08 Version 2008.7

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
BONE RESORPTION	BISPHOSPHONATES		One of the preferred agents must be tried for at
SUPPRESSION AND RELATED AGENTS	alendronate FOSAMAX PLUS D (alendronate/vitamin D)	ACTONEL (risedronate) ACTONEL WITH CALCIUM (risedronate/calcium) BONIVA (ibandronate) DIDRONEL (etidronate) FOSAMAX (alendronate)	least one month before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
	OTHER BONE RESORPTION SU	JPPRESSION AND RELATED AGENTS	Frieto villa o anno va diference to a constant
	MIACALCIN (calcitonin)	EVISTA (raloxifene) FORTEO (teriparatide) FORTICAL (calcitonin)	 Evista will be approved for postmenopausal women with osteoporosis or at high risk for invasive breast cancer.
BPH AGENTS	5-ALPHA-REDUCT	TASE (5AR) INHIBITORS	A trial of at least two (2) chemically distinct
	AVODART (dutasteride)	finasteride PROSCAR (finasteride)	 preferred agents, including the generic formulation of a requested non-preferred agent, must be tried before a non-preferred agent will be authorized
	ALPHA BLOCKERS		unless one of the exceptions on the PA form is present.
	doxazosin FLOMAX (tamsulosin) terazosin UROXATRAL (alfuzosin)	CARDURA (doxazosin) CARDURA XL (doxazosin) HYTRIN (terazosin)	- present.
BRONCHODILATORS,	ANTICHOLINERGIC		The preferred agents in the class must be tried
ANTICHOLINERGIC	ATROVENT HFA (ipratropium) ipratropium SPIRIVA (tiotropium)	ATROVENT Inhalation Solution (ipratropium)	before the non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
	ANTICHOLINERGIC-BE	TA AGONIST COMBINATIONS	For severely compromised patients,
	COMBIVENT (albuterol/ipratropium)	albuterol/ipratropium DUONEB (albuterol/ipratropium)	albuterol/ipratropium will be approved if the combined volume of albuterol and ipratropium nebules is inhibitory.

Effective 9/2/08 Version 2008.7

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BRONCHODILATORS, BETA AGONIST	albuterol INHALERS FORADIL (formoterol)	ACCUNEB (albuterol)** BROVANA (arformoterol) NR metaproterenol PERFOROMIST (formoterol) NR PROVENTIL (albuterol) XOPENEX (levalbuterol) , LONG-ACTING SEREVENT (salmeterol)	All of the preferred agents in a group must be tried before a non-preferred agent in that group will be authorized unless one of the exceptions on the PA form is present. Xopenex Inhalation Solution will be approved for 12 months for a diagnosis of asthma or COPD for patients on concurrent asthma controller therapy (either oral or inhaled) with documentation of failure on a trial of albuterol or documented intolerance of albuterol, or for concurrent diagnosis of heart disease.
	albuterol CFC MAXAIR (pirbuterol) PROAIR HFA (albuterol) PROVENTIL HFA (albuterol) VENTOLIN HFA (albuterol) XOPENEX HFA (levalbuterol)	ALUPENT (metaproterenol) PROVENTIL (albuterol) ORAL	**No PA is required for ACCUNEB for children up to 5 years of age.
	albuterol terbutaline	BRETHINE (terbutaline) metaproterenol VOSPIRE ER (albuterol)	

Effective 9/2/08 **Version 2008.7**

THE A DELITIO			
THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CALCIUM CHANNEL	I .	AGEN 15 G-ACTING	
BLOCKERS (Oral)	amlodipine CARDIZEM LA (diltiazem) diltiazem DYNACIRC CR (isradipine) felodipine ER nifedipine ER nisoldipine verapamil ER VERELAN PM (verapamil)	ADALAT CC (nifedipine) CALAN SR (verapamil) CARDENE SR (nicardipine) CARDIZEM CD (diltiazem) CARDIZEM SR (diltiazem) COVERA-HS (verapamil) DILACOR XR (diltiazem) ISOPTIN SR (verapamil) NORVASC (amlodipine) PLENDIL (felodipine) PROCARDIA XL (nifedipine) SULAR (nisoldipine) TIAZAC (diltiazem) VERELAN (verapamil)	The preferred agents must be tried before a non-preferred agent will be approved.
	SHOR	T-ACTING	
	diltiazem	ADALAT (nifedipine)	
	verapamil	CALAN (verapamil) CARDENE (nicardipine) CARDIZEM (diltiazem) DYNACIRC (isradipine) isradipine nicardipine nimodipine nifedipine NIMOTOP (nimodipine) PROCARDIA (nifedipine)	
CEPHALOSPORINS AND	BETA LACTAM/BETA-LACTAI	MASE INHIBITOR COMBINATIONS	The preferred agents must be tried before a non-
RELATED ANTIBIOTICS (Oral)	amoxicillin/clavulanate		preferred agent will be authorized unless one of
	СЕРНА	LOSPORINS	the exceptions on the PA form is present.
	cefaclor cefadroxil cefdinir cefpodoxime cefprozil cefuroxime cephalexin SPECTRACEF (cefditoren)	CECLOR (cefaclor) CEDAX (ceftibuten) CEFTIN (cefuroxime) CEFZIL (cefprozil) DURICEF (cefadroxil) KEFLEX (cephalexin) OMNICEF (cefdinir) PANIXINE (cephalexin) RANICLOR (cefaclor) SUPRAX (cefixime) VANTIN (cefpodoxime)	

Effective 9/2/08 Version 2008.7

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CYTOKINE & CAM ANTAGONISTS ^{CL}	ENBREL (etanercept) HUMIRA (adalimumab) KINERET (anakinra) RAPTIVA (efalizumab)	CIMZIA (certolizumab/pegol) ^{NR}	
ERYTHROPOIESIS STIMULATING PROTEINS CL	ARANESP (darbepoetin) PROCRIT (rHuEPO)	EPOGEN (rHuEPO)	The preferred agents must be tried before a non- preferred agent will be authorized unless one of the exceptions on the PA form is present.
FLUOROQUINOLONES, ORAL	AVELOX (moxifloxacin) CIPRO (ciprofloxacin) Suspension ciprofloxacin ciprofloxacin ER LEVAQUIN (levofloxacin)	CIPRO (ciprofloxacin) Tablets CIPRO XR (ciprofloxacin) FACTIVE (gemifloxacin) FLOXIN (ofloxacin) NOROXIN (norfloxacin) ofloxacin PROQUIN XR (ciprofloxacin)	One of the preferred agents must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
GENITAL WARTS AGENTS	ALDARA (imiquimod)	CONDYLOX (podofilox) podofilox VEREGEN (sinecatechins)	The preferred agent must be tried before a non- preferred agent will be authorized unless on of the exceptions on the PA form is present.
GLUCOCORTICOIDS, INHALED	AEROBID (flunisolide) AEROBID-M (flunisolide) ASMANEX (mometasone) AZMACORT (triamcinolone) FLOVENT HFA (fluticasone) QVAR (beclomethasone)	PULMICORT (budesonide)	All of the preferred agents of a dosage form must be tried before a non-preferred agent of that dosage form will be authorized unless one of the exceptions on the PA form is present. Pulmicort Respules do not require a prior authorization for children through 8 years of age or for individuals unable to use an MDI. When
	ADVAIR (fluticasone/salmeterol) ADVAIR HFA (fluticasone/salmeterol) SYMBICORT(budesonide/formoterol)	CHODILATOR COMBINATIONS	children who have been stabilized on Pulmicort Respules reach age 9, prescriptions for the Pulmicort inhaler will be authorized for them.
GROWTH HORMONE ^{CL}	GENOTROPIN (somatropin) NORDITROPIN (somatropin) NUTROPIN (somatropin) NUTROPIN AQ (somatropin) SAIZEN (somatropin) TEV-TROPIN (somatropin)	HUMATROPE (somatropin) INCRELEX (mecasermin) OMNITROPE (somatropin) SEROSTIM (somatropin) ZORBTIVE (somatropin)	The preferred agents must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. Patients already on a non-preferred agent will receive authorization to continue therapy on that agent for the duration of the existing PA.
HEPATITIS B TREATMENTS	EPIVIR HBV (lamivudine) HEPSERA (adefovir) TYZEKA (telbivudine)	BARACLUDE (entecavir)	One of the preferred agents must be tried before the non-preferred agent will be authorized unless one of the exceptions on the PA form is present.

Effective 9/2/08 Version 2008.7

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PEGASYS (pegylated interferon) ribavirin	COPEGUS (ribavirin) INFERGEN (consensus interferon) PEG-INTRON (pegylated interferon) REBETOL (ribavirin)	Patients starting therapy in this class must try the preferred agent of a dosage form before a non-preferred agent of that dosage form will be authorized.
BYETTA (exenatide) JANUMET (sitagliptin/metformin) JANUVIA (sitagliptin) SYMLIN (amylin)		Byetta and Symlin are both subject to the following step therapy edits: Byetta-Current history of therapy with a sulfonylurea, thiazolidinedione (TZD), and/or metformin. No gaps of therapy greater than 30 days in the past 180 days. Symlin- History of insulin utilization in the past 90 days. No gaps in therapy of greater than 30 days.
HUMALOG (insulin lispro) HUMALOG MIX (insulin lispro/lispro protamine) HUMULIN (insulin) LANTUS (insulin glargine) LEVEMIR (insulin detemir) NOVOLIN (insulin) NOVOLOG (insulin aspart) NOVOLOG MIX (insulin aspart/aspart protamine)	APIDRA (insulin glulisine) HUMALOG KWIKPEN (insulin lispro)	To receive Apidra, patients must meet the following criteria: 1. be 18 years or older; 2. be currently on a regimen including a longer-acting or basal insulin. 3. have had a trial of a similar preferred agent, Novolog or Humalog, with documentation that the desired results were not achieved.
STARLIX (nateglinide)	PRANDIN (repaglinide)	The preferred agent must be tried before a non- preferred agent will be authorized, unless one of the exceptions on the PA form is present.
THIAZOLI	DINEDIONES	
ACTOS (pioglitazone) AVANDIA (rosiglitazone)		
	MBINATIONS	1
ACTOPLUS MET (pioglitazone/metformin) AVANDAMET (rosiglitazone/metformin) AVANDARYL (rosiglitazone/glimepiride) DUETACT (pioglitazone/glimepiride)		
	PEGASYS (pegylated interferon) ribavirin BYETTA (exenatide) JANUMET (sitagliptin/metformin) JANUVIA (sitagliptin) SYMLIN (amylin) HUMALOG (insulin lispro) HUMALOG MIX	PEGASYS (pegylated interferon) ribavirin PEGASYS (pegylated interferon) ribavirin PEGASYS (pegylated interferon) REBETOL (consensus interferon) PEG-INTRON (pegylated interferon) REBETOL (ribavirin) BYETTA (exenatide) JANUMET (sitagliptin/metformin) JANUVIA (sitagliptin) SYMLIN (amylin) HUMALOG (insulin lispro) HUMALOG MIX (insulin lispro/lispro protamine) HUMALOG KWIKPEN (insulin lispro) HUMULIN (insulin) LANTUS (insulin glargine) LEVEMIR (insulin detemir) NOVOLIN (insulin) NOVOLOG (insulin aspart) NOVOLOG (insulin aspart) NOVOLOG (insulin aspart/aspart protamine) STARLIX (nateglinide) THIAZOLIDINEDIONES ACTOS (pioglitazone) AVANDIA (rosiglitazone) TZD COMBINATIONS ACTOPLUS MET (pioglitazone/metformin) AVANDARYL (rosiglitazone/glimepiride)

Effective 9/2/08 Version 2008.7

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
IMPETIGO AGENTS, TOPICAL	ALTABAX (retapamulin) mupirocin bacitracin gentamycin sulfate	BACTROBAN (mupirocin) CORTISPORIN (bacitracin/neomycin/polymyxin/HC)	A trial of one of at least one preferred agent, including the generic formulation of a requested non-preferred agent, must be tried for 10 days before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
INTRANASAL RHINITIS AGENTS	ANTICHO	DLINERGICS	All of the preferred agents, in corresponding categories, must be tried before a non-preferred
AGENTO		ATROVENT(ipratropium) ipratropium	agent will be authorized unless one of the exceptions on the PA form is present.
	ANTIHI	STAMINES	
	ASTELIN (azelastine)		7
	CORTIC	OSTEROIDS	
	fluticasone propionate NASACORT AQ (triamcinolone) NASONEX (mometasone) VERAMYST (fluticasone furoate)	BECONASE AQ (beclomethasone) flunisolide FLONASE (fluticasone propionate) NASALIDE (flunisolide) NASAREL (flunisolide) RHINOCORT AQUA (budesonide)	
LEUKOTRIENE MODIFIERS	ACCOLATE (zafirlukast) SINGULAIR (montelukast)	ZYFLO (zileuton)	The preferred agents must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.

Effective 9/2/08 Version 2008.7

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LIPOTROPICS, OTHER (non-statins)	cholestyramine colestipol	SEQUESTRANTS COLESTID (colestipol) QUESTRAN (cholestyramine) WELCHOL (colesevelam)	One of the preferred agents must be tried before a non-preferred agent in the corresponding category will be authorized.
		BSORPTION INHIBITORS ZETIA (ezetimibe)	Zetia, as monotherapy, will only be approved for patients who cannot take statins or other preferred agents.
		OMACOR (omega-3-acid ethyl esters) LOVAZA (omega-3-acid ethyl esters) DERIVATIVES	Zetia and Welchol will be approved for add-on therapy only after an insufficient response to the maximum tolerable dose of a statin after 12 weeks
	fenofibrate gemfibrozil TRICOR (fenofibrate)	ANTARA (fenofibrate) fenofibrate, micronized LOFIBRA (fenofibrate) LOPID (gemfibrozil) TRIGLIDE (fenofibrate)	of therapy.
	niacin NIASPAN (niacin)	NIACIN NIACELS (niacin) NIADELAY (niacin) SLO-NIACIN (niacin	
LIPOTROPICS, STATINS	CRESTOR (rosuvastatin) LESCOL (fluvastatin) LESCOL XL (fluvastatin) LIPITOR (atorvastatin) lovastatin pravastatin simvastatin	ALTOPREV (lovastatin) MEVACOR (lovastatin) PRAVACHOL (pravastatin) ZOCOR (simvastatin) COMBINATIONS VYTORIN (simvastatin/ ezetimibe)	One of the preferred statins, including the generic formulation of a requested non-preferred agent, must be tried for 12 weeks before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present Vytorin will be approved only after an insufficient response to the maximum tolerable dose of Lipitor (atorvastatin) or Crestor (rosuvastatin) after 12 weeks, unless one of the exceptions on the PA form is present. Members on Vytorin 10/80 will be grandfathered on that therapy. Members on all other strengths of Vytorin will be grandfathered until 6/30/08 on that therapy, but their prescriptions will require prior authorization after that period. (See letter to providers.)

Effective 9/2/08 Version 2008.7

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
MACROLIDES/KETOLIDES (Oral)	KET	OLIDES KETEK (telithromycin)	Requests for telithromycin will be authorized if there is documentation of the use of any antibiotic
	MAC	ROLIDES	within the past 28 days.
	azithromycin clarithromycin erythromycin	BIAXIN (clarithromycin) BIAXIN XL (clarithromycin) clarithromycin ER E.E.S. (erythromycin ethylsuccinate) E-MYCIN (erythromycin) ERYC (erythromycin) ERYPED (erythromycin ethylsuccinate) ERY-TAB (erythromycin) ERYTHROCIN (erythromycin stearate) erythromycin estolate PCE (erythromycin) ZITHROMAX (azithromycin) ZMAX (azithromycin)	The preferred agents must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
MULTIPLE SCLEROSIS AGENTS ^{CL}	AVONEX (interferon beta-1a) BETASERON (interferon beta-1b) COPAXONE (glatiramer) REBIF (interferon beta-1a)	TYSABRI (natalizumab)	A trial of a preferred agent will be required before a trial of a non-preferred agent will be approved. Tysabri will only be approved for members who meet the conditions and are enrolled the TOUCH Prescribing Program.

Effective 9/2/08 Version 2008.7

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
NSAIDS	NONSELECTIVE		The preferred agents must be tried before a non-
	diclofenac etodolac fenoprofen flurbiprofen ibuprofen (Rx and OTC) INDOCIN (indomethacin) (suspension only) indomethacin ketorolac naproxen (Rx only) oxaprozin piroxicam sulindac	ADVIL (ibuprofen) ANAPROX (naproxen) ANSAID (flurbiprofen) CATAFLAM (diclofenac) CLINORIL (sulindac) DAYPRO (oxaprozin) FELDENE (piroxicam) FLECTOR PATCH (diclofenac) INDOCIN (indomethacin) ketoprofen LODINE (etodolac) meclofenamate mefenamic acid MOTRIN (ibuprofen) nabumetone NALFON (fenoprofen) NAPRELAN (naproxen) NAPROSYN (naproxen) NUPRIN (ibuprofen) ORUDIS (ketoprofen) PONSTEL (meclofenamate) tolmetin VOLTAREN (diclofenac) VOLTAREN GEL (diclofenac)	preferred agent will be authorized unless one of the exceptions on the PA form is present.
	NSAID/GI PROTEC	TANT COMBINATIONS	
	137.127.511110120	ARTHROTEC (diclofenac/misoprostol) PREVACID/NAPRAPAC (naproxen/lansoprazole)	
	COX-II S	ELECTIVE CL	COX-II selective NSAIDs will be approved for
		CELEBREX (celecoxib) meloxicam MOBIC (meloxicam)	patients with a GI Risk Score of ≥13.
OPHTHALMIC ANTIBIOTICS	ciprofloxacin ofloxacin VIGAMOX (moxifloxacin)	AZASITE (azithromycin) CILOXAN (ciprofloxacin) OCUFLOX (ofloxacin) QUIXIN (levofloxacin) ZYMAR (gatifloxacin)	All of the preferred agents must be tried before non-preferred agents will be authorized unless one of the exceptions on the PA form is present.

Effective 9/2/08 Version 2008.7

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
OPHTHALMIC NSAIDS	ACULAR LS (ketorolac) ACULAR PF (ketorolac) flurbiprofen NEVANAC (nepafenac) XIBROM (bromfenac)	diclofenac	All of the preferred agents must be tried before a non-preferred agent will be approved unless one of the exceptions on the PA form is present.
OPHTHALMICS FOR ALLERGIC CONJUNCTIVITIS	ACULAR (ketorolac) ALAWAY (ketotifen) ALREX (loteprednol) cromolyn ELESTAT (epinastine) OPTIVAR (azelastine) PATADAY (olopatadine) PATANOL (olopatadine) ZADITOR OTC (ketotifen)	ALAMAST (pemirolast) ALOCRIL (nedocromil) ALOMIDE (lodoxamide) CROLOM (cromolyn) EMADINE (emedastine) ketotifen OPTICROM (cromolyn)	Two of the preferred agents must be tried before non-preferred agents will be authorized, unless one of the exceptions on the PA form is present.

Effective 9/2/08 Version 2008.7

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
OPHTHALMICS, GLAUCOMA AGENTS	COSOPT (dorzolamide/timolol)	TION AGENTS	Authorization for a non-preferred agent will only be given if there is an allergy to the preferred agents.
	BETA I	BLOCKERS	
	Betaxolol BETIMOL (timolol) BETOPTIC S (betaxolol) carteolol ISTALOL (timolol) levobunolol metipranolol timolol	BETAGAN (levobunolol) OPTIPRANOLOL (metipranolol) TIMOPTIC (timolol)	
	CARBONIC ANH	YDRASE INHIBITORS	
	AZOPT (brinzolamide) TRUSOPT (dorzolamide)		
	PARASYMP	ATHOMIMETICS	
	CARBOPTIC (carbachol) ISOPTO CARBACHOL (carbachol) PHOSPHOLINE IODIDE (echothiophate iodide) pilocarpine	ISOPTO CARPINE (pilocarpine) PILOPINE HS (pilocarpine)	
		ANDIN ANALOGS	
	LUMIGAN (bimatoprost) TRAVATAN (travoprost) TRAVATAN-Z (travoprost)	XALATAN (latanoprost)	
	SYMPAT	HOMIMETICS	1
	ALPHAGAN P (brimonidine) brimonidine dipivefrin	ALPHAGAN (brimonidine) PROPINE (dipivefrin)	
OTIC FLUOROQUINOLONES	CIPRODEX (ciprofloxacin/dexamethasone) Ofloxacin	CIPRO HC (ciprofloxacin/hydrocortisone) FLOXIN (ofloxacin)	Each of the preferred agents must be tried before a non-preferred agent will be approved unless one of the exceptions on the PA form is present.

Effective 9/2/08 Version 2008.7

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PANCREATIC ENZYMES	CREON PANCRECARB ULTRASE ULTRASE VIOKASE	KUZYME LIPRAM PALCAPS PANCREASE PANGESTYME PANOKASE PLARETASE	A trial of at least 3 preferred agents, for at least 30 days each, is required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. Non-preferred agents will be approved for members with cystic fibrosis. In all cases except cystic fibrosis, objective evidence of pancreatic insufficiency (fat malabsorption, etc.) must be documented.
PARATHYROID AGENTS	ergocalciferol calcitriol HECTOROL (doxercalciferol) ZEMPLAR (paricalcitol)	DRISDOL (ergocalciferol) ROCALTROL (calcitriol) SENSIPAR (cinacalcet)	A trial of a non-preferred agent will be required, for at least 30 days, before a non-preferred agent will be approved. Prescriptions for Sensipar will be grandfathered.
PEDICULICIDES/ SCABICIDES, TOPICAL	EURAX (crotamiton) OVIDE (malathion) permethrins (Rx and OTC) pyrethrins-piperonyl butoxide	lindane	A trial of all three pediculicides (Ovide, permethrins, and pyrethrins-piperonyl butoxide) is required before lindane will be approved unless one of the exceptions on the PA form is present.
PHOSPHATE BINDERS	FOSRENOL (lanthanum) PHOSLO (calcium acetate) RENAGEL (sevelamer)	RENVELA (sevelamer carbonate) NR	A trial of at least two preferred agents will be required unless one of the exceptions on the PA form is present.
PLATELET AGGREGATION INHIBITORS	AGGRENOX (dipyridamole/ASA) PLAVIX (clopidogrel)	dipyridamole PERSANTINE (dipyridamole) TICLID (ticlopidine) ticlopidine	All of the preferred agents must be tried before a non-preferred agent will be approved unless one of the exceptions on the PA form is present.
PROTON PUMP INHIBITORS	NEXIUM (esomeprazole) PREVACID Capsules (lansoprazole)	ACIPHEX (rabeprazole) NEXIUM PACKETS (esomeprazole) omeprazole pantoprazole PREVACID Solu-Tabs (lansoprazole) PREVACID Suspension (lansoprazole) PRILOSEC (omeprazole) PROTONIX (pantoprazole) ZEGERID (omeprazole/sodium bicarbonate)	The preferred agents must be tried before a non-preferred agent will be approved unless one of the exceptions on the PA form is present. Prior authorization is not required for Prevacid Solu-Tabs for patients ≤8 years of age.

Effective 9/2/08 **Version 2008.7**

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
SEDATIVE HYPNOTICS	BENZODIAZEPINES		The preferred agent must be tried for 14 days
	temazepam	DALMANE (flurazepam) DORAL (quazepam) estazolam flurazepam HALCION (triazolam) PROSOM (estazolam) RESTORIL (temazepam) triazolam	before a nonpreferred agent will be authorized unless one of the exceptions on the PA form is present.
	OTHERS		1
	zolpidem	AMBIEN (zolpidem) AMBIEN CR (zolpidem) AQUA CHLORAL (chloral hydrate) chloral hydrate LUNESTA (eszopiclone) ROZEREM (ramelteon) SOMNOTE (chloral hydrate) SONATA (zaleplon) zaleplon NR	
STIMULANTS AND RELATED	AMPHETAMINES		Except for Strattera, PA is required for adults >18
AGENTS	ADDERALL XR (amphetamine salt combination) amphetamine salt combination dextroamphetamine VYVANSE (lisdexamphetamine) NON-AM	ADDERALL (amphetamine salt combination) DESOXYN (methamphetamine) DEXEDRINE (dextroamphetamine) DEXTROSTAT (dextroamphetamine) PHETAMINE	years. One of the preferred agents in each group (amphetamines and non-amphetamines) must be tried before a non-preferred agent will be authorized.
	CONCERTA (methylphenidate) DAYTRANA (methylphenidate) FOCALIN (dexmethylphenidate) FOCALIN XR (dexmethylphenidate) METADATE CD (methylphenidate) methylphenidate methylphenidate ER STRATTERA (atomoxetine)	dexmethylphenidate METADATE ER (methylphenidate) pemoline PROVIGIL (modafinil) RITALIN (methylphenidate) RITALIN LA (methylphenidate) RITALIN-SR (methylphenidate)	Amphetamines will be authorized for the treatment of depression only after documented failure of multiple antidepressants. Provigil will only be approved for patients >16 years of age with a diagnosis of narcolepsy. Strattera will not be approved for concurrent administration with amphetamines or methylphenidates, except for 30 days or less for tapering purposes. Only two doses of each strength, or two concurrent doses of any strength, and a maximum of one dose of a 60 mg capsule, will be approved in a 34-day period.

Effective 9/2/08 Version 2008.7

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ULCERATIVE COLITIS AGENTS	ORAL		The preferred agents of a dosage form must be
	ASACOL (mesalamine) COLAZAL (balsalazide) DIPENTUM (olsalazine) PENTASA (mesalamine) sulfasalazine	AZULFIDINE (sulfasalazine) LIALDA (mesalamine)	tried before a non-preferred agent of that dosage form will be authorized unless one of the exceptions on the PA form is present.
		RECTAL	
	CANASA (mesalamine) mesalamine	ROWASA (mesalamine)]
MISC BRAND/GENERIC	SANDOSTATIN (octreotide)	octreotide	The preferred agent must be tried before the non-preferred agent will be authorized unless one of the exceptions on the PA form is present.