Effective 4/1/08 Version 2008.4

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ACNE AGENTS, TOPICAL	AKNE-MYCIN (erythromycin) clindamycin erythromycin	IBIOTICS CLEOCIN-T (clindamycin) CLINDAGEL (clindamycin) CLINDAREACH (clindamycin) EVOCLIN (clindamycin)	A trial of at least 30 days each with at least one preferred retinoid and two unique chemical entities in each of the other two subclasses, including the generic version of a requested non-preferred product, will be required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. (In cases of
	RETIN A (tretinoin) ^{CL} RETIN-A MICRO (tretinoin) ^{CL} TAZORAC (tazarotene) tretinoin ^{CL}	DIFFERIN (adapalene)	pregnancy, a trial of retinoids will not be required.) PA is required after 17 years of age for tretinoin products.
	AZELEX (azelaic acid) BENZAC WASH (benzoyl peroxide) BENZASHAVE (benzoyl peroxide) benzoyl peroxide/ benzoyl peroxide/urea DUAC (benzoyl peroxide/ clindamycin) erythromycin/benzoyl peroxide sodium sulfacetamide	THERS BENZACLIN GEL (benzoyl peroxide/clindamycin) BENZAGEL (benzoyl peroxide) BENZAMYCIN PAK (benzoyl peroxide/erythromycin) BENZIQ (benzoyl peroxide) BREVOXYL (benzoyl peroxide) CLINAC BPO (benzoyl peroxide) DESQUAM-X (benzoyl peroxide) INOVA (benzoyl peroxide) INOVA (benzoyl peroxide) INOVA (benzoyl peroxide) NEOBENZ MICRO (benzoyl peroxide) NUOX (benzoyl peroxide/salicyclic acid) KLARON (sodium sulfacetamide) LAVOCLEN (benzoyl peroxide) NUOX (benzoyl peroxide/sulfur) PLEXION (sulfacetamide sodium/sulfur) sulfacetamide sodium/sulfur in urea vehicle sulfacetamide sodium/sulfur w/sunscreens SULFOXYL (benzoyl peroxide) ZACLIR (benzoyl peroxide) ZIANA (clindaymcyin/tretinoin) ZODERM (benzoyl peroxide)	

Effective 4/1/08 Version 2008.4

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ALZHEIMER'S AGENTS	ARICEPT (donepezil) ARICEPT ODT(donepezil) EXELON (rivastigmine)	ERASE INHIBITORS COGNEX (tacrine) RAZADYNE (galantamine) RAZADYNE ER (galantamine) EPTOR ANTAGONIST	A trial of a preferred agent will be required before a non-preferred agent In this class will be authorized.
	NAMENDA (memantine)		-
ANALGESICS, NARCOTIC - SHORT ACTING (Non-parenteral)	APAP/codeine ASA/codeine codeine dihydrocodeine/ APAP/caffeine hydrocodone/APAP hydrocodone/ibuprofen hydromorphone levorphanol morphine oxycodone oxycodone/APAP oxycodone/APAP pentazocine/APAP pentazocine/APAP ROXICET (oxycodone/acetaminophen) tramadol tramadol/APAP VOPAC (codeine/acetaminophen)	ACTIQ (fentanyl) butalbital/APAP/caffeine/codeine butalbital/ASA/caffeine/codeine butorphanol COMBUNOX (oxycodone/ibuprofen) DARVOCET (propoxyphene/APAP) DARVON (propoxyphene) DEMEROL (meperidine) DILAUDID (hydromorphone) fentanyl FENTORA (fentanyl) FIORICET W/ CODEINE (butalbital/APAP/caffeine/codeine) FIORINAL W/ CODEINE (butalbital/APAP/caffeine/codeine) LORCET, LORTAB (hydrocodone/APAP) LYNOX (oxycodone/APAP) meperidine OPANA (oxymorphone) oxycodone/ibuprofen OXYFAST, OXYIR (oxycodone) PANLOR (dihydrocodeine/ APAP/caffeine) PERCOCET (oxycodone/APAP) PERCODAN (oxycodone/APAP) PERCODAN (oxycodone/APAP) TALACEN (pentazocine/APAP) TALACEN (pentazocine/APAP) TALWIN NX (pentazocine/APAP) ULTRACET (tramadol/APAP) VICOPROFEN (hydrocodone/ibuprofen) XODOL (hydrocodene/acetaminophen) ZYDONE (hydrocodone/acetaminophen)	A trial of at least four (4) chemically distinct (based on narcotic ingredient only) preferred agents, including the generic formulation of a requested non-preferred product, must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. Fentanyl lozenges will only be approved as an adjunct to a long-acting agent. Fentanyl lozenges will not be approved for monotherapy. Limits: Quantities exceeding 240 tablets per 30 days (8 tablets/day) for agents containing 500 mg of acetaminophen will require a prior authorization.

Effective 4/1/08 Version 2008.4

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANALGESICS, NARCOTIC - LONG ACTING (Non-parenteral)	fentanyl KADIAN (morphine) methadone morphine ER	AVINZA (morphine) DURAGESIC (fentanyl) MS CONTIN (morphine) OPANA ER (oxymorphone) ORAMORPH SR (morphine) oxycodone ER OXYCONTIN (oxycodone) ULTRAM ER (tramadol)	A total of four (4) preferred narcotic analgesics, including at least one long-acting agent, must be tried for at least six (6) days before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. The generic form of the requested non-preferred agent, if available, must be tried before the non-preferred agent will be approved. Exception: Oxycodone ER will be authorized if a diagnosis of cancer is submitted without a trial of the preferred agents.
ANDROGENIC AGENTS	ANDRODERM (testosterone) ANDROGEL (testosterone)	TESTIM (testosterone)	The non-preferred agents will be approved only if one of the exceptions on the PA form is present.
ANGIOTENSIN MODULATORS	ACE II ALTACE (ramipril) benazepril captopril enalapril fosinopril lisinopril quinapril	ACCUPRIL (quinapril) ACEON (perindopril) CAPOTEN (captopril) LOTENSIN (benazepril) MAVIK (trandolapril) moexipril MONOPRIL (fosinopril) PRINIVIL (lisinopril) ramipril trandolapril UNIVASC (moexipril) VASOTEC (enalapril) ZESTRIL (lisinopril)	Each of the preferred agents in the corresponding group and the generic formulation of the requested non-preferred agent, with the exception of Direct Renin Inhibitors, must be tried for at least two weeks each before a non-preferred agent in that group will be authorized unless one of the exceptions on the PA form is present.
	ACE INHIBITOR C	OMBINATION DRUGS	
	benazepril/amlodipine benazepril/HCTZ captopril/HCTZ enalapril/HCTZ fosinopril/HCTZ lisinopril/HCTZ quinapril/HCTZ	ACCURETIC (quinapril/HCTZ) CAPOZIDE (captopril/HCTZ) LEXXEL (enalapril/felodipine) LOTENSIN HCT (benazepril/HCTZ) LOTREL (benazepril/amlodipine) moexepril/HCTZ MONOPRIL HCT (fosinopril/HCTZ) PRINZIDE (lisinopril/HCTZ) TARKA (trandolapril/verapamil) UNIRETIC (moexepril/HCTZ) VASERETIC (enalapril/HCTZ) ZESTORETIC (lisinopril/HCTZ)	

Effective 4/1/08 Version 2008.4

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANGIOTENSIN MODULATORS	ANGIOTENSIN II RECE AVAPRO (irbesartan) BENICAR (olmesartan) COZAAR (losartan) DIOVAN (valsartan) MICARDIS (telmisartan)	ATACAND (candesartan) TEVETEN (eprosartan)	
	· · · · · · · · · · · · · · · · · · ·	MBINATIONS	
	AVALIDE (irbesartan/HCTZ) BENICAR-HCT (olmesartan/HCTZ) DIOVAN-HCT (valsartan/HCTZ) EXFORGE (valsartan/amlodipine) HYZAAR (losartan/HCTZ) MICARDIS-HCT (telmisartan/HCTZ)	ATACAND-HCT (candesartan/HCTZ) AZOR (olmesartan/amlodipine) TEVETEN-HCT (eprosartan/HCTZ)	
	DIRECT RE	NIN INHIBITORS	A thirty-day trial of one of the preferred ACE, ARB, or combination agents, at the maximum tolerable
		TEKTURNA (aliskerin)	dose, is required before Tekturna will be approved.
ANTICOAGULANTS, INJECTABLE ^{CL}	ARIXTRA (fondaparinux) FRAGMIN (dalteparin) LOVENOX (enoxaparin)	INNOHEP (tinzaparin)	A trial of each of the preferred agents will be required before a non-preferred agent will be approved unless one of the exceptions on the PA form is present.
ANTICONVULSANTS	ADJUVANTS		Treatment naive patients must have a trial of a preferred agent before a non-preferred agent in its
	carbamazepine CARBATROL (carbamazepine) DEPAKOTE (divalproex) DEPAKOTE ER (divalproex) DEPAKOTE SPRINKLE (divalproex) FELBATOL (felbamate) gabapentin GABITRIL (tiagabine) KEPPRA (levetiracetam) LAMICTAL (lamotrigine) LYRICA (pregabalin) ^{CL} TOPAMAX (topiramate) TRILEPTAL (oxcarbazepine) valproic acid zonisamide	DEPAKENE (valproic acid) EQUETRO (carbamazepine) lamotrigine NEURONTIN (gabapentin) oxcarbazepine TEGRETOL (carbamazepine) TEGRETOL XR (carbamazepine) ZONEGRAN (zonisamide)	preferred agent before a non-preferred agent in its corresponding class will be authorized. Additions to that therapy will require a trial of preferred agent in its respective class unless one of the exceptions on the PA form is present.

Effective 4/1/08 Version 2008.4

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	BARB mephobarbital phenobarbital primidone	ITURATES MEBARAL (mephobarbital) MYSOLINE (primidone)	
	BENZO	I DIAZEPINES	
	clonazepam DIASTAT (diazepam rectal) diazepam	KLONOPIN (clonazepam)	
		ANTOINS	
	DILANTIN INFATABS (phenytoin) PEGANONE (ethotoin) phenytoin	CEREBYX (fosphenytoin) DILANTIN (phenytoin) EPITOL (phenytoin) PHENYTEK (phenytoin)	
	CELONTIN (methsuximide) ethosuximide	ZARONTIN (ethosuximide)	
ANTIDEPRESSANTS, OTHER (second generation, non- SSRI)	bupropion SR CYMBALTA (duloxetine) EFFEXOR XR (venlafaxine) mirtazapine trazodone	bupropion IR bupropion XL DESYREL (trazodone) EFFEXOR (venlafaxine) EMSAM (selegiline) nefazodone PRISTIQ (desvenlafaxine) ^{NR} REMERON (mirtazapine) venlafaxine WELLBUTRIN (bupropion) WELLBUTRIN SR (bupropion) WELLBUTRIN XL (bupropion)	A non-preferred agent will only be authorized if there has been a six-week trial of an SSRI and a preferred agent in this class unless one of the exceptions on the PA form is present.
ANTIDEPRESSANTS, SSRIs	citalopram fluoxetine fluvoxamine paroxetine sertraline	CELEXA (citalopram) LEXAPRO (escitalopram) LUVOX (fluvoxamine) PAXIL (paroxetine) PAXIL CR (paroxetine) PEXEVA (paroxetine) PROZAC (fluoxetine) RAPIFLUX (fluoxetine) SARAFEM (fluoxetine) ZOLOFT (sertraline)	A trial of two of the preferred agents will be required, for at least 30 days, before a non- preferred agent will be approved unless one of the exceptions on the PA form is present. Upon hospital discharge, patients admitted with a primary mental health diagnosis and have been stabilized on a non-preferred SSRI will receive authorization to continue that drug.

Effective 4/1/08 Version 2008.4

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIEMETICS, ORAL	5HT3 RECEP ondansetron ZOFRAN (ondansetron) ZOFRAN ODT (ondansetron)	ANZEMET (dolasetron) KYTRIL (granisetron) granisetron ondansetron ODT	A trial of the preferred agent is required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. PA is required when limits are exceeded.
		ABINOIDS CESAMET (nabilone) MARINOL (dronabinol)	Cesamet will be authorized only for the treatment of nausea and vomiting associated with cancer chemotherapy for patients who have failed to respond adequately to conventional treatments such as promethazine or ondansetron and are over 18 years of age. Marinol will be authorized only for the treatment of anorexia associated with weight loss in patients with AIDS or cancer and unresponsive to megestrol, the prophylaxis of chemotherapy induced nausea and vomiting unresponsive to ondansetron or promethazine and for patients between the ages of 18 and 65 years of age.
	SUBSTANCE EMEND (aprepitant)	P ANTAGONISTS	PA is required when limits are exceeded.
ANTIFUNGALS, ORAL	clotrimazole fluconazole ^{cL} nystatin terbinafine ^{CL}	ANCOBON (flucytosine) DIFLUCAN (fluconazole) GRIFULVIN V (griseofulvin) griseofulvin GRIS-PEG (griseofulvin) itraconazole LAMISIL (terbinafine) MYCELEX (clotrimazole) MYCOSTATIN Tablets (nystatin) NIZORAL (ketoconazole) NOXAFIL (posaconazole) SPORANOX (itraconazole) VFEND (voriconazole)	Non-preferred agents will be approved only if one of the exceptions on the PA form is present. *PA is required when limits are exceeded. PA is not required for Grifulvin-V Suspension for children up to 6 years of age for the treatment of tinea capitis.

Effective 4/1/08 Version 2008.4

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIFUNGALS, TOPICAL		AGENTS FUNGALS Ciclopirox ERTACZO (sertaconazole) EXELDERM (sulconazole) LOPROX (ciclopirox) MYCOSTATIN (nystatin) NIZORAL (ketoconazole) OXISTAT (oxiconazole) PENLAC (ciclopirox) SPECTAZOLE (econazole)	Two of the preferred agents must be tried for at least two weeks each before one of the non- preferred agents will be authorized unless one of the exceptions on the PA form is present.
		VUSION (miconazole/petrolatum/zinc oxide) XOLEGEL (ketoconazole) EROIDCOMBINATIONS	
	clotrimazole/betamethasone nystatin/triamcinolone	(clotrimazole/betamethasone) MYCOLOG (nystatin/triamcinolone)	
ANTIHISTAMINES, MINIMALLY SEDATING	ALAVERT (loratadine) cetirizine (OTC) loratadine TAVIST-ND (loratadine)	ISTAMINES ALLEGRA (fexofenadine) CLARINEX Tablets (desloratadine) CLARINEX REDITABS (desloratadine) CLARINEX Syrup (desloratadine) CLARITIN (loratadine) fexofenadine XYZAL (levocetirizine) ZYRTEC (Rx and OTC) (cetirizine) ZYRTEC SYRUP (Rx and OTC) (cetirizine)	A trial of at least 2 chemically distinct preferred agents, in the age appropriate form, including the generic formulation of a requested non-preferred product, must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
	ALAVERT-D (loratadine/pseudoephedrine) cetirizine /pseudoephedrine (OTC) loratadine/pseudoephedrine SEMPREX-D (acrivastine/ pseudoephedrine)	ALLEGRA-D (fexofenadine/pseudoephedrine) CLARINEX-D (desloratadine/pseudoephedrine) CLARITIN-D (loratadine/pseudoephedrine) ZYRTEC-D (Rx and OTC) (cetirizine/pseudoephedrine)	

Effective 4/1/08 Version 2008.4

THERAPEUTIC DRUG CLASS ANTIMIGRAINE AGENTS,	PREFERRED AGENTS AMERGE (naratriptan)	NON-PREFERRED AGENTS AXERT (almotriptan)	PA CRITERIA All of the preferred agents must be tried before a
TRIPTANS	IMITREX (sumatriptan) MAXALT (rizatriptan) RELPAX (eletriptan)	FROVA (frovatriptan) ZOMIG (zolmitriptan)	non-preferred agent will be approved unless one of the exceptions on the PA form is present. Quantity limits apply for this drug class.
ANTIPARKINSON'S AGENTS	ANTICH	OLINERGICS	Patients starting therapy on drugs in this class
(Oral)	benztropine KEMADRIN (procyclidine) trihexyphenidyl	COGENTIN (benztropine)	must show a documented allergy to all of the preferred agents, in the corresponding class, before a non-preferred agent will be authorized.
	COMT	INHIBITORS	
		COMTAN (entacapone) TASMAR (tolcapone)	
	DOPAMI	NE AGONISTS	
	REQUIP (ropinirole)	MIRAPEX (pramipexole)	
	OTHER ANTIPARKINSON'S AGENTS		
	carbidopa/levodopa selegiline STALEVO (levodopa/carbidopa/entacapone)	AZILECT (rasagiline) ELDEPRYL (selegiline) PARCOPA (levodopa/carbidopa) SINEMET (levodopa/carbidopa) ZELAPAR (selegiline)	
ANTIPSYCHOTICS, ATYPICAL	(ORAL	Treatment naïve patients for this class of drugs will
(Oral)	clozapine GEODON (ziprasidone) INVEGA (paliperidone) RISPERDAL (risperidone) SEROQUEL (quetiapine) SEROQUEL XR (quetiapine)	ABILIFY (aripiprazole) CLOZARIL (clozapine) FAZACLO (clozapine) ZYPREXA (olanzapine)	be required to try a preferred agent for two weeks unless one of the exceptions on the PA form is present. Upon discharge, hospitalized patients stabilized on non-preferred agents will receive authorization to continue these drugs for labeled indications and at recommended dosages.
	ATYPICAL ANTIPSYCH	OTIC/SSRI COMBINATIONS	
		SYMBYAX (olanzapine/fluoxetine)	

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIVIRALS (Oral)	ANTI acyclovir VALTREX (valacyclovir)	HERPES FAMVIR (famciclovir) ZOVIRAX (acyclovir)	All of the appropriate preferred agents must be tried before the non-preferred agents will be authorized unless one of the exceptions on the PA form is present.
	ANTI	NFLUENZA	All of the appropriate preferred agents must be
	amantadine	FLUMADINE (rimantadine) RELENZA (zanamivir) rimantadine SYMMETREL (amantadine) TAMIFLU (oseltamivir)	tried before the non-preferred agents will be authorized unless one of the exceptions on the PA form is present.
ATOPIC DERMATITIS	ELIDEL (pimecrolimus) PROTOPIC (tacrolimus)		
BETA BLOCKERS (Oral)	acebutolol atenolol betaxolol bisoprolol metoprolol ER nadolol propranolol propranolol ER sotalol timolol	BLOCKERS BETAPACE (sotalol) BLOCADREN (timolol) BYSTOLIC (nebivolol) CARTROL (carteolol) CORGARD (nadolol) INDERAL LA (propranolol) INNOPRAN XL (propranolol) KERLONE (betaxolol) LEVATOL (penbutolol) LOPRESSOR (metoprolol) SECTRAL (acebutolol) TENORMIN (atenolol) TOPROL XL (metoprolol) ZEBETA (bisoprolol) LPHA-BLOCKERS COREG (carvedilol) COREG CR (carvedilol) TRANDATE (labetalol)	A trial of each of three chemically distinct preferred agents, including the generic formulation of a requested non-preferred product is required before one of the non-preferred agents will be approved, unless one of the exceptions on the PA form is present. If the physician feels that the patient cannot be stabilized with any of the preferred agents, one of the non-preferred agents will be approved.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Requires Clinical PA ^{NR} – New drug has not been reviewed by P & T Committee

Effective 4/1/08 Version 2008.4

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BLADDER RELAXANT PREPARATIONS	ENABLEX (darifenacin) oxybutynin oxybutynin ER OXYTROL (oxybutynin) SANCTURA (trospium) SANCTURA XR (trospium) VESICARE (solifenacin)	DETROL (tolterodine) DETROL LA (tolterodine) DITROPAN (oxybutynin) DITROPAN XL (oxybutynin)	A trial of at least one of each of the chemically distinct preferred agents must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
BONE RESORPTION SUPPRESSION AND	BISPH	OSPHONATES	One of the preferred agents must be tried for at
RELATED AGENTS	FOSAMAX (alendronate) FOSAMAX PLUS D (alendronate/vitamin D)	ACTONEL (risedronate) ACTONEL WITH CALCIUM (risedronate/calcium) BONIVA (ibandronate) DIDRONEL (etidronate)	least one month before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
	OTHER BONE RESORPTION SUPPRESSION AND RELATED AGENTS		Evista will be approved for postmenopausal
	MIACALCIN (calcitonin)	EVISTA (raloxifene) FORTEO (teriparatide) FORTICAL (calcitonin)	women with osteoporosis or at high risk for invasive breast cancer.
BPH AGENTS	5-ALPHA-REDUCTASE (5AR) INHIBITORS		A trial of at least two (2) chemically distinct preferred agents, including the generic formulation
	AVODART (dutasteride)	finasteride PROSCAR (finasteride)	of a requested non-preferred agent, must be tried before a non-preferred agent will be authorized
	ALPH	A BLOCKERS	unless one of the exceptions on the PA form is present.
	doxazosin FLOMAX (tamsulosin) terazosin UROXATRAL (alfuzosin)	CARDURA (doxazosin) CARDURA XL (doxazosin) HYTRIN (terazosin)	
BRONCHODILATORS, ANTICHOLINERGIC		CHOLINERGIC	The preferred agents in the class must be tried before the non-preferred agent will be authorized
ANTICHOLINERGIC	ATROVENT HFA (ipratropium) ipratropium SPIRIVA (tiotropium)	ATROVENT Inhalation Solution (ipratropium)	unless one of the exceptions on the PA form is present.
	ANTICHOLINERGIC-BI	ETA AGONIST COMBINATIONS	For severely compromised patients, albuterol/ipratropium will be approved if the
	COMBIVENT (albuterol/ipratropium)	albuterol/ipratropium DUONEB (albuterol/ipratropium)	combined volume of albuterol and ipratropium nebules is inhibitory.

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BRONCHODILATORS, BETA AGONIST		ACCUNEB (albuterol)**	All of the preferred agents in a group must be tried before a non-preferred agent in that group will be authorized unless one of the exceptions on the PA
	albuterol	BROVANA (arformoterol) ^{NR} metaproterenol	form is present.
		PERFOROMIST (formoterol) ^{NR} PROVENTIL (albuterol)	Xopenex Inhalation Solution will be approved for 12 months for a diagnosis of asthma or COPD for
	INHALERS	XOPENEX (levalbuterol) , LONG-ACTING	patients on concurrent asthma controller therapy (either oral or inhaled) with documentation of failure on a trial of albuterol or documented
	FORADIL (formoterol)	SEREVENT (salmeterol)	intolerance of albuterol, or for concurrent diagnosis of heart disease.
	INHALERS,	SHORT-ACTING	**No PA is required for ACCUNEB for children up to 5 years of age.
	albuterol CFC MAXAIR (pirbuterol) PROAIR HFA (albuterol) PROVENTIL HFA (albuterol) VENTOLIN HFA (albuterol) XOPENEX HFA (levalbuterol)	ALUPENT (metaproterenol) PROVENTIL (albuterol)	
		ORAL	
	albuterol terbutaline	BRETHINE (terbutaline) metaproterenol VOSPIRE ER (albuterol)	

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Requires Clinical PA ^{NR} – New drug has not been reviewed by P & T Committee

Effective 4/1/08 Version 2008.4

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CALCIUM CHANNEL BLOCKERS (Oral)	LON amlodipine CARDIZEM LA (diltiazem) diltiazem DYNACIRC CR (isradipine) felodipine ER nifedipine SULAR (nisoldipine) verapamil VERELAN PM (verapamil)	G-ACTING ADALAT CC (nifedipine) CALAN SR (verapamil) CARDENE SR (nicardipine) CARDIZEM CD (diltiazem) CARDIZEM SR (diltiazem) COVERA-HS (verapamil) DILACOR XR (diltiazem) ISOPTIN SR (verapamil) NORVASC (amlodipine) PLENDIL (felodipine) PLENDIL (felodipine) PROCARDIA XL (nifedipine) TIAZAC (diltiazem) VERELAN (verapamil)	The preferred agents must be tried before a non- preferred agent will be approved.
	SHO	RT-ACTING	
	diltiazem verapamil	ADALAT (nifedipine) CALAN (verapamil) CARDENE (nicardipine) CARDIZEM (diltiazem) DYNACIRC (isradipine) isradipine nicardipine nimodipine nifedipine NIMOTOP (nimodipine) PROCARDIA (nifedipine)	
CEPHALOSPORINS AND		MASE INHIBITOR COMBINATIONS	The preferred agents must be tried before a non-
RELATED ANTIBIOTICS (Oral)	amoxicillin/clavulanate	LOSPORINS	preferred agent will be authorized unless one of the exceptions on the PA form is present.
	cefaclor cefadroxil cefpodoxime cefprozil cefuroxime cephalexin OMNICEF (cefdinir) SPECTRACEF (cefditoren)	CECLOR (cefaclor) CEDAX (ceftibuten) cefdinir CEFTIN (cefuroxime) CEFZIL (cefprozil) DURICEF (cefadroxil) KEFLEX (cephalexin) PANIXINE (cephalexin) RANICLOR (cefaclor) SUPRAX (cefixime) VANTIN (cefpodoxime)	

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CYTOKINE & CAM ANTAGONISTS ^{CL}	ENBREL (etanercept) HUMIRA (adalimumab) KINERET (anakinra) RAPTIVA (efalizumab)		
ERYTHROPOIESIS STIMULATING PROTEINS ^{CL}	ARANESP (darbepoetin) PROCRIT (rHuEPO)	EPOGEN (rHuEPO)	The preferred agents must be tried before a non- preferred agent will be authorized unless one of the exceptions on the PA form is present.
FLUOROQUINOLONES, ORAL	AVELOX (moxifloxacin) CIPRO (ciprofloxacin) Suspension ciprofloxacin ciprofloxacin ER LEVAQUIN (levofloxacin)	CIPRO (ciprofloxacin) Tablets CIPRO XR (ciprofloxacin) FACTIVE (gemifloxacin) FLOXIN (ofloxacin) NOROXIN (norfloxacin) ofloxacin PROQUIN XR (ciprofloxacin)	One of the preferred agents must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
GENITAL WARTS AGENTS	ALDARA (imiquimod)	CONDYLOX (podofilox) podofilox VEREGEN (sinecatechins)	The preferred agent must be tried before a non- preferred agent will be authorized unless on of the exceptions on the PA form is present.
GLUCOCORTICOIDS, INHALED	AEROBID (flunisolide) AEROBID-M (flunisolide) ASMANEX (mometasone) AZMACORT (triamcinolone) FLOVENT HFA (fluticasone) QVAR (beclomethasone)	CORTICOIDS PULMICORT (budesonide) CHODILATOR COMBINATIONS SYMBICORT(budesonide/formoterol)	All of the preferred agents of a dosage form must be tried before a non-preferred agent of that dosage form will be authorized unless one of the exceptions on the PA form is present. Pulmicort Respules do not require a prior authorization for children through 8 years of age or for individuals unable to use an MDI. When children who have been stabilized on Pulmicort Respules reach age 9, prescriptions for the Pulmicort inhaler will be authorized for them.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Requires Clinical PA ^{NR} – New drug has not been reviewed by P & T Committee

Effective 4/1/08 Version 2008.4

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
GROWTH HORMONE ^{CL}	GENOTROPIN (somatropin) NORDITROPIN (somatropin) NUTROPIN (somatropin) NUTROPIN AQ (somatropin) SAIZEN (somatropin) TEV-TROPIN (somatropin)	HUMATROPE (somatropin) INCRELEX (mecasermin) OMNITROPE (somatropin) SEROSTIM (somatropin) ZORBTIVE (somatropin)	The preferred agents must be tried before a non- preferred agent will be authorized unless one of the exceptions on the PA form is present. Patients already on a non-preferred agent will receive authorization to continue therapy on that agent for the duration of the existing PA.
HEPATITIS B TREATMENTS	EPIVIR HBV (lamivudine) HEPSERA (adefovir) TYZEKA (telbivudine)	BARACLUDE (entecavir)	One of the preferred agents must be tried before the non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
HEPATITIS C TREATMENTS ^{CL}	PEGASYS (pegylated interferon) ribavirin	COPEGUS (ribavirin) INFERGEN (consensus interferon) PEG-INTRON (pegylated interferon) REBETOL (ribavirin)	Patients starting therapy in this class must try the preferred agent of a dosage form before a non-preferred agent of that dosage form will be authorized.
HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS	BYETTA (exenatide) JANUMET (sitagliptin/metformin) JANUVIA (sitagliptin) SYMLIN (amylin)		Byetta and Symlin are both subject to the following step therapy edits: Byetta-Current history of therapy with a sufonlyurea, thiazolindinedione (TZD), and/or metformin. No gaps of therapy greater than 30 days in the past 180 days. Symlin- History of insulin utilization in the past 90 days. No gaps in therapy of greater than 30 days.
HYPOGLYCEMICS, INSULINS	HUMALOG (insulin lispro) HUMALOG MIX (insulin lispro/lispro protamine) HUMULIN (insulin) LANTUS (insulin glargine) LEVEMIR (insulin detemir) NOVOLIN (insulin) NOVOLOG (insulin aspart) NOVOLOG MIX (insulin aspart/aspart protamine)	APIDRA (insulin glulisine) HUMALOG KWIKPEN (insulin lispro) ^{NR}	 To receive Apidra, patients must meet the following criteria: be 18 years or older; be currently on a regimen including a longer-acting or basal insulin. have had a trial of a similar preferred agent, Novolog or Humulin, with documentation that the desired results were not achieved.
HYPOGLYCEMICS, MEGLITINIDES	STARLIX (nateglinide)	PRANDIN (repaglinide)	The preferred agent must be tried before a non- preferred agent will be authorized, unless one of the exceptions on the PA form is present.

Effective 4/1/08 Version 2008.4

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
HYPOGLYCEMICS, TZDS	THIAZOL ACTOS (pioglitazone) AVANDIA (rosiglitazone)	IDINEDIONES	
		MBINATIONS	
	ACTOPLUS MET (pioglitazone/metformin) AVANDAMET (rosiglitazone/metformin) AVANDARYL (rosiglitazone/glimepiride) DUETACT (pioglitazone/glimepiride)		
IMPETIGO AGENTS, TOPICAL	ALTABAX (retapamulin) mupirocin bacitracin gentamycin sulfate	BACTROBAN (mupirocin) CORTISPORIN (bacitracin/neomycin/polymyxin/HC)	A trial of one of at least one preferred agent, including the generic formulation of a requested non-preferred agent, must be tried for 10 days before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
INTRANASAL RHINITIS AGENTS	ANTICH	OLINERGICS	All of the preferred agents, in corresponding categories, must be tried before a non-preferred
AGENTS		ATROVENT(ipratropium) ipratropium	agent will be authorized unless one of the exceptions on the PA form is present.
		ISTAMINES	
	ASTELIN (azelastine)	OSTEROIDS	
	fluticasone propionate NASACORT AQ (triamcinolone) NASONEX (mometasone) VERAMYST (fluticasone furoate)	BECONASE AQ (beclomethasone) flunisolide FLONASE (fluticasone propionate) NASALIDE (flunisolide) NASAREL (flunisolide) RHINOCORT AQUA (budesonide)	
LEUKOTRIENE MODIFIERS	ACCOLATE (zafirlukast) SINGULAIR (montelukast)	ZYFLO (zileuton)	The preferred agents must be tried before a non- preferred agent will be authorized unless one of the exceptions on the PA form is present.

Effective 4/1/08 Version 2008.4

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LIPOTROPICS, OTHER (non-statins)	BILE ACI	DSEQUESTRANTS	One of the preferred agents must be tried before a non-preferred agent in the corresponding category
	cholestyramine colestipol	COLESTID (colestipol) QUESTRAN (cholestyramine) WELCHOL (colesevalam)	will be authorized. Zetia, as monotherapy, will only be approved for patients who cannot take statins or other preferred
	CHOLESTEROL	ABSORPTION INHIBITORS	agents.
		ZETIA (ezetimibe)	Zetia and Welchol will be approved for add-on
	F.	ATTY ACIDS	therapy only after an insufficient response to the
		OMACOR (omega-3-acid ethyl esters)	maximum tolerable dose of a statin after 12 weeks of therapy.
	FIBRIC A	ACID DERIVATIVES	
	fenofibrate gemfibrozil TRICOR (fenofibrate)	ANTARA (fenofibrate) LOFIBRA (fenofibrate) LOPID (gemfibrozil) TRIGLIDE (fenofibrate)	
	NIACIN		
	niacin NIASPAN (niacin)	NIACELS (niacin) NIADELAY (niacin) SLO-NIACIN (niacin)	
LIPOTROPICS, STATINS	STATINS		One of the preferred statins, including the generic
	CRESTOR (rosuvastatin) LESCOL (fluvastatin) LESCOL XL (fluvastatin) LIPITOR (atorvastatin) lovastatin	ALTOPREV (lovastatin) MEVACOR (lovastatin) PRAVACHOL (pravastatin) ZOCOR (simvastatin)	formulation of a requested non-preferred agent, must be tried for 12 weeks before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present
	pravastatin		Vytorin will be approved only after an insufficient response to the maximum tolerable dose of Lipitor
		simvastatin STATIN COMBINATIONS	
	ADVICOR (lovastatin/niacin) CADUET (atorvastatin/amlodipine)	VYTORIN (ezetimibe/simvastatin)	weeks, unless one of the exceptions on the PA form is present. Members on Vytorin 10/80 will be grandfathered on that therapy. Members on all
			other strengths of Vytorin will be grandfathered until 6/30/08 on that therapy, but their prescriptions will require prior authorization after that period. (See letter to providers.)

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
MACROLIDES/KETOLIDES (Oral)	KE	TOLIDES KETEK (telithromycin)	Requests for telithromycin will be authorized if there is documentation of the use of any antibiotic
	MAC	ROLIDES	within the past 28 days.
	azithromycin clarithromycin erythromycin	BIAXIN (clarithromycin) BIAXIN XL (clarithromycin) clarithromycin ER E.E.S. (erythromycin ethylsuccinate) E-MYCIN (erythromycin) ERYPED (erythromycin ethylsuccinate) ERY-TAB (erythromycin) ERYTHROCIN (erythromycin stearate) erythromycin estolate PCE (erythromycin) ZITHROMAX (azithromycin) ZMAX (azithromycin)	The preferred agents must be tried before a non- preferred agent will be authorized unless one of the exceptions on the PA form is present.
MULTIPLE SCLEROSIS AGENTS ^{CL}	AVONEX (interferon beta-1a) BETASERON (interferon beta-1b) COPAXONE (glatiramer) REBIF (interferon beta-1a)	TYSABRI (natalizumab)	A trial of a preferred agent will be required before a trial of a non-preferred agent will be approved. Tysabri will only be approved for members who meet the conditions and are enrolled the TOUCH Prescribing Program.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Requires Clinical PA ^{NR} – New drug has not been reviewed by P & T Committee

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
NSAIDS	diclofenac etodolac fenoprofen flurbiprofen ibuprofen (Rx and OTC) INDOCIN (indomethacin) (suspension only) indomethacin ketorolac naproxen (Rx only) oxaprozin piroxicam sulindac	ADVIL (ibuprofen) ANAPROX (naproxen) ANSAID (flurbiprofen) CATAFLAM (diclofenac) CLINORIL (sulindac) DAYPRO (oxaprozin) FELDENE (piroxicam) INDOCIN (indomethacin) ketoprofen LODINE (etodolac) meclofenamate mefenamic acid MOTRIN (ibuprofen) nabumetone NALFON (fenoprofen) NAPRELAN (naproxen) NUPRIN (ibuprofen) ORUDIS (ketoprofen) PONSTEL (meclofenamate) tolmetin VOLTAREN (diclofenac)	The preferred agents must be tried before a non- preferred agent will be authorized unless one of the exceptions on the PA form is present.
	NSAID/GI PROTEC	CTANT COMBINATIONS	
		ARTHROTEC (diclofenac/misoprostol) PREVACID/NAPRAPAC (naproxen/lansoprazole)	
	COX-II S		COX-II selective NSAIDs will be approved for
		CELEBREX (celecoxib) meloxicam MOBIC (meloxicam)	patients with a GI Risk Score of ≥13.
OPHTHALMIC ANTIBIOTICS	ciprofloxacin ofloxacin VIGAMOX (moxifloxacin)	AZASITE (azithromycin) ^{NR} CILOXAN (ciprofloxacin) OCUFLOX (ofloxacin) QUIXIN (levofloxacin) ZYMAR (gatifloxacin)	All of the preferred agents must be tried before non-preferred agents will be authorized unless one of the exceptions on the PA form is present.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Requires Clinical PA ^{NR} – New drug has not been reviewed by P & T Committee

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
OPHTHALMIC NSAIDS	ACULAR LS (ketorolac) ACULAR PF (ketorolac) flurbiprofen NEVANAC (nepafenac) XIBROM (bromfenac)	diclofenac	All of the preferred agents must be tried before a non-preferred agent will be approved unless one of the exceptions on the PA form is present.
OPHTHALMICS FOR ALLERGIC CONJUNCTIVITIS	ACULAR (ketorolac) ALAWAY (ketotifen) ALREX (loteprednol) cromolyn ELESTAT (epinastine) OPTIVAR (azelastine) PATADAY (olopatadine) PATANOL (olopatadine) ZADITOR OTC (ketotifen)	ALAMAST (pemirolast) ALOCRIL (nedocromil) ALOMIDE (lodoxamide) CROLOM (cromolyn) EMADINE (emedastine) ketotifen OPTICROM (cromolyn)	Two of the preferred agents must be tried before non-preferred agents will be authorized, unless one of the exceptions on the PA form is present.

Unless otherwise specified, the listing of a particular brand or generic name includes all dosage forms of that drug. ^{CL} – Requires Clinical PA ^{NR} – New drug has not been reviewed by P & T Committee

Effective 4/1/08 Version 2008.4

THERAPEUTIC DRUG CLASS OPHTHALMICS, GLAUCOMA	PREFERRED AGENTS COMBINA	NON-PREFERRED AGENTS	PA CRITERIA Authorization for a non-preferred agent will only be
AGENTS	COSOPT (dorzolamide/timolol)		given if there is an allergy to the preferred agents.
	· · · · · · · · · · · · · · · · · · ·	BLOCKERS	
	Betaxolol BETIMOL (timolol) BETOPTIC S (betaxolol) carteolol ISTALOL (timolol) levobunolol metipranolol timolol	BETAGAN (levobunolol) OPTIPRANOLOL (metipranolol) TIMOPTIC (timolol)	
		YDRASE INHIBITORS	
	AZOPT (brinzolamide) TRUSOPT (dorzolamide)		
	PARASYMP	ATHOMIMETICS	
	CARBOPTIC (carbachol) ISOPTO CARBACHOL (carbachol) PHOSPHOLINE IODIDE (echothiophate iodide) pilocarpine	ISOPTO CARPINE (pilocarpine) PILOPINE HS (pilocarpine)	
	PROSTAGLANDIN ANALOGS		
	LUMIGAN (bimatoprost) TRAVATAN (travoprost) TRAVATAN-Z (travaprost)	XALATAN (latanoprost)	
		HOMIMETICS	
	ALPHAGAN P (brimonidine) brimonidine dipivefrin	ALPHAGAN (brimonidine) PROPINE (dipivefrin)	
OTIC FLUOROQUINOLONES	CIPRODEX (ciprofloxacin/dexamethasone) FLOXIN (ofloxacin)	CIPRO HC (ciprofloxacin/hydrocortisone) ofloxacin	Each of the preferred agents must be tried before a non-preferred agent will be approved unless one of the exceptions on the PA form is present.

Effective 4/1/08 Version 2008.4

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PANCREATIC ENZYMES	PANCRECARB ULTRASE ULTRASE MT VIOKASE	CREON KUZYME LIPRAM PALCAPS PANCREASE PANGESTYME PANOKASE PLARETASE	A trial of at least 3 preferred agents, for at least 30 days each, is required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. Non-preferred agents will be approved for members with cystic fibrosis. In all cases except cystic fibrosis, objective evidence of pancreatic insufficiency (fat malabsorption, etc.) must be documented.
PARATHYROID AGENTS	ergocalciferol calcitriol HECTOROL (doxercalciferol) ZEMPLAR (paricalcitol)	DRISDOL (ergocalciferol) ROCALTROL (calcitriol) SENSIPAR (cinacalcet)	A trial of a non-preferred agent will be required, for at least 30 days, before a non-preferred agent will be approved. Presciptions for Sensipar will be grandfathered.
PEDICULICIDES/ SCABICIDES, TOPICAL	EURAX (crotamiton) OVIDE (malathion) permethrins (Rx and OTC) pyrethrins-piperonyl butoxide	lindane	A trial of all three pediculicides (Ovide, permethrins, and pyrethrins-piperonyl butoxide) is required before lindane will be approved unless one of the exceptions on the PA form is present.
PHOSPHATE BINDERS	FOSRENOL (lanthanum) PHOSLO (calcium acetate) RENAGEL (sevelamer)	RENVELA (sevelamer carbonate) ^{NR}	A trial of at least two preferred agents will be required unless one of the exceptions on the PA form is present.
PLATELET AGGREGATION INHIBITORS	AGGRENOX (dipyridamole/ASA) PLAVIX (clopidogrel)	dipyridamole PERSANTINE (dipyridamole) TICLID (ticlopidine) ticlopidine	All of the preferred agents must be tried before a non-preferred agent will be approved unless one of the exceptions on the PA form is present.
PROTON PUMP INHIBITORS	NEXIUM (esomeprazole) PREVACID Capsules (lansoprazole)	ACIPHEX (rabeprazole) omeprazole pantoprazole PREVACID Solu-Tabs (lansoprazole) PREVACID Suspension (lansoprazole) PRILOSEC (omeprazole) PROTONIX (pantoprazole) ZEGERID (omeprazole/sodium bicarbonate)	The preferred agents must be tried before a non- preferred agent will be approved unless one of the exceptions on the PA form is present. Prior authorization is not required for Prevacid Solu-Tabs for patients ≤8 years of age.

Effective 4/1/08 Version 2008.4

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
SEDATIVE HYPNOTICS	temazepam	DIAZEPINES DALMANE (flurazepam) DORAL (quazepam) estazolam flurazepam HALCION (triazolam) PROSOM (estazolam) RESTORIL (temazepam) triazolam THERS AMBIEN (zolpidem) AMBIEN CR (zolpidem) AQUA CHLORAL (chloral hydrate) chloral hydrate LUNESTA (eszopiclone) ROZEREM (ramelteon) SOMNOTE (chloral hydrate) SONATA (zaleplon)	The preferred agent must be tried for 14 days before a nonpreferred agent will be authorized unless one of the exceptions on the PA form is present.
STIMULANTS AND RELATED AGENTS	ADDERALL XR (amphetamine salt combination) amphetamine salt combination dextroamphetamine VYVANSE (lisdexamphetamine)	ADDERALL (amphetamine salt combination) DESOXYN (methamphetamine) DEXEDRINE (dextroamphetamine) DEXTROSTAT (dextroamphetamine)	Except for Strattera, PA is required for adults >18 years. One of the preferred agents in each group (amphetamines and non-amphetamines) must be tried before a non-preferred agent will be authorized.
	NON-AN CONCERTA (methylphenidate) DAYTRANA (methylphenidate) FOCALIN (dexmethylphenidate) FOCALIN XR (dexmethylphenidate) METADATE CD (methylphenidate) methylphenidate methylphenidate ER STRATTERA (atomoxetine)	dexmethylphenidate METADATE ER (methylphenidate) pemoline PROVIGIL (modafanil) RITALIN (methylphenidate) RITALIN LA (methylphenidate) RITALIN-SR (methylphenidate)	Amphetamines will be authorized for the treatment of depression only after documented failure of multiple antidepressants. Provigil will only be approved for patients >16 years of age with a diagnosis of narcolepsy. Strattera will not be approved for concurrent administration with amphetamines or methyphenidates, exept for 30 days or less for tapering purposes. Only two doses of each strength, or two concurrent doses of any strength, and a maximum of one dose of a 60 mg capsule, will be approved in a 34-day period.

Effective 4/1/08 Version 2008.4

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ULCERATIVE COLITIS AGENTS	ASACOL (mesalamine) COLAZAL (balsalazide) DIPENTUM (olsalazine) PENTASA (mesalamine) sulfasalazine	AZULFIDINE (sulfasalazine) LIALDA (mesalamine)	The preferred agents of a dosage form must be tried before a non-preferred agent of that dosage form will be authorized unless one of the exceptions on the PA form is present.
	Ri	ECTAL	
	CANASA (mesalamine) mesalamine	ROWASA (mesalamine)	