Effective 1/1/09 Version 2009.1

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
ACNE AGENTS, TOPICAL	AKNE-MYCIN (erythromycin) AZELEX (azelaic acid) clindamycin erythromycin sodium sulfacetamide  RETIN A liquid & Micro (tretinoin) TAZORAC (tazarotene) tretinoin cream, gel  KERATOLYTI benzoyl peroxide ETHEXDERM (benzoyl peroxide) OSCION (benzoyl peroxide)	TI-INFECTIVE  ACZONE (dapsone) NR CLEOCIN-T (clindamycin) EVOCLIN (clindamycin) KLARON (sodium sulfacetamide)  RETINOIDS  AVITA DIFFERIN (adapalene) RETIN-A cream, gel (tretinoin)  CS (Benzoyl Peroxides)  BENZAC WASH (benzoyl peroxide) BREVOXYL (benzoyl peroxide) DESQUAM (benzoyl peroxide) LAVOCLEN (benzoyl peroxide) LAVOCLEN (benzoyl peroxide) TRIAZ (benzoyl peroxide)  NATION AGENTS  BENZACLIN GEL (benzoyl peroxide/clindamycin) BENZAMYCIN PAK (benzoyl peroxide/erythromycin) CLENIA (sulfacetamide sodium/sulfur) DUAC CS (benzoyl peroxide/clindamycin) INOVA 4/1 (benzoyl peroxide/salicylic acid) NUOX (benzoyl peroxide/salicylic acid) NUOX (benzoyl peroxide/salicylic acid) NUOX (benzoyl peroxide/salicylic acid) NUOX (sulfacetamide sodium/sulfur) PRASCION (sulfacetamide sodium/sulfur) ROSAC (sulfacetamide sodium/sulfur) ROSAC (sulfacetamide sodium/sulfur) ROSADERM (sulfacetamide sodium/sulfur) ROSANIL (sulfacetamide sodium/sulfur) ROSANIL (sulfacetamide sodium/sulfur) SULFATOL (sulfacetamide sodium/sulfur)	Thirty (30) day trials each of one preferred retinoid and two unique chemical entities in two other subclasses, including the generic version of a requested non-preferred product, are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. (In cases of pregnancy, a trial of retinoids will not be required.)  PA required after 17 years of age for tretinoin products.  Acne kits are non-preferred

Effective 1/1/09 Version 2009.1

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ALZHEIMER'S AGENTS	CHOLINESTERASE INHIBITORS		A thirty (30) day trial of a preferred agent is required
	ARICEPT (donepezil) ARICEPT ODT(donepezil) EXELON (rivastigmine)	COGNEX (tacrine) galantamine RAZADYNE (galantamine) RAZADYNE ER (galantamine)	before a non-preferred agent In this class will be authorized unless one of the exceptions on the PA form is present.
		CEPTOR ANTAGONIST	
	NAMENDA (memantine)		

Effective 1/1/09 Version 2009.1

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
ANALGESICS, NARCOTIC - SHORT ACTING (Non-parenteral)	APAP/codeine ASA/codeine codeine dihydrocodeine/APAP/caffeine hydrocodone/APAP hydrocodone/ibuprofen hydromorphone levorphanol morphine oxycodone oxycodone/APAP oxycodone/APAP pentazocine/APAP pentazocine/APAP ROXICET (oxycodone/acetaminophen) tramadol tramadol/APAP VOPAC (codeine/acetaminophen)	ACTIQ (fentanyl) butalbital/APAP/caffeine/codeine butalbital/ASA/caffeine/codeine butorphanol COMBUNOX (oxycodone/ibuprofen) DARVOCET (propoxyphene/APAP) DARVON (propoxyphene) DEMEROL (meperidine) DILAUDID (hydromorphone) fentanyl FENTORA (fentanyl) FIORICET W/ CODEINE         (butalbital/APAP/caffeine/codeine) FIORINAL W/ CODEINE         (butalbital/APAP/caffeine/codeine) LORCET (hydrocodone/APAP) LORTAB (hydrocodone/APAP) LYNOX (oxycodone/APAP) Meperidine OPANA (oxymorphone) OxyrAST (oxycodone) OXYFAST (oxycodone) OXYFAST (oxycodone/APAP) PERCOCET (oxycodone/APAP) PERCOCET (oxycodone/APAP) PERCOCET (oxycodone/APAP) PERCODAN (oxycodone/APAP) PERCODAN (oxycodone/APAP) TALACEN (pentazocine/APAP) TALACEN (pentazocine/naloxone) TYLENOL W/CODEINE (APAP/codeine) ULTRACET (tramadol/APAP) ULTRAM (tramadol) VICODIN (hydrocodone/APAP) VICOPROFEN (hydrocodone/ibuprofen) XODOL (hydrocone/acetaminophen) ZAMICET (hydrocodone/acetaminophen) ZYDONE (hydrocodone/acetaminophen)	Six (6) day trials of at least four (4) chemically distinct preferred agents (based on narcotic ingredient only), including the generic formulation of a requested nonpreferred product, are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.  Fentanyl lozenges will only be approved for a diagnosis of cancer and as an adjunct to a long-acting agent. Fentanyl lozenges will not be approved for monotherapy.  Limits: All short acting solid forms of the narcotic analgesics are limited to 120 tablets per 30 days unless the patient is also on a long-acting agent for pain control or has a diagnosis of cancer.

Effective 1/1/09 Version 2009.1

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANALGESICS, NARCOTIC - LONG ACTING (Non-parenteral)	DURAGESIC (fentanyl) KADIAN (morphine) methadone morphine ER OPANA ER (oxymorphone)	AVINZA (morphine) fentanyl MS CONTIN (morphine) ORAMORPH SR (morphine) oxycodone ER OXYCONTIN (oxycodone) ULTRAM ER (tramadol)	Six (6) day trials each of a total of four (4) preferred narcotic analgesics, including at least one long-acting agent, are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. The generic form of the requested non-preferred agent, if available, must be tried before the non-preferred agent will be approved. Exception: Oxycodone ER will be authorized if a diagnosis of cancer is submitted without a trial of the preferred agents.
ANDROGENIC AGENTS	ANDRODERM (testosterone) ANDROGEL (testosterone)	TESTIM (testosterone)	The non-preferred agents will be approved only if one of the exceptions on the PA form is present.
ANGIOTENSIN MODULATORS	benazepril captopril enalapril fosinopril lisinopril quinapril ramipril	ACCUPRIL (quinapril) ACEON (perindopril) ALTACE (ramipril) CAPOTEN (captopril) LOTENSIN (benazepril) MAVIK (trandolapril) moexipril MONOPRIL (fosinopril) PRINIVIL (lisinopril) trandolapril UNIVASC (moexipril) VASOTEC (enalapril) ZESTRIL (lisinopril)  OR COMBINATION DRUGS  ACCURETIC (quinapril/HCTZ) LEXXEL (enalapril/felodipine) LOTENSIN HCT (benazepril/HCTZ) LOTREL (benazepril/amlodipine) moexipril/HCTZ MONOPRIL HCT (fosinopril/HCTZ) PRINZIDE (lisinopril/HCTZ) TARKA (trandolapril/verapamil) UNIRETIC (moexipril/HCTZ) VASERETIC (enalapril/HCTZ) ZESTORETIC (lisinopril/HCTZ)	Fourteen (14) day trials of each of the preferred agents in the corresponding group, with the exception of the Direct Renin Inhibitors, are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.

Effective 1/1/09 Version 2009.1

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
ANGIOTENSIN MODULATORS	ANGIOTENSIN II RECE		
	AVAPRO (irbesartan)	ATACAND (candesartan)	
	BENICAR (olmesartan)	COZAAR (losartan) 50, 100mg	
	COZAAR (losartan) 25mg	TEVETEN (eprosartan)	
	DIOVAN (valsartan) MICARDIS (telmisartan)		
		I MBINATIONS	
	AVALIDE (irbesartan/HCTZ)	ATACAND-HCT (candesartan/HCTZ)	
	AZOR (olmesartan/amlodipine)	TEVETEN-HCT (eprosartan/HCTZ)	
	BENICAR-HCT (olmesartan/HCTZ)		
	DIOVAN-HCT (valsartan/HCTZ)		
	EXFORGE (valsartan/amlodipine) HYZAAR (losartan/HCTZ)		
	MICARDIS-HCT (telmisartan/HCTZ)		
		NIN INHIBITORS	A thirty (30) day trial of one of a preferred ACE,
	TEKTURNA (aliskiren)		ARB, or combination agents, at the maximum
	TEKTURNA HCT (aliskiren/HCTZ)		tolerable dose, is required before Tekturna will be approved.
ANTICOAGULANTS,	ARIXTRA (fondaparinux)	INNOHEP (tinzaparin)	Trials of each of the preferred agents will be
INJECTABLE CL	FRAGMIN (dalteparin)	- (	required before a non-preferred agent will be
	LOVENOX (enoxaparin)		approved unless one of the exceptions on the PA
			form is present.
	1	l .	

Effective 1/1/09 Version 2009.1

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
ANTICONVULSANTS		UVANTS	A fourteen (14) day trial of one of the preferred
ANTICONVULSANTS	carbamazepine CARBATROL (carbamazepine) DEPAKOTE ER (divalproex) DEPAKOTE SPRINKLE (divalproex) divalproex EC FELBATOL (felbamate) gabapentin GABITRIL (tiagabine) KEPPRA (levetiracetam) LAMICTAL (lamotrigine) LYRICA (pregabalin) oxcarbazepine	DEPAKENE (valproic acid) DEPAKOTE (divalproex) EPITOL (carbamazepine) EQUETRO (carbamazepine) KEPPRA XR (levetiracetam) lamotrigine levetiracetam NEURONTIN (gabapentin) STAVZOR (valproic acid) TEGRETOL (carbamazepine) TEGRETOL XR (carbamazepine) TRILEPTAL (oxcarbazepine)	agents in the corresponding group is required for treatment naïve patients with a diagnosis of a seizure disorder before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.  A thirty (30) day trial of one of the preferred agents in the corresponding group is required for patients with a diagnosis other than seizure disorders unless one of the exceptions on the PA form is present.  Keppra XR will be approved with a diagnosis of a seizure disorder with no trials of preferred agents
	TOPAMAX (topiramate) valproic acid zonisamide	ZONEGRAN (zonisamide)	required.
		I ITURATES	
	mephobarbital	MEBARAL (mephobarbital)	
	phenobarbital	MYSOLINE (primidone)	
	primidone	I TERMES	
		DIAZEPINES	
	clonazepam DIASTAT (diazepam rectal) diazepam	KLONOPIN (clonazepam)	
	HYDA	ANTOINS	
	DILANTIN INFATABS (phenytoin) PEGANONE (ethotoin) phenytoin	CEREBYX (fosphenytoin) DILANTIN (phenytoin) PHENYTEK (phenytoin)	
		INIMIDES	
	CELONTIN (methsuximide) ethosuximide	ZARONTIN (ethosuximide)	

Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC are not covered unless specified.

CL – Requires Clinical PA

NR – New drug has not been reviewed by P & T Committee

Effective 1/1/09 Version 2009.1

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
ANTIDEPRESSANTS, OTHER (second generation, non-SSRI)	bupropion SR bupropion XL CYMBALTA (duloxetine) EFFEXOR XR (venlafaxine) mirtazapine trazodone	bupropion IR DESYREL (trazodone) EFFEXOR (venlafaxine) EMSAM (selegiline) nefazodone PRISTIQ (desvenlafaxine) REMERON (mirtazapine) venlafaxine venlafaxine ER WELLBUTRIN (bupropion) WELLBUTRIN SR (bupropion) WELLBUTRIN XL (bupropion)	A six (6) week trial each of a preferred agent and an SSRI is required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
ANTIDEPRESSANTS, SSRIS	citalopram fluoxetine fluvoxamine paroxetine sertraline	CELEXA (citalopram) LEXAPRO (escitalopram) LUVOX (fluvoxamine) LUVOX CR (fluvoxamine) PAXIL (paroxetine) PAXIL CR (paroxetine) paroxetine ER PEXEVA (paroxetine) PROZAC (fluoxetine) RAPIFLUX (fluoxetine) SARAFEM (fluoxetine) ZOLOFT (sertraline)	Thirty (30) day trials each of two (2) of the preferred agents are required before a non-preferred agent will be approved unless one of the exceptions on the PA form is present. Upon hospital discharge, patients admitted with a primary mental health diagnosis and have been stabilized on a non-preferred SSRI will receive authorization to continue that drug.

Effective 1/1/09 Version 2009.1

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
ANTIEMETICS	5HT3 RECEP ondansetron	TOR BLOCKERS ANZEMET (dolasetron)	A 3-day trial of a preferred agent is required before a non-preferred agent will be authorized unless one
	ondansetron ODT	KYTRIL (granisetron) granisetron SANCUSO (granisetron) <sup>NR</sup> ZOFRAN (ondansetron) ZOFRAN ODT (ondansetron)	of the exceptions on the PA form is present. PA is required for all agents when limits are exceeded.
	CANN	ABINOIDS	Cesamet will be authorized only for the treatment of
		CESAMET (nabilone) MARINOL (dronabinol)	nausea and vomiting associated with cancer chemotherapy for patients who have failed to respond adequately to 3-day trials of conventional treatments such as promethazine or ondansetron and are over 18 years of age. Marinol will be authorized only for the treatment of anorexia associated with weight loss in patients with AIDS or cancer and unresponsive to megestrol, the prophylaxis of chemotherapy induced nausea and vomiting unresponsive to 3-day trials of ondansetron or promethazine and for patients between the ages of 18 and 65 years of age.
	SUBSTANCE EMEND (aprepitant)	P ANTAGONISTS	PA is required when limits are exceeded.
ANTIFUNGALS, ORAL	clotrimazole fluconazole* ketoconazole cL nystatin terbinafine CL	ANCOBON (flucytosine) DIFLUCAN (fluconazole) GRIFULVIN V (griseofulvin) griseofulvin GRIS-PEG (griseofulvin) itraconazole LAMISIL (terbinafine) MYCELEX (clotrimazole) MYCOSTATIN Tablets (nystatin) NIZORAL (ketoconazole) NOXAFIL (posaconazole) SPORANOX (itraconazole) VFEND (voriconazole)	Non-preferred agents will be approved only if one of the exceptions on the PA form is present.  *PA is required when limits are exceeded.  PA is not required for Grifulvin-V Suspension for children up to 6 years of age for the treatment of tinea capitis.

Effective 1/1/09 Version 2009.1

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
ANTIFUNGALS, TOPICAL	ANTIFUNGALS		Fourteen (14) day trials of two (2) of the preferred
	econazole ketoconazole MENTAX (butenafine) NAFTIN (naftifine) nystatin	ciclopirox ERTACZO (sertaconazole) EXELDERM (sulconazole) LOPROX (ciclopirox) MYCOSTATIN (nystatin) NIZORAL (ketoconazole) OXISTAT (oxiconazole) PENLAC (ciclopirox) SPECTAZOLE (econazole) VUSION (miconazole/petrolatum/zinc oxide)	agents are required before one of the non-preferred agents will be authorized unless one of the exceptions on the PA form is present  Oxistat cream will be approved for children 12 and under for tinea corporis, tinea cruris, tinea pedis, and tinea (pityriasis) versicolor.
	ANTIFLINGAL/STE	XOLEGEL (ketoconazole) ROIDCOMBINATIONS	
	clotrimazole/betamethasone	LOTRISONE	1
	nystatin/triamcinolone	(clotrimazole/betamethasone) MYCOLOG (nystatin/triamcinolone)	
ANTIHISTAMINES, MINIMALLY		STAMINES	Thirty (30) day trials of at least two (2) chemically
SEDATING	ALAVERT (loratadine) cetirizine (OTC) loratadine TAVIST-ND (loratadine)	ALLEGRA (fexofenadine) CLARINEX Tablets (desloratadine) CLARINEX REDITABS (desloratadine) CLARINEX Syrup (desloratadine) CLARITIN (loratadine) fexofenadine XYZAL (levocetirizine) ZYRTEC (Rx and OTC) (cetirizine) ZYRTEC SYRUP (Rx and OTC) (cetirizine)	distinct preferred agents (in the age appropriate form), including the generic formulation of a requested non-preferred product, are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
		IGESTANT COMBINATIONS	
	ALAVERT-D (loratadine/pseudoephedrine) cetirizine/pseudoephedrine (OTC) loratadine/pseudoephedrine SEMPREX-D (acrivastine/ pseudoephedrine)	ALLEGRA-D (fexofenadine/pseudoephedrine) CLARINEX-D (desloratadine/pseudoephedrine) CLARITIN-D (loratadine/pseudoephedrine) ZYRTEC-D (Rx and OTC) (cetirizine/pseudoephedrine)	

Effective 1/1/09 Version 2009.1

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
ANTIMIGRAINE AGENTS,	TRIPTANS		Three (3) day trials each of the preferred agents are
TRIPTANS	IMITREX (sumatriptan)  MAXALT MLT (rizatriptan)  RELPAX (eletriptan)	AMERGE (naratriptan) AXERT (almotriptan) FROVA (frovatriptan) MAXALT (rizatriptan) sumatriptan ZOMIG (zolmitriptan)	required before a non-preferred agent will be approved unless one of the exceptions on the PA form is present. Quantity limits apply for this drug class.
		OMBINATIONS	
	TREXIMET (sumatriptan/naproxen sodium)		
ANTIPARKINSON'S AGENTS		DLINERGICS	Patients starting therapy on drugs in this class must
(Oral)	benztropine KEMADRIN (procyclidine) trihexyphenidyl	COGENTIN (benztropine)	show a documented allergy to all of the preferred agents, in the corresponding class, before a non-preferred agent will be authorized.
		NHIBITORS	
		COMTAN (entacapone) TASMAR (tolcapone)	
	DOPAMINE AGONISTS		Mirapex, Requip, and Requip XL will be approved
	ropinirole	MIRAPEX (pramipexole) REQUIP (ropinirole) REQUIP XL (ropinirole)	for a diagnosis of Parkinsonism with no trials of preferred agents required.
	OTHER ANTIPARKINSON'S AGENTS		
	amantadine bromocriptine carbidopa/levodopa selegiline STALEVO (levodopa/carbidopa/entacapone)	AZILECT (rasagiline) ELDEPRYL (selegiline) levodopa/carbidopa ODT PARCOPA (levodopa/carbidopa) SINEMET (levodopa/carbidopa) ZELAPAR (selegiline)	

Effective 1/1/09 Version 2009.1

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
ANTIPSYCHOTICS, ATYPICAL	ORAL		A fourteen (14) day trial of a preferred agent is
(Oral)	clozapine GEODON (ziprasidone) INVEGA (paliperidone) risperidone SEROQUEL (quetiapine) SEROQUEL XR (quetiapine)	ABILIFY (aripiprazole) CLOZARIL (clozapine) FAZACLO (clozapine) RISPERDAL (risperidone) ZYPREXA (olanzapine)	required for treatment naïve patients before a non- preferred agent will be approved unless one of the exceptions on the PA form is present. Upon discharge, hospitalized patients stabilized on non- preferred agents will receive authorization to continue these drugs for labeled indications and at recommended dosages.
	ATYPICAL ANTIPSYCE	IOTIC/SSRI COMBINATIONS  SYMBYAX (olanzapine/fluoxetine)	recommended dosages.
		STINDTAX (Glarizapine/Indoxetine)	Abilify will be prior authorized for MDD if the following criteria are met:  1. The patient is at least 18 year of age. 2. Diagnosis of Major Depressive Disorder
			(MDD) not responsive to other antidepressants.
			<ol> <li>Evidence of trials of appropriate therapeutic duration at a maximum tolerable dose of at least two (2) of the following agents: Selective Serotonin Reuptake Inhibitors (SSRI), Norepinephrine Reuptake Inhibitors, or bupropion.</li> </ol>
			Prescribed in conjunction with an SSRI, SNRI or bupropion.
			5. The daily dose does not exceed 15 mg.
ANTIVIRALS (Oral)	acyclovir VALTREX (valacyclovir)	famciclovir FAMVIR (famciclovir) ZOVIRAX (acyclovir)	Five (5) day trials each of the preferred agents are required before the non-preferred agents will be authorized unless one of the exceptions on the PA form is present.
	ANTI I	NFLUENZA	The anti influenza agents will be approved only for
		FLUMADINE (rimantadine) RELENZA (zanamivir) rimantadine SYMMETREL (amantadine) TAMIFLU (oseltamivir)	a diagnosis of influenza.
ATOPIC DERMATITIS	ELIDEL (pimecrolimus) PROTOPIC (tacrolimus)		

Effective 1/1/09 Version 2009.1

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
BETA BLOCKERS (Oral)	BETA BLOCKERS		Fourteen (14) day trials each of three (3) chemically
	acebutolol	BETAPACE (sotalol)	distinct preferred agents, including the generic
	atenolol	BLOCADREN (timolol)	formulation of a requested non-preferred product,
	betaxolol	BYSTOLIC (nebivolol)	are required before one of the non-preferred agents
	bisoprolol	CARTROL (carteolol)	will be approved unless one of the exceptions on
	metoprolol	CORGARD (nadolol)	the PA form is present.
	metoprolol ER	INDERAL LA (propranolol)	
	nadolol	INNOPRAN XL (propranolol)	
	pindolol propranolol	KERLONE (betaxolol) LEVATOL (penbutolol)	
	propranolol ER	LOPRESSOR (metoprolol)	
	sotalol	SECTRAL (acebutolol)	
	timolol	TENORMIN (atenolol)	
	umoror	TOPROL XL (metoprolol)	
		ZEBETA (bisoprolol)	
	BETA BLOCKER/DIURE	TIC COMBINATION DRUGS	
	atenolol/chlorthalidone	CORZIDE (nadolol/bendroflumethiazide)	
	bisoprolol/HCTZ	INDERIDE (propranolol/HCTZ)	
	metoprolol/HCTZ	LOPRESSOR HCT (metoprolol/HCTZ)	
	nadolol/bendroflumethiazide	TENORETIC (atenolol/chlorthalidone)	
	propranolol/HCTZ	ZIAC (bisoprolol/HCTZ)	
		LPHA-BLOCKERS	
	carvedilol	COREG (carvedilol)	
	labetalol	COREG CR (carvedilol)	
		TRANDATE (labetalol)	
BLADDER RELAXANT	DETROL LA (tolterodine)	DETROL (tolterodine)	A thirty (30) day trial each of the chemically distinct
PREPARATIONS	ENABLEX (darifenacin)	DITROPAN (oxybutynin)	preferred agents is required before a non-preferred
	oxybutynin	DITROPAN XL (oxybutynin)	agent will be authorized unless one of the
	oxybutynin ER SANCTURA (trospium)	OXYTROL (oxybutynin)	exceptions on the PA form is present.
	SANCTURA ((rospium)		
	VESICARE (solifenacin)		
	VESICARE (Somenacin)		

Effective 1/1/09 Version 2009.1

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
BONE RESORPTION	BISPHOSPHONATES		A 30-day trial of one of the preferred agents is
SUPPRESSION AND RELATED AGENTS	alendronate FOSAMAX PLUS D (alendronate/vitamin D)	ACTONEL (risedronate) ACTONEL WITH CALCIUM (risedronate/calcium) BONIVA (ibandronate) DIDRONEL (etidronate) FOSAMAX (alendronate)	required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
	OTHER BONE RESORPTION SU	PPRESSION AND RELATED AGENTS	
	MIACALCIN (calcitonin)	EVISTA (raloxifene) FORTEO (teriparatide) FORTICAL (calcitonin)	Evista will be approved for postmenopausal women with osteoporosis or at high risk for invasive breast cancer.
BPH AGENTS	5-ALPHA-REDUCT	ASE (5AR) INHIBITORS	Thirty (30) day trials each of at least two (2)
	AVODART (dutasteride) finasteride	PROSCAR (finasteride)	chemically distinct preferred agents, including the generic formulation of a requested non-preferred
	ALPHA BLOCKERS		agent, are required before a non-preferred agent
	doxazosin FLOMAX (tamsulosin)	CARDURA (doxazosin) CARDURA XL (doxazosin)	will be authorized unless one of the exceptions on the PA form is present.
	terazosin UROXATRAL (alfuzosin)	HYTRIN (terazosin)	
BRONCHODILATORS,		HOLINERGIC	Thirty (30) day trials each of the preferred agents in
ANTICHOLINERGIC	ATROVENT HFA (ipratropium) ipratropium SPIRIVA (tietropium)		the corresponding group are required before a non- preferred agent will be authorized unless one of the exceptions on the PA form is present.
	SPIRIVA (tiotropium)  ANTICHOLINERGIC-BETA AGONIST COMBINATIONS		- exceptions on the 174 form is present.
	COMBIVENT (albuterol/ipratropium)	albuterol/ipratropium DUONEB (albuterol/ipratropium)	For severely compromised patients, albuterol/ipratropium will be approved if the combined volume of albuterol and ipratropium nebules is inhibitory.

Effective 1/1/09 Version 2009.1

BRONCHODILATORS, BETA AGONIST  BRONCHODILATORS, BETA AGONIST  AGUNES (albuterol)**  BROVANA (arformoterol)  metaproterenol  PERFOROMIST (formoterol)  SEREVENT (salmeterol)  SEREVENT (salmeterol)  PROVENTIL (albuterol)  VENTOLIN HFA (albuterol)  VENTOLIN HFA (albuterol)  VOSPIRE ER (albuterol)  VOSPIRE ER (albuterol)  VOSPIRE ER (albuterol)  **No PA is required for ACCUNEB for children up to 5 years of age.	THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
AGONIST  albuterol  ACCUNEB (albuterol)** BROVANA (arformoterol) metaproterenol PERFOROMIST (formoterol) NOPENEX (levalbuterol)  FORADIL (formoterol) SEREVENT (salmeterol)  MAXAIR (pirbuterol) PROVENTIL HFA (albuterol) PROVENTIL HFA (albuterol) PROVENTIL (albuterol) VENTOLIN HFA (albuterol)  ORAL  albuterol BERETHINE (terbutaline) metaproterenol  preferred agents in their corresponding groups are required before a non-preferred agent in that group will be authorized unless one of the exceptions on the PA form is present.  Xopenex Inhalation Solution will be approved for 12 months for a diagnosis of asthma or COPD for patients on concurrent asthma controller therapy (either oral or inhaled) with documentation of failure on a trial of albuterol or documented intolerance of albuterol, or for concurrent diagnosis of heart disease.  **No PA is required for ACCUNEB for children up to 5 years of age.	DRUG CLASS	AGENTS	AGENTS	CRITERIA
BROVANA (arformoterol) metaproterenol PERFOROMIST (formoterol) PROVENTIL (albuterol) XOPENEX (levalbuterol)  SEREVENT (salmeterol)  MAXAIR (pirbuterol) PROVENTIL (albuterol)  MAXAIR (pirbuterol) PROVENTIL (albuterol)  MAXAIR (pirbuterol) PROVENTIL (albuterol) PROVENTIL (albuterol)  MAXAIR (pirbuterol) PROVENTIL (albuterol) PROVENTIL (albuterol) PROVENTIL (albuterol) PROVENTIL HFA (albuterol) PROVENTIL HFA (albuterol)  WENTOLIN HFA (albuterol) TORAL  albuterol albuterol BRETHINE (terbutaline) metaproterenol  BRETHINE (terbutaline) metaproterenol				
metaproterenol PERFOROMIST (formoterol) PROVENTIL (albuterol) XOPENEX (levalbuterol)  INHALERS, LONG-ACTING  FORADIL (formoterol) SEREVENT (salmeterol)  MAXAIR (pirbuterol) PROVENTIL (albuterol) PROVENTIL (albuterol) PROVENTIL HFA (albuterol) PROVENTIL HFA (albuterol)  ORAL  albuterol albuterol BRETHINE (terbutaline)  metaproterenol PERFOROMIST (formoterol) ACUPENT (metaproterenol) PROVENTIL (albuterol) ACUPENT (metaproterenol) ACUPENT (metaproterenol) PROVENTIL (albuterol) ACUPENT (metaproterenol) ACUPENT (m	AGONIST	albuterol		
PERFOROMIST (formoterol) PROVENTIL (albuterol) XOPENEX (levalbuterol)  INHALERS, LONG-ACTING  FORADIL (formoterol) SEREVENT (salmeterol)  INHALERS, SHORT-ACTING  MAXAIR (pirbuterol) PROVENTIL (albuterol) PROVENTIL HFA (albuterol) PROVENTIL HFA (albuterol) VENTOLIN HFA (albuterol)  ORAL  albuterol albuterol BRETHINE (terbutaline)  metaproterenol  BRETHINE (terbutaline)  metaproterenol  The PA form is present.  Xopenex Inhalation Solution will be approved for 12 months for a diagnosis of asthma or COPD for patients on concurrent asthma controller therapy (either oral or inhaled) with documentation of failure on a trial of albuterol or documented intolerance of albuterol, or for concurrent diagnosis of heart disease.  **No PA is required for ACCUNEB for children up to 5 years of age.				
PROVENTIL (albuterol) XOPENEX (levalbuterol)  INHALERS, LONG-ACTING  FORADIL (formoterol) SEREVENT (salmeterol)  MAXAIR (pirbuterol) PROVENTIL (albuterol) PROVENTIL (albuterol) PROVENTIL HFA (albuterol) VENTOLIN HFA (albuterol)  ORAL  albuterol albuterol terbutaline  BRETHINE (terbutaline)  Xopenex Inhalation Solution will be approved for 12 months for a diagnosis of asthma or COPD for patients on concurrent asthma controller therapy (either oral or inhaled) with documentation of failure on a trial of albuterol or documented intolerance of albuterol, or for concurrent diagnosis of heart disease.  **No PA is required for ACCUNEB for children up to 5 years of age.				
XOPENEX (levalbuterol)  INHALERS, LONG-ACTING  FORADIL (formoterol) SEREVENT (salmeterol)  MAXAIR (pirbuterol) PROAIR HFA (albuterol) PROVENTIL HFA (albuterol) VENTOLIN HFA (albuterol)  ORAL  albuterol albuterol BRETHINE (terbutaline)  WOPENEX (levalbuterol)  Xopenex Inhalation Solution will be approved for 12 months for a diagnosis of asthma or COPD for patients on concurrent asthma controller therapy (either oral or inhaled) with documentation of failure on a trial of albuterol or documented intolerance of albuterol, or for concurrent diagnosis of heart disease.  **No PA is required for ACCUNEB for children up to 5 years of age.				and 177 form to present.
INHALERS, LONG-ACTING  FORADIL (formoterol) SEREVENT (salmeterol)  INHALERS, SHORT-ACTING  MAXAIR (pirbuterol) PROAIR HFA (albuterol) PROVENTIL HFA (albuterol) VENTOLIN HFA (albuterol)  albuterol albuterol BRETHINE (terbutaline)  BRETHINE (terbutaline) months for a diagnosis of asthma or COPD for patients on concurrent asthma controller therapy (either oral or inhaled) with documentation of failure on a trial of albuterol or documented intolerance of albuterol, or for concurrent diagnosis of heart disease.  **No PA is required for ACCUNEB for children up to 5 years of age.				Xopenex Inhalation Solution will be approved for 12
SEREVENT (salmeterol)  INHALERS, SHORT-ACTING  MAXAIR (pirbuterol) PROAIR HFA (albuterol) PROVENTIL HFA (albuterol) VENTOLIN HFA (albuterol)  Albuterol ORAL  albuterol BRETHINE (terbutaline)  metaproterenol  BRETHINE (terbutaline)  (either oral or inhaled) with documentation of failure on a trial of albuterol or documented intolerance of albuterol, or for concurrent diagnosis of heart disease.  **No PA is required for ACCUNEB for children up to 5 years of age.		INHALERS		months for a diagnosis of asthma or COPD for
INHALERS, SHORT-ACTING  MAXAIR (pirbuterol) PROAIR HFA (albuterol) PROVENTIL HFA (albuterol) VENTOLIN HFA (albuterol)  ORAL  albuterol albuterol BRETHINE (terbutaline) metaproterenol  in a trial of albuterol or documented intolerance of albuterol, or for concurrent diagnosis of heart disease.  **No PA is required for ACCUNEB for children up to 5 years of age.				
MAXAIR (pirbuterol) PROAIR HFA (albuterol) PROVENTIL HFA (albuterol) VENTOLIN HFA (albuterol)  ALUPENT (metaproterenol) PROVENTIL (albuterol) XOPENEX HFA (levalbuterol)  **No PA is required for ACCUNEB for children up to 5 years of age.  **Spears of age.**  BRETHINE (terbutaline) metaproterenol				
PROAIR HFA (albuterol) PROVENTIL HFA (albuterol) VENTOLIN HFA (albuterol)  ORAL  albuterol terbutaline  ALOPENT (Inetaproterenol) PROVENTI (albuterol)  ALOPENT (Inetaproterenol)  Wisease.  **No PA is required for ACCUNEB for children up to 5 years of age.				
PROVENTIL (albuterol) PROVENTIL HFA (albuterol) VENTOLIN HFA (albuterol)  ORAL  albuterol albuterol terbutaline  PROVENTIL (albuterol) XOPENEX HFA (levalbuterol)  **No PA is required for ACCUNEB for children up to 5 years of age.			ALUPENT (metaproterenol)	
VENTOLIN HFA (albuterol)  ORAL  albuterol  bright depth and the strength of th				
albuterol BRETHINE (terbutaline) terbutaline metaproterenol			AOPENEX HFA (levalbuterol)	
albuterol BRETHINE (terbutaline) terbutaline metaproterenol			ORAL	5 years of age.
terbutaline metaproterenol				
VOSPIRE ER (albuterol)		terbutaline	metaproterenol	
			VOSPIRE ER (albuterol)	

Effective 1/1/09 Version 2009.1

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
CALCIUM CHANNEL		-ACTING	Fourteen (14) day trials each of the preferred agents
BLOCKERS	amlodipine diltiazem felodipine ER nifedipine ER nisoldipine verapamil ER	ADALAT CC (nifedipine) CALAN SR (verapamil) CARDENE SR (nicardipine) CARDIZEM CD, LA, SR (diltiazem) COVERA-HS (verapamil) DILACOR XR (diltiazem) DYNACIRC CR (isradipine) ISOPTIN SR (verapamil) NORVASC (amlodipine) PLENDIL (felodipine) PROCARDIA XL (nifedipine) SULAR (nisoldipine) TIAZAC (diltiazem)	are required before a non-preferred agent will be approved unless one of the exceptions on the PA form is present.
	SHOD	VERELAN <mark>/VERELAN PM (verapamil) T-ACTING</mark>	
	diltiazem	ADALAT (nifedipine)	
	verapamil	CALAN (verapamil) CARDENE (nicardipine) CARDIZEM (diltiazem) DYNACIRC (isradipine) isradipine nicardipine nimodipine nifedipine NIMOTOP (nimodipine) PROCARDIA (nifedipine)	
CEPHALOSPORINS AND	BETA LACTAM/BETA-LACTAM	MASE INHIBITOR COMBINATIONS	Five (5) day trials each of the preferred agents are
RELATED ANTIBIOTICS (Oral)	amoxicillin/clavulanate AUGMENTIN XR (amoxicillin/clavulanate)  CEPHAL  cefaclor cefaclor cefadroxil cefdinir cefpodoxime cefprozil cefuroxime cephalexin SPECTRACEF (cefditoren)	CECLOR (cefaclor) CEDAX (ceftibuten) CEFTIN (cefuroxime) CEFZIL (cefprozil) DURICEF (cefadroxil) KEFLEX (cephalexin) OMNICEF (cefdinir) PANIXINE (cephalexin) RANICLOR (cefaclor) SUPRAX (cefixime) VANTIN (cefpodoxime)	required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.

Effective 1/1/09 Version 2009.1

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CYTOKINE & CAM ANTAGONISTS <sup>CL</sup>	CIMZIA (certolizumab/pegol) ENBREL (etanercept) HUMIRA (adalimumab) KINERET (anakinra) RAPTIVA (efalizumab)		
ERYTHROPOIESIS STIMULATING PROTEINS CL	PROCRIT (rHuEPO)	ARANESP (darbepoetin) EPOGEN (rHuEPO)	A thirty (30) day trial of the preferred agent is required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
FLUOROQUINOLONES, ORAL	AVELOX (moxifloxacin) CIPRO (ciprofloxacin) Suspension ciprofloxacin ciprofloxacin ER LEVAQUIN (levofloxacin)	CIPRO (ciprofloxacin) Tablets CIPRO XR (ciprofloxacin) FACTIVE (gemifloxacin) FLOXIN (ofloxacin) NOROXIN (norfloxacin) ofloxacin PROQUIN XR (ciprofloxacin)	A five (5) day trial of one of the preferred agents is required before a non-preferred agent will be approved unless one of the exceptions on the PA form is present.
GENITAL WARTS AGENTS	ALDARA (imiquimod)	CONDYLOX (podofilox) podofilox VEREGEN (sinecatechins)	A thirty (30) day trial of the preferred agent is required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
GLUCOCORTICOIDS, INHALED	AEROBID (flunisolide) AEROBID-M (flunisolide) ASMANEX (mometasone) AZMACORT (triamcinolone) FLOVENT HFA (fluticasone) QVAR (beclomethasone)	ALVESCO (ciclesonide) PULMICORT (budesonide)  ICHODILATOR COMBINATIONS	Thirty (30) day trials each of the preferred agents are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.  Pulmicort Respules do not require a prior authorization for children through 8 years of age or for individuals unable to use an MDI. When children who have been stabilized on Pulmicort Respules reach age 9, prescriptions for the Pulmicort inhaler will be authorized for them.
GROWTH HORMONE CL	GENOTROPIN (somatropin) NUTROPIN (somatropin) NUTROPIN AQ (somatropin)	HUMATROPE (somatropin) INCRELEX (mecasermin) NORDITROPIN (somatropin) OMNITROPE (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin) TEV-TROPIN (somatropin) ZORBTIVE (somatropin)	The preferred agents must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.  Patients already on a non-preferred agent will receive authorization to continue therapy on that agent for the duration of the existing PA.

Effective 1/1/09 Version 2009.1

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
HEPATITIS B TREATMENTS	EPIVIR HBV (lamivudine) HEPSERA (adefovir) TYZEKA (telbivudine)	BARACLUDE (entecavir)	A thirty (30) day trial of one of the preferred agents is required before the non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
HEPATITIS C TREATMENTS CL	PEGASYS (pegylated interferon) PEG-INTRON (pegylated interferon) ribavirin	COPEGUS (ribavirin) INFERGEN (consensus interferon) REBETOL (ribavirin)	Patients starting therapy in this class must try the preferred agent of a dosage form before a non-preferred agent of that dosage form will be authorized.
HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS	BYETTA (exenatide) JANUMET (sitagliptin/metformin) JANUVIA (sitagliptin) SYMLIN (amylin)		Byetta and Symlin are both subject to the following step therapy edits:  Byetta-Current history of therapy with a sulfonylurea, thiazolidinedione (TZD), and/or metformin. No gaps of therapy greater than 30 days in the past 180 days.  Symlin- History of insulin utilization in the past 90 days. No gaps in therapy of greater than 30 days.
HYPOGLYCEMICS, INSULINS	HUMALOG (insulin lispro) vials only HUMALOG MIX (insulin lispro/lispro protamine) vials only HUMULIN (insulin) vials only LANTUS (insulin glargine) all forms LEVEMIR (insulin detemir) all forms NOVOLIN (insulin) all forms NOVOLOG (insulin aspart) all forms NOVOLOG MIX all forms (insulin aspart/aspart protamine)	APIDRA (insulin glulisine) HUMALOG PEN/KWIKPEN (insulin lispro) HUMALOG MIX PENS (insulin lispro/lispro protamine) HUMULIN PEN (insulin)	To receive Apidra, patients must meet the following criteria:  1. be 4 years or older;  2. be currently on a regimen including a longer-acting or basal insulin.  3. have had a trial of a similar preferred agent, Novolog or Humalog, with documentation that the desired results were not achieved.
HYPOGLYCEMICS, MEGLITINIDES	STARLIX (nateglinide)	PRANDIN (repaglinide)	A thirty (30) day triial of the preferred agent is required before a non-preferred agent will be authorized, unless one of the exceptions on the PA form is present.
HYPOGLYCEMICS, TZDS	ACTOS (pioglitazone) AVANDIA (rosiglitazone)  TZD COM  ACTOPLUS MET (pioglitazone/metformin) AVANDAMET (rosiglitazone/metformin)	DINEDIONES  MBINATIONS	
	AVANDARYL (rosiglitazone/glimepiride) DUETACT (pioglitazone/glimepiride)		

Effective 1/1/09 Version 2009.1

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
IMPETIGO AGENTS, TOPICAL	ALTABAX (retapamulin) mupirocin bacitracin gentamycin sulfate	BACTROBAN (mupirocin) CORTISPORIN (bacitracin/neomycin/polymyxin/HC)	Ten (10) day trials of at least one preferred agent, including the generic formulation of a requested non-preferred agent, are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
INTRANASAL RHINITIS	ANTICHO	DLINERGICS	Thirty (30) day trials of one preferred agent in the
AGENTS		ATROVENT(ipratropium) ipratropium	antihistamine and corticosteroid groups are required before an anti-cholinergic agent will be approved unless one of the exceptions on the PA form is present.
	ASTELIN (azelastine) PATANASE (olopatadine)	STAMINES  ASTEPRO (azelastine) <sup>NR</sup>	Thirty (30) day trials of one preferred agent in the antihistamine and corticosteroid groups are required before a non-preferred agent will be approved unless one of the exceptions on the PA form is present.
	CORTICO	OSTEROIDS	Thirty (30) day trials of each preferred agent in the
	fluticasone propionate NASACORT AQ (triamcinolone) NASONEX (mometasone) VERAMYST (fluticasone furoate)	BECONASE AQ (beclomethasone) flunisolide FLONASE (fluticasone propionate) NASALIDE (flunisolide) NASAREL (flunisolide) RHINOCORT AQUA (budesonide)	corticosteroid group are required before a non- preferred corticosteroid agent will be authorized unless one of the exceptions on the PA form is present.
LEUKOTRIENE MODIFIERS	ACCOLATE (zafirlukast) SINGULAIR (montelukast)	ZYFLO (zileuton)	Thirty (30) day trials each of the preferred agents are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.

Effective 1/1/09 Version 2009.1

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
LIPOTROPICS, OTHER		EQUESTRANTS	A twelve (12) week trial of one of the preferred
(non-statins)	cholestyramine colestipol	COLESTID (colestipol) QUESTRAN (cholestyramine) WELCHOL (colesevelam)	agents is required before a non-preferred agent in the corresponding category will be authorized. Zetia, as monotherapy, will only be approved for
	CHOLESTEROL AB	SORPTION INHIBITORS	patients who cannot take statins or other preferred agents.
		ZETIA (ezetimibe)	Zetia and Welchol will be approved for add-on
	FATT	Y ACIDS	therapy only after an insufficient response to the
		LOVAZA (omega-3-acid ethyl esters)	maximum tolerable dose of a statin after 12 weeks of therapy.
	FIBRIC ACI	D DERIVATIVES	or therapy.
	fenofibrate gemfibrozil TRICOR (fenofibrate)	ANTARA (fenofibrate) FENOGLIDE (fenofibrate) LOFIBRA (fenofibrate) LOPID (gemfibrozil) TRIGLIDE (fenofibrate)	Lovaza will be approved for the treatment of high triglyceride levels (≥ 400mg/dL) not responsive to, or not a candidate for, other lipid lowering agents (e.g. HMG CoA therapy) or The treatment of high triglyceride levels (≥ 400mg/dL)
	NIACIN		when the patient is intolerant or not responsive to, or not a candidate for nicotinic acid or fibrate therapy.
	niacin NIASPAN (niacin)	NIACELS (niacin) NIADELAY (niacin) SLO-NIACIN (niacin	, ,
LIPOTROPICS, STATINS		ATINS	Twelve (12) week trials each of two (2) of the
	CRESTOR (rosuvastatin) LESCOL (fluvastatin) LESCOL XL (fluvastatin) LIPITOR (atorvastatin) lovastatin pravastatin simvastatin	ALTOPREV (Iovastatin) MEVACOR (Iovastatin) PRAVACHOL (pravastatin) ZOCOR (simvastatin)	preferred statins, including the generic formulation of a requested non-preferred agent, are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present  Vytorin will be approved only after an insufficient
		OMBINATIONS	response to the maximum tolerable dose of Lipitor
	ADVICOR (lovastatin/niacin) CADUET (atorvastatin/amlodipine) SIMCOR (simvastatin/niacin ER)	VYTORIN (simvastatin/ ezetimibe)	(atorvastatin) or Crestor (rosuvastatin) after 12 weeks, unless one of the exceptions on the PA form is present.

Effective 1/1/09 Version 2009.1

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
MACROLIDES/KETOLIDES (Oral)	KET	FOLIDES  KETEK (telithromycin)	Requests for telithromycin will be authorized if there is documentation of the use of any antibiotic within the past 28 days.
	MAC	L ROLIDES	the past 20 days.
	azithromycin clarithromycin erythromycin	BIAXIN (clarithromycin) BIAXIN XL (clarithromycin) clarithromycin ER E.E.S. (erythromycin ethylsuccinate) E-MYCIN (erythromycin) ERYC (erythromycin) ERYPED (erythromycin ethylsuccinate) ERY-TAB (erythromycin) ERYTHROCIN (erythromycin stearate) erythromycin estolate PCE (erythromycin) ZITHROMAX (azithromycin) ZMAX (azithromycin)	Five (5) day trials each of the preferred agents are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
MULTIPLE SCLEROSIS AGENTS CL	AVONEX (interferon beta-1a) BETASERON (interferon beta-1b) COPAXONE (glatiramer) REBIF (interferon beta-1a)	TYSABRI (natalizumab)	A 30-day trial of a preferred agent will be required before a non-preferred agent will be approved. Tysabri will only be approved for members who are enrolled in the TOUCH Prescribing Program.

Effective 1/1/09 Version 2009.1

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
NSAIDS	NONS	ELECTIVE	Thirty (30) day trials of each of the preferred agents
	diclofenac etodolac fenoprofen flurbiprofen ibuprofen (Rx and OTC) INDOCIN (indomethacin) (suspension only) indomethacin ketorolac naproxen (Rx only) oxaprozin piroxicam sulindac	ADVIL (ibuprofen) ANAPROX (naproxen) ANSAID (flurbiprofen) CATAFLAM (diclofenac) CLINORIL (sulindac) DAYPRO (oxaprozin) FELDENE (piroxicam) FLECTOR PATCH (diclofenac) INDOCIN (indomethacin) ketoprofen LODINE (etodolac) meclofenamate mefenamic acid MOTRIN (ibuprofen) nabumetone NALFON (fenoprofen) NAPRELAN (naproxen) NAPROSYN (naproxen) NUPRIN (ibuprofen) ORUDIS (ketoprofen) PONSTEL (meclofenamate) tolmetin	are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
		VOLTAREN (diclofenac)	
	NSAID/GI PROTEC	VOLTAREN GEL (diclofenac) TANT COMBINATIONS	
		ARTHROTEC (diclofenac/misoprostol) PREVACID/NAPRAPAC (naproxen/lansoprazole)	
	COX-II	SELECTIVE	
	CELEBREX (celecoxib) CL meloxicam	MOBIC (meloxicam)	Celebrex will be approved for patients with a GI Risk Score of ≥13.
OPHTHALMIC ANTIBIOTICS	ciprofloxacin ofloxacin VIGAMOX (moxifloxacin)	AZASITE (azithromycin) CILOXAN (ciprofloxacin) OCUFLOX (ofloxacin) QUIXIN (levofloxacin)	Five (5) day trials each of the preferred agents are required before non-preferred agents will be authorized unless one of the exceptions on the PA form is present.

Effective 1/1/09 Version 2009.1

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
		ZYMAR (gatifloxacin)	
OPHTHALMIC NSAIDS	ACULAR/LS/PF (ketorolac) flurbiprofen NEVANAC (nepafenac) XIBROM (bromfenac)	diclofenac DUREZOL (difluprednate) NR	Five (5) day trials each of the preferred agents are required before non-preferred agents will be authorized unless one of the exceptions on the PA form is present.
OPHTHALMICS FOR ALLERGIC CONJUNCTIVITIS	ACULAR (ketorolac) ALAWAY (ketotifen) ALREX (loteprednol) cromolyn OPTIVAR (azelastine) PATADAY (olopatadine) PATANOL (olopatadine) ZADITOR OTC (ketotifen)	ALAMAST (pemirolast) ALOCRIL (nedocromil) ALOMIDE (lodoxamide) CROLOM (cromolyn) ELESTAT (epinastine) EMADINE (emedastine) ketotifen OPTICROM (cromolyn)	Thirty (30) day trials each of two (2) of the preferred agents are required before non-preferred agents will be authorized, unless one of the exceptions on the PA form is present.
OPHTHALMICS, GLAUCOMA	COMBINA	ATION AGENTS	Authorization for a non-preferred agent will only be
AGENTS	COSOPT (dorzolamide/timolol)	COMBIGAN (brimonidine/timolol) dorzolamide/timolol	given if there is an allergy to the preferred agents.
	BETA BLOCKERS		
	Betaxolol BETOPTIC S (betaxolol) carteolol levobunolol metipranolol timolol	BETAGAN (levobunolol) BETIMOL (timolol) ISTALOL (timolol) OPTIPRANOLOL (metipranolol) TIMOPTIC (timolol)	
		IYDRASE INHIBITORS	
	AZOPT (brinzolamide) TRUSOPT (dorzolamide)	dorzolamide	
		PATHOMIMETICS	i e
	CARBOPTIC (carbachol) ISOPTO CARBACHOL (carbachol) PHOSPHOLINE IODIDE (echothiophate iodide) pilocarpine	ISOPTO CARPINE (pilocarpine) PILOPINE HS (pilocarpine)	
		ANDIN ANALOGS	
	LUMIGAN (bimatoprost) TRAVATAN (travoprost) TRAVATAN-Z (travoprost)	XALATAN (latanoprost)	
		THOMIMETICS	
	ALPHAGAN P (brimonidine) brimonidine dipivefrin	ALPHAGAN (brimonidine) PROPINE (dipivefrin)	

Effective 1/1/09 Version 2009.1

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
OTIC FLUOROQUINOLONES	CIPRODEX (ciprofloxacin/dexamethasone) ofloxacin	CIPRO HC (ciprofloxacin/hydrocortisone) FLOXIN (ofloxacin)	Five (5) day trials each of the preferred agents are required before a non-preferred agent will be approved unless one of the exceptions on the PA form is present.
PANCREATIC ENZYMES	CREON PANCRECARB ULTRASE ULTRASE MT VIOKASE	KUZYME LIPRAM PALCAPS PANCREASE PANGESTYME PANOKASE PLARETASE	Thirty (30) day trials each of at least three (3) preferred agents, are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.  Non-preferred agents will be approved for members with cystic fibrosis.
PARATHYROID AGENTS	ergocalciferol calcitriol HECTOROL (doxercalciferol) ZEMPLAR (paricalcitol)	DRISDOL (ergocalciferol) ROCALTROL (calcitriol) SENSIPAR (cinacalcet)	A thirty (30) day trial of a preferred agent will be required before a non-preferred agent will be approved.
PEDICULICIDES/ SCABICIDES, TOPICAL	EURAX (crotamiton) OVIDE (malathion) permethrins (Rx and OTC) pyrethrins-piperonyl butoxide	lindane	Trials of the preferred agents (which are age and weight appropriate) are required before lindane will be approved unless one of the exceptions on the PA form is present.
PHOSPHATE BINDERS	FOSRENOL (lanthanum) PHOSLO (calcium acetate) RENAGEL (sevelamer)	RENVELA (sevelamer carbonate) calcium acetate	Thirty (30) day trials of at least two (2) preferred agents are required unless one of the exceptions on the PA form is present.
PLATELET AGGREGATION INHIBITORS	AGGRENOX (dipyridamole/ASA) cilostazol PLAVIX (clopidogrel)	dipyridamole PERSANTINE (dipyridamole) PLETAL (cilostazol) TICLID (ticlopidine) ticlopidine	A thirty (30) day trial of a preferred agent is required before a non-preferred agent will be approved unless one of the exceptions on the PA form is present.
PROTON PUMP INHIBITORS	NEXIUM (esomeprazole) PREVACID Capsules (lansoprazole)	ACIPHEX (rabeprazole) NEXIUM PACKETS (esomeprazole) omeprazole pantoprazole PREVACID Solu-Tabs (lansoprazole) PREVACID Suspension (lansoprazole) PRILOSEC (omeprazole) PROTONIX (pantoprazole) ZEGERID (omeprazole/sodium bicarbonate)	Thirty (30) day trials each of the preferred agents are required before a non-preferred agent will be approved unless one of the exceptions on the PA form is present.  Prior authorization is not required for Prevacid Solu-Tabs for patients ≤8 years of age.

Effective 1/1/09 Version 2009.1

THERAPEUTIC	PREFERRED	NON-PREFERRED	PA
DRUG CLASS	AGENTS	AGENTS	CRITERIA
SEDATIVE HYPNOTICS	BENZOI	DIAZEPINES	Fourteen (14) day trials of the preferred agents in
	temazepam	DALMANE (flurazepam) DORAL (quazepam) estazolam flurazepam HALCION (triazolam) PROSOM (estazolam) RESTORIL (temazepam) triazolam	both categories are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
	zolpidem	AMBIEN (zolpidem)	
		AMBIEN CR (zolpidem) AQUA CHLORAL (chloral hydrate) chloral hydrate LUNESTA (eszopiclone) ROZEREM (ramelteon) SOMNOTE (chloral hydrate) SONATA (zaleplon) zaleplon	
STIMULANTS AND RELATED	AMPHI	ETAMINES	Except for Strattera, PA is required for adults >18
AGENTS	ADDERALL XR (amphetamine salt combination) amphetamine salt combination dextroamphetamine VYVANSE (lisdexamphetamine)	ADDERALL (amphetamine salt combination) DESOXYN (methamphetamine) DEXEDRINE (dextroamphetamine) DEXTROSTAT (dextroamphetamine) PHETAMINE	years.  One of the preferred agents in each group (amphetamines and non-amphetamines) must be tried for thirty (30) days before a non-preferred agent will be authorized.
	CONCERTA (methylphenidate)	DAYTRANA (methylphenidate)	
	FOCALIN (dexmethylphenidate) FOCALIN XR (dexmethylphenidate) METADATE CD (methylphenidate) methylphenidate methylphenidate ER STRATTERA (atomoxetine)	dexmethylphenidate METADATE ER (methylphenidate) pemoline PROVIGIL (modafinil) RITALIN (methylphenidate) RITALIN LA (methylphenidate) RITALIN-SR (methylphenidate)	Thirty (30) day trials of at least three (3) antidepressants are required before amphetamines will be approved for depression.  Provigil will only be approved for patients >16 years of age with a diagnosis of narcolepsy.

Effective 1/1/09 Version 2009.1

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
			Strattera will not be approved for concurrent administration with amphetamines or methylphenidates, except for 30 days or less for tapering purposes. Strattera is limited to a maximum of 100mg per day.
ULCERATIVE COLITIS	ORAL		Thirty (30) day trials of each of the preferred agents
AGENTS	ASACOL (mesalamine) COLAZAL (balsalazide) DIPENTUM (olsalazine) LIALDA (mesalamine) PENTASA (mesalamine) sulfasalazine	AZULFIDINE (sulfasalazine) balsalazide	of a dosage form must be tried before a non- preferred agent of that dosage form will be authorized unless one of the exceptions on the PA form is present.
	RECTAL CANASA (mesalamine) ROWASA (mesalamine)		
	mesalamine	TOWNON (mosalamine)	
MISC BRAND/GENERIC	SANDOSTATIN (octreotide)	octreotide	Thirty (30) day trials each of the preferred agents are required before a non-preferred agent will be authorized.