

## BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13 Version 2013.1p

- Prior authorization for a non-preferred agent in any category will be given only if there has been a trial of the preferred brand/generic equivalent or preferred formulation of the active ingredient, at a therapeutic dose, that resulted in a partial response with a documented intolerance.
- Prior authorization of a non-preferred isomer, pro-drug, or metabolite will be considered with a trial of a preferred parent drug of the same chemical entity, at a therapeutic dose, that resulted in a partial response with documented intolerance or a previous trial and therapy failure, at a therapeutic dose, with a preferred drug of a different chemical entity indicated to treat the submitted diagnosis. (The required trial may be overridden when documented evidence is provided that the use of these preferred agent(s) would be medically contraindicated.)
- Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC drugs are not covered unless specified.
- PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.
- The use of pharmaceutical samples will not be considered when evaluating the members' medical condition or prior prescription history for drugs that require prior authorization.
- Acronyms
  - CL Requires clinical PA. For detailed clinical criteria, please refer to: <u>http://www.dhhr.wv.gov/bms/Pharmacy/Pages/pac.aspx</u>
  - NR New drug has not been reviewed by P & T Committee
  - AP Non-preferred and selected preferred drugs, where indicated, are subject to auto-PA criteria. See PA criteria column.



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
DRUG CLASS				
ACNE AGENTS (To	• •			
		FECTIVE		
	AZELEX (azelaic acid) clindamycin gel, lotion, medicated swab, solution erythromycin gel, solution sulfacetamide suspension	ACZONE (dapsone) AKNE-MYCIN (erythromycin) CLEOCIN-T (clindamycin) CLINDACIN PAC (clindamycin) CLINDAGEL (clindamycin) clindamycin foam erythromycin medicated swab EVOCLIN (clindamycin) KLARON (sulfacetamide) OVACE/PLUS (sulfacetamide) sulfacetamide cleanser	Thirty (30) day trials each of one preferred retinoid and two unique chemical entities in two other subclasses, including the generic version of a requested non- preferred product, are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. (In cases of pregnancy, a trial of retinoids will not be required.)	
	RETIN	NOIDS		
	TAZORAC (tazarotene)	adapalene	PA required after 17 years of age	
	tretinoin cream, gel	ATRALIN (tretinoin) AVITA (tretinoin) DIFFERIN (adapalene) RETIN-A (tretinoin) RETIN A MICRO (tretinoin)	for tretinoin products.	
	KERATO	DLYTICS		
	benzoyl peroxide cleanser Rx & OTC, 10% cream OTC, gel Rx & OTC, lotion OTC, wash OTC	<ul> <li>BENZEFOAM (benzoyl peroxide)</li> <li>BENZEFOAM ULTRA (benzoyl peroxide)</li> <li>BENZEPRO (benzoyl peroxide)</li> <li>benzoyl peroxide cloths, medicated pads, microspheres cleanser</li> <li>BP 10-1 (benzoyl peroxide)</li> <li>DELOS (benzoyl peroxide)</li> <li>DESQUAM-X (benzoyl peroxide)</li> <li>LAVOCLEN (benzoyl peroxide)</li> <li>PACNEX/HP/LP (benzoyl peroxide)</li> <li>PANOXYL-4, -8 OTC (benzoyl peroxide)</li> <li>PERSA-GEL OTC (benzoyl peroxide)</li> <li>SASTID (sulfur)</li> <li>SE-BPO (benzoyl peroxide)</li> <li>SULPHO-LAC (sulfur)</li> </ul>	Acne kits are non-preferred.	
	COMBINATI	ON AGENTS		



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	erythromycin/benzoyl peroxide sulfacetamide solution sulfacetamide/sulfur wash/cleanser	<ul> <li>ACANYA (clindamycin phosphate/benzoyl peroxide)</li> <li>AVAR/-E/LS (sulfur/sulfacetamide)</li> <li>BENZACLIN GEL (benzoyl peroxide/ clindamycin)</li> <li>BENZAMYCIN PAK (benzoyl peroxide/ erythromycin)</li> <li>benzoyl peroxide/clindamycin gel</li> <li>benzoyl peroxide/urea</li> <li>CERISA (sulfacetamide sodium/sulfur)</li> <li>CLARIFOAM EF (sulfacetamide/sulfur)</li> <li>CLARIFOAM EF (sulfacetamide/sulfur)</li> <li>DUAC (benzoyl peroxide/ erythromycin)</li> <li>EPIDUO (adapalene/benzoyl peroxide)</li> <li>GARIMIDE (sulfacetamide/sulfur)</li> <li>INOVA 4/1, 5/2 (benzoyl peroxide/salicylic acid)</li> <li>NUOX (benzoyl peroxide/sulfur)</li> <li>PRASCION (sulfacetamide sodium/sulfur)</li> <li>SE 10-5 SS (sulfacetamide/sulfur)</li> <li>sulfacetamide sodium/sulfur)</li> <li>sulfacetamide sodium/sulfur)</li> <li>SUMADAN (sulfacetamide/sulfur)</li> <li>SUMAXIN/TS (sulfacetamide/sulfur)</li> <li>VELTIN (clindamycin/tretinoin)</li> <li>ZIANA (clindamycin/tretinoin)</li> </ul>	Thirty (30) day trials each of one preferred retinoid and two unique chemical entities in two other subclasses, including the generic version of a requested non- preferred product, are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. (In cases of pregnancy, a trial of retinoids will not be required.) In addition, thirty (30) day trials of combinations of the corresponding preferred single agents available are required before non-preferred combination agents will be authorized.
ALZHEIMER'S AGE			
	donepezil	ARICEPT (donepezil) COGNEX (tacrine) EXELON CAPSULE (rivastigmine) EXELON PATCH (rivastigmine) galantamine galantamine ER RAZADYNE (galantamine) RAZADYNE ER (galantamine) rivastigmine	A thirty (30) day trial of a preferred agent is required before a non- preferred agent in this class will be authorized unless one of the exceptions on the PA form is present. Aricept 23mg tablets will be approved when there is a diagnosis



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
			of moderate-to-severe Alzheimer's Disease, a trial of donepezil 10mg daily for at least three (3) months, and donepezil 20mg daily for an additional one (1) month. Aricept and donepezil ODT will be approved only when the oral dosage form is not appropriate for the patient.
	NMDA RECEPTO	DR ANTAGONIST	
	NAMENDA (memantine)		
ANALGESICS, NA	RCOTIC - SHORT ACTING (Non-par	renteral) <sup>AP</sup>	
	APAP/codeine butalbital/APAP/caffeine/codeine codeine hydrocodone/APAP hydrocodone/ibuprofen hydromorphone tablets morphine oxycodone oxycodone/APAP oxycodone/APAP pentazocine/APAP pentazocine/naloxone ROXICET SOLUTION (oxycodone/ acetaminophen) ROXICODONE TABLETS (oxycodone) tramadol tramadol/APAP	ABSTRAL (fentanyl) ACTIQ (fentanyl) butalbital/ASA/caffeine/codeine butorphanol CAPITAL W/CODEINE (APAP/codeine) COMBUNOX (oxycodone/ibuprofen) DEMEROL (meperidine) dihydrocodeine/ APAP/caffeine DILAUDID (hydromorphone) fentanyl FENTORA (fentanyl) FIORICET W/ CODEINE (butalbital/APAP/caffeine/codeine) FIORINAL W/ CODEINE (butalbital/ASA/caffeine/codeine) FIORINAL W/ CODEINE (butalbital/ASA/caffeine/codeine) hydromorphone liquid hydromorphone suppositories LAZANDA (fentanyl) levorphanol LORCET (hydrocodone/APAP) LORTAB (hydrocodone/APAP) MAGNACET (oxycodone/APAP) Meperidine NORCO (hydrocodone/APAP) NUCYNTA (tapentadol) ONSOLIS (fentanyl) OPANA (oxymorphone) OXECTA (oxycodone)	Six (6) day trials of at least four (4) chemically distinct preferred agents (based on narcotic ingredient only), including the generic formulation of a requested non-preferred product, are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. Fentanyl lozenges and Onsolis will only be approved for a diagnosis of cancer and as an adjunct to a long- acting agent. Neither will be approved for monotherapy. Limits: Unless the patient has escalating cancer pain or another diagnosis supporting increased quantities of short-acting opioids, all short acting solid forms of the narcotic analgesics are limited to 120 tablets per 30 days for the purpose of maximizing the use of longer acting medications to prevent unnecessary breakthrough pain in chronic pain therapy.



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		oxycodone/ASA oxycodone/ibuprofen OXYFAST (oxycodone) OXYIR (oxycodone) oxymorphone PANLOR (dihydrocodeine/ APAP/caffeine) PERCOCET (oxycodone/APAP) PERCODAN (oxycodone/APAP) REPREXAIN (hydrocodone/ibuprofen) ROXANOL (morphine) RYBIX ODT (tramadol) SUBSYS (fentanyl) SYNALGOS-DC (dihydrocodeine/ASA/ caffeine) TALACEN (pentazocine/APAP) TALWIN NX (pentazocine/APAP) TALWIN NX (pentazocine/APAP) TALWIN NX (pentazocine/APAP) TYLENOL W/CODEINE (APAP/caffeine) TYLENOL W/CODEINE (APAP/codeine) TYLOX (oxycodone/APAP) ULTRACET (tramadol/APAP) ULTRACET (tramadol/APAP) ULTRAM (tramadol) VICODIN (hydrocodone/APAP) VICOPROFEN (hydrocodone/ibuprofen) VOPAC (codeine/acetaminophen) XODOL (hydrocodone/APAP) ZAMICET (hydrocodone/APAP) ZAMICET (hydrocodone/APAP)	
ANALGESICS, NAF	COTIC - LONG ACTING (Non-pare	enteral) <sup>AP</sup>	
	fentanyl transdermal methadone morphine ER tablets	AVINZA (morphine) BUTRANS (buprenorphine) CONZIP ER (tramadol) DOLOPHINE (methadone) DURAGESIC (fentanyl) EXALGO ER (hydromorphone) EMBEDA (morphine/naltrexone) KADIAN (morphine) morphine ER capsules MS CONTIN (morphine) NUCYNTA ER (tapentadol) OPANA ER (oxymorphone)	Six (6) day trials each of two preferred unique long acting chemical entities are required before a non-preferred agent will be approved unless one of the exceptions on the PDL form is present. The generic form of the requested non-preferred agent, if available, must be tried before the non-preferred agent will be approved.



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		ORAMORPH SR (morphine) oxycodone ER OXYCONTIN (oxycodone) oxymorphone ER RYZOLT ER (tramadol) tramadol ER ULTRAM ER (tramadol)	<ul> <li>Butrans will be approved if the following criteria are met:</li> <li>1. Diagnosis of moderate to severe chronic pain requiring continuous around-the-clock analgesia and</li> <li>2. Patient cannot take oral medications and has a diagnosis of chronic pain and</li> <li>3. Needs analgesic medication for an extended period of time and</li> <li>4. Has had a previous trial** of a non-opioid analgesic medication and</li> <li>5. Previous trial of one opioid medication** and</li> <li>6. Current total daily opioid dose is ≤ 80 mg morphine equivalents daily or dose of transdermal fentanyl is ≤ 12.5 mcg/hr and</li> <li>7. Patient is not currently being treated with buprenorphine.</li> <li>**Requirement is waived for patients who cannot swallow</li> <li>Exception: Oxycodone ER and oxymorphone ER will be authorized without a trial of the preferred agents if a diagnosis of cancer is submitted.</li> </ul>
ANALGESICS (Top	-		
	lidocaine lidocaine/prilocaine xylocaine	EMLA (lidocaine/prilocaine) FLECTOR PATCH (diclofenac) LIDAMANTLE (lidocaine) LIDAMANTLE HC (lidocaine/hydrocortisone) LIDOPRO (capsaicin, lidocaine, menthol, and methyl salicylate) <sup>NR</sup> LMX 4 (lidocaine) PENNSAID (diclofenac) SYNERA (lidocaine/tetracaine) VOLTAREN GEL (diclofenac)	Ten (10) day trials of each of the preferred topical anesthetics (lidocaine, lidocaine/prilocaine, and xylocaine) are required before a non-preferred topical anesthetic will be approved unless one of the exceptions on the PA form is present. Thirty (30) day trials of each of the preferred oral NSAIDS and capsaicin are required before



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
			Voltaren Gel will be approved unless one of the exceptions on the PA form is present. Flector patches will be approved only for a diagnosis of acute strain, sprain or injury after a five (5) day trial of one of the preferred oral NSAIDs and for a maximum duration of 14 days unless one of the exceptions on the PA form is present.
ANDROGENIC AGE	ENTS		
	ANDRODERM (testosterone) ANDROGEL (testosterone)	AXIRON (testosterone) FORTESTA (testosterone) TESTIM (testosterone)	The non-preferred agents will be approved only if one of the exceptions on the PA form is present.
ANGIOTENSIN MO			
	ACE INH	IBITORS	
	benazepril captopril enalapril fosinopril lisinopril quinapril ramipril	ACCUPRIL (quinapril) ACEON (perindopril) ALTACE (ramipril) CAPOTEN (captopril) LOTENSIN (benazepril) MAVIK (trandolapril) moexipril MONOPRIL (fosinopril) perindopril PRINIVIL (lisinopril) trandolapril UNIVASC (moexipril) VASOTEC (enalapril) ZESTRIL (lisinopril)	Fourteen (14) day trials of each of the preferred agents in the corresponding group, with the exception of the Direct Renin Inhibitors, are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
	ACE INHIBITOR CO	MBINATION DRUGS	
	benazepril/amlodipine benazepril/HCTZ captopril/HCTZ	ACCURETIC (quinapril/HCTZ) CAPOZIDE (captopril/HCTZ) LEXXEL (enalapril/felodipine)	



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	enalapril/HCTZ fosinopril/HCTZ lisinopril/HCTZ quinapril/HCTZ	LOTENSIN HCT (benazepril/HCTZ) LOTREL (benazepril/amlodipine) moexipril/HCTZ PRINZIDE (lisinopril/HCTZ) TARKA (trandolapril/verapamil) trandolapril/verapamil UNIRETIC (moexipril/HCTZ) VASERETIC (enalapril/HCTZ) ZESTORETIC (lisinopril/HCTZ)	
		TOR BLOCKERS (ARBs)	
	BENICAR (olmesartan) DIOVAN (valsartan) irbesartan losartan MICARDIS (telmisartan)	ATACAND (candesartan) AVAPRO (irbesartan) COZAAR (losartan) EDARBI (azilsartan) eprosartan TEVETEN (eprosartan)	
	ARB COM	BINATIONS	
	BENICAR-HCT (olmesartan/HCTZ) DIOVAN-HCT (valsartan/HCTZ) EXFORGE (valsartan/amlodipine) EXFORGE HCT (valsartan/amlodipine/HCTZ) irbesartan/HCTZ losartan/HCTZ MICARDIS-HCT (telmisartan/HCTZ)	ATACAND-HCT (candesartan/HCTZ) AVALIDE (irbesartan/HCTZ) AZOR (olmesartan/amlodipine) candesartan/HCTZ EDARBYCLOR (azilsartan/chlorthalidone) HYZAAR (losartan/HCTZ) TEVETEN-HCT (eprosartan/HCTZ) TRIBENZOR (olmesartan/amlodipine/HCTZ) TWYNSTA (telmisartan/amlodipine) valsartan/HCTZ	
	DIRECT RENI	N INHIBITORS	
		AMTURNIDE (aliskiren/amlodipine/HCTZ) TEKAMLO (aliskiren/amlodipine) TEKTURNA (aliskiren) TEKTURNA HCT (aliskiren/HCTZ) VALTURNA (aliskiren/valsartan)	A thirty (30) day trial of one preferred ACE, ARB, or combination agents, at the maximum tolerable dose, is required before Tekturna will be approved. Tekturna HCT, Valturna, Tekamlo or Amturnide will be approved if the criteria for Tekturna are met and the patient also needs the other agents in the combination.



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIBIOTICS, GI			
	metronidazole tablet NEO-FRADIN (neomycin) neomycin TINDAMAX (tinidazole)	ALINIA (nitazoxanide) DIFICID (fidaxomicin) FLAGYL (metronidazole) FLAGYL ER (metronidazole ER) metronidazole capsule tinidazole VANCOCIN (vancomycin) vancomycin XIFAXIN (rifaximin)	A fourteen (14) day trial of a corresponding generic preferred agent is required before a non- preferred brand agent will be approved. Dificid will be approved if 1) there is a diagnosis of severe <i>C. difficile</i> infection and 2) there is no response to prior treatment with vancomycin for 10-14 days. Xifaxin 200 mg will be approved for traveller's diarrhea if 1) there is a diagnosis of <i>E. coli</i> diarrhea, 2) patient is between 12 and 18 years old or is 18 years or older and has failed a ten (10) day trial of ciprofloxacin. Xifaxin 550 mg will be approved for hepatic encephalopathy if 1) there is a diagnosis of hepatic encephalopathy, 2) patient is 18 years or older, and 3) patient has a history of and current treatment with lactulose. Vancocin will be approved after a fourteen (14) day trial of metronidazole for <i>C. difficile</i> infections of mild to moderate severity unless one of the exceptions on the PA form is present. Vancocin will be approved for severe <i>C. difficile</i> infections with no previous trial of metronidazole.
ANTIBIOTICS, INH	ALED		



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	TOBI (tobramycin)	CAYSTON (aztreonam)	A 28-day trial of the preferred agent is required before the non-preferred agent will be approved unless one of the exceptions on the PA form is present.
ANTICOAGULANTS			
	INJECT	ABLE <sup>CL</sup>	
	FRAGMIN (dalteparin) LOVENOX (enoxaparin)	ARIXTRA (fondaparinux) enoxaparin fondaparinux INNOHEP (tinzaparin)	Trials of each of the preferred agents will be required before a non-preferred agent will be approved unless one of the exceptions on the PA form is present.
	OF	AL	
	COUMADIN (warfarin) PRADAXA (dabigatran) <sup>AP</sup> warfarin XARELTO (rivaroxaban) <sup>AP</sup>	ELIQUIS (apixaban) <sup>NR</sup>	<ul> <li>Pradaxa will be approved for the diagnosis of non-valvular atrial fibrillation.</li> <li>Xarelto will be approved for the following diagnoses: <ol> <li>Non-valvular atrial fibrillation;</li> <li>Deep vein thrombosis (DVT), pulmonary embolism (PE), and reduction in risk of recurrence of DVT and PE; or</li> <li>DVT prophylaxis if treatment is limited to 35 days for hip replacement surgeries or 12 days for knee replacement surgeries.</li> </ol> </li> </ul>
ANTICONVULSANT			
		VANTS	
	carbamazepine carbamazepine ER carbamazepine XR CARBATROL (carbamazepine) DEPAKOTE SPRINKLE (divalproex) divalproex divalproex ER EPITOL (carbamazepine)	BANZEL(rufinamide) DEPAKENE (valproic acid) DEPAKOTE (divalproex) DEPAKOTE ER (divalproex) divalproex sprinkle EQUETRO (carbamazepine) FANATREX SUSPENSION (gabapentin) felbamate	A fourteen (14) day trial of one of the preferred agents in the corresponding group is required for treatment naïve patients with a diagnosis of a seizure disorder before a non-preferred agent will be authorized unless one of the exceptions on the PA form is



## PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

01/01/13

EFFECTIVE

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	FELBATOL (felbamate) GABITRIL (tiagabine) lamotrigine levetiracetam oxcarbazepine tablets TEGRETOL XR (carbamazepine) topiramate TRILEPTAL SUSPENSION (oxcarbazepine) valproic acid zonisamide	KEPPRA (levetiracetam) KEPPRA XR (levetiracetam) LAMICTAL (lamotrigine) LAMICTAL CHEWABLE (lamotrigine) LAMICTAL XR (lamotrigine) lamotrigine dose pack lamotrigine ER levetiracetam ER ONFI (clobazam) oxcarbazepine suspension <b>OXTELLAR XR (oxcarbazepine)</b> <sup>NR</sup> POTIGA (ezogabine) SABRIL (vigabatrin) STAVZOR (valproic acid) TEGRETOL (carbamazepine) tiagabine TOPAMAX (topiramate) TRILEPTAL TABLETS (oxcarbazepine) VIMPAT (lacosamide) ZONEGRAN (zonisamide)	<ul> <li>present.</li> <li>A thirty (30) day trial of one of the preferred agents in the corresponding group is required for patients with a diagnosis other than seizure disorders unless one of the exceptions on the PA form is present.</li> <li>Non-preferred anticonvulsants will be approved for patients on established therapies with a diagnosis of seizure disorders with no trials of preferred agents required. In situations where AB-rated generic equivalent products are available, "Brand Medically Necessary" must be hand-written by the prescriber on the prescription in order for the brand name product to be reimbursed.</li> <li>Requests for Onfi will be authorized if the following criteria are met:</li> <li>Adjunctive therapy for Lennox-Gastaut OR</li> <li>Generalized tonic, atonic or myoclonic seizures AND</li> <li>Previous failure of at least two non-benzodiazepine anticonvulsants and previous failure of clonazepam.</li> <li>(For continuation, prescriber must include information regarding improved response/effectiveness with this medication)</li> </ul>



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	phenobarbital primidone	MEBARAL (mephobarbital) MYSOLINE (primidone)	
	BENZODIA	ZEPINES <sup>AP</sup>	
	clonazepam DIASTAT (diazepam rectal) diazepam tablets	clonazepam ODT diazepam rectal gel KLONOPIN (clonazepam)	
		TOINS <sup>AP</sup>	
	DILANTIN 30mg (phenytoin) DILANTIN INFATABS (phenytoin) PEGANONE (ethotoin) phenytoin capsules, suspension	DILANTIN (phenytoin) PHENYTEK (phenytoin) phenytoin chewable tablets	
		NIMIDES	
	CELONTIN (methsuximide) ethosuximide syrup ZARONTIN (ethosuximide) capsules	ethosuximide capsules ZARONTIN (ethosuximide) syrup	
ANTIDEPRESSANT	rs, other		
	MAC	Dis <sup>ap</sup>	
	PARNATE (tranylcypromine) phenelzine	MARPLAN (isocarboxazid) NARDIL (phenelzine) tranylcypromine	A thirty (30) day trial of a preferred agent is required before a non- preferred agent will be approved. Patients stabilized on non-preferred agents will be grandfathered.
	SNF	RIS <sup>AP</sup>	
	venlafaxine ER capsules	EFFEXOR (venlafaxine) EFFEXOR XR (venlafaxine) PRISTIQ (desvenlafaxine) venlafaxine IR VENLAFAXINE ER TABLETS (venlafaxine)	A six (6) week trial each of a preferred agent and an SSRI is required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
		N NON-SSRI, OTHER <sup>AP</sup>	-
	bupropion IR bupropion SR bupropion XL mirtazapine trazodone	APLENZIN (bupropion hbr) DESYREL (trazodone) EMSAM (selegiline) FORFIVO XL (bupropion) <sup>NR</sup> nefazodone OLEPTRO ER (trazodone) REMERON (mirtazapine) WELLBUTRIN (bupropion)	



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		WELLBUTRIN SR (bupropion) WELLBUTRIN XL (bupropion) VIIBRYD (vilazodone hcl)	
	SELECT	ED TCAs	
	imipramine hcl	imipramine pamoate TOFRANIL (imipramine hcl) TOFRANIL PM (imipramine pamoate)	A twelve (12) week trial of imipramine hcl is required before a non-preferred TCA will be authorized.
ANTIDEPRESSANT	ΓS, SSRIs <sup>₄⊳</sup>		
	citalopram escitalopram tablets fluoxetine capsules, solution fluvoxamine paroxetine sertraline	CELEXA (citalopram) escitalopram solution fluoxetine tablets LEXAPRO (escitalopram) LUVOX (fluvoxamine) PAXIL (paroxetine) PAXIL (paroxetine) paroxetine ER PEXEVA (paroxetine) PROZAC (fluoxetine) RAPIFLUX (fluoxetine) SARAFEM (fluoxetine) ZOLOFT (sertraline)	Thirty (30) day trials each of two (2) of the preferred agents are required before a non-preferred agent will be approved unless one of the exceptions on the PA form is present. Upon hospital discharge, patients admitted with a primary mental health diagnosis and have been stabilized on a non-preferred SSRI will receive an authorization to continue that drug.
	5HT3 RECEPT	OR BLOCKERS	
	ondansetron ODT, solution, tablets	ANZEMET (dolasetron) KYTRIL (granisetron) granisetron GRANISOL (granisetron) ondansetron vials SANCUSO (granisetron) ZOFRAN (ondansetron) ZUPLENZ (ondansetron)	A 3-day trial of a preferred agent is required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. PA is required for ondansetron when limits are exceeded.
	CANNA		
		CESAMET (nabilone) dronabinol MARINOL (dronabinol)	Cesamet will be authorized only for the treatment of nausea and vomiting associated with cancer chemotherapy for patients who



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

have failed to respond adequately or adequately or adequately or adapting to conventional treatments such as promethazine or ondaneetron and are over 18 years of age.       have failed to respond adequately treatments such as promethazine or ondaneetron and are over 18 years of age.         Marinol will be authorized only for the treatment of anorexia associated with weight loss in patients with AIDS or cancer and unresponsive to adayteriate or promethazine for patients with AIDS or cancer and unresponsive to adayteriate or promethazine for patients with AIDS or cancer and unresponsive to adayteriate or promethazine for patients between the ages of 18 and 65.         MATTIFUNGALS (OUT)       SUBSTANCE > TOTAGONISTS         distribution 2016 and the proprietant)       MICOBON (flucytosine)         DIFLUCAN (fluconazole) flucytosine) trobinatine for patients with DE agrow of all the ages of 18 and 65.         SUBSTANCE (CUT)       SUBSTANCE (CUT)         ANTIFUNGALS (CUT)       MICOBON (flucytosine) DIFLUCAN (fluconazole) flucytosine) trobinatine for patients with DE agrow of all the ages of 18 and 65.         SUBSTANCE (CONCARCE)       SUBSTANCE (Grisseofulvin) GRIFULVIN V TABLET (Grisseofulvin) GRIFULVIN V TABLET (Grisseofulvin) fraconazole flucytosine) biflucytosine) biflucyto	THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA		
EMEND (aprepitant)       ANCOBON (flucytosine)         ANTIFUNGALS (Oral)       Clotrimazole         fluconazole*       ANCOBON (flucytosine)         pystatin       DIFLUCAN (fluconazole)         nystatin       GRIFVLVIN V TABLET (griseofulvin)         griseofulvin       GRIS-PEG (griseofulvin)         itraconazole       MYCOSTATIN Tablets (nystatin)         MYCOSTATIN Tablets (nystatin)       MYCOSTATIN Tablets (nystatin)         NIZORAL (ketoconazole)       PA is not required for griseofulvin suspension for children up to 6         NOXAFIL (posaconazole)       SPORANOX (tiraconazole)         VFEND (voriconazole)       SPORANOX (tiraconazole)         VFEND (voriconazole)       SPORANOX (tiraconazole)         VFEND (voriconazole)       VFEND (voriconazole)         VFEND (voriconazole)       SPORANOX (tiraconazole)         VFEND (voriconazole)       VFEND (voriconazole)         Voriconazole       Voriconazole)				to 3-day trials of conventional treatments such as promethazine or ondansetron and are over 18 years of age. Marinol will be authorized only for the treatment of anorexia associated with weight loss in patients with AIDS or cancer and unresponsive to megestrol; or for the prophylaxis of chemotherapy induced nausea and vomiting unresponsive to 3-day trials of ondansetron or promethazine for patients between the ages of 18		
ANTIFUNGALS (Oral)       ANCOBON (flucytosine) fluconazole)       Non-preferred agents will be approved only if one of the exceptions on the PA form is present.         Visiting CL       GRIFULVIN V TABLET (griseofulvin) griseofulvin (GRIS-PEG (griseofulvin)) itraconazole       "PA is required when limits are exceeded.         MYCDSTATIN Tablets (nystatin) NIZORAL (ketoconazole) MYCOSTATIN Tablets (nystatin) NIZORAL (ketoconazole) MYCOSTATIN Tablets (nystatin) NIZORAL (ketoconazole) MYCOSTATIN Tablets (nystatin) NIZORAL (ketoconazole) MYCOSTATIN Tablets (nystatin) NIZORAL (ketoconazole) VFEND (voriconazole) VFEND (voriconazole) VFEND (voriconazole)       PA is not required for griseofulvin suspension for children up to 6 years of age for the treatment of tinea capitis.         ANTIFUNGALS (Topical) <sup>AP</sup> Horan		SUBSTANCE P	ANTAGONISTS			
Clotrimazole fluconazole* ketoconazole CL nystatin terbinafine CLANCOBON (flucytosine) DIFLUCAN (fluconazole) flucytosine GRIFULVIN V TABLET (griseofulvin) griseofulvin) GRIS-PEG (griseofulvin) itraconazole MYCELEX (clotrimazole) MYCELEX (clotriconazole) MYCELEX (clotrimazole) MYCELEX (clotriconazole) MYCELEX (clotrimazole) MYCELEX (clotrimazole) MYCELEX (clotriconazole) MYCELEX (clo		EMEND (aprepitant)				
fluconazole*       DIFLUCAN (fluconazole)       approved only if one of the         ketoconazole CL       flucytosine       griseofulvin)         nystatin       GRIFULVIN V TABLET (griseofulvin)       present.         griseofulvin       GRIS-PEG (griseofulvin)       *PA is required when limits are         utraconazole       LAMISIL (terbinafine)       *PA is not required for griseofulvin         MYCELEX (clotrimazole)       MYCELEX (clotrimazole)       PA is not required for griseofulvin         NIZORAL (ketoconazole)       NYCATAIIN Tablets (nystatin)       PA is not required for griseofulvin         NIZORAL (ketoconazole)       NOXAFIL (posaconazole)       PA is not required for griseofulvin         NIZORAL (ketoconazole)       SPORANOX (itraconazole)       years of age for the treatment of tinea capitis.         ORAVIG (miconazole)       SPORANOX (itraconazole)       yerson age for the treatment of tinea capitis.         ANTIFUNGALS (Topical)^AP       Topical)^AP       Topical)^AP	ANTIFUNGALS (Or	al)				
		fluconazole <sup>*</sup> ketoconazole <sup>CL</sup> nystatin terbinafine <sup>CL</sup>	DIFLUCAN (fluconazole) flucytosine GRIFULVIN V TABLET (griseofulvin) griseofulvin GRIS-PEG (griseofulvin) itraconazole LAMISIL (terbinafine) MYCELEX (clotrimazole) MYCOSTATIN Tablets (nystatin) NIZORAL (ketoconazole) NOXAFIL (posaconazole) ONMEL (itraconazole) SPORANOX (itraconazole) VFEND (voriconazole)	approved only if one of the exceptions on the PA form is present. *PA is required when limits are exceeded. PA is not required for griseofulvin suspension for children up to 6 years of age for the treatment of		
ANTIFUNGALS	ANTIFUNGALS (Topical) <sup>AP</sup>					
		ANTIFU	NGALS			



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	econazole ketoconazole cream, shampoo <sup>CL</sup> MENTAX (butenafine) miconazole (OTC) NAFTIN CREAM (naftifine) nystatin NAFTIN CREAM (naftifine) nystatin	CICLODAN (ciclopirox) ciclopirox ERTACZO (sertaconazole) EXELDERM (sulconazole) EXTINA (ketoconazole) EXTINA (ketoconazole) ketoconazole foam KETODAN (ketoconazole) LOPROX (ciclopirox) MYCOSTATIN (nystatin) NAFTIN GEL (naftifine) NIZORAL (ketoconazole) OXISTAT (oxiconazole) PEDIPIROX-4 (ciclopirox) PENLAC (ciclopirox) PENLAC (ciclopirox) SPECTAZOLE (econazole) VUSION (miconazole/petrolatum/zinc oxide) XOLEGEL (ketoconazole) <b>OID COMBINATIONS</b> KETOCON PLUS (ketoconazole/hydrocortisone)	Fourteen (14) day trials of two (2) of the preferred agents are required before one of the non-preferred agents will be authorized unless one of the exceptions on the PA form is present. If a non-preferred shampoo is requested, a fourteen (14) day trial of one preferred product (ketoconazole shampoo) is required. Oxistat cream will be approved for children 12 and under for tinea corporis, tinea cruris, tinea pedis, and tinea (pityriasis) versicolor.
		LOTRISONE (clotrimazole/betamethasone) <sup>AP</sup> MYCOLOG (nystatin/triamcinolone) <sup>AP</sup>	
ANTIHISTAMINES,	MINIMALLY SEDATING <sup>AP</sup>		
		TAMINES	Thirty (20) dow triple of at least two
	cetirizine tablets, solution loratadine	ALLEGRA (fexofenadine) cetirizine chewable tablets CLARINEX (desloratadine) CLARITIN (loratadine) desloratadine desloratadine ODT fexofenadine levocetirizine XYZAL (levocetirizine) ZYRTEC (cetirizine)	Thirty (30) day trials of at least two (2) chemically distinct preferred agents (in the age appropriate form), including the generic formulation of a requested non- preferred product, are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
	ANTIHISTAMINE/DECONG	SESTANT COMBINATIONS	



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	cetirizine/pseudoephedrine loratadine/pseudoephedrine SEMPREX-D (acrivastine/ pseudoephedrine)	ALLEGRA-D (fexofenadine/ pseudoephedrine) CLARINEX-D (desloratadine/ pseudoephedrine) CLARITIN-D (loratadine/pseudoephedrine) fexofenadine/ pseudoephedrine ZYRTEC-D (cetirizine/pseudoephedrine)	
ANTIMIGRAINE AG		TANS	
	IMITREX NASAL SPRAY (sumatriptan) IMITREX INJECTION (sumatriptan) naratriptan sumatriptan tablets	AMERGE (naratriptan) AXERT (almotriptan) FROVA (frovatriptan) IMITREX tablets (sumatriptan) MAXALT (rizatriptan) MAXALT MLT (rizatriptan) RELPAX (eletriptan) rizatriptan rizatriptan ODT sumatriptan nasal spray/injection <sup>*</sup> ZOMIG (zolmitriptan)	Three (3) day trials of each unique chemical entity of the preferred agents are required before a non- preferred agent will be approved unless one of the exceptions on the PA form is present. Quantity limits apply for this drug class. Three (3) day trials of each preferred agent will be required for Imitrex injection.
		ZOMIG ZMT (zolmitriptan)	*AP does not apply to nasal spray or injectable sumatriptan.
	TRIPTAN CO	MBINATIONS	
		TREXIMET (sumatriptan/naproxen sodium)	
ANTIPARKINSON'S	SAGENTS (Oral)		
	ANTICHOL	INERGICS	
	benztropine trihexyphenidyl	COGENTIN (benztropine)	Patients starting therapy on drugs in this class must show a documented allergy to all of the preferred agents, in the corresponding class, before a non- preferred agent will be authorized.
	COMT IN	HIBITORS	
		COMTAN (entacapone) entacapone <sup>NR</sup>	



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		TASMAR (tolcapone)	
	DOPAMINE	AGONISTS	
	pramipexole ropinirole	MIRAPEX (pramipexole) MIRAPEX ER (pramipexole) NEUPRO (rotigotine) REQUIP (ropinirole) REQUIP XL (ropinirole) ropinirole ER	Mirapex, Mirapex ER, Requip, and Requip XL will be approved for a diagnosis of Parkinsonism with no trials of preferred agents required.
		(INSON'S AGENTS	
	amantadine <sup>AP</sup> bromocriptine carbidopa/levodopa selegiline STALEVO (levodopa/carbidopa/entacapone)	AZILECT (rasagiline) ELDEPRYL (selegiline) levodopa/carbidopa ODT levodopa/carbidopa/entacapone LODOSYN (carbidopa) PARCOPA (levodopa/carbidopa) PARLODEL (bromocriptine) SINEMET (levodopa/carbidopa) ZELAPAR (selegiline)	Amantadine will be approved only for a diagnosis of Parkinsonism.
ANTIPSYCHOTICS	, ATYPICAL		
	SINGLE IN	GREDIENT	Preferred brands require a 14-day trial of a preferred generic agent before approval.
	clozapine FANAPT (iloperidone) INVEGA SUSTENNA (paliperidone)* LATUDA (lurasidone) quetiapine <sup>AP (25mg Tablet Only)</sup> risperidone SAPHRIS (asenapine) ziprasidone	ABILIFY (aripiprazole) clozapine ODT CLOZARIL (clozapine) FANAPT TITRATION PACK (iloperidone) FAZACLO (clozapine) GEODON (ziprasidone GEODON IM (ziprasidone) INVEGA (paliperidone) olanzapine olanzapine IM* RISPERDAL (risperidone) RISPERDAL (risperidone) RISPERDAL CONSTA (risperidone)* SEROQUEL (quetiapine) SEROQUEL XR (quetiapine) ZYPREXA (olanzapine) ZYPREXA IM (olanzapine)* ZYPREXA RELPREVV (olanzapine)	<ul> <li>Non-preferred agents will be approved for treatment naïve patients if the following criteria have been met:</li> <li>1. A fourteen (14) day trial of a preferred generic agent;</li> <li>2. Two fourteen (14) day trials of additional preferred products,</li> <li>unless one of the exceptions on the PA form is present.</li> <li>Upon discharge, a hospitalized patient stabilized on a non-preferred agent may receive authorization to continue this drug</li> </ul>



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
			for labeled indications and at recommended dosages.
			Claims for quetiapine 25 mg will be approved: 1. for a diagnosis of schizophrenia or 2. for a diagnosis of bipolar disorder or 3. when prescribed concurrently with other strengths of Seroquel in order to achieve therapeutic treatment levels.
			Quetiapine 25 mg will not be approved for use as a sedative hypnotic.
			All antipsychotic agents require prior authorization for children up to six (6) years of age.
			<ul> <li>Abilify will be approved for children between the ages of 6-17 for irritability associated with autism.</li> <li>Abilify will be prior authorized for MDD if the following criteria are met:</li> <li>1. The patient is at least 18 years of age.</li> <li>2. Diagnosis of Major Depressive Disorder (MDD),</li> <li>3. Evidence of trials of appropriate</li> </ul>
			<ul> <li>therapeutic duration (30 days), at the maximum tolerable dose, of at least one agent in two of the following classes: SSRI, SNRI or bupropion in conjunction with Seroquel at doses of 150 mg or more</li> <li>Prescribed in conjunction with</li> </ul>



## PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
DRUG CLASS	TREFERRED AGENTO	NON THEFERRED AGENTO		
			an SSRI, SNRI, or bupropion 5. The daily dose does not exceed 15 mg.	
			*All injectable antipsychotic products require clinical prior authorization and will be approved on a case-by-case basis.	
			Patients stabilized on Invega will be grandfathered.	
			Upon discharge, a hospitalized patient stabilized on a non- preferred agent may receive authorization to continue this drug for labeled indications and at recommended dosages with a call to RDTP.	
	ATYPICAL ANTIPSYCHO	TIC/SSRI COMBINATIONS		
		olanzapine/fluoxetine SYMBYAX (olanzapine/fluoxetine)		
ANTIVIRALS (Oral)				
		IERPES		
	acyclovir VALTREX (valacyclovir) <mark>valacyclovir</mark>	famciclovir FAMVIR (famciclovir) ZOVIRAX (acyclovir)	Five (5) day trials each of the preferred agents are required before the non-preferred agents will be authorized unless one of the exceptions on the PA form is present.	
ANTI-INFLUENZA				
	RELENZA (zanamivir) TAMIFLU (oseltamivir)	amantadine <sup>AP</sup> FLUMADINE (rimantadine) rimantadine	The anti-influenza agents will be approved only for a diagnosis of influenza.	
ANTIVIRALS (Topical) AP				
		ABREVA (docosanol) DENAVIR (penciclovir) ZOVIRAX (acyclovir)	Non-preferred agents will be approved for their FDA indication(s).	
ATOPIC DERMATIT	<b>FIS</b>			



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ELIDEL (pimecrolimus) <sup>AP</sup>	PROTOPIC (tacrolimus)	A thirty (30) day trial of a preferred medium or high potency topical corticosteroid is required before coverage of Elidel will be considered; additionally, a thirty (30) day trial of Elidel is required before Protopic will be considered, unless one of the exceptions on the PA form is present.
BETA BLOCKERS	(Oral) & MISCELLANEOUS ANTIAN	. ,	
	BETA BL	OCKERS	
	acebutolol atenolol betaxolol bisoprolol metoprolol ER nadolol pindolol propranolol ER sotalol timolol	BETAPACE (sotalol) BLOCADREN (timolol) BYSTOLIC (nebivolol) CARTROL (carteolol) CORGARD (nadolol) INDERAL LA (propranolol) INNOPRAN XL (propranolol) KERLONE (betaxolol) LEVATOL (penbutolol) LOPRESSOR (metoprolol) SECTRAL (acebutolol) TENORMIN (atenolol) TOPROL XL (metoprolol) ZEBETA (bisoprolol)	Fourteen (14) day trials each of three (3) chemically distinct preferred agents, including the generic formulation of a requested non-preferred product, are required before one of the non-preferred agents will be approved unless one of the exceptions on the PA form is present.
	BETA BLOCKER/DIURET	IC COMBINATION DRUGS	
	atenolol/chlorthalidone bisoprolol/HCTZ metoprolol/HCTZ nadolol/bendroflumethiazide propranolol/HCTZ	CORZIDE (nadolol/bendroflumethiazide) DUTOPROL (metoprolol ER/HCTZ ER) INDERIDE (propranolol/HCTZ) LOPRESSOR HCT (metoprolol/HCTZ) TENORETIC (atenolol/chlorthalidone) ZIAC (bisoprolol/HCTZ)	
	BETA- AND ALF	PHA-BLOCKERS	
	carvedilol labetalol	COREG (carvedilol) COREG CR (carvedilol) TRANDATE (labetalol)	
	ANTIAN	GINALS	



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		RANEXA (ranolazine) <sup>AP</sup>	Ranexa will be approved for patients with angina who are also taking a calcium channel blocker, a beta blocker, or a nitrite as single agents or a combination agent containing one of these ingredients.
BLADDER RELAXA	ANT PREPARATIONS <sup>AP</sup>		
	oxybutynin IR oxybutynin ER TOVIAZ (fesoterodine) VESICARE (solifenacin)	DETROL (tolterodine) DETROL LA (tolterodine) DITROPAN (oxybutynin) DITROPAN XL (oxybutynin) ENABLEX (darifenacin) flavoxate GELNIQUE (oxybutynin) MYRBETRIQ (mirabegron) <sup>NR</sup> OXYTROL (oxybutynin) SANCTURA (trospium) SANCTURA XR (trospium) tolterodine trospium trospium ER	A thirty (30) day trial each of the chemically distinct preferred agents is required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
BONE RESORPTIO	N SUPPRESSION AND RELATED	AGENTS	
	BISPHOSE	PHONATES	
	alendronate	ACTONEL (risedronate) ACTONEL WITH CALCIUM (risedronate/ calcium) ATELVIA (risedronate) BINOSTO (alendronate) BONIVA (ibandronate) DIDRONEL (etidronate) etidronate FOSAMAX TABLETS (alendronate) FOSAMAX PLUS D (alendronate/vitamin D) ibandronate	A 30-day trial of the preferred agent is required before a non-preferred agent will be approved.
	MIACALCIN (calcitonin)	calcitonin EVISTA (raloxifene) FORTEO (teriparatide) FORTICAL (calcitonin)	Evista will be approved for postmenopausal women with osteoporosis or at high risk for invasive breast cancer.



## BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

# This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BPH AGENTS			
		SE (5AR) INHIBITORS	
	finasteride	AVODART (dutasteride) CIALIS 5 mg (tadalafil) PROSCAR (finasteride)	Thirty (30) day trials each of at least two (2) chemically distinct preferred agents, including the generic formulation of a requested non- preferred agent, are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
	ALPHA B	LOCKERS	
	doxazosin tamsulosin terazosin	alfuzosin CARDURA (doxazosin) CARDURA XL (doxazosin) FLOMAX (tamsulosin) HYTRIN (terazosin) RAPAFLO (silodosin) UROXATRAL (alfuzosin)	
	5-ALPHA-REDUCTASE (5AR) INHIBIT	ORS/ALPHA BLOCKER COMBINATION	
		JALYN (dutasteride/tamsulosin)	Thirty (30) day trials of dutasteride and tamsulosin concurrently are required before the non-preferred agent will be approved.
BRONCHODILATO	RS & RESPIRATORY DRUGS		
	ATROVENT HFA (ipratropium) ipratropium SPIRIVA (tiotropium)	TUDORZA (aclidinium) <sup>NR</sup>	Thirty (30) day trials each of the preferred agents in the corresponding group are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
	ANTICHOLINERGIC-BETA	AGONIST COMBINATIONS <sup>AP</sup>	



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	COMBIVENT CFC (albuterol/ipratropium COMBIVENT RESPIMAT (albuterol/ipratropium)	albuterol/ipratropium DUONEB (albuterol/ipratropium)	For severely compromised patients, albuterol/ipratropium will be approved if the combined volume of albuterol and ipratropium nebules is inhibitory.
	PDE4 IN	HIBITOR	
		DALIRESP (roflumilast)	Daliresp will be approved when the following criteria are met: 1. Patient is ≥ forty (40) years of age and 2. Diagnosis of severe chronic obstructive pulmonary disease (COPD) associated with chronic bronchitis and multiple exacerbations requiring systemic glucocorticoids in the preceding six (6) months and 3. Concurrent therapy with an inhaled corticosteroid and long- acting bronchodilator and evidence of compliance and 4. No evidence of moderate to severe liver impairment (Child-Pugh Class B or C) and 5. No concurrent use with strong cytochrome P450 inducers (rifampicin, phenobarbital, carbamazepine or phenytoin).
		а	
	ACCUNEB (albuterol)** albuterol	BROVANA (arformoterol) levalbuterol metaproterenol PERFOROMIST (formoterol) XOPENEX (levalbuterol)	Thirty (30) day trials each of the chemically distinct preferred agents in their corresponding groups are required before a non-preferred agent in that group will be authorized unless one of the exceptions on the PA form is present. **No PA is required for Accuneb for children up to 5 years of age.



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	INHALERS, LC	ONG-ACTING <sup>AP</sup>	
	FORADIL (formoterol) SEREVENT (salmeterol)	ARCAPTA (indacaterol maleate)	Thirty (30) day trials each of the preferred agents are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
	INHALERS, SH	ORT-ACTING <sup>AP</sup>	
	PROAIR HFA (albuterol) PROVENTIL HFA (albuterol)	MAXAIR (pirbuterol) VENTOLIN HFA (albuterol) XOPENEX HFA (levalbuterol)	Xopenex Inhalation Solution will be approved for 12 months for a diagnosis of asthma or COPD for patients on concurrent asthma controller therapy (either oral or inhaled) with documentation of failure on a trial of albuterol or documented intolerance of albuterol, or for concurrent diagnosis of heart disease.
		AL <sup>AP</sup>	
	albuterol IR, ER terbutaline	metaproterenol VOSPIRE ER (albuterol)	
CALCIUM CHANNE			
	LONG-	ACTING	
	amlodipine diltiazem ER felodipine ER nifedipine ER verapamil ER	ADALAT CC (nifedipine) CALAN SR (verapamil) CARDENE SR (nicardipine) CARDIZEM CD, LA, SR (diltiazem) COVERA-HS (verapamil) DILACOR XR (diltiazem) diltiazem LA DYNACIRC CR (isradipine) ISOPTIN SR (verapamil) MATZIM LA (diltiazem) nisoldipine NORVASC (amlodipine) PLENDIL (felodipine) PROCARDIA XL (nifedipine) SULAR (nisoldipine)	Fourteen (14) day trials each of the preferred agents are required before a non-preferred agent will be approved unless one of the exceptions on the PA form is present.



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		TIAZAC (diltiazem) verapamil ER PM VERELAN/VERELAN PM (verapamil)	
	SHORT	ACTING	
	diltiazem verapamil	CALAN (verapamil) CARDENE (nicardipine) CARDIZEM (diltiazem) DYNACIRC (isradipine) isradipine nicardipine nifedipine nimodipine NIMOTOP (nimodipine) PROCARDIA (nifedipine)	
CEPHALOSPORIN	S AND RELATED ANTIBIOTICS (Or	'al) <sup>₄</sup>	
	BETA LACTAMS AND BETA LACTAM/BET	A-LACTAMASE INHIBITOR COMBINATIONS	
	amoxicillin/clavulanate IR	amoxicillin/clavulanate ER AUGMENTIN (amoxicillin/clavulanate) AUGMENTIN XR (amoxicillin/clavulanate) MOXATAG (amoxicillin)	A five (5) day trial of the preferred agent is required before a non- preferred agent is authorized unless one of the exceptions on the PA form is present.
	CEPHALO	OSPORINS	
	cefaclor capsule cefadroxil capsule, tablet cefdinir cefuroxime tablet cephalexin capsule, suspension	CECLOR (cefaclor) CEDAX (ceftibuten) cefaclor ER tablet cefadroxil suspension cefditoren cefpodoxime cefprozil CEFTIN (cefuroxime) cefuroxime suspension CEFZIL (cefprozil) cephalexin tablet DURICEF (cefadroxil) KEFLEX (cephalexin) OMNICEF (cefdinir) PANIXINE (cephalexin) RANICLOR (cefaclor) SPECTRACEF (cefditoren)	



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		SUPRAX (cefixime) VANTIN (cefpodoxime)	
<b>COLONY STIMULA</b>	TING FACTORS		
	LEUKINE (sargramostim) NEUPOGEN (filgrastim)	NEULASTA (filgrastim)	A thirty (30) day trial of one of the preferred agents is required before the non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
COUGH & COLD/1 <sup>s</sup>	<sup>t</sup> GENERATION ANTIHISTAMINES		
	ANTIHISTAMINES	, 1 <sup>ST</sup> GENERATION	
	chlorpheniramine clemastine diphenhydramine		See posted list of covered NDCs.
	ANTITUSSIVE-ANTIHIST	AMINE COMBINATIONS	
	dextromethorphan HBR/promethazine		See posted list of covered NDCs.
	ANTIHISTAMINE-ANTITUSSIVE-D	ECONGESTANT COMBINATIONS	
	brompheniramine/dextromethorphan HBR/pseudoephedrine chlorpheniramine/dextromethorphan/ pseudoephedrine		See posted list of covered NDCs.
	ANTITUSSIVE-N	NON-NARCOTIC	
	DELSYM (dextromethorphan polistirex)		See posted list of covered NDCs.
	DECONG	ESTANTS	
	phenylephrine pseudoephedrine		See posted list of covered NDCs.
		EXPECTORANTS	
	guaifenesin guaifenesin/dextromethorphan		See posted list of covered NDCs.
	DECONGESTANT-ANTIHISTAMINE-	ANTICHOLINERGIC COMBINATIONS	



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	pseudoephedrine/chlorpheniramine/ scopolamine syrup		See posted list of covered NDCs.
	DECONGESTANT-ANTIHI	STAMINE COMBINATIONS	
	phenylephrine HCL/chlorpheniramine maleate syrup/drops phenylephrine HCL/promethazine syrup		See posted list of covered NDCs.
<b>CYTOKINE &amp; CAM</b>			
	ENBREL (etanercept) HUMIRA (adalimumab)	CIMZIA (certolizumab pegol) KINERET (anakinra) ORENCIA (abatacept) SIMPONI (golimumab) STELARA (ustekinumab) XELJANZ (tofacitinib) <sup>NR</sup>	Thirty (30) day trials of each of the preferred agents are required before a non-preferred agent will be approved. See additional criteria for treatment of psoriasis or psoriatic arthritis at <u>http://www.dhhr.wv.gov/bms/Pharm</u> <u>acy/Pages/pac.aspx</u>
ERYTHROPOIESIS			
	PROCRIT (rHuEPO)	ARANESP (darbepoetin) EPOGEN (rHuEPO)	A thirty (30) day trial of the preferred agent is required before a non-preferred agent will be approved. No evidence of untreated GI bleeding, hemolysis, or Vitamin B- 12, iron or folate deficiency. Prior authorization will be given for the erythropoesis agents if the following criteria are met: 1. Hemoglobin or Hematocrit less than 10/30 respectively. For renewal, hemoglobin or hematocrit levels greater than 12/36 will require dosage reduction or discontinuation. Exceptions will considered on an individual basis after medical documentation is reviewed. (Laboratory values must be dated



## PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

01/01/13

EFFECTIVE

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
			<ul> <li>within six (6) weeks of request.)</li> <li>2. Transferrin saturation ≥ 20%, ferritin levels ≥100 mg/ml, or on concurrent therapeutic iron therapy. (Laboratory values must be dated within three (3) weeks of request. For re-authorization, transferrin saturation or ferritin levels are not required if the patient has been responsive to the erythropoietin agent.</li> <li>3. For HIV-infected patients, endogenous serum erythropoietin level must be ≤ 500mU/ml to initiate therapy.</li> <li>4. No evidence of untreated GI bleeding, hemolysis, or Vitamin B-</li> </ul>
			12, iron or folate deficiency.
FLUOROQUINOLO	CIPRO SUSPENSION (ciprofloxacin) ciprofloxacin levofloxacin tablet	AVELOX (moxifloxacin) CIPRO TABLETS (ciprofloxacin) CIPRO XR (ciprofloxacin) ciprofloxacin ER FACTIVE (gemifloxacin) FLOXIN (ofloxacin) LEVAQUIN (levofloxacin) levofloxacin solution NOROXIN (norfloxacin) ofloxacin PROQUIN XR (ciprofloxacin)	A five (5) day trial of one of the preferred agents is required before a non-preferred agent will be approved unless one of the exceptions on the PA form is present.
GENITAL WARTS A			
	ALDARA (imiquimod)	CONDYLOX (podofilox) imiquimod podofilox VEREGEN (sinecatechins) ZYCLARA (imiquimod)	A thirty (30) day trial of the preferred agent is required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. Zyclara will be approved for a



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
			diagnosis of actinic keratosis.
GLUCOCORTICOID	S (Inhaled) <sup>₄</sup>		
	GLUCOCO	ORTICOIDS	
	ASMANEX (mometasone) FLOVENT HFA (fluticasone) FLOVENT Diskus (fluticasone) PULMICORT RESPULES (budesonide)* QVAR (beclomethasone)	ALVESCO (ciclesonide) budesonide PULMICORT FLEXHALER (budesonide)	Thirty (30) day trials each of the preferred agents are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. Pulmicort Respules do not require a prior authorization for children through 8 years of age or for individuals unable to use an MDI. When children who have been stabilized on Pulmicort Respules reach age 9, prescriptions for the Pulmicort inhaler will be authorized for them. *For children less than 9 years of age, and for those who meet the PA requirements, brand Pulmicort is preferred over the generic.
	GLUCOCORTICOID/BRONCH	ODILATOR COMBINATIONS	P
	ADVAIR (fluticasone/salmeterol) ADVAIR HFA (fluticasone/salmeterol) DULERA (mometasone/formoterol) SYMBICORT(budesonide/formoterol)		
GLUCOCORTICOID	S (Topical)		
	VERY HIGH & H	HIGH POTENCY	
	betamethasone dipropionate cream, lotion betamethasone valerate cream clobetasol propionate cream/gel/ointment/solution clobetasol emollient fluocinonide cream, gel, solution fluocinonide/emollient halobetasol propionate	amcinonide APEXICON (diflorasone diacetate) APEXICON E (diflorasone diacetate) betamethasone dipropionate gel, lotion, ointment betamethasone valerate lotion, ointment, clobetasol lotion, shampoo clobetasol propionate foam	Five (5) day trials of one (1) form of each preferred unique active ingredient in the corresponding potency group are required before a non-preferred agent will be approved.



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	triamcinolone acetonide cream, ointment	CLOBEX (clobetasol propionate) CORMAX (clobetasol propionate) desoximetasone cream/gel/ointment diflorasone diacetate DIPROLENE (betamethasone dipropionate/propylene glycol) DIPROSONE (betamethasone dipropionate) fluocinonide ointment halcinonide HALAC (halobetasol propionate) HALOG (halcinonide) HALOG (halcinonide) HALOG (triamcinolone acetonide) LIDEX (fluocinonide) UDEX-E (fluocinonide) OLUX (clobetasol propionate) OLUX (clobetasol propionate) OLUX-E (clobetasol propionate) TEMOVATE (clobetasol propionate) TEMOVATE (clobetasol propionate) TEMOVATE (clobetasol propionate) UTEX-E (fluocinonide) ULX-E (clobetasol propionate) TEMOVATE (clobetasol propionate) TEMOVATE (clobetasol propionate) TEMOVATE (clobetasol propionate) ULTRAVATE (halobetasol propionate) ULTRAVATE (halobetasol propionate) ULTRAVATE (halobetasol propionate) VLTRAVATE PAC cream ULTRAVATE X (halobetasol propionate / lactic acid) VANOS (fluocinonide)	
		POTENCY	
	fluticasone propionate cream, ointment hydrocortisone butyrate ointment, solution hydrocortisone valerate mometasone furoate triamcinolone acetonide 0.025% and 0.1% cream	ARISTOCORT (triamcinolone) BETA-VAL (betamethasone valerate) betamethasone valerate foam CLODERM (clocortolone pivalate) CORDRAN/CORDRAN SP (flurandrenolide) CUTIVATE (fluticasone propionate) DERMATOP (prednicarbate) ELOCON (mometasone furoate) fluocinolone acetonide cream, ointment, solution	



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
		fluticasone propionate lotion hydrocortisone butyrate cream LOCOID (hydrocortisone butyrate) LOCOID LIPOCREAM (hydrocortisone butyrate/emollient) LUXIQ (betamethasone valerate) MOMEXIN (mometasone) PANDEL (hydrocortisone probutate) prednicarbate TOPICORT LP (desoximetasone) TRIDERM (triamcinolone acetonide) WESTCORT (hydrocortisone valerate)		
		DTENCY		
	desonide cream, ointment fluocinolone oil hydrocortisone acetate (Rx, OTC) hydrocortisone cream (Rx, OTC) hydrocortisone lotion OTC hydrocortisone ointment (Rx, OTC) hydrocortisone solution OTC hydrocortisone-aloe cream OTC hydrocortisone-aloe ointment OTC	ACLOVATE (alclometasone dipropionate) alclometasone dipropionate AQUA GLYCOLIC HC (hydrocortisone) CAPEX (fluocinolone acetonide) DERMA-SMOOTHE FS (fluocinolone acetonide) DESONATE (desonide) desonide lotion DESOWEN (desonide) hydrocortisone/mineral oil/petrolatum hydrocortisone acetate/urea hydrocortisone lotion hydrocortisone lotion hydrocortisone/aloe gel LOKARA (desonide) PEDIADERM HC (hydrocortisone) PEDIADERM TA (hydrocortisone) SYNALAR (fluocinolone) TEXACORT (hydrocortisone) VERDESO (desonide)		
<b>GROWTH HORMOI</b>				
	GENOTROPIN (somatropin) NORDITROPIN (somatropin) NUTROPIN AQ PENS (somatropin)	HUMATROPE (somatropin) INCRELEX (mecasermin) NUTROPIN (somatropin) NUTROPIN AQ VIALS (somatropin) OMNITROPE (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin) TEV-TROPIN (somatropin)	The preferred agents must be tried before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. Patients already on a non-preferred agent will receive authorization to	



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
DRUG CLASS		ZORBTIVE (somatropin)	continue therapy on that agent for
			the duration of the existing PA.
H. PYLORI COMBIN	NATION TREATMENTS		
	Please use individual components: preferred PPI (Dexilant, omeprazole or pantoprazole) amoxicillin tetracycline metronidazole clarithromycin bismuth	HELIDAC (bismuth/metronidazole/tetracycline) OMECLAMOX-PAK (omeprazole/amoxicillin/clarithromycin) PREVPAC (lansoprazole/amoxicillin/clarithromycin) PYLERA (bismuth/metronidazole/tetracycline)	A trial of all the individual preferred components (with Dexilant, omeprazole or pantoprazole) at the recommended dosages, frequencies and duration is required before the brand name combination packages will be approved unless one of the exceptions on the PA form is present.
<b>HEPATITIS B TREA</b>	ATMENTS		
	EPIVIR HBV (lamivudine) HEPSERA (adefovir) TYZEKA (telbivudine)	BARACLUDE (entecavir)	A thirty (30) day trial of one of the preferred agents is required before the non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
<b>HEPATITIS C TREA</b>	ATMENTS <sup>c⊥</sup>		
	INCIVEK (telaprevir) <sup>CL</sup> PEGASYS (pegylated interferon) PEG-INTRON (pegylated interferon) ribavirin VICTRELIS (boceprevir) <sup>CL</sup>	COPEGUS (ribavirin) INFERGEN (consensus interferon) REBETOL (ribavirin) RIBAPAK (ribavirin) RIBASPHERE 400mg, 600mg (ribavirin)	Patients starting therapy in this class must try the preferred agent of a dosage form before a non- preferred agent of that dosage form will be authorized. See additional criteria for Incivek and Victrelis at
			http://www.dhhr.wv.gov/bms/Pharm acy/Pages/pac.aspx
HYPERURICEMIA /	AND GOUT AGENTS		
	ANTIM	ITOTICS	
		COLCRYS (colchicine)*	A thirty (30) day trial of one of the preferred agents for the prevention of gouty arthritis attacks (colchicine/probenecid, probenecid, or allopurinol) is required before a



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
			non-preferred agent will be approved unless one of the exceptions on the PA form is present. *In the case of acute gouty attacks, a 10-day supply (20 tablets) of Colcrys will be approved per 90 days.
		SURIC COMBINATION	
	colchicine/probenecid		
	URICO	SURIC	
	probenecid		
	XANTHINE OXID	ASE INHIBITORS	
	allopurinol	ULORIC (febuxostat) ZYLOPRIM (allopurinol)	
HYPOGLYCEMICS	, INCRETIN MIMETICS/ENHANCER	S	
	INJEC	TABLE	
		BYDUREON (exenatide) BYETTA (exenatide) SYMLIN (pramlintide) VICTOZA (liraglutide)	<ul> <li>Byetta, Bydureon and Victoza will be authorized for six-month intervals if each of the following criteria are met:</li> <li>1. Diagnosis of Type 2 Diabetes</li> <li>2. Previous history of a thirty (30) day trial of metformin</li> <li>3. No history of pancreatitis</li> <li>4. For concurrent therapy with insulin, treatment with a basal insulin is required.</li> <li>Approval will be given for six (6)- month intervals. For re- authorization, HgBA1C levels must be less than or equal (≤) to eight (8). Laboratory work submitted must be within the most recent</li> </ul>



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	OR/ JANUMET (sitagliptin/metformin) JANUVIA (sitagliptin) JUVISYNC (sitagliptin/simvastatin) KOMBIGLYZE XR (saxagliptin/metformin) ONGLYZA (saxagliptin) TRADJENTA (linagliptin)	AL <sup>AP</sup> JANUMET XR (sitagliptin/metformin) JENTADUETO (linagliptin/metformin) KAZANO (alogliptin/ <sup>NR</sup> NESINA (alogliptin) <sup>NR</sup> OSENI (alogliptin/pioglitazone) <sup>NR</sup>	<ul> <li>thirty (30) days.</li> <li>Symlin will be approved with a history of bolus insulin utilization in the past 90 days with no gaps in insulin therapy greater than 30 days.</li> <li>Januvia/Janumet/Juvisync, Onglyza/Kombiglyze XR and Tradjenta will be subject to the following edits:</li> <li>1. Previous history of a 30-day trial of metformin</li> <li>2. Januvia / Janumet / Juvisync, Onglyza/Kombiglyze XR and Tradjenta will be approved for concurrent use with insulin for six (6) month intervals. For reauthorization, HgBA1C levels must be less than or equal (≤) to eight percent (8%). Current laboratory values must be submitted.</li> <li>Jentadueto and Janumet XR will be approved after thirty (30) day trials of the preferred combination agents, Janumet and Kombiglyze XR.</li> </ul>
HYPOGLYCEMICS,	INSULINS		
	<ul> <li>HUMALOG (insulin lispro)</li> <li>HUMALOG PEN/KWIKPEN (insulin lispro)</li> <li>HUMALOG MIX VIALS (insulin lispro/lispro protamine)</li> <li>HUMULIN VIALS (insulin)</li> <li>LANTUS (insulin glargine)</li> <li>LEVEMIR (insulin detemir)</li> <li>NOVOLIN (insulin)</li> <li>NOVOLOG (insulin aspart)</li> <li>NOVOLOG MIX (insulin aspart/aspart</li> </ul>	APIDRA (insulin glulisine) <sup>AP</sup> HUMALOG MIX PENS (insulin lispro/lispro protamine) HUMULIN PENS (insulin)	<ol> <li>To receive Apidra, patients must meet the following criteria:</li> <li>be 4 years or older;</li> <li>be currently on a regimen including a longer-acting or basal insulin.</li> <li>had a trial of a similar preferred agent, Novolog or Humalog, with documentation that the</li> </ol>



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	protamine)		desired results were not achieved.
			Humulin pens and Humalog Mix pens will be approved only for patients who cannot utilize vials due to impaired vision or dexterity.
HYPOGLYCEMICS,	MEGLITINIDES		
	MEGLI	TINIDES	
	PRANDIN (repaglinide) STARLIX (nateglinide)	nateglinide	A thirty (30) day trial of the preferred agent is required before a non-preferred agent will be authorized, unless one of the exceptions on the PA form is present.
	MEGLITINIDE C	COMBINATIONS	
		PRANDIMET (repaglinide/metformin)	
HYPOGLYCEMICS,	MISCELLANEOUS		
	WELCHOL (colesevelam) <sup>AP</sup>		Welchol will be approved for add-on therapy for type 2 diabetes when there is a previous history of a 30- day trial of an oral agent (sulfonylurea, thiazolidinedione (TZD) or metformin).
HYPOGLYCEMICS,	, TZDS		
	-	INEDIONES	
	ACTOS (pioglitazone) <mark>pioglitazone</mark>	AVANDIA (rosiglitazone) <sup>AP</sup>	Treatment naïve patients require a two (2) week trial of Actos before Avandia will be authorized, unless one of the exceptions on the PA form is present.
	TZD COM	BINATIONS	
		ACTOPLUS MET (pioglitazone/ metformin) ACTOPLUS MET XR (pioglitazone/ metformin) AVANDAMET (rosiglitazone/metformin) <sup>AP</sup> AVANDARYL (rosiglitazone/glimepiride) <sup>AP</sup>	Patients are required to use the components of Actoplus Met and Duetact separately. Exceptions will be handled on a case-by-case basis.



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		DUETACT (pioglitazone/glimepiride) pioglitazone/glimepiride	
<b>IMMUNOSUPPRES</b>	SIVES		
	azathioprine cyclosporine cyclosporine, modified mycophenolate mofetil RAPAMUNE (sirolimus) tacrolimus	AZASAN (azathioprine) CELLCEPT (mycophenolate mofetil) IMURAN (azathioprine) MYFORTIC (mycophenolic acid) NEORAL (cyclosporine, modified) PROGRAF (tacrolimus) SANDIMMUNE (cyclosporine) ZORTRESS (everolimus)	A fourteen (14) day trial of the preferred agent is required before a non-preferred agent will be authorized, unless one of the exceptions on the PA form is present (non-preferred agents will be grandfathered for patients currently on these therapies).
IMPETIGO AGENTS	S (Topical)		
	bacitracin gentamicin sulfate mupirocin ointment	ALTABAX (retapamulin) BACTROBAN (mupirocin) CENTANY (mupirocin) CORTISPORIN (bacitracin/neomycin/ polymyxin/HC) mupirocin cream <sup>NR</sup> neomycin/polymyxin/pramoxine	Ten (10) day trials of at least one preferred agent, including the generic formulation of a requested non-preferred agent, are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
INTRANASAL RHIN			
	ANTICHO	LINERGICS	
	ipratropium	ATROVENT(ipratropium)	Thirty (30) day trials of the preferred nasal anti-cholinergic, an antihistamine, and corticosteroid groups are required before a non- preferred anti-cholinergic will be approved unless one of the exceptions on the PA form is present.
	ANTIHIS	TAMINES	
	ASTELIN (azelastine) PATANASE (olopatadine)	ASTEPRO (azelastine) azelastine	Thirty (30) day trials of both preferred intranasal antihistamines and a thirty (30) day trial of one of the preferred intranasal corticosteroids are required before the non-preferred agent will be approved unless one of the



### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
			exceptions on the PA form is present.
	COMBIN	IATIONS	
		DYMISTA (azelastine / fluticasone)	
	CORTICO	STEROIDS	
	fluticasone propionate NASACORT AQ (triamcinolone) NASONEX (mometasone)	BECONASE AQ (beclomethasone) FLONASE (fluticasone propionate) flunisolide NASALIDE (flunisolide) NASAREL (flunisolide) OMNARIS (ciclesonide) QNASL (beclomethasone) RHINOCORT AQUA (budesonide) triamcinolone VERAMYST (fluticasone furoate) ZETONNA (ciclesonide)	Thirty (30) day trials of each preferred agent in the corticosteroid group are required before a non- preferred corticosteroid agent will be authorized unless one of the exceptions on the PA form is present.
LEUKOTRIENE MO	DIFIERS		
	ACCOLATE (zafirlukast) montelukast granules montelukast tablet and chewtabs	SINGULAIR (montelukast) zafirlukast ZYFLO (zileuton)	Thirty (30) day trials each of the preferred agents are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
LIPOTROPICS, OTI	HER (Non-statins) <sup>AP</sup>		
	BILE ACID SE	QUESTRANTS	
	cholestyramine colestipol tablets	COLESTID (colestipol) colestipol granules QUESTRAN (cholestyramine) WELCHOL (colesevelam) JUXTAPID (lomitapide) <sup>NR</sup>	A twelve (12) week trial of one of the preferred agents is required before a non-preferred agent in the corresponding category will be authorized. Welchol will be approved for add-on therapy for type 2 diabetes when there is a previous history of a 30- day trial of an oral agent (sulfonylurea, thiazolidinedione



### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
			(TZD) or metformin). See HYPOGLYCEMICS, MISCELLANEOUS.
		ORPTION INHIBITORS	
	ZETIA (ezetimibe) <sup>AP</sup>		Zetia will be approved with prior use of a HMG-CoA reductase inhibitor within the previous six months.
	FATTY	ACIDS	
		LOVAZA (omega-3-acid ethyl esters) <sup>AP</sup> VASCEPA (icosapent ethyl) <sup>NR</sup>	Lovaza will be approved when the patient is intolerant or not responsive to, or not a candidate for nicotinic acid or fibrate therapy.
	FIBRIC ACID	DERIVATIVES	
	fenofibrate 54mg & 160mg fenofibrate micronized 67mg, 134mg & 200mg gemfibrozil TRICOR (fenofibrate nanocrystallized) TRILIPIX (fenofibric acid)	ANTARA (fenofibrate) FENOGLIDE (fenofibrate) FIBRICOR (fenofibric acid) fenofibrate nanocrystallized 48mg, 145mg fenofibric acid LIPOFEN (fenofibrate) LOFIBRA (fenofibrate) LOPID (gemfibrozil) TRIGLIDE (fenofibrate)	
	NIA	CIN	
	niacin NIACOR (niacin) NIASPAN (niacin) SLO-NIACIN (niacin)		
LIPOTROPICS, ST	ATINS <sup>AP</sup>		
	STA	TINS	
	atorvastatin LESCOL (fluvastatin) LESCOL XL (fluvastatin) lovastatin pravastatin simvastatin <sup>CL*</sup>	ALTOPREV (lovastatin) CRESTOR (rosuvastatin)** fluvastatin LIPITOR (atorvastatin) LIVALO (pitavastatin) MEVACOR (lovastatin) PRAVACHOL (pravastatin)	Twelve (12) week trials each of two (2) of the preferred statins, including the generic formulation of a requested non-preferred agent, are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is



# BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID

### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

01/01/13

**EFFECTIVE** 

DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		ZOCOR (simvastatin)	present. *Zocor/simvastatin 80mg tablets will require a clinical PA
			**Patients stabilized on Crestor will be grandfathered until April 1, 2013
	STATIN COM	IBINATIONS	
	ADVICOR (lovastatin/niacin) amlodipine / atorvastatin SIMCOR (simvastatin/niacin ER)	CADUET (atorvastatin/amlodipine) VYTORIN (simvastatin/ ezetimibe)	Vytorin will be approved only after an insufficient response to the maximum tolerable dose of atorvastatin after 12 weeks, unless one of the exceptions on the PA form is present.
			*Vytorin 80/10mg tablets will require a clinical PA
MACROLIDES/KET	OLIDES (Oral)		
	KETO	LIDES	
		KETEK (telithromycin)	Requests for telithromycin will be authorized if there is documentation of the use of any antibiotic within the past 28 days.
	MACRO	DLIDES	
	azithromycin clarithromycin erythromycin base	BIAXIN (clarithromycin) BIAXIN XL (clarithromycin) clarithromycin ER E.E.S. (erythromycin ethylsuccinate) E-MYCIN (erythromycin) ERYC (erythromycin) ERYPED (erythromycin ethylsuccinate) ERY-TAB (erythromycin) ERYTHROCIN (erythromycin stearate) erythromycin estolate PCE (erythromycin) ZITHROMAX (azithromycin) ZMAX (azithromycin)	Five (5) day trials each of the preferred agents are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.
<b>MULTIPLE SCLERC</b>			



### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	INTERF	ERONS	
	AVONEX (interferon beta-1a) AVONEX PEN (interferon beta-1a) BETASERON (interferon beta-1b) REBIF (interferon beta-1a)	EXTAVIA (interferon beta-1b) REBIF REBIDOSE (interferon beta-1a) <sup>NR</sup>	A 30-day trial of a preferred agent will be required before a non- preferred agent will be approved.
	NON-INTE	RFERONS	
	COPAXONE (glatiramer)	AMPYRA (dalfampridine)* GILENYA (fingolimod) ** AUBAGIO (teriflunomide) <sup>NR</sup>	<ul> <li>A 30-day trial of the preferred agent will be required before a non-preferred agent will be approved.</li> <li>*Amypra will be prior authorized if the following conditions are met: <ol> <li>Diagnosis of multiple sclerosis</li> <li>No history of seizures</li> <li>No evidence of moderate or severe renal impairment</li> <li>Initial prescription will be approved for 30 days only.</li> </ol> </li> <li>** Gilenya: PA Criteria <ol> <li>A diagnosis of a relapsing form of multiple sclerosis AND</li> <li>Medication is prescribed by a neurologist AND</li> <li>History of a thirty (30) trial of one of the preferred agents for multiple sclerosis unless <i>one of</i> the exceptions on the PA form is present AND</li> <li>Dosage is limited to one tablet per day. (AP does not apply.)</li> </ol> </li> </ul>
MUSCLE RELAXAN	NTS (Oral) <sup>₄</sup>		
	ACUTE MUSCULOSKELE	TAL RELAXANT AGENTS	



### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	chlorzoxazone cyclobenzaprine IR 5, 10 mg methocarbamol	AMRIX (cyclobenzaprine) carisoprodol carisoprodol/ASA carisoprodol/ASA/codeine cyclobenzaprine ER cyclobenzaprine IR 7.5 mg FEXMID (cyclobenzaprine) FLEXERIL (cyclobenzaprine) LORZONE (chlorzoxazone) metaxalone methocarbamol/ASA orphenadrine orphenadrine orphenadrine PARAFON FORTE (chlorzoxazone) ROBAXIN (methocarbamol) SKELAXIN (metaxalone) SOMA (carisoprodol) SOMA COMPOUND (carisoprodol/ASA) SOMA COMP w/ COD (carisoprodol/ASA/ codeine)	Thirty (30) day trials of the preferred acute musculoskeletal relaxants are required before a non-preferred acute musculoskeletal agent will be approved, with the exception of carisoprodol. Thirty (30) day trials of the preferred acute musculoskeletal relaxants and Skelaxin are required before carisoprodol will be approved.
	MUSCULOSKELETAL RELAXANT	AGENTS USED FOR SPASTICITY	
NEUROPATHIC PA	baclofen tizanidine tablets	DANTRIUM (dantrolene) dantrolene tizanidine capsules ZANAFLEX (tizanidine)	Thirty (30) day trials of the preferred skeletal muscle relaxants associated with the treatment of spasticity (are required before non- preferred agents will be approved unless one of the exceptions on the PA form is present.
	capsaicin OTC	GRALISE (gabapentin)	Lyrica will be approved for:
	CYMBALTA (duloxetine) gabapentin LYRICA (pregabalin) <sup>AP</sup> SAVELLA (milnacipran)	HORIZANT (gabapentin) LIDODERM (lidocaine) NEURONTIN (gabapentin) QUTENZA (capsaicin) ZOSTRIX OTC (capsaicin)	<ol> <li>Diagnosis of seizure disorders or neuropathic pain associated with a spinal cord injury</li> </ol>



### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

01/01/13 Version 2013.1p

EFFECTIVE

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
			OR 2. Diagnosis of fibromyalgia, postherpetic neuralgia, or diabetic neuropathy AND a history of a trial of gabapentin at a therapeutic dose range between 900 mg and 2,400 mg per day for thirty (30) days within the previous 24-month period or an intolerance due to a potential adverse drug-drug interaction, drug- disease interaction, or intolerable side effect (In cases of renal impairment, doses may be adjusted based on the degree of impairment.) Lidoderm patches will be approved for a diagnosis of post-herpetic neuralgia. * Savella will be approved for a diagnosis of fibromyalgia or a previous thirty (30) day trial of a drug that infers fibromyalgia: gabapentin, Cymbalta, Lyrica, amitriptyline or nortriptyline. Requests for Gralise will be authorized if the following criteria are met: 1. Diagnosis of post herpetic neuralgia 2. Trial of a tricyclic antidepressant for a least thirty days 3. Trial of gabapentin immediate release formulation (positive response without adequate duration) Request is for once daily dosing with 1800 mg. maximum daily dosage.



### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA			
NSAIDS <sup>AP</sup>						
	NON-SE	LECTIVE				
	diclofenac (IR, SR) etodolac IR flurbiprofen ibuprofen (Rx and OTC) INDOCIN SUSPENSION (indomethacin) indomethacin ketorolac naproxen (Rx only) sulindac	ADVIL (ibuprofen) ANAPROX (naproxen) ANSAID (flurbiprofen) CAMBIA (diclofenac) CATAFLAM (diclofenac) CLINORIL (sulindac) DAYPRO (oxaprozin) diflunisal DUEXIS (famotidine/ibuprofen) etodolac SR FELDENE (piroxicam) fenoprofen INDOCIN SUPPOSITORIES (indomethacin) indomethacin ER ketoprofen ER LODINE (etodolac) meclofenamate mefenamic acid MOTRIN (ibuprofen) nabumetone NALFON (fenoprofen) NAPRELAN (naproxen) NAPROSYN (naproxen) NUPRIN (ibuprofen) ORUDIS (ketoprofen) ORUDIS (ketoprofen) ORUDIS (ketoprofen) ORUDIS (ketoprofen) OXAPROSYN (naproxen) NUPRIN (ibuprofen) ORUDIS (ketoprofen) OXAPROSYN (naproxen) NUPRIN (ibuprofen) ORUDIS (ketoprofen) OXAPROSYN (naproxen) NUPRIN (ibuprofen) ORUDIS (ketoprofen) OXAPROSYN (naproxen) NUPRIN (ibuprofen) ORUDIS (ketoprofen) OXAPROSYN (naproxen) NUPRIN (diclofenac) ZIPSOR (diclofenac potassium) ANT COMBINATIONS	Thirty (30) day trials of each of the preferred agents are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present.			
		VIMOVO (naproxen/esomeprazole)				
COX-II SELECTIVE						



### BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID

### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	meloxicam	CELEBREX (celecoxib) MOBIC (meloxicam)	Requests for COX-2 Inhibitor agents will be authorized if the following criteria are met:
			Agent is requested for treatment of a chronic condition, and
			1. Patient is greater than or equal to 70 years of age, or
			2. Patient is currently on anticoagulation therapy, or
			3. Patient has a history or risk of a serious GI complication.
OPHTHALMIC ANT	<b>IBIOTICS</b> <sup>AP</sup>		
	bacitracin/polymyxin ointment ciprofloxacin erythromycin gentamicin MOXEZA (moxifloxacin) ofloxacin polymyxin/trimethoprim sulfacetamide tobramycin VIGAMOX (moxifloxacin)	AZASITE (azithromycin) bacitracin BESIVANCE (besifloxacin) BLEPH-10 (sulfacetamide) CILOXAN (ciprofloxacin) GARAMYCIN (gentamicin) ILOTYCIN (erythromycin) levofloxacin NATACYN (natamycin) neomycin/bacitracin/polymyxin neomycin/polymyxin/gramicidin NEOSPORIN (neomycin/polymyxin/gramicidin) OCUFLOX (ofloxacin) POLYTRIM (polymyxin/trimethoprim) QUIXIN (levofloxacin) sulfacetamide ointment TOBREX (tobramycin) ZYMAR (gatifloxacin)	Five (5) day trials of each of the preferred agents are required before non-preferred agents will be authorized unless one of the exceptions on the PA form is present. **A prior authorization is required for the fluoroquinolone agents for patients under 21 years of age unless there has been a trial of a first line treatment option within the past 10 days. **The American Academy of Ophthalmology guidelines on treating bacterial conjunctivitis recommend as first line treatment options: erythromycin ointment, sulfacetamide drops, or polymyxin/trimethoprim drops.
OPHTHALMIC ANT	<b>IBIOTIC/STEROID COMBINATION</b>		
	BLEPHAMIDE (prednisolone/sulfacetamide) BLEPHAMIDE S.O.P. (prednisolone/	neomycin/polymyxin/hydrocortisone POLY-PRED (prednisolone/neomycin/	Thirty (30) day trials of each of the preferred agents are required unless one of the exceptions on the
			44



# **BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID**

#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

01/01/13 Version 2013.1p

**EFFECTIVE** 

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA			
	sulfacetamide) MAXITROL (neomycin/polymyxin/ dexamethasone) neomycin/bacitracin/polymyxin/ hydrocortisone neomycin/polymyxin/dexamethasone sulfacetamide/prednisolone TOBRADEX SUSPENSION (tobramycin/ dexamethasone)	polymyxin B) PRED-G (prednisolone/gentamicin) TOBRADEX OINTMENT (tobramycin/ dexamethasone) TOBRADEX ST (tobramycin/ dexamethasone) tobramycin/dexamethasone suspension ZYLET (loteprednol/tobramycin)	PA form is present.			
OPHTHALMIC ANT	I-INFLAMMATORIES					
	dexamethasone diclofenac fluorometholone flurbiprofen ketorolac NEVANAC (nepafenac) prednisolone acetate	ACULAR (ketorolac) ACULAR LS (ketorolac) ACUVAIL (ketorolac tromethamine) <sup>AP</sup> BROMDAY (bromfenac) bromfenac DUREZOL (difluprednate) <sup>AP</sup> FLAREX (fluorometholone) FML fORTE (fluorometholone) FML FORTE (fluorometholone) ILEVRO (nepafenac) <sup>NR</sup> LOTEMAX (loteprednol) MAXIDEX (dexamethasone) OMNIPRED (prednisolone) OZURDEX (dexamethasone) PRED FORTE (prednisolone PRED MILD (prednisolone prednisolone sodium phosphate RETISERT (fluocinolone) TRIESENCE (triamcinolone) VEXOL (rimexolone) XIBROM (bromfenac)	Five (5) day trials of each of the preferred ophthalmic anti- inflammatory agents are required before non-preferred agents will be authorized unless one of the exceptions on the PA form is present.			
<b>OPHTHALMICS FO</b>	OPHTHALMICS FOR ALLERGIC CONJUNCTIVITIS					
	ALAWAY (ketotifen) ALREX (loteprednol) cromolyn ketotifen PATADAY (olopatadine) PATANOL (olopatadine)	ALAMAST (pemirolast) <sup>AP</sup> ALOCRIL (nedocromil) <sup>AP</sup> ALOMIDE (lodoxamide) <sup>AP</sup> azelastine BEPREVE (bepotastine) <sup>AP</sup> CROLOM (cromolyn) <sup>AP</sup> ELESTAT (epinastine) <sup>AP</sup>	Thirty (30) day trials of each of three (3) of the preferred agents are required before non-preferred agents will be authorized, unless one of the exceptions on the PA form is present.			



### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ZADITOR OTC (ketotifen) ZYRTEC ITCHY EYE (ketotifen)	EMADINE (emedastine) <sup>AP</sup> epinastine LASTACAFT (alcaftadine) OPTICROM (cromolyn) <sup>AP</sup> OPTIVAR (azelastine)	
<b>OPHTHALMICS, GI</b>	LAUCOMA AGENTS		
	COMBINATI	ON AGENTS	
	COMBIGAN (brimonidine/timolol) dorzolamide/timolol	COSOPT (dorzolamide/timolol) COSOPT PF (dorzolamide/timolol)	Authorization for a non-preferred agent will only be given if there is an allergy to the preferred agents.
	BETA BL	OCKERS	
	BETOPTIC S (betaxolol) carteolol levobunolol metipranolol timolol	BETAGAN (levobunolol) betaxolol BETIMOL (timolol) ISTALOL (timolol) OPTIPRANOLOL (metipranolol) TIMOPTIC (timolol)	
		DRASE INHIBITORS	
	AZOPT (brinzolamide) dorzolamide	TRUSOPT (dorzolamide)	
	PARASYMPA	THOMIMETICS	
	CARBOPTIC (carbachol) ISOPTO CARBACHOL (carbachol) PHOSPHOLINE IODIDE (echothiophate iodide) pilocarpine	ISOPTO CARPINE (pilocarpine) PILOPINE HS (pilocarpine)	
	PROSTAGLAN	IDIN ANALOGS	
	latanoprost TRAVATAN/TRAVATAN-Z (travoprost)	LUMIGAN (bimatoprost) XALATAN (latanoprost) ZIOPTAN (tafluprost)	
		OMIMETICS	
	ALPHAGAN P (brimonidine) brimonidine 0.2% dipivefrin	apraclonidine brimonidine 0.15% IOPIDINE (apraclonidine) PROPINE (dipivefrin)	



### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
DRUG CLASS		NONT KEI EKKED AGENTO	
OTIC ANTIBIOTICS			
	CIPRODEX (ciprofloxacin/dexamethasone)* COLY-MYCIN S (colistin/hydrocortisone/ neomycin/thonzonium bromide) CORTISPORIN SOLUTION (neomycin/polymyxin/HC) neomycin/polymyxin/HC solution/suspension ofloxacin	ciprofloxacin CIPRO HC (ciprofloxacin/hydrocortisone) CETRAXAL 0.2% SOLUTION (ciprofloxacin) CORTISPORIN-TC (colistin/hydrocortisone/ neomycin) FLOXIN (ofloxacin)	Five (5) day trials of each of the preferred agents are required before a non-preferred agent will be approved unless one of the exceptions on the PA form is present. *Ciprodex is limited to patients 8 years of age and younger. Age exceptions will be handled on a case-by-case basis.
PANCREATIC ENZ	YMES <sup>AP</sup>		
	CREON PANCRELIPASE 5000 ZENPEP	PANCREAZE PERTZYE <mark>ULTRESA<sup>NR</sup></mark> VIOKACE	A thirty (30) day trial of a preferred agent is required before a non- preferred agent will be authorized unless one of the exceptions on the PA form is present. Non-preferred agents will be approved for members with cystic fibrosis.
PARATHYROID AG	<b>ENTS</b> <sup>AP</sup>		
	HECTOROL (doxercalciferol) ZEMPLAR (paricalcitol)	SENSIPAR (cinacalcet)	A thirty (30) day trial of a preferred agent will be required before a non- preferred agent will be approved.
PEDICULICIDES/SO	CABICIDES (Topical)		
	permethrin (RX, OTC) pyrethrins-piperonyl butoxide OTC ULESFIA (benzyl alcohol)	EURAX (crotamiton) LICE EGG REMOVER OTC (benzalkonium chloride) lindane malathion NATROBA (spinosad) OVIDE (malathion) SKLICE (ivermectin) spinosad	Trials of the preferred agents (which are age and weight appropriate) are required before non-preferred agents will be approved unless one of the exceptions on the PA form is present.
PHOSPHATE BIND	ERSAP		



### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ELIPHOS (calcium acetate) PHOSLO (calcium acetate) RENAGEL 400 MG (sevelamer)	calcium acetate FOSRENOL (lanthanum) PHOSLYRA (calcium acetate) RENAGEL 800 MG (sevelamer) RENVELA (sevelamer carbonate)	Thirty (30) day trials of at least two preferred agents are required unless one of the exceptions on the PA form is present.
PLATELET AGGRE	GATION INHIBITORS <sup>AP</sup>		
	AGGRENOX (dipyridamole/ASA) cilostazol clopidogrel	BRILINTA (ticagrelor) dipyridamole EFFIENT (prasugrel) PERSANTINE (dipyridamole) PLAVIX (clopidogrel) PLETAL (cilostazol) TICLID (ticlopidine) ticlopidine	A thirty (30) day trial of a preferred agent is required before a non- preferred agent will be approved unless one of the exceptions on the PA form is present. Effient will be approved for acute coronary syndrome when it is to be managed by acute or delayed percutaneous coronary intervention (PCI). Three (3) day emergency supplies of Effient are available when necessary.
<b>PROGESTINS FOR</b>	CACHEXIA		
	megestrol	MEGACE (megestrol) MEGACE ES (megestrol)	
PROTON PUMP INI	HIBITORS		
	DEXILANT (dexlansoprazole) omeprazole (Rx) pantoprazole PREVACID SOLUTABS (lansoprazole)*	ACIPHEX (rabeprazole) lansoprazole NEXIUM (esomeprazole) omeprazole (OTC) omeprazole/sodium bicarbonate (Rx/OTC) PREVACID CAPSULES (lansoprazole) PRILOSEC (omeprazole) PROTONIX (pantoprazole) ZEGERID RX, OTC (omeprazole)	Sixty (60) day trials of each of the preferred agents, inclusive of a concurrent thirty (30) day trial at the maximum dose of an H₂ antagonist are required before a non-preferred agent will be approved unless one of the exceptions on the PA form is present *Prior authorization is not required for Prevacid Solu-Tabs for patients ≤8 years of age.
PSORIATIC AGENT			
	calcipotriene solution, ointment CALCITRENE (calcipotriene)	calcipotriene cream calcitriol	Thirty (30) day trials of two (2) preferred unique chemical entities



#### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
DRUG CLASS				
	DOVONEX (calcipotriene) TAZORAC (tazarotene)	SORILUX (calcipotriene) TACLONEX (calcipotriene/ betamethasone) VECTICAL (calcitriol)	are required before non-preferred agents will be approved unless one of the exceptions on the PA form is present.	
PULMONARY ANT	IHYPERTENSIVES - ENDOTHELIN	RECEPTOR ANTAGONISTS <sup>CL</sup>		
	LETAIRIS (ambrisentan) TRACLEER (bosentan)		Letairis and Tracleer will be approved for a diagnosis of pulmonary arterial hypertension (PAH).	
PULMONARY ANT	IHYPERTENSIVES – PDE5s <sup>cl</sup>			
	ADCIRCA (tadalafil) REVATIO TABLETS (sildenafil)	REVATIO IV (sildenafil) <mark>sildenafil<sup>NR</sup></mark>		
PULMONARY ANT	<b>IHYPERTENSIVES – PROSTACYCI</b>	LINS <sup>c∟</sup>		
	epoprostenol VENTAVIS (iloprost)	FLOLAN (epoprostenol) REMODULIN (treprostinil sodium) TYVASO (treprostinil) VELETRI (epoprostenol)	Ventavis will only be approved for the treatment of pulmonary artery hypertension (WHO Group 1) in patients with NYHA Class III or IV symptoms. Remodulin and Tyvaso will be approved only after a 30-day trial of Ventavis unless one of the exceptions on the PA form is present.	
SEDATIVE HYPNO	TICS			
BENZODIAZEPINES				
	temazepam 15, 30 mg	DALMANE (flurazepam) DORAL (quazepam) estazolam flurazepam HALCION (triazolam) RESTORIL (temazepam) temazepam 7.5, 22.5 mg triazolam	Fourteen (14) day trials of the preferred agents in both categories are required before a non-preferred agent will be authorized unless one of the exceptions on the PA form is present. Strengths of zolpidem that are non-preferred (6.25 and 12.5 mg) must be created by combining or splitting the preferred doses (5 and 10 mg) of zolpidem, if appropriate.	



### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
OTHERS				
	zolpidem 5, 10 mg	AMBIEN (zolpidem) AMBIEN CR (zolpidem) chloral hydrate EDLUAR (zolpidem) INTERMEZZO (zolpidem) LUNESTA (eszopiclone) ROZEREM (ramelteon) SILENOR (doxepin) SOMNOTE (chloral hydrate) SONATA (zaleplon) zaleplon zolpidem ER 6.25, 12.5 mg ZOLPIMIST (zolpidem		
STIMULANTS AND	RELATED AGENTS			
	AMPHE	TAMINES		
	amphetamine salt combination IR dextroamphetamine VYVANSE (lisdexamfetamine)	ADDERALL (amphetamine salt combination) ADDERALL XR (amphetamine salt combination) amphetamine salt combination ER DESOXYN (methamphetamine) DEXEDRINE (dextroamphetamine) dextroamphetamine ER DEXTROSTAT (dextroamphetamine) methamphetamine PROCENTRA (dextroamphetamine)	One of the preferred agents in each group (amphetamines and non- amphetamines) must be tried for thirty (30) days before a non- preferred agent will be authorized. In addition, a long-acting preferred agent in each class must be tried for thirty (30) days before a non- preferred long-acting stimulant will be approved. Except for Strattera, PA is required for adults >18 years. Thirty (30) day trials of at least three (3) antidepressants are required before amphetamines will be approved for depression. Provigil will only be approved for patients >16 years of age with a diagnosis of narcolepsy.	
NON-AMPHETAMINE				
	DAYTRANA (methylphenidate) FOCALIN (dexmethylphenidate) FOCALIN XR (dexmethylphenidate)	CONCERTA (methylphenidate) dexmethylphenidate KAPVAY ER (clonidine)	Strattera will not be approved for concurrent administration with amphetamines or	



### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	guanfacine INTUNIV (guanfacine extended-release) METADATE CD (methylphenidate) METHYLIN CHEWABLE TABLETS, SOLUTION (methylphenidate) methylphenidate methylphenidate ER (generic Concerta, Ritalin SR, Metadate ER, Methylin ER) STRATTERA (atomoxetine)	METADATE ER (methylphenidate) methylphenidate solution methylphenidate CD methylphenidate ER (generic Ritalin LA) modafinil NUVIGIL (armodafinil) pemoline PROVIGIL (modafinil) QUILLIVANT XR (methylphenidate) <sup>NR</sup> RITALIN (methylphenidate) RITALIN LA (methylphenidate) RITALIN SR (methylphenidate)	<ul> <li>methylphenidates, except for 30 days or less for tapering purposes. Strattera is limited to a maximum of 100mg per day.</li> <li>Kapvay will be approved if the following criteria are met: <ol> <li>Fourteen (14) day trials of at least one preferred product from the amphetamine and non-amphetamine class and</li> <li>A fourteen (14) day trial of Strattera and</li> <li>A fourteen (14) day trial of clonidine (for Kapvay) unless one of the exceptions on the PA form is present or</li> <li>In cases of a diagnosis of Tourette's syndrome, tics, autism or disorders included in the autism spectrum, only a fourteen (14) day trial of clonidine (for Kapvay) is required for approval.</li> </ol> </li> </ul>
TETRACYCLINES <sup>A</sup>	Ρ		
	doxycycline hyclate capsules, tablets minocycline capsules tetracycline	ADOXA (doxycycline monohydrate) demeclocycline* DORYX (doxycycline hyclate) doxycycline hyclate tablet DR doxycycline monohydrate DYNACIN (minocycline) MINOCIN (minocycline) minocycline ER capsules minocycline tablets MONODOX (doxycycline monohydrate) MORGIDOX KIT (doxycycline) ORACEA (doxycycline monohydrate) SOLODYN (minocycline) SUMYCIN (tetracycline) VIBRAMYCIN CAPSULES, SUSPENSION, SYRUP (doxycycline)	A ten (10) day trial of each of the preferred agents is required before a non-preferred agent will be approved. *Demeclocycline will be approved for conditions caused by susceptible strains of organisms designated in the product information supplied by the manufacturer. A C&S report must accompany this request. *Demeclocycline will also be approved for SIADH.



### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
ULCERATIVE COL	ITIS AGENTS <sup>AP</sup>			
ORAL				
	APRISO (mesalamine) ASACOL (mesalamine) 400mg balsalazide DIPENTUM (olsalazine) PENTASA (mesalamine) 250mg sulfasalazine	ASACOL HD (mesalamine) AZULFIDINE (sulfasalazine) COLAZAL (balsalazide) DELZICOL (mesalamine) <sup>NR</sup> GIAZO (balsalazide) <sup>NR</sup> LIALDA (mesalamine) PENTASA (mesalamine) UCERIS (budesonide) <sup>NR</sup>	Thirty (30) day trials of each of the preferred agents of a dosage form must be tried before a non- preferred agent of that dosage form will be authorized unless one of the exceptions on the PA form is present.	
		TAL		
	CANASA (mesalamine) mesalamine	mesalamine kit ROWASA (mesalamine) SF ROWASA (mesalamine)		
VAGINAL ANTIBAC	CTERIALS			
	clindamycin cream METROGEL (metronidazole)	AVC (sulfanilamide) CLEOCIN CREAM (clindamycin) CLEOCIN OVULE (clindamycin) CLINDESSE (clindamycin) metronidazole VANDAZOLE (metronidazole)	A trial, the duration of the manufacturer's recommendation, of each of the preferred agents is required before a non-preferred agent will be approved unless one of the exceptions on the PA form is present.	
MISC BRAND/GEN	ERIC			
		IDINE		
	CATAPRES-TTS (clonidine) clonidine tablets	clonidine patch NEXICLON XR (clonidine) CATAPRES TABLETS (clonidine)	A thirty (30) day trial of each preferred unique chemical entity in the corresponding therapeutic category is required before a non- preferred agent will be authorized.	
SUBLINGUAL NITROGLYCERIN				
	nitroglycerin sublingual NITROLINGUAL SPRAY (nitroglycerin) NITROSTAT SUBLINGUAL (nitroglycerin)	NITROMIST (nitroglycerin)		
SUBSTANCE ABUSE TREATMENTS				



### PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/13

THERAPEUTIC DRUG CLASS	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	SUBOXONE FILM (buprenorphine) <sup>CL</sup>	SUBOXONE TABLETS (buprenorphine)	Suboxone PA criteria is available at http://www.dhhr.wv.gov/bms/Pharm acy/Pages/pac.aspx