

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

01/01/2016 Version 2016.1n

- Prior authorization for a non-preferred agent in any category will be given only if there has been a trial of the preferred brand/generic equivalent or preferred formulation of the active ingredient, at a therapeutic dose, that resulted in a partial response with a documented intolerance.
- Prior authorization of a non-preferred isomer, pro-drug, or metabolite will be considered with a trial of a preferred parent drug
  of the same chemical entity, at a therapeutic dose, that resulted in a partial response with documented intolerance or a previous
  trial and therapy failure, at a therapeutic dose, with a preferred drug of a different chemical entity indicated to treat the
  submitted diagnosis. (The required trial may be overridden when documented evidence is provided that the use of these
  preferred agent(s) would be medically contraindicated.)
- Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC drugs are not covered unless specified.
- PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.
- The use of pharmaceutical samples will not be considered when evaluating the members' medical condition or prior prescription history for drugs that require prior authorization.
- Prior Authorization Criteria that applies among multiple sub-categories will be listed directly under the main category's name. PA Criteria specific to a sub-category will be listed in the sub-category.
- Quantity limits may apply. Refer to the Limits List at the BMS Website by clicking the hyperlink.
- Acronyms
- CL Requires clinical PA. For detailed clinical criteria, please refer to the BMS Website by clicking the hyperlink.
  - o NR New drug has not been reviewed by P & T Committee
  - o AP Non-preferred and selected preferred drugs, where indicated, are subject to auto-PA criteria. See PA criteria column.



01/01/2016 Version 2016.1n

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

CLASSES CHANGING	Status Changes	PA Criteria Changes	New Drugs
ALZHEIMER'S AGENTS	XXXX		XXXX
ANALGESICS, NARCOTIC LONG ACTING (NON-PARENTERAL)	XXXX	XXXX	
ANALGESICS, NARCOTIC SHORT ACTING (NON-PARENTERAL)	XXXX		
ANDROGENIC AGENTS	XXXX		XXXX
ANGIOTENSIN MODULATORS	XXXX		XXXX
ANTICOAGULANTS	XXXX		
ANTICONVULSANTS	XXXX		
ANTIFUNGALS, ORAL			XXXX
ANTIPSYCHOTICS, ATYPICAL	XXXX		
BETA BLOCKERS	XXXX	XXXX	
BLADDER RELAXANT PREPARATIONS	XXXX		
BRONCHODILATORS, BETA AGONIST			XXXX
COPD AGENTS			XXXX
CYTOKINE & CAM ANTAGONISTS	XXXX	XXXX	
GLUCOCORTICOIDS, INHALED	XXXX		
GROWTH HORMONE	XXXX		
HEPATITIS C TREATMENTS	XXXX		XXXX
HYPERPARATHYROID AGENTS			XXXX
HYPOGLYCEMICS, BIGUANIDES		XXXX	
HYPOGLYCEMICS, INCRETIN MIMETICS/ENHANCERS	XXXX	XXXX	XXXX
HYPOGLYCEMICS, INSULIN AND RELATED AGENTS	XXXX		
HYPOGLYCEMICS, MEGLITINIDES		XXXX	
HYPOGLYCEMICS, SGLT2 INHIBITORS		XXXX	
HYPOGLYCEMICS, TZD		XXXX	
IMMUNE GLOBULINS, IV	XXXX		



01/01/2016 Version 2016.1n

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

INTRANASAL RHINITIS AGENTS	XXXX		
LIPOTROPICS, OTHER (NON-STATINS)	XXXX		XXXX
MULTIPLE SCLEROSIS AGENTS	XXXX		XXXX
NEUROPATHIC PAIN			XXXX
OPHTHALMIC ANTIBIOTICS	XXXX		
OPHTHALMIC ANTIBIOTICS/STEROID COMBINATIONS	XXXX		
OPHTHALMIC ALLERGIC CONJUNCTIVITIS	XXXX		
OPHTHALMICS, GLAUCOMA AGENTS	XXXX		
OTIC ANTIBIOTICS	XXXX		
SEDATIVE HYPNOTICS		XXXX	
STIMULANTS AND RELATED AGENTS	XXXX		



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

	THERAPEUTIC DRUG CL	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
generic version of the requested non-preferred form is present.	d product, are required before the non-preferred ag	unique chemical entities in two (2) other subclasses, including the ent will be authorized unless one (1) of the exceptions on the PA of age or older, a trial of retinoids will <i>not</i> be required.
Specific Criteria for sub-categories will be liste	d below.	
	ANTI-INFECTIVE	
clindamycin gel, lotion, medicated swab, solution erythromycin gel, solution	ACZONE (dapsone) AKNE-MYCIN (erythromycin) AZELEX (azelaic acid) CLEOCIN-T (clindamycin) CLINDACIN PAC (clindamycin) CLINDAGEL (clindamycin) clindamycin foam erythromycin medicated swab EVOCLIN (clindamycin) FABIOR (tazarotene) KLARON (sulfacetamide) OVACE/PLUS (sulfacetamide) sodium sulfacetamide 10% cleansing gel sulfacetamide cleanser sulfacetamide cleanser ER sulfacetamide shampoo sulfacetamide suspension	
	RETINOIDS	
RETIN-A (tretinoin) TAZORAC (tazarotene)	adapalene ATRALIN (tretinoin) AVITA (tretinoin) DIFFERIN (adapalene) RETIN-A MICRO (tretinoin) tretinoin cream, gel tretinoin gel micro	In addition to the Category Criteria: PA required for members eighteen (18) years of age or older for Retinoids sub-class.
	KERATOLYTICS	
benzoyl peroxide cleanser Rx & OTC, 10% cream OTC, gel Rx & OTC, lotion OTC, wash OTC	BENZEFOAM ULTRA (benzoyl peroxide) BENZEPRO (benzoyl peroxide) benzoyl peroxide cloths, medicated pads, microspheres cleanser BP 10-1 (benzoyl peroxide)	



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

	THERAPEUTIC DRUG CL	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	BP WASH 7% LIQUID DELOS (benzoyl peroxide) DESQUAM-X (benzoyl peroxide) LAVOCLEN (benzoyl peroxide) PACNEX/HP/LP (benzoyl peroxide) PANOXYL-4, -8 OTC (benzoyl peroxide) PERSA-GEL OTC (benzoyl peroxide) SASTID (sulfur) SULPHO-LAC (sulfur)	
	COMBINATION AGENTS	
erythromycin/benzoyl peroxide	ACANYA (clindamycin phosphate/benzoyl peroxide)  AVAR/-E/LS (sulfur/sulfacetamide)  BENZACLIN GEL (benzoyl peroxide/ clindamycin)  BENZAMYCIN PAK (benzoyl peroxide/ erythromycin)  benzoyl peroxide/clindamycin gel benzoyl peroxide/urea  CERISA (sulfacetamide sodium/sulfur)  CLARIFOAM EF (sulfacetamide/sulfur)  CLENIA (sulfacetamide sodium/sulfur)  DUAC (benzoyl peroxide/clindamycin)  EPIDUO (adapalene/benzoyl peroxide)*  INOVA 4/1, 5/2 (benzoyl peroxide/salicylic acid)  NEUAC (clindamycin phosphate/benzoyl peroxide)  NUOX (benzoyl peroxide/sulfur)  ONEXTON (clindamycin phosphate/benzoyl peroxide)  PRASCION (sulfacetamide sodium/sulfur)  SE 10-5 SS (sulfacetamide/sulfur)  SSS 10-4 (sulfacetamide /sulfur)  SSS 10-5 foam (sulfacetamide /sulfur)  sulfacetamide sodium/sulfur cloths, lotion, pads, suspension  sulfacetamide/sulfur wash kit  sulfacetamide/sulfur wash kit  sulfacetamide sodium/sulfur/ urea  SUMADAN/XLT (sulfacetamide/sulfur)  SUMAXIN/TS (sulfacetamide sodium/sulfur)	In addition to the Category PA: Thirty (30) day trials of combinations of the corresponding preferred single agents available are required before non-preferred combination agents will be authorized.  *PA required for combination agents with Retinoid products for members eighteen (18) years of age or older.



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS				
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA		
	ZIANA (clindamycin/tretinoin)*			
ALZHEIMER'S AGENTSAP	,			
on the PA form is present.		-preferred agent will be authorized unless one (1) of the exceptions		
Prior authorization is required for members up	to forty-five (45) years of age if there is no diagnos			
	CHOLINESTERASE INHIBITO			
donepezil 5 and 10 mg	ARICEPT (donepezil) donepezil 23 mg* EXELON CAPSULE (rivastigmine) EXELON PATCH (rivastigmine) galantamine galantamine ER RAZADYNE (galantamine) RAZADYNE ER (galantamine) rivastigmine	*Donepezil 23 mg tablets will be authorized if the following criteria are met:  1. There is a diagnosis of moderate-to-severe Alzheimer's Disease and  2. There has been a trial of donepezil 10 mg daily for at least three (3) months and donepezil 20 mg daily for an additional one (1) month.		
	NMDA RECEPTOR ANTAGON	IST		
NAMENDA (memantine)	memantine NAMENDA XR (memantine)			
CHOLIN	IESTERASE INHIBITOR/NMDA RECEPTOR ANT	TAGONIST COMBINATIONS		
	NAMZARIC (donepezil/memantine)			
ANALGESICS, NARCOTIC LONG	a ACTING (Non-parenteral) <sup>AP</sup>			
one (1) of the exceptions on the PDL form is p	resent. In addition, a six (6) day trial of the generic	are required before a non-preferred agent will be authorized unless c form of the requested non-preferred agent, if available, is required sted non-preferred brand agent, then another generic non-preferred		
BUTRANS (buprenorphine) EMBEDA (morphine/naltrexone) fentanyl transdermal 12, 25, 50, 75, 100 mcg/hr	CONZIP ER (tramadol) DOLOPHINE (methadone) DURAGESIC (fentanyl) EXALGO ER (hydromorphone)	*Methadone, oxycodone ER and oxymorphone ER will be authorized without a trial of the preferred agents if a diagnosis of cancer is submitted.		
morphine ER tablets	fentanyl transdermal 37.5, 62.5, 87.5 mcg/hr hydromorphone ER HYSINGLA ER (hydrocodone) KADIAN (morphine) methadone* morphine ER capsules (generic for Avinza) morphine ER capsules (generic for Kadian) MS CONTIN (morphine) NUCYNTA ER (tapentadol) OPANA ER (oxymorphone) oxycodone ER*	**Tramadol ER requires a manual review and may be authorized for ninety (90) days with submission of a detailed treatment plan including anticipated duration of treatment and scheduled follow-ups with the prescriber.		



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE** 01/01/2016 Version 2016.1n

THERAPEUTIC DRUG CLASS				
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA		
	OXYCONTIN (oxycodone) oxymorphone ER* tramadol ER** ULTRAM ER (tramadol) XARTEMIS XR (oxycodone/ acetaminophen) ZOHYDRO ER (hydrocodone)			
ANALGESICS, NARCOTIC SHORT ACTING (Non-parenteral) <sup>AP</sup>				
		ed agents (based on narcotic ingredient only), including the generic I be authorized unless one (1) of the exceptions on the PA form is		

APAP/codeine butalbital/APAP/caffeine/codeine codeine hydrocodone/APAP 2.5/325 mg, 5/325 mg, 7.5/325 mg,10/325 mg hydrocodone/APAP solution hydrocodone/ibuprofen hydromorphone tablets morphine oxycodone tablets, concentrate, solution oxycodone/APAP oxycodone/ASA pentazocine/naloxone ROXICET SOLUTION (oxvcodone/ acetaminophen) tramadol tramadol/APAP

ABSTRAL (fentanyl) ACTIQ (fentanyl) butalbital/ASA/caffeine/codeine butorphanol CAPITAL W/CODEINE (APAP/codeine) DEMEROL (meperidine) dihydrocodeine/ APAP/caffeine DILAUDID (hydromorphone) fentanvl FENTORA (fentanyl) FIORICET W/ CODEINE (butalbital/APAP/caffeine/codeine) FIORINAL W/ CODEINE (butalbital/ASA/caffeine/codeine) hydrocodone/APAP 5/300 mg, 7.5/300 mg, 10/300 mg hydromorphone liquid, suppositories IBUDONE (hydrocodone/ibuprofen) LAZANDA (fentanyl) levorphanol LORCET (hydrocodone/APAP) LORTAB (hydrocodone/APAP) meperidine NORCO (hydrocodone/APAP) **NUCYNTA** (tapentadol) ONSOLIS (fentanyl) OPANA (oxymorphone) OXECTA (oxycodone)

oxycodone capsules oxycodone/ibuprofen oxymorphone

PERCOCET (oxycodone/APAP)

Fentanyl buccal, nasal and sublingual products will only be authorized for a diagnosis of cancer and as an adjunct to a longacting agent. These dosage forms will not be authorized for monotherapy.

Limits: Unless the patient has escalating cancer pain or another diagnosis supporting increased quantities of short-acting opioids. all short acting solid forms of the narcotic analgesics are limited to 120 tablets per thirty (30) days for the purpose of maximizing the use of longer acting medications to prevent unnecessary breakthrough pain in chronic pain therapy. Immediate-release tramadol is limited to 240 tablets per thirty (30) days.



captopril

enalapril

fosinopril lisinopril

### BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/2016 Version 2016.1n

	THERAPEUTIC DRUG CL	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	PRIMLEV (oxycodone/APAP) REPREXAIN (hydrocodone/ibuprofen) ROXICODONE (oxycodone) RYBIX ODT (tramadol) SUBSYS (fentanyl) SYNALGOS-DC (dihydrocodeine/ASA/caffeine) TYLENOL W/CODEINE (APAP/codeine) ULTRACET (tramadol/APAP) ULTRAM (tramadol) VEDROCET (hydrocodone/APAP) VICODIN VICOPROFEN (hydrocodone/ibuprofen) XODOL (hydrocodone/acetaminophen) XYLON (hydrocodone/ibuprofen) ZAMICET (hydrocodone/APAP)	
ANDROGENIC AGENTS	ZAMICET (Hydrocodone/AFAF)	
	red agent will only be authorized if one (1) of the excep	otions on the PA form is present.
ANDRODERM (testosterone) ANDROGEL (testosterone)	AXIRON (testosterone) FORTESTA (testosterone) NATESTO (testosterone) TESTIM (testosterone) testosterone gel VOGELXO (testosterone)	
ANESTHETICS, TOPICALAP	VOCEENO (IOGIOGIOTO)	
· · · · · · · · · · · · · · · · · · ·		required before a non-preferred topical anesthetic will be authorized
lidocaine lidocaine/prilocaine xylocaine	EMLA (lidocaine/prilocaine) LIDAMANTLE (lidocaine) LIDAMANTLE HC (lidocaine/hydrocortisone) lidocaine/hydrocortisone SYNERA (lidocaine/tetracaine)	
ANGIOTENSIN MODULATORS		
	4) day trials of each of the preferred agents in the corwill be authorized unless one (1) of the exceptions on	responding group, with the exception of the Direct Renin Inhibitors, the PA form is present.
	ACE INHIBITORS	
benazepril	ACCUPRIL (quinapril)	*Epaned will be authorized with a diagnosis of hypertension,

ACEON (perindopril)

EPANED (enalapril)\*

LOTENSIN (benazepril)

ALTACE (ramipril)

symptomatic heart failure or asymptomatic left ventricular

dysfunction provided that the patient is less than seven (7) years

of age OR is unable to ingest a solid dosage form due to

documented oral-motor difficulties or dysphagia.



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

	THERAPEUTIC DRUG CLASS				
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA			
quinapril ramipril	MAVIK (trandolapril) moexipril perindopril PRINIVIL (lisinopril) trandolapril UNIVASC (moexipril) VASOTEC (enalapril) ZESTRIL (lisinopril)				
	ACE INHIBITOR COMBINATION D	RUGS			
benazepril/amlodipine benazepril/HCTZ captopril/HCTZ enalapril/HCTZ fosinopril/HCTZ lisinopril/HCTZ quinapril/HCTZ	ACCURETIC (quinapril/HCTZ) CAPOZIDE (captopril/HCTZ) LOTENSIN HCT (benazepril/HCTZ) LOTREL (benazepril/amlodipine) moexipril/HCTZ PRINZIDE (lisinopril/HCTZ) TARKA (trandolapril/verapamil) trandolapril/verapamil VASERETIC (enalapril/HCTZ) ZESTORETIC (lisinopril/HCTZ)				
	ANGIOTENSIN II RECEPTOR BLOCKE	RS (ARBs)			
BENICAR (olmesartan) irbesartan losartan MICARDIS (telmisartan) valsartan	ATACAND (candesartan) AVAPRO (irbesartan) candesartan COZAAR (losartan) DIOVAN (valsartan) EDARBI (azilsartan) eprosartan telmisartan TEVETEN (eprosartan)				
A70D (-le	ARB COMBINATIONS	*Control will subside a subside of for a distance distance of with			
AZOR (olmesartan/amlodipine) BENICAR-HCT (olmesartan/HCTZ) EXFORGE HCT (valsartan/amlodipine/HCTZ) irbesartan/HCTZ losartan/HCTZ MICARDIS-HCT (telmisartan/HCTZ) TRIBENZOR (olmesartan/amlodipine/HCTZ) valsartan/amlodipine valsartan/HCTZ	ATACAND-HCT (candesartan/HCTZ) AVALIDE (irbesartan/HCTZ) candesartan/HCTZ DIOVAN-HCT (valsartan/HCTZ) EDARBYCLOR (azilsartan/chlorthalidone) ENTRESTO (valsartan/sucubitril)* EXFORGE (valsartan/amlodipine) HYZAAR (losartan/HCTZ) telmisartan/amlodipine telmisartan HCTZ TEVETEN-HCT (eprosartan/HCTZ) TWYNSTA (telmisartan/amlodipine) valsartan/amlodipine/HCTZ	*Entresto will only be authorized for patients diagnosed with heart-failure NYHA classification 2-4 with an EF < 40%. No preferred drug trial is required to receive authorization			



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS						
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA				
	DIRECT RENIN INHIBITORS					
	AMTURNIDE (aliskiren/amlodipine/HCTZ) TEKAMLO (aliskiren/amlodipine) TEKTURNA (aliskiren) TEKTURNA HCT (aliskiren/HCTZ) VALTURNA (aliskiren/valsartan)	Substitute for Category Criteria: A thirty (30) day trial of one (1) preferred ACE, ARB, or combination agent, at the maximum tolerable dose, is required before Tekturna will be authorized unless one (1) of the exceptions on the PA form is present.  Amturnide, Tekamlo, Tekturna HCT or Valturna will be authorized if the criteria for Tekturna are met and the patient also needs the other agents in the combination.				
ANTIANGINAL & ANTI-ISCHEMIC						
CATEGORY PA CRITERIA: Ranexa will be a agents or a combination agent containing one		king a calcium channel blocker, a beta blocker, or a nitrite as single				
· ·	RANEXA (ranolazine) <sup>AP</sup>					
ANTIBIOTICS, GI						
exceptions on the PA form is present.		e a non-preferred agent will be authorized unless one (1) of the				
metronidazole tablet neomycin TINDAMAX (tinidazole)	ALINIA (nitazoxanide) DIFICID (fidaxomicin)* FLAGYL (metronidazole) FLAGYL ER (metronidazole ER) metronidazole capsule paromomycin tinidazole VANCOCIN (vancomycin) vancomycin** XIFAXAN (rifaximin)***	<ul> <li>*Dificid will be authorized if the following criteria are met:</li> <li>There is a diagnosis of severe <i>C. difficile</i> infection and</li> <li>There is no response to prior treatment with vancomycin for ten (10) to fourteen (14) days.</li> <li>**Vancomycin will be authorized for treatment of mild to moderate <i>C. difficile</i> infections after a fourteen (14) day trial of metronidazole. Severe <i>C. difficile</i> infections do not require a trial of metronidazole for authorization.</li> <li>***Full Xifaxin PA criteria may be found at the BMS Website, by clicking the hyperlink.</li> </ul>				
ANTIBIOTICS, INHALED						
will be authorized unless one (1) of the exception BETHKIS (tobramycin)	ons on the PA form is present.  CAYSTON (aztreonam)	ion of therapeutic failure is required before a non-preferred agent				
KITABIS PAK (tobramycin)	TOBI (tobramycin) TOBI PODHALER tobramycin					



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

	THERAPEUTIC DRUG CLASS				
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA			
ANTIBIOTICS, TOPICAL					
	Is of at least one (1) preferred agent, including the authorized unless one (1) of the exceptions on the I	generic formulation of a requested non-preferred agent, are PA form is present.			
bacitracin (Rx, OTC) gentamicin sulfate mupirocin ointment	ALTABAX (retapamulin) BACTROBAN (mupirocin) CENTANY (mupirocin) CORTISPORIN (bacitracin/neomycin/polymyxin/HC) mupirocin cream neomycin/polymyxin/pramoxine				
ANTIBIOTICS, VAGINAL					
authorized unless one (1) of the exceptions on		preferred agent is required before a non-preferred agent will be			
clindamycin cream METROGEL (metronidazole)	AVC (sulfanilamide) CLEOCIN CREAM (clindamycin) CLEOCIN OVULE (clindamycin) CLINDESSE (clindamycin) metronidazole NUVESSA (metronidazole) VANDAZOLE (metronidazole)				
ANTICOAGULANTS	,				
CATEGORY PA CRITERIA: Trials of each property of particles of particles of each property of the property of th	eferred agent will be required before a non-preferre	ed agent will be authorized unless one (1) of the exceptions on the			
	INJECTABLECL				
enoxaparin	ARIXTRA (fondaparinux) fondaparinux FRAGMIN (dalteparin) LOVENOX (enoxaparin) ORAL				
COUMADIN (warfarin) ELIQUIS (apixaban) <sup>AP*</sup> PRADAXA (dabigatran) <sup>AP**</sup> warfarin XARELTO (rivaroxaban) <sup>AP***</sup>	SAVAYSA (edoxaban)	*Eliquis will be authorized for the following indications:  1. Non-valvular atrial fibrillation or  2. Deep vein thombrosis (DVT) and pulmonary embolism (PE) or  3. DVT prophylaxis if treatment is limited to thirty-five (35) days for hip replacement surgeries or twelve (12) days for knee replacement surgeries.  **Pradaxa will be authorized for the following indications:  1. Non-valvular atrial fibrillation or  2. To reduce the risk of recurrent DVT and PE in patients who have previously been treated or			



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE** 01/01/2016 Version 2016.1n

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
		<ol> <li>Treatment of acute DVT and PE in patients who have been treated with a parenteral anticoagulant for five (5) to (10) days.</li> </ol>	
		<ul> <li>***Xarelto will be authorized for the following indications::</li> <li>1. Non-valvular atrial fibrillation or</li> <li>2. DVT, and PE, and reduction in risk of recurrence of DVT and PE or</li> <li>1. DVT prophylaxis if treatment is limited to thirty-five (35) days for hip replacement surgeries or twelve (12) days for knee replacement surgeries.</li> </ul>	
ANTICONVIII SANTS			

#### ANTICONVULSANTS

CATEGORY PA CRITERIA: A fourteen (14) day trial of one (1) of the preferred agents in the corresponding group is required for treatment naïve patients with a diagnosis of a seizure disorder before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.

A thirty (30) day trial of one (1) of the preferred agents in the corresponding group is required for patients with a diagnosis other than seizure disorders unless one (1) of the exceptions on the PA form is present.

Non-preferred anticonvulsants will be authorized for patients on established therapies with a diagnosis of seizure disorders with no trials of preferred agents required. In situations where AB-rated generic equivalent products are available, "Brand Medically Necessary" must be hand-written by the prescriber on the prescription in order for the brand name product to be reimbursed.

n	11	<i>1</i> Λ	N.	ГC

ADJUVANIO		
carbamazepine	APTIOM (eslicarbazepine)	*Topiramate ER will be authorized after a thirty (30) day trial of
carbamazepine ER	BANZEL(rufinamide)	topiramate IR.
carbamazepine XR	DEPAKENE (valproic acid)	
CARBATROL (carbamazepine)	DEPAKOTE (divalproex)	**Vimpat will be approved as monotherapy or adjunctive therapy
DEPAKOTE SPRINKLE (divalproex)	DEPAKOTE ER (divalproex)	for members seventeen (17) years of age or older with a
divalproex	divalproex sprinkle	diagnosis of partial-onset seizure disorder.
divalproex ER	EQUETRO (carbamazepine)	
EPITOL (carbamazepine)	FANATREX SUSPENSION (gabapentin)	***Patients stabilized on Felbatol will be grandfathered
felbamate	FELBATOL (felbamate)***	
FYCOMPA (perampanel)	KEPPRA (levetiracetam)	****Onfi will be authorized if the following criteria are met:
GABITRIL (tiagabine)	KEPPRA XR (levetiracetam)	<ol> <li>Adjunctive therapy for Lennox-Gastaut or</li> </ol>
lamotrigine	LAMICTAL (lamotrigine)	2. Generalized tonic, atonic or myoclonic seizures and
levetiracetam IR	LAMICTAL CHEWABLE (lamotrigine)	3. Previous failure of at least two (2) non-benzodiazepine
levetiracetam ER	LAMICTAL ODT (lamotrigine)	anticonvulsants and previous failure of clonazepam.
oxcarbazepine suspension and tablets	LAMICTAL XR (lamotrigine)	(For continuation, prescriber must include information regarding
TEGRETOL XR (carbamazepine)	lamotrigine dose pack	improved response/effectiveness with this medication)
topiramate IR	lamotrigine ER	
topiramate ER*	ONFI (clobazam) ****	
valproic acid	ONFI SUSPENSION (clobazam) ****	
	OXTELLAR XR (oxcarbazepine)	



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
VIMPAT(lacosamide) <sup>AP**</sup> zonisamide	POTIGA (ezogabine) QUDEXY XR (topiramate ER) SABRIL (vigabatrin) STAVZOR (valproic acid) TEGRETOL (carbamazepine) tiagabine TOPAMAX (topiramate) TRILEPTAL SUSPENSION and TABLETS (oxcarbazepine) TROKENDI XR (topiramate) ZONEGRAN (zonisamide)  BARBITURATESAP	
phenobarbital	MYSOLINE (primidone)	
primidone	" ,	
	BENZODIAZEPINES <sup>AP</sup>	
clonazepam DIASTAT (diazepam rectal) diazepam tablets	clonazepam ODT diazepam rectal gel KLONOPIN (clonazepam) VALIUM TABLETS (diazepam) HYDANTOINSAP	
DILANTIN (phenytoin sodium, extended) PEGANONE (ethotoin) phenytoin capsules, chewable tablets, suspension	DILANTIN INFATABS (phenytoin) PHENYTEK (phenytoin)	
	SUCCINIMIDES	
CELONTIN (methsuximide) ethosuximide syrup ZARONTIN (ethosuximide) capsules	ethosuximide capsules ZARONTIN (ethosuximide) syrup	
ANTIDEPRESSANTS, OTHER		
CATEGORY PA CRITERIA: See below for in	dividual sub-class criteria.	
	MAOIsap	
	MARPLAN (isocarboxazid) NARDIL (phenelzine) PARNATE (tranylcypromine) phenelzine tranylcypromine	Patients stabilized on MAOI agents will be grandfathered.
	SNRIS <sup>AP</sup>	
duloxetine capulses venlafaxine ER capsules	CYMBALTA (duloxetine) desvenlafaxine ER desvenlafaxine fumarate ER	A thirty (30) day trial each of a preferred agent and an SSRI is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

	THERAPEUTIC DRUG CL	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	EFFEXOR XR (venlafaxine) FETZIMA (levomilnacipran) KHEDEZLA (desvenlafaxine) PRISTIQ (desvenlafaxine) venlafaxine IR VENLAFAXINE ER TABLETS (venlafaxine)	
	SECOND GENERATION NON-SSRI, O	OTHERAP
bupropion IR bupropion SR bupropion XL mirtazapine trazodone	APLENZIN (bupropion hbr) BRINTELLIX (vortioxetine) EMSAM (selegiline) FORFIVO XL (bupropion) nefazodone OLEPTRO ER (trazodone) REMERON (mirtazapine) VIIBRYD (vilazodone hcl) WELLBUTRIN (bupropion) WELLBUTRIN SR (bupropion) WELLBUTRIN XL (bupropion)	A thirty (30) day trial each of a preferred agent and an SSRI is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.
	SELECTED TCAs	
imipramine hcl	imipramine pamoate TOFRANIL (imipramine hcl) TOFRANIL PM (imipramine pamoate)	A twelve (12) week trial of imipramine hcl is required before a non-preferred TCA will be authorized unless one (1) of the exceptions on the PA form is present.
(1) of the exceptions on the PA form is present.		equired before a non-preferred agent will be authorized unless one in stabilized on a non-preferred SSRI will receive an authorization
citalopram escitalopram tablets fluoxetine capsules, solution fluvoxamine paroxetine sertraline	BRISDELLE (paroxetine) CELEXA (citalopram) escitalopram solution fluvoxamine ER fluoxetine tablets LEXAPRO (escitalopram) LUVOX CR (fluvoxamine) PAXIL (paroxetine) PAXIL CR (paroxetine) paroxetine ER PEXEVA (paroxetine) PROZAC (fluoxetine) SARAFEM (fluoxetine) ZOLOFT (sertraline)	



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIEMETICSAP		
CATEGORY PA CRITERIA: A three (3) day tri on the PA form is present. PA is required for or		referred agent will be authorized unless one (1) of the exceptions
	5HT3 RECEPTOR BLOCKE	RS
ondansetron ODT, solution, tablets	ANZEMET (dolasetron) granisetron GRANISOL (granisetron) ondansetron vials SANCUSO (granisetron) ZOFRAN (ondansetron) ZUPLENZ (ondansetron) CANNABINOIDS	
		*Cocomet will be outborized only for the treatment of naugon and
	CESAMET (nabilone)* dronabinol MARINOL (dronabinol)**	*Cesamet will be authorized only for the treatment of nausea and vomiting associated with cancer chemotherapy for patients who have failed to respond adequately to three (3) day trials of conventional treatments such as promethazine or ondansetron and are eighteen (18) years of age or older.  **Marinol (dronabinol) will only be authorized for:  1. The treatment of anorexia associated with weight loss in patients with AIDS or cancer and unresponsive to megestrol or  2. The prophylaxis of chemotherapy induced nausea and vomiting unresponsive to three (3) day trials of ondansetron or promethazine for patients from eighteen (18) up to sixty-five (65) years of age.
	SUBSTANCE P ANTAGONIST	
EMEND (aprepitant)		
	COMBINATIONS  AKYNZEO (netupitant/ palonosetron	
ANTIFUNGALS, ORAL	ARTIVELO (Hetupitaniv paionosetion	
•	ents will be authorized only if one (1) of the excep	tions on the DA form is present
clotrimazole	ANCOBON (flucytosine)	*PA is required when limits are exceeded.
fluconazole* nystatin terbinafine <sup>CL</sup>	CRESEMBA (isovuconazonium)CL** DIFLUCAN (fluconazole) flucytosine GRIFULVIN V TABLET (griseofulvin) griseofulvin GRIS-PEG (griseofulvin) itraconazole ketoconazole**	PA is required when limits are exceeded.  PA is not required for griseofulvin suspension for children up to eighteen (18) years of age for the treatment of tinea capitis.  ** Full prior-authorization criteria may be found at the BMS Pharmacy PA criteria page for Cresemba  ***Ketoconazole will be authorized if the following criteria are



nystatin

### BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS

EFFECTIVE 01/01/2016 Version 2016.1n

THERAFEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	LAMISIL (terbinafine) MYCELEX (clotrimazole) MYCOSTATIN Tablets (nystatin) NIZORAL (ketoconazole) NOXAFIL (posaconazole) ONMEL (itraconazole) ORAVIG (miconazole) SPORANOX (itraconazole) VFEND (voriconazole) voriconazole suspension voriconazole tablets	<ol> <li>Diagnosis of one of the following fungal infections: blastomycosis, coccidioidomycosis, histoplasmosis, chromomycosis, or paracoccidioidomycosis and</li> <li>Documented failure or intolerance of all other diagnosis-appropriate antifungal therapies, i.e. itraconazole, fluconazole, flucytosine, etc and</li> <li>Baseline assessment of the liver status including alanine aminotransferase (ALT), aspartate aminotransferase (AST), total bilirubin, alkaline phosphatase, prothrombin time, and international normalized ration (INR) before starting treatment and</li> <li>Weekly monitoring of serum ALT for the duration of treatment (If ALT values increase to a level above the upper limit of normal or 30% above baseline, or if the patient develops symptoms of abnormal liver function, treatment should be interrupted and a full set of liver tests be obtained. Liver tests should be repeated to ensure normalization of values.) and</li> <li>Assessment of all concomitant medications for potential adverse drug interactions with ketoconazole.</li> <li>Ketoconazole will not be authorized for treatment for fungal infections of the skin and nails.</li> </ol>
ANTIFUNGALS, TOPICALAP		
		ired before a non-preferred agents will be authorized unless one (1) n (14) day trial of one (1) preferred product (ketoconazole shampoo)
	ANTIFUNGALS	
econazole ketoconazole cream, shampoo MENTAX (butenafine) miconazole (OTC)	CICLODAN (ciclopirox) ciclopirox ERTACZO (sertaconazole) EXELDERM (sulconazole)	*Oxistat cream will be authorized for children up to thirteen (13) years of age for tinea corporis, tinea cruris, tinea pedis, and tinea (pityriasis) versicolor.

EXTINA (ketoconazole)
JUBLIA (efinaconazole)
ketoconazole foam
KERYDIN (tavaborole)
KETODAN (ketoconazole)
LOPROX (ciclopirox)
LUZU (luliconazole)
MYCOSTATIN (nystatin)
NAFTIN CREAM (naftifine)
NAFTIN GEL (naftifine)



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

	THERAPEUTIC DRUG CL	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	NIZORAL (ketoconazole) OXISTAT (oxiconazole)* PEDIPIROX-4 (ciclopirox) PENLAC (ciclopirox) VUSION (miconazole/petrolatum/zinc oxide) XOLEGEL (ketoconazole)	
clotrimazole/betamethasone	ANTIFUNGAL/STEROID COMBINA KETOCON PLUS	ATIONS
nystatin/triamcinolone	(ketoconazole/hydrocortisone) LOTRISONE (clotrimazole/betamethasone)	
<b>ANTIHYPERTENSIVES, SYMPAT</b>	HOLYTICS	
<b>CATEGORY PA CRITERIA:</b> A thirty (30) day agent will be authorized unless one (1) of the 6		e corresponding formulation is required before a non-preferred
CATAPRES-TTS (clonidine) clonidine tablets	clonidine patch NEXICLON XR (clonidine) CATAPRES TABLETS (clonidine)	
ANTIHYPERURICEMICS	, , ,	
	trial of one (1) of the preferred agents for the preve ed agent will be authorized unless one (1) of the ex	ention of gouty arthritis attacks (colchicine/probenecid, probenecid, cceptions on the PA form is present.
	ANTIMITOTICS	
	COLCRYS (colchicine) colchicine capsules* colchicine tablets	*In the case of acute gouty attacks, a ten (10) day supply (twenty (20) capsules) of colchicine will be authorized per ninety (90) days.
	ANTIMITOTIC-URICOSURIC COMBI	NATION
colchicine/probenecid		
	URICOSURIC	
probenecid		
XANTHINE OXIDASE INHIBITORS		
allopurinol	ULORIC (febuxostat) ZYLOPRIM (allopurinol)	
<b>ANTIMIGRAINE AGENTS, OTHE</b>	<b>R</b> AP	
CATEGORY PA CRITERIA: Three (3) day tri authorized unless (1) of the exceptions on the		Antimigraine Triptan agents are required before Cambia will be
	CAMBIA (diclofenac)	
		17



trihexyphenidyl

### BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

	THERAPEUTIC DRUG CL	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIMIGRAINE AGENTS, TRIP	TANSAP	
	trials of each unique chemical entity of the preferred orm is present. Quantity limits apply for this drug clas	agents are required before a non-preferred agent will be authorized as.
	TRIPTANS	
IMITREX INJECTION (sumatriptan) <sup>CL</sup> IMITREX NASAL SPRAY (sumatriptan) naratriptan rizatriptan sumatriptan tablets	almotriptan AMERGE (naratriptan) AXERT (almotriptan) FROVA (frovatriptan) IMITREX tablets (sumatriptan) MAXALT (rizatriptan) MAXALT MLT (rizatriptan) RELPAX (eletriptan) rizatriptan ODT sumatriptan nasal spray/injection* SUMAVEL (sumatriptan) zolmitriptan zolmitriptan ODT ZOMIG (zolmitriptan) ZOMIG ZMT (zolmitriptan)	In addition to the Category Criteria: Three (3) day trials of each preferred agent will be required before Imitrex injection is authorized.  *AP does not apply to nasal spray or injectable sumatriptan.
	TRIPTAN COMBINATIONS TREXIMET (sumatriptan/naproxen sodium)	
ANTIPARASITICS, TOPICALAP	TREATIVIET (Sumatripliar/maproxen Souldin)	
CATEGORY PA CRITERIA: Trials of each authorized unless one (1) of the exceptions		opropriate) are required before non-preferred agents will be
NATROBA (spinosad) permethrin 5% cream permethrin 1% lotion (OTC) pyrethrins-piperonyl butoxide OTC SKLICE (ivermectin) ULESFIA (benzyl alcohol)	EURAX (crotamiton) LICE EGG REMOVER OTC (benzalkonium chloride) lindane malathion OVIDE (malathion) spinosad	
ANTIPARKINSON'S AGENTS		
CATEGORY PA CRITERIA: Patients starting class, before a non-preferred agent will be a		ented allergy to all of the preferred agents in the corresponding
	ANTICHOLINERGICS	
benztropine	COGENTIN (benztropine)	



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	COMT INHIBITORS	
	COMTAN (entacapone) entacapone TASMAR (tolcapone)	
	DOPAMINE AGONISTS	
pramipexole ropinirole	MIRAPEX (pramipexole) MIRAPEX ER (pramipexole) NEUPRO (rotigotine) pramipexole ER REQUIP (ropinirole) REQUIP XL (ropinirole) ropinirole ER	Mirapex, Mirapex ER, Requip, and Requip XL will be authorized for a diagnosis of Parkinsonism with no trials of preferred agents required.
	OTHER ANTIPARKINSON'S AGE	
amantadineAP bromocriptine carbidopa/levodopa levodopa/carbidopa/entacapone selegiline	AZILECT (rasagiline) ELDEPRYL (selegiline) levodopa/carbidopa ODT carbidopa LODOSYN (carbidopa) PARCOPA (levodopa/carbidopa) PARLODEL (bromocriptine) RYTARY (levodopa/carbidopa) SINEMET (levodopa/carbidopa) STALEVO (levodopa/carbidopa/entacapone) ZELAPAR (selegiline)	Amantadine will be authorized only for a diagnosis of Parkinsonism.
ANTIPSORIATICS, TOPICAL	, ,	
CATEGORY PA CRITERIA: Thirty (30) day tr one (1) of the exceptions on the PA form is pre		re required before non-preferred agents will be authorized unless
calcipotriene ointment TACLONEX (calcipotriene/ betamethasone) TAZORAC (tazarotene)	calcipotriene cream calcipotriene solution calcipotriene/betamethasone ointment CALCITRENE (calcipotriene) calcitriol DOVONEX (calcipotriene) SORILUX (calcipotriene) VECTICAL (calcitriol)	



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

01/01/2016 Version 2016.1n

### THERAPEUTIC DRUG CLASS

PREFERRED AGENTS PA CRITERIA

#### **ANTIPSYCHOTICS, ATYPICAL**

CATEGORY PA CRITERIA: A fourteen (14) day trial of a preferred generic agent is required before a Preferred Brand will be authorized.

All antipsychotic agents require prior authorization for children up to six (6) years of age.

Non-preferred agents will be authorized if the following criteria have been met:

- 1. A fourteen (14) day trial of a preferred generic agent and
- 2. Two (2) fourteen (14) day trials of additional preferred products unless one (1) of the exceptions on the PA form is present.

ADASUVE (loxapine)

Upon discharge, a hospitalized patient stabilized on a non-preferred agent may receive authorization to continue this drug for labeled indications and at FDA recommended dosages.

#### SINGLE INGREDIENT

ABILIFY (aripiprazole)\* AP
ABILIFY MAINTENA (aripiprazole)\*\* CL
clozapine
clozapine ODT
INVEGA SUSTENNA (paliperidone)\*\* CL
INVEGA TRINZA (paliperidone)\*\*\* CL
LATUDA (lurasidone)\*\*\*\* AP
olanzapine
olanzapine ODT
quetiapine\*\*\*\*\* AP for the 25 mg Tablet Only
RISPERDAL CONSTA (risperidone) \*\* CL
risperidone
ziprasidone

aripiprazole CLOZARIL (clozapine) FANAPT (iloperidone) FAZACLO (clozapine) GEODON (ziprasidone) GEODON IM (ziprasidone) INVEGA (paliperidone) olanzapine IM\*\* REXULTI (brexipiprazole) RISPERDAL (risperidone) SAPHRIS (asenapine) SEROQUEL (quetiapine) SEROQUEL XR (quetiapine) VERSACLOZ (clozapine) ZYPREXA (olanzapine) ZYPREXA IM (olanzapine)\*\* ZYPREXA RELPREVV (olanzapine)

- ${}^{\star}\mbox{Abilify}$  will be prior authorized via electronic PA for MDD if the following criteria are met:
- 1. The patient is eighteen (18) years of age or older and
- 2. Diagnosis of Major Depressive Disorder (MDD) and
- Prescribed as adjunctive therapy with buproprion, an SSRI agent or an SNRI agent and
- 4. The daily dose does not exceed 15 mg
- \*\*All injectable antipsychotic products require clinical prior authorization and will be approved on a case-by-case basis.
- \*\*\*Invega Trinza will be authorized after four months' treatment with Invega Sustenna
- \*\*\*\*Latuda will be authorized for patients only after a trial of one other preferred drug
- \*\*\*\*\*Quetiapine 25 mg will be authorized:
- 1. For a diagnosis of schizophrenia or
- 2. For a diagnosis of bipolar disorder **or**
- 3. When prescribed concurrently with other strengths of Seroquel in order to achieve therapeutic treatment levels.
- \*\*\*\*\*\*Quetiapine 25 mg will not be authorized for use as a sedative hypnotic.

#### ATYPICAL ANTIPSYCHOTIC/SSRI COMBINATIONS

olanzapine/fluoxetine SYMBYAX (olanzapine/fluoxetine)



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIVIRALS, ORAL		
<b>CATEGORY PA CRITERIA:</b> Five (5) day trial exceptions on the PA form is present.	s each of the preferred agents are required before	a non-preferred agent will be authorized unless one (1) of the
	ANTI HERPES	
acyclovir valacyclovir	famciclovir FAMVIR (famciclovir) SITAVIG (acyclovir) VALTREX ZOVIRAX (acyclovir)	
	ANTI-INFLUENZA	
RELENZA (zanamivir) TAMIFLU (oseltamivir)	FLUMADINE (rimantadine) rimantadine	In addition to the Category Criteria: The anti-influenza agents will be authorized only for a diagnosis of influenza.
ANTIVIRALS, TOPICALAP		
CATEGORY PA CRITERIA: A five (5) day tri exceptions on the PA form is present.	al of the preferred agent will be required before a n	on-preferred agent will be approved unless one (1) of the
ZOVIRAX CREAM (acyclovir)	ABREVA (docosanol) acyclovir ointment DENAVIR (penciclovir) ZOVIRAX OINTMENT (acyclovir)	
BETA BLOCKERSAP	,	
	ay trials each of three (3) chemically distinct preferr ferred agent will be authorized unless one (1) of the	ed agents, including the generic formulation of a requested non- e exceptions on the PA form is present.
	BETA BLOCKERS	
acebutolol atenolol betaxolol bisoprolol metoprolol ER nadolol pindolol propranolol sotalol timolol	BETAPACE (sotalol) BYSTOLIC (nebivolol) CORGARD (nadolol) HEMANGEOL (propranolol)* INDERAL LA (propranolol) INDERAL XL (propranolol) INNOPRAN XL (propranolol) KERLONE (betaxolol) LEVATOL (penbutolol) LOPRESSOR (metoprolol) propranolol ER** SECTRAL (acebutolol) TENORMIN (atenolol) TOPROL XL (metoprolol) ZEBETA (bisoprolol)	*Hemangeol will be authorized for the treatment of proliferating infantile hemangioma requiring systemic therapy.  ** Propranolol ER shall be authorized for patients with a diagnosis of migraines. Existing users will be grandfathered for use in migraine prophylaxis.



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

	THERAPEUTIC DRUG CL	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	BETA BLOCKER/DIURETIC COMBINAT	TION DRUGS
atenolol/chlorthalidone bisoprolol/HCTZ metoprolol/HCTZ nadolol/bendroflumethiazide propranolol/HCTZ	CORZIDE (nadolol/bendroflumethiazide) DUTOPROL (metoprolol ER/HCTZ ER) LOPRESSOR HCT (metoprolol/HCTZ) TENORETIC (atenolol/chlorthalidone) ZIAC (bisoprolol/HCTZ)  BETA- AND ALPHA-BLOCKE	RS
carvedilol labetalol	COREG (carvedilol) COREG CR (carvedilol)	
	TRANDATE (labetalol)	
<b>BLADDER RELAXANT PREPAR</b>	ATIONSAP	
CATEGORY PA CRITERIA: A thirty (30) day (1) of the exceptions on the PA form is present		required before a non-preferred agent will be authorized unless one
oxybutynin IR oxybutynin ER VESICARE (solifenacin)	DETROL (tolterodine) DETROL LA (tolterodine) DITROPAN XL (oxybutynin) ENABLEX (darifenacin) flavoxate GELNIQUE (oxybutynin) MYRBETRIQ (mirabegron) OXYTROL (oxybutynin) SANCTURA (trospium) SANCTURA XR (trospium) tolterodine tolterodine ER TOVIAZ (fesoterodine) trospium trospium ER	
BONE RESORPTION SUPPRES	SION AND RELATED AGENTS	
<b>CATEGORY PA CRITERIA:</b> A thirty (30) day exceptions on the PA form is present.	trial of the preferred agent is required before a nor	n-preferred agent will be authorized unless one (1) of the
	BISPHOSPHONATES	
alendronate tablets	ACTONEL (risedronate) ACTONEL WITH CALCIUM (risedronate/ calcium) alendronate solution ATELVIA (risedronate) BINOSTO (alendronate) BONIVA (ibandronate)	



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

	THERAPEUTIC DRUG CL	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	DIDRONEL (etidronate) etidronate FOSAMAX TABLETS (alendronate) FOSAMAX PLUS D (alendronate/vitamin D) ibandronate risedronate	
calcitonin	THER BONE RESORPTION SUPPRESSION AND	
Calcionin	EVISTA (raloxifene)* FORTEO (teriparatide) FORTICAL (calcitonin) MIACALCIN (calcitonin) raloxifene	*Evista will be authorized for postmenopausal women with osteoporosis or at high risk for invasive breast cancer.
BPH TREATMENTS		
	als each of at least two (2) chemically distinct preferred agent will be authorized unless one (1)	erred agents, including the generic formulation of the requested of the exceptions on the PA form is present.
	5-ALPHA-REDUCTASE (5AR) INH	IIBITORS
finasteride	AVODART (dutasteride) CIALIS 5 mg (tadalafil) PROSCAR (finasteride) ALPHA BLOCKERS	
alfuzosin	CARDURA (doxazosin)	
doxazosin tamsulosin terazosin	CARDURA XL (doxazosin) FLOMAX (tamsulosin) HYTRIN (terazosin) RAPAFLO (silodosin) UROXATRAL (alfuzosin)	
5-AL	PHA-REDUCTASE (5AR) INHIBITORS/ALPHA	
	JALYN (dutasteride/tamsulosin)	<b>Substitute for Category Criteria</b> : Concurrent thirty (30) day trials of dutasteride and tamsulosin are required before the non-preferred agent will be authorized.
BRONCHODILATORS, BETA AGONISTAP		
CATEGORY PA CRITERIA: Thirty (30) day trials each of the chemically distinct preferred agents in their corresponding groups are required before a non-preferred agent in that group will be authorized unless one (1) of the exceptions on the PA form is present.		
	INHALATION SOLUTION	
ACCUNEB (albuterol)* albuterol	BROVANA (arformoterol) levalbuterol metaproterenol PERFOROMIST (formoterol) XOPENEX (levalbuterol)	*No PA is required for Accuneb for children up to five (5) years of age.



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	INHALERS, LONG-ACTING	
FORADIL (formoterol) SEREVENT (salmeterol)	ARCAPTA (indacaterol maleate) STRIVERDI RESPIMAT (olodaterol)	
, i	INHALERS, SHORT-ACTING	
PROAIR HFA (albuterol) PROVENTIL HFA (albuterol)	MAXAIR (pirbuterol) PROAIR RESPICLICK (albuterol) VENTOLIN HFA (albuterol) XOPENEX HFA (levalbuterol)	Xopenex Inhalation Solution will be authorized for twelve (12) months for a diagnosis of asthma or COPD for patients on concurrent asthma controller therapy (either oral or inhaled) with documentation of failure on a trial of albuterol or documented intolerance of albuterol, or for concurrent diagnosis of heart disease.
	ORAL	
albuterol IR, ER terbutaline	metaproterenol VOSPIRE ER (albuterol)	
CALCIUM CHANNEL BLOCKERS		
CATEGORY PA CRITERIA: A fourteen (14) dexceptions on the PA form is present.	ay trial of each preferred agent is required before a	a non-preferred agent will be authorized unless one (1) of the
	LONG-ACTING	
amlodipine diltiazem ER felodipine ER nifedipine ER verapamil ER	ADALAT CC (nifedipine) CALAN SR (verapamil) CARDENE SR (nicardipine) CARDIZEM CD, LA (diltiazem) COVERA-HS (verapamil) diltiazem LA DYNACIRC CR (isradipine) ISOPTIN SR (verapamil) MATZIM LA (diltiazem) nisoldipine NORVASC (amlodipine) PLENDIL (felodipine) PROCARDIA XL (nifedipine) SULAR (nisoldipine) TIAZAC (diltiazem) verapamil ER PM VERELAN/VERELAN PM (verapamil) SHORT-ACTING	
diltiazem verapamil	CALAN (verapamil) CARDIZEM (diltiazem) isradipine nicardipine nifedipine nimodipine	



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	NIMOTOP (nimodipine) NYMALIZE SOLUTION (nimodipine) PROCARDIA (nifedipine)	
CEPHALOSPORINS AND RELAT	ED ANTIBIOTICS <sup>AP</sup>	
<b>CATEGORY PA CRITERIA:</b> A five (5) day tria on the PA form is present.	I of the preferred agent is required before a non-p	referred agent will be authorized unless one (1) of the exceptions
	TAMS AND BETA LACTAM/BETA-LACTAMAS	E INHIBITOR COMBINATIONS
amoxicillin/clavulanate IR	amoxicillin/clavulanate ER AUGMENTIN (amoxicillin/clavulanate) AUGMENTIN XR (amoxicillin/clavulanate) MOXATAG (amoxicillin)	
	CEPHALOSPORINS	
cefactor capsule cefadroxil capsule, tablet cefdinir cefuroxime tablet cephalexin capsule, suspension	CEDAX (ceftibuten) cefaclor suspension cefaclor ER tablet cefadroxil suspension cefditoren cefpodoxime cefprozil ceftibuten capsule, suspension CEFTIN (cefuroxime) cefuroxime suspension cephalexin tablet KEFLEX (cephalexin) OMNICEF (cefdinir) RANICLOR (cefaclor) SPECTRACEF (cefditoren) SUPRAX (cefixime)	
COLONY STIMULATING FACTOR	S	
CATEGORY PA CRITERIA: A thirty (30) day trial of one (1) of the preferred agents is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present		
LEUKINE (sargramostim) NEUPOGEN (filgrastim)	NEULASTA (pegfilgrastim)	
COPD AGENTS		



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CATEGORY PA CRITERIA: A thirty (30) day trial of a preferred agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
ATDOMENT LIEA (C	ANTICHOLINERGIC <sup>AP</sup>	
ATROVENT HFA (ipratropium) ipratropium SPIRIVA (tiotropium)	INCRUSE ELLIPTA (umeclidinium) SPIRIVA RESPIMAT (tiotropium) TUDORZA (aclidinium) ANTICHOLINERGIC-BETA AGONIST CON	Substitute for Category Criteria: A thirty (30) day trial of tiotropium is required before a non-preferred agent will be authorized.  IBINATIONSAP
albuterol/ipratropium	ANORO ELLIPTA (umeclidinium/vilanterol)*	*Anoro Ellipta and Stiolto Respimat will be authorized if the
COMBIVENT RESPIMAT (albuterol/ipratropium)	DUONEB (albuterol/ipratropium) STIOLTO RESPIMAT (tiotropium/olodaterol)*	following criteria are met:  1) Patient must be eighteen (18) years of age or older; AND
	, , ,	2) Patient must have had a diagnosis of COPD; <b>AND</b> 3) Patient must have had a thirty (30) day trial of a LABA; <b>AND</b>
		4) Patient must have had a <b>concurrent thirty (</b> 30) day trial with a long-acting anticholinergic;
		Prior-authorization will be denied for patients with a sole
		diagnosis of asthma.
	PDE4 INHIBITOR	
	DALIRESP (roflumilast)*	*Daliresp will be authorized if the following criteria are met:  1. Patient is forty (40) years of age or older and  2. Diagnosis of severe chronic obstructive pulmonary disease (COPD) associated with chronic bronchitis and multiple exacerbations requiring systemic glucocorticoids in the preceding six (6) months and  3. Concurrent therapy with an inhaled corticosteroid and longacting bronchodilator and evidence of compliance and  4. No evidence of moderate to severe liver impairment (Child-Pugh Class B or C) and  5. No concurrent use with strong cytochrome P450 inducers (rifampicin, phenobarbital, carbamazepine or phenytoin)
CYTOKINE & CAM ANTAGONISTS <sup>CL</sup>		
CATEGORY PA CRITERIA: Non-preferred agents require ninety (90) day trials of both Humira and Enbrel unless one (1) of the exceptions on the PA form is present. For FDA-approved indications, an additional ninety (90) day trial of Cosentyx will also be required.		
ANTI-TNFs		
ENBREL (etanercept) * HUMIRA (adalimumab) *	CIMZIA (certolizumab pegol) SIMPONI (golimumab)	*Additional criteria for this category may be found at the BMS Website, by clicking the hyperlink.
	OTHERS	



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

PREFERRED AGENTS  OSENTYX (seculinumab)  ACTEMRA syringe (toilizumab) KINERET (anakinra) ORENCIA syringe (abatacept) OTEZLA (apremilast) STELARA syringe (ustekinumab) XELJANZ (premilast) STELARA soningention of tentinetics and intervention of te	THERAPEUTIC DRUG CLASS		
KINERET (anakinra) ORENOLA syringe (abatacept) OTEZLA (apremilast) STELARA syringe (usteknumab) XELJANZ (tofactinib)  EPINEPHRINE, SELF-INJECTED  CATEGORY PA CRITERIA: A non-preferred agent will be authorized upon documentation showing the patient's inability to follow the instructions, or the patient's failure to understand the training for both preferred agents.  epinephrine EPIPEN (epinephrine)  ERYTHROPOIESIS STIMULATING PROTEINSc  CATEGORY PA CRITERIA: A thirty (30) day trial of the preferred agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.  PROCRIT (rHuEPO)  ARANESP (darbepoetin) EPOGEN (rHuEPO)  Erythropoiesis agents will be authorized if the following criteria are met:  1. Hemoglobin or Hematocrit levels greater than 12/36 will require dosage reduction or discontinuation. Exceptions will be considered on an individual basis after medical documentation is reviewed. (Lab oratory values must be dated within is (6) weeks of request.) And  2. Transferrin saturation ≥ 20%, ferritin levels are not required if the patient has been responsive to the erythropoietin agent and  3. For HIV-infected patients, endogenous serum erythropoietin level must be \$500mU/ml to initiate therapy and  4. No evidence of untreated GI bleeding, hemolysis, or Vitamin	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ERYTHROPOIESIS STIMULATING PROTEINSC  CATEGORY PA CRITERIA: A non-preferred agent will be authorized upon documentation showing the patient's inability to follow the instructions, or the patient's failure to understand the training for both preferred agents.  ADRENACLICK (epinephrine)  EPIPEN (epinephrine)  ERYTHROPOIESIS STIMULATING PROTEINSC  CATEGORY PA CRITERIA: A thirty (30) day trial of the preferred agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.  PROCRIT (rHuEPO)  ARANESP (darbepoettin)  EPOGEN (rHuEPO)  Erythropoiesis agents will be authorized if the following criteria are met:  1. Hemoglobin or Hematocrit levels greater than 12/36 will require dosage reduction or discontinuation. Exceptions will be considered on an individual basis after medical documentation is reviewed. (Lab oratory values must be dated within six (6) weeks of request.) and  2. Transferrin saturation ≥ 20%, ferritin levels ≥ 100 mg/ml, or on concurrent therapeutic iron therapy. (Laboratory values must be dated within three (3) weeks of request. For reauthorization, transferrin saturation or ferritin levels are not required if the patient has been responsive to the erythropoietin agent and  3. For HIV-infected patients, endogenous serum erythropoietin level must be ≤ 500mU/ml to initiate therapy and  4. No evidence of unterested GI beleding, hemolysis, or Vitamin	COSENTYX (secukinumab)*	KINERET (anakinra) ORENCIA syringe (abatacept) OTEZLA (apremilast) STELARA syringe (ustekinumab)	psoriatic arthritis and ankylosing spondylitis only after inadequate
epinephrine EPIPEN (epinephrine) EPIPEN (poinephrine) EPIPEN (poinephrine) EPIPEN (poinephrine) EPIPEN (poinephrine) EPIPEN (poinephrine) EPIPEN (poinephrine)  ERYTHROPOIESIS STIMULATING PROTEINS  CATEGORY PA CRITERIA: A thirty (30) day trial of the preferred agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.  PROCRIT (rHuEPO)  ARANESP (darbepoetin) EPOGEN (rHuEPO)  Erythropoiesis agents will be authorized if the following criteria are met:  1. Hemoglobin or Hematocrit less than 10/30 respectively. For renewal, hemoglobin or hematocrit levels greater than 12/36 will require dosage reduction or discontinuation. Exceptions will be considered on an individual basis after medical documentation is reviewed. (Lab oratory values must be dated within itner (3) weeks of request.) and  2. Transferrin saturation ≥ 20%, ferritin levels ≥100 mg/ml, or on concurrent therapeutic iron therapy. (Laboratory values must be dated within three (3) weeks of request. For reauthorization, transferrin saturation or ferritin levels are not required if the patient has been responsive to the erythropoietin agent and  3. For HIV-infected patients, endogenous serum erythropoietin level must be ≤500mU/ml to initiate therapy and  4. No evidence of untreated GI bleeding, hemolysis, or Vitamin	<b>EPINEPHRINE, SELF-INJECTED</b>		
ERYTHROPOIESIS STIMULATING PROTEINS <sup>CL</sup> CATEGORY PA CRITERIA: A thirty (30) day trial of the preferred agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.  PROCRIT (rHuEPO)  ARANESP (darbepoetin) Erythropoiesis agents will be authorized if the following criteria are met:  1. Hemoglobin or Hematocrit less than 10/30 respectively. For renewal, hemoglobin or discontinuation. Exceptions will be considered on an individual basis after medical documentation is reviewed. (Lab oratory values must be dated within six (6) weeks of request.) and  2. Transferrin saturation ≥ 20%, ferritin levels ≥100 mg/ml, or on concurrent therapeutic iron therapy. (Laboratory values must be dated within three (3) weeks of request. For reauthorization, transferrin saturation or ferritin levels are not required if the patient has been responsive to the erythropoietin agent and  3. For HIV-infected patients, endogenous serum erythropoietin level must be ≤ 500mU/ml to initiate therapy and  4. No evidence of untreated Gl bleeding, hemolysis, or Vitamin			ving the patient's inability to follow the instructions, or the patient's
CATEGORY PA CRITERIA: A thirty (30) day trial of the preferred agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.  PROCRIT (rHuEPO)  ARANESP (darbepoetin) EPOGEN (rHuEPO)  Erythropoiesis agents will be authorized if the following criteria are met:  1. Hemoglobin or Hematocrit less than 10/30 respectively. For renewal, hemoglobin or hematocrit levels greater than 12/36 will require dosage reduction or discontinuation. Exceptions will be considered on an individual basis after medical documentation is reviewed. (Lab oratory values must be dated within six (6) weeks of request.) and  2. Transferrin saturation ≥ 20%, ferritin levels ≥100 mg/ml, or on concurrent therapeutic iron therapy. (Laboratory values must be dated within three (3) weeks of request. For reauthorization, transferrin saturation or ferritin levels are not required if the patient has been responsive to the erythropoietin agent and  3. For HIV-infected patients, endogenous serum erythropoietin level must be ≤ 500mU/ml to initiate therapy and  4. No evidence of untreated GI bleeding, hemolysis, or Vitamin	EPIPEN (epinephrine)		
PROCRIT (rHuEPO)  ARANESP (darbepoetin) EPOGEN (rHuEPO)  Erythropoiesis agents will be authorized if the following criteria are met:  1. Hemoglobin or Hematocrit levels greater than 12/36 will require dosage reduction or discontinuation. Exceptions will be considered on an individual basis after medical documentation is reviewed. (Lab oratory values must be dated within six (6) weeks of request.) and  2. Transferrin saturation ≥ 20%, ferritin levels ≥100 mg/ml, or on concurrent therapeutic iron therapy. (Laboratory values must be dated within three (3) weeks of request. For reauthorization, transferrin saturation or ferritin levels are not required if the patient has been responsive to the erythropoietin agent and  3. For HIV-infected patients, endogenous serum erythropoietin level must be ≤ 500mU/ml to initiate therapy and  4. No evidence of untreated GI bleeding, hemolysis, or Vitamin	<b>ERYTHROPOIESIS STIMULATING</b>	PROTEINS <sup>CL</sup>	
are met:  1. Hemoglobin or Hematocrit less than 10/30 respectively. For renewal, hemoglobin or hematocrit levels greater than 12/36 will require dosage reduction or discontinuation. Exceptions will be considered on an individual basis after medical documentation is reviewed. (Lab oratory values must be dated within six (6) weeks of request.) and  2. Transferrin saturation ≥ 20%, ferritin levels ≥100 mg/ml, or on concurrent therapeutic iron therapy. (Laboratory values must be dated within three (3) weeks of request. For reauthorization, transferrin saturation or ferritin levels are not required if the patient has been responsive to the erythropoietin agent and  3. For HIV-infected patients, endogenous serum erythropoietin level must be ≤ 500mU/ml to initiate therapy and  4. No evidence of untreated GI bleeding, hemolysis, or Vitamin		ay trial of the preferred agent is required before	e a non-preferred agent will be authorized unless one (1) of the
FLUOROQUINOLONES (Oral) <sup>AP</sup>			are met:  1. Hemoglobin or Hematocrit less than 10/30 respectively. For renewal, hemoglobin or hematocrit levels greater than 12/36 will require dosage reduction or discontinuation. Exceptions will be considered on an individual basis after medical documentation is reviewed. (Lab oratory values must be dated within six (6) weeks of request.) and  2. Transferrin saturation ≥ 20%, ferritin levels ≥100 mg/ml, or on concurrent therapeutic iron therapy. (Laboratory values must be dated within three (3) weeks of request. For reauthorization, transferrin saturation or ferritin levels are not required if the patient has been responsive to the erythropoietin agent and  3. For HIV-infected patients, endogenous serum erythropoietin level must be ≤ 500mU/ml to initiate therapy and  4. No evidence of untreated GI bleeding, hemolysis, or Vitamin



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
the PA form is present.	CATEGORY PA CRITERIA: A five (5) day trial of a preferred agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
CIPRO SUSPENSION (ciprofloxacin) ciprofloxacin levofloxacin tablet	AVELOX (moxifloxacin) CIPRO TABLETS (ciprofloxacin) CIPRO XR (ciprofloxacin) ciprofloxacin ER ciprofloxacin suspension FACTIVE (gemifloxacin) LEVAQUIN (levofloxacin) levofloxacin solution moxifloxacin NOROXIN (norfloxacin) ofloxacin		
GLUCOCORTICOIDS, INHALEDAP	- Chexaeni		
exceptions on the PA form is present.	ials of each of the preferred agents are required b n nine (9) years of age or older, and for individuals	efore a non-preferred agent will be authorized unless one (1) of the unable to use an MDI.	
	GLUCOCORTICOIDS		
ASMANEX TWISTHALER (mometasone) FLOVENT HFA (fluticasone) FLOVENT DISKUS (fluticasone) PULMICORT RESPULES (budesonide)* QVAR (beclomethasone)	AEROSPAN (flunisolide)** ALVESCO (ciclesonide) ARNUITY ELLIPTA (fluticasone) ASMANEX HFA (mometasone) budesonide PULMICORT FLEXHALER (budesonide)	*Pulmicort Respules are preferred for children up to nine (9) years of age. Brand Pulmicort Respules are preferred over the generic formulation.  **Aerospan will be authorized for children ages 6 through 11	
	GLUCOCORTICOID/BRONCHODILATOR C	years old without a trial of a preferred agent.	
ADVAIR HFA (fluticasone/salmeterol) BREO ELLIPTA (fluticasone/vilanerol) DULERA (mometasone/formoterol) SYMBICORT(budesonide/formoterol)	ADVAIR DISKUS (fluticasone/salmeterol)	Substitute for Category Criteria: For a diagnosis of COPD, thirty (30) day trials of each of the preferred agents in this category indicated for COPD are required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.	
GROWTH HORMONECL			
<b>CATEGORY PA CRITERIA:</b> A trial of each preferred agents is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.			
GENOTROPIN (somatropin) NORDITROPIN (somatropin) NUTROPIN AQ (somatropin)	HUMATROPE (somatropin) INCRELEX (mecasermin) OMNITROPE (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin) TEV-TROPIN (somatropin)	Patients already on a non-preferred agent will receive authorization to continue therapy on that agent for the duration of the existing PA.	



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ZORBTIVE (somatropin)	
U DW OD! TOE ATMENT		
H. PYLORI TREATMENT		
		of the non-preferred agent (with omeprazole or pantoprazole) at the con packages will be authorized unless one (1) of the exceptions on
Please use individual components:     preferred PPI (omeprazole or     pantoprazole)     amoxicillin     tetracycline     metronidazole     clarithromycin     bismuth	HELIDAC (bismuth/metronidazole/tetracycline) lansoprazole/amoxicillin/clarithromycin OMECLAMOX-PAK (omeprazole/amoxicillin/clarithromycin) PREVPAC (lansoprazole/amoxicillin/clarithromycin) PYLERA (bismuth/metronidazole/tetracycline)	
HEPATITIS B TREATMENTS	decreased a second and the second before	a comparation of a section of the se
exceptions on the PA form is present.	day trial of the preferred agent is required before	e a non-preferred agent will be authorized unless one (1) of the
EPIVIR HBV (lamivudine)	adefovir	
TYZEKA (telbivudine)	BARACLUDE (entecavir) HEPSERA (adefovir) Iamivudine HBV	
HEPATITIS C TREATMENTSCL		
CATEGORY PA CRITERIA: For patients st that dosage form will be authorized.	arting therapy in this class, a trial of the preferred a	agent of a dosage form is required before a non-preferred agent of
HARVONI (ledipasvir/sofosbuvir)* PEGASYS (pegylated interferon) PEG-INTRON (pegylated interferon) ribavirin SOVALDI (sofosbuvir)* TECHNIVIE	COPEGUS (ribavirin)  DAKLINZA (daclatasvir)*  MODERIBA 400 mg, 600 mg  MODERIBA DOSE PACK  OLYSIO (simeprevir)*  REBETOL (ribavirin)  RIBASPHERE RIBAPAK (ribavirin)  RIBASPHERE 400 mg, 600 mg (ribavirin)	*Full PA criteria may be found at the BMS Website, by clicking the hyperlink.



JENTADUETO (linagliptin/metformin) AP

TRADJENTA (linagliptin) AP

### BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THER ARELITIC DRIVE OF ACC

EFFECTIVE 01/01/2016 Version 2016.1n

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
HYPERPARATHYROID AGENTS	AP	
<b>CATEGORY PA CRITERIA:</b> A thirty (30) of exceptions on the PA form is present.	ay trial of a preferred agent will be required before	ore a non-preferred agent will be authorized unless one (1) of the
HECTOROL (doxercalciferol) paricalcitol capsule	doxercalciferol  NATPARA (parathyroid hormone)  paricalcitol injection  SENSIPAR (cinacalcet)  ZEMPLAR (paricalcitol)	
HYPOGLYCEMICS, BIGUANIDE		
	ay trial of one (1) preferred agent will be required by	pefore a non-preferred agent will be authorized unless one (1) of the
exceptions on the PA form is present.		
Metformin metformin ER	FORTAMET (metformin ER) GLUCOPHAGE (metformin) GLUCOPHAGE XR (metformin ER) GLUMETZA (metformin ER) RIOMET (metformin)	Glumetza will be approved only after a 30-day trial of Fortamet.
HYPOGLYCEMICS, INCRETIN M	IMETICS/ENHANCERS	
CATEGORY PA CRITERIA: All agents (prefe	erred and non-preferred) require a previous history	of a thirty (30) day trial of metformin.
All agents will be approved in six (6) month in is required. A1C levels submitted must be for		A1C levels have decreased by at least 1% or are maintained at ≤8%
	INJECTABLE	
BYDUREON (exenatide) <sup>AP</sup> BYETTA (exenatide) <sup>AP</sup> VICTOZA (liraglutide) <sup>AP</sup>	SYMLIN (pramlintide) * TANZEUM (albiglutide) TRULICITY (dulaglutide)	In addition to the Category Criteria: A thirty (30) day trial of one (1) preferred agent with a chemical entity distinct from the requested non-preferred agent will be required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.  *Symlin will be authorized with a history of bolus insulin utilization in the past ninety (90) days with no gaps in insulin therapy greater than thirty (30) days.

**ORAL** 

JANUMET (sitagliptin/metformin)

KAZANO (alogliptin/metformin)

JANUVIA (sitagliptin)

JANUMET XR (sitagliptin/metformin)

In addition to the Category Criteria: A ninety (90) day trial of

the corresponding (single drug vs. combination drug) preferred

agent is required before a non-preferred agent will be approved.



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	KOMBIGLYZE XR (saxagliptin/metformin) NESINA (alogliptin) ONGLYZA (saxagliptin) OSENI (alogliptin/pioglitazone)	
HYPOGLYCEMICS, INSULIN AND	RELATED AGENTS	
· · · · · · · · · · · · · · · · · · ·		tients who cannot utilize vials due to impaired vision or dexterity.
HUMALOG (insulin lispro) HUMALOG MIX VIALS (insulin lispro/lispro protamine) HUMULIN VIALS (insulin) LANTUS (insulin glargine) LEVEMIR (insulin detemir) NOVOLOG (insulin aspart) NOVOLOG MIX (insulin aspart/aspart protamine)	AFREZZA (insulin) <sup>CL</sup> APIDRA (insulin glulisine) <sup>AP*</sup> HUMALOG PEN/KWIKPEN (insulin lispro) HUMALOG MIX PENS (insulin lispro/lispro protamine) HUMULIN PENS (insulin) NOVOLIN (insulin) TOUJEO SOLOSTAR (insulin glargine)**	*Apidra will be authorized if the following criteria are met:  1. Patient is four (4) years of age or older; and  2. Patient is currently on a regimen including a longer acting or basal insulin, and  3. Patient has had a trial of a similar preferred agent, Novolog or Humalog, with documentation that the desired results were not achieved.  **Toujeo Solostar will be authorized only after 6 months of compliance on preferred long-acting insulin. Toujeo will only be approved for once daily doses of at least 60 units.
HYPOGLYCEMICS, MEGLITINIDE	S	
	red and non-preferred) require a previous history	of a thirty (30) day trial of metformin.
All agents will be approved in six (6) month inte is required. A1C levels submitted must be for the	ne most recent thirty (30) day period.	1C levels have decreased by at least 1% or are maintained at ≤8%
	MEGLITINIDES	
nateglinide <sup>AP</sup> PRANDIN (repaglinide) <sup>AP</sup>	repaglinide STARLIX (nateglinide)	
	MEGLITINIDE COMBINATION	S
	PRANDIMET (repaglinide/metformin)	
HYPOGLYCEMICS, BILE ACID SE	QUESTRANTS	
<b>CATEGORY PA CRITERIA:</b> Welchol will be authorized for add-on therapy for type 2 diabetes when there is a previous history of a thirty (30) day trial of an oral agent (sulfonylurea, thiazolidinedione (TZD) or metformin).		
WELCHOL (colesevelam) <sup>AP</sup>		



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
NON-PREFERRED AGENTS	PA CRITERIA	
ITORS		
ents will be approved in six (6) month intervals if th	e following criteria are met:	
•	reflecting the patient's current and stabilized regimen. Current A1C	
	as add on therapy to a regimen consisting of metformin (unless	
ent prescribed at the maximum tolerable doses for	at least 60 days.	
nance on a regimen consisting of metformin and Chas decreased by at least 1% or is maintained at	at least one other oral agent at the maximum tolerable doses. <a href="maximum">&lt;</a> 8%.	
SGLT2 INHIBITORS		
FARXIGA (dapagliflozin) INVOKANA (canagliflozin) JARDIANCE (empagliflozin)		
SGLT2 COMBINATIONS		
INVOKAMET (canagliflozin/metformin) SYNJARDY (empagliflozin/metformin)		
HYPOGLYCEMICS, TZD  CATEGORY PA CRITERIA: All agents (preferred and non-preferred) require a previous history of a thirty (30) day trial of metformin.		
All agents will be approved in six (6) month intervals. For re-authorizations, documentation that A1C levels have decreased by at least 1% or are maintained at ≤8%		
he most recent thirty (30) day period.		
TUIA 701 IDINEDIONES		
ACTOS (pioglitazone) AVANDIA (rosiglitazone)		
TZD COMBINATIONS		
ACTOPLUS MET (pioglitazone/ metformin)	Patients are required to use the components of Actoplus Met and	
	NON-PREFERRED AGENTS  ITORS  ents will be approved in six (6) month intervals if the labetes and an A1C taken within the last 60 days in agent in this category shall be approved except ent prescribed at the maximum tolerable doses for eance on a regimen consisting of metformin and chas decreased by at least 1% or is maintained at SGLT2 INHIBITORS  FARXIGA (dapagliflozin) INVOKANA (canagliflozin) JARDIANCE (empagliflozin) SGLT2 COMBINATIONS  GLYXAMBI (empagliflozin/linagliptin) INVOKAMET (canagliflozin/metformin) SYNJARDY (empagliflozin/metformin) XIGDUO XR (dapagliflozin/metformin)  red and non-preferred) require a previous history envals. For re-authorizations, documentation that A the most recent thirty (30) day period.  THIAZOLIDINEDIONES  ACTOS (pioglitazone) AVANDIA (rosiglitazone)	



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
IMMUNE GLOBULINS, IVCL		
CATEGORY PA CRITERIA: Immune globulin	agents will be authorized according to FDA approv	ved indications.
BIVIGAM (human immunoglobulin gamma) CARIMUNE NF (human immunoglobulin gamma) FLEBOGAMMA DIF (human immunoglobulin gamma) GAMMAGARD LIQUID (human immunoglobulin gamma) GAMMAGARD S-D (human immunoglobulin gamma) GAMMAKED (human immunoglobulin gamma) GAMMAPLEX (human immunoglobulin gamma) GAMUNEX-C (human immunoglobulin gamma) OCTAGAM (human immunoglobulin gamma) PRIVIGEN (human immunoglobulin gamma)		
IMMUNE GLOBULINS, OTHERCL		
	agents will be authorized according to FDA approven- non-preferred agent will be authorized unless one	
CYTOGAM (human cytomegalovirus immune globulin) GAMASTAN S-D VIAL (human immunoglobulin gamma) HEPAGAM B (hepatitis b immune globulin (human)) HIZENTRA (human immunoglobulin gamma) VARIZIG (varicella zoster immune globulin (human))	HYQVIA (human immune globulin G and hyaluronidase)	(1) of the exceptions of the first term to prosent



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
IMMUNOMODULATORS, ATOPIC	DERMATITISAP	
		copical corticosteroid is required before coverage of Elidel will be will be considered, unless one (1) of the exceptions on the PA form
ELIDEL (pimecrolimus) <sup>AP</sup>	PROTOPIC (tacrolimus) tacrolimus ointment	A thirty (30) day trial of a preferred medium or high potency topical corticosteroid is required before coverage of Elidel will be considered; additionally, a thirty (30) day trial of Elidel is required before Protopic will be considered, unless one (1) of the exceptions on the PA form is present.
IMMUNOMODULATORS, TOPICA	AL & GENITAL WARTS AGENTS	
<b>CATEGORY PA CRITERIA:</b> A thirty (30) da exceptions on the PA form is present.	ay trial of both preferred agents is required before	re a non-preferred agent will be authorized unless one (1) of the
ALDARA (imiquimod) CONDYLOX GEL (podofilox)	CONDYLOX SOLUTION (podofilox) imiquimod podofilox VEREGEN (sinecatechins) ZYCLARA (imiquimod)*	*Zyclara will be authorized for a diagnosis of actinic keratosis.
IMMUNOSUPPRESSIVES, ORAL		
CATEGORY PA CRITERIA: A fourteen (14) day trial of a preferred agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
azathioprine cyclosporine cyclosporine, modified mycophenolate mofetil PROGRAF (tacrolimus) RAPAMUNE (sirolimus) sirolimus	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) CELLCEPT (mycophenolate mofetil) IMURAN (azathioprine) MYFORTIC (mycophenolic acid) mycophenolic acid mycophenolic mofetil suspension NEORAL (cyclosporine, modified) SANDIMMUNE (cyclosporine) tacrolimus ZORTRESS (everolimus)	
INTERMITTENT CLAUDICATIONAP		
<b>CATEGORY PA CRITERIA:</b> A thirty (30) day trial of one of the preferred agents will be required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
cilostazol pentoxifylline	PLETAL (cilostazol)	



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
INTRANASAL RHINITIS AGENTS	AP	
CATEGORY PA CRITERIA: See below for inc	dividual sub-class criteria.	
	ANTICHOLINERGICS	
Ipratropium	ATROVENT(ipratropium)	Thirty (30) day trials each of one (1) of the nasal anti-cholinergic, one (1) of the antihistamine, and one (1) of the corticosteroid preferred agents are required before a non-preferred anti-cholinergic will be authorized unless one (1) of the exceptions on the PA form is present.
	ANTIHISTAMINES	
ASTEPRO (azelastine) PATANASE (olopatadine)	azelastine  COMBINATIONS	Thirty (30) day trials of each preferred intranasal antihistamines and a thirty (30) day trial of one (1) of the preferred intranasal corticosteroids are required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.
	DYMISTA (azelastine / fluticasone)	A concurrent thirty (30) day trial of each of the preferred
	·	components is required before Dymista will be authorized unless one (1) of the exceptions on the PA form is present.
	CORTICOSTEROIDS	Tit. (00) 1 411 ( 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
fluticasone propionate  QNASL HFA (beclomethasone)	BECONASE AQ (beclomethasone) budesonide FLONASE (fluticasone propionate) flunisolide NASACORT AQ (triamcinolone) NASONEX (mometasone) OMNARIS (ciclesonide) RHINOCORT AQUA (budesonide) triamcinolone VERAMYST (fluticasone furoate) ZETONNA (ciclesonide)	Thirty (30) day trials of each preferred agent in the corticosteroid group are required before a non-preferred corticosteroid agent will be authorized unless one (1) of the exceptions on the PA form is present.
IRRITABLE BOWEL SYNDROME		
CATEGORY PA CRITERIA: Thirty (30) day trial of the preferred agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
AMITIZA (lubiprostone) <sup>CL*</sup> LINZESS (linaclotide) <sup>CL**</sup>	LOTRONEX (alosetron)	* Full prior-authorization criteria may be found at the BMS Pharmacy PA criteria page for <u>Amitiza</u>
		** Full prior-authorization criteria may be found at the BMS Pharmacy PA criteria page for <u>Linzess</u>



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LAXATIVES AND CATHARTICS		
<b>CATEGORY PA CRITERIA:</b> Thirty (30) day t exceptions on the PA form is present.	rials each of the preferred agents are required be	fore a non-preferred agent will be authorized unless one (1) of the
COLYTE GOLYTELY NULYTELY peg 3350	HALFLYTELY-BISACODYL KIT MOVIPREP OSMOPREP PREPOPIK SUPREP	
LEUKOTRIENE MODIFIERS		
<b>CATEGORY PA CRITERIA:</b> Thirty (30) day t exceptions on the PA form is present.	rials each of the preferred agents are required be	fore a non-preferred agent will be authorized unless one (1) of the
ACCOLATE (zafirlukast) montelukast	SINGULAIR (montelukast) zafirlukast ZYFLO (zileuton)	
LIPOTROPICS, OTHER (Non-stat	ins) <sup>AP</sup>	
CATEGORY PA CRITERIA: A twelve (12) we be authorized.	eek trial of one (1) of the preferred agents is require	red before a non-preferred agent in the corresponding category will
	BILE ACID SEQUESTRANTS	
cholestyramine colestipol tablets	COLESTID (colestipol) colestipol granules KYNAMRO (mipomersen) QUESTRAN (cholestyramine) WELCHOL (colesevelam)*	*Welchol will be authorized for add-on therapy for type 2 diabetes when there is a previous history of a thirty (30) day trial of an oral agent (metformin, sulfonylurea or thiazolidinedione (TZD)). See HYPOGLYCEMICS, MISCELLANEOUS.
	CHOLESTEROL ABSORPTION INHI	BITORS
ZETIA (ezetimibe) AP		Zetia will be authorized with prior use of a HMG-CoA reductase inhibitor within the previous six (6) months.
	FATTY ACIDS	<del>-</del>
	LOVAZA (omega-3-acid ethyl esters) omega-3 acid ethyl esters VASCEPA (icosapent ethyl)	These agents shall only be authorized when the patient has an initial triglyceride level ≥ 500 mg/dL and has had inadequate response or intolerance to trials of BOTH a nicotinic acid and a fibrate, unless otherwise contraindicated.
FIBRIC ACID DERIVATIVES		
fenofibrate 54, 150 and 160 mg fenofibrate micronized 67mg, 134mg & 200mg fenofibrate nanocrystallized 48 mg, 145 mg gemfibrozil	ANTARA (fenofibrate) FENOGLIDE (fenofibrate) FIBRICOR (fenofibric acid) fenofibrate 43, 50, 120 and 130 mg fenofibric acid LIPOFEN (fenofibrate) LOFIBRA (fenofibrate)	



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

	THERAPEUTIC DRUG CL	ASS	
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	LOPID (gemfibrozil) TRICOR (fenofibrate nanocrystallized) TRIGLIDE (fenofibrate) TRILIPIX (fenofibric acid)		
	MTP INHIBITORS		
	JUXTAPID (lomitapide)	* Juxtapid will be authorized only after a 24-week trial of Repatha. Full prior-authorization criteria may be found at the BMS Pharmacy PA criteria page for <u>Juxtapid</u>	
	NIACIN		
niacin NIACOR (niacin) NIASPAN (niacin)	niacin ER		
	PCSK-9 INHIBITORS		
	PRALUENT (alirocumab)	* Full prior-authorization criteria may be found at the BMS Pharmacy PA criteria page for Praluent.	
LIPOTROPICS, STATINSAP			
CATEGORY PA CRITERIA: See below for inc	dividual sub-class criteria.		
	STATINS		
atorvastatin CRESTOR (rosuvastatin) lovastatin pravastatin simvastatin <sup>CL*</sup>	ALTOPREV (Iovastatin) fluvastatin LESCOL (fluvastatin) LESCOL XL (fluvastatin) LIPITOR (atorvastatin) LIVALO (pitavastatin) MEVACOR (Iovastatin)	Twelve (12) week trials each of two (2) of the preferred statins, including the generic formulation of a requested non-preferred agent, are required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.  *Zocor/simvastatin 80mg tablets will require a clinical PA	
	PRAVACHOL (pravastatin)	2000//3iiii/vastatiii/ 00iiig tablets wiii require a ciiiileai / //	
ZOCOR (simvastatin)* STATIN COMBINATIONS			
	ADVICOR (lovastatin/niacin) amlodipine/atorvastatin CADUET (atorvastatin/amlodipine) LIPTRUZET (atorvastatin/ezetimibe)	Thirty (30) day concurrent trials of the appropriate single agents are required before a non-preferred Statin combination will be authorized.	
	SIMCOR (simvastatin/niacin ER) VYTORIN (simvastatin/ezetimibe)*	*Vytorin will be authorized only after an insufficient response to the maximum tolerable dose of atorvastatin or rosuvastatin after twelve (12) weeks, unless one (1) of the exceptions on the PA form is present.	
		Vytorin 80/10mg tablets will require a clinical PA	



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
MACROLIDES/KETOLIDES		
CATEGORY PA CRITERIA: See below for inc	dividual sub-class criteria.	
	KETOLIDES	
	KETEK (telithromycin)	Requests for telithromycin will be authorized if there is documentation of the use of any antibiotic within the past twenty-eight (28) days.
	MACROLIDES	
azithromycin BIAXIN XL (clarithromycin) clarithromycin erythromycin base	BIAXIN (clarithromycin) clarithromycin ER E.E.S. (erythromycin ethylsuccinate) E-MYCIN (erythromycin) ERYC (erythromycin) ERYPED (erythromycin ethylsuccinate) ERY-TAB (erythromycin) ERYTHROCIN (erythromycin stearate) erythromycin estolate PCE (erythromycin) ZITHROMAX (azithromycin) ZMAX (azithromycin)	Five (5) day trials each of the preferred agents are required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.
MULTIPLE SCLEROSIS AGENTS		
	ill be authorized unless one (1) of the exceptions	erred agent in the corresponding class (interferon or non-interferon) on the PA form is present.
	INTERFERONS <sup>AP</sup>	
AVONEX (interferon beta-1a) <sup>AP</sup> AVONEX PEN (interferon beta-1a) <sup>AP</sup> BETASERON (interferon beta-1b) <sup>AP</sup>	EXTAVIA KIT (interferon beta-1b) EXTAVIA VIAL (interferon beta-1b) PLEGRIDY (peginterferon beta-1a) REBIF (interferon beta-1a) REBIF REBIDOSE (interferon beta-1a)	
COPAXONE 20 mg (glatiramer) <sup>AP</sup>	NON-INTERFERONS  AMPYRA (dalfampridine) <sup>CL**</sup>	*Gilenya will be approved after a thirty (30) day trial of a preferred
GILENYA (fingolimod) AP*	AMPYRA (danampridine) class AUBAGIO (teriflunomide) class COPAXONE 40 mg (glatiramer) class CLATOPA (glatiramer) TECFIDERA (dimethyl fumarate) class CLATOPA (dimethyl fumarate)	**Ampyra will be authorized if the following criteria are met:  1. Diagnosis of multiple sclerosis and  2. No history of seizures and  3. No evidence of moderate or severe renal impairment and  4. Initial prescription will be authorized for thirty (30) days only.



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/2016 Version 2016.1n

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		<ul> <li>***Aubagio will be authorized if the following criteria are met: <ol> <li>Diagnosis of relapsing multiple sclerosis and</li> <li>Measurement of transaminase and bilirubin levels within the (6) months before initiation of therapy and ALT levels at least monthly for six (6) months after initiation of therapy and</li> <li>Complete blood cell count (CBC) within six (6) months before initiation of therapy and</li> <li>Female patients must have a negative pregnancy test before initiation of therapy and be established on a reliable method of contraception if appropriate and</li> <li>Patient is from eighteen (18) up to sixty-five (65) years of age and</li> <li>Negative tuberculin skin test before initiation of therapy</li> </ol> </li> <li>*****Copaxone 40mg will only be authorized for documented injection site issues.</li> <li>******Tecfidera will be authorized if the following criteria are met: <ol> <li>Diagnosis of relapsing multiple sclerosis and</li> <li>A thirty (30) day trial of a preferred agent in the corresponding class and</li> <li>Complete blood count (CBC) within six (6) months of initiation of therapy and six (6) months after initiation and</li> </ol> </li> </ul>
		4. Complete blood count (CBC) annually during therapy.
NEUROPATHIC PAIN  CATEGORY PA CRITERIA: A trial of a authorized unless one (1) of the exception		(oral or topical) will be required before a non-preferred agent will be
capsaicin OTC duloxetine gabapentin capsules, solution LIDODERM (lidocaine) <sup>AP*</sup>	CYMBALTA (duloxetine) gabapentin tablets GRALISE (gabapentin)** HORIZANT (gabapentin) IRENKA (duloxetine) lidocaine patch LYRICA CAPSULE (pregabalin)*** LYRICA SOLUTION (pregabalin)*** NEURONTIN (gabapentin) QUTENZA (capsaicin) SAVELLA (milnacipran)**** ZOSTRIX OTC (capsaicin)	*Lidoderm patches will be authorized for a diagnosis of post-herpetic neuralgia.  **Gralise will be authorized if the following criteria are met:  1. Diagnosis of post herpetic neuralgia and  2. Trial of a tricyclic antidepressant for a least thirty (30) days and  3. Trial of gabapentin immediate release formulation (positive response without adequate duration) and  4. Request is for once daily dosing with 1800 mg maximum daily dosage.  ***Lyrica will be authorized if the following criteria are met:  1. Diagnosis of seizure disorders or neuropathic pain

associated with a spinal cord injury or



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		2. Diagnosis of fibromyalgia, postherpetic neuralgia, or diabetic neuropathy AND a history of a trial of duloxetine at the generally accepted maximum therapeutic dose of 60 mg/day OR gabapentin at a therapeutic dose range between 900 mg and 2,400 mg per day for thirty (30) days within the previous twenty-four (24) month period or an intolerance due to a potential adverse drug-drug interaction, drug-disease interaction, or intolerable side effect (In cases of renal impairment, doses may be adjusted based on the degree of impairment.)
		****Savella will be authorized for a diagnosis of fibromyalgia or a previous thirty (30) day trial of a drug that infers fibromyalgia: duloxetine, gabapentin, amitriptyline or nortriptyline.
NSAIDS <sup>AP</sup>		
<b>CATEGORY PA CRITERIA:</b> Thirty (30) day triexceptions on the PA form is present.	ials of each of the preferred agents are required b	pefore a non-preferred agent will be authorized unless one (1) of the
	NON-SELECTIVE	
diclofenac (IR, SR) etodolac IR flurbiprofen ibuprofen (Rx and OTC) INDOCIN SUSPENSION (indomethacin) indomethacin ketoprofen ketorolac nabumetone naproxen (Rx and OTC) piroxicam sulindac	ANAPROX (naproxen) ANSAID (flurbiprofen) CATAFLAM (diclofenac) CLINORIL (sulindac) DAYPRO (oxaprozin) diflunisal DUEXIS (famotidine/ibuprofen) etodolac SR FELDENE (piroxicam) fenoprofen INDOCIN SUPPOSITORIES (indomethacin) indomethacin ER ketoprofen ER meclofenamate mefenamic acid MOTRIN (ibuprofen) NALFON (fenoprofen) NAPRELAN (naproxen) NAPROSYN (naproxen) oxaprozin PONSTEL (meclofenamate) SPRIX (ketorolac) tolmetin VOLTAREN (diclofenac)	40



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ZIPSOR (diclofenac potassium) ZORVOLEX (diclofenac)	
	NSAID/GI PROTECTANT COMBINA	ATIONS
	ARTHROTEC (diclofenac/misoprostol) diclofenac/misoprostol VIMOVO (naproxen/esomeprazole)	
	COX-II SELECTIVE	
meloxicam	CELEBREX (celecoxib) celecoxib MOBIC (meloxicam)	COX-II Inhibitor agents will be authorized if the following criteria are met:  Patient has a history or risk of a serious GI complication or Agent is requested for treatment of a chronic condition and  Patient is seventy (70) years of age or older, or  Patient is currently on anticoagulation therapy.
	TOPICAL	
VOLTAREN GEL (diclofenac)*AP	diclofenac solution FLECTOR PATCH (diclofenac)** PENNSAID (diclofenac)	<ul> <li>In addition to the Category Criteria: Thirty (30) day trials of each of the preferred oral NSAIDS are required before a topical NSAID gel or solution will be authorized unless one (1) of the exceptions on the PA form is present.</li> <li>*Voltaren Gel will be authorized if the following criteria are met: <ol> <li>Thirty (30) day trials of two (2) of the preferred oral NSAIDs, or.</li> <li>The patient is on anticoagulant therapy or</li> <li>The patient has had a GI bleed or ulcer diagnosed in the last two (2) years.</li> </ol> </li> <li>Prior authorizations will be limited to 100 grams per month.</li> <li>**Flector patches will be authorized for a diagnosis of acute strain, sprain or injury after a five (5) day trial of one (1) of the preferred oral NSAIDs and for a maximum duration of fourteen (14) days unless one (1) of the exceptions on the PA form is present.</li> </ul>
OPHTHALMIC ANTIBIOTICSAP		
<b>CATEGORY PA CRITERIA:</b> Three (3) day tr exceptions on the PA form is present.	ials of each of the preferred agents are required b	before non-preferred agents will be authorized unless one (1) of the
bacitracin/polymyxin ointment  BESIVANCE (besifloxacin) ciprofloxacin* erythromycin gentamicin	AZASITE (azithromycin) bacitracin BLEPH-10 (sulfacetamide) CILOXAN (ciprofloxacin) GARAMYCIN (gentamicin)	The American Academy of Ophthalmology guidelines on treating bacterial conjunctivitis recommend as first line treatment options: erythromycin ointment, sulfacetamide drops, or polymyxin/trimethoprim drops.



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

	THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
MOXEZA (moxifloxacin)* neomycin/polymyxin/gramicidin ofloxacin* polymyxin/trimethoprim sulfacetamide tobramycin VIGAMOX (moxifloxacin)*	gatifloxacin ILOTYCIN (erythromycin) Ievofloxacin NATACYN (natamycin) neomycin/bacitracin/polymyxin NEOSPORIN (neomycin/polymyxin/gramicidin) OCUFLOX (ofloxacin) POLYTRIM (polymyxin/trimethoprim) sulfacetamide ointment TOBREX (tobramycin) ZYMAR (gatifloxacin) ZYMAXID (gatifloxacin)	*A prior authorization is required for the fluoroquinolone agents for patients up to twenty-one (21) years of age unless there has been a trial of a first line treatment option within the past ten (10) days.	
OPHTHALMIC ANTIBIOTIC/STER			
<b>CATEGORY PA CRITERIA:</b> Three (3) day trial exceptions on the PA form is present.	als of each of the preferred agents are required be	efore a non-preferred agent will be authorized unless one (1) of the	
BLEPHAMIDE (prednisolone/sulfacetamide) neomycin/polymyxin/dexamethasone sulfacetamide/prednisolone TOBRADEX OINTMENT (tobramycin/ dexamethasone) TOBRADEX ST (tobramycin/ dexamethasone) TOBRADEX SUSPENSION (tobramycin/ dexamethasone)  OPHTHALMICS FOR ALLERGIC	BLEPHAMIDE S.O.P. (prednisolone/sulfacetamide)  MAXITROL ointment (neomycin/polymyxin/dexamethasone)  MAXITROL suspension (neomycin/polymyxin/dexamethasone) neomycin/bacitracin/polymyxin/hydrocortisone neomycin/polymyxin/hydrocortisone PRED-G (prednisolone/gentamicin) tobramycin/dexamethasone suspension ZYLET (loteprednol/tobramycin)		
	ials of each of three (3) of the preferred agents a	re required before a non-preferred agent will be authorized, unless	
ALAWAY (ketotifen) cromolyn ketotifen PATADAY (olopatadine) ZADITOR OTC (ketotifen) ZYRTEC ITCHY EYE (ketotifen)	ALAMAST (pemirolast) ALOCRIL (nedocromil) ALOMIDE (lodoxamide) ALREX (loteprednol) azelastine BEPREVE (bepotastine) CROLOM (cromolyn) ELESTAT (epinastine) EMADINE (emedastine) epinastine LASTACAFT (alcaftadine)		



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

	THERAPEUTIC DRUG CL	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	OPTICROM (cromolyn) OPTIVAR (azelastine) PATANOL (olopatadine) PAZEO (olopatadine)	
OPHTHALMICS, ANTI-INFLAMM	ATORIES- IMMUNOMODULATORS	
CATEGORY PA CRITERIA: See below for inc	dividual sub-class criteria.	
	RESTASIS (cyclosporine)	<ol> <li>Restasis will be authorized if the following criteria are met:         <ol> <li>Patient must be sixteen (16) years of age or greater; AND</li> <li>Prior Authorization must be requested by an ophthalmologist or optometrist; AND</li> </ol> </li> <li>Clinically diagnosed tear deficiency due to ocular inflammation in patients with keratoconjunctivitis sicca or dry eye syndrome (also known as dry eye); AND</li> <li>Patient must have a functioning lacrimal gland; AND</li> <li>Patient using artificial tears at least four (4) times a day over the last thirty (30) days; AND</li> <li>Patient must not have an active ocular infection</li> </ol>
OPHTHALMIC ANTI-INFLAMMAT	ORIESAP	
CATEGORY PA CRITERIA: Five (5) day tria exceptions on the PA form is present.	ls of each of the preferred agents are required be	fore a non-preferred agent will be authorized unless one (1) of the
dexamethasone diclofenac fluorometholone flurbiprofen ketorolac prednisolone acetate	ACULAR (ketorolac) ACULAR LS (ketorolac) ACUVAIL (ketorolac tromethamine) BROMDAY (bromfenac) bromfenac DUREZOL (difluprednate) FLAREX (fluorometholone) FML (fluorometholone) FML FORTE (fluorometholone) FML S.O.P. (fluorometholone) ILEVRO (nepafenac) LOTEMAX DROPS, OINTMENT (loteprednol) LOTEMAX GEL (loteprednol) MAXIDEX (dexamethasone) NEVANAC (nepafenac) OMNIPRED (prednisolone)	



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	OZURDEX (dexamethasone) PRED FORTE (prednisolone) PRED MILD (prednisolone) prednisolone sodium phosphate PROLENSA (bromfenac) RETISERT (fluocinolone) TRIESENCE (triamcinolone) VEXOL (rimexolone) XIBROM (bromfenac)	
OPHTHALMICS, GLAUCOMA AG	ENTS	
CATEGORY PA CRITERIA: A non-preferred	agent will only be authorized if there is an allergy to	the preferred agents.
	COMBINATION AGENTS	
COMBIGAN (brimonidine/timolol) dorzolamide/timolol SIMBRINZA (brinzolamide/brimonidine)	COSOPT (dorzolamide/timolol) COSOPT PF (dorzolamide/timolol)	
	BETA BLOCKERS	
BETOPTIC S (betaxolol) carteolol levobunolol metipranolol timolol	BETAGAN (levobunolol) betaxolol BETIMOL (timolol) ISTALOL (timolol) OPTIPRANOLOL (metipranolol) TIMOPTIC (timolol)	
	CARBONIC ANHYDRASE INHIBIT	TORS
AZOPT (brinzolamide) dorzolamide	TRUSOPT (dorzolamide)	
	PARASYMPATHOMIMETICS	
PHOSPHOLINE IODIDE (echothiophate iodide)	pilocarpine	
	PROSTAGLANDIN ANALOGS	
latanoprost TRAVATAN-Z (travoprost)	bimatoprost LUMIGAN (bimatoprost) RESCULA (unoprostone) travoprost XALATAN (latanoprost) ZIOPTAN (tafluprost)	
brimonidine 0.2%	SYMPATHOMIMETICS ALPHAGAN P 0.1% Solution (brimonidine)	
Difficiliume 0.270	ALPHAGAN P 0.15% Solution (brimonidine) apraclonidine brimonidine 0.15% IOPIDINE (apraclonidine)	



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>OPIATE DEPENDENCE TREATM</b>	ENTS	
<b>CATEGORY PA CRITERIA:</b> Buprenorphine/r strips. See below for further criteria.	aloxone tablets, Bunavail and Zubsolv will only be	e approved with a documented intolerance of or allergy to Suboxone
NARCAN NASAL SPRAY (naloxone) SUBOXONE FILM (buprenorphine/naloxone) VIVITROL (naltrexone) CL naloxone	buprenorphine tablets EVZIO (naloxone) buprenorphine/naloxone tablets BUNAVAIL (buprenorphine/naloxone) ZUBSOLV (buprenorphine/naloxone)	Suboxone PA criteria is available at <a href="mailto:the-BMS Website">the BMS Website</a> , by clicking the hyperlink.  Vivitrol PA criteria is available at <a href="mailto:the-BMS Website">the BMS Website</a> , by clicking the hyperlink.  Evzio PA criteria is available at <a href="mailto:the-BMS Website">the BMS Website</a> , by clicking the hyperlink.
OTIC ANTIBIOTICSAP		
CATEGORY PA CRITERIA: Five (5) day trial exceptions on the PA form is present.	ls of each of the preferred agents are required be	efore a non-preferred agent will be authorized unless one (1) of the
CIPRO HC (ciprofloxacin/hydrocortisone) CIPRODEX (ciprofloxacin/dexamethasone)* ciprofloxacin COLY-MYCIN S (colistin/hydrocortisone/ neomycin/thonzonium bromide) neomycin/polymyxin/HC solution/suspension	CORTISPORIN-TC (colistin/hydrocortisone/ neomycin) ofloxacin	*Ciprodex is limited to patients up to nine (9) years of age. Age exceptions will be handled on a case-by-case basis.
<b>PAH AGENTS - ENDOTHELIN RI</b>	ECEPTOR ANTAGONISTSCL	
<b>CATEGORY PA CRITERIA:</b> A thirty (30) day on the PA form is present.	trial of a preferred agent is required before a non	n-preferred agent will be authorized unless one (1) of the exceptions
LETAIRIS (ambrisentan) TRACLEER (bosentan)	OPSUMIT (macitentan)	Letairis and Tracleer will be authorized for a diagnosis of pulmonary arterial hypertension (PAH).
PAH AGENTS – GUANYLATE CY	CLASE STIMULATORCL	
CATEGORY PA CRITERIA: A thirty (30) day trial of a preferred PAH agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
	ADEMPAS (riociguat)	
PAH AGENTS – PDE5s <sup>CL</sup> CATEGORY PA CRITERIA: A thirty (30) dexceptions on the PA form is present. Patients stabilized on non-preferred agents will		e a non-preferred agent will be authorized unless one (1) of the
sildenafil	ADCIRCA (tadalafil) REVATIO IV (sildenafil) REVATIO SUSPENSION (sildenafil) REVATIO TABLETS (sildenafil)	



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PAH AGENTS - PROSTACYCLIN	<b>S</b> cr	
CATEGORY PA CRITERIA: A thirty (30) day preferred agent will be authorized unless one (		I generic form of the non-preferred agent, is required before a non-
epoprostenol VENTAVIS (iloprost)*	FLOLAN (epoprostenol) ORENITRAM ER (treprostinil) REMODULIN (treprostinil sodium) TYVASO (treprostinil) VELETRI (epoprostenol)	*Ventavis will only be authorized for the treatment of pulmonary artery hypertension (WHO Group 1) in patients with NYHA Class III or IV symptoms.
PANCREATIC ENZYMESAP		
<b>CATEGORY PA CRITERIA:</b> A thirty (30) day on the PA form is present. Non-preferred agents will be authorized for me		-preferred agent will be authorized unless one (1) of the exceptions
CREON PANCRELIPASE 5000 ZENPEP	PANCREAZE PERTZYE ULTRESA VIOKACE	
PHOSPHATE BINDERSAP		
CATEGORY PA CRITERIA: Thirty (30) day to the exceptions on the PA form is present.	ials of at least two (2) preferred agents are require	ed before a non-preferred agent will be authorized unless one (1) of
calcium acetate MAGNEBIND RX (calcium carbonate, folic acid, magnesium carbonate) PHOSLYRA (calcium acetate) RENAGEL (sevelamer)	AURYXIA (ferric citrate) ELIPHOS (calcium acetate) FOSRENOL (lanthanum) PHOSLO (calcium acetate) RENVELA (sevelamer carbonate) sevelamer carbonate VELPHORO (sucroferric oxyhydroxide)	
PLATELET AGGREGATION INHIBITORS		
CATEGORY PA CRITERIA: A thirty (30) day trial of a preferred agent is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
AGGRENOX (dipyridamole/ASA) BRILINTA (ticagrelor) clopidogrel EFFIENT (prasugrel)	dipyridamole PERSANTINE (dipyridamole) PLAVIX (clopidogrel) TICLID (ticlopidine) ticlopidine ZONTIVITY (vorapaxar)	



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PROGESTINS FOR CACHEXIA		
<b>CATEGORY PA CRITERIA:</b> A thirty (30) of exceptions on the PA form is present.	day trial of the preferred agent is required before	e a non-preferred agent will be authorized unless one (1) of the
megestrol	MEGACE (megestrol) MEGACE ES (megestrol)	
PROTON PUMP INHIBITORSAP		
		e at the maximum recommended dose**, inclusive of a concurrent agent will be authorized unless one (1) of the exceptions on the PA
omeprazole (Rx) pantoprazole PREVACID SOLUTABS (lansoprazole)*	ACIPHEX (rabeprazole) ACIPHEX SPRINKLE (rabeprazole) DEXILANT (dexlansoprazole) esomeprazole strontium lansoprazole Rx NEXIUM (esomeprazole) omeprazole/sodium bicarbonate (Rx) PREVACID CAPSULES (lansoprazole) PRILOSEC Rx (omeprazole) PROTONIX (pantoprazole) rabeprazole ZEGERID Rx (omeprazole/sodium bicarbonate)	*Prior authorization is required for Prevacid Solutabs for members nine (9) years of age or older.  ** Maximum recommended doses of the PPIs and H2-receptor antagonists may be located at the BMS Pharmacy PA criteria page titled."Proton Pump Inhibitors Max Dosages".
SEDATIVE HYPNOTICSAP		
CATEGORY PA CRITERIA: Thirty (30) day to one (1) of the exceptions on the PA form is pre-	rials of the preferred agents in both categories are esent. All agents in this class will be limited to fiftee	required before any non-preferred agent will be authorized unless en (15) tablets in a thirty (30) day period.
	BENZODIAZEPINES	
temazepam 15, 30 mg	DALMANE (flurazepam) DORAL (quazepam) estazolam flurazepam HALCION (triazolam) quazepam RESTORIL (temazepam) temazepam 7.5, 22.5 mg triazolam	
zolpidem 5, 10 mg	OTHERS AMBIEN (zolpidem)	Strengths of zolpidem that are non-preferred (6.25 and 12.5 mg)
zoipidem 5, 10 mg	AMBIEN (zolpidem) BELSOMRA (suvorexant)	must be created by combining or splitting the preferred doses (5 and 10 mg) of zolpidem, if appropriate.



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	chloral hydrate EDLUAR (zolpidem) eszopiclone INTERMEZZO (zolpidem) LUNESTA (eszopiclone) ROZEREM (ramelteon) SILENOR (doxepin) SOMNOTE (chloral hydrate) SONATA (zaleplon) zaleplon zolpidem ER 6.25, 12.5 mg ZOLPIMIST (zolpidem)	For treatment naïve female patients, zolpiderm and zolpidem ER maximum dosages will be limited to 5 mg and 6.25 mg respectively per day.
SKELETAL MUSCLE RELAXANT	SAP	
CATEGORY PA CRITERIA: See below for inc	dividual sub-class criteria.	
	ACUTE MUSCULOSKELETAL RELAXA	
chlorzoxazone cyclobenzaprine IR 5, 10 mg methocarbamol	AMRIX (cyclobenzaprine) carisoprodol carisoprodol/ASA carisoprodol/ASA/codeine cyclobenzaprine ER cyclobenzaprine IR 7.5 mg FEXMID (cyclobenzaprine) FLEXERIL (cyclobenzaprine) LORZONE (chlorzoxazone) metaxalone orphenadrine orphenadrine ER PARAFON FORTE (chlorzoxazone) ROBAXIN (methocarbamol) SKELAXIN (metaxalone) SOMA (carisoprodol)	Thirty (30) day trials of each of the preferred acute musculoskeletal relaxants are required before a non-preferred acute musculoskeletal agent will be authorized, with the exception of carisoprodol.  Thirty (30) day trials of each of the preferred acute musculoskeletal relaxants and Skelaxin are required before carisoprodol will be authorized.
	NUSCULOSKELETAL RELAXANT AGENTS USE	
baclofen tizanidine tablets	DANTRIUM (dantrolene) dantrolene tizanidine capsules ZANAFLEX (tizanidine)	Thirty (30) day trials of both preferred skeletal muscle relaxants associated with the treatment of spasticity are required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

01/01/2016 Version 2016.1n

### THERAPEUTIC DRUG CLASS

PREFERRED AGENTS

**NON-PREFERRED AGENTS** 

**PA CRITERIA** 

### STEROIDS, TOPICAL

**CATEGORY PA CRITERIA:** Five (5) day trials of one (1) form of each preferred unique active ingredient in the corresponding potency group are required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.

#### **VERY HIGH & HIGH POTENCY**

betamethasone dipropionate cream, lotion betamethasone valerate cream clobetasol propionate cream/gel/ointment/solution clobetasol emollient fluocinonide cream, gel, solution fluocinonide/emollient halobetasol propionate triamcinolone acetonide cream, ointment amcinonide

APEXICON (diflorasone diacetate)
APEXICON E (diflorasone diacetate)

betamethasone dipropionate gel, lotion, ointment

betamethasone valerate lotion, ointment,

clobetasol lotion, shampoo

clobetasol propionate foam CLOBEX (clobetasol propionate)

CLODAN (clobetasol propionate)

CORMAX (clobetasol propionate)

desoximetasone cream/gel/ointment

diflorasone diacetate

DIPROLENE (betamethasone

dipropionate/propylene glycol)

DIPROLENE AF (betamethasone dipropionate/propylene glycol)

DIPROSONE (betamethasone dipropionate)

fluocinonide ointment

halcinonide

HALAC (halobetasol propionate)

HALOG (halcinonide)

HALONATE (halobetasol propionate)

KENALOG (triamcinolone acetonide)

LIDEX (fluocinonide)

LIDEX-E (fluocinonide)

OLUX (clobetasol propionate)

OLUX-E (clobetasol propionate/emollient)

PSORCON (diflorasone diacetate)

TEMOVATE (clobetasol propionate)

TEMOVATE-E (clobetasol propionate/emollient)

TOPICORT CREAM. GEL. OINTMENT

(desoximetasone)

TOPICORT SPRAY (desoximetasone)



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	triamcinolone acetonide lotion ULTRAVATE (halobetasol propionate) ULTRAVATE PAC cream ULTRAVATE X (halobetasol propionate / lactic acid) VANOS (fluocinonide)	
	MEDIUM POTENCY	
fluticasone propionate cream, ointment hydrocortisone butyrate ointment, solution hydrocortisone valerate mometasone furoate triamcinolone acetonide 0.025% and 0.1% cream	ARISTOCORT (triamcinolone) BETA-VAL (betamethasone valerate) betamethasone valerate foam CLODERM (clocortolone pivalate) clocortolone cream CORDRAN/CORDRAN SP (flurandrenolide) CUTIVATE (fluticasone propionate) DERMATOP (prednicarbate) ELOCON (mometasone furoate) fluocinolone acetonide cream, ointment, solution fluticasone propionate lotion hydrocortisone butyrate cream LOCOID (hydrocortisone butyrate) LOCOID LIPOCREAM (hydrocortisone butyrate/emollient) LUXIQ (betamethasone valerate) MOMEXIN (mometasone) PANDEL (hydrocortisone probutate) prednicarbate TOPICORT LP (desoximetasone) TRIDERM (triamcinolone acetonide) WESTCORT (hydrocortisone valerate)	
	LOW POTENCY	
desonide cream, ointment hydrocortisone acetate (Rx, OTC) hydrocortisone cream (Rx, OTC) hydrocortisone lotion OTC hydrocortisone ointment (Rx, OTC) hydrocortisone solution OTC hydrocortisone-aloe cream OTC hydrocortisone-aloe ointment OTC	ACLOVATE (alclometasone dipropionate) alclometasone dipropionate AQUA GLYCOLIC HC (hydrocortisone) CAPEX (fluocinolone acetonide) DERMA-SMOOTHE FS (fluocinolone acetonide) DESONATE (desonide) desonide lotion DESOWEN (desonide) fluocinolone oil hydrocortisone/mineral oil/petrolatum	



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/2016 Version 2016.1n

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	hydrocortisone acetate/urea hydrocortisone lotion hydrocortisone/aloe gel LOKARA (desonide) PEDIADERM HC (hydrocortisone) PEDIADERM TA (hydrocortisone) SCALPICIN OTC (hydrocortisone) SYNALAR (fluocinolone) TEXACORT (hydrocortisone) VERDESO (desonide)	
STIMILI ANTS AND DELATED AC	, ,	

#### STIMULANTS AND RELATED AGENTS

CATEGORY PA CRITERIA: A PA is required for adults eighteen (18) years of age or older.

A thirty (30) day trial of one of the preferred agents in each group (amphetamines and non-amphetamines) is required before a non-preferred agent will be authorized. In addition, a thirty (30) day trial of a long-acting preferred agent in each class is required before a non-preferred long-acting stimulant will be authorized.

Patients stabilized on non-preferred agents will be grandfathered

Patients stabilized on non-preferred agents will be grandfathered.		
	AMPHETAMINES	
amphetamine salt combination IR  DEXEDRINE ER (dextroamphetamine) dextroamphetamine IR  PROCENTRA solution (dextroamphetamine) VYVANSE (lisdexamfetamine)	ADDERALL XR* (amphetamine salt combination) amphetamine salt combination ER DESOXYN (methamphetamine) DEXEDRINE IR (dextroamphetamine) dextroamphetamine ER dextroamphetamine solution EVEKEO (amphetamine) methamphetamine ZENZEDI (dextroamphetamine)	In addition to the Category Criteria: Thirty (30) day trials of at least three (3) antidepressants are required before amphetamines will be authorized for depression.  *Adderall XR is preferred over its generic equivalents.



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE** 01/01/2016 **Version 2016.1n** 

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
clonidine IR DAYTRANA (methylphenidate) dexmethylphenidate IR FOCALIN XR (dexmethylphenidate) guanfacine IR METADATE CD (methylphenidate) METHYLIN SOLUTION (methylphenidate) methylphenidate IR methylphenidate ER STRATTERA (atomoxetine)*	NON-PREFERRED AGENTS  NON-AMPHETAMINE  APTENSIO XR (methylphenidate) clonidine ER CONCERTA (methylphenidate) dexmethylphenidate XR FOCALIN IR (dexmethylphenidate) guanfacine ER** INTUNIV (guanfacine extended-release) KAPVAY (clonidine extended-release) ** METHYLIN CHEWABLE TABLETS (methylphenidate)	*Strattera does not required a PA for adults eighteen (18) years of age or older.  Strattera will not be authorized for concurrent administration with amphetamines or methylphenidates, except for thirty (30) days or less for tapering purposes. Strattera is limited to a maximum of 100 mg per day.  **Guanfacine ER and Kapvay/clonidine ER will be authorized if the following criteria are met:  1. Fourteen (14) day trials of at least one (1) preferred product
	methylphenidate chewable tablets, solution methylphenidate CD methylphenidate ER methylphenidate LA modafinil***  NUVIGIL (armodafinil) *** PROVIGIL (modafinil) *** QUILLIVANT XR (methylphenidate) RITALIN (methylphenidate) RITALIN LA (methylphenidate)	from the amphetamine and non-amphetamine class <b>and</b> 2. A fourteen (14) day trial of clonidine IR (for Kapvay) and guanfacine IR (for guanfacine ER) unless one (1) of the exceptions on the PA form is present.  In cases of a diagnosis of Tourette's syndrome, tics, autism or disorders included in the autism spectrum, only a fourteen (14) day trial of clonidine (for Kapvay) will be required for approval.  ***Provigil is preferred over its generic equivalent and Nuvigil.  These drugs will only be authorized for patients sixteen (16) years of age or older with a diagnosis of narcolepsy.
TETRACYCLINES		

CATEGORY PA CRITERIA: A ten (10) day trial of each of the preferred agents is required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.

doxycycline hyclate capsules, tablets doxycycline monohydrate 50, 100 mg capsules minocycline capsules tetracycline  tetracycline  ADOXA (doxycycline monohydrate) demeclocycline*  DORYX (doxycycline hyclate) doxycycline hyclate tablet DR doxycycline monohydrate 40, 75, 150 mg capsule doxycycline monohydrate tablet doxycycline monohydrate suspension DYNACIN (minocycline) MINOCIN (minocycline) minocycline ER capsules minocycline tablets  MONODOX (doxycycline monohydrate) MORGIDOX KIT (doxycycline)  *Demeclocycline will be authorized for conditions caused by susceptible strains of organisms designated in the product information supplied by the manufacturer. A C&S report must accompany this request.  Demeclocycline will also be authorized for SIADH.	exceptions on the 174 form to procent.		
	doxycycline monohydrate 50, 100 mg capsules minocycline capsules	demeclocycline* DORYX (doxycycline hyclate) doxycycline hyclate tablet DR doxycycline monohydrate 40, 75, 150 mg capsule doxycycline monohydrate tablet doxycycline monohydrate suspension DYNACIN (minocycline) MINOCIN (minocycline) minocycline ER capsules minocycline tablets MONODOX (doxycycline monohydrate)	susceptible strains of organisms designated in the product information supplied by the manufacturer. A C&S report must accompany this request.



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ORACEA (doxycycline monohydrate) SOLODYN (minocycline) VIBRAMYCIN CAPSULES, SUSPENSION, SYRUP (doxycycline)	
ULCERATIVE COLITIS AGENTS	P	
	ials of each of the preferred dosage form or chemi ill be authorized unless one (1) of the exceptions o	cal entity must be tried before the corresponding non-preferred n the PA form is present.
	ORAL	
APRISO (mesalamine) balsalazide DELZICOL (mesalamine) PENTASA (mesalamine) 250 mg sulfasalazine	ASACOL HD (mesalamine) AZULFIDINE (sulfasalazine) COLAZAL (balsalazide) DIPENTUM (olsalazine) GIAZO (balsalazide) LIALDA (mesalamine) PENTASA (mesalamine) 500 mg UCERIS (budesonide)	
	RECTAL	
CANASA (mesalamine) mesalamine	mesalamine kit ROWASA (mesalamine) SF ROWASA (mesalamine) UCERIS (budesonide)	
VASODILATORS, CORONARY		
CATEGORY PA CRITERIA: A thirty (30) day trial of each preferred dosage form will be required before a non-preferred agent will be authorized unless one (1) of the exceptions on the PA form is present.		
SUBLINGUAL NITROGLYCERIN		
nitroglycerin sublingual NITROLINGUAL SPRAY (nitroglycerin) NITROSTAT SUBLINGUAL (nitroglycerin)	nitroglycerin spray NITROMIST (nitroglycerin)	