

EFFECTIVE 10/01/2020 Version 2020.4c

- Prior authorization for a non-preferred agent in any class will be given only if there has been a trial of the preferred brand/generic equivalent or preferred formulation of the active ingredient, at a therapeutic dose, that resulted in a partial response with a documented intolerance.
- Prior authorization of a non-preferred isomer, pro-drug, or metabolite will be considered with a trial of a preferred parent drug of the same chemical entity, at a therapeutic dose, that resulted in a partial response with documented intolerance or a previous trial and therapy failure, at a therapeutic dose, with a preferred drug of a different chemical entity indicated to treat the submitted diagnosis. (The required trial may be overridden when documented evidence is provided that the use of these preferred agent(s) would be medically contraindicated.)
- Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC drugs are not covered unless specified.
- PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.
- The use of pharmaceutical samples will not be considered when evaluating the members' medical condition or prior prescription history for drugs that require prior authorization.
- Quantity limits may apply. Refer to the Limits List on the BMS Website by clicking the hyperlink.
- Unless otherwise indicated, non-preferred combination products require medical reasoning beyond convenience or enhanced compliance as to why the clinical need cannot be met with a preferred agent or combination of preferred single-ingredient agents.
- Acronyms
  - o CL Requires clinical PA. For detailed clinical criteria, please go to the PA criteria page by clicking the hyperlink.
  - NR Denotes a new drug which has not yet been reviewed by the P & T Committee. These agents are available only on appeal to the BMS Medical Director.
  - o AP Non-preferred and selected preferred drugs, where indicated, are subject to auto-PA criteria. See PA criteria column.



EFFECTIVE 10/01/2020 Version 2020.4c

CLASSES CHANGING	Status Changes	PA Criteria Changes	New Drugs
ACNE AGENTS			XXXX
ANALGESICS, NARCOTIC LONG-ACTING	XXXX		
ANDROGENIC AGENTS			XXXX
ANTIBIOTICS, TOPICAL			XXXX
ANTIHEMOPHILIA			XXXX
ANTIHYPERURECEMICS			XXXX
ANTIMIGRAINE AGENTS, ACUTE			XXXX
ANTIPSYCHOTICS, ATYPICAL			XXXX
H. PYLORI			XXXX
MULTIPLE SCLEROSIS AGENTS			XXXX
OPIOID DEPENDENCE TREATMENTS	XXXX		



PREFERRED AGENTS

### BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

EFFECTIVE 10/01/2020 Version 2020.4c

**PA CRITERIA** 

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS

**NON-PREFERRED AGENTS** 

ACNE AGENTS, TOPICALAP		
		d and two (2) unique chemical entities in two (2) other pproved, unless one (1) of the exceptions on the PA form is
In cases of pregnancy, a trial of retinoids will <i>not</i> Acne kits are non-preferred.	be required. For members eighteen (18) years of age	e or older, a trial of retinoids will <i>not</i> be required.
Specific Criteria for sub-class will be listed be day trial of all preferred agents in that sub-class.	<b>llow.</b> NOTE: Non-preferred agents in the Rosacea su	ub-class are available <u>only on appeal</u> and require at least a 30-
	ANTI-INFECTIVE	
clindamycin gel, lotion, medicated swab, solution ERYGEL (erythromycin) erythromycin gel, solution	ACZONE (dapsone) AKNE-MYCIN (erythromycin) AZELEX (azelaic acid) CLEOCIN-T (clindamycin) CLINDACIN PAC (clindamycin) CLINDAGEL (clindamycin) clindamycin foam erythromycin medicated swab EVOCLIN (clindamycin) FABIOR (tazarotene) KLARON (sulfacetamide) OVACE/PLUS (sulfacetamide) sodium sulfacetamide 10% cleansing gel sulfacetamide cleanser sulfacetamide cleanser ER sulfacetamide shampoo sulfacetamide suspension	
	RETINOIDS	
TAZORAC (tazarotene) tretinoin cream, gel	adapalene AKLIEF CREAM (trifarotene) ALTRENO LOTION (tretinoin) ATRALIN (tretinoin) AVITA (tretinoin) DIFFERIN (adapalene) PLIXDA SOLUTION (adapalene) RETIN-A (tretinoin) RETIN-A MICRO (tretinoin)	In addition to the Class Criteria: PA required for members eighteen (18) years of age or older.



EFFECTIVE 10/01/2020 Version 2020.4c

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	tazarotene cream tretinoin gel micro	
benzoyl peroxide cleanser Rx & OTC, 10% cream OTC, gel Rx & OTC, lotion OTC, wash OTC PANOXYL-4 OTC (benzoyl peroxide)	KERATOLYTICS BENZEFOAM ULTRA (benzoyl peroxide) BP 10-1 (benzoyl peroxide) PANOXYL-8 OTC (benzoyl peroxide) SULPHO-LAC (sulfur) COMBINATION AGENTS	
benzoyl peroxide/clindamycin gel (generic DUAC only) EPIDUO (adapalene/benzoyl peroxide)* EPIDUO FORTE (adapalene/benzoyl peroxide)* erythromycin/benzoyl peroxide	ACANYA (clindamycin phosphate/benzoyl peroxide) AVAR/-E/LS (sulfur/sulfacetamide) BENZACLIN GEL (benzoyl peroxide/ clindamycin) BENZAMYCIN PAK (benzoyl peroxide/ erythromycin) benzoyl peroxide/clindamycin gel (all generics other than DUAC) benzoyl peroxide/urea CERISA (sulfacetamide sodium/sulfur) CLARIFOAM EF (sulfacetamide/sulfur) CLENIA (sulfacetamide sodium/sulfur) DUAC (benzoyl peroxide/clindamycin) NEUAC (clindamycin phosphate/benzoyl peroxide) ONEXTON (clindamycin phosphate/benzoyl peroxide) PRASCION (sulfacetamide sodium/sulfur) SE 10-5 SS (sulfacetamide/sulfur) SSS 10-4 (sulfacetamide /sulfur) SSS 10-5 foam (sulfacetamide /sulfur) sulfacetamide sodium/sulfur cloths, lotion, pads, suspension sulfacetamide/sulfur wash/cleanser sulfacetamide/sulfur wash kit sulfacetamide/sulfur wash kit sulfacetamide sodium/sulfur/ urea SUMADAN/XLT (sulfacetamide/sulfur) SUMAXIN/TS (sulfacetamide sodium/sulfur) VELTIN (clindamycin/tretinoin)*	In addition to the Class Criteria: Non-preferred combination agents require thirty (30) day trials of the corresponding preferred single agents before they will be approved.  *PA required for combination agents with Retinoid products for members eighteen (18) years of age or older.
FINACEA GEL (azelaic acid)	ZIANA (clindamycin/tretinoin)*  ROSACEA AGENTS  AMZEEQ FOAM (minocycline)	Subclass criteria: Non-preferred agents are available only on



EFFECTIVE 10/01/2020 Version 2020.4c

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
MIRVASO GEL (brimonidine) metronidazole cream metronidazole gel 0.75% (NDCs 00115-1474- 46, 00168-0275-45, 51672-4116-06, 66993- 0962-45 only)	FINACEA FOAM (azelaic acid) METROCREAM (metronidazole) METROGEL GEL (metronidazole) METROLOTION (metronidazole) metronidazole lotion metronidazole gel (all other NDCs) NORITATE CREAM (metronidazole) RHOFADE (oxymetazoline) ROSADAN (metronidazole) SOOLANTRA CREAM (ivermectin)	appeal and require evidence of 30-day trials of all chemically-unique preferred agents in the sub-class.

#### **ALZHEIMER'S AGENTSAP**

**CLASS PA CRITERIA:** Non-preferred agents require a thirty (30) day trial of a preferred agent in the same sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present.

Prior authorization is required for members up to forty-five (45) years of age if there is no diagnosis of Alzheimer's disease.

	CHOLINESTERASE INHIBITORS	
donepezil 5 and 10 mg donepezil ODT	ARICEPT (donepezil) donepezil 23 mg* EXELON CAPSULE (rivastigmine) EXELON PATCH (rivastigmine) galantamine galantamine ER RAZADYNE (galantamine) RAZADYNE ER (galantamine) rivastigmine	*Donepezil 23 mg tablets will be authorized if the following criteria are met:  1. There is a diagnosis of moderate-to-severe Alzheimer's Disease and  2. There has been a trial of donepezil 10 mg daily for at least three (3) months and donepezil 20 mg daily for an additional one (1) month.
	NMDA RECEPTOR ANTAGONIST	
memantine	memantine ER memantine solution NAMENDA (memantine) NAMENDA XR (memantine)*	*Namenda XR requires ninety (90) days of compliant therapy with Namenda.
CHOLII	NESTERASE INHIBITOR/NMDA RECEPTOR ANTAG	ONIST COMBINATIONS
	NAMZARIC (donepezil/memantine)	Combination agents require thirty (30) day trials of each corresponding preferred single agent.



EFFECTIVE 10/01/2020 Version 2020.4c

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
ANALGESICS, NARCOTIC LONG	ACTING (Non-parenteral)		
CLASS PA CRITERIA: Non-preferred agents re	equire six (6) day trials of two (2) chemically distinct p	referred agents AND a six (6) day trial of the generic form of the	
the requested non-preferred brand agent, then a	another generic non-preferred agent must be trialed	ions on the PA form is present. If no generic form is available for instead. <b>NOTE: All long-acting opioid agents require a prior</b> I indication and specify previous opioid and non-opioid therapies	
BUTRANS (buprenorphine)	ARYMO ER (morphine sulfate)	*Belbuca prior authorization requires manual review. Full PA	
fentanyl transdermal 12, 25, 50, 75, 100 mcg/hr morphine ER tablets tramadol ER (generic Ultram ER)	BELBUCA (buprenorphine buccal film)* buprenorphine patch (all labelers including 00093) CONZIP ER (tramadol)	criteria may be found on the <u>PA Criteria</u> page by clicking the hyperlink.	
tramador EN (generic ottram EN)	DOLOPHINE (methadone)	**Methadone, oxycodone ER and oxymorphone ER will be	
	DURAGESIC (fentanyl)	authorized without a trial of the preferred agents if a diagnosis	
	EMBEDA (morphine/naltrexone) EXALGO ER (hydromorphone)	of cancer is submitted.	
	fentanyl transdermal 37.5, 62.5, 87.5 mcg/hr	***Tramadol ER (generic Conzip) requires a manual review	
	hydromorphone ER	and may be authorized for ninety (90) days with submission of	
	HYSINGLA ER (hydrocodone) KADIAN (morphine)	a detailed treatment plan including anticipated duration of treatment and scheduled follow-ups with the prescriber.	
	LAZANDA SPRAY (fentanyl)	treatment and scrieduled follow-ups with the prescriber.	
	methadone**		
	MORPHABOND ER (morphine sulfate)		
	morphine ER capsules (generic for Avinza) morphine ER capsules (generic for Kadian)		
	MS CONTIN (morphine)		
	NUCYNTA ER (tapentadol)		
	OPANA ER (oxymorphone)		
	oxycodone ER** OXYCONTIN (oxycodone)		
	oxymorphone ER**		
	tramadol ER (generic Conzip ER)***		
	ULTRAM ER (tramadol) XARTEMIS XR (oxycodone/ acetaminophen)		
	XTAMPZA ER (oxycodone)		
	ZOHYDRO ER (hydrocodone)		



EFFECTIVE 10/01/2020 Version 2020.4c

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
ANALGESICS, NARCOTIC SHORT		ly distinct and an area (based on the properties in sundicut only)	
		ly distinct preferred agents (based on the narcotic ingredient only), , unless one (1) of the exceptions on the PA form is present.	
NOTE: All tramadol and codeine products re	equire a prior authorization for children under 1	8 years of age. Requests must be for an FDA approved age and	
indication and specify non-opioid therapies atter			
APAP/codeine butalbital/APAP/caffeine/codeine	ABSTRAL (fentanyl)	Fentanyl buccal, nasal and sublingual products will only be	
codeine	ACTIQ (fentanyl) butalbital/ASA/caffeine/codeine	authorized for a diagnosis of cancer and as an adjunct to a long-acting agent. These dosage forms will not be authorized	
hydrocodone/APAP 2.5/325 mg, 5/325 mg,	butorphanol	for monotherapy.	
7.5/325 mg,10/325 mg	CAPITAL W/CODEINE (APAP/codeine)	ioi monounciapy.	
hydrocodone/APAP solution	DEMEROL (meperidine)	Limits: Unless the patient has escalating cancer pain or	
hydrocodone/ibuprofen	dihydrocodeine/ APAP/caffeine	another diagnosis supporting increased quantities of short-	
hydromorphone tablets	DILAUDID (hydromorphone)	acting opioids, all short acting solid forms of the narcotic	
LORTAB SOLUTION	fentanyl	analgesics are limited to 120 tablets per thirty (30) days.	
(hydrocodone/acetaminophen)	FENTORA (fentanyl)	Longer-acting medications should be maximized to prevent	
morphine	FIORICET W/ CODEINE	unnecessary breakthrough pain in chronic pain therapy.	
oxycodone tablets, concentrate, solution oxycodone/APAP	(butalbital/APAP/caffeine/codeine) FIORINAL W/ CODEINE	Immediate-release tramadol is limited to 240 tablets per thirty	
oxycodone/ASA	(butalbital/ASA/caffeine/codeine)	(30) days.	
pentazocine/naloxone	hydrocodone/APAP 5/300 mg, 7.5/300 mg,	(oo) dayo.	
tramadol	10/300 mg		
tramadol/APAP	hydromorphone liquid, suppositories		
	IBUDONE (hydrocodone/ibuprofen)		
	LAZANDA (fentanyl)		
	levorphanol		
	LORCET (hydrocodone/APAP) LORTAB (hydrocodone/APAP)		
	meperidine		
	NORCO (hydrocodone/APAP)		
	NUCYNTA (tapentadol)		
	ONSOLIS (fentanyl)		
	OPANA (oxymorphone)		
	OXECTA (oxycodone)		
	oxycodone capsules		
	oxycodone/ibuprofen oxymorphone		
	PERCOCET (oxycodone/APAP)		
	FERGOGET (OXYCOUGHE/AFAF)		



EFFECTIVE 10/01/2020 Version 2020.4c

	THERAPEUTIC DRUG CLASS	
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	PRIMLEV (oxycodone/APAP) REPREXAIN (hydrocodone/ibuprofen) ROXICODONE (oxycodone) ROXYBOND (oxycodone) RYBIX ODT (tramadol) SUBSYS (fentanyl) SYNALGOS-DC (dihydrocodeine/ASA/ caffeine) TYLENOL W/CODEINE (APAP/codeine) ULTRACET (tramadol/APAP) ULTRAM (tramadol) VERDROCET (hydrocodone/APAP) VICODIN (hydrocodone/APAP) VICOPROFEN (hydrocodone/ibuprofen) XODOL (hydrocodone/ibuprofen) XYLON (hydrocodone/ibuprofen)	
ANDROGENIC AGENTS	ZAMICET (hydrocodone/APAP)	
CLASS PA CRITERIA: A non-preferred ager ANDRODERM (testosterone) ANDROGEL (testosterone) METHITEST (methyltestosterone) testosterone cypionate vial <sup>CL</sup> testosterone enanthate vial <sup>CL</sup>	nt will only be authorized if one (1) of the exceptions on the PA for ANDROID (methyltestosterone) AVEED VIAL (testosterone undecanoate) AXIRON (testosterone) FORTESTA (testosterone) JATENZO (testosterone undecanoate) methyltestosterone capsule NATESTO (testosterone) STRIANT BUCCAL (testosterone) TESTIM (testosterone) TESTRED (methyltestosterone) testosterone gel VOGELXO (testosterone) XYOSTED (testosterone enanthate)	rm is present.
ANESTHETICS, TOPICALAP  CLASS PA CRITERIA: Non-preferred agent	s require ten (10) day trials of each preferred agent before they	will be approved, unless one (1) of the exceptions on the
PA form is present.		22 app. 2. 3a, amoss site (1) si ale shospaolio dii ale
lidocaine lidocaine/prilocaine xylocaine	LIDAMANTLE (lidocaine) LIDAMANTLE HC (lidocaine/hydrocortisone) lidocaine/hydrocortisone LIDOTRAL CREAM (lidocaine) LIDOZION LOTION (lidocaine)	



EFFECTIVE 10/01/2020 Version 2020.4c

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	SYNERA (lidocaine/tetracaine) VOPAC MDS (ketoprofen/lidocaine)	
ANGIOTENSIN MODULATORSAP		
	equire fourteen (14) day trials of each preferred agente (1) of the exceptions on the PA form is present.	nt in the same sub-class, with the exception of the Direct Renin
	ACE INHIBITORS	
benazepril captopril enalapril fosinopril lisinopril quinapril ramipril	ACCUPRIL (quinapril) ACEON (perindopril) ALTACE (ramipril) EPANED (enalapril)* LOTENSIN (benazepril) MAVIK (trandolapril) moexipril perindopril PRINIVIL (lisinopril) QBRELIS SOLUTION (lisinopril)** trandolapril UNIVASC (moexipril) VASOTEC (enalapril) ZESTRIL (lisinopril)	*Epaned will be authorized with a diagnosis of hypertension, symptomatic heart failure or asymptomatic left ventricular dysfunction provided that the patient is less than seven (7) years of age <b>OR</b> is unable to ingest a solid dosage form due to documented oral-motor difficulties or dysphagia.  **Qbrelis solution may be authorized for children ages 6-10 who are unable to tolerate a solid dosage form. Qbrelis may also be authorized for older patients with clinical documentation indicating oral-motor difficulties or dysphagia.
	ACE INHIBITOR COMBINATION DRUG	S
benazepril/amlodipine benazepril/HCTZ captopril/HCTZ enalapril/HCTZ fosinopril/HCTZ lisinopril/HCTZ quinapril/HCTZ	ACCURETIC (quinapril/HCTZ) CAPOZIDE (captopril/HCTZ) LOTENSIN HCT (benazepril/HCTZ) LOTREL (benazepril/amlodipine) moexipril/HCTZ PRESTALIA (perindopril/amlodipine) PRINZIDE (lisinopril/HCTZ) TARKA (trandolapril/verapamil) trandolapril/verapamil VASERETIC (enalapril/HCTZ) ZESTORETIC (lisinopril/HCTZ)	
	ANGIOTENSIN II RECEPTOR BLOCKERS	(ARBs)
irbesartan losartan valsartan olmesartan	ATACAND (candesartan) AVAPRO (irbesartan) BENICAR (olmesartan) candesartan	



EFFECTIVE 10/01/2020 Version 2020.4c

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	COZAAR (losartan) DIOVAN (valsartan) EDARBI (azilsartan) eprosartan MICARDIS (telmisartan) telmisartan	
	ARB COMBINATIONS	
ENTRESTO (valsartan/sacubitril) <sup>AP*</sup> irbesartan/HCTZ losartan/HCTZ olmesartan/amlodipine olmesartan/HCTZ TRIBENZOR (olmesartan/amlodipine/HCTZ) TWYNSTA (telmisartan/amlodipine) valsartan/amlodipine valsartan/amlodipine/HCTZ valsartan/HCTZ	ATACAND-HCT (candesartan/HCTZ) AVALIDE (irbesartan/HCTZ) AZOR (olmesartan/amlodipine) BENICAR-HCT (olmesartan/HCTZ) BYVALSON (nebivolol/valsartan) candesartan/HCTZ DIOVAN-HCT (valsartan/HCTZ) EDARBYCLOR (azilsartan/chlorthalidone) EXFORGE (valsartan/amlodipine) EXFORGE HCT (valsartan/amlodipine/HCTZ) HYZAAR (losartan/HCTZ) MICARDIS-HCT (telmisartan/HCTZ) olmesartan/amlodipine/HCTZ telmisartan/amlodipine telmisartan HCTZ	*Entresto will only be authorized for patients 18 years of age or older who are diagnosed with chronic heart-failure.
	DIRECT RENIN INHIBITORS	
	AMTURNIDE (aliskiren/amlodipine/HCTZ) TEKAMLO (aliskiren/amlodipine) TEKTURNA (aliskiren) TEKTURNA HCT (aliskiren/HCTZ) VALTURNA (aliskiren/valsartan)	Substitute for Class Criteria: Tekturna requires a thirty (30) day trial of one (1) preferred ACE, ARB, or combination agent, at the maximum tolerable dose, before it will be authorized unless one (1) of the exceptions on the PA form is present.  Amturnide, Tekamlo, Tekturna HCT or Valturna will be
		authorized if the criteria for Tekturna are met and the patient also needs the other agents in the combination.
<b>ANTIANGINAL &amp; ANTI-ISCHEMIC</b>		
CLASS PA CRITERIA: Agents in this class ma as single agents or a combination agent containing		also taking a calcium channel blocker, a beta blocker, or a nitrite
ranolazine <sup>AP</sup>	RANÈXA	
<b>ANTIBIOTICS, GI &amp; RELATED AGI</b>	ENTS	
· · · · · · · · · · · · · · · · · · ·		pefore they will be approved, unless one (1) of the exceptions on
FIRVANQ (vancomycin)	DIFICID (fidaxomicin)*	*Full PA criteria may be found on the PA Criteria page by



**EFFECTIVE** 10/01/2020 Version 2020.4c

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
metronidazole tablet neomycin tinidazole	FLAGYL (metronidazole) FLAGYL ER (metronidazole ER) metronidazole capsule paromomycin TINDAMAX (tinidazole) VANCOCIN (vancomycin) vancomycin XIFAXAN (rifaximin)*	clicking the hyperlink.
ANTIBIOTICS, INHALED		
CLASS PA CRITERIA: Non-preferred agents approved, unless one (1) of the exceptions on		nt and documentation of therapeutic failure before they will be
BETHKIS (tobramycin) KITABIS PAK (tobramycin)	CAYSTON (aztreonam) TOBI (tobramycin) TOBI PODHALER (tobramycin) tobramycin	
ANTIBIOTICS, TOPICAL		
	require ten (10) day trials of at least one preferred ager unless one (1) of the exceptions on the PA form is pres	nt, including the generic formulation of the requested non- ent.
bacitracin (Rx, OTC) gentamicin sulfate mupirocin ointment	BACTROBAN (mupirocin) CENTANY (mupirocin) CORTISPORIN (bacitracin/neomycin/polymyxin/HC) mupirocin cream neomycin/polymyxin/pramoxine XEPI CREAM (ozenoxacin)	
ANTIBIOTICS, VAGINAL		
CLASS PA CRITERIA: Non-preferred agents		t at the manufacturer's recommended duration, before they will

be approved, unless one (1) of the exceptions on the PA form is present.

be approved, armose one (1) or the exception	o on the Fredom to procent.
CLEOCIN OVULE (clindamycin)	AVC (sulfanilamide)
CLINDESSE (clindamycin)	CLEOCIN CREAM (clindamycin)
metronidazole	clindamycin cream
	METROGEL (metronidazole)
	NUVESSA (metronidazole)
	SOLOSEC (secnidazole)
	VANDAZOLE (metronidazole)



EFFECTIVE 10/01/2020 Version 2020.4c

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

	THERAPEUTIC DRUG CLASS	
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTICOAGULANTS		
CLASS PA CRITERIA: Non-preferred agents	require a trial of each preferred agent in the same sub-class, un	nless one (1) of the exceptions on the PA form is present.
	INJECTABLE <sup>CL</sup>	
enoxaparin	ARIXTRA (fondaparinux) fondaparinux FRAGMIN (dalteparin) LOVENOX (enoxaparin)	
	ORAL	
COUMADIN (warfarin) ELIQUIS (apixaban) PRADAXA (dabigatran) warfarin XARELTO (rivaroxaban)	SAVAYSA (edoxaban)	
ANTICONVIII SANTS		

#### **ANTICONVULSANTS**

**CLASS PA CRITERIA:** For a diagnosis of seizure disorder, non-preferred agents require a fourteen (14) day trial of a preferred agent in the same sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present; patients currently on established therapies shall be grandfathered.

For all other diagnoses, non-preferred agents require a thirty (30) day trial of a preferred agent in the same sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present.

In situations where AB-rated generic equivalent products are available, "Brand Medically Necessary" must be hand-written by the prescriber on the prescription for the brand name product to be reimbursed.

	ADJUVANTS	
carbamazepine	APTIOM (eslicarbazepine)	*Topiramate ER will be authorized after a thirty (30) day trial of
carbamazepine ER	BANZEL (rufinamide)	topiramate IR.
carbamazepine XR	BRIVIACT (brivaracetam)	
divalproex	carbamazepine oral suspension	**Qudexy XR and Trokendi XR are only approvable on appeal.
divalproex ER	carbamazepine XR	
divalproex sprinkle	CARBATROL (carbamazepine)	
EPITOL (carbamazepine)	DEPAKENE (valproic acid)	
GABITRIL (tiagabine)	DEPAKOTE (divalproex)	
lamotrigine	DEPAKOTE ER (divalproex)	
levetiracetam IR	DEPAKOTE SPRINKLE (divalproex)	



EFFECTIVE 10/01/2020 Version 2020.4c

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
levetiracetam ER levetiracetam IR suspension oxcarbazepine suspension and tablets TEGRETOL SUSPENSION (carbamazepine) topiramate IR topiramate ER* valproic acid VIMPAT (lacosamide) zonisamide	EQUETRO (carbamazepine) FANATREX SUSPENSION (gabapentin) felbamate FELBATOL (felbamate) FYCOMPA (perampanel) KEPPRA (levetiracetam) KEPPRA SOLUTION (levetiracetam) KEPRA XR (levetiracetam) LAMICTAL (lamotrigine) LAMICTAL CHEWABLE (lamotrigine) LAMICTAL AXR (lamotrigine) LAMICTAL XR (lamotrigine) lamotrigine dose pack lamotrigine ER OXTELLAR XR (oxcarbazepine) POTIGA (ezogabine) QUDEXY XR (topiramate ER)** SABRIL (vigabatrin) SPRITAM (levetiracetam) STAVZOR (valproic acid) TEGRETOL TABLETS (carbamazepine) TEGRETOL XR (carbamazepine) tiagabine TOPAMAX (topiramate) TRILEPTAL SUSPENSION and TABLETS (oxcarbazepine) TROKENDI XR (topiramate)** ZONEGRAN (zonisamide)  BARBITURATESAP	
nhanaharhital		
phenobarbital primidone	MYSOLINE (primidone)	
	BENZODIAZEPINES <sup>AP</sup>	
clonazepam diazepam rectal gel diazepam tablets NAYZILAM NASAL SPRAY (midazolam) VALTOCO NASAL SPRAY (diazepam)	clobazam* clonazepam ODT DIASTAT (diazepam rectal) KLONOPIN (clonazepam) ONFI (clobazam)* ONFI SUSPENSION (clobazam)* SYMPAZAN (clobazam film)*	*Onfi shall be authorized as adjunctive therapy for treatment of Lennox-Gastaut Syndrome without further restrictions. Offlabel use requires an appeal to the Medical Director. NOTE: generic clobazam is preferred over brand ONFI.
	CANNABINOIDS	



EFFECTIVE 10/01/2020 Version 2020.4c

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	EPIDIOLEX SOLUTION (cannabidiol)*	* Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
	HYDANTOINS <sup>AP</sup>	
DILANTIN (phenytoin sodium, extended) PEGANONE (ethotoin) phenytoin capsules, chewable tablets, suspension	DILANTIN INFATABS (phenytoin) PHENYTEK (phenytoin)	
	SUCCINIMIDES	
CELONTIN (methsuximide) ethosuximide capsules ethosuximide syrup	ZARONTIN (ethosuximide) capsules ZARONTIN (ethosuximide) syrup	
ANTIDEPRESSANTS, OTHER		
CLASS PA CRITERIA: See below for individua	al sub-class criteria.  MAOIs <sup>AP</sup>	
		Deficite stabilized on MACI arrests will be groundfathered
	MARPLAN (isocarboxazid) NARDIL (phenelzine) PARNATE (tranylcypromine) phenelzine tranylcypromine	Patients stabilized on MAOI agents will be grandfathered.
	SNRISAP	
duloxetine capulses venlafaxine ER capsules	CYMBALTA (duloxetine) desvenlafaxine ER desvenlafaxine fumarate ER EFFEXOR XR (venlafaxine) FETZIMA (levomilnacipran) KHEDEZLA (desvenlafaxine) PRISTIQ (desvenlafaxine) venlafaxine IR VENLAFAXINE ER TABLETS (venlafaxine)	Non-preferred agents require separate thirty (30) day trials of a preferred agent in this sub-class <b>AND</b> an SSRI before they will be approved, unless one (1) of the exceptions on the PA form is present.
	SECOND GENERATION NON-SSRI, OT	
bupropion IR bupropion SR bupropion XL mirtazapine trazodone	APLENZIN (bupropion hbr) EMSAM (selegiline) FORFIVO XL (bupropion) nefazodone OLEPTRO ER (trazodone) REMERON (mirtazapine)	Non-preferred agents require separate thirty (30) day trials of a preferred agent in this sub-class <b>AND</b> an SSRI before they will be approved, unless one (1) of the exceptions on the PA form is present.



EFFECTIVE 10/01/2020 Version 2020.4c

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

	THE PARELLE CORRECT AS	
	THERAPEUTIC DRUG CLAS	03
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	TRINTELLIX (vortioxetine) VIIBRYD (vilazodone HCI) WELLBUTRIN (bupropion) WELLBUTRIN SR (bupropion) WELLBUTRIN XL (bupropion)	
SELECTED TCAs		
imipramine HCl	imipramine pamoate TOFRANIL (imipramine HCI) TOFRANIL PM (imipramine pamoate)	Non-preferred agents require a twelve (12) week trial of imipramine HCl before they will be approved, unless one (1) of the exceptions on the PA form is present.
ANTIDEPRESSANTS, SSRISAP		
CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of at least two (2) preferred agents before they will be approved, unless one (1) of the exceptions on the PA form is present.		

Upon hospital discharge, patients admitted with a primary mental health diagnosis who have been stabilized on a non-preferred SSRI will receive an authorization to continue that drug.

citalopram escitalopram tablets fluoxetine capsules, solution fluvoxamine paroxetine sertraline	BRISDELLE (paroxetine) CELEXA (citalopram) escitalopram solution fluoxetine tablets fluvoxamine ER LEXAPRO (escitalopram) LUVOX CR (fluvoxamine) paroxetine 7.5 mg capsules paroxetine ER PAXIL (paroxetine) PAXIL CR (paroxetine)
	PAXIL (paroxetine) PAXIL CR (paroxetine)
	PEXEVA (paroxetine)
	PROZAC (fluoxetine)
	SARAFEM (fluoxetine)
	ZOLOFT (sertraline)

### **ANTIEMETICS**<sup>AP</sup>

CLASS PA CRITERIA: See below for sub-class criteria.

5HT3 RECEPTOR BLOCKERS		
granisetron ondansetron ODT, solution, tablets	ANZEMET (dolasetron) GRANISOL (granisetron) ondansetron vials SANCUSO (granisetron)	Non-preferred agents require a three (3) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.



EFFECTIVE 10/01/2020 Version 2020.4c

	THERAPEUTIC DRUG CLAS	S
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	SUSTOL (granisetron) ZOFRAN (ondansetron) ZUPLENZ (ondansetron)	
	CESAMET (nabilone)* dronabinol** MARINOL (dronabinol)** SYNDROS SOLUTION (dronabinol)**	*Cesamet will be authorized only for the treatment of nausea and vomiting associated with cancer chemotherapy for patients who have failed to respond adequately to three (3) day trials of conventional treatments such as promethazine or ondansetron and are eighteen (18) years of age or older.  **Dronabinol will only be authorized for:  1. The treatment of anorexia associated with weight loss in patients with AIDS or cancer and unresponsive to megestrol or  2. The prophylaxis of chemotherapy induced nausea and vomiting unresponsive to three (3) day trials of ondansetron or promethazine for patients from eighteen (18) up to sixty-five (65) years of age.
	SUBSTANCE P ANTAGONISTS	
EMEND (aprepitant)	aprepitant VARUBI (rolapitant)	Non-preferred agents require a three (3) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
	COMBINATIONS	
	AKYNZEO (netupitant/palonosetron) BONJESTA (doxylamine/pyridoxine) DICLEGIS (doxylamine/pyridoxine)	Non-preferred agents will only be approved on appeal.
ANTIFUNGALS, ORAL		
	ill only be authorized if one (1) of the exceptions on th	e PA form is present.
clotrimazole fluconazole* nystatin terbinafine <sup>CL</sup>	ANCOBON (flucytosine) CRESEMBA (isovuconazonium)CL** DIFLUCAN (fluconazole) flucytosine griseofulvin*** GRIS-PEG (griseofulvin) itraconazole ketoconazole**** LAMISIL (terbinafine)	*PA is required when limits are exceeded.  **Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.  ***PA is not required for griseofulvin suspension for children up to eighteen (18) years of age for the treatment of tinea capitis.
	MYCELEX (clotrimazole) NIZORAL (ketoconazole)	****Ketoconazole will be authorized if the following criteria a met:



EFFECTIVE 10/01/2020 Version 2020.4c

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

NOXAFIL (posaconazole) ONMEL (itraconazole) ORAVIG (miconazole) SPORANOX (itraconazole) TOLSURA (itraconazole) VFEND (voriconazole suspension voriconazole tablets  NOXAFIL (posaconazole) SPORANOX (itraconazole) TOLSURA (itraconazole) VFEND (voriconazole) Voriconazole suspension voriconazole tablets  NOXAFIL (posaconazole) SPORANOX (itraconazole) TOLSURA (itraconazole) VFEND (voriconazole) VFEND (voriconazole) Voriconazole suspension voriconazole tablets  NOXAFIL (posaconazole) SPORANOX (itraconazole) SPORANOX (itraconazole) TOLSURA (itraconazole) VFEND (voriconazole) VFEND (voriconazole) VFEND (voriconazole) Voriconazole suspension Voriconazole tablets  NOXAFIL (posaconazole) Sporacoccidioidomycosis, histoplasmosic chromomycosis, or paracoccidioidomycosis and 2. Documented failure or intolerance of all other diagnosis appropriate antifungal therapies, i.e. itraconazole fluconazole, flucytosine, etc and 3. Baseline assessment of the liver status including alanin aminotransferase (ALT), aspartate aminotransferase (AST), total bilirubin, alkaline phosphatase, prothrombitime, and international normalized ratio (INR) before starting treatment and 4. Weekly monitoring of serum ALT for the duration of treatment (If ALT values increase to a level above the upper limit of normal or 30% above baseline, or if the patient develops symptoms of abnormal liver function treatment should be interrupted and a full set of liver test be obtained. Liver tests should be repeated to ensure normalization of values.) and
ONMEL (itraconazole) ORAVIG (miconazole) SPORANOX (itraconazole) SPORANOX (itraconazole) TOLSURA (itraconazole) VFEND (voriconazole) voriconazole suspension voriconazole tablets  ORAVIG (miconazole) VFEND (voriconazole) voriconazole suspension voriconazole tablets  ORAVIG (miconazole) SPORANOX (itraconazole) TOLSURA (itraconazole) VFEND (voriconazole) Voriconazole suspension voriconazole suspension Voriconazole tablets  ORAVIG (miconazole) SPORANOX (itraconazole) Documented failure or intolerance of all other diagnosis appropriate antifungal therapies, i.e. itraconazole fluconazole, flucytosine, etc and  Sessessment of the liver status including alanin aminotransferase (ALT), aspartate aminotransferase (AST), total bilirubin, alkaline phosphatase, prothrombitime, and international normalized ratio (INR) before starting treatment and  Weekly monitoring of serum ALT for the duration of treatment (If ALT values increase to a level above the upper limit of normal or 30% above baseline, or if the patient develops symptoms of abnormal liver function treatment should be interrupted and a full set of liver tests be obtained. Liver tests should be repeated to ensur normalization of values.) and
5. Assessment of all concomitant medications for potential adverse drug interactions with ketoconazole.  Ketoconazole will not be authorized for treatment for fungal infections of the skin and nails.

#### ANTIFUNGALS, TOPICALAP

CLASS PA CRITERIA: Non-preferred agents require fourteen (14) day trials of two (2) preferred agents before they will be approved, unless one (1) of the exceptions on the PA form is present. If a non-preferred shampoo is requested, a fourteen (14) day trial of one (1) preferred product (i.e. ketoconazole shampoo) is required.

	ANTIFUNGALS	
econazole ketoconazole cream, shampoo MENTAX (butenafine) miconazole (OTC) nystatin	CICLODAN (ciclopirox) ciclopirox ERTACZO (sertaconazole) EXELDERM (sulconazole) EXTINA (ketoconazole) GYNAZOLE 1 CREAM (butoconazole) JUBLIA (efinaconazole) ketoconazole foam KERYDIN (tavaborole) KETODAN (ketoconazole) LOPROX (ciclopirox)	*Oxistat cream will be authorized for children up to thirteen (13) years of age for tinea corporis, tinea cruris, tinea pedis, and tinea (pityriasis) versicolor.



EFFECTIVE 10/01/2020 Version 2020.4c

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	LUZU (Iuliconazole) MYCOSTATIN (nystatin) NAFTIN CREAM (naftifine) NAFTIN GEL (naftifine) NIZORAL (ketoconazole) OXISTAT (oxiconazole)* PEDIPIROX-4 (ciclopirox) PENLAC (ciclopirox) VUSION (miconazole/petrolatum/zinc oxide)	
	ANTIFUNGAL/STEROID COMBINATION	NS
clotrimazole/betamethasone cream	clotrimazole/betamethasone lotion KETOCON PLUS (ketoconazole/hydrocortisone) LOTRISONE (clotrimazole/betamethasone) nystatin/triamcinolone	

#### ANTIHEMOPHILIA FACTOR AGENTSCL

**CLASS PA CRITERIA:** All agents will require prior-authorization, and non-preferred agents require medical reasoning explaining why the need cannot be met using a preferred product.

All currently established regimens shall be grandfathered with documentation of adherence to therapy.

#### **FACTOR VIII ADYNOVATE** ADVATE **ELOCTATE AFSTYLA ESPEROCT ALPHANATE** JIVI HELIXATE FS **KOVALTRY** HEMOFIL M RECOMBINATE **HUMATE-P** VONVENDI **KOATE KOATE-DVI** KOGENATE FS MONOCLATE-P **NOVOEIGHT NUWIQ** WILATE XYNTHA XYNTHA SOLOFUSE **FACTOR IX**



EFFECTIVE 10/01/2020 Version 2020.4c

	THERAPEUTIC DRUG CL	ASS	
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
ALPHANINE SD ALPROLIX BEBULIN BENEFIX IXINITY MONONINE PROFILNINE RIXUBIS	IDELVION REBINYN		
	FACTOR IXa/IX		
	HEMLIBRA (emicizumab-kxwh)*	*Hemlibra shall be approved without further restriction for patients with Hemophilia A with documented presence of Factor VIII inhibitors.	
<b>ANTIHYPERTENSIVES, SYMPATH</b>	IOLYTICS		
<b>CLASS PA CRITERIA:</b> Non-preferred agents rapproved, unless one (1) of the exceptions on the	equire thirty (30) day trials of each preferred unique ne PA form is present	e chemical entity in the corresponding formulation before they will be	
CATAPRES-TTS (clonidine) clonidine tablets	CATAPRES TABLETS (clonidine) clonidine patch NEXICLON XR (clonidine)		
ANTIHYPERURICEMICS			
	CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of one (1) of the preferred agents for the prevention of gouty arthritis attacks (colchicine/probenecid, probenecid, or allopurinol) before they will be approved, unless one (1) of the exceptions on the PA form is present.		
	ANTIMITOTICS		
colchicine capsules	colchicine tablets COLCRYS (colchicine) MITIGARE (colchicine) GLOPERBA (colchicine)	In the case of acute gouty attacks, a ten (10) day supply (twenty (20) capsules) of the preferred agent(s) in this subclass will be authorized per ninety (90) days.	
ANTIMITOTIC-URICOSURIC COMBINATION			
colchicine/probenecid			
URICOSURIC			
probenecid	ZURAMPIC (lesinurad)*	*Full PA criteria may be found on the <u>PA Criteria</u> page by clicking the hyperlink.	
XANTHINE OXIDASE INHIBITORS			
allopurinol	ULORIC (febuxostat) ZYLOPRIM (allopurinol)		



10/01/2020

Version 2020.4c

**EFFECTIVE** 

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**THERAPEUTIC DRUG CLASS** 

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	URICOSURIC - XANTHINE OXIDASE INHIE	BITORS
	DUZALLO (allopurinol/lesinurad)	Non-preferred agents will only be approved on appeal.
<b>ANTIMIGRAINE AGENTS, PROPH</b>	YLAXISCL	
CLASS PA CRITERIA: All agents require a agents require a 90-day trial of all preferred ager		on the <u>PA Criteria</u> page by clicking the hyperlink. Non-preferred
AlMOVIG (erenumab) EMGALITY (galcanezumab) 120mg/mL	AJOVY (fremanezumab) EMGALITY (galcanezumab) 300mg/3 mL*	*Emgality 300 mg/3 mL requires review by the Medical Director and is available only on appeal.
<b>ANTIMIGRAINE AGENTS, ACUTE</b>	P	
CLASS PA CRITERIA: Non-preferred agents re of administration as the requested agent (if available)	equire three (3) day trials of each preferred unique chable), before they will be approved, unless one (1) of t	emical entity as well as a three (3) day trial using the same route he exceptions on the PA form is present.
	TRIPTANS	
naratriptan rizatriptan ODT rizatriptan tablet sumatriptan injection <sup>CL</sup> sumatriptan nasal spray sumatriptan tablets	almotriptan AMERGE (naratriptan) AXERT (almotriptan) eletriptan FROVA (frovatriptan) frovatriptan IMITREX INJECTION (sumatriptan) <sup>CL</sup> IMITREX NASAL SPRAY (sumatriptan) IMITREX tablets (sumatriptan) MAXALT MLT (rizatriptan) MAXALT (rizatriptan) ONZETRA XSAIL (sumatriptan)* RELPAX (eletriptan) SUMAVEL (sumatriptan) TOSYMRA NASAL SPRAY (sumatriptan)* ZECUITY PATCH (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan) zolmitriptan zolmitriptan ODT ZOMIG (zolmitriptan)	*In addition to the Class Criteria: Onzetra Xsail and Tosymra require three (3) day trials of each preferred oral, nasal and injectable forms of sumatriptan.
	TRIPTAN COMBINATIONS	
	TREXIMET (sumatriptan/naproxen sodium)	



**EFFECTIVE** 10/01/2020 Version 2020.4c

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

	THERAPEUTIC DRUG CLAS	S
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	OTHER	
NURTEC ODT (rimegepant)	CAMBIA (diclofenac)  UBRELVY (ubrogepant)  REYVOW (lasmiditan)	
ANTIDADACITICS TODICALAP		

#### ANTIPARASITICS, TOPICALAR

CLASS PA CRITERIA: Non-preferred agents require trials of each preferred agent (which are age and weight appropriate) before they will be approved, unless one (1) of the exceptions on the PA form is present.

NATROBA (spinosad) permethrin 5% cream

ELIMITE CREAM (permethrin) EURAX (crotamiton)

pyrethrins-piperonyl butoxide OTC

LICE EGG REMOVER OTC (benzalkonium

chloride) lindane malathion OVIDE (malathion)

SKLICE (ivermectin)

spinosad

VANALICE (piperonyl/pyrethin)

### **ANTIPARKINSON'S AGENTS**

CLASS PA CRITERIA: Patients starting therapy on drugs in this class must show a documented allergy to all preferred agents in the corresponding sub-class, before a non-preferred agent will be authorized.

	ANTICHOLINERGICS	
benztropine trihexyphenidyl		
	COMT INHIBITORS	
entacapone	COMTAN (entacapone) TASMAR (tolcapone)	COMT Inhibitor agents will only be approved as add-on therapy to a levodopa-containing regimen for treatment of documented motor complications.
	DOPAMINE AGONISTS	
pramipexole ropinirole	MIRAPEX (pramipexole) MIRAPEX ER (pramipexole)* NEUPRO (rotigotine) pramipexole ER REQUIP (ropinirole) REQUIP XL (ropinirole)* ropinirole ER	*Mirapex ER and Requip XL will be authorized for a diagnosis of Parkinsonism without a trial of preferred agents.



EFFECTIVE 10/01/2020 Version 2020.4c

THERAPEUTIC DRUG CLASS				
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA		
	OTHER ANTIPARKINSON'S AGENTS			
amantadine*AP APOKYN (apomorphine) bromocriptine carbidopa/levodopa levodopa/carbidopa/entacapone selegiline	AZILECT (rasagiline) carbidopa ELDEPRYL (selegiline) GOCOVRI ER (amantadine) INBRIJA (levodopa) levodopa/carbidopa ODT LODOSYN (carbidopa) NOURIANZ (istradefylline) OSMOLEX ER (amantadine) PARCOPA (levodopa/carbidopa) PARLODEL (bromocriptine) rasagiline RYTARY (levodopa/carbidopa) SINEMET (levodopa/carbidopa) STALEVO (levodopa/carbidopa/entacapone) XADAGO (safinamide) ZELAPAR (selegiline)	*Amantadine will not be authorized for the treatment or prophylaxis of influenza.		
ANTIPSORIATICS, TOPICAL CLASS PA CRITERIA: Non-preferred agents re the exceptions on the PA form is present.	quire thirty (30) day trials of two (2) preferred unique o	chemical entities before they will be approved, unless one (1) of		
TACLONEX OINT (calcipotriene/ betamethasone) TAZORAC (tazarotene) VECTICAL (calcitriol)	calcipotriene cream calcipotriene ointment calcipotriene solution calcipotriene/betamethasone ointment CALCITRENE (calcipotriene) calcitriol DOVONEX (calcipotriene) ENSTILAR (calcipotriene/betamethasone) SORILUX (calcipotriene) tazarotene cream (tazarotene)			



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE** 10/01/2020 Version 2020.4c

	THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS PA CRITERIA			
ANTIPSYCHOTICS, ATYPICAL				
	s require prior authorization for children up to eightee reviewed by Medicaid's consultant psychiatrist.	en (18) years of age. All PA requests for antipsychotics		
approved unless one (1) of the exceptions on the	of two (2) preferred agents, including the generic formulat PA form is present. All trials must be at the maximum reco reaction is documented necessitating a change in therapy.			
<u> </u>	therapy, provided the requested agent is being used according to be granted a thirty (30) day prior-authorization while the	ording to the manufacturer label. Continuation of therapy for Medical Director reviews the request.		
	SINGLE INGREDIENT			

				NT	

ABILIFY MAINTENA (aripiprazole) <sup>CL</sup> aripiprazole tablets ARISTADA (aripiprazole) <sup>CL</sup> ARISTADA INITIO (aripiprazole) <sup>CL</sup> clozapine INVEGA SUSTENNA (paliperidone) <sup>CL</sup> INVEGA TRINZA (paliperidone)* <sup>CL</sup> olanzapine olanzapine ODT PERSERIS (risperidone) <sup>CL</sup> quetiapine ER quetiapine ER quetiapine** AP for the 25 mg Tablet Only RISPERDAL CONSTA (risperidone) <sup>CL</sup> risperidone ODT risperidone Solution, tablet ziprasidone ZYPREXA RELPREVV (olanzapine)
ZYPREXA RELPREVV (olanzapine)

ABILIFY MYCITE (aripiprazole) ABILIFY TABLETS (aripiprazole) ADASUVE (loxapine) aripiprazole solution CAPLYTA (lumateperone) clozapine ODT CLOZARIL (clozapine) FANAPT (iloperidone) FAZACLO (clozapine) GEODON (ziprasidone) GEODON IM (ziprasidone) INVEGA ER (paliperidone) LATUDA (lurasidone)\*\*\* NUPLAZID (pimavanserin) \*\*\*\* olanzapine IMCL paliperidone ER REXULTI (brexipiprazole) RISPERDAL (risperidone) SAPHRIS (asenapine) SECUADO (asenapine) SEROQUEL (quetiapine) SEROQUEL XR (quetiapine) VERSACLOZ (clozapine) VRAYLAR (capriprazine)\*\*\*\*\* VRAYLAR DOSE PAK (capriprazine)\*\*\*\*\*

#### The following criteria exceptions apply to the specified products:

\*Invega Trinza will be authorized after four months' treatment with Invega Sustenna

\*\*Quetiapine 25 mg will be authorized:

- 1. For a diagnosis of schizophrenia or
- 2. For a diagnosis of bipolar disorder **or**
- 3. When prescribed concurrently with other strengths of Seroquel in order to achieve therapeutic treatment levels.

#### Quetiapine 25 mg will not be authorized for use as a sedative hypnotic.

\*\*\* LATUDA will be be authorized for the indication of Bipolar <u>Depression</u> with documentation of the diagnosis. All other indications require class criteria to be followed.

\*\*\*\*Nuplazid may only be authorized for the treatment of Parkinson Disease Induced Psychosis after documented treatment failure with quetiapine.

\*\*\*\*\* VRAYLAR may be authorized for the indication of Bipolar Depression only after failure of a 30-day trial of Latuda and a



EFFECTIVE 10/01/2020 Version 2020.4c

THERAPEUTIC DRUG CLASS				
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA		
	ZYPREXA (olanzapine) ZYPREXA IM (olanzapine) <sup>CL</sup>	30-day trial of either quetiapine OR a combination of olanzapine + fluoxetine. All other indications require class criteria to be followed.		
	ATYPICAL ANTIPSYCHOTIC/SSRI COMBIN	IATIONS		
	olanzapine/fluoxetine SYMBYAX (olanzapine/fluoxetine)			
ANTIRETROVIRALS <sup>AP</sup>				
a preferred agent or combination of preferred age		nced compliance as to why the clinical need cannot be met with swill result in no more than one additional unit per day over shall be grandfathered.		
	SINGLE TABLET REGIMENS			
BIKTARVY (bictegravir/emtricitabine/tenofovir alafenamide) COMPLERA (emtricitabine/rilpivirine/tenofovir) DELSTRIGO(doravirine/lamivudine/tenofovir df) GENVOYA (elvitegravir/cobicistat/emtricitabine/tenofovir) ODEFSEY (emtricitabine/rilpivirine/tenofovir) SYMFI (efavirenz/lamivudine/tenofovir) SYMFI LO (efavirenz/lamivudine/tenofovir)	ATRIPLA (efavirenz/emtricitabine/tenofovir) DOVATO (dolutegravir/lamivudine) JULUCA (dolutegravir/rilpivirine) SYMTUZA (darunavir/cobicistat/emtricitabine/tenofovir alafenamide) STRIBILD (elvitegravir/cobicistat/emtricitabine/tenofovir)* TRIUMEQ (abacavir/lamivudine/ dolutegravir)**	*Stribild requires medical reasoning beyond convenience or enhanced compliance as to why the medical need cannot be met with the the preferred agent Genvoya.  **Triumeq requires medical reasoning beyond convenience or enhanced compliance as to why the medical need cannot be met with the preferred agents Epzicom and Tivicay.		
	INTEGRASE STRAND TRANSFER INHIB	ITORS		
ISENTRESS (raltegravir potassium) TIVICAY (dolutegravir sodium) VITEKTA (elvitegravir)	ISENTRESS HD (raltegravir potassium)			
	NUCLEOSIDE REVERSE TRANSCRIPTASE INHIE	BITORS (NRTI)		
abacavir sulfate tablet EMTRIVA (emtricitabine) EPIVIR SOLUTION (lamivudine) lamivudine tenofovir disoproxil fumarate VIREA ORAL POWDER (tenofovir disoproxil fumarate) ZIAGEN SOLUTION (abacavir sulfate) zidovudine	abacavir sulfate solution didanosine DR capsule EPIVIR TABLET (lamivudine) RETROVIR (zidovudine) stavudine VIDEX EC (didanosine) VIDEX SOLUTION (didanosine) VIREAD TABLETS (tenofovir disoproxil fumarate) ZERIT (stavudine) ZIAGEN TABLET (abacavir sulfate)			



EFFECTIVE 10/01/2020 Version 2020.4c

	THERAPEUTIC DRUG CLASS	
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	NON MUCH FOOIDE DEVEROE TRANSCRIPTAGE INVIDE	ITOR (AINIDTI)
SUSTIVA (efavirenz)	NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIB EDURANT (rilpivirine)	HOR (NNRH)
303 TVA (elaviletiz)	efavirenz	
	INTELENCE (etravirine)	
	nevirapine	
	nevirapine ER	
	PIFELTRO (doravirine)	
	RESCRIPTOR (delavirdine mesylate)	
	VIRAMUNE ER 24H (nevirapine)	
	VIRAMUNE SUSPENSION (nevirapine)	HUDITOD
TYBOST (cobicistat)	PHARMACOENHANCER - CYTOCHROME P450 IN	HIBITOK
TEOST (CODICISTAL)		
	PROTEASE INHIBITORS (PEPTIDIC)	
atazanavir	CRIXIVAN (indinavir)	
EVOTAZ (atazanavir/cobicistat)	fosamprenavir	
NORVIR (ritonavir)	INVIRASE (saquinavir mesylate)	
REYATAZ POWDER PACK (atazanavir)	LEXIVA (fosamprenavir) REYATAZ CAPSULE (atazanavir)	
	VIRACEPT (nelfinavir mesylate)	
	PROTEASE INHIBITORS (NON-PEPTIDIC)	
PREZCOBIX (darunavir/cobicistat)	APTIVUS (tipranavir)	
PREZISTA (darunavir ethanolate)		
	ENTRY INHIBITORS – CCR5 CO-RECEPTOR ANTA	GONISTS
	SELZENTRY (maraviroc)	
	ENTRY INHIBITORS – FUSION INHIBITORS	\$
	FUZEON (enfuvirtide)	
	COMBINATION PRODUCTS - NRTIs	
abacavir/lamivudine	abacavir/lamivudine/zidovudine	
CIMDUO (lamivudine/tenofovir) lamivudine/zidovudine	COMBIVIR (lamivudine/zidovudine)	
iaiiiivaaiii6/2iaovaaiiie	EPZICOM (abacavir/lamivudine)	
	TRIZIVIR (abacavir/lamivudine/zidovudine)	DE ANALOG DEL
DESCOVY (emtricitabine/tenofovir)	DMBINATION PRODUCTS – NUCLEOSIDE & NUCLEOTID  TRUVADA (emtricitabine/tenofovir)* *1	Truvada shall be treated as preferred when prescribed for
DESCOVY (eminiciabilie/tenolovit)		rEP in members assigned female at birth. Truvada may also
		e approved over Descovy where guidelines clearly indicate



EFFECTIVE 10/01/2020 Version 2020.4c

THERAPEUTIC DRUG CLASS				
PREFERRED AGENTS	NON-PREFERRED AGENTS PA CRITERIA			
	superiority over Descovy (documentation may b support the request for PA).			
	COMBINATION PRODUCTS - PROTEASE INI	HIBITORS		
KALETRA (lopinavir/ritonavir)	lopinavir/ritonavir			
ANTIVIRALS, ORAL				
<b>CLASS PA CRITERIA:</b> Non-preferred agents rethe exceptions on the PA form is present.	quire five (5) day trials of each preferred agent in the	same sub-class before they will be approved, unless one (1) of		
	ANTI HERPES			
acyclovir valacyclovir	famciclovir FAMVIR (famciclovir) SITAVIG (acyclovir) VALTREX (valacyclovir) ZOVIRAX (acyclovir)			
	ANTI-INFLUENZA			
oseltamivir RELENZA (zanamivir) TAMIFLU (oseltamivir)	FLUMADINE (rimantadine) rimantadine XOFLUZA (baloxavir)	In addition to the Class Criteria: The anti-influenza agents will be authorized only for a diagnosis of influenza.		
ANTIVIRALS, TOPICALAP				
<b>CLASS PA CRITERIA:</b> Non-preferred agents repair PA form is present.	quire a five (5) day trial of the preferred agent before	they will be approved, unless one (1) of the exceptions on the		
ABREVA (docosanol) ZOVIRAX CREAM (acyclovir) ZOVIRAX OINTMENT (acyclovir)	acyclovir ointment DENAVIR (penciclovir)			
BETA BLOCKERSAP				
	e approved, unless one (1) of the exceptions on the P	istinct preferred agents, including the generic formulation of the A form is present.		
acebutolol	BETA BLOCKERS BETAPACE (sotalol)	*Hemangeol will be authorized for the treatment of		
atenolol	BYSTOLIC (nebivolol)	proliferating infantile hemangioma requiring systemic therapy.		
betaxolol	HEMANGEOL (propranolol)*	promote and management requiring eyelemine therapy.		
bisoprolol	INDERAL LA (propranolol)	**Propranolol ER shall be authorized for patients with a		
CORGARD (nadolol)	INDERAL XL (propranolol)	diagnosis of migraines. Existing users will be grandfathered for		
metoprolol	INNOPRAN XL (propranolol)	use in migraine prophylaxis.		
metoprolol ER	KAPSPARGO SPRINKLE (metoprolol)			
pindolol	KERLONE (betaxolol)			
propranolol	LEVATOL (penbutolol)			



EFFECTIVE 10/01/2020

Version 2020.4c

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS				
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA		
SORINE (sotalol) sotalol timolol	LOPRESSOR (metoprolol) nadolol propranolol ER** SECTRAL (acebutolol) TENORMIN (atenolol) TOPROL XL (metoprolol) ZEBETA (bisoprolol)			
	BETA BLOCKER/DIURETIC COMBINATION D	RUGS		
atenolol/chlorthalidone bisoprolol/HCTZ metoprolol/HCTZ propranolol/HCTZ	CORZIDE (nadolol/bendroflumethiazide) DUTOPROL (metoprolol ER/HCTZ ER) LOPRESSOR HCT (metoprolol/HCTZ) metoprolol/HCTZ ER nadolol/bendroflumethiazide TENORETIC (atenolol/chlorthalidone) ZIAC (bisoprolol/HCTZ)			
	BETA- AND ALPHA-BLOCKERS			
carvedilol labetalol	COREG (carvedilol) COREG CR (carvedilol) TRANDATE (labetalol)			

### **BLADDER RELAXANT PREPARATIONS**<sup>AP</sup>

CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of each chemically distinct preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present

GELNIQUE (oxybutynin) oxybutynin IR oxybutynin ER solifenacin TOVIAZ (fesoterodine)	DETROL (tolterodine) DETROL LA (tolterodine) DITROPAN XL (oxybutynin) ENABLEX (darifenacin) flavoxate MYRBETRIQ (mirabegron) OXYTROL (oxybutynin) SANCTURA (trospium) SANCTURA XR (trospium) tolterodine tolterodine ER trospium trospium ER VESICARE (solifenacin)



EFFECTIVE 10/01/2020 Version 2020.4c

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
BONE RESORPTION SUPPRESSION	BONE RESORPTION SUPPRESSION AND RELATED AGENTS		
CLASS PA CRITERIA: See below for class crite			
	BISPHOSPHONATES		
alendronate tablets ibandronate	ACTONEL (risedronate) ACTONEL WITH CALCIUM (risedronate/ calcium) alendronate solution ATELVIA (risedronate) BINOSTO (alendronate) BONIVA (ibandronate) DIDRONEL (etidronate) etidronate FOSAMAX TABLETS (alendronate) FOSAMAX PLUS D (alendronate/vitamin D) risedronate	Non-preferred agents require thirty (30) day trials of <b>each</b> preferred Bisphosphonate agent before they will be approved, unless one (1) of the exceptions on the PA form is present.	
ОТ	HER BONE RESORPTION SUPPRESSION AND RE		
	calcitonin EVISTA (raloxifene)* FORTEO (teriparatide) FORTICAL (calcitonin) MIACALCIN (calcitonin) raloxifene* TYMLOS (abaloparatide)	Non-preferred agents require a thirty (30) day trial of a preferred Bisphosphonate agent before they will be approved, unless one (1) of the exceptions on the PA form is present.  *Raloxifene will be authorized for postmenopausal women with osteoporosis or at high risk for invasive breast cancer.	
BPH TREATMENTS			
CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of at least two (2) chemically distinct preferred agents, including the generic formulation of the requested non-preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.			
5-ALPHA-REDUCTASE (5AR) INHIBITORS AND PDE-5 AGENTS			
finasteride	AVODART (dutasteride) CIALIS 5 mg (tadalafil) dutasteride PROSCAR (finasteride)		
alfuzosin	ALPHA BLOCKERS  CARDURA (doxazosin)		
doxazosin tamsulosin terazosin	CARDURA (doxazosin) CARDURA XL (doxazosin) FLOMAX (tamsulosin) HYTRIN (terazosin) RAPAFLO (silodosin)		



EFFECTIVE 10/01/2020 Version 2020.4c

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
5 A	silodosin UROXATRAL (alfuzosin) LPHA-REDUCTASE (5AR) INHIBITORS/ALPHA BLO	OCKED COMPINATION
5-Al	dutasteride/tamsulosin  JALYN (dutasteride/tamsulosin)	Substitute for Class Criteria: Concurrent thirty (30) day trials of dutasteride and tamsulosin are required before the non-preferred agent will be authorized.
<b>BRONCHODILATORS, BETA AGO</b>	NISTAP	
<b>CLASS PA CRITERIA:</b> Non-preferred agents rethe exceptions on the PA form is present.	equire thirty (30) day trials of each chemically distinct p	preferred agent in their corresponding sub-class unless one (1) of
	INHALATION SOLUTION	
albuterol	BROVANA (arformoterol) levalbuterol metaproterenol PERFOROMIST (formoterol) XOPENEX (levalbuterol)*	*Xopenex Inhalation Solution will be authorized for twelve (12) months for a diagnosis of asthma or COPD for patients on concurrent asthma controller therapy (either oral or inhaled) with documentation of failure on a trial of albuterol or documented intolerance of albuterol, or for concurrent diagnosis of heart disease.
	INHALERS, LONG-ACTING	
FORADIL (formoterol) SEREVENT (salmeterol)	ARCAPTA (indacaterol maleate) STRIVERDI RESPIMAT (olodaterol)	
	INHALERS, SHORT-ACTING	
PROAIR HFA (albuterol) PROAIR RESPICLICK (albuterol) PROVENTIL HFA (albuterol)	MAXAIR (pirbuterol) PROAIR DIGIHALER (albuterol) VENTOLIN HFA (albuterol) XOPENEX HFA (levalbuterol)	
	albuterol ER albuterol IR metaproterenol VOSPIRE ER (albuterol) terbutaline	
CALCIUM CHANNEL BLOCKERS		
CLASS PA CRITERIA: Non-preferred agents re unless one (1) of the exceptions on the PA form		within the corresponding sub-class before they will be approved,
	LONG-ACTING	
amlodipine diltiazem ER felodipine ER	ADALAT CC (nifedipine) CALAN SR (verapamil) CARDENE SR (nicardipine)	*Katerzia will be authorized for children who are 6-10 years of age who are unable to ingest solid dosage



EFFECTIVE 10/01/2020 Version 2020.4c

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
nifedipine ER verapamil ER	CARDIZEM CD, LA (diltiazem) COVERA-HS (verapamil) diltiazem LA KATERZIA SUSPENSION (amlodipine)* MATZIM LA (diltiazem) nisoldipine NORVASC (amlodipine) PLENDIL (felodipine) PROCARDIA XL (nifedipine) SULAR (nisoldipine) TIAZAC (diltiazem) verapamil ER PM VERELAN/VERELAN PM (verapamil)	forms. Katerzia may also be authorized for older patients with clinical documentation indicating oral-motor difficulties or dysphagia.
	SHORT-ACTING	
diltiazem verapamil	CALAN (verapamil) CARDIZEM (diltiazem) isradipine nicardipine nifedipine nimodipine NIMOTOP (nimodipine) NYMALIZE SOLUTION (nimodipine) PROCARDIA (nifedipine)	

### **CEPHALOSPORINS AND RELATED ANTIBIOTICS**

**CLASS PA CRITERIA:** Non-preferred agents require a five (5) day trial of a preferred agent within the corresponding sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present.

. ,		
BETA LACTAMS AND BETA LACTAM/BETA-LACTAMASE INHIBITOR COMBINATIONS		
amoxicillin/clavulanate IR	amoxicillin/clavulanate ER AUGMENTIN (amoxicillin/clavulanate) AUGMENTIN XR (amoxicillin/clavulanate)	
	MOXATAG (amoxicillin)	
CEPHALOSPORINS		
cefaclor capsule	CEDAX (ceftibuten)	
cefadroxil capsule, tablet	cefaclor suspension	
cefdinir	cefaclor ER tablet	
cefuroxime tablet	cefadroxil suspension	
cephalexin capsule, suspension	cefpodoxime	



EFFECTIVE 10/01/2020 Version 2020.4c

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERADELITIC DRUG CLASS

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	cefprozil ceftibuten capsule, suspension CEFTIN (cefuroxime) cefuroxime suspension cephalexin tablet DAXABIA (cephalexin) KEFLEX (cephalexin) OMNICEF (cefdinir) RANICLOR (cefaclor) SUPRAX (cefixime)	
COPD AGENTS		
CLASS PA CRITERIA: Non-preferred agents unless one (1) of the exceptions on the PA form in		t from the corresponding sub-class before they will be approved,
	ANTICHOLINERGIC <sup>AP</sup>	
ATROVENT HFA (ipratropium) ipratropium nebulizer solution SPIRIVA (tiotropium) SPIRIVA RESPIMAT (tiotropium) TUDORZA (aclidinium)	INCRUSE ELLIPTA (umeclidinium) LONHALA MAGNAIR (glycopyrrolate) SEEBRI NEOHALER (glycopyrrolate) YUPELRI SOLUTION (revefenacin)	
	ANTICHOLINERGIC-BETA AGONIST COMBI	INATIONS <sup>AP</sup>
ANORO ELLIPTA (umeclidinium/vilanterol) albuterol/ipratropium nebulizer solution BEVESPI (glycopyrrolate/formoterol) COMBIVENT RESPIMAT (albuterol/ipratropium) UTIBRON (indacaterol/glycopyrrolate)	DUAKLIR PRESSAIR (aclidinium/formoterol)* DUONEB (albuterol/ipratropium) STIOLTO RESPIMAT (tiotropium/olodaterol)**	*In addition to the Class PA criteria, Duaklir Pressair requires sixty (60) day trials of each long acting preferred agent, as well as a 60-day trial of Stiolto Respimat.  **In addition to the Class PA criteria, Stiolto Respimat requires a sixty (60) day trial of a long acting preferred agent.
ANT	ICHOLINERGIC-BETA AGONIST-GLUCOCORTIC	OID COMBINATIONS
	TRELEGY ELLIPTA (fluticasone/umeclidinium/vilanterol)*	* Trelegy Ellipta may be prior authorized for patients currently established on the individual components for at least 30 days.
PDE4 INHIBITOR		
	DALIRESP (roflumilast)*	*Daliresp will be authorized if the following criteria are met:  1. Patient is forty (40) years of age or older <b>and</b> 2. Diagnosis of severe chronic obstructive pulmonary disease (COPD) associated with chronic bronchitis and multiple exacerbations requiring systemic glucocorticoids in the preceding six (6) months <b>and</b>



EFFECTIVE 10/01/2020 Version 2020.4c

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		<ol> <li>Concurrent therapy with an inhaled corticosteroid and long-acting bronchodilator and evidence of compliance and</li> <li>No evidence of moderate to severe liver impairment (Child-Pugh Class B or C) and</li> <li>No concurrent use with strong cytochrome P450 inducers (rifampicin, phenobarbital, carbamazepine or phenytoin)</li> </ol>
<b>CYTOKINE &amp; CAM ANTAGONIST</b>	S <sup>CL</sup>	
FDA-approved indications, an additional ninety		el unless one (1) of the exceptions on the PA form is present. For ots stabilized for at least 6-months on their existing non-preferred equests require review by the Medical Director.
ENBREL (etanercept)* HUMIRA (adalimumab)*	CIMZIA (certolizumab pegol) REMICADE (infliximab) RENFLEXIS (infliximab) SIMPONI subcutaneous (golimumab)	*Full PA criteria may be found on the <u>PA Criteria</u> page by clicking the hyperlink.
	OTHERS	
COSENTYX (secukinumab)*	ACTEMRA subcutaneous (tocilizumab) ENTYVIO (vedolizumab) ILARIS (canakinumab) ILUMYA (tildrakizumab) KEVZARA (sarilumab) KINERET (anakinra) OLUMIANT (baricitinib) ORENCIA subcutaneous (abatacept) OTEZLA (apremilast) RINVOQ ER (upadacitinib) SILIQ (brodalumab) SKYRIZI (risankizumab) STELARA subcutaneous (ustekinumab) TALTZ (ixekizumab) TREMFYA (guselkumab) XELJANZ (tofacitinib) XELJANZ XR (tofacitinib)	*Cosentyx will be authorized for treatment of plaque psoriasis, psoriatic arthritis and ankylosing spondylitis only after inadequate response to a ninety (90) day trial of one preferred agent.



form is present.

### BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

EFFECTIVE 10/01/2020 Version 2020.4c

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
EPINEPHRINE, SELF-INJECTED		
CLASS PA CRITERIA: A non-preferred agent m understand the training for the preferred agent(s).		atient's inability to follow the instructions, or the patient's failure to
epinephrine (labeler 49502 only)	ADRENACLICK (epinephrine) epinephrine (all labelers except 49502) EPIPEN (epinephrine) EPIPEN JR (epinephrine) SYMJEPI (epinephrine)	
<b>ERYTHROPOIESIS STIMULATING</b>	PROTEINS <sup>CL</sup>	
<b>CLASS PA CRITERIA:</b> Non-preferred agents re PA form is present.	equire a thirty (30) day trial of a preferred agent befo	re they will be approved, unless one (1) of the exceptions on the
EPOGEN (rHuEPO) RETACRIT (epoetin alfa)  FLUOROGUNOLONES (Oral)AP	ARANESP (darbepoetin) MIRCERA (methoxy PEG-epoetin) PROCRIT (rHuEPO)	<ol> <li>Erythropoiesis agents will be authorized if the following criteria are met:         <ol> <li>Hemoglobin or Hematocrit less than 10/30 respectively. For renewal, hemoglobin or hematocrit levels greater than 12/36 will require dosage reduction or discontinuation. Exceptions will be considered on an individual basis after medical documentation is reviewed. (Lab oratory values must be dated within six (6) weeks of request.) and</li> <li>Transferrin saturation ≥ 20%, ferritin levels ≥100 mg/ml, or on concurrent therapeutic iron therapy. (Laboratory values must be dated within three (3) weeks of request. For re-authorization, transferrin saturation or ferritin levels are not required if the patient has been responsive to the erythropoietin agent and</li> </ol> </li> <li>For HIV-infected patients, endogenous serum erythropoietin level must be ≤ 500mU/ml to initiate therapy and</li> <li>No evidence of untreated Gl bleeding, hemolysis, or Vitamin B-12, iron or folate deficiency.</li> </ol>
FLUOROQUINOLONES (Oral) <sup>AP</sup>		

CLASS PA CRITERIA: Non-preferred agents require a five (5) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA



EFFECTIVE 10/01/2020 Version 2020.4c

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CIPRO SUSPENSION (ciprofloxacin) ciprofloxacin levofloxacin tablet	AVELOX (moxifloxacin) BAXDELA (delafloxacin) CIPRO TABLETS (ciprofloxacin) CIPRO XR (ciprofloxacin) ciprofloxacin ER ciprofloxacin suspension LEVAQUIN (levofloxacin) levofloxacin solution moxifloxacin NOROXIN (norfloxacin) ofloxacin	
GLUCOCORTICOIDS, INHALEDAP		
CLASS PA CRITERIA: Non-preferred agents re the exceptions on the PA form is present.	equire thirty (30) day trials of each chemically unique	e preferred agent before they will be approved, unless one (1) of
	GLUCOCORTICOIDS	
ASMANEX TWISTHALER (mometasone) FLOVENT DISKUS (fluticasone) FLOVENT HFA (fluticasone) PULMICORT FLEXHALER (budesonide) PULMICORT NEBULIZER 0.5 mg/2 ml & 0.25 mg/2 ml SOLUTION (budesonide) PULMICORT RESPULES (budesonide)* QVAR REDIHALER (beclomethasone)	AEROSPAN (flunisolide)** ALVESCO (ciclesonide) ARMONAIR RESPICLICK (fluticasone) ARNUITY ELLIPTA (fluticasone) ASMANEX HFA (mometasone) budesonide nebulizer PULMICORT NEBULIZER 1 mg/2 ml SOLUTION (budesonide)	*Pulmicort Respules are only preferred for children up to nine (9) years of age. For patients nine (9) and older, prior authorization is required and will be approved only for a diagnosis of severe nasal polyps.  **Aerospan will be authorized for children ages 6 through 11 years old without a trial of a preferred agent.
	GLUCOCORTICOID/BRONCHODILATOR COM	BINATIONS
ADVAIR HFA (fluticasone/salmeterol) DULERA (mometasone/formoterol) fluticasone/salmeterol SYMBICORT(budesonide/formoterol)	ADVAIR DISKUS (fluticasone/salmeterol) AIRDUO RESPICLICK (fluticasone/salmeterol) BREO ELLIPTA (fluticasone/vilanterol) WIXELA (fluticasone/salmeterol)	
GROWTH HORMONE <sup>CL</sup>		
<b>CLASS PA CRITERIA:</b> Non-preferred agents rethe PA form is present.	equire three (3) month trials of each preferred agent I	before they will be approved, unless one (1) of the exceptions on
GENOTROPIN (somatropin) NORDITROPIN (somatropin)	HUMATROPE (somatropin) INCRELEX (mecasermin) NUTROPIN AQ (somatropin) OMNITROPE (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin)	Patients already on a non-preferred agent will receive authorization to continue therapy on that agent for the duration of the existing PA.



EFFECTIVE 10/01/2020 Version 2020.4c

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	ZOMACTON (somatropin) ZORBTIVE (somatropin)		
H. PYLORI TREATMENT			
<b>CLASS PA CRITERIA:</b> Non-preferred agents re used at the recommended dosages, frequencies is present.	quire a trial of the combination of individual preferred and duration of the non-preferred agent before they w	components of the requested non-preferred agent and must be vill be approved, unless one (1) of the exceptions on the PA form	
Please use individual components:     preferred PPI (omeprazole or pantoprazole)     amoxicillin     tetracycline     metronidazole     clarithromycin     bismuth PYLERA (bismuth/metronidazole/tetracycline)	HELIDAC (bismuth/metronidazole/tetracycline) lansoprazole/amoxicillin/clarithromycin OMECLAMOX-PAK (omeprazole/amoxicillin/clarithromycin) PREVPAC (lansoprazole/amoxicillin/clarithromycin) TALICIA (omeprazole/amoxicillin/rifabutin)		
HEPATITIS B TREATMENTS			
<b>CLASS PA CRITERIA:</b> Non-preferred agents re the PA form is present.	quire ninety (90) day trials of each preferred agent b	efore they will be approved, unless one (1) of the exceptions on	
BARACLUDE SOLUTION (entecavir) * entecavir lamivudine HBV	adefovir BARACLUDE TABLET (entecavir) EPIVIR HBV (lamivudine) HEPSERA (adefovir) VEMLIDY (tenofovir alafenamide fumarate)	*Baraclude <u>solution</u> will be authorized only for patients with documentation of dysphagia.	
HEPATITIS C TREATMENTSCL			
CLASS PA CRITERIA: For patients starting therapy in this class, preferred regimens may be found on the PA Criteria page. Requests for non-preferred regimens require medical reasoning why a preferred regimen cannot be used.			
EPCLUSA (sofosbuvir/velpatasvir)* MAVYRET (pibrentasvir/glecaprevir)* ribavirin ZEPATIER (elbasvir/grazoprevir)*	COPEGUS (ribavirin) DAKLINZA (daclatasvir)* HARVONI (ledipasvir/sofosbuvir)* ledipasvir/sofosbuvir* MODERIBA 400 mg, 600 mg MODERIBA DOSE PACK PEGASYS (pegylated interferon) PEG-INTRON (pegylated interferon) OLYSIO (simprevir)*	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.	

REBETOL (ribavirin)

RIBASPHERE RIBAPAK (ribavirin)



EFFECTIVE 10/01/2020 Version 2020.4c

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	RIBASPHERE 400 mg, 600 mg (ribavirin) sofosbuvir/velpatasvir* SOVALDI (sofosbuvir)* TECHNIVIE (ombitasvir/paritaprevir/ritonavir)* VIEKIRA PAK (dasabuvir/ombitasvir/paritaprevir/ritonavir)* VIEKIRA XR (dasabuvir/ombitasvir/paritaprevir/ritonavir)* VOSEVI (sofosbuvir/velpatasvir/voxilaprevir)	
HYPERPARATHYROID AGENTSAP		
<b>CLASS PA CRITERIA:</b> Non-preferred agents rethe PA form is present.	require thirty (30) day trials of each preferred agent b	efore they will be approved, unless one (1) of the exceptions on
paricalcitol capsule	cinacalcet doxercalciferol HECTOROL (doxercalciferol) paricalcitol injection RAYALDEE (calcifediol) SENSIPAR (cinacalcet) ZEMPLAR (paricalcitol)	
HYPOGLYCEMICS, BIGUANIDES		
	equire a ninety (90) day trial of a preferred agent of si	milar duration before they will be approved, unless one (1) of the
metformin metformin ER (generic Glucophage XR)	FORTAMET (metformin ER) GLUCOPHAGE (metformin) GLUCOPHAGE XR (metformin ER) GLUMETZA (metformin ER)* metformin ER (generic Glumetza & Fortamet) RIOMET (metformin)	*Glumetza will be approved only after a 30-day trial of Fortamet.
HYPOGLYCEMICS, DPP-4 INHIBIT	ORS	
CLASS PA CRITERIA: Non-preferred agents		
NOTE: DPP-4 inhibitors will NOT be approved in combination with a GLP-1 agonist.		
JANUMET (sitagliptin/metformin)	alogliptin	



EFFECTIVE 10/01/2020 Version 2020.4c

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
JANUMET XR (sitagliptin/metformin) JANUVIA (sitagliptin) JENTADUETO (linagliptin/metformin) TRADJENTA (linagliptin)	alogliptin/metformin alogliptin/pioglitazone JENTADUETO XR (linagliptin/metformin) KAZANO (alogliptin/metformin) KOMBIGLYZE XR (saxagliptin/metformin) NESINA (alogliptin) ONGLYZA (saxagliptin) OSENI (alogliptin/pioglitazone)	

#### HYPOGLYCEMICS, GLP-1 AGONISTSCL

CLASS PA CRITERIA: Non-preferred agents will only be approved (in 6-month intervals) if ALL of the following criteria has been met:

- 1) Current A1C must be submitted. Agents in this class will not be approved for patients with a starting A1C of less than (<) 7%.
- 2) Documentation demonstrating 90 days of compliance on all current diabetic therapies is provided.
- 3) Documentation demonstrating treatment failure with all unique preferred agents in the same class.

Re-authorizations will require documentation of <u>continued</u> compliance on all diabetic therapies and A1C levels must reach goal, (either an A1C of ≤8%, or demonstrated continued improvement).

NOTE: GLP-1 agents will NOT be approved in combination with a DPP-4 inhibitor.

OZEMPIC (semaglutide)	ADLYXIN (lixisenatide)
TRULICITY (dulaglutide)	BYDUREON (exenatide)
VICTOZA (liraglutide)	BYETTA (exenatide)
	BYDUREON BCISE (exenatide)
	RYBELSUS (semaglutide)
	TANZEUM (albiglutide)

#### HYPOGLYCEMICS, INSULIN AND RELATED AGENTS

**CLASS PA CRITERIA:** Non-preferred agents require a ninety (90) day trial of a pharmacokinetically similar agent before they will be approved, unless one (1) of the exceptions on the PA form is present.

ADIDDA (in audio aluicia a \AP*	ADMELOO (in audio lia ma)	***************************************
APIDRA (insulin gluisine) <sup>AP*</sup>	ADMELOG (insulin lispro)	*Apidra will be authorized if the following criteria are met:
FIASP (insulin aspart)	AFREZZA (insulin) <sup>CL</sup>	<ol> <li>Patient is four (4) years of age or older; and</li> </ol>
HUMALOG (insulin lispro)	BASAGLAR (insulin glargine)	2. Patient is currently on a regimen including a longer
HUMALOG JR KWIKPEN (insulin lispro)	HUMULIN PENS (insulin)	acting or basal insulin, <b>and</b>
HUMALOG KWIKPEN U-100 (insulin lispro)	HUMULIN R VIAL (insulin)	3. Patient has had a trial of a similar preferred agent,
HUMALOG MIX PENS (insulin lispro/lispro	HUMULIN 70/30 (insulin)	Novolog or Humalog, with documentation that the
protamine)	NOVOLIN (insulin)	desired results were not achieved



EFFECTIVE 10/01/2020 Version 2020.4c

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
HUMALOG MIX VIALS (insulin lispro/lispro protamine) HUMULIN N VIAL (insulin) HUMULIN R U-500 VIAL (insulin) HUMULIN R U-500 KWIKPEN (insulin) LANTUS (insulin glargine) LEVEMIR (insulin detemir) NOVOLOG (insulin aspart) NOVOLOG MIX (insulin aspart/aspart protamine) TRESIBA (insulin degludec) TRESIBA FLEXTOUCH (insulin degludec)	SOLIQUA (insulin glargine/lixisenatide)** TOUJEO SOLOSTAR (insulin glargine)*** XULTOPHY (insulin degludec/liraglutide)**	** Non-preferred insulin combination products require that the patient must already be established on the individual agents at doses not exceeding the maximum dose achievable with the combination product, and require medical reasoning beyond convenience or enhanced compliance as to why the clinical need cannot be met with a combination of preferred single-ingredient agents.  ***Toujeo Solostar and Toujeo Max Solostar may be approved only for:  1.) Patients who require once-daily doses of at least 60 units of long-acting insulin and have demonstrated at least a 6-month history of compliance on preferred long-acting insulin and who continue to have regular incidents of hypoglycemia.  OR  2.) Patients who currently require over 200 units per day of long-acting insulin.
HYPOGLYCEMICS, MEGLITINIDES		
CLASS PA CRITERIA: Non-preferred agents a		
nateglinide	MEGLITINIDES PRANDIN (repaglinide)	
repaglinide	STARLIX (nateglinide)	
	MEGLITINIDE COMBINATIONS	
	PRANDIMET (repaglinide/metformin) repaglinide/metformin	
HYPOGLYCEMICS, MISCELLANEO		
CLASS PA CRITERIA: Welchol will be authorize agent.	ed for add-on therapy for type 2 diabetes when there i	s a previous history of a thirty (30) day trial of an oral diabetic
WELCHOL (colesevelam) <sup>AP</sup>	SYMLIN (pramlintide)*	*Symlin will be authorized with a history of bolus insulin utilization in the past ninety (90) days with no gaps in insulin



**EFFECTIVE** 10/01/2020 Version 2020.4c

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
		therapy greater than thirty (30) days.	
HYPOGLYCEMICS, SGLT2 INHIBIT			
CLASS PA CRITERIA: Non-preferred agents wil	I only be approved (in 6-month intervals) if ALL of the	following criteria has been met:	
2) Documentation demonstrating 90 days of co	nis class will not be approved for patients with a startion mpliance on all current diabetic therapies is provided. Ire with all unique preferred agents in the same class.	` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` `	
Re-authorizations will require documentation of <u>continued</u> compliance on all diabetic therapies and A1C levels must reach goal, (either an A1C of ≤8%, or demonstrated continued improvement).			
	SGLT2 INHIBITORS		
FARXIGA (dapagliflozin) INVOKANA (canagliflozin) JARDIANCE (empagliflozin)	STEGLATRO (ertugliflozin)		
	SGLT2 COMBINATIONS		
INVOKAMET (canagliflozin/metformin) SYNJARDY (empagliflozin/metformin)	GLYXAMBI (empagliflozin/linagliptin) INVOKAMET XR (canagliflozin/metformin) SEGLUROMET (ertugliflozin/metformin STEGLUJAN (ertugliflozin/sitagliptin) SYNJARDY XR (empagliflozin/metformin) QTERN (dapagliflozin/saxagliptin) XIGDUO XR (dapagliflozin/metformin)		
HYPOGLYCEMICS, TZD			
CLASS PA CRITERIA: Non-preferred agents are available only on appeal.			
	THIAZOLIDINEDIONES		
pioglitazone	ACTOS (pioglitazone) AVANDIA (rosiglitazone)		
	TZD COMBINATIONS		
	ACTOPLUS MET (pioglitazone/ metformin) ACTOPLUS MET XR (pioglitazone/ metformin) AVANDARYL (rosiglitazone/glimepiride)	Patients are required to use the components of Actoplus Met and Duetact separately. Exceptions will be handled on a case-by-case basis.	



EFFECTIVE 10/01/2020 Version 2020.4c

	THERAPEUTIC DRUG CLA	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	DUETACT (pioglitazone/glimepiride) pioglitazone/glimepiride pioglitazone/ metformin	
<b>IMMUNOMODULATORS, ATOPIC</b>	DERMATITIS	
CLASS PA CRITERIA: Non-preferred agents (1) of the exceptions on the PA form is present folds.	require 30-day trial of a medium to high potency top Requirement for topical corticosteroids may be exc	ical corticosteroid <b>AND all</b> preferred agents in this class unless one cluded with involvement of sensitive areas such as the face and skin
ELIDEL (pimecrolimus) PROTOPIC (tacrolimus) EUCRISA (crisaborole) <sup>AP*</sup>	DUPIXENT (dupilumab)** tacrolimus ointment	*Eucrisa requires a 30-day trial of Elidel <b>OR</b> a medium to high potency corticosteroid unless contraindicated.
LOCITION (CITSABOTOLE)		**Full PA criteria for Dupixent may be found on the PA Criteria page by clicking the hyperlink
IMMUNOMODULATORS. GENITA	L WARTS & ACTINIC KERATOSIS AC	GENTS
CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.		
CONDYLOX GEL (podofilox) EFUDEX (fluorouracil) imiquimod	ALDARA (imiquimod) CARAC (fluorouracil) diclofenac 3% gel fluorouracil 0.5% cream fluorouracil 5% cream podofilox SOLARAZE (diclofenac) TOLAK (fluorouracil 4% cream) VEREGEN (sinecatechins) ZYCLARA (imiquimod)*	*Zyclara will be authorized for a diagnosis of actinic keratosis.
IMMUNOSUPPRESSIVES, ORAL		
CLASS PA CRITERIA: Non-preferred agents require a fourteen (14) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.		
azathioprine cyclosporine cyclosporine, modified mycophenolate mofetil sirolimus tacrolimus capsule	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) CELLCEPT (mycophenolate mofetil) ENVARSUS XR (tacrolimus) IMURAN (azathioprine) mycophenolic acid	



EFFECTIVE 10/01/2020 Version 2020.4c

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	mycophenolic mofetil suspension MYFORTIC (mycophenolic acid) NEORAL (cyclosporine, modified) PROGRAF (tacrolimus) RAPAMUNE (sirolimus) SANDIMMUNE (cyclosporine) ZORTRESS (everolimus)	
INTRANASAL RHINITIS AGENTSAF		
CLASS PA CRITERIA: See below for individual	sub-class criteria.	
	ANTICHOLINERGICS	
ipratropium	ATROVENT (ipratropium)	Non-preferred agents require thirty (30) day trials of one (1) preferred nasal anti-cholinergic agent, <b>AND</b> one (1) preferred antihistamine <b>AND</b> one (1) preferred intranasal corticosteroid agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
	ANTIHISTAMINES	
azelastine	ASTEPRO (azelastine) olopatadine PATANASE (olopatadine)	Non-preferred agents require thirty (30) day trials of one (1) preferred antihistamine <b>AND</b> one (1) preferred intranasal corticosteroid before they will be approved, unless one (1) of the exceptions on the PA form is present.
	COMBINATIONS	
	DYMISTA (azelastine / fluticasone)	Dymista requires a concurrent thirty (30) day trial of each preferred component before it will be approved, unless one (1) of the exceptions on the PA form is present.
CORTICOSTEROIDS		
fluticasone propionate OMNARIS (ciclesonide) QNASL HFA (beclomethasone) ZETONNA (ciclesonide)	BECONASE AQ (beclomethasone) budesonide flunisolide mometasone NASACORT AQ (triamcinolone) NASONEX (mometasone) triamcinolone VERAMYST (fluticasone furoate)	Non-preferred agents require thirty (30) day trials of each preferred agent in this sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present



10/01/2020

Version 2020.4c

**EFFECTIVE** 

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS

	THERAFEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
IRRITABLE BOWEL SYNDROME/S	SHORT BOWEL SYNDROME/SELEC	TED GI AGENTS CL	
CLASS PA CRITERIA: All agents are approval	ole only for patients age eighteen (18) and older. <b>Se</b>	ee below for additional sub-class criteria.	
	CONSTIPATION		
AMITIZA (lubiprostone) LINZESS (linaclotide) MOVANTIK (naloxegol)	MOTEGRITY (prucalopride) RELISTOR INJECTION (methylnaltrexone) RELISTOR TABLET (methylnaltrexone) SYMPROIC (naldemedine) TRULANCE (plecanatide)	All agents in this subclass require documentation of the current diagnosis and evidence that the patient has failed to find relief with dietary modification and a fourteen (14) day trial of an osmotic laxative.	
		No agent shall be approved to treat opioid induced constipation (OIC) without evidence of at least 90-days of opioid use preceding the request. Continuation of coverage shall be granted with evidence of continuous and concurrent opioid use.	
		Agents may be authorized only for their FDA-approved labeled indication. The following agent-specific criteria shall also apply:	
		Motegrity requires a 30-day trial of both Amitiza and Linzess.  Relistor and Symproic are indicated for OIC and require thirty (30) day trials of both Movantik and Amitiza.  Trulance requires thirty (30) day trials of both Amitiza and Linzess, however for the indication of IBS-C in males, a trial of Amitiza is not required.	
DIARRHEA			
	alosetron MYTESI (crofelemer) LOTRONEX (alosetron) VIBERZI (eluxadoline)	Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.	
LAXATIVES AND CATHARTICS			



EFFECTIVE 10/01/2020 Version 2020.4c

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present		
COLYTE GOLYTELY NULYTELY peg 3350	HALFLYTELY-BISACODYL KIT MOVIPREP OSMOPREP PREPOPIK SUPREP	
LEUKOTRIENE MODIFIERS		
CLASS PA CRITERIA: Non-preferred agents the PA form is present.	require thirty (30) day trials of each preferred agent b	before they will be approved, unless one (1) of the exceptions on
montelukast zafirlukast	ACCOLATE (zafirlukast) SINGULAIR (montelukast) zileuton ZYFLO (zileuton)	
LIPOTROPICS, OTHER (Non-statis	ns)	
CLASS PA CRITERIA: Non-preferred agents require a twelve (12) week trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.		
	BILE ACID SEQUESTRANTSAP	
cholestyramine colestipol tablets	COLESTID (colestipol) colestipol granules KYNAMRO (mipomersen)* QUESTRAN (cholestyramine) WELCHOL (colesevelam)**	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.  **Welchol will be authorized for add-on therapy for type 2 diabetes when there is a previous history of a thirty (30) day trial of an oral agent (metformin, sulfonylurea or thiazolidinedione (TZD)). See HYPOGLYCEMICS, MISCELLANEOUS.
azatimih a	CHOLESTEROL ABSORPTION INHIBIT	ORS
ezetimibe	ZETIA (ezetimibe)	
FATTY ACIDS <sup>CL</sup>		
omega-3 acid ethyl esters VASCEPA (icosapent ethyl)	LOVAZA (omega-3-acid ethyl esters)	<ul> <li>CLAII agents in this subclass require a prior authorization and an initial triglyceride level ≥ 500 mg/dL.</li> <li>Additionally, Vascepa may be approved if the following criteria is met:</li> </ul>

1. The patient has an initial triglyceride level of ≥ 150



EFFECTIVE 10/01/2020 Version 2020.4c

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		mg/dL prior to start of therapy; AND 2. The patient has established cardiovascular disease or diabetes; AND 3. The patient is concomitantly receiving a statin.
	FIBRIC ACID DERIVATIVESAP	
fenofibrate 54 and 160 mg fenofibrate micronized 67mg, 134mg & 200mg fenofibrate nanocrystallized 48 mg, 145 mg gemfibrozil	ANTARA (fenofibrate) FENOGLIDE (fenofibrate) FIBRICOR (fenofibric acid) fenofibrate 40 mg tablet fenofibrate 150 mg capsules fenofibrate 43, 50, 120 and 130 mg fenofibric acid LIPOFEN (fenofibrate) LOFIBRA (fenofibrate) LOPID (gemfibrozil) TRICOR (fenofibrate nanocrystallized) TRIGLIDE (fenofibrate) TRILIPIX (fenofibric acid)	
	MTP INHIBITORS	
	JUXTAPID (lomitapide)*	*Full PA criteria may be found on the <u>PA Criteria</u> page by clicking the hyperlink.
	NIACIN	, ,
niacin niacin ER (OTC) NIACOR (niacin) NIASPAN (niacin)	niacin ER (Rx)	
()	PCSK-9 INHIBITORS	
	PRALUENT (alirocumab)* REPATHA (evolocumab)*	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
LIPOTROPICS, STATINSAP		
CLASS PA CRITERIA: See below for individual	sub-class criteria.	
	STATINS	
atorvastatin lovastatin pravastatin rosuvastatin simvastatin*	ALTOPREV (Iovastatin) CRESTOR (rosuvastatin) EZALLOR (rosuvastatin) <sup>NR</sup> EZALLOR SPRINKLE (rosuvastatin)* fluvastatin	Non-preferred agents require twelve (12) week trials of two (2) preferred agents, including the generic formulation of the requested non-preferred agent, before they will be approved, unless one (1) of the exceptions on the PA form is present.



EFFECTIVE 10/01/2020 Version 2020.4c

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	fluvastatin ER LESCOL (fluvastatin) LESCOL XL (fluvastatin) LIPITOR (atorvastatin) LIVALO (pitavastatin) MEVACOR (lovastatin) PRAVACHOL (pravastatin) ZOCOR (simvastatin)** ZYPITAMAG (pitavastatin)	*Ezallor SPRINKLE will only be authorized for those who are unable to ingest solid dosage forms due to documented oral-motor difficulties or dysphagia.  **Zocor/simvastatin 80mg tablets will require a clinical PA.
	STATIN COMBINATIONS	
	ADVICOR (lovastatin/niacin) amlodipine/atorvastatin CADUET (atorvastatin/amlodipine) ezetimibe/simvastatin LIPTRUZET (atorvastatin/ezetimibe) SIMCOR (simvastatin/niacin ER)	Non-preferred agents require thirty (30) day concurrent trials of the corresponding preferred single agents before they will be approved, unless one (1) of the exceptions on the PA form is present.  *Vytorin will be authorized only after an insufficient response to
	VYTORIN (simvastatin/ezetimibe)*	a twelve (12) week trial of the maximum tolerable dose of atorvastatin or rosuvastatin, unless one (1) of the exceptions on the PA form is present.  Vytorin 80/10mg tablets will require a clinical PA.
MABS, ANTI-IL/IgE		
CLASS PA CRITERIA: Full PA Criteria may be	e found on the <u>PA Criteria</u> page by clicking the hyp	perlink.
	DUPIXENT (dupilumab) FASENRA (benralizumab) FASENRA PEN (benralizumab) NUCALA SYRINGE/VIAL (mepolizumab) NUCALA AUTO INJECTOR (mepolizumab) XOLAIR (omalizumab)	
MACROLIDES	(((()))	
CLASS PA CRITERIA: Non-preferred agents require a five (5) day trial of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.		
	MACROLIDES	
azithromycin erythromycin base	BIAXIN (clarithromycin) clarithromycin tablets clarithromycin ER clarithromycin suspension E.E.S. (erythromycin ethylsuccinate) E-MYCIN (erythromycin)	



EFFECTIVE 10/01/2020 Version 2020.4c

	THERAPEUTIC DRUG CLA	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ERYC (erythromycin) ERYPED (erythromycin ethylsuccinate) ERY-TAB (erythromycin) ERYTHROCIN (erythromycin stearate) erythromycin estolate PCE (erythromycin) ZITHROMAX (azithromycin) ZMAX (azithromycin)	
MULTIPLE SCLEROSIS AGENTS	CL	
	ferred agents require ninety (90) day trials of each ch	multiple sclerosis. Preferred oral agents require a ninety (90) day emically unique preferred agent (in the same sub-class) before they
	INTERFERONSAP	
AVONEX (interferon beta-1a) AVONEX PEN (interferon beta-1a) BETASERON (interferon beta-1b) REBIF (interferon beta-1a) REBIF REBIDOSE (interferon beta-1a)	EXTAVIA KIT (interferon beta-1b) EXTAVIA VIAL (interferon beta-1b) PLEGRIDY (peginterferon beta-1a)	
AMPYRA (dalfampridine)*	NON-INTERFERONS COPAXONE 40 mg (glatiramer)***	In addition to class PA criteria, the following conditions
AUBAGIO (teriflunomide)** COPAXONE 20 mg (glatiramer) GILENYA (fingolimod)	glatiramer GLATOPA (glatiramer) MAYZENT (siponimod)**** MAVENCLAD (cladribine) TECFIDERA (dimethyl fumarate)**** VUMERITY (diroximel) ZINBRYTA (daclizumab)	*Ampyra requires the following additional criteria to be met:  1. Diagnosis of multiple sclerosis and 2. No history of seizures and 3. No evidence of moderate or severe renal impairment.  **Aubagio requires the following additional criteria to be met: 1. Diagnosis of relapsing multiple sclerosis and 2. Measurement of transaminase and bilirubin levels within the (6) months before initiation of therapy and ALT levels at least monthly for six (6) months after initiation of therapy and 3. Complete blood cell count (CBC) within six (6) months before initiation of therapy and 4. Female patients must have a negative pregnancy test before initiation of therapy and be established on a reliable method of contraception if appropriate and 5. Patient is between eighteen (18) up to sixty-five (65) years of age and



EFFECTIVE 10/01/2020 Version 2020.4c

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA  6. Negative tuberculin skin test before initiation of therapy  ***Copaxone 40mg will only be authorized for documented injection site issues.  ****Mayzent may be authorized with no additional requirement beyond the diagnosis for patients with documented secondary progressive MS.  *****Tecfidera requires the following additional criteria to be met:  1. Diagnosis of relapsing multiple sclerosis and
		2. Complete blood count (CBC) within six (6) months of
		initiation of therapy and six (6) months after initiation and
		Complete blood count (CBC) annually during therapy.

### **NEUROPATHIC PAIN**

**CLASS PA CRITERIA:** Non-preferred agents require a thirty (30) day trial of a preferred agent in the corresponding dosage form (oral or topical) before they will be approved, unless one (1) of the exceptions on the PA form is present.

capsaicin OTC duloxetine gabapentin lidocaine patch pregabalin capsule  GRALISE (gab HORIZANT (gab HORIZANT (gab IRENKA (dulox LIDODERM (lid LYRICA CR (pab LYRICA SOLU NEURONTIN (QUTENZA (cap SAVELLA (milin ZTLIDO PATC LYRICA CAPS	motor difficulties or dysphagia.  **Gralise will be authorized only if the following criteria are met:  1. Diagnosis of post herpetic neuralgia and balin)***  2. Trial of a tricyclic antidepressant for a least thirty (30) days and 3. 90-day trial of gabapentin immediate release formulation (positive response without adequate duration) and
--	--



EFFECTIVE 10/01/2020 Version 2020.4c

THERAPEUTIC DRUG CLASS		ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		using preferred pregabalin capsules.
		****Savella will be authorized for a diagnosis of fibromyalgia only after a 90-day trial of one preferred agent
NSAIDS <sup>AP</sup>		
CLASS PA CRITERIA: See below for sub-class	PA criteria.	
	NON-SELECTIVE	
diclofenac (IR, SR) flurbiprofen ibuprofen (Rx and OTC) INDOCIN SUSPENSION (indomethacin) indomethacin ketoprofen ketorolac meloxicam tablet nabumetone naproxen sodium tablet naproxen sodium DS tablet naproxen suspension EC-naproxen DR tablet piroxicam sulindac	CATAFLAM (diclofenac) CLINORIL (sulindac) DAYPRO (oxaprozin) diflunisal DUEXIS (famotidine/ibuprofen) etodolac IR etodolac SR FELDENE (piroxicam) fenoprofen INDOCIN SUPPOSITORIES (indomethacin) indomethacin ER ketoprofen ER meclofenamate mefenamic acid meloxicam suspension MOBIC TABLET (meloxicam) NALFON (fenoprofen) NAPRELAN (naproxen) NAPROSYN (naproxen) naproxen CR oxaprozin PONSTEL (meclofenamate) RELAFEN DS (nabumetone) SPRIX (ketorolac) TIVORBEX (indomethacin) tolmetin VIVLODEX (meloxicam) VOLTAREN (diclofenac) ZIPSOR (diclofenac potassium) ZORVOLEX (diclofenac)	Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.



EFFECTIVE 10/01/2020 Version 2020.4c

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	NSAID/GI PROTECTANT COMBINA	TIONS
	ARTHROTEC (diclofenac/misoprostol) diclofenac/misoprostol VIMOVO (naproxen/esomeprazole)	Non-preferred agents are only available on appeal and require medical reasoning beyond convenience as to why the need cannot be met with the combination of preferred single agents.
	COX-II SELECTIVE	
	CELEBREX (celecoxib) celecoxib	COX-II Selective agents require thirty (30) day trials of each preferred Non-Selective Oral NSAID, <b>UNLESS</b> the following criteria are met:
		Patient has a history or risk of a serious GI complication; <b>OR</b> Agent is requested for treatment of a chronic condition <b>and</b> 1. Patient is seventy (70) years of age or older, <b>or</b> 2. Patient is currently on anticoagulation therapy.
	TOPICAL	
FLECTOR PATCH (diclofenac)* VOLTAREN GEL (diclofenac)**	diclofenac gel diclofenac solution PENNSAID (diclofenac)	*Flector patches are limited to two per day.  **Voltaren Gel will be limited to 100 grams per month.
		Non-preferred agents require a thirty (30) day trial of the preferred Topical agent and thirty (30) day trials of each preferred oral NSAID before they will be approved, unless one(1) of the exceptions on the PA form is present.
OPHTHALMIC ANTIBIOTICS		
		before they will be approved, unless one (1) of the exceptions on the
bacitracin/polymyxin ointment ciprofloxacin* erythromycin gentamicin levofloxacin* MOXEZA (moxifloxacin) neomycin/bacitracin/polymyxin ofloxacin*	AZASITE (azithromycin) bacitracin BLEPH-10 (sulfacetamide) BESIVANCE (besifloxacin)* CILOXAN (ciprofloxacin) GARAMYCIN (gentamicin) gatifloxacin ILOTYCIN (erythromycin)	*Prior authorization of any fluoroquinolone agent requires three (3) day trials of all other preferred agents unless definitive laboratory cultures exist indicating the need to use a fluoroquinolone.



EFFECTIVE 10/01/2020 Version 2020.4c

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

	THERAPEUTIC DRUG CLASS	
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
polymyxin/trimethoprim tobramycin TOBREX OINT (tobramycin)	moxifloxacin** NATACYN (natamycin) neomycin/polymyxin/gramicidin NEOSPORIN (neomycin/polymyxin/gramicidin) OCUFLOX (ofloxacin) POLYTRIM (polymyxin/trimethoprim) sulfacetamide drops sulfacetamide ointment TOBREX (tobramycin) VIGAMOX (moxifloxacin)** ZYMAR (gatifloxacin) ZYMAXID (gatifloxacin)	
ABUTUAL MIA ANTIBIATIA/ATER		

#### OPHTHALMIC ANTIBIOTIC/STEROID COMBINATIONS

**CLASS PA CRITERIA:** Non-preferred agents require three (3) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.

neomycin/polymyxin/dexamethasone	BLEPHAMIDE (prednisolone/sulfacetamide)
sulfacetamide/prednisolone	BLEPHAMIDE S.O.P. (prednisolone/
TOBRADEX OINTMENT (tobramycin/	sulfacetamide)
dexamethasone)	MAXITROL ointment (neomycin/polymyxin/
TOBRADEX SUSPENSION (tobramycin/	dexamethasone)
dexamethasone)	MAXITROL suspension (neomycin/polymyxin/
ZYLET (loteprednol/tobramycin)	dexamethasone)
	neomycin/bacitracin/polymyxin/ hydrocortisone
	neomycin/polymyxin/hydrocortisone
	PRED-G (prednisolone/gentamicin)
	TOBRADEX ST (tobramycin/ dexamethasone)
	tobramycin/dexamethasone suspension

### OPHTHALMICS FOR ALLERGIC CONJUNCTIVITISAP

**CLASS PA CRITERIA:** Non-preferred agents require thirty (30) day trials of three (3) preferred chemically unique agents before they will be approved, unless one (1) of the exceptions on the PA form is present.

ALAWAY (ketotifen)	ALAMAST (pemirolast)	
ALREX (loteprednol)	ALOCRIL (nedocromil)	
BEPREVE (bepotastine)	ALOMIDE (lodoxamide)	
cromolyn	azelastine	
ketotifen	CROLOM (cromolyn)	
LASTACAFT (alcaftadine)	ELESTAT (epinastine)	
olopatadine 0.1% (Generic PATANOL labeler	EMADINE (emedastine)	
61314 only)	epinastine	



EFFECTIVE 10/01/2020 Version 2020.4c

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ZADITOR OTC (ketotifen)	olopatadine 0.1% (all formulations except Generic PATANOL labeler 61314) olopatadine 0.2% (all labelers) OPTICROM (cromolyn) OPTIVAR (azelastine) PATADAY (olopatadine) PATANOL (olopatadine) PAZEO (olopatadine)	
OPHTHALMICS, ANTI-INFLAMMA	TORIES-IMMUNOMODULATORSCL	
CLASS PA CRITERIA: All agents require a p	rior authorization. Non-preferred agents require a 60	-day trial of the preferred agent(s).
RESTASIS (cyclosporine)	CEQUA (cyclosporine) RESTASIS MULTIDOSE (cyclosporine)* XIIDRA (lifitegrast)*	*Restasis Multidose is approvable only on appeal and requires medical reasoning as to why the clinical need cannot be met with the preferred product (Restasis).  All agents must meet the following prior-authorization criteria:  1.) Patient must be sixteen (16) years of age or greater; AND 2.) Prior Authorization must be requested by an ophthalmologist or optometrist; AND  3.) Clinically diagnosed tear deficiency due to ocular inflammation in patients with keratoconjunctivitis sicca or dry eye syndrome (also known as dry eye); AND  4.) Patient must have a functioning lacrimal gland; AND  5.) Patient using artificial tears at least four (4) times a day over the last thirty (30) days; AND  Patient must not have an active ocular infection
OPHTHALMICS, ANTI-INFLAMMA	ATORIES	
	require five (5) day trials of at least two (2) prefers st include at least one agent with the same mechanisn	red agents before they will be approved, unless one (1) of the n of action as the requested non-preferred agent.
dexamethasone diclofenac DUREZOL (difluprednate) fluorometholone FML FORTE (fluorometholone) FML S.O.P. (fluorometholone) ketorolac	ACULAR (ketorolac) ACULAR LS (ketorolac) ACUVAIL (ketorolac tromethamine) BROMDAY (bromfenac) bromfenac BROMSITE (bromfenac) FLAREX (fluorometholone)	



EFFECTIVE 10/01/2020 Version 2020.4c

	THERAPEUTIC DRUG CLA	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LOTEMAX DROPS, OINTMENT (loteprednol) MAXIDEX (dexamethasone) NEVANAC (nepafenac) PRED MILD (prednisolone) prednisolone acetate prednisolone sodium phosphate	flurbiprofen FML (fluorometholone) ILEVRO (nepafenac) INVELTYS (loteprednol) LOTEMAX GEL (loteprednol) OMNIPRED (prednisolone) OZURDEX (dexamethasone) PRED FORTE (prednisolone) PROLENSA (bromfenac) RETISERT (fluocinolone) TRIESENCE (triamcinolone) VEXOL (rimexolone) XIBROM (bromfenac)	
OPHTHALMICS, GLAUCOMA AG		
CLASS PA CRITERIA: Non-preferred agents v	vill only be authorized if there is an allergy to all prefer	rred agents in the corresponding sub-class.
	COMBINATION AGENTS	
COMBIGAN (brimonidine/timolol) dorzolamide/timolol SIMBRINZA (brinzolamide/brimonidine)	COSOPT (dorzolamide/timolol) COSOPT PF (dorzolamide/timolol)	
	BETA BLOCKERS	
BETOPTIC S (betaxolol) carteolol levobunolol timolol drops	BETAGAN (levobunolol) betaxolol ISTALOL (timolol) OPTIPRANOLOL (metipranolol) timolol gel TIMOPTIC (timolol)	
	CARBONIC ANHYDRASE INHIBITO	DRS
AZOPT (brinzolamide) orzolamide	TRUSOPT (dorzolamide)	
	PARASYMPATHOMIMETICS	
PHOSPHOLINE IODIDE (echothiophate iodide		
	PROSTAGLANDIN ANALOGS	
latanoprost TRAVATAN-Z (travoprost)	bimatoprost LUMIGAN (bimatoprost) travoprost VYZULTA (latanoprostene)* XALATAN (latanoprost) XELPROS (latanoprost)	*Vyzulta – prior authorization requires failure on a 3-month trial of at least one preferred prostaglandin eye drop used in combination with an agent from another subclass.



**EFFECTIVE** 10/01/2020 Version 2020.4c

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

"	ialiaged categories. Refer to cover page for complete in	st of fules governing this PDL.
	THERAPEUTIC DRUG CL	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ZIOPTAN (tafluprost)	
	RHO-KINASE INHIBITORS	
RHOPRESSA (netarsudil) ROCKLATAN (netarsudil/latanoprost)		
· · ·	SYMPATHOMIMETICS	
brimonidine 0.2%	ALPHAGAN P 0.1% Solution (brimonidine) ALPHAGAN P 0.15% Solution (brimonidine) apraclonidine brimonidine 0.15% IOPIDINE (apraclonidine)	
OPIATE DEPENDENCE TREAT	<b>TMENTS</b>	
CLASS PA CRITERIA: Buprenorphine/na	loxone tablets, Bunavail and Zubsolv will only be approv	red with a documented intolerance of or allergy to Suboxone strips.
WV Medicaid's buprenorphine coverage po	olicy may be viewed by clicking on the following hyperlin	k: Buprenorphine Coverage Policy and Related Forms
buprenorphine/naloxone tablets	BUNAVAIL (buprenorphine/naloxone)	* Full PA criteria may be found on the PA Criteria page by

naloxone NARCAN NASAL SPRAY (naloxone) SUBOXONE FILM (buprenorphine/naloxone)\* VIVITROL (naltrexone)

buprenorphine tablets buprenorphine/naloxone film LUCEMYRA (lofexidine) SUBLOCADE (buprenorphine soln)\*\* ZUBSOLV (buprenorphine/naloxone)

- clicking the hyperlink.
- \*\*Sublocade is approvable only on appeal and requires medical reasoning as to why the clinical need cannot be met with a preferred product.

VIVITROL no longer requires a PA.

#### OTIC ANTIBIOTICSAP

CLASS PA CRITERIA: Non-preferred agents require five (5) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.

CIPRO HC (ciprofloxacin/hydrocortisone) CIPRODEX (ciprofloxacin/dexamethasone) COLY-MYCIN S (colistin/hydrocortisone/ neomycin/thonzonium bromide) ofloxacin CORTISPORIN-TC (colistin/hydrocortisone/ neomycin)

ciprofloxacin neomycin/polymyxin/HC solution/suspension OTOVEL ( ciprofloxacin/fluocinolone)

### PAH AGENTS - ENDOTHELIN RECEPTOR ANTAGONISTSCL



EFFECTIVE 10/01/2020 Version 2020.4c

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>CLASS PA CRITERIA:</b> Non-preferred agents re PA form is present.	equire a thirty (30) day trial of a preferred agent befor	re they will be approved, unless one (1) of the exceptions on the
LETAIRIS (ambrisentan) TRACLEER TABLET (bosentan)	ambrisentan bosentan OPSUMIT (macitentan) TRACLEER SUSP (bosentan)	
PAH AGENTS - GUANYLATE CYC	LASE STIMULATORCL	
<b>CLASS PA CRITERIA:</b> Non-preferred agents re of the exceptions on the PA form is present.	equire a thirty (30) day trial of a preferred agent from a	any other PAH Class before they will be approved, unless one (1)
	ADEMPAS (riociguat)	
PAH AGENTS - PDE5scl		
CLASS PA CRITERIA: Non-preferred agents re PA form is present. Patients stabilized on non-preferred agents will be		re they will be approved, unless one (1) of the exceptions on the
sildenafil	ADCIRCA (tadalafil) REVATIO IV (sildenafil) REVATIO SUSPENSION (sildenafil) REVATIO TABLETS (sildenafil)	
PAH AGENTS - PROSTACYCLINS	CL	
	require a thirty (30) day trial of a preferred agent, inc one (1) of the exceptions on the PA form is present.	cluding the preferred generic form of the non-preferred agent (if
epoprostenol VENTAVIS (iloprost)*	FLOLAN (epoprostenol) ORENITRAM ER (treprostinil) REMODULIN (treprostinil sodium) TYVASO (treprostinil)	*Ventavis will only be authorized for the treatment of pulmonary artery hypertension (WHO Group 1) in patients with NYHA Class III or IV symptoms.

UPTRAVI (selexipag) VELETRI (epoprostenol)

#### PANCREATIC ENZYMESAP



EFFECTIVE 10/01/2020 Version 2020.4c

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS

PREFERRED AGENTS NON-PREFERRED AGENTS PA CRITERIA

**CLASS PA CRITERIA:** Non-preferred agents require a thirty (30) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.

For members with cystic fibrosis, a trial of a preferred agent will not be required.

CREON ZENPEP

PANCREAZE PERTZYE ULTRESA VIOKACE

#### PHOSPHATE BINDERS

**CLASS PA CRITERIA:** Non-preferred agents require a thirty (30) day trial of at least two (2) preferred agents before they will be approved, unless one (1) of the exceptions on the PA form is present.

calcium acetate

CALPHRON (calcium acetate)

MAGNEBIND RX (calcium carbonate, folic acid,

magnesium carbonate)
PHOSLYRA (calcium acetate)

sevelamer carbonate

AURYXIA (ferric citrate)

ELIPHOS (calcium acetate) FOSRENOL (lanthanum)

lanthanum chewable

PHOSLO (calcium acetate)

RENAGEL (sevelamer)

RENVELA (sevelamer carbonate)

VELPHORÒ (sucroferric oxyhydroxide)

### PITUITARY SUPPRESSIVE AGENTS, LHRHCL

**CLASS PA CRITERIA:** Unless otherwise noted, non-preferred agents are available only on appeal.

LUPANETA (leuprolide)

LUPRON DEPOT KIT (leuprolide)

LUPRON DEPOT-PED KIT (leuprolide)

SYNAREL (nafarelin) TRELSTAR (triptorelin) TRIPTODUR (triptorelin)

VANTAS (histrelin) ZOLADEX (goserelin) leuprolide

ORILISSA (elagolix)\*

SUPPRELIN LA KIT (histrelin)

\* Full PA criteria may be found on the <u>PA Criteria</u> page by clicking the hyperlink.

#### PLATELET AGGREGATION INHIBITORS



EFFECTIVE 10/01/2020 Version 2020.4c

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA

**CLASS PA CRITERIA:** Non-preferred agents require a thirty (30) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.

THERADELITIC DRUG OLAC

AGGRENOX (dipyridamole/ASA) BRILINTA (ticagrelor) clopidogrel

clopidogrel dipyridamole prasugrel clopidogrel kit
dipyridamole/aspirin
EFFIENT (prasugrel)
PERSANTINE (dipyridamole)
PLAVIX (clopidogrel)
TICLID (ticlopidine)
ticlopidine
ZONTIVITY (vorapaxar)

#### PROGESTATIONAL AGENTS

CLASS PA CRITERIA: Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.

MAKENA (hydroxyprogesterone caproate)

**AUTO INJECTOR** 

MAKENA (hydroxyprogesterone caproate) VIAL

hydroxyprogesterone caproate

#### PROGESTINS FOR CACHEXIA

**CLASS PA CRITERIA:** Non-preferred agents require a thirty (30) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.

megestrol

MEGACE ES (megestrol)

#### PROTON PUMP INHIBITORSAP

**CLASS PA CRITERIA:** Non-preferred agents require sixty (60) day trials of both omeprazole (Rx) and pantoprazole at the maximum recommended dose\*, inclusive of a concurrent thirty (30) day trial at the maximum dose of an H<sub>2</sub> antagonist before they will be approved, unless one (1) of the exceptions on the PA form is present.

omeprazole (Rx) pantoprazole

NEXIUM PACKETS (esomeprazole)\*\*
PROTONIX GRANULES (pantoprazole)\*\*

ACIPHEX (rabeprazole)
ACIPHEX SPRINKLE (rabeprazole)
DEXILANT (dexlansoprazole)
esomeprazole magnesium
esomeprazole strontium
lansoprazole Rx

\*Maximum recommended doses of the PPIs and H2-receptor antagonists may be located at the BMS Pharmacy PA criteria page titled "Max PPI and H2RA" by clicking on the hyperlink.

\*\*Prior authorization is required for members nine (9) years of



EFFECTIVE 10/01/2020 Version 2020.4c

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	NEXIUM (esomeprazole) omeprazole/sodium bicarbonate (Rx) PREVACID CAPSULES (lansoprazole) PREVACID SOLUTABS (lansoprazole)** PRILOSEC Rx (omeprazole) PROTONIX DR TABLETS (pantoprazole) rabeprazole ZEGERID Rx (omeprazole/sodium bicarbonate)	age or older for these agents.

#### SEDATIVE HYPNOTICSAP

**CLASS PA CRITERIA:** Non-preferred agents require thirty (30) day trials of all preferred agents in **BOTH** sub-classes before they will be approved, unless one (1) of the exceptions on the PA form is present. All agents except melatonin will be limited to fifteen (15) tablets in a thirty (30) day period. NOTE: WV Medicaid covers melatonin up to a maximum dose of 9 mg/day without a PA. Melatonin labeler code 51645 is preferred if available, however all NDCs are payable.

BENZODIAZEPINES		
temazepam 15, 30 mg	DALMANE (flurazepam) estazolam flurazepam HALCION (triazolam) RESTORIL (temazepam) temazepam 7.5, 22.5 mg triazolam	
	OTHERS	
melatonin zolpidem 5, 10 mg	AMBIEN (zolpidem) AMBIEN CR (zolpidem) BELSOMRA (suvorexant) chloral hydrate EDLUAR (zolpidem) eszopiclone HETLIOZ (tasimelteon) <sup>CL*</sup> INTERMEZZO (zolpidem) LUNESTA (eszopiclone) ramelteon ROZEREM (ramelteon) SILENOR (doxepin) SOMNOTE (chloral hydrate) SONATA (zaleplon) zaleplon	Strengths of zolpidem that are non-preferred (6.25 and 12.5 mg) must be created by combining or splitting the preferred doses (5 and 10 mg) of zolpidem, if appropriate.  For treatment naïve female patients, zolpidem and zolpidem ER maximum dosages will be limited to 5 mg and 6.25 mg respectively per day.  *Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.



EFFECTIVE 10/01/2020 Version 2020.4c

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	zolpidem ER 6.25, 12.5 mg ZOLPIMIST (zolpidem)	
SKELETAL MUSCLE RELAXANTS	P	
CLASS PA CRITERIA: See below for individual	sub-class criteria.	
	ACUTE MUSCULOSKELETAL RELAXANT	AGENTS
Chlorzoxazone (generic PARAFON FORTE) cyclobenzaprine IR 5, 10 mg methocarbamol	AMRIX (cyclobenzaprine) carisoprodol* carisoprodol/ASA* carisoprodol/ASA/codeine* chlorzoxazone (generic LORZONE) cyclobenzaprine ER cyclobenzaprine IR 7.5 mg FEXMID (cyclobenzaprine) FLEXERIL (cyclobenzaprine) LORZONE (chlorzoxazone) metaxalone orphenadrine orphenadrine/ASA/caffeine orphenadrine ER PARAFON FORTE (chlorzoxazone) ROBAXIN (methocarbamol) SKELAXIN (metaxalone) SOMA (carisoprodol)	Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present, with the exception of carisoprodol.  *Carisoprodol requires thirty (30) day trials of each of the preferred acute musculoskeletal relaxants and Skelaxin before it will be approved.
	JSCULOSKELETAL RELAXANT AGENTS USED F	
baclofen tizanidine tablets	DANTRIUM (dantrolene) dantrolene tizanidine capsules ZANAFLEX (tizanidine)	Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
STEROIDS, TOPICAL		
CLASS PA CRITERIA: Non-preferred agents require five (5) day trials of one (1) form of EACH preferred unique active ingredient in the corresponding potency group before they will be approved, unless one (1) of the exceptions on the PA form is present.		
VERY HIGH & HIGH POTENCY		
betamethasone dipropionate cream betamethasone valerate cream betamethasone valerate lotion betamethasone valerate oint clobetasol propionate	amcinonide APEXICON (diflorasone diacetate) APEXICON E (diflorasone diacetate) betamethasone dipropionate gel, lotion, ointment BRYHALI LOTION (halobetasol)	



EFFECTIVE 10/01/2020 Version 2020.4c

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
cream/gel/ointment/solution clobetasol emollient clobetasol propionate shampoo luocinonide gel riamcinolone acetonide cream, ointment riamcinolone acetonide lotion	clobetasol lotion clobetasol propionate foam CLOBEX (clobetasol propionate) CLODAN KIT (clobetasol propionate) CLODAN SHAMPOO (clobetasol propionate) CORMAX (clobetasol propionate) desoximetasone cream/gel/ointment diflorasone diacetate DIPROLENE (betamethasone dipropionate/propylene glycol) DIPROLENE AF (betamethasone dipropionate/propylene glycol) DIPROSONE (betamethasone dipropionate) fluocinonide cream fluocinonide solution fluocinonide solution fluocinonide/emollient halcinonide HALAC (halobetasol propionate) halobetasol propionate HALOG (halcinonide) HALONATE (halobetasol propionate) KENALOG (triamcinolone acetonide) LEXETTE FOAM (halobetasol) LIDEX (fluocinonide) UIDEX-E (fluocinonide) OLUX (clobetasol propionate/emollient) PSORCON (diflorasone diacetate) SERNIVO SPRAY (betamethasone dipropionate) TEMOVATE (clobetasol propionate) TEMOVATE (clobetasol propionate) TEMOVATE (clobetasol propionate) TOPICORT CREAM, GEL, OINTMENT (desoximetasone) TOPICORT SPRAY (desoximetasone) TOPICORT SPRAY (desoximetasone) TOVET FOAM (clobetasol) ULTRAVATE (halobetasol propionate / lactic	



EFFECTIVE 10/01/2020 Version 2020.4c

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	VANOS (fluocinonide)	
	MEDIUM POTENCY	
fluticasone propionate cream, ointment mometasone furoate triamcinolone acetonide 0.025% and 0.1% cream	ARISTOCORT (triamcinolone) BESER LOTION (fluticasone) BETA-VAL (betamethasone valerate) betamethasone valerate foam CLODERM (clocortolone pivalate) clocortolone cream CORDRAN/CORDRAN SP (flurandrenolide) CUTIVATE (fluticasone propionate)	
	DERMATOP (prednicarbate) ELOCON (mometasone furoate) fluocinolone acetonide cream, ointment, solution fluticasone propionate lotion hydrocortisone butyrate cream hydrocortisone butyrate ointment, solution	
	hydrocortisone valerate LOCOID (hydrocortisone butyrate) LOCOID LIPOCREAM (hydrocortisone butyrate/emollient) LUXIQ (betamethasone valerate) MOMEXIN (mometasone)	
	PANDEL (hydrocortisone probutate)	
	prednicarbate TOPICORT LP (desoximetasone) TRIDERM (triamcinolone acetonide) WESTCORT (hydrocortisone valerate)	
	LOW POTENCY	
hydrocortisone acetate (Rx, OTC) hydrocortisone cream (Rx, OTC) hydrocortisone lotion OTC hydrocortisone ointment (Rx, OTC) hydrocortisone solution OTC hydrocortisone-aloe cream OTC hydrocortisone-aloe ointment OTC	ACLOVATE (alclometasone dipropionate) alclometasone dipropionate AQUA GLYCOLIC HC (hydrocortisone) CAPEX (fluocinolone acetonide) DERMA-SMOOTHE FS (fluocinolone acetonide) DESONATE (desonide) desonide cream, ointment	
	desonide lotion DESOWEN (desonide) fluocinolone oil	



EFFECTIVE 10/01/2020 Version 2020.4c

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	hydrocortisone/mineral oil/petrolatum hydrocortisone acetate/urea hydrocortisone lotion hydrocortisone/aloe gel LOKARA (desonide) PEDIADERM HC (hydrocortisone) PEDIADERM TA (hydrocortisone) SCALPICIN OTC (hydrocortisone) SYNALAR (fluocinolone) TEXACORT (hydrocortisone)	

#### STIMULANTS AND RELATED AGENTS

CLASS PA CRITERIA: A PA is required for adults eighteen (18) years of age or older.

Non-preferred agents require a thirty (30) day trial of at least one preferred agent in the same subclass and with a similar duration of effect and mechanism of action, unless one (1) of the exceptions on the PA form is present. **NOTE**: Non-preferred agents will NOT be "grandfathered" for adults. Children under the age of 18 may continue their current therapy until the end of the school year after which they will be required to switch to a preferred agent.

contained their earlier the form of the content year after which they will be required to emitted agont.		
	AMPHETAMINES	
amphetamine salt combination ER amphetamine salt combination IR dextroamphetamine ER dextroamphetamine IR VYVANSE CHEWABLE (lisdexamfetamine) VYVANSE CAPSULE (lisdexamfetamine)	ADDERALL (amphetamine salt combination) ADDERALL XR (amphetamine salt combination) ADZENYS XR ODT (amphetamine) ADZENYS ER SUSP (amphetamine) DESOXYN (methamphetamine) DEXEDRINE ER (dextroamphetamine) DEXEDRINE IR (dextroamphetamine) dextroamphetamine solution DYANAVEL XR SUSP (amphetamine) EVEKEO (amphetamine) EVEKEO ODT (amphetamine) methamphetamine MYDAYIS (dextroamphetamine/amphetamine salt)* PROCENTRA solution (dextroamphetamine) ZENZEDI (dextroamphetamine)	In addition to the Class Criteria: Thirty (30) day trials of at least three (3) antidepressants are required before amphetamines will be authorized for depression.  *Mydayis requires a 30-day trial of at least one long-acting preferred agent in this subclass and a trial of Adderall XR.
	NON-AMPHETAMINE	
APTENSIO XR (methylphenidate) atomoxetine clonidine IR	ADHANSIA XR (methylphenidate) clonidine ER CONCERTA (methylphenidate) COTEMPLA XR ODT (methylphenidate)	* Strattera is limited to a maximum of 100 mg per day.



EFFECTIVE 10/01/2020 Version 2020.4c

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
dexmethylphenidate IR FOCALIN XR (dexmethylphenidate) guanfacine ER guanfacine IR methylphenidate IR METHYLIN SOLUTION (methylphenidate) QUILLICHEW ER (methylphenidate) QUILLIVANT XR (methylphenidate)	DAYTRANA (methylphenidate) dexmethylphenidate XR FOCALIN IR (dexmethylphenidate) INTUNIV (guanfacine extended-release) JORNAY PM (methylphenidate) KAPVAY (clonidine extended-release) methylphenidate CD methylphenidate chewable tablets, solution methylphenidate ER methylphenidate ER (generic CONCERTA) methylphenidate LA RITALIN (methylphenidate) RITALIN LA (methylphenidate) STRATTERA (atomoxetine)*	
	NARCOLEPTIC AGENTS	
armodafinil <sup>CL</sup> modafinil <sup>CL</sup>	NUVIGIL (armodafinil) PROVIGIL (modafinil) SUNOSI (solriamfetol)* WAKIX (pitolisant)**	* Sunosi is approvable only with documentation of treatment failure after 30-day trials of both armodafinil and modafinil.  **Wakix is approvable only with documentation of treatment failure after 30-day trials of armodafinil, modafinil and Sunosi.
TETRACYCLINES		
<b>CLASS PA CRITERIA:</b> Non-preferred agents re PA form is present.	quire ten (10) day trials of each preferred agent before	re they will be approved, unless one (1) of the exceptions on the
doxycycline hyclate capsules doxycycline hyclate 100 mg tablets doxycycline monohydrate 50, 100 mg capsules minocycline capsules	ADOXA (doxycycline monohydrate) demeclocycline* DORYX (doxycycline hyclate) doxycycline hyclate 75, 150 mg tablets doxycycline hyclate tablet DR 75, 100, 150, 200 mg doxycycline hyclate tablet DR 50 mg doxycycline monohydrate 40, 75, 150 mg capsule doxycycline monohydrate tablet doxycycline monohydrate suspension DYNACIN (minocycline) MINOCIN (minocycline) minocycline ER capsules	*Demeclocycline will be authorized for conditions caused by susceptible strains of organisms designated in the product information supplied by the manufacturer. A C&S report must accompany this request.  Demeclocycline will also be authorized for SIADH.



EFFECTIVE 10/01/2020 Version 2020.4c

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	minocycline tablets MINOLIRA ER (minocycline) MORGIDOX KIT (doxycycline) ORACEA (doxycycline monohydrate) SOLODYN (minocycline) tetracycline VIBRAMYCIN CAPSULES, SUSPENSION, SYRUP (doxycycline) XIMINO (minocycline)	

#### **ULCERATIVE COLITIS AGENTSAP**

**CLASS PA CRITERIA:** Non-preferred agents require thirty (30) day trials of each preferred dosage form or chemical entity before the corresponding non-preferred agent of that dosage form or chemical entity will be approved, unless one (1) of the exceptions on the PA form is present.

	ORAL		
APRISO (mesalamine) ASACOL HD (mesalamine) balsalazide PENTASA (mesalamine) 250 mg PENTASA (mesalamine) 500 mg sulfasalazine	AZULFIDINE (sulfasalazine) COLAZAL (balsalazide) DELZICOL (mesalamine) DIPENTUM (olsalazine) GIAZO (balsalazide) LIALDA (mesalamine) mesalamine UCERIS (budesonide)		
	RECTAL		
CANASA (mesalamine) mesalamine	DELZICOL DR (mesalamine) mesalamine kit ROWASA (mesalamine) SF ROWASA (mesalamine) UCERIS (budesonide)		

### **VASODILATORS, CORONARY**

**CLASS PA CRITERIA:** Non-preferred agents require thirty (30) day trials of each preferred dosage form before they will be approved, unless one (1) of the exceptions on the PA form is present.

#### SUBLINGUAL NITROGLYCERIN



EFFECTIVE 10/01/2020 Version 2020.4c

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
nitroglycerin spray (generic NITROLINGUAL) nitroglycerin sublingual NITROSTAT SUBLINGUAL (nitroglycerin)	GONITRO SPRAY POWDER (nitroglycerin) nitroglycerin spray (generic NITROMIST) NITROLINGUAL SPRAY (nitroglycerin) NITROMIST (nitroglycerin)	