

EFFECTIVE 04/01/2022 Version 2022.2b

- Prior authorization for a non-preferred agent in any class will be given only if there has been a trial of the preferred brand/generic
 equivalent or preferred formulation of the active ingredient, at a therapeutic dose, that resulted in a partial response with a documented
 intolerance.
- Prior authorization of a non-preferred isomer, pro-drug, or metabolite will be considered with a trial of a preferred parent drug
 of the same chemical entity, at a therapeutic dose, that resulted in a partial response with documented intolerance or a previous
 trial and therapy failure, at a therapeutic dose, with a preferred drug of a different chemical entity indicated to treat the
 submitted diagnosis. The required trial may be overridden when documented evidence is provided that the use of these
 preferred agent(s) would be medically contraindicated.
- Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC drugs are not covered unless specified.
- PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.
- The use of pharmaceutical samples will not be considered when evaluating the members' medical condition or prior prescription history for drugs that require prior authorization.
- Quantity limits may apply. Refer to the Limits List on the BMS Website by clicking the hyperlink.
- Unless otherwise indicated, non-preferred combination products require medical reasoning beyond convenience or enhanced compliance as to why the clinical need cannot be met with a preferred agent or combination of preferred single-ingredient agents.
- Acronyms
 - CL Requires clinical PA. For detailed clinical criteria, please go to the PA criteria page by clicking the hyperlink.
 - NR Denotes a new drug which has not yet been reviewed by the P & T Committee. These agents are available only on appeal to the BMS Medical Director.
 - o AP Non-preferred and selected preferred drugs, where indicated, are subject to auto-PA criteria. See PA criteria column.



EFFECTIVE 04/01/2022 Version 2022.2b

CLASSES CHANGING	Status Changes	PA Criteria Changes	New Drugs
Acne Agents, Topical	<u> </u>		X
Analgesics, Narcotic (Long Acting)		X	X
Antidepressants, SSRI			Х
Antimigraine Agents, Acute			Χ
Antimigraine Agents, Prophylaxis			Χ
Antipsychotics, Atypical	X		Х
Angiotensin Modulators			Х
Beta Blockers			Х
Immunomodulators, Atopic Dermatitis			Χ
Immunosuppressives, Oral			Χ
NSAIDS			X
Tetracyclines			Χ
Ophthalmics, Anti-Inflammatories			X
Opiate Depedence Treatments			X
Proton Pump Inhibitors			Х
VMAT Inhibitors		Х	Х



EFFECTIVE 04/01/2022 Version 2022.2b

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA		
ACNE AGENTS, TOPICALAP				
CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of one (1) preferred retinoid and two (2) unique chemical entities in two (2) other subclasses, including the generic version of the requested non-preferred product, before they will be approved, unless one (1) of the exceptions on the PA form is present.				
In cases of pregnancy, a trial of retinoids will no Acne kits are non-preferred.	of be required. For members eighteen (18) years of ac	ge or older, a trial of retinoids will <i>not</i> be required.		
Specific Criteria for sub-class will be listed to 30-day trial of all preferred agents in that sub-	class.	sub-class are available <u>only on appeal</u> and require at least a		
	ANDROGEN RECEPTOR INHIBITOR: WINLEVI CREAM (clascoterone)			
	ANTI-INFECTIVE			
CLINDAGEL (clindamycin) clindamycin lotion, medicated swab, solution erythromycin gel, solution	AMZEEQ FOAM (minocycline) CLEOCIN-T (clindamycin) CLINDACIN ETZ kit, medicated swab (clindamycin) CLINDACIN P (clindamycin) CLINDACIN PAC (clindamycin) clindamycin gel, foam dapsone ERYGEL (erythromycin) erythromycin medicated swab EVOCLIN (clindamycin) FABIOR (tazarotene) KLARON (sulfacetamide) OVACE/PLUS (sulfacetamide) sodium sulfacetamide 10% cleansing gel sulfacetamide			
RETINOIDS				
DIFFERIN (adapalene) RETIN-A (tretinoin) RETIN-A MICRO (tretinoin)	adapalene AKLIEF CREAM (trifarotene) ALTRENO LOTION (tretinoin) ARAZLO (tazarotene) ATRALIN (tretinoin)	In addition to the Class Criteria: PA required for members eighteen (18) years of age or older.		



EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	AVITA (tretinoin) tazarotene cream tretinoin cream, gel tretinoin gel micro	
	KERATOLYTICS	
benzoyl peroxide cleanser Rx & OTC, 10% cream OTC, gel Rx & OTC, lotion OTC, wash OTC PANOXYL-4 OTC (benzoyl peroxide)	BENZEFOAM benzoyl peroxide) BP 10-1 (benzoyl peroxide) BPO (benzoyl peroxide)	
	COMBINATION AGENTS	
ACANYA (clindamycin phosphate/benzoyl peroxide) BENZAMYCIN PAK (benzoyl peroxide/erythromycin) benzoyl peroxide/clindamycin gel (generic DUAC only) EPIDUO (adapalene/benzoyl peroxide)* EPIDUO FORTE (adapalene/benzoyl peroxide)* ONEXTON (clindamycin phosphate/benzoyl peroxide) sulfacetamide sodium/sulfur suspension ZIANA (clindamycin/tretinoin)*	adapalene-benzoyl peroxide* AVAR/-E/LS (sulfur/sulfacetamide) BENZACLIN GEL (benzoyl peroxide/ clindamycin) benzoyl peroxide/clindamycin gel (all generics other than DUAC) benzoyl peroxide/erythromycin benzoyl peroxide/urea clindamycin phosphate/benzoyl peroxide (generic Acanya) clindamycin-tretinoin gel* NEUAC (clindamycin phosphate/benzoyl peroxide) SSS 10-4 (sulfacetamide /sulfur) SSS 10-5 foam (sulfacetamide /sulfur) sulfacetamide sodium/sulfur cloths, lotion, pads sulfacetamide/sulfur wash/cleanser sulfacetamide/sulfur wash kit sulfacetamide sodium/sulfur/ urea SUMADAN/XLT (sulfacetamide/sulfur) SUMAXIN/TS (sulfacetamide sodium/sulfur)	In addition to the Class Criteria: Non-preferred combination agents require thirty (30) day trials of the corresponding preferred single agents before they will be approved. *PA required for combination agents with Retinoid products for members eighteen (18) years of age or older.
	ROSACEA AGENTS	
FINACEA GEL (azelaic acid) MIRVASO GEL (brimonidine) metronidazole cream metronidazole gel 0.75% (NDCs 00115-1474- 46, 00168-0275-45, 51672-4116-06, 66993-0962-45 only)	azelaic acid gel FINACEA FOAM (azelaic acid) ivermectin METROCREAM (metronidazole) METROGEL GEL (metronidazole) metronidazole lotion metronidazole gel (all other NDCs)	Subclass criteria : Non-preferred agents are available only on appeal and require evidence of 30-day trials of all chemically-unique preferred agents in the sub-class.



EFFECTIVE 04/01/2022 Version 2022.2b

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	NORITATE CREAM (metronidazole) RHOFADE (oxymetazoline) ROSADAN (metronidazole) SOOLANTRA CREAM (ivermectin) ZILXI (minocycline) foam	
ALZHEIMER'S AGENTSAP		
CLASS PA CRITERIA: Non-preferred agents the exceptions on the PA form is present.	require a thirty (30) day trial of a preferred agent in the	e same sub-class before they will be approved, unless one (1) of
Prior authorization is required for members up	to forty-five (45) years of age if there is no diagnosis o	f Alzheimer's disease.
	CHOLINESTERASE INHIBITORS	
donepezil 5 and 10 mg donepezil ODT galantamine tablet galantamine ER capsule EXELON PATCH (rivastigmine) RAZADYNE ER (galantamine) rivastigmine	ARICEPT (donepezil) donepezil 23 mg* galantamine solution	*Donepezil 23 mg tablets will be authorized if the following criteria are met: 1. There is a diagnosis of moderate-to-severe Alzheimer's Disease and 2. There has been a trial of donepezil 10 mg daily for at least three (3) months and donepezil 20 mg daily for an additional one (1) month.
	NMDA RECEPTOR ANTAGONIST	
memantine NAMENDA (memantine)	memantine ER memantine solution NAMENDA XR (memantine)*	*Namenda XR requires ninety (90) days of compliant therapy with Namenda.
CHOLIN	ESTERASE INHIBITOR/NMDA RECEPTOR ANTAG	ONIST COMBINATIONS
	NAMZARIC (donepezil/memantine)	Combination agents require thirty (30) day trials of each corresponding preferred single agent.
ANALGESICS, NARCOTIC LONG	ACTING (Non-parenteral)	
class PA Criteria: Non-preferred agents the generic form of the requested non-preferred generic form is available for the requested no opioid agents require a prior authorization opioid and non-opioid therapies attempted.	require six (6) day trials of three (3) chemically distincted agent (if available) before they will be approved, unn-preferred brand agent, then another generic non-proceedings of age. Requests must be considered as a second s	the preferred agents (excluding fentanyl) AND a six (6) day trial of alless one (1) of the exceptions on the PA form is present. If no referred agent must be trialed instead. NOTE: All long-acting be for an FDA approved age and indication and specify previous
BUTRANS (buprenorphine) fentanyl transdermal 12, 25, 50, 75, 100 mcg/hr ^{CL} morphine ER tablets tramadol ER tablets (generic Ultram ER) XTAMPZA ER (oxycodone)	ARYMO ER (morphine sulfate) BELBUCA (buprenorphine buccal film)* buprenorphine buccal film buprenorphine patch (all labelers including 00093) CONZIP ER (tramadol) fentanyl transdermal 37.6, 62.5, 87.5 mcg/hr hydromorphone ER HYSINGLA ER (hydrocodone) hydrocodone ER capsule and tablet	*Belbuca prior authorization requires manual review. Full PA criteria may be found on the PA Criteria page by clicking the hyperlink. **Methadone will be authorized without a trial of the preferred agents if a diagnosis of cancer is submitted. ***Tramadol ER (generic Conzip) requires a manual review and may be authorized for ninety (90) days with submission



managed categories. Refer to cover page for complete list of rules governing this PDL.

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	KADIAN (morphine) methadone** MORPHABOND ER (morphine sulfate) morphine ER capsules (generic for Avinza) morphine ER capsules (generic for Kadian) MS CONTIN (morphine) NUCYNTA ER (tapentadol)**** oxycodone ER OXYCONTIN (oxycodone) oxymorphone ER tramadol ER (generic Conzip ER)*** ULTRAM ER (tramadol) ZOHYDRO ER (hydrocodone)	of a detailed treatment plan including anticipated duration of treatment and scheduled follow-ups with the prescriber. ****Nucynta requires six (6) day trials of three (3) chemically distinct preferred agents

ANALGESICS, NARCOTIC SHORT ACTING (Non-parenteral)

CLASS PA CRITERIA: Non-preferred agents require six (6) day trials of at least four (4) chemically distinct preferred agents (based on the narcotic ingredient only), including the generic formulation of the requested non-preferred agent, before they will be approved, unless one (1) of the exceptions on the PA form is present.

NOTE: All tramadol and codeine products require a prior authorization for children under 18 years of age. Requests must be for an FDA approved age and indication and specify non-opioid therapies attempted.

ABSTRAL (fentanyl) APAP/codeine butalbital/APAP/caffeine/codeine ACTIQ (fentanyl) codeine butalbital/APAP/caffeine/codeine 50-300-30 mg butalbital/ASA/caffeine/codeine hydrocodone/APAP 2.5/325 mg, 5/325 mg, 7.5/325 mg,10/325 mg butorphanol hvdrocodone/APAP solution DEMEROL (meperidine) hydromorphone tablets dihydrocodeine/ APAP/caffeine **LORTAB SOLUTION** DILAUDID (hydromorphone) (hydrocodone/acetaminophen) fentanyl meperidine oral solution FENTORA (fentanvl) morphine FIORICET W/ CODEINE NUCYNTA (tapentadol) (butalbital/APAP/caffeine/codeine) oxycodone capsule, tablets, solution FIORINAL W/ CODEINE oxycodone/APAP (butalbital/ASA/caffeine/codeine) oxycodone/ASA hydrocodone/APAP 5/300 mg, 7.5/300 mg, tramadol 10/300 mg tramadol/APAP hvdrocodone/ibuprofen hydromorphone liquid, suppositories levorphanol

> LORCET (hydrocodone/APAP) LORTAB (hydrocodone/APAP) morphine rectal suppository

meperidine tabletNORCO (hydrocodone/APAP)

Fentanyl buccal, nasal and sublingual products will only be authorized for a diagnosis of cancer and as an adjunct to a long-acting agent. These dosage forms will not be authorized for monotherapy.

Limits: Unless the patient has escalating cancer pain or another diagnosis supporting increased quantities of short-acting opioids, all short acting solid forms of the narcotic analgesics are limited to 120 tablets per thirty (30) days. Longer-acting medications should be maximized to prevent unnecessary breakthrough pain in chronic pain therapy.

Immediate-release tramadol is limited to 240 tablets per thirty (30) days.



PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

EFFECTIVE 04/01/2022 Version 2022.2b

NON-PREFERRED AGENTS	
NON-PREFERRED AGENTS	PA CRITERIA
oxycodone concentrate oxycodone/ibuprofen oxymorphone pentazocine/naloxone PERCOCET (oxycodone/APAP) QDOLO SOLUTION (tramadol) ROXICODONE (oxycodone)ULTRACET (tramadol/APAP) VICOPROFEN (hydrocodone/ibuprofen)	
ANDROGEL (testosterone) packet ANDROID (methyltestosterone) FORTESTA (testosterone) JATENZO (testosterone undecanoate) METHITEST (methyltestosterone) methyltestosterone capsule NATESTO (testosterone) TESTIM (testosterone) TESTRED (methyltestosterone) testosterone gel VOGELXO (testosterone) XYOSTED (testosterone enanthate)	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
require ten (10) day trials of each preferred agent befo	re they will be approved, unless one (1) of the exceptions on the
lidocaine/hydrocortisone LIDOTRAL CREAM (lidocaine) LIDOZION LOTION (lidocaine) SYNERA (lidocaine/tetracaine)	
one (1) of the exceptions on the PA form is present.	nt in the same sub-class, with the exception of the Direct Renin
ALTACE (ramipril) EPANED (enalapril)* enalapril solution LOTENSIN (benazepril) moexipril perindopril	*Epaned will be authorized with a diagnosis of hypertension, symptomatic heart failure or asymptomatic left ventricular dysfunction provided that the patient is less than seven (7) years of age OR is unable to ingest a solid dosage form due to documented oral-motor difficulties or dysphagia. **Qbrelis solution may be authorized for children ages 6-10 who are unable to tolerate a solid dosage form. Qbrelis may
	oxycodone/ibuprofen oxymorphone pentazocine/naloxone PERCOCET (oxycodone/APAP) QDOLO SOLUTION (tramadol) ROXICODONE (oxycodone)ULTRACET (tramadol/APAP) VICOPROFEN (hydrocodone/ibuprofen) t will only be authorized if one (1) of the exceptions on ANDROGEL (testosterone) packet ANDROID (methyltestosterone) FORTESTA (testosterone undecanoate) METHITEST (methyltestosterone) methyltestosterone capsule NATESTO (testosterone) TESTIM (testosterone) TESTRED (methyltestosterone) testosterone gel VOGELXO (testosterone) XYOSTED (testosterone enanthate) require ten (10) day trials of each preferred agent before lidocaine/hydrocortisone LIDOTRAL CREAM (lidocaine) LIDOZION LOTION (lidocaine) SYNERA (lidocaine/tetracaine) require fourteen (14) day trials of each preferred age one (1) of the exceptions on the PA form is present. ACE INHIBITORS ACCUPRIL (quinapril) ALTACE (ramipril) EPANED (enalapril)* enalapril solution LOTENSIN (benazepril) moexipril



EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	QBRELIS SOLUTION (lisinopril)** trandolapril VASOTEC (enalapril) ZESTRIL (lisinopril)	also be authorized for older patients with clinical documentation indicating oral-motor difficulties or dysphagia.
	ACE INHIBITOR COMBINATION DRUG	GS
benazepril/amlodipine benazepril/HCTZ captopril/HCTZ enalapril/HCTZ fosinopril/HCTZ lisinopril/HCTZ quinapril/HCTZ	ACCURETIC (quinapril/HCTZ) LOTENSIN HCT (benazepril/HCTZ) LOTREL (benazepril/amlodipine) TARKA (trandolapril/verapamil) trandolapril/verapamil VASERETIC (enalapril/HCTZ) ZESTORETIC (lisinopril/HCTZ)	
	ANGIOTENSIN II RECEPTOR BLOCKERS	(ARBs)
irbesartan losartan valsartan olmesartan	ATACAND (candesartan) AVAPRO (irbesartan) BENICAR (olmesartan) candesartan COZAAR (losartan) DIOVAN (valsartan) EDARBI (azilsartan) MICARDIS (telmisartan) telmisartan	
	ARB COMBINATIONS	
ENTRESTO (valsartan/sacubitril) ^{AP*} irbesartan/HCTZ losartan/HCTZ olmesartan/amlodipine olmesartan/HCTZ TRIBENZOR (olmesartan/amlodipine/HCTZ) valsartan/amlodipine valsartan/amlodipine/HCTZ valsartan/HCTZ	ATACAND-HCT (candesartan/HCTZ) AVALIDE (irbesartan/HCTZ) AZOR (olmesartan/amlodipine) BENICAR-HCT (olmesartan/HCTZ) candesartan/HCTZ DIOVAN-HCT (valsartan/HCTZ) EDARBYCLOR (azilsartan/chlorthalidone) EXFORGE (valsartan/amlodipine) EXFORGE HCT (valsartan/amlodipine/HCTZ) HYZAAR (losartan/HCTZ) MICARDIS-HCT (telmisartan/HCTZ) olmesartan/amlodipine/HCTZ telmisartan/amlodipine telmisartan HCTZ DIRECT RENIN INHIBITORS	*Entresto may be authorized only for patients ≥ 1 year of age diagnosed with chronic heart-failure.
	aliskiren	Substitute for Class Criteria: Tekturna requires a thirty (30)
	TEKTURNA (aliskiren) TEKTURNA HCT (aliskiren/HCTZ)	day trial of one (1) preferred ACE, ARB, or combination agent, at the maximum tolerable dose, before it will be authorized unless one (1) of the exceptions on the PA form is present.



04/01/2022 Version 2022.2b

EFFECTIVE

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
ANTIANGINAL & ANTI-ISCHEMIC			
CLASS PA CRITERIA: Agents in this class ma as single agents or a combination agent contain		also taking a calcium channel blocker, a beta blocker, or a nitrite	
ranolazine ^{AP}	RANEXA		
ANTIBIOTICS, GI & RELATED AG	SENTS		
	require a fourteen (14) day trial of a preferred agent b	efore they will be approved, unless one (1) of the exceptions on	
the PA form is present. FIRVANQ (vancomycin)	AEMCOLO (rifamycin) tablet**	*Full PA criteria may be found on the PA Criteria page by	
metronidazole tablet	DIFICID (fidaxomicin)*	clicking the hyperlink.	
neomycin	FLAGYL (metronidazole)	· , ,	
tinidazole	metronidazole capsule	**Aemcolo may be authorized after a trial of Xifaxan 200mg	
XIFAXAN 200 MG (rifaximin)*	paromomycin VANCOCIN (vancomycin)	tablets.	
	vancomycin		
	XIFAXAN 550 MG (rifaximin)*		
ANTIBIOTICS, INHALED			
		nt and documentation of therapeutic failure before they will be	
approved, unless one (1) of the exceptions on	•		
BETHKIS (tobramycin) KITABIS PAK (tobramycin)	CAYSTON (aztreonam) TOBI (tobramycin)		
TATABLE TATE (Coolainyon)	TOBI PODHALER (tobramycin)		
	tobramycin		
ANTIBIOTICS, TOPICAL			
	require ten (10) day trials of at least one preferred ago unless one (1) of the exceptions on the PA form is pre	ent, including the generic formulation of the requested non- sent.	
bacitracin (Rx, OTC)	CENTANY (mupirocin)		
gentamicin sulfate	CORTISPORIN		
mupirocin ointment	(bacitracin/neomycin/polymyxin/HC) mupirocin cream		
	neomycin/polymyxin/pramoxine		
	XEPI CREAM (ozenoxacin)		
·	ANTIBIOTICS, VAGINAL		
CLASS PA CRITERIA: Non-preferred agents require trials of each chemically unique preferred agent at the manufacturer's recommended duration, before they will be approved, unless one (1) of the exceptions on the PA form is present.			
CLEOCIN OVULE (clindamycin)	CLEOCIN CREAM (clindamycin)		
CLINDESSE (clindamycin)	clindamycin cream METROGEL (metronidazole)		
metronidazole gel NUVESSA (metronidazole)	METROGEL (Metronidazole)		
SOLOSEC (secnidazole)			
VANDAZOLE (metronidazole)			



EFFECTIVE 04/01/2022 Version 2022.2b

	THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
ANTICOAGULANTS			
CLASS PA CRITERIA: Non-preferred agents in present.	require a trial of each preferred agent in the same sub	o-class, unless one (1) of the exceptions on the PA form is	
	INJECTABLECL		
enoxaparin	ARIXTRA (fondaparinux) fondaparinux FRAGMIN (dalteparin) LOVENOX (enoxaparin)		
	ORAL		
ELIQUIS (apixaban) PRADAXA (dabigatran) warfarin XARELTO (rivaroxaban)	SAVAYSA (edoxaban)		
ANTICONVULSANTS			
CLASS PA CRITERIA: For a diagnosis of seizure disorder, non-preferred agents require a fourteen (14) day trial of a preferred agent in the same sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present; patients currently on established therapies shall be grandfathered.			
For all other diagnoses, non-preferred agents require a thirty (30) day trial of a preferred agent in the same sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present.			
In situations where AB-rated generic equivalent the brand name product to be reimbursed.	products are available, "Brand Medically Necessary"	must be hand-written by the prescriber on the prescription for	
	ADJUVANTS		
carbamazepine carbamazepine ER CARBATROL (carbamazepine) DEPAKOTE SPRINKLE (divalproex) divalproex divalproex ER divalproex sprinkle EPITOL (carbamazepine) EQUETRO (carbamazepine) GABITRIL (tiagabine) LAMICTAL (lamotrigine)	APTIOM (eslicarbazepine) BANZEL (rufinamide) BRIVIACT (brivaracetam) carbamazepine oral suspension DEPAKOTE (divalproex) DEPAKOTE ER (divalproex) DIACOMIT CAPSULE/POWDER PACK (stripentol)** ELEPSIA XR (levetiracetam) felbamate FELBATOL (felbamate)	*Topiramate ER will be authorized after a thirty (30) day trial of topiramate IR. **Diacomit may only be approved as adjunctive therapy for diagnosis of Dravet Syndrome when prescribed by, or in consultation with, a neurologist AND requires a thirty (30) day trial of valproate and clobazam unless one (1) of the exceptions on the PA form is present. Diacomit must be used concurrently with clobazam.	



EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LAMICTAL CHEWABLE (lamotrigine) LAMICTAL ODT (lamotrigine) LAMICTAL XR (lamotrigine) lamotrigine levetiracetam IR levetiracetam ER levetiracetam IR suspension oxcarbazepine tablets QUDEXY XR (topiramate ER) TEGRETOL SUSPENSION (carbamazepine) TEGRETOL XR (carbamazepine) TOPAMAX SPRINKLE CAPS (topiramate) TRILEPTAL SUSPENSION (oxcarbazepine) topiramate IR tablet topiramate ER* valproic acid VIMPAT (lacosamide) zonisamide	FINTEPLA (fenfluramine) SOLUTION**** FYCOMPA (perampanel) KEPPRA (levetiracetam) KEPPRA SOLUTION (levetiracetam) KEPPRA SOLUTION (levetiracetam) lamotrigine dose pack lamotrigine ER lamotrigine ODT oxcarbazepine suspension OXTELLAR XR (oxcarbazepine) rufinamide oral suspension, tablets SABRIL (vigabatrin) SPRITAM (levetiracetam) TEGRETOL TABLETS (carbamazepine) tiagabine TOPAMAX TABLETS (topiramate) topiramate IR sprinkle caps topiramate ER sprinkle caps (generic Qudexy) TRILEPTAL TABLETS (oxcarbazepine) TROKENDI XR (topiramate)*** vigabatrin tablet/powder pack XCOPRI (cenobamate)	**** Trokendi XR are only approvable on appeal. ****Full PA criteria for Fintepla may be found on the PA Criteria page by clicking the hyperlink.
	BARBITURATES ^{AP}	
phenobarbital primidone	MYSOLINE (primidone)	
	BENZODIAZEPINESAP	
clonazepam DIASTAT (diazepam rectal) diazepam rectal gel diazepam tablets NAYZILAM NASAL SPRAY (midazolam) VALTOCO NASAL SPRAY (diazepam)	clobazam* clonazepam ODT KLONOPIN (clonazepam) ONFI (clobazam)* ONFI SUSPENSION (clobazam)* SYMPAZAN (clobazam film)*	*Onfi shall be authorized as adjunctive therapy for treatment of Lennox-Gastaut Syndrome and Dravet Syndrome without further restrictions. All other indications require an appeal to the Medical Director. NOTE: generic clobazam is preferred over brand ONFI.
	CANNABINOIDS	
EPIDIOLEX SOLUTION (cannabidiol)*AP		*Epidiolex may be authorized after 14 (fourteen) day trials of two of the following agents within the past 12 months: clobazam, levetiracetam, valproate, lamotrigine, topiramate, rufinamide or felbamate.
	HYDANTOINSAP	
DILANTIN CAPSULES, SUSPENSION, CHEW TABS (phenytoin sodium, extended)	PHENYTEK (phenytoin)	



EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PEGANONE (ethotoin) phenytoin capsules, chewable tablets, suspension		
	SUCCINIMIDES	
CELONTIN (methsuximide) ethosuximide capsules ethosuximide syrup	ZARONTIN (ethosuximide) capsules ZARONTIN (ethosuximide) syrup	
ANTIDEPRESSANTS, OTHER		
CLASS PA CRITERIA: See below for individua	ll sub-class criteria.	
	MAOIs ^{AP}	
	MARPLAN (isocarboxazid) NARDIL (phenelzine) phenelzine tranylcypromine	Patients stabilized on MAOI agents will be grandfathered.
	SNRIS ^{AP}	
duloxetine capulses venlafaxine ER capsules	CYMBALTA (duloxetine) desvenlafaxine ER desvenlafaxine fumarate ER EFFEXOR XR (venlafaxine) FETZIMA (levomilnacipran) PRISTIQ (desvenlafaxine) venlafaxine IR venlafaxine ER tablets (venlafaxine)	Non-preferred agents require separate thirty (30) day trials of a preferred agent in this sub-class AND an SSRI before they will be approved, unless one (1) of the exceptions on the PA form is present.
	SECOND GENERATION NON-SSRI, OTH	IER ^{AP}
bupropion IR bupropion SR bupropion XL mirtazapine trazodone	APLENZIN (bupropion hbr) EMSAM (selegiline) FORFIVO XL (bupropion) nefazodone REMERON (mirtazapine) TRINTELLIX (vortioxetine) VIIBRYD (vilazodone HCI) WELLBUTRIN SR (bupropion) WELLBUTRIN XL (bupropion)	Non-preferred agents require separate thirty (30) day trials of a preferred agent in this sub-class AND an SSRI before they will be approved, unless one (1) of the exceptions on the PA form is present.
SELECTED TCAs		
imipramine HCI	imipramine pamoate	Non-preferred agents require a twelve (12) week trial of imipramine HCl before they will be approved, unless one (1) of the exceptions on the PA form is present.
ANTIDEPRESSANTS, SSRISAP		



EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
exceptions on the PA form is present.	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	rred agents before they will be approved, unless one (1) of the abilized on a non-preferred SSRI will receive an authorization to
continue that drug. citalopram escitalopram tablets fluoxetine capsules, solution fluvoxamine paroxetine sertraline	BRISDELLE (paroxetine) CELEXA (citalopram) escitalopram solution fluoxetine tablets fluvoxamine ER LEXAPRO (escitalopram) paroxetine 7.5 mg capsules paroxetine ER paroxetine suspension PAXIL (paroxetine) PAXIL CR (paroxetine) PEXEVA (paroxetine) PROZAC (fluoxetine) SARAFEM (fluoxetine) sertraline capsules ZOLOFT (sertraline)	
ANTIEMETICSAP	, in the second	
CLASS PA CRITERIA: See below for sub-class	ss criteria.	
	5HT3 RECEPTOR BLOCKERS	
granisetron ondansetron ODT, solution, tablets	ondansetron vials SANCUSO (granisetron) SUSTOL (granisetron) ZOFRAN (ondansetron) ZUPLENZ (ondansetron)	Non-preferred agents require a three (3) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
CANNABINOIDS		
	dronabinol* MARINOL (dronabinol)*	*Dronabinol will only be authorized for: 1. The treatment of anorexia associated with weight loss in patients with AIDS or cancer and unresponsive to megestrol or 2. The prophylaxis of chemotherapy induced nausea and vomiting unresponsive to three (3) day trials of ondansetron or promethazine for patients from eighteen (18) up to sixty-five (65) years of age.
	SUBSTANCE P ANTAGONISTS	



EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
EMEND (aprepitant)	aprepitant VARUBI (rolapitant)	Non-preferred agents require a three (3) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
	COMBINATIONS	
	AKYNZEO (netupitant/palonosetron) BONJESTA (doxylamine/pyridoxine) DICLEGIS (doxylamine/pyridoxine) doxylamine/pyridoxine (generic Diclegis)	Non-preferred agents will only be approved on appeal.
ANTIFUNGALS, ORAL		
CLASS PA CRITERIA: Non-preferred agents	s will only be authorized if one (1) of the exceptions on	the PA form is present.
clotrimazole fluconazole*	ANCOBON (flucytosine)CRESEMBA (isovuconazonium) ^{CL**}	*PA is required when limits are exceeded.
nystatin terbinafine ^{CL}	BREXAFEMME (ibrexafungerp) DIFLUCAN (fluconazole) flucytosine	**Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
	griseofulvin*** itraconazole ketoconazole**** MYCELEX (clotrimazole)	***PA is not required for griseofulvin suspension for children up to eighteen (18) years of age for the treatment of tinea capitis.
	NOXAFIL (posaconazole) ORAVIG (miconazole) posaconazole tablet SPORANOX (itraconazole)	*****Ketoconazole will be authorized if the following criteria are met: 1. Diagnosis of one of the following fungal infections: blastomycosis, coccidioidomycosis, histoplasmosis,
	TOLSURA (itraconazole) VFEND (voriconazole) voriconazole suspension voriconazole tablets	chromomycosis, or paracoccidioidomycosis and 2. Documented failure or intolerance of all other diagnosis-appropriate antifungal therapies, i.e. itraconazole, fluconazole, flucytosine, etc and
		3. Baseline assessment of the liver status including alanine aminotransferase (ALT), aspartate aminotransferase (AST), total bilirubin, alkaline phosphatase, prothrombin time, and international normalized ratio (INR) before starting treatment and 4. Weekly, manifering of sorum ALT for the duration of
		4. Weekly monitoring of serum ALT for the duration of treatment (If ALT values increase to a level above the upper limit of normal or 30% above baseline, or if the patient develops symptoms of abnormal liver function, treatment should be interrupted and a full set of liver tests
		be obtained. Liver tests should be repeated to ensure normalization of values.) and 5. Assessment of all concomitant medications for potential adverse drug interactions with ketoconazole.



EFFECTIVE 04/01/2022 Version 2022.2b

	THERAPEUTIC DRUG CLA	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		Ketoconazole will not be authorized for treatment for fungal infections of the skin and nails.
ANTIFUNGALS, TOPICALAP		
		gents before they will be approved, unless one (1) of the γ trial of one (1) preferred product (i.e. ketoconazole shampoo) is
	ANTIFUNGALS	
econazole ketoconazole cream, shampoo MENTAX (butenafine) miconazole (OTC) nystatin	CICLODAN (ciclopirox) ciclopirox ERTACZO (sertaconazole) EXELDERM (sulconazole) EXTINA (ketoconazole) GYNAZOLE 1 CREAM (butoconazole) JUBLIA (efinaconazole) ketoconazole foam KERYDIN (tavaborole) KETODAN (ketoconazole) LOPROX (ciclopirox) LUZU (luliconazole) miconazole/petrolatum/zinc oxide NAFTIN GEL (naftifine) OXISTAT (oxiconazole)* tavaborole 5% topical solution VUSION (miconazole/petrolatum/zinc oxide)	*Oxistat cream will be authorized for children up to thirteen (13) years of age for tinea corporis, tinea cruris, tinea pedis, and tinea (pityriasis) versicolor.
	ANTIFUNGAL/STEROID COMBINATI	ONS
clotrimazole/betamethasone cream	clotrimazole/betamethasone lotion nystatin/triamcinolone	
ANTIHEMOPHILIA FACTOR AGE	· · ·	
CLASS PA CRITERIA: All agents will require prior-authorization, and non-preferred agents require medical reasoning explaining why the need cannot be met using a preferred product.		
All currently established regimens shall be grandfathered with documentation of adherence to therapy.		
FACTOR VIII		
ADVATE AFSTYLA ALPHANATE HEMOFIL M HUMATE-P KOATE KOGENATE FS KOVALTRY	ADYNOVATE ELOCTATE ESPEROCT JIVI VONVENDI	



EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
NOVOEIGHT NUWIQ RECOMBINATE WILATE XYNTHA XYNTHA SOLOFUSE		
	BYPASSING AGENTS	
	FEIBA NOVOSEVEN SEVENFACT	
	FACTOR IX	
ALPHANINE SD ALPROLIX BENEFIX IDELVION IXINITY MONONINE PROFILNINE RIXUBIS	REBINYN	
	FACTOR IXa/IX	
HEMLIBRA (emicizumab-kxwh)		
ANTIHYPERTENSIVES, SYMPATH CLASS PA CRITERIA: Non-preferred agents in be approved, unless one (1) of the exceptions of CATAPRES-TTS (clonidine) clonidine patch clonidine tablets	equire thirty (30) day trials of each preferred unique of	chemical entity in the corresponding formulation before they will
ANTIHYPERURICEMICS		
CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of one (1) of the preferred agents for the prevention of gouty arthritis attacks (colchicine/probenecid, probenecid, or allopurinol) before they will be approved, unless one (1) of the exceptions on the PA form is present.		
ANTIMITOTICS		
COLCRYS (colchicine) tablets	colchicine capsules colchicine tablets MITIGARE (colchicine) GLOPERBA (colchicine)*	In the case of acute gouty attacks, a ten (10) day supply (twenty (20) units) of the preferred agent(s) in this subclass will be authorized per ninety (90) days. *Gloperba may only be authorized for those who are unable to ingest solid dosage forms due to documented oralmotor difficulties or dysphagia.



managed categories. Refer to cover page for complete list of rules governing this PDL.

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA
This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 04/01/2022 Version 2022.2b

	THERAPEUTIC DRUG CLA	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ANTIMITOTIC-URICOSURIC COMBIN	ATION
colchicine/probenecid		
	URICOSURIC	
probenecid		
	XANTHINE OXIDASE INHIBITOR	
allopurinol	febuxostat tablets ULORIC (febuxostat) ZYLOPRIM (allopurinol)	
ANTIMIGRAINE AGENTS, PRO	PHYLAXISCL	
CLASS PA CRITERIA: All agents require	a prior authorization. Full PA criteria may be found	d on the PA Criteria page by clicking the hyperlink. Non-preferre
agents require a 90-day trial of all preferred a AIMOVIG (erenumab)	agents. EMGALITY (galcanezumab)*	*Emgality 300 mg/3 mL requires review by the Medical Director
AJOVY (fremanezumab)	NURTEC ODT (rimegepant)**	and is available only on appeal.
	QULIPTA (atogepant)	WANT OF THE PROPERTY OF THE PR
		**Nurtec ODT for a diagnosis of Migraine prophylaxis: Maximum Quantity limit of 16 tablets per 32 days.
ANTIMIGRAINE AGENTS, ACU	TEAP	
CLASS PA CRITERIA: Non-preferred agen of administration as the requested agent (if a	ts require three (3) day trials of each preferred unique of available), before they will be approved, unless one (1)	chemical entity as well as a three (3) day trial using the same rout of the exceptions on the PA form is present.
	TRIPTANS	
IMITREX NASAL SPRAY (sumatriptan) naratriptan rizatriptan ODT rizatriptan tablet sumatriptan injection ^{CL} sumatriptan nasal spray sumatriptan tablets zolmitriptan zolmitriptan	almotriptan AMERGE (naratriptan) eletriptan FROVA (frovatriptan) frovatriptan IMITREX tablets (sumatriptan) MAXALT MLT (rizatriptan) MAXALT (rizatriptan) ONZETRA XSAIL (sumatriptan)* RELPAX (eletriptan) TOSYMRA NASAL SPRAY	*In addition to the Class Criteria: Onzetra Xsail and Tosymra require three (3) day trials of each preferred oral, nasal and injectable forms of sumatriptan.
	(sumatriptan)*ZEMBRACE SYMTOUCH (sumatriptan) ZOMIG (zolmitriptan) ZOMIG ZMT (zolmitriptan)	



EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	TREXIMET (sumatriptan/naproxen sodium)	
	OTHER	
NURTEC ODT (rimegepant)*	CAFERGOT (ergotamine/caffeine)** CAMBIA (diclofenac) D.H.E 45 AMPULE (dihydroergotamine)** dihydroergotamine injection, nasal spray** MIGERGOT RECTAL SUPPOSITORY (ergotamine/caffeine)** MIGRANAL SPRAY (dihydroergotamine)** REYVOW (lasmiditan)** TRUDHESA SPRAY (dihydroergotamine)** UBRELVY (ubrogepant)***	*Nurtec ODT For a diagnosis of Migraine treatment: requires three (3) day trials of two (2) preferred chemically distinct triptans before it may be approved, unless one (1) of the exceptions on the PA form is present. Maximum Quantity limit of 8 tablets per 30 days. **All non-preferred Ergot alkaloid agents require three (3) day trials of (2) preferred triptans as well as a three (3) day trial of a preferred triptan using the same route of administration as the requested agent (if available), before they will be approved, unless one (1) of the exceptions on the PA form is present. Note: Ergot derivatives should not be used with or within 24 hours of triptans. **Additional Ergot Alkaloid criteria: Nasal spray: dihydroergotamine nasal spray and Trudhesa spray may only be authorized after a trial and failure of Migranal spray. Rectal suppository: Migerot rectal suppository may only be authorized after a trial and failure of a preferred triptan nasal spray. Injection: dihydroergotamine injection and D.H.E 45 ampule may only be approved for cluster headaches. ***Ubrelvy and Reyvow require three (3) day trials of two (2) preferred chemically distinct triptans as well as a three (3) day trial of Nurtec ODT before they may be approved, unless one (1) of the exceptions on the PA form is present.
ANTIPARASITICS, TOPICAL ^{AP}		
one (1) of the exceptions on the PA form is pres	ent.	and weight appropriate) before they will be approved, unless
NATROBA (spinosad) permethrin 5% cream pyrethrins-piperonyl butoxide OTC	ELIMITE CREAM (permethrin) EURAX (crotamiton) ivermectin 0.5% lotion	



EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	LICE EGG REMOVER OTC (benzalkonium chloride) lindane malathion OVIDE (malathion) SKLICE (ivermectin) spinosad VANALICE (piperonyl/pyrethin)	
ANTIPARKINSON'S AGENTS		
CLASS PA CRITERIA: Patients starting therapefore a non-preferred agent will be authorized		ergy to all preferred agents in the corresponding sub-class,
	ANTICHOLINERGICS	
benztropine trihexyphenidyl		
	COMT INHIBITORS	0017
entacapone	COMTAN (entacapone) ONGENTYS (opicapone) TASMAR (tolcapone) tolcapone	COMT Inhibitor agents will only be approved as add-on therapy to a levodopa-containing regimen for treatment of documented motor complications.
	DOPAMINE AGONISTS	
APOKYN (apomorphine) PEN bromocriptine pramipexole ropinirole	KYNMOBI (apomorphine) FILM MIRAPEX ER (pramipexole)* NEUPRO (rotigotine) pramipexole ER ropinirole ER	*Mirapex ER will be authorized for a diagnosis of Parkinsonism without a trial of preferred agents.
	OTHER ANTIPARKINSON'S AGENTS	
amantadine*AP carbidopa/levodopa levodopa/carbidopa/entacapone selegiline	AZILECT (rasagiline) carbidopa GOCOVRI ER (amantadine) INBRIJA (levodopa) levodopa/carbidopa ODT LODOSYN (carbidopa) NOURIANZ (istradefylline) OSMOLEX ER (amantadine) PARLODEL (bromocriptine) rasagiline RYTARY (levodopa/carbidopa) SINEMET (levodopa/carbidopa) STALEVO (levodopa/carbidopa/entacapone) XADAGO (safinamide) ZELAPAR (selegiline)	*Amantadine will not be authorized for the treatment or prophylaxis of influenza.



PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 04/01/2022 Version 2022.2b

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
ANTIPSORIATICS, TOPICAL CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of two (2) preferred unique chemical entities before they will be approved, unless one (1)			
of the exceptions on the PA form is present.	equile tility (50) day thats of two (2) preferred unique	o chemical childes before they will be approved, unless one (1)	
TACLONEX (calcipotriene/ betamethasone) VECTICAL (calcitriol)	calcipotriene cream calcipotriene ointment calcipotriene solution calcipotriene/betamethasone ointment, suspension calcitriol DOVONEX (calcipotriene) ENSTILAR (calcipotriene/betamethasone) SORILUX (calcipotriene) tazarotene cream		

ANTIPSYCHOTICS, ATYPICAL

CLASS PA CRITERIA: All antipsychotic agents require prior authorization for children up to eighteen (18) years of age. All PA requests for antipsychotics for children 6 years of age and younger will be reviewed by Medicaid's consultant psychiatrist.

Non-preferred agents require thirty (30) day trials of two (2) preferred agents, including the generic formulation of the requested agent (if available), before they will be approved unless one (1) of the exceptions on the PA form is present. All trials must be at the maximum recommended dose for the diagnosis provided before they would be considered a failure unless an adverse reaction is documented necessitating a change in therapy.

Patients shall be grandfathered onto their existing therapy, provided the requested agent is being used according to the manufacturer label. Continuation of therapy for an off-label indication or non-standard dosage may be granted a thirty (30) day prior-authorization while the Medical Director reviews the request.

SINGLE INGREDIENT

ABILIFY MAINTENA (aripiprazole)^{CL} aripiprazole tablets
ARISTADA (aripiprazole)^{CL}
ARISTADA INITIO (aripiprazole)^{CL} clozapine
INVEGA ER (paliperidone)
INVEGA HAFYERA (paliperidone)*^{CL}

INVEGA SUSTENNA (paliperidone)CL

ABILIFY MYCITE (aripiprazole)
ABILIFY TABLETS (aripiprazole)
ADASUVE (loxapine)
aripiprazole solution
asenapine sublingual tablets
CAPLYTA (lumateperone)
clozapine ODT
CLOZARIL (clozapine)

The following criteria exceptions apply to the specified products:

*Invega Hafyera may only be authorized after four months' treatment with Invega Sustenna or at least a one three-month cycle with Invega Trinza.

**Invega Trinza will be authorized after four months' treatment with Invega Sustenna



This is not an all-inclusive list of available covered drugs and includes only

managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
INVEGA TRINZA (paliperidone)** CL LATUDA (lurasidone) olanzapine olanzapine ODT PERSERIS (risperidone)CL quetiapine ER quetiapine** AP for the 25 mg Tablet Only RISPERDAL CONSTA (risperidone)CL risperidone solution, tablet, ODT SAPHRIS (asenapine) ziprasidone	FANAPT (iloperidone) GEODON (ziprasidone) GEODON IM (ziprasidone) LYBALVI (olanzapine and samidorphan)*** NUPLAZID (pimavanserin) **** olanzapine IMCL paliperidone ER REXULTI (brexipiprazole) RISPERDAL (risperidone) SECUADO (asenapine) SEROQUEL (quetiapine) SEROQUEL XR (quetiapine) VERSACLOZ (clozapine) VRAYLAR (capriprazine)**** VRAYLAR DOSE PAK (capriprazine)**** ZYPREXA (olanzapine) ZYPREXA IM (olanzapine) ZYPREXA RELPREVV (olanzapine)	***Quetiapine 25 mg will be authorized: 1. For a diagnosis of schizophrenia or 2. For a diagnosis of bipolar disorder or 3. When prescribed concurrently with other strengths of Seroquel in order to achieve therapeutic treatment levels. Quetiapine 25 mg will not be authorized for use as a sedative hypnotic. ***Patient must have had a positive response with olanzapine and experienced clinically significant weight gain (documentation must be provided) which necessitated disruption of treatment. Patient must also have had an intolerance, inadequate treatment response or contraindication to 2 preferred antipsychotics (such as aripiprazole and ziprasidone) which have a lower potential of weight gain prior to Lybalvi approval. Prior to initiating Lybalvi, there should be at least a 7-day opioid-free interval from the last use of short-acting opioids, and at least a 14-day opioid-free interval from the last use of long-acting opioids to avoid precipitation of opioid withdrawal. *****Nuplazid may only be authorized for the treatment of Parkinson Disease Induced Psychosis after documented treatment failure with quetiapine. ******Vraylar may be authorized for the indication of Bipolar Depression only after failure of a 30-day trial of Latuda and a 30-day trial of either quetiapine OR a combination of olanzapine + fluoxetine. All other indications require class criteria to be followed.
	ATYPICAL ANTIPSYCHOTIC/SSRI COMBIN	ATIONS
	olanzapine/fluoxetine	

ANTIRETROVIRALS^{AP}

CLASS PA CRITERIA: Non-preferred drugs require medical reasoning beyond convenience or enhanced compliance as to why the clinical need cannot be met with a preferred agent or combination of preferred agents. <u>NOTE</u>: Regimens consisting of preferred agents will result in no more than one additional unit per day over equivalent regimens composed of non-preferred agents. Patients already on a non-preferred regimen shall be grandfathered.

SINGLE TABLET REGIMENS



EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
BIKTARVY (bictegravir/emtricitabine/ tenofovir alafenamide) COMPLERA (emtricitabine/rilpivirine/tenofovir) DELSTRIGO (doravirine/lamivudine/ tenofovir df) efavirenz/emtricitabine/tenofovir GENVOYA (elvitegravir/cobicistat/ emtricitabine/tenofovir) ODEFSEY (emtricitabine/rilpivirine/tenofovir) SYMFI (efavirenz/lamivudine/tenofovir) SYMFI LO (efavirenz/lamivudine/tenofovir) TRIUMEQ (abacavir/lamivudine/ dolutegravir)	ATRIPLA (efavirenz/emtricitabine/tenofovir) DOVATO (dolutegravir/lamivudine) JULUCA (dolutegravir/rilpivirine) SYMTUZA (darunavir/cobicistat/ emtricitabine/tenofovir alafenamide) STRIBILD (elvitegravir/cobicistat/ emtricitabine/tenofovir)*	*Stribild requires medical reasoning beyond convenience or enhanced compliance as to why the medical need cannot be met with the preferred agent Genvoya.
	INTEGRASE STRAND TRANSFER INHIBI	TORS
ISENTRESS (raltegravir potassium) TIVICAY (dolutegravir sodium) TIVICAY PD (dolutegravir sodium)	ISENTRESS HD (raltegravir potassium)	
(**************************************	NUCLEOSIDE REVERSE TRANSCRIPTASE INHIE	BITORS (NRTI)
abacavir sulfate tablet EMTRIVA (emtricitabine) EPIVIR SOLUTION (lamivudine) lamivudine tenofovir disoproxil fumarate VIREAD ORAL POWDER (tenofovir disoproxil fumarate) ZIAGEN SOLUTION (abacavir sulfate) zidovudine NC efavirenz	abacavir sulfate solution didanosine DR capsule emtricitabine capsule EPIVIR TABLET (lamivudine) RETROVIR (zidovudine) stavudine VIDEX EC (didanosine) VIDEX SOLUTION (didanosine) VIREAD TABLETS (tenofovir disoproxil fumarate) ZIAGEN TABLET (abacavir sulfate) DN-NUCLEOSIDE REVERSE TRANSCRIPTASE INI EDURANT (rilpivirine) etravirine INTELENCE (etravirine) nevirapine nevirapine ER PIFELTRO (doravirine) SUSTIVA (efavirenz)	HIBITOR (NNRTI)
	VIRAMUNE ER 24H (nevirapine) VIRAMUNE SUSPENSION (nevirapine)	
	PHARMACOENHANCER - CYTOCHROME P450	O INHIBITOR
TYBOST (cobicistat)		
	PROTEASE INHIBITORS (PEPTIDIC	
atazanavir EVOTAZ (atazanavir/cobicistat)	fosamprenavir LEXIVA (fosamprenavir)	



EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
NORVIR (ritonavir) REYATAZ POWDER PACK (atazanavir)	REYATAZ CAPSULE (atazanavir) ritonavir tablet VIRACEPT (nelfinavir mesylate)	
	PROTEASE INHIBITORS (NON-PEPTIC	PIC)
PREZCOBIX (darunavir/cobicistat) PREZISTA (darunavir ethanolate)	APTIVUS (tipranavir)	
	ENTRY INHIBITORS - CCR5 CO-RECEPTOR AN	ITAGONISTS
	SELZENTRY (maraviroc)	
	ENTRY INHIBITORS – FUSION INHIBIT	ORS
	FUZEON (enfuvirtide)	
	COMBINATION PRODUCTS – NRTIS	S
abacavir/lamivudine	abacavir/lamivudine/zidovudine	
CIMDUO (lamivudine/tenofovir)	COMBIVIR (lamivudine/zidovudine)	
lamivudine/zidovudine	EPZICOM (abacavir/lamivudine)	
	TEMIXYS (lamivudine/tenofovir)	
	TRIZIVIR (abacavir/lamivudine/zidovudine)	
	BINATION PRODUCTS - NUCLEOSIDE & NUCLEO	OTIDE ANALOG RTIS
DESCOVY (emtricitabine/tenofovir) emtricitabine/tenofovir	TRUVADA (emtricitabine/tenofovir)	
	COMBINATION PRODUCTS - PROTEASE IN	HIBITORS
lopinavir/ritonavir	KALETRA (lopinavir/ritonavir)	
	GP 120 DIRECTED ATTACHMENT INHIBI	TORS
RUKOBIA (fostemsavir tromethamine) TABLETS		
ANTIVIRALS, ORAL		
CLASS PA CRITERIA: Non-preferred agents r of the exceptions on the PA form is present.		e same sub-class before they will be approved, unless one (1)
	ANTI HERPES	
acyclovir valacyclovir	famciclovir SITAVIG (acyclovir) VALTREX (valacyclovir) ZOVIRAX (acyclovir)	
and the mainting	ANTI-INFLUENZA	In addition to the Class Criteria. The auti influence and
oseltamivir	FLUMADINE (rimantadine) RELENZA (zanamivir) rimantadine TAMIFLU (oseltamivir) XOFLUZA (baloxavir)	In addition to the Class Criteria: The anti-influenza agents will be authorized only for a diagnosis of influenza.
ANTIVIRALS, TOPICALAP		



PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

04/01/2022 Version 2022.2b

EFFECTIVE

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CLASS PA CRITERIA: Non-preferred agents repaired present.	equire a five (5) day trial of the preferred agent before	e they will be approved, unless one (1) of the exceptions on the
acyclovir ointment ZOVIRAX CREAM (acyclovir)	docosanol cream DENAVIR (penciclovir) ZOVIRAX OINTMENT (acyclovir)	
BETA BLOCKERSAP		
	equire fourteen (14) day trials of three (3) chemically will be approved, unless one (1) of the exceptions on	distinct preferred agents, including the generic formulation of the PA form is present.
	BETA BLOCKERS	
acebutolol atenolol betaxolol bisoprolol BYSTOLIC (nebivolol) HEMANGEOL (propranolol)* metoprolol ER nadolol pindolol propranolol ER SORINE (sotalol) sotalol timolol	BETAPACE (sotalol) CORGARD (nadolol) INDERAL LA (propranolol) INDERAL XL (propranolol) INNOPRAN XL (propranolol) KAPSPARGO SPRINKLE (metoprolol) LOPRESSOR (metoprolol) nebivolol TENORMIN (atenolol) TOPROL XL (metoprolol)	*Hemangeol will be authorized for the treatment of proliferating infantile hemangioma requiring systemic therapy.
	BETA BLOCKER/DIURETIC COMBINATION	DRUGS
atenolol/chlorthalidone bisoprolol/HCTZ metoprolol/HCTZ propranolol/HCTZ	nadolol/bendroflumethiazide TENORETIC (atenolol/chlorthalidone) ZIAC (bisoprolol/HCTZ)	
BETA- AND ALPHA-BLOCKERS carvedilol carvedilol ER capsule		
labetalol	COREG (carvedilol) COREG CR (carvedilol)	

BLADDER RELAXANT PREPARATIONSAP

CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of each chemically distinct preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present



EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
DETROL LA (tolterodine) GELNIQUE (oxybutynin) MYRBETRIQ TABLET (mirabegron) oxybutynin IR oxybutynin ER OXYTROL (oxybutynin) solifenacin TOVIAZ (fesoterodine)	darifenacin ER tablet DETROL (tolterodine) DITROPAN XL (oxybutynin) ENABLEX (darifenacin) flavoxate GEMTESA (vibegron) MYRBETRIQ SUSPENSION (mirabegron) tolterodine tolterodine ER trospium trospium ER VESICARE (solifenacin) VESICARE LS (solifenacin)	
BONE RESORPTION SUPPRESSI	ON AND RELATED AGENTS	
CLASS PA CRITERIA: See below for class crit	teria.	
	BISPHOSPHONATES	
alendronate tablets ibandronate	ACTONEL (risedronate) alendronate solution ATELVIA (risedronate) BINOSTO (alendronate) BONIVA (ibandronate) FOSAMAX TABLETS (alendronate) FOSAMAX PLUS D (alendronate/vitamin D) Risedronate	Non-preferred agents require thirty (30) day trials of each preferred Bisphosphonate agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
ОТ	HER BONE RESORPTION SUPPRESSION AND RE	
	calcitonin EVISTA (raloxifene)* FORTEO (teriparatide) MIACALCIN (calcitonin) raloxifene* teriparatide TYMLOS (abaloparatide)	Non-preferred agents require a thirty (30) day trial of a preferred Bisphosphonate agent before they will be approved, unless one (1) of the exceptions on the PA form is present. *Raloxifene will be authorized for postmenopausal women with osteoporosis who are at high risk for invasive breast cancer.
BPH TREATMENTS		
CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of at least two (2) chemically distinct preferred agents, including the generic formulation of the requested non-preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.		
finasteride	5-ALPHA-REDUCTASE (5AR) INHIBITORS AND AVODART (dutasteride) CIALIS 5 mg (tadalafil)	PDE-5 AGENTS



EFFECTIVE 04/01/2022 Version 2022.2b

	THERAPEUTIC DRUG CLA	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	dutasteride	
	PROSCAR (finasteride)	
	ALPHA BLOCKERS	
alfuzosin	CARDURA (doxazosin)	
doxazosin	CARDURA XL (doxazosin)	
tamsulosin	FLOMAX (tamsulosin)	
terazosin	RAPAFLO (silodosin)	
	silodosin i-ALPHA-REDUCTASE (5AR) INHIBITORS/ALPHA B	I OCKED COMBINATION
•	dutasteride/tamsulosin	Substitute for Class Criteria: Concurrent thirty (30) day tria
	JALYN (dutasteride/tamsulosin)	of dutasteride and tamsulosin are required before the no
	· · · (- · · · · · · · · · · · ·	preferred agent will be authorized.
BRONCHODILATORS, BETA A	GONISTAP	
•		at wantawa di awant in the in a manana dia wanta alama walana ana (
of the exceptions on the PA form is present		ct preferred agent in their corresponding sub-class unless one (
	INHALATION SOLUTION	
albuterol	arformoterol	*Xopenex Inhalation Solution will be authorized for twelve (12
	BROVANA (arformoterol)	months for a diagnosis of asthma or COPD for patients of
	formoterol levalbuterol	concurrent asthma controller therapy (either oral or inhale with documentation of failure on a trial of albuterol
	metaproterenol	documented intolerance of albuterol, or for concurre
	PERFOROMIST (formoterol)	diagnosis of heart disease.
	XOPENEX (levalbuterol)*	alagilosis of from talocaco.
	INHALERS, LONG-ACTING	
SEREVENT (salmeterol)	STRIVERDI RESPIMAT (olodaterol)	
	INHALERS, SHORT-ACTING	
PROAIR HFA (albuterol)	albuterol HFA	
VENTOLIN HFA (albuterol)	PROAIR DIGIHALER (albuterol)	
	PROAIR RESPICLICK (albuterol) PROVENTIL HFA (albuterol)	
	XOPENEX HFA (levalbuterol)	
	ORAL	
	albuterol ER	
	albuterol IR	
	metaproterenol	
	terbutaline	
CALCIUM CHANNEL BLOCKE	D CAD	



EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CLASS PA CRITERIA: Non-preferred agents require fourteen (14) day trials of each preferred agent within the corresponding sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present.		
	LONG-ACTING	
amlodipine diltiazem ER felodipine ER nifedipine ER verapamil ER	ADALAT CC (nifedipine) CALAN SR (verapamil) CARDIZEM CD, LA (diltiazem) diltiazem LA KATERZIA SUSPENSION (amlodipine)* MATZIM LA (diltiazem) nisoldipine NORVASC (amlodipine) PROCARDIA XL (nifedipine) SULAR (nisoldipine) TIAZAC (diltiazem) verapamil ER PM VERELAN/VERELAN PM (verapamil)	*Katerzia will be authorized for children who are 6-10 years of age who are unable to ingest solid dosage forms. Katerzia may also be authorized for older patients with clinical documentation indicating oral-motor difficulties or dysphagia.
Pie	SHORT-ACTING	
diltiazem verapamil	CARDIZEM (diltiazem) isradipine nicardipine nifedipine nimodipine NYMALIZE SOLUTION (nimodipine) PROCARDIA (nifedipine)	
CEPHALOSPORINS AND RELATE		
CLASS PA CRITERIA: Non-preferred agents runless one (1) of the exceptions on the PA form		he corresponding sub-class before they will be approved,
	TAMS AND BETA LACTAM/BETA-LACTAMASE IN	IHIBITOR COMBINATIONS
amoxicillin/clavulanate IR	amoxicillin/clavulanate ER AUGMENTIN (amoxicillin/clavulanate)	
CEPHALOSPORINS		
cefaclor capsule cefadroxil capsule, tablet cefdinir cefuroxime tablet cephalexin capsule, suspension	cefaclor suspension cefaclor ER tablet cefadroxil suspension cefixime cefpodoxime cefprozil cefuroxime suspension cephalexin tablet KEFLEX (cephalexin) SUPRAX (cefixime)	



EFFECTIVE 04/01/2022 Version 2022.2b

ANTICHOLINERGIC-P TROVENT HFA (ipratropium) (CRUSE ELLIPTA (umeclidinium/vilanterol) buteroli/pratropium mollicar solution TICHOLINERGIC-P NORO ELLIPTA (umeclidinium/vilanterol) buteroli/pratropium mebulizer solution TICHOTO RESPIMAT (tiotropium) TICHOLINERGIC-BETA AGONIST COMBINATIONS-P WORO ELLIPTA (umeclidinium/vilanterol) buteroli/pratropium mebulizer solution TICHOLINERGIC-BETA AGONIST COMBINATIONS-P TRESSIMAT (diotropium/olodaterol) ANTICHOLINERGIC-BETA AGONIST COMBINATIONS-P BEVESPI (glycopyrrolate/formoterol) UAKLIR PRESSAIR (aclidinium/formoterol) BREZTRI AEROSPHERE (budesonide/glycopyrrolate/formoterol)* BREZTRI AEROSPHERE (budesonide/glycopyrrolate/formoterol)* PDE4 INHIBITOR DALIRESP (roflumilast)* DALIRESP (roflumilast)* DALIRESP (roflumilast)* DALIRESP (roflumilast)* DALIRESP (roflumilast)* DALIRESP (roflumilast)* "Breztri may be prior authorized for patients currently established on the individual components for at least 30 disease (COPD) associated with chronic brond and multiple exacetations requiring syste glucocorticoids in the preceding six (6) months ar 3. Concurrent the rappy with an inhaled corticosteroid ong-acting bronchodilator and evidence compliance and No evidence of moderate to severe liver impairm (Child-Pugh Class B or C) and No evidence of moderate to severe liver impairm (Child-Pugh Class B or C) and No evidence of moderate to severe liver impairm (Child-Pugh Class B or C) and No evidence of moderate with strong cytochrome P	THERAPEUTIC DRUG CLASS		
ANTICHOLINERGICAP TROVENT HFA (pratropium) CRUSE ELLIPTA (umecidinium) TUDORZA (aclidnium) VUPELRI SOLUTION (revefenacin) ANTICHOLINERGIC-BETA AGONIST COMBINATIONS ANTICHOLINERGIC-BETA AGONIST COMBINATIONS *In addition to the Class PA criteria, Duaklir Pressair requistred subtraction as a 60-day trial of Stotto Respirate. *Teology EllipTA (umecidinium/vilanterol) buterol/ipratropium nebulizer solution DMBIVENT RESPIMAT (albuterol/pratropium) TUDORZA (aclidnium) DUAKLIR PRESSAIR (aclidinium/vilanterol)* **In addition to the Class PA criteria, Duaklir Pressair requistred profile of the individual components for at least 30 district as a 60-day trial of Stotto Respirat. **Trelegy Ellipta may be prior authorized for patients curre established on the individual components for at least 30 districts and individual components for at least	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTICHOLINERGICAP IROVENT HFA (ipratropium) CRUSE ELLIPTA (umeclidinium) ATICHOLINERGICAP INDORACA (calidinium) ANTICHOLINERGICAP INDORACA (calidinium) ANTICHOLINERGIC-BETA AGONIST COMBINATIONSAP INDORACA (calidinium) ANTICHOLINERGIC-BETA AGONIST COMBINATIONSAP INDORACA (calidinium) ANTICHOLINERGIC-BETA AGONIST COMBINATIONSAP INDORACA (calidinium) INDORACA (calidin	COPD AGENTS		
IROVENT HFA (ipratropium) (CRUSE ELLIPTA (umeclidinium) ratropium nebulizer solution PIRIVA (tiotropium) ANTICHOLINERGIC-BETA AGONIST COMBINATIONSAP BEVESPI (glycopyrrolate/formoterol) DMBIVENT (albuterol/ipratropium) NORO ELLIPTA (umeclidinium/vilanterol) buterol/ipratropium nebulizer solution DMBIVENT RESPIMAT (albuterol/ipratropium) NORO ELLIPTA (umeclidinium/vilanterol) buterol/ipratropium nebulizer solution DMBIVENT RESPIMAT (albuterol/ipratropium) NORO ELLIPTA (umeclidinium/vilanterol) buterol/ipratropium nebulizer solution DMBIVENT RESPIMAT (albuterol/ipratropium) NORO ELLIPTA (umeclidinium/vilanterol) buterol/ipratropium nebulizer solution DMBIVENT RESPIMAT (albuterol/ipratropium) NORO ELLIPTA (umeclidinium/vilanterol) buterol/ipratropium DMBIVENT (albuterol/ipratropium) NORO ELLIPTA (umeclidinium/vilanterol) BEVESPI (glycopyrrolate/formoterol)* NORO ELLIPTA (acidinium/vilanterol) BEVESPI (glycopyrrolate/formoterol)* NORO ELLIPTA (acidinium/vilanterol) NORO ELLIPTA (umeclidinium/vilanterol) Noro Comurent use valuation to the Class PA criteria, Duaklir Pressair requisite visit of 60 day trial of Stolto Respirat. "The addition to the Class PA criteria, Duaklir Pressair requisite visit to 60 day trial of Stolto Respirat. "The addition to the Class PA criteria, Duaklir Pressair requisite visit to 60 day trial of Stolto Respirate. "The addition to the Class PA criteria, Duaklir Pressair requisite visit to 60 day trial of Stolto Respirate. "The addition to the Class PA criteria, Duaklir Pressair requisite visit to 60 day trial of Stolto Respirate. "The addition to the Class PA criteria, Duaklir Pressair requisite visit to 60 day trial o			from the corresponding sub-class before they will be approved,
ICRUSE ELLIPTA (umecidinium) ratropium nebulizer solution PIRIVA (tiotropium) NORO ELLIPTA (umecidinium/vilanterol) buterol/ipratropium nebulizer solution DIDARZA (scildinium/pratropium nebulizer solution DIDARZA (scildinium/formoterol) DIDAKLIR PRESSAIR (aclidinium/formoterol) DIDAKLIR PRESSAIR (aclidinium/formoterol)* **In addition to the Class PA criteria, Duaklir Pressair requisity (60) day trials of each long acting preferred agent, as as a 60-day trial of Stiotlo Respimat. **Trelegy Ellipta may be prior authorized for patients curred (fluticasone/umecidinium/vilanterol)* **BREZTRI AEROSPHERE (budesonide/glycopyrrolate/formoterol)** **Peztri may be prior authorized for patients curred (stabilished on the individual components for at least 30 did **Breztri may be prior authorized for patients currently established on the individual components for at least 30 did **Breztri may be prior authorized for patients currently established on the individual components for at least 30 did **Breztri may be prior authorized for patients currently established on the individual components for at least 30 did **Breztri may be prior authorized for patients currently established on the individual components for at least 30 did **Breztri may be prior authorized for patients currently established on the individual components for at least 30 did **Breztri may be prior authorized for patients currently established on the individual components for at least 30 did **Breztri may be prior authorized for patients currently established on the individual components for at least 30 did **Breztri may be prior authorized for patients currently established on the individual components for at least 30 did **Breztri may be prior authorized for patients currently established on the individual components for at least 30 did **Breztri may be prior authorized for patients currently established on the individual components for at least 30 did **Breztri may be prior authorized for patients currently established on the individual components f		ANTICHOLINERGIC ^{AP}	
BEVESPI (glycopyrrolate/formoterol) buterol/ipratropium nebulizer solution DMSIVENT RESPIMAT (tiotropium/olodaterol) ANTICHOLINERGIC-BETA AGONIST-GLUCOCORTICOID COMBINATIONS TRELEGY ELLIPTA (fluticasone/umeclidinium/vilanterol)* BREZTRI AEROSPHERE (budesonide/glycopyrrolate/formoterol)** **Trelegy Ellipta may be prior authorized for patients curre established on the individual components for at least 30 de **Breztri may be prior authorized for patients currently established on the individual components for at least 30 de **Breztri may be prior authorized for patients currently established on the individual components for at least 30 de **Breztri may be prior authorized for patients currently established on the individual components for at least 30 de **Breztri may be prior authorized for patients currently established on the individual components for at least 30 de **Breztri may be prior authorized for patients currently established on the individual components for at least 30 de **Breztri may be prior authorized if the following criteria are met 1. Patient is forty (40) years of age or older and 2. Diagnosis of severe chronic obstructive pulmor disease (COPD) associated with chronic bronch and multiple exacerbations requiring syste glucocorticoids in the preceding six (6) months at 3. Concurrent therapy with an inhaled corticosteroid long-acting bronchodilator and evidence compliance and 4. No evidence of moderate to severe liver impairm (Child-Puph Class B or C) and 5. No concurrent use with strong cytochrome P inducers (rifampicin, phenobarbital, carbamazer or phenytoin) ROHNS DISEASE ORAL STEROIDS	ATROVENT HFA (ipratropium) NCRUSE ELLIPTA (umeclidinium) pratropium nebulizer solution SPIRIVA (tiotropium)	SPIRIVA RESPIMAT (tiotropium) TUDORZA (aclidinium)	*Spiriva Respimate may be approved for a diagnosis of asthma in patients ≥ 6 years.
DUAKLIR PRESSAIR (aclidinium/formoterol)* Sixty (60) day trials of each long acting preferred agent, as as a 60-day trial of Stiolto Respimat. ANTICHOLINERGIC-BETA AGONIST-GLUCOCORTICOID COMBINATIONS TRELEGY ELLIPTA ((fluticasone/umeclidinium/vilanterol)* BREZTRI AEROSPHERE (budesonide/glycopyrrolate/formoterol)** PDE4 INHIBITOR DALIRESP (roflumilast)* *Daliresp will be authorized if the following criteria are met 1. Patient is forty (40) years of age or older and 2. Diagnosis of severe chronic obstructive pulmor disease (COPD) associated with chronic brond and multiple exacerbations requiring syste glucocorticoids in the preceding six (6) months ar 3. Concurrent therapy with an inhaled corticosteroid long-acting bronchodilator and evidence compliance and 4. No evidence of moderate to severe liver impairm (Child-Pugh Class B or C) and 5. No concurrent use with strong cytochrome P inducers (rifampicin, phenobarbital, carbamazer or phenytoin) ROHNS DISEASE ORAL STEROIDS		ANTICHOLINERGIC-BETA AGONIST COMBIN	IATIONS ^{AP}
* Trelegy Ellipta may be prior authorized for patients curre established on the individual components for at least 30 de stablished on the individual componen	ANORO ELLIPTA (umeclidinium/vilanterol) albuterol/ipratropium nebulizer solution COMBIVENT RESPIMAT (albuterol/ipratropium) STIOLTO RESPIMAT (tiotropium/olodaterol)	BEVESPI (glycopyrrolate/formoterol) DUAKLIR PRESSAIR (aclidinium/formoterol)*	*In addition to the Class PA criteria, Duaklir Pressair requires sixty (60) day trials of each long acting preferred agent, as well
(fluticasone/umeclidinium/vilanterol)* BREZTRI AEROSPHERE (budesonide/glycopyrrolate/formoterol)** **Breztri may be prior authorized for patients currently established on the individual components for at least 30 de testablished on the individual components destablished o	ANTI	CHOLINERGIC-BETA AGONIST-GLUCOCORTICO	ID COMBINATIONS
PDE4 INHIBITOR DALIRESP (roflumilast)* *Daliresp will be authorized if the following criteria are met 1. Patient is forty (40) years of age or older and 2. Diagnosis of severe chronic obstructive pulmor disease (COPD) associated with chronic bronch and multiple exacerbations requiring syste glucocorticoids in the preceding six (6) months at 3. Concurrent therapy with an inhaled corticosteroid long-acting bronchodilator and evidence compliance and 4. No evidence of moderate to severe liver impairm (Child-Pugh Class B or C) and 5. No concurrent use with strong cytochrome P inducers (rifampicin, phenobarbital, carbamazer or phenytoin)		(fluticasone/umeclidinium/vilanterol)* BREZTRI AEROSPHERE	
1. Patient is forty (40) years of age or older and 2. Diagnosis of severe chronic obstructive pulmor disease (COPD) associated with chronic brond and multiple exacerbations requiring syste glucocorticoids in the preceding six (6) months ar 3. Concurrent therapy with an inhaled corticosteroid long-acting bronchodilator and evidence compliance and 4. No evidence of moderate to severe liver impairm (Child-Pugh Class B or C) and 5. No concurrent use with strong cytochrome P inducers (rifampicin, phenobarbital, carbamazer or phenytoin)		PDE4 INHIBITOR	Cotablished on the marriagal compensation of actions to days.
			 Diagnosis of severe chronic obstructive pulmonary disease (COPD) associated with chronic bronchitis and multiple exacerbations requiring systemic glucocorticoids in the preceding six (6) months and Concurrent therapy with an inhaled corticosteroid and long-acting bronchodilator and evidence of compliance and No evidence of moderate to severe liver impairment (Child-Pugh Class B or C) and No concurrent use with strong cytochrome P450 inducers (rifampicin, phenobarbital, carbamazepine
ORAL ORAL	CROHNS DISEASE ORAL STEROI	DS	
		ORAL	



EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
budesonide ER capsule (generic Entocort EC)	ENTOCORT EC (budesonide)* ORTIKOS (budesonide)*	*Please see the following PDL classes for PDL status of additional agents used for induction and remission (Cytokine and CAM Antagonists/ Immunosuppressives, Oral/ Ulcerative Colitis Agents)
		*Entocort EC and Ortikos may only be authorized if the patient has a documented allergy or intolerance to the generic budesonide 3mg 24-hour capsules.
CYTOKINE & CAM ANTAGONISTS	S ^{CL}	
exceptions on the PA form is present. Patient therapy is for a labeled indication AND a more	s stabilized for at least 6-months on their existing non e cost-effective biosimilar product is not available). In duct is the most cost-effective agent. All off-label requ	nich are indicated for the diagnosis, unless one (1) of the -preferred regimen shall be grandfathered (provided the current cases where a biosimilar exists but is also non-preferred, the uests require review by the Medical Director. Full PA criteria
	ANTI-TNFs	
AVSOLA (infliximab) ENBREL (etanercept) HUMIRA (adalimumab) SIMPONI subcutaneous (golimumab)	CIMZIA (certolizumab pegol) INFLECTRA (infliximab) REMICADE (infliximab) RENFLEXIS (infliximab) SIMPONI ARIA (golimumab)	
	OTHERS	
ACTEMRA subcutaneous (tocilizumab) KINERET (anakinra) OTEZLA (apremilast) ORENCIA CLICKJET/VIAL (abatacept) TALTZ (ixekizumab)* XELJANZ (tofacitinib)	ACTEMRA ACTPEN (tocilizumab) COSENTYX (secukinumab) ENTYVIO (vedolizumab) ILARIS (canakinumab) ILUMYA (tildrakizumab) KEVZARA (sarilumab) OLUMIANT (baricitinib) ORENCIA SYRINGE (abatacept) RINVOQ ER (upadacitinib) SILIQ (brodalumab) SKYRIZI (risankizumab) STELARA subcutaneous (ustekinumab) TREMFYA (guselkumab) XELJANZ XR (tofacitinib)	*Taltz will be authorized for treatment of plaque psoriasis, psoriatic arthritis, and ankylosing spondylitis only after inadequate response to a ninety (90) day trial of one preferred ANTI-TNF agent.
EPINEPHRINE, SELF-INJECTED		



EFFECTIVE 04/01/2022 Version 2022.2b

	THERAPEUTIC DRUG CLA	
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LASS PA CRITERIA: A non-preferred ager understand the training for the preferred ag		patient's inability to follow the instructions, or the patient's failure
pinephrine (labeler 49502 only)	epinephrine (all labelers except 49502) EPIPEN (epinephrine) EPIPEN JR (epinephrine) SYMJEPI (epinephrine)	
RYTHROPOIESIS STIMULATIN		
LASS PA CRITERIA: Non-preferred agents A form is present.	require a thirty (30) day trial of a preferred agent bef	ore they will be approved, unless one (1) of the exceptions on the
POGEN (rHuEPO) IIRCERA (methoxy PEG-epoetin) ETACRIT (epoetin alfa)	ARANESP (darbepoetin) PROCRIT (rHuEPO)	 Erythropoiesis agents will be authorized if the following criter are met: Hemoglobin or Hematocrit less than 10/30 respectively For renewal, hemoglobin or hematocrit levels greated than 12/36 will require dosage reduction of discontinuation. Exceptions will be considered on a individual basis after medical documentation is reviewed (Lab oratory values must be dated within six (6) weeks or request.) and Transferrin saturation ≥ 20%, ferritin levels ≥100 mg/m or on concurrent therapeutic iron therapy. (Laborator values must be dated within three (3) weeks of requestion for re-authorization, transferrin saturation or ferrit levels are not required if the patient has been responsive to the erythropoietin agent and For HIV-infected patients, endogenous serul erythropoietin level must be ≤ 500mU/ml to initiate therapy and No evidence of untreated GI bleeding, hemolysis, or Vitamin B-12, iron or folate deficiency.



BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID

managed categories. Refer to cover page for complete list of rules governing this PDL.

04/01/2022 PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA This is not an all-inclusive list of available covered drugs and includes only

Version 2022.2b

EFFECTIVE

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CLASS PA CRITERIA: Non-preferred agents form is present.	require a five (5) day trial of a preferred agent before t	they will be approved, unless one (1) of the exceptions on the PA
CIPRO SUSPENSION (ciprofloxacin) ciprofloxacin levofloxacin tablet	BAXDELA (delafloxacin) CIPRO TABLETS (ciprofloxacin) ciprofloxacin suspension levofloxacin solution moxifloxacin ofloxacin	
GLUCOCORTICOIDS, INHALEDAP		
CLASS PA CRITERIA: Non-preferred agents the exceptions on the PA form is present.	s require thirty (30) day trials of each chemically unique	e preferred agent before they will be approved, unless one (1) of
	GLUCOCORTICOIDS	
ASMANEX TWISTHALER (mometasone) budesonide nebulizer 0.5 mg/2 ml & 0.25 mg/2 ml solution* FLOVENT DISKUS (fluticasone) FLOVENT HFA (fluticasone) PULMICORT FLEXHALER (budesonide)	ARMONAIR DIGIHALER (fluticasone) ALVESCO (ciclesonide) ARNUITY ELLIPTA (fluticasone) ASMANEX HFA (mometasone) budesonide nebulizer 1 mg/2ml solution PULMICORT NEBULIZER SOLUTION (budesonide) QVAR REDIHALER (beclomethasone)	*Budesonide Respules are only preferred for children up to nine (9) years of age. For patients nine (9) and older, prio authorization is required and will be approved only for a diagnosis of severe nasal polyps.
	GLUCOCORTICOID/BRONCHODILATOR COM	IBINATIONS
ADVAIR DISKUS (fluticasone/salmeterol) ADVAIR HFA (fluticasone/salmeterol) DULERA (mometasone/formoterol) SYMBICORT(budesonide/formoterol)	AIRDUO DIGIHALER (fluticasone/salmeterol) AIRDUO RESPICLICK (fluticasone/salmeterol) budesonide/formoterol BREO ELLIPTA (fluticasone/vilanterol) fluticasone/salmeterol WIXELA (fluticasone/salmeterol)	
GUANYLATE CYCLASE STIMUL	ATORSCL	
	ADEMPAS (riociguat)* VERQUVO (vericiguat)**	*Adempas requires a thirty (30) day trial of a preferred agent from any other PAH Class before it may be approved, unless one (1) of the exceptions on the PA form is present.
		**Full PA criteria for Verquvo may be found on the PA Criteria page by clicking the hyperlink.
GROWTH HORMONECL		

CLASS PA CRITERIA: Non-preferred agents require three (3) month trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.



PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
GENOTROPIN (somatropin) NORDITROPIN (somatropin)	INCRELEX (mecasermin) NUTROPIN AQ (somatropin) OMNITROPE (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin) ZOMACTON (somatropin) ZORBTIVE (somatropin)	Patients already on a non-preferred agent will receive authorization to continue therapy on that agent for the duration of the existing PA.
H. PYLORI TREATMENT		
		d components of the requested non-preferred agent and must hey will be approved, unless one (1) of the exceptions on the
Please use individual components: preferred PPI (omeprazole or pantoprazole) amoxicillin tetracycline metronidazole clarithromycin bismuth PYLERA (bismuth/metronidazole/tetracycline)	HELIDAC (bismuth/metronidazole/tetracycline) lansoprazole/amoxicillin/clarithromycin OMECLAMOX-PAK (omeprazole/amoxicillin/clarithromycin) TALICIA (omeprazole/amoxicillin/rifabutin)	
HEPATITIS B TREATMENTS		
CLASS PA CRITERIA: Non-preferred agents of the PA form is present.	require ninety (90) day trials of each preferred agent b	efore they will be approved, unless one (1) of the exceptions on
BARACLUDE SOLUTION (entecavir) * entecavir lamivudine HBV	adefovir BARACLUDE TABLET (entecavir) EPIVIR HBV (lamivudine) HEPSERA (adefovir) VEMLIDY (tenofovir alafenamide fumarate)	*Baraclude solution will be authorized only for patients with documentation of dysphagia.
HEPATITIS C TREATMENTSCL		
CLASS PA CRITERIA: For patients starting therapy in this class, preferred regimens may be found on the <u>PA Criteria</u> page. Requests for non-preferred regimens require medical reasoning why a preferred regimen cannot be used.		
MAVYRET (pibrentasvir/glecaprevir)* ribavirin sofosbuvir/velpatasvir (labeler 72626)*	EPCLUSA (sofosbuvir/velpatasvir)* HARVONI (ledipasvir/sofosbuvir)* ledipasvir/sofosbuvir* PEGASYS (pegylated interferon) PEG-INTRON (pegylated interferon) RIBASPHERE RIBAPAK (ribavirin) RIBASPHERE 400 mg, 600 mg (ribavirin) SOVALDI (sofosbuvir)*	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.



EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	VIEKIRA XR (dasabuvir/ombitasvir/ paritaprevir/ritonavir)* VOSEVI (sofosbuvir/velpatasvir/voxilaprevir) ZEPATIER (elbasvir/grazoprevir)*	
HYPERPARATHYROID AGENTS		
CLASS PA CRITERIA: Non-preferred agents the PA form is present.	require thirty (30) day trials of each preferred agent be	efore they will be approved, unless one (1) of the exceptions on
paricalcitol capsule	cinacalcet doxercalciferol HECTOROL (doxercalciferol) paricalcitol injection RAYALDEE (calcifediol) SENSIPAR (cinacalcet) ZEMPLAR (paricalcitol)	
HYPOGLYCEMIA TREATMENTS		
CLASS PA CRITERIA: Non-preferred agents re	equire clinical reasoning beyond convenience why the	e preferred glucagon products cannot be used.
BAQSIMI SPRAY (glucagon)* glucagon vial glucagon emergency kit (labeler 00002) ZEGALOGUE (dasiglucagon)*	glucagon emergency kit Glucagen Hypokit (glucagon) GVOKE (glucagon)	*Baqsimi spray and Zegalogue may only be approved after a trial and failure of a preferred reconstituted glucagon agent.
HYPOGLYCEMICS, BIGUANIDES		
		similar duration before they will be approved, unless one (1) of
the exceptions on the PA form is present.		
metformin metformin ER (generic Glucophage XR)	FORTAMET (metformin ER) GLUCOPHAGE XR (metformin ER) GLUMETZA (metformin ER)* metformin solution (generic Riomet) metformin ER (generic Glumetza & Fortamet) RIOMET (metformin)	*Glumetza will be approved only after a 30-day trial of Fortamet.
HYPOGLYCEMICS, DPP-4 INHIBIT	TORS	
CLASS PA CRITERIA: Non-preferred agents	are available only on appeal.	
NOTE: DPP-4 inhibitors will NOT be approve	d in combination with a GLP-1 agonist.	
JANUMET (sitagliptin/metformin) JANUMET XR (sitagliptin/metformin) JANUVIA (sitagliptin)	alogliptin alogliptin/metformin alogliptin/pioglitazone	



04/01/2022 Version 2022.2b

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
JENTADUETO (linagliptin/metformin) TRADJENTA (linagliptin)	JENTADUETO XR (linagliptin/metformin) KAZANO (alogliptin/metformin) KOMBIGLYZE XR (saxagliptin/metformin) NESINA (alogliptin) ONGLYZA (saxagliptin) OSENI (alogliptin/pioglitazone)	

HYPOGLYCEMICS, GLP-1 AGONISTSCL

CLASS PA CRITERIA: Non-preferred agents will only be approved (in 6-month intervals) if ALL of the following criteria has been met:

- 1) Current A1C must be submitted. Agents in this class will not be approved for patients with a starting A1C of less than (<) 7%.
- 2) Documentation demonstrating 90 days of compliance on all current diabetic therapies is provided.
- 3) Documentation demonstrating treatment failure with all unique preferred agents in the same class.

Re-authorizations will require documentation of <u>continued</u> compliance on all diabetic therapies and A1C levels must reach goal, (either an A1C of ≤8%, or demonstrated continued improvement).

NOTE: GLP-1 agents will NOT be approved in combination with a DPP-4 inhibitor.

OZEMPIC (semaglutide)	ADLYXIN (lixisenatide)	
TRULICITY (dulaglutide)	BYETTA (exenatide)	
VICTOZA (liraglutide)	BYDUREON BCISE (exenatide)	
vio i ozi (magianao)	RYRELSUS (semadutide)	

HYPOGLYCEMICS, INSULIN AND RELATED AGENTS

CLASS PA CRITERIA: Non-preferred agents require a ninety (90) day trial of a pharmacokinetically similar agent before they will be approved, unless one (1) of the exceptions on the PA form is present.



EFFECTIVE 04/01/2022 Version 2022.2b

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
protamine) TOUJEO SOLOSTAR (insulin glargine) TOUJEO MAX SOLOSTAR (insulin glargine	TRESIBA (insulin degludec)** TRESIBA FLEXTOUCH (insulin degludec)** XULTOPHY (insulin degludec/liraglutide)*	**Tresiba U-100 may be approved only for: Patients who have demonstrated at least a 6-month history of compliance on a preferred long-acting insulin and who continue to have regular incidents of hypoglycemia. **Tresiba U-200 may be approved only for: Patients who require once-daily doses of at least 60 units of long-acting insulin and have demonstrated at least a 6-month history of compliance on preferred long-acting insulin and who continue to have regular incidents of hypoglycemia.
HYPOGLYCEMICS, MEGLITINIDES	S	
CLASS PA CRITERIA: Non-preferred agents	are available only on appeal.	
	MEGLITINIDES	
nateglinide repaglinide	PRANDIN (repaglinide) STARLIX (nateglinide)	
	MEGLITINIDE COMBINATIONS	
	repaglinide/metformin	
HYPOGLYCEMICS, MISCELLANEOUS AGENTS		
CLASS PA CRITERIA: Welchol will be authorized for add-on therapy for type 2 diabetes when there is a previous history of a thirty (30) day trial of an oral diabetic agent.		
WELCHOL (colesevelam) ^{AP}	colesevelam SYMLIN (pramlintide)*	*Symlin will be authorized with a history of bolus insulin utilization in the past ninety (90) days with no gaps in insulin therapy greater than thirty (30) days.

HYPOGLYCEMICS, SGLT2 INHIBITORS

CLASS PA CRITERIA: Non-preferred agents will only be approved (in 6-month intervals) if ALL of the following criteria has been met:

- 1) Current A1C must be submitted. Agents in this class will not be approved for patients with a starting A1C of less than (<) 7%.
- 2) Documentation demonstrating 90 days of compliance on all current diabetic therapies is provided.
- 3) Documentation demonstrating treatment failure with all unique preferred agents in the same class.

Re-authorizations will require documentation of <u>continued</u> compliance on all diabetic therapies and A1C levels must reach goal, (either an A1C of ≤8%, or demonstrated continued improvement).



EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
*Preferred SGLT2 inhibitors and combinations may be approved for a diagnosis of Heart Failure with Reduced Ejection Fraction (HFrEF) with or without Type II DM, Chronic Kidney Disease (CKD) with or without Type II DM, or Atherosclerotic Cardiovascular Disease (ASCVD) with Type II DM without further restrictions.		
	SGLT2 INHIBITORS	
FARXIGA (dapagliflozin)* INVOKANA (canagliflozin)* JARDIANCE (empagliflozin)*	STEGLATRO (ertugliflozin)	
SGLT2 COMBINATIONS		
INVOKAMET (canagliflozin/metformin)* SYNJARDY (empagliflozin/metformin)* XIGDUO XR (dapagliflozin/metformin)*	GLYXAMBI (empagliflozin/linagliptin) INVOKAMET XR (canagliflozin/metformin) SEGLUROMET (ertugliflozin/metformin STEGLUJAN (ertugliflozin/sitagliptin) SYNJARDY XR (empagliflozin/metformin) TRIJARDY XR (empagliflozin/linagliptin/metformin) QTERN (dapagliflozin/saxagliptin)	
HYPOGLYCEMICS, TZD		
CLASS PA CRITERIA: Non-preferred agents are available only on appeal.		
THIAZOLIDINEDIONES		
pioglitazone	ACTOS (pioglitazone) AVANDIA (rosiglitazone)	
TZD COMBINATIONS		
	ACTOPLUS MET (pioglitazone/ metformin) DUETACT (pioglitazone/glimepiride) pioglitazone/glimepiride pioglitazone/ metformin	Patients are required to use the components of Actoplus Met and Duetact separately. Exceptions will be handled on a case-by-case basis.
IMMUNOMODULATORS, ATOPIC DERMATITIS		
CLASS PA CRITERIA: Non-preferred agents require 30-day trial of a medium to high potency topical corticosteroid AND all preferred agents in this class unless one (1) of the exceptions on the PA form is present. Requirement for topical corticosteroids may be excluded with involvement of sensitive areas such as the face and skin folds.		
DUPIXENT (dupilumab)* ELIDEL (pimecrolimus) PROTOPIC (tacrolimus)	EUCRISA (crisaborole) ^{AP**} OPZELURA CREAM (ruxolitinib)* pimecrolimus cream tacrolimus ointment	*Full PA criteria for Dupixent may be found on the PA Criteria page by clicking the hyperlink **Eucrisa requires a 30-day trial of Elidel OR a medium to high potency corticosteroid unless contraindicated.
IMMUNOMODULATORS, GENITAL WARTS & ACTINIC KERATOSIS AGENTS		



EFFECTIVE 04/01/2022 Version 2022.2b

PREFERRED AGENTS	THERAPEUTIC DRUG CLA NON-PREFERRED AGENTS	PA CRITERIA
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
the PA form is present.	nts require thirty (30) day trials of each preferred agent	t before they will be approved, unless one (1) of the exceptions on
CONDYLOX GEL (podofilox) EFUDEX (fluorouracil) imiquimod cream ZYCLARA PUMP (imiquimod)*	ALDARA (imiquimod) CARAC (fluorouracil) diclofenac 3% gel fluorouracil 0.5% cream fluorouracil 5% cream imiquimod pump podofilox TOLAK (fluorouracil 4% cream) VEREGEN (sinecatechins) ZYCLARA CREAM (imiquimod)*	*Zyclara will be authorized for a diagnosis of actinic keratosis.
IMMUNOSUPPRESSIVES, ORA	L	
CLASS PA CRITERIA: Non-preferred age the PA form is present.	nts require a fourteen (14) day trial of a preferred agent	t before they will be approved, unless one (1) of the exceptions on
azathioprine cyclosporine cyclosporine, modified mycophenolate mofetil sirolimus tacrolimus capsule	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) CELLCEPT (mycophenolate mofetil) ENVARSUS XR (tacrolimus) everolimus tablet IMURAN (azathioprine) LUPKYNIS (voclosporin)* mycophenolic acid mycophenolic mofetil suspension MYFORTIC (mycophenolic acid) NEORAL (cyclosporine, modified) PROGRAF (tacrolimus) RAPAMUNE (sirolimus) REZUROCK (belumosudil)** SANDIMMUNE (cyclosporine) ZORTRESS (everolimus)	*Lupkynis requires a ninety (90) day trial of Benlysta prior to approval. Full PA criteria for Lupkynis may be found on the PA Criteria page by clicking the hyperlink. **Rezurock may be authorized after a trial of two systemic treatments for chronic graft-versus-host disease. Examples of systemic therapy may include methylprednisolone, Imbruvica® (ibrutinib capsules and tablets), cyclosporine, tacrolimus, sirolimus, mycophenolate mofetil and imatinib.
INTRANASAL RHINITIS AGENT	ΓS ^{ap}	
CLASS PA CRITERIA: See below for indiv	idual sub-class criteria.	
	ANTICHOLINERGICS	
ipratropium	ATROVENT (ipratropium)	Non-preferred agents require thirty (30) day trials of one (1) preferred nasal anti-cholinergic agent, AND one (1) preferred antihistamine AND one (1) preferred intranasal corticosteroid



EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
	ANTIHISTAMINES	
azelastine	olopatadine PATANASE (olopatadine)	Non-preferred agents require thirty (30) day trials of one (1) preferred antihistamine AND one (1) preferred intranasal corticosteroid before they will be approved, unless one (1) of the exceptions on the PA form is present.
	COMBINATIONS	
	azelastine/fluticasone DYMISTA (azelastine / fluticasone)	Dymista requires a concurrent thirty (30) day trial of each preferred component before it will be approved, unless one (1) of the exceptions on the PA form is present.
	CORTICOSTEROIDS	
fluticasone propionate OMNARIS (ciclesonide) QNASL HFA (beclomethasone) ZETONNA (ciclesonide)	BECONASE AQ (beclomethasone) flunisolide mometasone NASONEX (mometasone)	Non-preferred agents require thirty (30) day trials of each preferred agent in this sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present
IRRITABLE BOWEL SYNDROME	SHORT BOWEL SYNDROME/SELECT	FED GI AGENTS ^{CL}
CLASS PA CRITERIA: All agents are approve	able only for patients age eighteen (18) and older. See	e below for additional sub-class criteria.
	CONSTIPATION	
AMITIZA (lubiprostone) MOVANTIK (naloxegol) LINZESS 145 and 290 mcg (linaclotide)	LINZESS 72 mcg (linaclotide) lubiprostone capsule MOTEGRITY (prucalopride) RELISTOR INJECTION (methylnaltrexone) RELISTOR TABLET (methylnaltrexone) SYMPROIC (naldemedine) TRULANCE (plecanatide)	All agents in this subclass require documentation of the current diagnosis and evidence that the patient has failed to find relief with dietary modification and a fourteen (14) day trial of an osmotic laxative. No agent shall be approved to treat opioid induced constipation (OIC) without evidence of at least 90-days of opioid use preceding the request. Continuation of coverage shall be granted with evidence of continuous and concurrent opioid use.
		Agents may be authorized only for their FDA-approved labeled indication. The following agent-specific criteria shall also apply, unless one (1) of the exceptions on the PA form is present: <u>Linzess 72mcg</u> may only be approved for a diagnosis of chronic idiopathic constipation (CIC) AND for those who



EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		cannot tolerate the 145mcg dose. Lubiprostone may only be authorized with a documented allergy or intolerance to Amitiza. Motegrity requires a 30-day trial of both Amitiza and Linzess. Relistor and Symproic are indicated for OIC and require thirty (30) day trials of both Movantik and Amitiza. Trulance requires thirty (30) day trials of both Amitiza and Linzess, however for the indication of IBS-C in males, a trial of Amitiza is not required. Zelnorm is indicated for females < 65 years of age diagnosed with irritable bowel syndrome with constipation (IBS-C) AND requires thirty (30) day trials of Amitiza and Linzess.
	DIARRHEA	
	Alosetron MYTESI (crofelemer) LOTRONEX (alosetron) VIBERZI (eluxadoline)	Full PA criteria may be found on the PA Criteria page by clicking the hyperlink
LAXATIVES AND CATHARTICS	(1221)	
CLASS PA CRITERIA: Non-preferred agents of the PA form is present	equire thirty (30) day trials of each preferred agent be	efore they will be approved, unless one (1) of the exceptions on
CLENPIQ (sodium picosulfate, magnesium oxide, citric acid) COLYTE GOLYTELY MOVIPREP NULYTELY peg 3350 SUPREP	OSMOPREP peg 3350-sod sulf-NaCL-KCL-asb powder SUTAB (magnesium sulfate, potassium sulfate, sodium sulfate)	
LEUKOTRIENE MODIFIERS		
CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.		
montelukast zafirlukast	ACCOLATE (zafirlukast) SINGULAIR (montelukast) zileuton ZYFLO (zileuton)	
LIPOTROPICS, OTHER (Non-stati	ns)	



EFFECTIVE 04/01/2022 Version 2022.2b

	THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
CLASS PA CRITERIA: Non-preferred agents r the PA form is present.	CLASS PA CRITERIA: Non-preferred agents require a twelve (12) week trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.		
	BILE ACID SEQUESTRANTS ^{AP}		
cholestyramine colestipol tablets	COLESTID (colestipol) colesevelam colestipol granules QUESTRAN (cholestyramine) WELCHOL (colesevelam)*	*Welchol will be authorized for add-on therapy for type 2 diabetes when there is a previous history of a thirty (30) day trial of an oral agent (metformin, sulfonylurea or thiazolidinedione (TZD)). See HYPOGLYCEMICS, MISCELLANEOUS.	
	CHOLESTEROL ABSORPTION INHIBIT	ORS	
ezetimibe	ZETIA (ezetimibe)		
	FATTY ACIDSCL		
omega-3 acid ethyl esters VASCEPA (icosapent ethyl)*	icosapent ethyl capsules LOVAZA (omega-3-acid ethyl esters)	 CLAII agents in this subclass require a prior authorization and an initial triglyceride level ≥ 500 mg/dL. *Additionally, Vascepa may be approved if the following criteria is met: 1. The patient has an initial triglyceride level of ≥ 150 mg/dL prior to start of therapy; AND 2. The patient has established cardiovascular disease or diabetes; AND 3. The patient is concomitantly receiving a statin. 	
	FIBRIC ACID DERIVATIVES ^{AP}		
fenofibrate 54 and 160 mg fenofibrate micronized 67mg, 134mg & 200mg fenofibrate nanocrystallized 48 mg, 145 mg gemfibrozil	ANTARA (fenofibrate) FENOGLIDE (fenofibrate) FIBRICOR (fenofibric acid) fenofibrate 40 mg tablet fenofibrate 150 mg capsules fenofibrate 43, 50, 120 and 130 mg fenofibric acid LIPOFEN (fenofibrate) LOPID (gemfibrozil) TRICOR (fenofibrate nanocrystallized) TRILIPIX (fenofibric acid)		
	MTP INHIBITORS	*Eull DA gritaria may be found on the DA Critaria nage ha	
	JUXTAPID (lomitapide)*	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.	
	NIACIN		
niacin niacin ER (OTC) NIASPAN (niacin)	niacin ER (Rx)		
PCSK-9 INHIBITORS/BEMPEDOIC ACID ^{CL}			



EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PRALUENT (alirocumab)* REPATHA (evolocumab)*	NEXLETOL (bempedoic acid)* NEXLIZET (bempedoic acid/ezetimibe)*	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
LIPOTROPICS, STATINSAP		
CLASS PA CRITERIA: See below for individ	ual sub-class criteria.	
	STATINS	
atorvastatin lovastatin pravastatin rosuvastatin simvastatin**	ALTOPREV (lovastatin) CRESTOR (rosuvastatin) EZALLOR SPRINKLE (rosuvastatin)* fluvastatin fluvastatin ER LESCOL XL (fluvastatin) LIPITOR (atorvastatin) LIVALO (pitavastatin) PRAVACHOL (pravastatin) ZOCOR (simvastatin)** ZYPITAMAG (pitavastatin)	Non-preferred agents require twelve (12) week trials of two (2) preferred agents, including the generic formulation of the requested non-preferred agent, before they will be approved, unless one (1) of the exceptions on the PA form is present. *Ezallor SPRINKLE will only be authorized for those who are unable to ingest solid dosage forms due to documented oralmotor difficulties or dysphagia. **Zocor/simvastatin 80mg tablets will require a clinical PA.
	STATIN COMBINATIONS	
	amlodipine/atorvastatin CADUET (atorvastatin/amlodipine) ezetimibe/simvastatin*VYTORIN (simvastatin/ezetimibe)*	Non-preferred agents require thirty (30) day concurrent trials of the corresponding preferred single agents before they will be approved, unless one (1) of the exceptions on the PA form is present. *Vytorin will be authorized only after an insufficient response to a twelve (12) week trial of the maximum tolerable dose of atorvastatin or rosuvastatin, unless one (1) of the exceptions on the PA form is present. Vytorin 80/10mg tablets will require a clinical PA.
MABS, ANTI-IL/IgE		
may be found on the PA Criteria page by c DUPIXENT (dupilumab)	licking the hyperlink. NUCALA SYRINGE/VIAL (mepolizumab)	gents which are indicated for the diagnosis. Full PA Criteria
FASENRA (benralizumab XOLAIR (omalizumab)	NUCALA AUTO INJECTOR (mepolizumab)	
MACROLIDES		



managed categories. Refer to cover page for complete list of rules governing this PDL.

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CLASS PA CRITERIA: Non-preferred agents PA form is present.	` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` `	re they will be approved, unless one (1) of the exceptions on the
	MACROLIDES	
azithromycin tablet, suspension, packet	clarithromycin tablets clarithromycin ER clarithromycin suspension E.E.S. (erythromycin ethylsuccinate) ERYPED (erythromycin ethylsuccinate) ERY-TAB (erythromycin) ERYTHROCIN (erythromycin stearate) erythromycin tablet/capsule DR erythromycin tablet erythromycin estolate ZITHROMAX (azithromycin)	
MULTIPLE SCLEROSIS AGENTS		
day trial of any preferred injectable agent. Nor before they will be approved, unless one (1) of AVONEX (interferon beta-1a) AVONEX PEN (interferon beta-1a)	n-preferred agents require ninety (90) day trials of two (find the exceptions on the PA form is present. INTERFERONSAP EXTAVIA KIT (interferon beta-1b) EXTAVIA VIAL (interferon beta-1b)	nultiple sclerosis. Preferred oral agents require a ninety (90) 2) chemically unique preferred agents (in the same sub-class)
BETASERON (interferon beta-1b) REBIF (interferon beta-1a) REBIF REBIDOSE (interferon beta-1a)	PLEGRIDY (peginterferon beta-1a)	
ALIDA 010 (4 - 14)	NON-INTERFERONS	
AUBAGIO (teriflunomide)* dalfampridine ER** COPAXONE 20 mg (glatiramer) GILENYA (fingolimod) TECFIDERA (dimethyl fumarate)***	AMPYRA (dalfampridine)** BAFIERTAM CAPSULES (monomethyl fumarate) COPAXONE 40 mg (glatiramer)**** dimethyl fumerate*** glatiramer GLATOPA (glatiramer) KESIMPTA INJECTION (ofatumumab) MAYZENT (siponimod)***** MAVENCLAD (cladribine) PONVORY (ponesimod) VUMERITY (diroximel) ZEPOSIA (ozanimod)	In addition to class PA criteria, the following conditions and criteria may also apply: *Aubagio requires the following additional criteria to be met: 1. Diagnosis of relapsing multiple sclerosis and 2. Measurement of transaminase and bilirubin levels within the (6) months before initiation of therapy and ALT levels at least monthly for six (6) months after initiation of therapy and 3. Complete blood cell count (CBC) within six (6) months before initiation of therapy and 4. Female patients must have a negative pregnancy test before initiation of therapy and be established on a reliable method of contraception if appropriate and 5. Patient is between eighteen (18) up to sixty-five (65) years of age and 6. Negative tuberculin skin test before initiation of therapy



EFFECTIVE 04/01/2022 Version 2022.2b

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		Dalfampridine ER and Ampyra require the following additional criteria to be met: 1. Diagnosis of multiple sclerosis and 2. No history of seizures and 3. No evidence of moderate or severe renal impairment. *Dimethyl fumerate and Tecfidera require the following additional criteria to be met: 1. Diagnosis of relapsing multiple sclerosis and 2. Complete blood count (CBC) within six (6) months of initiation of therapy and six (6) months after initiation and 3. Complete blood count (CBC) annually during therapy. ****Copaxone 40mg will only be authorized for documented injection site issues. *****Mayzent may be authorized with no additional requirement beyond the diagnosis for patients with documented secondary progressive MS.
NEUROPATHIC PAIN		
CLASS PA CRITERIA: Non-preferred agents approved, unless one (1) of the exceptions on t		e corresponding dosage form (oral or topical) before they will be
capsaicin OTC duloxetine gabapentin lidocaine patch 5% LYRICA CAPSULE/SOLUTION (pregabalin) NEURONTIN (gabapentin) pregabalin capsule	CYMBALTA (duloxetine) DRIZALMA SPRINKLE (duloxetine)* GRALISE (gabapentin)** HORIZANT (gabapentin) lidocaine patch 4% LIDODERM (lidocaine) LYRICA CR (pregabalin)*** pregabalin ER tablet (generic Lyrica CR) QUTENZA (capsaicin) SAVELLA (milnacipran)**** ZTLIDO PATCH (lidocaine)	*Drizalma SPRINKLE will only be authorized for those who are unable to ingest solid dosage forms due to documented oralmotor difficulties or dysphagia. **Gralise will be authorized only if the following criteria are met: 1. Diagnosis of post herpetic neuralgia and 2. Trial of a tricyclic antidepressant for a least thirty (30) days and 3. 90-day trial of gabapentin immediate release formulation (positive response without adequate duration) and 4. Request is for once daily dosing with 1800 mg maximum daily dosage.



EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		Lyrica CR requires medical reasoning beyond convenience as to why the need cannot be met using preferred pregabalin capsules. *Savella will be authorized for a diagnosis of fibromyalgia
		only after a 90-day trial of one preferred agent
NSAIDS ^{AP}		
CLASS PA CRITERIA: See below for sub-classical sub-classic	ass PA criteria.	
	NON-SELECTIVE	
diclofenac (IR, SR) flurbiprofen ibuprofen (Rx and OTC) INDOCIN SUSPENSION (indomethacin) indomethacin ketoprofen ketorolac meloxicam tablet nabumetone naproxen sodium tablet naproxen sodium DS tablet naproxen suspension EC-naproxen DR tablet piroxicam sulindac	DAYPRO (oxaprozin) diflunisal DUEXIS (famotidine/ibuprofen) etodolac IR etodolac SR famotidine/ibuprofen FELDENE (piroxicam) fenoprofen INDOCIN SUPPOSITORIES (indomethacin) indomethacin ER ketoprofen ER meclofenamate mefenamic acid meloxicam submicronized capsule (generic Vivlodex) meloxicam suspension MOBIC TABLET (meloxicam) NALFON (fenoprofen) NAPRELAN (naproxen) naproxen CR oxaprozin RELAFEN DS (nabumetone) SPRIX (ketorolac) TIVORBEX (indomethacin) tolmetin VIVLODEX (meloxicam) VOLTAREN (diclofenac) ZIPSOR (diclofenac potassium) ZORVOLEX (diclofenac)	Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
	NSAID/GI PROTECTANT COMBINAT	TIONS



EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ARTHROTEC (diclofenac/misoprostol) diclofenac/misoprostol naproxen/esomeprazole VIMOVO (naproxen/esomeprazole)	Non-preferred agents are only available on appeal and require medical reasoning beyond convenience as to why the need cannot be met with the combination of preferred single agents.
	COX-II SELECTIVE	OOV II Colootice a secreta manufact thinty (OO) downtials of a sh
	CELEBREX (celecoxib) celecoxib	COX-II Selective agents require thirty (30) day trials of each preferred Non-Selective Oral NSAID, UNLESS the following criteria are met:
		Patient has a history or risk of a serious GI complication; OR Agent is requested for treatment of a chronic condition and 1. Patient is seventy (70) years of age or older, or 2. Patient is currently on anticoagulation therapy.
	TOPICAL	
FLECTOR PATCH (diclofenac)* diclofenac gel (RX)**	diclofenac patch diclofenac solution	*Flector patches are limited to two per day.
disional gol (rot)	LICART PATCH (diclofenac) PENNSAID (diclofenac)	**diclofenac gel will be limited to 100 grams per month.
		Non-preferred agents require a thirty (30) day trial of the preferred Topical agent and thirty (30) day trials of each preferred oral NSAID before they will be approved, unless one(1) of the exceptions on the PA form is present.
OPHTHALMIC ANTIBIOTICSAP		
	require three (3) day trials of each preferred agent be	efore they will be approved, unless one (1) of the exceptions on
bacitracin/polymyxin ointment ciprofloxacin* erythromycin gentamicin levofloxacin* MOXEZA (moxifloxacin) neomycin/bacitracin/polymyxin ofloxacin* polymyxin/trimethoprim tobramycin TOBREX OINT (tobramycin)	AZASITE (azithromycin) bacitracin BLEPH-10 (sulfacetamide) BESIVANCE (besifloxacin)* CILOXAN (ciprofloxacin) gatifloxacin moxifloxacin* NATACYN (natamycin) neomycin/polymyxin/gramicidin OCUFLOX (ofloxacin) POLYTRIM (polymyxin/trimethoprim) sulfacetamide drops sulfacetamide ointment TOBREX (tobramycin) VIGAMOX (moxifloxacin) ZYMAXID (gatifloxacin)	*Prior authorization of any fluoroquinolone agent requires three (3) day trials of all other preferred agents unless definitive laboratory cultures exist indicating the need to use a fluoroquinolone.



EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
OPHTHALMIC ANTIBIOTIC/STER	OID COMBINATIONSAP		
CLASS PA CRITERIA: Non-preferred agents the PA form is present.	require three (3) day trials of each preferred agent be	efore they will be approved, unless one (1) of the exceptions on	
BLEPHAMIDE (prednisolone/sulfacetamide) MAXITROL ointment/suspension (neomycin/polymyxin/ dexamethasone) neomycin/polymyxin/dexamethasone neomycin/bacitracin/polymyxin/ hydrocortisone PRED-G SUSPENSION (prednisolone/gentamicin) sulfacetamide/prednisolone TOBRADEX OINTMENT (tobramycin/ dexamethasone) TOBRADEX SUSPENSION (tobramycin/ dexamethasone) ZYLET (loteprednol/tobramycin)	BLEPHAMIDE S.O.P. (prednisolone/sulfacetamide) neomycin/polymyxin/hydrocortisone PRED-G OINTMENT (prednisolone/gentamicin) TOBRADEX ST (tobramycin/ dexamethasone) tobramycin/dexamethasone suspension		
OPHTHALMICS FOR ALLERGIC (CONJUNCTIVITISAP		
CLASS PA CRITERIA: Non-preferred agents (1) of the exceptions on the PA form is present.	require thirty (30) day trials of three (3) preferred che	emically unique agents before they will be approved, unless one	
ALAWAY (ketotifen) ALOCRIL (nedocromil) ALREX (loteprednol) azelastine BEPREVE (bepotastine) cromolyn ketotifen ZADITOR OTC (ketotifen)	ALOMIDE (lodoxamide) bepotastine epinastine LUMIFY (brimonidine) olopatadine 0.1% olopatadine 0.2% PATADAY ONCE AND TWICE DAILY (olopatadine) ZERVIATE (cetirizine)		
OPHTHALMICS, ANTI-INFLAMMA	TORIES- IMMUNOMODULATORSCL		
CLASS PA CRITERIA: All agents require a prior authorization. Non-preferred agents require a 60-day trial of the preferred agent(s).			
RESTASIS (cyclosporine)	CEQUA (cyclosporine) EYSUVIS (loteprednol) RESTASIS MULTIDOSE (cyclosporine)* XIIDRA (lifitegrast)	*Restasis Multidose is approvable only on appeal and requires medical reasoning as to why the clinical need cannot be met with the preferred product (Restasis). All agents must meet the following prior-authorization criteria: 1.) Patient must be sixteen (16) years of age or greater; AND	



EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		 Prior Authorization must be requested by an ophthalmologist or optometrist; AND Clinically diagnosed tear deficiency due to ocular inflammation in patients with keratoconjunctivitis sicca or dry eye syndrome (also known as dry eye); AND Patient must have a functioning lacrimal gland; AND Patient using artificial tears at least four (4) times a day over the last thirty (30) days; AND Patient must not have an active ocular infection
OPHTHALMICS, ANTI-INFLAMMA	TORIES	
	require five (5) day trials of at least two (2) preferr st include at least one agent with the same mechanis	red agents before they will be approved, unless one (1) of the m of action as the requested non-preferred agent.
dexamethasone diclofenac DUREZOL (difluprednate) FLAREX (fluorometholone) FML (fluorometholone) FML FORTE (fluorometholone) FML S.O.P. (fluorometholone) ketorolac LOTEMAX GEL, OINTMENT, SUSPENSION (loteprednol) MAXIDEX (dexamethasone) NEVANAC (nepafenac) PRED FORTE (prednisolone) PRED MILD (prednisolone) prednisolone acetate prednisolone sodium phosphate	ACULAR (ketorolac) ACULAR LS (ketorolac) ACUVAIL (ketorolac tromethamine) bromfenac BROMSITE (bromfenac) difluprednate fluorometholone flurbiprofen ILEVRO (nepafenac) INVELTYS (loteprednol) loteprednol drops, gel OMNIPRED (prednisolone) OZURDEX (dexamethasone) PROLENSA (bromfenac) RETISERT (fluocinolone) TRIESENCE (triamcinolone)	
OPHTHALMICS, GLAUCOMA AGI	ENTS	
CLASS PA CRITERIA: Non-preferred agents w	rill only be authorized if there is an allergy to all prefer	red agents in the corresponding sub-class.
	COMBINATION AGENTS	
COMBIGAN (brimonidine/timolol) dorzolamide/timolol SIMBRINZA (brinzolamide/brimonidine)	COSOPT PF (dorzolamide/timolol)	
DETORTIO O (L.)	BETA BLOCKERS	
BETOPTIC S (betaxolol) carteolol levobunolol	betaxolol ISTALOL (timolol) timolol gel	



EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
timolol drops	TIMOPTIC (timolol)	
	CARBONIC ANHYDRASE INHIBITOR	S
AZOPT (brinzolamide) dorzolamide	brinzolamide TRUSOPT (dorzolamide)	
	PARASYMPATHOMIMETICS	
PHOSPHOLINE IODIDE (echothiophate iodide)	pilocarpine	
	PROSTAGLANDIN ANALOGS	
latanoprost TRAVATAN-Z (travoprost)	bimatoprost LUMIGAN (bimatoprost) travoprost VYZULTA (latanoprostene)* XALATAN (latanoprost) XELPROS (latanoprost) ZIOPTAN (tafluprost)	*Vyzulta – prior authorization requires failure on a 3-month trial of at least one preferred prostaglandin eye drop used in combination with an agent from another subclass.
	RHO-KINASE INHIBITORS	
RHOPRESSA (netarsudil) ROCKLATAN (netarsudil/latanoprost)		
	SYMPATHOMIMETICS	
ALPHAGAN P Solution (brimonidine) brimonidine 0.2%	apraclonidine IOPIDINE (apraclonidine)	
OPIATE DEPENDENCE TREATMENTS		
CLASS PA CRITERIA: Bunavail and Zubsolv may only be approved with a documented intolerance or allergy to Suboxone strips AND buprenorphine/naloxone tablets.		
*WV Medicaid's buprenorphine coverage policy	may be viewed by clicking on the following hyperlink:	Buprenorphine Coverage Policy and Related Forms
buprenorphine/naloxone tablets* KLOXXADO SPRAY (naloxone) naloxone vial/syringe NARCAN NASAL SPRAY (naloxone) SUBLOCADE (buprenorphine soln) ^{CL*} SUBOXONE FILM (buprenorphine/naloxone)* VIVITROL (naltrexone)	BUNAVAIL (buprenorphine/naloxone)* buprenorphine tablets* buprenorphine/naloxone film* LUCEMYRA (lofexidine) naloxone nasal spray ZUBSOLV (buprenorphine/naloxone)*	
OTIC ANTIBIOTICSAP		
CLASS PA CRITERIA: Non-preferred agents require five (5) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.		
CIPRO HC (ciprofloxacin/hydrocortisone) CIPRODEX (ciprofloxacin/dexamethasone) CORTISPORIN-TC (colistin/hydrocortisone/ neomycin)	ciprofloxacin ciprofloxacin/dexamethasone) ciprofloxacin/fluocinolone OTOVEL (ciprofloxacin/fluocinolone)	



PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

04/01/20

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS				
PREFERRED AGENTS	NON-PREFERRED AGENTS PA CRITERIA			
eomycin/polymyxin/HC solution/suspension floxacin				
PAH AGENTS – ENDOTHELIN RE	CEPTOR ANTAGONISTS ^{CL}			
CLASS PA CRITERIA: Non-preferred agents r PA form is present.	equire a thirty (30) day trial of a preferred agent before	re they will be approved, unless one (1) of the exceptions on the		
LETAIRIS (ambrisentan) TRACLEER TABLET (bosentan)	ambrisentan bosentan OPSUMIT (macitentan) TRACLEER SUSP (bosentan)			
PAH AGENTS - PDE5s ^{CL}				
CLASS PA CRITERIA: Non-preferred agents r PA form is present. Patients stabilized on non-preferred agents will		re they will be approved, unless one (1) of the exceptions on the		
sildenafil tablets	ADCIRCA (tadalafil) REVATIO IV (sildenafil) REVATIO SUSPENSION (sildenafil) REVATIO TABLETS (sildenafil) sildenafil suspension (generic Revatio)			
PAH AGENTS - PROSTACYCLING	S _{Cr}			
	require a thirty (30) day trial of a preferred agent, incone (1) of the exceptions on the PA form is present.	cluding the preferred generic form of the non-preferred agent (if		
epoprostenol (generic Flolan) VENTAVIS (iloprost)*	epoprostenol (generic Veletri) FLOLAN (epoprostenol) ORENITRAM ER (treprostinil) REMODULIN (treprostinil sodium) TYVASO (treprostinil) UPTRAVI (selexipag) VELETRI (epoprostenol)	*Ventavis will only be authorized for the treatment of pulmonary artery hypertension (WHO Group 1) in patients with NYHA Class III or IV symptoms.		
PANCREATIC ENZYMESAP				
CLASS PA CRITERIA: Non-preferred agents r PA form is present. For members with cystic fibrosis, a trial of a pre-		re they will be approved, unless one (1) of the exceptions on the		
CREON ZENPEP	PANCREAZE PERTZYE VIOKACE			
PHOSPHATE BINDERSAP				



EFFECTIVE 04/01/2022 Version 2022.2b

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CLASS PA CRITERIA: Non-preferred agents exceptions on the PA form is present.	require a thirty (30) day trial of at least two (2) prefe	erred agents before they will be approved, unless one (1) of the
calcium acetate CALPHRON (calcium acetate) MAGNEBIND RX (calcium carbonate, folic acid, magnesium carbonate) PHOSLYRA (calcium acetate) sevelamer carbonate	AURYXIA (ferric citrate) FOSRENOL (lanthanum) lanthanum chewable RENAGEL (sevelamer) RENVELA (sevelamer carbonate) sevelamer carbonate powder packet VELPHORO (sucroferric oxyhydroxide)	
PITUITARY SUPPRESSIVE AGEN		
	d, non-preferred agents are available only on appeal	
LUPANETA (leuprolide) LUPRON DEPOT KIT (leuprolide) LUPRON DEPOT-PED KIT (leuprolide) MYFEMBREE (relugolix, estradiol, norethindrone)* ORILISSA (elagolix)* ORIAHNN (elagolix-estradiol-norethindrone)* SYNAREL (nafarelin) TRELSTAR (triptorelin) TRIPTODUR (triptorelin) VANTAS (histrelin) ZOLADEX (goserelin)	leuprolide SUPPRELIN LA KIT (histrelin)	* Full PA criteria may be found on the PA Criteria page be clicking the hyperlink.
PLATELET AGGREGATION INHIE	BITORS	
CLASS PA CRITERIA: Non-preferred agents r PA form is present.	require a thirty (30) day trial of a preferred agent before	re they will be approved, unless one (1) of the exceptions on the
BRILINTA (ticagrelor) clopidogrel dipyridamole prasugrel	clopidogrel kit dipyridamole/aspirin EFFIENT (prasugrel) PLAVIX (clopidogrel) ZONTIVITY (vorapaxar)	
PROGESTATIONAL AGENTS	, , , , , , , , , , , , , , , , , , ,	
CLASS PA CRITERIA: Full PA criteria may be	found on the PA Criteria page by clicking the hyperlin	nk.
MAKENA (hydroxyprogesterone caproate) AUTO INJECTOR MAKENA (hydroxyprogesterone caproate) VIAL	hydroxyprogesterone caproate	
PROGESTINS FOR CACHEXIA		



EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS					
PREFERRED AGENTS PA CRITERIA					
CLASS PA CRITERIA: Non-preferred agents PA form is present.	require a thirty (30) day trial of a preferred agent befor	re they will be approved, unless one (1) of the exceptions on the			
Megestrol					
PROTON PUMP INHIBITORSAP					
		nd pantoprazole at the maximum recommended dose*, inclusive eved, unless one (1) of the exceptions on the PA form is present.			
NEXIUM PACKETS (esomeprazole)** ACIPHEX (rabeprazole) ACIPHEX SPRINKLE (rabeprazole) DEXILANT (dexlansoprazole) PROTONIX GRANULES (pantoprazole)** PROTONIX GRANULES (pantoprazole)** ACIPHEX SPRINKLE (rabeprazole) DEXILANT (dexlansoprazole) dexlansoprazole DR capsule esomeprazole magnesium lansoprazole Rx NEXIUM (esomeprazole) DEXILANT (dexlansoprazole) dexlansoprazole DR capsule esomeprazole Rx NEXIUM (esomeprazole) PREVACID CAPSULES (lansoprazole) PREVACID SOLUTABS (lansoprazole) PREVACID SOLUTABS (lansoprazole) PROTONIX DR TABLETS (pantoprazole) rabeprazole ZEGERID Rx (omeprazole/sodium bicarbonate) **Maximum recommended doses of the PPIs and H2-recept antagonists may be located at the BMS Pharmacy PA criteria page titled "Max PPI and H2RA" by clicking on the hyperlink. ***Prior authorization is required for members nine (9) year age or older for these agents.					
SEDATIVE HYPNOTICSAP					
of the exceptions on the PA form is present. All		OTH sub-classes before they will be approved, unless one (1) tablets in a thirty (30) day period. NOTE: WV Medicaid covers ad if available, however all NDCs are payable.			
temazepam 15, 30 mg	estazolam flurazepam HALCION (triazolam) RESTORIL (temazepam) temazepam 7.5, 22.5 mg triazolam				
	OTHERS				
melatonin ROZEREM (ramelteon) zolpidem 5, 10 mg	AMBIEN (zolpidem) AMBIEN CR (zolpidem) BELSOMRA (suvorexant) DAYVIGO (lemborexant) EDLUAR (zolpidem)	For treatment naïve female patients, zolpidem and zolpidem ER maximum dosages will be limited to 5 mg and 6.25 mg respectively per day.			



PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA
This is not an all-inclusive list of available covered drugs and includes only

managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 04/01/2022 Version 2022.2b

	THERAPEUTIC DRUG CLA	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	eszopiclone HETLIOZ (tasimelteon) ^{CL*} LUNESTA (eszopiclone) ramelteon SILENOR (doxepin) zaleplon zolpidem ER 6.25, 12.5 mg	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
SKELETAL MUSCLE RELAXANT	SAP	
CLASS PA CRITERIA: See below for individu	al sub-class criteria.	
	ACUTE MUSCULOSKELETAL RELAXANT	Γ AGENTS
chlorzoxazone (generic PARAFON FORTE) cyclobenzaprine IR 5, 10 mg methocarbamol	AMRIX (cyclobenzaprine) carisoprodol* carisoprodol/ASA* carisoprodol/ASA/codeine* chlorzoxazone (generic LORZONE) cyclobenzaprine ER cyclobenzaprine IR 7.5 mg FEXMID (cyclobenzaprine) LORZONE (chlorzoxazone) metaxalone orphenadrine orphenadrine ER ROBAXIN (methocarbamol) SKELAXIN (metaxalone) SOMA (carisoprodol)	Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present, with the exception of carisoprodol. *Carisoprodol requires thirty (30) day trials of each of the preferred acute musculoskeletal relaxants and Skelaxin before it will be approved.
	MUSCULOSKELETAL RELAXANT AGENTS USED	
baclofen tizanidine tablets	DANTRIUM (dantrolene) dantrolene tizanidine capsules ZANAFLEX (tizanidine)	Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
STEROIDS, TOPICAL		
	require five (5) day trials of one (1) form of EACH pre (1) of the exceptions on the PA form is present.	referred unique active ingredient in the corresponding potency
	VERY HIGH & HIGH POTENCY	
betamethasone dipropionate cream betamethasone valerate cream betamethasone valerate lotion betamethasone valerate oint	amcinonide APEXICON E (diflorasone diacetate) betamethasone dipropionate gel, lotion, ointment BRYHALI LOTION (halobetasol) clobetasol lotion	



EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
clobetasol propionatecream, gel, ointment, solution clobetasol emollient clobetasol propionate shampoo fluocinonide gel triamcinolone acetonide cream, ointment triamcinolone acetonide lotion	clobetasol propionate foam CLOBEX (clobetasol propionate) CLODAN KIT (clobetasol propionate) CLODAN SHAMPOO (clobetasol propionate) desoximetasone cream/gel/ointment diflorasone diacetate DIPROLENE (betamethasone dipropionate/propylene glycol) fluocinonide cream fluocinonide ointment fluocinonide solution fluocinonide/emollient halcinonide cream halobetasol propionate HALOG (halcinonide) IMPEKLO LOTION (clobetasol propionate) KENALOG (triamcinolone acetonide) LEXETTE FOAM (halobetasol) OLUX (clobetasol propionate) OLUX-E (clobetasol propionate/emollient) PSORCON (diflorasone diacetate) TEMOVATE (clobetasol propionate) TOPICORT CREAM, GEL, OINTMENT (desoximetasone) TOPICORT SPRAY (desoximetasone) TOVET FOAM (clobetasol) ULTRAVATE (halobetasol propionate) ULTRAVATE PAC cream VANOS (fluocinonide)		
fluticasone propionate cream, ointment	MEDIUM POTENCY BESER LOTION (fluticasone)		
mometasone furoate triamcinolone acetonide 0.025% and 0.1% cream	betamethasone valerate foam CLODERM (clocortolone pivalate) clocortolone cream CORDRAN (flurandrenolide) CUTIVATE (fluticasone propionate) fluocinolone acetonide cream, ointment, solution fluticasone propionate lotion hydrocortisone butyrate cream hydrocortisone butyrate ointment, solution hydrocortisone valerate LOCOID (hydrocortisone butyrate) LOCOID LIPOCREAM (hydrocortisone butyrate/emollient)		



EFFECTIVE 04/01/2022 Version 2022.2b

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	LUXIQ (betamethasone valerate) PANDEL (hydrocortisone probutate) prednicarbate		
	LOW POTENCY		
DERMA-SMOOTHE FS (fluocinolone acetonide) hydrocortisone acetate (Rx, OTC) hydrocortisone cream (Rx, OTC) hydrocortisone lotion OTC hydrocortisone ointment (Rx, OTC) hydrocortisone solution OTC hydrocortisone-aloe cream OTC hydrocortisone-aloe ointment OTC	alclometasone dipropionate AQUA GLYCOLIC HC (hydrocortisone) CAPEX (fluocinolone acetonide) DESONATE (desonide) desonide cream, ointment desonide lotion fluocinolone oil hydrocortisone/mineral oil/petrolatum hydrocortisone acetate/urea hydrocortisone lotion hydrocortisone/aloe gel SCALPICIN OTC (hydrocortisone) SYNALAR (fluocinolone) TEXACORT (hydrocortisone)		

STIMULANTS AND RELATED AGENTS

CLASS PA CRITERIA: A PA is required for adults eighteen (18) years of age or older.

Non-preferred agents require a thirty (30) day trial of at least one preferred agent in the same subclass and with a similar duration of effect and mechanism of action, unless one (1) of the exceptions on the PA form is present. **NOTE**: Non-preferred agents will NOT be "grandfathered" for adults. Children under the age of 18 may continue their current therapy until the end of the school year after which they will be required to switch to a preferred agent.

AMPHETAMINES

ADDERALL XR (amphetamine salt combination)	ADDERALL (amphetamine salt combination) ADZENYS XR ODT (amphetamine)	In addition to the Class Criteria: Thirty (30) day trials of at least three (3) antidepressants are required before
amphetamine salt combination ER	ADZENYS ER SUSP (amphetamine)	amphetamines will be authorized for depression.
amphetamine salt combination IR	amphetamine tablets	
dextroamphetamine ER	DESOXYN (methamphetamine)	*Mydayis requires a 30-day trial of at least one long-acting
dextroamphetamine IR	DEXEDRINE ER (dextroamphetamine)	preferred agent in this subclass and a trial of Adderall XR.
	dextroamphetamine solution	
	DYANAVEL XR SUSP (amphetamine)	
	EVEKEO (amphetamine)	
	EVEKEO ODT (amphetamine)	
	methamphetamine	
	MYDAYIS (dextroamphetamine/amphetamine	
	salt)*	
	PROCENTRA solution	
	(dextroamphetamine)ZENZEDI	
	(dextroamphetamine)	
	VYVANSE CHEWABLE (lisdexamfetamine)	



EFFECTIVE 04/01/2022 Version 2022.2b

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	VYVANSE CAPSULE (lisdexamfetamine)		
	NON-AMPHETAMINE		
Atomoxetine* CONCERTA (methylphenidate) clonidine IR clonidine ER dexmethylphenidate IR dexmethylphenidate XR FOCALIN XR (dexmethylphenidate) guanfacine ER guanfacine IR methylphenidate ER 24 tablet (generic CONCERTA) methylphenidate ER tablet (generic RITALIN SR) methylphenidate CD capsules methylphenidate solution QUILLICHEW ER (methylphenidate) QUILLIVANT XR (methylphenidate) ADHANSIA XR (methylphenidate) AZSTARYS (dexmethylphenidate;serdexmethylphenidate) COTEMPLA XR ODT (methylphenidate) DAYTRANA (methylphenidate) INTUNIV (guanfacine extended-release) JORNAY PM (methylphenidate) METHYLIN SOLUTION (methylphenidate) methylphenidate ER capsule methylphenidate ER capsule methylphenidate ER CD capsules methylphenidate ER LA capsule methylphenidate LA capsule METHYLIN SOLUTION (methylphenidate) methylphenidate ER CD capsules methylphenidate ER LA capsule methylphenidate LA capsule METHYLIN SOLUTION (methylphenidate) STRATTERA (atomoxetine)*		* Strattera (atomoxetine) is limited to a maximum of 100 mg per day. **Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.	
	NARCOLEPTIC AGENTS		
armodafinil* modafinil* NUVIGIL (armodafinil)* PROVIGIL (modafinil)*	SUNOSI (solriamfetol)* WAKIX (pitolisant)**	* Full PA criteria may be found on the PA Criteria page by clicking the hyperlink. ** Sunosi is approvable only with documentation of treatment	
PROVIGIL (modalinii)		failure after 30-day trials of both armodafinil and modafinil.	
		***Wakix is approvable only with documentation of treatment failure after 30-day trials of armodafinil, modafinil and Sunosi.	
TETRACYCLINES			
CLASS PA CRITERIA: Non-preferred agents require ten (10) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.			
doxycycline hyclate capsules doxycycline hyclate 50, 100 mg tablets doxycycline monohydrate 50, 100 mg capsules	demeclocycline** DORYX (doxycycline hyclate) doxycycline hyclate 75, 150 mg tablets	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.	



EFFECTIVE 04/01/2022 Version 2022.2b

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

minocycline capsules doxycycline hyclate tablet DR 75, 100, 150, 200 mg **Demeclocycline will be susceptible strains of company to the com	A CRITERIA authorized for conditions caused by
mg susceptible strains of c	authorized for conditions caused by
doxycycline monohydrate 40, 75, 150 mg capsule accompany this request	rganisms designated in the product he manufacturer. A C&S report must

ULCERATIVE COLITIS AGENTSAP

CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of each preferred dosage form or chemical entity before the corresponding non-preferred agent of that dosage form or chemical entity will be approved, unless one (1) of the exceptions on the PA form is present.

	ORAL	
APRISO (mesalamine) ASACOL HD (mesalamine) balsalazide PENTASA (mesalamine) 250 mg PENTASA (mesalamine) 500 mg sulfasalazine	AZULFIDINE (sulfasalazine) budesonide ER tablet COLAZAL (balsalazide) DELZICOL (mesalamine) DIPENTUM (olsalazine) LIALDA (mesalamine) mesalamine UCERIS (budesonide) ZEPOSIA (ozanimod)	
	RECTAL	
mesalamine	DELZICOL DR (mesalamine) mesalamine kit ROWASA (mesalamine) SF ROWASA (mesalamine) UCERIS (budesonide)	
VASODII ATORS CORONARY		

VASODILATORS, CORONARY

CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of each preferred dosage form before they will be approved, unless one (1) of the exceptions on the PA form is present.

SUBLINGUAL NITROGLYCERIN



EFFECTIVE 04/01/2022 Version 2022.2b

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS				
PREFERRED AGENTS	PA CRITERIA			
nitroglycerin spray (generic NITROLINGUAL) nitroglycerin sublingual NITROSTAT SUBLINGUAL (nitroglycerin) NITROMIST (nitroglycerin) NITROMIST (nitroglycerin)				
VMAT Inhibitors				
CLASS PA CRITERIA: All agents require a prior authorization. Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.				
AUSTEDO TABLET (deutetrabenazine) INGREZZA CAPSULE (valbenazine) tetrabenazine tablet	xenazine tablet			

MISCELLANEOUS COVERED AGENTS

This category contains covered agents which either did not easily fit into a single PDL category or had criteria that was too lengthy to cite within the PDL itself. Full criteria for the agents listed below may be found by following this hyperlink: (https://dhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx). Please note that some agents may be available only by billing the appropriate HCPCS code noted in the criteria.

Afinitor

Albenza and Emverm

Amondys 45

Ampyra

Antifungal Agents

Apretude

Atypical Antipsychotic Agents for Children up to age 18

Austedo

Belbuca

Benlysta

Botox

Cabenuva

Carbaglu

CGRP Receptor Antagonists

Continuous Glucose Monitors

Corlanor

Cresemba

Cuvposa

Cytokine & CAM Antagonists

Diclegis

Dificid

Dojolvi

Droxidopa

Duavee

Dupixent



EFFECTIVE 04/01/2022 Version 2022.2b

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

Emflaza Enspryng Esbriet Evrysdi ExJade Exondys 51 Fasenra **Ferriprox** Firazyr Fuzeon Gattex Gralise Growth Hormone for Adults Growth Hormone for Children Hepatitis C PA Criteria Hereditary Angioedema Agents Hetlioz Home Infusion Drugs and Supplies Horizant **HP** Acthar HyQvia Increlex Ingrezza Jublia Juxtapid Kalydeco Kerendia Ketoconazole Korlym Kuvan Kymriah Kynamro Lucemyra Lutathera Lupkynis Luxturna Makena Max PPI an H2RA Mozobil Myalept Myfembree Mytesi Natpara Nexletol and Nexlizet Non-Sedating Antihistamines

Nuvigil Nucala



Nuzyra OFEV

BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

EFFECTIVE 04/01/2022 Version 2022.2b

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

Oforta Omnipod Opzelura Orilissa Oralair Oriahnn Orkambi Osphena Oxlumo Palforzia Palynziq PCSK9 Inhibitor Provigil Qbrexza Qelbree Rectiv Regranex Restasis Rilutek Riluzole Risperdal Consta Ruconest Sirturo Spinraza Spravato Sprycel Suboxone Policy Symdeko Synagis Testosterone Thalomid Tobacco Cessation Policy Trikafta V-Go Viberzi and Lotronex Verquvo Vyondys 53 Xanax XR Xenazine Xhance Xifaxan Xolair Xyrem and Xywav Yescarta

Zolgensma



EFFECTIVE 04/01/2022 Version 2022.2b

Zulresso		
Zurampic		
Zyvox		