

EFFECTIVE 01/01/2019 Version 2019.1g

- Prior authorization for a non-preferred agent in any class will be given only if there has been a trial of the preferred brand/generic equivalent or preferred formulation of the active ingredient, at a therapeutic dose, that resulted in a partial response with a documented intolerance.
- Prior authorization of a non-preferred isomer, pro-drug, or metabolite will be considered with a trial of a preferred parent drug
  of the same chemical entity, at a therapeutic dose, that resulted in a partial response with documented intolerance or a previous
  trial and therapy failure, at a therapeutic dose, with a preferred drug of a different chemical entity indicated to treat the
  submitted diagnosis. (The required trial may be overridden when documented evidence is provided that the use of these
  preferred agent(s) would be medically contraindicated.)
- Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC drugs are not covered unless specified.
- PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.
- The use of pharmaceutical samples will not be considered when evaluating the members' medical condition or prior prescription history for drugs that require prior authorization.
- Quantity limits may apply. Refer to the Limits List on <u>the BMS Website</u> by clicking the hyperlink.
- Unless otherwise indicated, non-preferred combination products require medical reasoning beyond convenience or enhanced compliance as to why the clinical need cannot be met with a preferred agent or combination of preferred single-ingredient agents.
- Acronyms
  - CL Requires clinical PA. For detailed clinical criteria, please go to the PA criteria page by clicking the hyperlink.
  - NR Denotes a new drug which has not yet been reviewed by the P & T Committee. These agents are available only on appeal to the BMS Medical Director.
  - o AP Non-preferred and selected preferred drugs, where indicated, are subject to auto-PA criteria. See PA criteria column.



EFFECTIVE 01/01/2019 Version 2019.1g

	Status	PA Criteria	
CLASSES CHANGING	Changes	Changes	<b>New Drugs</b>
ACNE AGENTS, TOPICAL	XXXX		XXXX
ALZHEIMER'S AGENTS	XXXX		XXXX
ANALGESICS, NARCOTIC SHORT ACTING (Non-parenteral)	XXXX		
ANGIOTENSIN MODULATORS	XXXX		
ANTICONVULSANTS	XXXX		
ANTIEMETICS	XXXX		XXXX
ANTIFUNGALS, TOPICAL	XXXX		XXXX
ANTIHYPERURICEMICS	XXXX		
ANTIPARKINSON'S AGENTS	XXXX		XXXX
ANTIRETROVIRALS	XXXX		XXXX
ANTIVIRALS,	XXXX		
TOPICAL			
BETA BLOCKERS			XXXX
BRONCHODILATORS, BETA AGONIST	XXXX		
COPD AGENTS	XXXX		
CYTOKINE & CAM ANTAGONIST		XXXX	
ERYTHROPOIESIS STIMULATING PROTEINS			XXXX
GLUCOCORTICOIDS, INHALED	XXXX		
H. PYLORI TREATMENT	XXXX		
HEPATITIS B AGENTS	XXXX		
HYPERPARATHYROID AGENTS	XXXX		
HYPOGLYCEMICS, GLP-1 AGONISTS	XXXX		
HYPOGLYCEMICS, INSULIN AND RELATED AGENTS	XXXX		
HYPOGLYCEMICS, SGLT2 INHIBITORS	XXXX		
INTRANASAL, RHINITIS AGENTS	XXXX		



EFFECTIVE 01/01/2019 Version 2019.1g

LIPOTROPICS, OTHER (Non-statins)	XXXX	
LIPOTROPICS, STATINS		XXXX
MACROLIDES	XXXX	
NEUROPATHIC PAIN	XXXX	
NSAIDS	XXXX	
OPHTHALMIC ANTIBIOTICS	XXXX	
OPHTHALMICS, ANTI-INFLAMMATORIES	XXXX	
OPHTHALMICS,GLAUCOMA AGENTS		XXXX
PLATELET AGGREGATION INHIBITORS	XXXX	
STIMULANTS AND RELATED AGENTS	XXXX	



PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA
This is not an all-inclusive list of available covered drugs and includes only

managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS

EFFECTIVE 01/01/2019 Version 2019.1g

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
ACNE AGENTS, TOPICALAP			
CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of one (1) preferred retinoid and two (2) unique chemical entities in two (2) other subclasses, including the generic version of the requested non-preferred product, before they will be approved, unless one (1) of the exceptions on the PA form is present.			
In cases of pregnancy, a trial of retinoids will <i>not</i> be Acne kits are non-preferred.	e required. For members eighteen (18) years of age	or older, a trial of retinoids will not be required.	
Specific Criteria for sub-class will be listed bel day trial of all preferred agents in that sub-class.	·	b-class are available only on appeal and require at least a 30-	
	ANTI-INFECTIVE		
clindamycin gel, lotion, medicated swab, solution ERYGEL (erythromycin) erythromycin gel, solution	ACZONE (dapsone) AKNE-MYCIN (erythromycin) AZELEX (azelaic acid) CLEOCIN-T (clindamycin) CLINDACIN PAC (clindamycin) CLINDAGEL (clindamycin) clindamycin foam erythromycin medicated swab EVOCLIN (clindamycin) FABIOR (tazarotene) KLARON (sulfacetamide) OVACE/PLUS (sulfacetamide) sodium sulfacetamide 10% cleansing gel sulfacetamide cleanser sulfacetamide cleanser ER sulfacetamide shampoo sulfacetamide suspension		
	RETINOIDS		
RETIN-A (tretinoin) TAZORAC (tazarotene)	adapalene ATRALIN (tretinoin) AVITA (tretinoin) DIFFERIN (adapalene) RETIN-A MICRO (tretinoin) tazarotene cream tretinoin cream, gel tretinoin gel micro	In addition to the Class Criteria: PA required for members eighteen (18) years of age or older.	
KERATOLYTICS			
benzoyl peroxide cleanser Rx & OTC, 10% cream OTC, gel Rx & OTC, lotion OTC, wash OTC  PANOXYL-4 OTC (benzoyl peroxide)	BENZEFOAM ULTRA (benzoyl peroxide) BP 10-1 (benzoyl peroxide) PANOXYL-8 OTC (benzoyl peroxide) SULPHO-LAC (sulfur)		



EFFECTIVE 01/01/2019 Version 2019.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	COMBINATION AGENTS	
benzoyl peroxide/clindamycin gel EPIDUO (adapalene/benzoyl peroxide)* EPIDUO FORTE (adapalene/benzoyl peroxide)* erythromycin/benzoyl peroxide	ACANYA (clindamycin phosphate/benzoyl peroxide)  AVAR/-E/LS (sulfur/sulfacetamide)  BENZACLIN GEL (benzoyl peroxide/ clindamycin)  BENZAMYCIN PAK (benzoyl peroxide/ erythromycin)  benzoyl peroxide/urea  CERISA (sulfacetamide sodium/sulfur)  CLARIFOAM EF (sulfacetamide/sulfur)  CLENIA (sulfacetamide sodium/sulfur)  DUAC (benzoyl peroxide/clindamycin)  NEUAC (clindamycin phosphate/benzoyl peroxide)  ONEXTON (clindamycin phosphate/benzoyl peroxide)  PRASCION (sulfacetamide sodium/sulfur)  SE 10-5 SS (sulfacetamide/sulfur)  SSS 10-4 (sulfacetamide /sulfur)  SSS 10-5 foam (sulfacetamide /sulfur)  sulfacetamide sodium/sulfur cloths, lotion, pads, suspension  sulfacetamide/sulfur wash/cleanser  sulfacetamide/sulfur wash kit  sulfacetamide/sulfur wash kit  sulfacetamide sodium/sulfur/ urea  SUMADAN/XLT (sulfacetamide sodium/sulfur)  VELTIN (clindamycin/tretinoin)*	In addition to the Class Criteria: Non-preferred combination agents require thirty (30) day trials of the corresponding preferred single agents before they will be approved.  *PA required for combination agents with Retinoid products for members eighteen (18) years of age or older.
	ZIANA (clindamycin/tretinoin)*	
FINACEA GEL (azelaic acid) MIRVASO GEL (brimonidine) metronidazole cream metronidazole gel (NDCs 00115-1474-46, 00168-0275-45, 00713-0637-37, 51672- 4116-06, 66993-0962-45 only)	ROSACEA AGENTS FINACEA FOAM (azelaic acid) METROCREAM (metronidazole) METROGEL GEL (metronidazole) METROLOTION (metronidazole) metronidazole lotion metronidazole gel (all other NDCs) NORITATE CREAM (metronidazole) RHOFADE (oxymetazoline) ROSADAN (metronidazole) SOOLANTRA CREAM (ivermectin)	<b>Subclass criteria</b> : Non-preferred agents are available only on appeal and require evidence of 30-day trials of all chemically-unique preferred agents in the sub-class.



fentanyl transdermal 12, 25, 50, 75, 100 mcg/hr

morphine ER tablets

#### BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only

managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS

EFFECTIVE 01/01/2019 Version 2019.1g

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ALZHEIMER'S AGENTSAP		
CLASS PA CRITERIA: Non-preferred agen the exceptions on the PA form is present.	ts require a thirty (30) day trial of a preferred agent in th	ne same sub-class before they will be approved, unless one (1) of
Prior authorization is required for members up	p to forty-five (45) years of age if there is no diagnosis of	Alzheimer's disease.
	CHOLINESTERASE INHIBITORS	
donepezil 5 and 10 mg	ARICEPT (donepezil) donepezil 23 mg* EXELON CAPSULE (rivastigmine) EXELON PATCH (rivastigmine) galantamine galantamine ER RAZADYNE (galantamine) RAZADYNE ER (galantamine) rivastigmine	*Donepezil 23 mg tablets will be authorized if the following criteria are met:  1. There is a diagnosis of moderate-to-severe Alzheimer's Disease and  2. There has been a trial of donepezil 10 mg daily for at least three (3) months and donepezil 20 mg daily for an additional one (1) month.
	NMDA RECEPTOR ANTAGONIST	
memantine	memantine ER memantine solution NAMENDA (memantine) NAMENDA XR (memantine)*	*Namenda XR requires ninety (90) days of compliant therapy with Namenda.
СНО	LINESTERASE INHIBITOR/NMDA RECEPTOR ANTAG	SONIST COMBINATIONS
	NAMZARIC (donepezil/memantine)	Combination agents require thirty (30) day trials of each corresponding preferred single agent.
<b>ANALGESICS, NARCOTIC LON</b>	G ACTING (Non-parenteral) <sup>AP</sup>	
CLASS PA CRITERIA: Non-preferred agent requested non-preferred agent (if available) the requested non-preferred brand agent, the	ts require six (6) day trials of two (2) chemically distinct perfore they will be approved, unless one (1) of the exception another generic non-preferred agent must be trialed	preferred agents <b>AND</b> a six (6) day trial of the generic form of the tions on the PA form is present. If no generic form is available for instead. <b>NOTE: All long-acting opioid agents require a prior</b> and indication and specify previous opioid and non-opioid therapies
buprenorphine patch (labeler 00093 only) BUTRANS (buprenorphine) EMBEDA (morphine/naltrexone)	ARYMO ER (morphine sulfate) BELBUCA (buprenorphine buccal film)* buprenorphine patch (all labelers excl 00093)	*Belbuca prior authorization requires manual review. Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.

CONZIP ER (tramadol)
DOLOPHINE (methadone)

DURAGESIC (fentanyl)

hydromorphone ER

KADIAN (morphine)

EXALGO ER (hydromorphone)

HYSINGLA ER (hydrocodone)

fentanyl transdermal 37.5, 62.5, 87.5 mcg/hr

\*\*Methadone, oxycodone ER and oxymorphone ER will be

authorized without a trial of the preferred agents if a diagnosis

treatment plan including anticipated duration of treatment and

\*\*\*Tramadol ER requires a manual review and may be authorized for ninety (90) days with submission of a detailed

of cancer is submitted.



01/01/2019 Version 2019.1g

**EFFECTIVE** 

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

	THERAPEUTIC DRUG CLA	
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	LAZANDA SPRAY (fentanyl) methadone** MORPHABOND ER (morphine sulfate) morphine ER capsules (generic for Avinza) morphine ER capsules (generic for Kadian) MS CONTIN (morphine) NUCYNTA ER (tapentadol) OPANA ER (oxymorphone) oxycodone ER** OXYCONTIN (oxycodone) oxymorphone ER** tramadol ER*** ULTRAM ER (tramadol) XARTEMIS XR (oxycodone/ acetaminophen) XTAMPZA ER (oxycodone) ZOHYDRO ER (hydrocodone)	scheduled follow-ups with the prescriber.
NALGESICS, NARCOTIC SHOR		
cluding the generic formulation of the reques	ted non-preferred agent, before they will be approved, require a prior authorization for children under 1	ly distinct preferred agents (based on the narcotic ingredient on unless one (1) of the exceptions on the PA form is present.  By years of age. Requests must be for an FDA approved age a

APAP/codeine

butalbital/APAP/caffeine/codeine

codeine

hydrocodone/APAP 2.5/325 mg, 5/325 mg,

7.5/325 mg,10/325 mg hydrocodone/APAP solution hydrocodone/ibuprofen

hydromorphone tablets LORTAB SOLUTION

(hydrocodone/acetaminophen)

morphine

oxycodone tablets, concentrate, solution

oxycodone/APAP oxycodone/ASA

pentazocine/naloxone

tramadol tramadol/APAP ABSTRAL (fentanyl) ACTIQ (fentanyl)

butalbital/ASA/caffeine/codeine

butorphanol

CAPITAL W/CODEINE (APAP/codeine)

DEMEROL (meperidine) dihydrocodeine/ APAP/caffeine

DILAUDID (hydromorphone)

fentanyl

FENTORA (fentanyl)
FIORICET W/ CODEINE

(butalbital/APAP/caffeine/codeine)

FIORINAL W/ CODEINE

(butalbital/ASA/caffeine/codeine)

hydrocodone/APAP 5/300 mg, 7.5/300 mg, 10/300 mg

hydromorphone liquid, suppositories IBUDONE (hydrocodone/ibuprofen)

LAZANDA (fentanyl)

Fentanyl buccal, nasal and sublingual products will only be authorized for a diagnosis of cancer and as an adjunct to a long-acting agent. These dosage forms will not be authorized for monotherapy.

Limits: Unless the patient has escalating cancer pain or another diagnosis supporting increased quantities of short-acting opioids, all short acting solid forms of the narcotic analgesics are limited to 120 tablets per thirty (30) days. Longer-acting medications should be maximized to prevent unnecessary breakthrough pain in chronic pain therapy.

Immediate-release tramadol is limited to 240 tablets per thirty (30) days.



EFFECTIVE 01/01/2019 Version 2019.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	levorphanol LORCET (hydrocodone/APAP) LORTAB (hydrocodone/APAP) meperidine NORCO (hydrocodone/APAP) NUCYNTA (tapentadol) ONSOLIS (fentanyl) OPANA (oxymorphone) OXECTA (oxycodone) oxycodone capsules oxycodone/ibuprofen oxymorphone PERCOCET (oxycodone/APAP) PRIMLEV (oxycodone/APAP) REPREXAIN (hydrocodone/ibuprofen) ROXICODONE (oxycodone) RYBIX ODT (tramadol) SUBSYS (fentanyl) SYNALGOS-DC (dihydrocodeine/ASA/ caffeine) TYLENOL W/CODEINE (APAP/codeine) ULTRACET (tramadol/APAP) ULTRAM (tramadol) VERDROCET (hydrocodone/APAP) VICODIN (hydrocodone/APAP) VICOPROFEN (hydrocodone/ibuprofen) XODOL (hydrocodone/acetaminophen) XYLON (hydrocodone/Ibuprofen) ZAMICET (hydrocodone/APAP)	
ANDROGENIC AGENTS	Lordy be analysis of the average and the	a DA farm in respect
ANDRODERM (testosterone) ANDROGEL (testosterone) METHITEST (methyltestosterone) testosterone cypionate vial <sup>CL</sup> testosterone enanthate vial <sup>CL</sup>	I only be authorized if one (1) of the exceptions on the ANDROID (methyltestosterone) AVEED VIAL (testosterone undecanoate) AXIRON (testosterone) FORTESTA (testosterone) methyltestosterone capsule NATESTO (testosterone) STRIANT BUCCAL (testosterone) TESTIM (testosterone) TESTRED (methyltestosterone) testosterone gel VOGELXO (testosterone)	e PA form is present.



managed categories. Refer to cover page for complete list of rules governing this PDL.

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA
This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 01/01/2019 Version 2019.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANESTHETICS, TOPICALAP		
	equire ten (10) day trials of each preferred agent befo	re they will be approved, unless one (1) of the exceptions on the
PA form is present. lidocaine lidocaine/prilocaine xylocaine	LIDAMANTLE (lidocaine) LIDAMANTLE HC (lidocaine/hydrocortisone) lidocaine/hydrocortisone LIDOTRAL CREAM (lidocaine) SYNERA (lidocaine/tetracaine) VOPAC MDS (ketoprofen/lidocaine)	
ANGIOTENSIN MODULATORSAP		
	equire fourteen (14) day trials of each preferred age ne (1) of the exceptions on the PA form is present.	nt in the same sub-class, with the exception of the Direct Renin
	ACE INHIBITORS	
benazepril captopril enalapril fosinopril lisinopril quinapril ramipril	ACCUPRIL (quinapril) ACEON (perindopril) ALTACE (ramipril) EPANED (enalapril)* LOTENSIN (benazepril) MAVIK (trandolapril) moexipril perindopril PRINIVIL (lisinopril) QBRELIS SOLUTION (lisinopril)** trandolapril UNIVASC (moexipril) VASOTEC (enalapril) ZESTRIL (lisinopril)	*Epaned will be authorized with a diagnosis of hypertension, symptomatic heart failure or asymptomatic left ventricular dysfunction provided that the patient is less than seven (7) years of age <b>OR</b> is unable to ingest a solid dosage form due to documented oral-motor difficulties or dysphagia.  **Qbrelis solution may be authorized for children ages 6-10 who are unable to tolerate a solid dosage form. Qbrelis may also be authorized for older patients with clinical documentation indicating oral-motor difficulties or dysphagia.
	ACE INHIBITOR COMBINATION DRUG	S
benazepril/amlodipine benazepril/HCTZ captopril/HCTZ enalapril/HCTZ fosinopril/HCTZ lisinopril/HCTZ quinapril/HCTZ	ACCURETIC (quinapril/HCTZ) CAPOZIDE (captopril/HCTZ) LOTENSIN HCT (benazepril/HCTZ) LOTREL (benazepril/amlodipine) moexipril/HCTZ PRESTALIA (perindopril/amlodipine) PRINZIDE (lisinopril/HCTZ) TARKA (trandolapril/verapamil) trandolapril/verapamil VASERETIC (enalapril/HCTZ) ZESTORETIC (lisinopril/HCTZ)	



EFFECTIVE 01/01/2019 Version 2019.1g

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ANGIOTENSIN II RECEPTOR BLOCKERS	(ARBs)
irbesartan losartan valsartan olmesartan	ATACAND (candesartan) AVAPRO (irbesartan) BENICAR (olmesartan) candesartan COZAAR (losartan) DIOVAN (valsartan) EDARBI (azilsartan) eprosartan MICARDIS (telmisartan) telmisartan	
	ARB COMBINATIONS	
ENTRESTO (valsartan/sacubitril) AP* irbesartan/HCTZ losartan/HCTZ olmesartan/amlodipine olmesartan/HCTZ valsartan/amlodipine valsartan/HCTZ	ATACAND-HCT (candesartan/HCTZ) AVALIDE (irbesartan/HCTZ) AZOR (olmesartan/amlodipine) BENICAR-HCT (olmesartan/HCTZ) BYVALSON (nebivolol/valsartan) candesartan/HCTZ DIOVAN-HCT (valsartan/HCTZ) EDARBYCLOR (azilsartan/chlorthalidone) EXFORGE (valsartan/amlodipine) EXFORGE HCT (valsartan/amlodipine/HCTZ) HYZAAR (losartan/HCTZ) MICARDIS-HCT (telmisartan/HCTZ) olmesartan/amlodipine/HCTZ telmisartan/amlodipine telmisartan HCTZ TRIBENZOR (olmesartan/amlodipine) valsartan/amlodipine/HCTZ	*Entresto will only be authorized for patients 18 years of age or older who are diagnosed with chronic heart-failure.
	DIRECT RENIN INHIBITORS	
	AMTURNIDE (aliskiren/amlodipine/HCTZ) TEKAMLO (aliskiren/amlodipine) TEKTURNA (aliskiren) TEKTURNA HCT (aliskiren/HCTZ) VALTURNA (aliskiren/valsartan)	Substitute for Class Criteria: Tekturna requires a thirty (30) day trial of one (1) preferred ACE, ARB, or combination agent, at the maximum tolerable dose, before it will be authorized unless one (1) of the exceptions on the PA form is present.  Amturnide, Tekamlo, Tekturna HCT or Valturna will be authorized if the criteria for Tekturna are met and the patient also needs the other agents in the combination.



#### **BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID**

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

01/01/2019 **Version 2019.1g** 

**EFFECTIVE** 

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
ANTIANGINAL & ANTI-ISCHEMIC			
		sium channel blocker, a beta blocker, or a nitrite as single agents	
or a combination agent containing one (1) of these RANEXA (ranolazine) <sup>AP</sup>	e ingredients.		
ANTIBIOTICS, GI & RELATED AGE	NTS		
·		ore they will be approved, unless one (1) of the exceptions on the	
PA form is present.			
FIRVANQ (vancomycin) metronidazole tablet	DIFICID (fidaxomicin)* FLAGYL (metronidazole)	*Full PA criteria may be found on the PA Criteria page by	
neomycin	FLAGYL ER (metronidazole ER)	clicking the hyperlink.	
tinidazole	metronidazole capsule		
	paromomycin		
	TINDAMAX (tinidazole)		
	VANCOCIN (vancomycin) vancomycin		
	XIFAXAN (rifaximin)*		
ANTIBIOTICS, INHALED			
CLASS PA CRITERIA: Non-preferred agents red	quire a twenty-eight (28) day trial of a preferred agent	and documentation of therapeutic failure before they will be	
approved, unless one (1) of the exceptions on the			
BETHKIS (tobramycin)	CAYSTON (aztreonam)		
KITABIS PAK (tobramycin)	TOBI (tobramycin) TOBI PODHALER (tobramycin)		
	tobramycin		
ANTIBIOTICS, TOPICAL	·		
CLASS PA CRITERIA: Non-preferred agents require ten (10) day trials of at least one preferred agent, including the generic formulation of the requested non-			
, , , , , , , , , , , , , , , , , , , ,	ess one (1) of the exceptions on the PA form is prese	ent.	
bacitracin (Rx, OTC)	BACTROBAN (mupirocin)		
gentamicin sulfate mupirocin ointment	CENTANY (mupirocin) CORTISPORIN		
maphochi omaneni	(bacitracin/neomycin/polymyxin/HC)		
	mupirocin cream		
	neomycin/polymyxin/pramoxine		
ANTIBIOTICS, VAGINAL			
CLASS PA CRITERIA: Non-preferred agents red approved, unless one (1) of the exceptions on the		at the manufacturer's recommended duration, before they will be	
clindamycin cream	AVC (sulfanilamide)		
CLINDESSE (clindamycin)	CLEOCIN CREAM (clindamycin)		
metronidazole	CLEOCIN OVULE (clindamycin) METROGEL (metronidazole)		
	NUVESSA (metronidazole)		



**EFFECTIVE** 01/01/2019 **Version 2019.1g** 

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	SOLOSEC (secnidazole) VANDAZOLE (metronidazole)		
ANTICOAGULANTS			
CLASS PA CRITERIA: Non-preferred agents require a trial of each preferred agent in the same sub-class, unless one (1) of the exceptions on the PA form is present.			
	INJECTABLE <sup>CL</sup>		
enoxaparin	ARIXTRA (fondaparinux) fondaparinux FRAGMIN (dalteparin) LOVENOX (enoxaparin)		
	ORAL		
COUMADIN (warfarin) ELIQUIS (apixaban) PRADAXA (dabigatran) warfarin XARELTO (rivaroxaban) 10 mg, 15 mg & 20 mg	SAVAYSA (edoxaban) XARELTO (rivaroxaban) 2.5 mg		
ANTICONVIII SANTS			

#### ANTICONVULSANTS

CLASS PA CRITERIA: For a diagnosis of seizure disorder, non-preferred agents require a fourteen (14) day trial of a preferred agent in the same sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present; patients currently on established therapies shall be grandfathered.

For all other diagnoses, non-preferred agents require a thirty (30) day trial of a preferred agent in the same sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present.

In situations where AB-rated generic equivalent products are available, "Brand Medically Necessary" must be hand-written by the prescriber on the prescription for the brand name product to be reimbursed.

	AD HIVANTO	
	ADJUVANTS	
carbamazepine	APTIOM (eslicarbazepine)	*Topiramate ER will be authorized after a thirty (30) day trial of
carbamazepine ER	BANZEL (rufinamide)	topiramate IR.
carbamazepine XR	BRIVIACT (brivaracetam)	
divalproex	CARBATROL (carbamazepine)	**Qudexy XR and Trokendi XR are only approvable on appeal.
divalproex ER	DEPAKENE (valproic acid)	
divalproex sprinkle	DEPAKOTE (divalproex)	
EPITOL (carbamazepine)	DEPAKOTE ER (divalproex)	
GABITRIL (tiagabine)	DEPAKOTE SPRINKLE (divalproex)	
lamotrigine	EQUETRO (carbamazepine)	
levetiracetam IR	FANATREX SUSPENSION (gabapentin)	
levetiracetam ER	felbamate	
oxcarbazepine suspension and tablets	FELBATOL (felbamate)	
topiramate IR	FYCOMPA (perampanel)	



EFFECTIVE 01/01/2019 Version 2019.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
topiramate ER* valproic acid VIMPAT (lacosamide) zonisamide	KEPPRA (levetiracetam) KEPPRA XR (levetiracetam) LAMICTAL (lamotrigine) LAMICTAL CHEWABLE (lamotrigine) LAMICTAL ODT (lamotrigine) LAMICTAL XR (lamotrigine) lamotrigine dose pack lamotrigine ER OXTELLAR XR (oxcarbazepine) POTIGA (ezogabine) QUDEXY XR (topiramate ER)** SABRIL (vigabatrin) SPRITAM (levetiracetam) STAVZOR (valproic acid) TEGRETOL (carbamazepine) TEGRETOL XR (carbamazepine) tiagabine TOPAMAX (topiramate) TRILEPTAL SUSPENSION and TABLETS (oxcarbazepine) TROKENDI XR (topiramate)** ZONEGRAN (zonisamide)	
	BARBITURATESAP	
phenobarbital primidone	MYSOLINE (primidone)	
	BENZODIAZEPINESAP	
clonazepam diazepam rectal gel diazepam tablets	clobazam* clonazepam ODT  DIASTAT (diazepam rectal) KLONOPIN (clonazepam) ONFI (clobazam)* ONFI SUSPENSION (clobazam)*	*Onfi shall be authorized as adjunctive therapy for treatment of Lennox-Gastaut Syndrome without further restrictions. Offlabel use requires an appeal to the Medical Director. NOTE: generic clobazam is preferred over brand ONFI.
DILANITINI ( I	HYDANTOINS <sup>AP</sup>	
DILANTIN (phenytoin sodium, extended) PEGANONE (ethotoin) phenytoin capsules, chewable tablets, suspension	DILANTIN INFATABS (phenytoin) PHENYTEK (phenytoin)	
	SUCCINIMIDES	
CELONTIN (methsuximide) ethosuximide capsules ethosuximide syrup	ZARONTIN (ethosuximide) capsules ZARONTIN (ethosuximide) syrup	



EFFECTIVE 01/01/2019 Version 2019.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIDEPRESSANTS, OTHER		
CLASS PA CRITERIA: See below for individual	sub-class criteria.	
	MAOIs <sup>AP</sup>	
	MARPLAN (isocarboxazid) NARDIL (phenelzine) PARNATE (tranylcypromine) phenelzine tranylcypromine	Patients stabilized on MAOI agents will be grandfathered.
	SNRIS <sup>AP</sup>	
duloxetine capulses venlafaxine ER capsules	CYMBALTA (duloxetine) desvenlafaxine ER desvenlafaxine fumarate ER EFFEXOR XR (venlafaxine) FETZIMA (levomilnacipran) KHEDEZLA (desvenlafaxine) PRISTIQ (desvenlafaxine) venlafaxine IR VENLAFAXINE ER TABLETS (venlafaxine)	Non-preferred agents require separate thirty (30) day trials of a preferred agent in this sub-class <b>AND</b> an SSRI before they will be approved, unless one (1) of the exceptions on the PA form is present.
	SECOND GENERATION NON-SSRI, OTH	IER <sup>AP</sup>
bupropion IR bupropion SR bupropion XL mirtazapine trazodone	APLENZIN (bupropion hbr) EMSAM (selegiline) FORFIVO XL (bupropion) nefazodone OLEPTRO ER (trazodone) REMERON (mirtazapine) TRINTELLIX (vortioxetine) VIIBRYD (vilazodone HCI) WELLBUTRIN (bupropion) WELLBUTRIN SR (bupropion) WELLBUTRIN XL (bupropion)	Non-preferred agents require separate thirty (30) day trials of a preferred agent in this sub-class <b>AND</b> an SSRI before they will be approved, unless one (1) of the exceptions on the PA form is present.
SELECTED TCAs		
imipramine HCI	imipramine pamoate TOFRANIL (imipramine HCI) TOFRANIL PM (imipramine pamoate)	Non-preferred agents require a twelve (12) week trial of imipramine HCl before they will be approved, unless one (1) of the exceptions on the PA form is present.



EFFECTIVE 01/01/2019 Version 2019.1g

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS

PREFERRED AGENTS ANTIDEPRESSANTS, SSRISAP	NON-PREFERRED AGENTS	PA CRITERIA	
ANTIDEPRESSANTS, SSRISAP			
CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of at least two (2) preferred agents before they will be approved, unless one (1) of the exceptions on the PA form is present.			
Upon hospital discharge, patients admitted with a continue that drug.	primary mental health diagnosis who have been stab	oilized on a non-preferred SSRI will receive an authorization to	
citalopram escitalopram tablets fluoxetine capsules, solution fluvoxamine paroxetine sertraline	BRISDELLE (paroxetine) CELEXA (citalopram) escitalopram solution fluoxetine tablets fluvoxamine ER LEXAPRO (escitalopram) LUVOX CR (fluvoxamine) paroxetine 7.5 mg capsules paroxetine ER PAXIL (paroxetine) PAXIL CR (paroxetine) PEXEVA (paroxetine) PROZAC (fluoxetine) SARAFEM (fluoxetine) ZOLOFT (sertraline)		
ANTIEMETICS <sup>AP</sup>			
CLASS PA CRITERIA: See below for sub-class	criteria.		
	5HT3 RECEPTOR BLOCKERS		
granisetron ondansetron ODT, solution, tablets	ANZEMET (dolasetron) GRANISOL (granisetron) ondansetron vials SANCUSO (granisetron) SUSTOL (granisetron) ZOFRAN (ondansetron) ZUPLENZ (ondansetron)	Non-preferred agents require a three (3) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.	
	CANNABINOIDS	*Consent will be authorized only for the treatment of	
	CESAMET (nabilone)* dronabinol** MARINOL (dronabinol)** SYNDROS SOLUTION (dronabinol)	*Cesamet will be authorized only for the treatment of nausea and vomiting associated with cancer chemotherapy for patients who have failed to respond adequately to three (3) day trials of conventional treatments such as promethazine or ondansetron and are eighteen (18) years of age or older.  **Dronabinol will only be authorized for:	



EFFECTIVE 01/01/2019 Version 2019.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		<ol> <li>The treatment of anorexia associated with weight loss in patients with AIDS or cancer and unresponsive to megestrol or</li> <li>The prophylaxis of chemotherapy induced nausea and vomiting unresponsive to three (3) day trials of ondansetron or promethazine for patients from eighteen (18) up to sixty-five (65) years of age.</li> </ol>
	SUBSTANCE P ANTAGONISTS	
EMEND (aprepitant)	aprepitant CINVANTI (aprepitant) VARUBI (rolapitant)	Non-preferred agents require a three (3) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
	COMBINATIONS	
	AKYNZEO (netupitant/palonosetron) BONJESTA (doxylamine/pyridoxine)	Non-preferred agents will only be approved on appeal.
ANTIFUNGALS, ORAL		
•	Il only be authorized if one (1) of the exceptions on th	e PA form is present.
clotrimazole fluconazole* nystatin terbinafine <sup>CL</sup>	ANCOBON (flucytosine) CRESEMBA (isovuconazonium) <sup>CL**</sup> DIFLUCAN (fluconazole) flucytosine griseofulvin*** GRIS-PEG (griseofulvin) itraconazole ketoconazole**** LAMISIL (terbinafine) MYCELEX (clotrimazole) NIZORAL (ketoconazole) NOXAFIL (posaconazole) ONMEL (itraconazole) ORAVIG (miconazole) SPORANOX (itraconazole) VFEND (voriconazole) voriconazole suspension voriconazole tablets	**PA is required when limits are exceeded.  **Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.  ***PA is not required for griseofulvin suspension for children up to eighteen (18) years of age for the treatment of tinea capitis.  ****Ketoconazole will be authorized if the following criteria are met:  1. Diagnosis of one of the following fungal infections: blastomycosis, coccidioidomycosis, histoplasmosis, chromomycosis, or paracoccidioidomycosis and  2. Documented failure or intolerance of all other diagnosis-appropriate antifungal therapies, i.e. itraconazole, fluconazole, flucytosine, etc and  3. Baseline assessment of the liver status including alanine aminotransferase (ALT), aspartate aminotransferase (AST), total bilirubin, alkaline phosphatase, prothrombin time, and international normalized ratio (INR) before starting treatment and  4. Weekly monitoring of serum ALT for the duration of treatment (If ALT values increase to a level above the



EFFECTIVE 01/01/2019 Version 2019.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		be obtained. Liver tests should be repeated to ensure normalization of values.) and 5. Assessment of all concomitant medications for potential adverse drug interactions with ketoconazole.  Ketoconazole will not be authorized for treatment for fungal infections of the skin and nails.
ANTIFUNGALS, TOPICALAP		
		nts before they will be approved, unless one (1) of the exceptions preferred product (i.e. ketoconazole shampoo) is required.
	ANTIFUNGALS	
econazole ketoconazole cream, shampoo MENTAX (butenafine) miconazole (OTC) nystatin	CICLODAN (ciclopirox) ciclopirox ERTACZO (sertaconazole) EXELDERM (sulconazole) EXTINA (ketoconazole) JUBLIA (efinaconazole) ketoconazole foam KERYDIN (tavaborole) KETODAN (ketoconazole) LOPROX (ciclopirox) LUZU (luliconazole) MYCOSTATIN (nystatin) NAFTIN CREAM (naftifine) NAFTIN GEL (naftifine) NIZORAL (ketoconazole) OXISTAT (oxiconazole)* PEDIPIROX-4 (ciclopirox) PENLAC (ciclopirox) VUSION (miconazole/petrolatum/zinc oxide)	*Oxistat cream will be authorized for children up to thirteen (13) years of age for tinea corporis, tinea cruris, tinea pedis, and tinea (pityriasis) versicolor.
	ANTIFUNGAL/STEROID COMBINATIO	NS
clotrimazole/betamethasone cream	clotrimazole/betamethasone lotion KETOCON PLUS (ketoconazole/hydrocortisone) LOTRISONE (clotrimazole/betamethasone) nystatin/triamcinolone	



EFFECTIVE 01/01/2019 Version 2019.1g

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
ANTIHEMOPHILIA FACTOR AGENTS <sup>CL</sup> CLASS PA CRITERIA: All agents will require prior-authorization, and non-preferred agents require medical reasoning explaining why the need cannot be met using a preferred product.			
All currently established regimens shall be grand	fathered with documentation of adherence to therapy.  FACTOR VIII		
ALPHANATE HEMOFIL M HUMATE-P KOATE KOATE-DVI MONOCLATE-P NOVOEIGHT WILATE XYNTHA XYNTHA SOLOFUSE  ALPHANINE SD BEBULIN BENEFIX	ADVATE ADYNOVATE ELOCTATE KOGENATE FS KOVALTRY NUWIQ RECOMBINATE VONVENDI  FACTOR IX ALPROLIX IDELVION REBINYN		
IXINITY MONONINE PROFILNINE RIXUBIS	FACTOR IXa/IX		
HEMLIBRA (emicizumab-kxwh)	1110001111111111		
ANTIHYPERTENSIVES, SYMPATH	OI YTICS		
	equire thirty (30) day trials of each preferred unique che	emical entity in the corresponding formulation before they will be	
ANTIHYPERURICEMICS	THE ACCEST ACCOUNTAINE)		
CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of one (1) of the preferred agents for the prevention of gouty arthritis attacks (colchicine/probenecid, probenecid, or allopurinol) before they will be approved, unless one (1) of the exceptions on the PA form is present.			
ANTIMITOTICS			
colchicine capsules	colchicine tablets COLCRYS (colchicine) MITIGARE (colchicine)	In the case of acute gouty attacks, a ten (10) day supply (twenty (20) capsules) of the preferred agent(s) in this subclass will be authorized per ninety (90) days.	



EFFECTIVE 01/01/2019 Version 2019.1g

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THER ADELLTIC DRILL CLASS

	THERAPEUTIC DRUG CLAS	5S
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ANTIMITOTIC-URICOSURIC COMBINAT	TION
colchicine/probenecid		
	URICOSURIC	
probenecid	ZURAMPIC (lesinurad)*	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
	XANTHINE OXIDASE INHIBITORS	
allopurinol	ULORIC (febuxostat) ZYLOPRIM (allopurinol)	
	URICOSURIC - XANTHINE OXIDASE INHIE	BITORS
	DUZALLO (allopurinol/lesinurad)	Non-preferred agents will only be approved on appeal.
ANTIMIGRAINE AGENTS, OTHERAP		
CLASS PA CRITERIA: Non-preferred agents req approved, unless one (1) of the exceptions on the		ty of the preferred Antimigraine Triptan Agents before they will be
	CAMBIA (diclofenac)	
<b>ANTIMIGRAINE AGENTS, TRIPTAN</b>	SAP	
<b>CLASS PA CRITERIA:</b> Non-preferred agents recexceptions on the PA form is present.	quire three (3) day trials of each preferred unique ch	nemical entity before they will be approved, unless one (1) of the
	TRIPTANS	
naratriptan rizatriptan ODT rizatriptan tablet sumatriptan injection <sup>CL</sup> sumatriptan nasal spray sumatriptan tablets	almotriptan AMERGE (naratriptan) AXERT (almotriptan) eletriptan FROVA (frovatriptan) frovatriptan IMITREX INJECTION (sumatriptan) IMITREX NASAL SPRAY (sumatriptan) IMITREX tablets (sumatriptan) MAXALT MLT (rizatriptan) MAXALT (rizatriptan) ONZETRA XSAIL (sumatriptan)* RELPAX (eletriptan) SUMAVEL (sumatriptan)	*In addition to the Class Criteria: Onzetra Xsail requires three (3) day trials of each preferred oral, nasal and injectable forms of sumatriptan.

ZECUITY PATCH (sumatriptan)
ZEMBRACE SYMTOUCH (sumatriptan)

zolmitriptan



EFFECTIVE 01/01/2019 Version 2019.1g

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	zolmitriptan ODT ZOMIG (zolmitriptan) ZOMIG ZMT (zolmitriptan) TRIPTAN COMBINATIONS		
	TREXIMET (sumatriptan/naproxen sodium)		
ANTIPARASITICS, TOPICALAP			
CLASS PA CRITERIA: Non-preferred agents red (1) of the exceptions on the PA form is present.		d weight appropriate) before they will be approved, unless one	
NATROBA (spinosad) permethrin 5% cream pyrethrins-piperonyl butoxide OTC SKLICE (ivermectin)	EURAX (crotamiton) LICE EGG REMOVER OTC (benzalkonium chloride) lindane malathion OVIDE (malathion) spinosad		
ANTIPARKINSON'S AGENTS			
CLASS PA CRITERIA: Patients starting therapy a non-preferred agent will be authorized.	on drugs in this class must show a documented aller	gy to all preferred agents in the corresponding sub-class, before	
	ANTICHOLINERGICS		
benztropine trihexyphenidyl			
	COMT INHIBITORS		
entacapone	COMTAN (entacapone) TASMAR (tolcapone)	COMT Inhibitor agents will only be approved as add-on therapy to a levodopa-containing regimen for treatment of documented motor complications.	
	DOPAMINE AGONISTS		
pramipexole ropinirole	MIRAPEX (pramipexole) MIRAPEX ER (pramipexole)* NEUPRO (rotigotine) pramipexole ER REQUIP (ropinirole) REQUIP XL (ropinirole)* ropinirole ER	*Mirapex ER and Requip XL will be authorized for a diagnosis of Parkinsonism without a trial of preferred agents.	
a magnitudiin a *AB	OTHER ANTIPARKINSON'S AGENTS		
amantadine*AP bromocriptine carbidopa/levodopa levodopa/carbidopa/entacapone selegiline	AZILECT (rasagiline) carbidopa ELDEPRYL (selegiline) GOCOVRI ER (amantadine) levodopa/carbidopa ODT LODOSYN (carbidopa)	*Amantadine will not be authorized for the treatment or prophylaxis of influenza.	



EFFECTIVE 01/01/2019 Version 2019.1g

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	OSMOLEX ER (amantadine) PARCOPA (levodopa/carbidopa) PARLODEL (bromocriptine) rasagiline RYTARY (levodopa/carbidopa) SINEMET (levodopa/carbidopa) STALEVO (levodopa/carbidopa/entacapone) XADAGO (safinamide) ZELAPAR (selegiline)	
ANTIPSORIATICS, TOPICAL		
CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of two (2) preferred unique chemical entities before they will be approved, unless one (1) of the exceptions on the PA form is present.		
TACLONEX OINT (calcipotriene/betamethasone) TAZORAC (tazarotene) VECTICAL (calcitriol)	calcipotriene cream calcipotriene ointment calcipotriene solution calcipotriene/betamethasone ointment CALCITRENE (calcipotriene) calcitriol DOVONEX (calcipotriene) ENSTILAR (calcipotriene/betamethasone) SORILUX (calcipotriene) tazarotene cream (tazarotene)	

#### **ANTIPSYCHOTICS, ATYPICAL**

CLASS PA CRITERIA: All antipsychotic agents require prior authorization for children up to eighteen (18) years of age. All PA requests for antipsychotics for children 6 years of age and younger will be reviewed by Medicaid's consultant psychiatrist.

Non-preferred agents require thirty (30) day trials of two (2) preferred agents, including the generic formulation of the requested agent (if available), before they will be approved unless one (1) of the exceptions on the PA form is present. All trials must be at the maximum recommended dose for the diagnosis provided before they would be considered a failure unless an adverse reaction is documented necessitating a change in therapy.

Upon discharge, a hospitalized patient stabilized on a non-preferred agent may receive authorization to continue this drug for labeled indications and at FDA recommended dosages. For off-label indications or dosages, a thirty (30) day prior-authorization shall be granted pending BMS review.

SINGLE INGREDIENT		
ABILIFY MAINTENA (aripiprazole) <sup>CL</sup>	ABILIFY TABLETS (aripiprazole)	In addition to class criteria:
aripiprazole tablets	ADASUVE (loxapine)	
ARISTADA (aripiprazole) <sup>CL</sup>	clozapine ODT	*Invega Trinza will be authorized after four months' treatment
clozapine	CLOZARIL (clozapine)	with Invega Sustenna
INVEGA SUSTENNA (paliperidone) <sup>CL</sup>	FANAPT (iloperidone)	
INVEGA TRINZA (paliperidone)* CL	FAZACLO (clozapine)	**Quetiapine 25 mg will be authorized:
olanzapine	GEODON (ziprasidone)	<ol> <li>For a diagnosis of schizophrenia or</li> </ol>
olanzapine ODT	GEODON IM (ziprasidone)	<ol><li>For a diagnosis of bipolar disorder or</li></ol>



EFFECTIVE 01/01/2019 Version 2019.1g

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
quetiapine** AP for the 25 mg Tablet Only quetiapine ER RISPERDAL CONSTA (risperidone)CL risperidone ziprasidone	INVEGA ER (paliperidone) LATUDA (lurasidone)*** AP NUPLAZID (pimavanserin) **** olanzapine IMCL paliperidone ER REXULTI (brexipiprazole) RISPERDAL (risperidone) SAPHRIS (asenapine) SEROQUEL (quetiapine) SEROQUEL XR (quetiapine) VERSACLOZ (clozapine) VRAYLAR (capriprazine) VRAYLAR DOSE PAK (capriprazine) ZYPREXA (olanzapine) ZYPREXA IM (olanzapine) CU	3. When prescribed concurrently with other strengths of Seroquel in order to achieve therapeutic treatment levels.  Quetiapine 25 mg will not be authorized for use as a sedative hypnotic.  ***For the indication of bipolar depression only, prior authorization of Latuda requires failure of a 30-day trial of quetiapine OR a combination of olanzapine + fluoxetine. All trials must be at the maximum recommended dose for the diagnosis provided before they would be considered a failure unless an adverse reaction is documented necessitating a change in therapy.  All other indications follow class criteria. Patients already stabilized on Latuda shall be grandfathered.  ****Nuplazid will only be authorized for the treatment of Parkinson Disease Induced Psychosis after documented treatment failure with quetiapine.
	ATYPICAL ANTIPSYCHOTIC/SSRI COMBIN	IATIONS
	olanzapine/fluoxetine SYMBYAX (olanzapine/fluoxetine)	
A NITIDETT ON COAD		

#### **ANTIRETROVIRALS**<sup>AP</sup>

**CLASS PA CRITERIA:** Non-preferred drugs require medical reasoning beyond convenience or enhanced compliance as to why the clinical need cannot be met with a preferred agent or combination of preferred agents. <u>NOTE</u>: Regimens consisting of preferred agents will result in no more than one additional unit per day over equivalent regimens composed of non-preferred agents. Patients already on a non-preferred regimen shall be grandfathered.

#### INTEGRASE STRAND TRANSFER INHIBITORS

INTEGRASE STRAND TRANSFER INHIBITORS		TORS
ISENTRESS (raltegravir potassium) TIVICAY (dolutegravir sodium)	ISENTRESS HD (raltegravir potassium)	
VITEKTA (elvitegravir)		TORO (AIRTI)
	NUCLEOSIDE REVERSE TRANSCRIPTASE INHIB	HORS (NRH)
abacavir sulfate tablet	abacavir sulfate solution	
EMTRIVA (emtricitabine)	didanosine DR capsule	
EPIVIR SOLUTION (lamivudine)	EPIVIR TABLET (lamivudine)	
lamivudine	RETROVIR (zidovudine)	
tenofovir disoproxil fumarate	stavudine	
VIREA ORAL POWDER (tenofovir disoproxil	VIDEX EC (didanosine)	
fumarate)	VIDEX SOLUTION (didanosine)	



EFFECTIVE 01/01/2019 Version 2019.1g

	THERAPEUTIC DRUG CLASS	S
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ZIAGEN SOLUTION (abacavir sulfate) zidovudine	VIREAD TABLETS (tenofovir disoproxil fumarate) ZERIT (stavudine) ZIAGEN TABLET (abacavir sulfate)	
N	ON-NUCLEOSIDE REVERSE TRANSCRIPTASE INH	IIBITOR (NNRTI)
EDURANT (rilpivirine) SUSTIVA (efavirenz)	efavirenz INTELENCE (etravirine) nevirapine nevirapine ER RESCRIPTOR (delavirdine mesylate) VIRAMUNE ER 24H (nevirapine) VIRAMUNE SUSPENSION (nevirapine)	
	PHARMACOENHANCER – CYTOCHROME P450	INHIBITOR
TYBOST (cobicistat)		
	PROTEASE INHIBITORS (PEPTIDIC)	
atazanavir EVOTAZ (atazanavir/cobicistat) NORVIR (ritonavir) REYATAZ POWDER PACK (atazanavir)	CRIXIVAN (indinavir) INVIRASE (saquinavir mesylate) fosamprenavir LEXIVA (fosamprenavir) REYATAZ CAPSULE (atazanavir) VIRACEPT (nelfinavir mesylate)	
	PROTEASE INHIBITORS (NON-PEPTIDI	IC)
PREZCOBIX (darunavir/cobicistat) PREZISTA (darunavir ethanolate)	APTIVUS (tipranavir)	
	ENTRY INHIBITORS - CCR5 CO-RECEPTOR ANT	ragonists
	SELZENTRY (maraviroc)	
	ENTRY INHIBITORS – FUSION INHIBITO	PRS
	FUZEON (enfuvirtide)	
	COMBINATION PRODUCTS - NRTIS	
abacavir/lamivudine CIMDUO (lamivudine/tenofovir) lamivudine/zidovudine	abacavir/lamivudine/zidovudine COMBIVIR (lamivudine/zidovudine) EPZICOM (abacavir/lamivudine) TRIZIVIR (abacavir/lamivudine/zidovudine)	



EFFECTIVE 01/01/2019 Version 2019.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
COMBINATION PRODU BIKTARVY (bictegravir/emtricitabine/tenofovir alafenamide)	CTS – INTEGRASE STRAND TRANSFER INHIBIT	ORS & NUCLEOSIDE ANALOG RTIS
COMBINATION PRODUCTS - INTEGRASE	STRAND TRANSFER INHIBITORS & NON-NUCLE	EOSIDE REVERSE TRANSCRIPTASE INHIBITOR (NNRTI)
	JULUCA (dolutegravir/rilpivirine)	
COMB	INATION PRODUCTS - NUCLEOSIDE & NUCLEO	TIDE ANALOG RTIS
DESCOVY (emtricitabine/tenofovir) TRUVADA (emtricitabine/tenofovir)		
	ODUCTS - NUCLEOSIDE & NUCLEOTIDE ANAL	
GENVOYA (elvitegravir/cobicistat/emtricitabine/tenofovir)	STRIBILD (elvitegravir/cobicistat/emtricitabine/tenofovir)* TRIUMEQ (abacavir/lamivudine/ dolutegravir)**	*Stribild requires medical reasoning beyond convenience or enhanced compliance as to why the medical need cannot be met with the the preferred agent Genvoya.
		**Triumeq requires medical reasoning beyond convenience or enhanced compliance as to why the medical need cannot be met with the preferred agents Epzicom and Tivicay.
	ODUCTS - NUCLEOSIDE & NUCLEOTIDE ANAL	
ATRIPLA (efavirenz/emtricitabine/tenofovir) ODEFSEY (emtricitabine/rilpivirine/tenofovir) SYMFI (efavirenz/lamivudine/tenofovir) SYMFI LO (efavirenz/lamivudine/tenofovir)	COMPLERA (emtricitabine/rilpivirine/tenofovir)*	*Complera requires medical reasoning beyond convenience or enhanced compliance as to why the medical need cannot be met with the preferred agents Truvada and Edurant.
	COMBINATION PRODUCTS - PROTEASE IN	HIBITORS
KALETRA (lopinavir/ritonavir)  ANTIVIRALS, ORAL	lopinavir/ritonavir	
CLASS PA CRITERIA: Non-preferred agents require exceptions on the PA form is present.	uire five (5) day trials of each preferred agent in the	same sub-class before they will be approved, unless one (1) of
	ANTI HERPES	
acyclovir valacyclovir	famciclovir FAMVIR (famciclovir) SITAVIG (acyclovir) VALTREX (valacyclovir) ZOVIRAX (acyclovir)	
	ANTI-INFLUENZA	
oseltamivir RELENZA (zanamivir) TAMIFLU (oseltamivir)	FLUMADINE (rimantadine) rimantadine	In addition to the Class Criteria: The anti-influenza agents will be authorized only for a diagnosis of influenza.



#### **BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID**

managed categories. Refer to cover page for complete list of rules governing this PDL.

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA This is not an all-inclusive list of available covered drugs and includes only

**EFFECTIVE** 01/01/2019 **Version 2019.1g** 

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIVIRALS, TOPICAL <sup>AP</sup> CLASS PA CRITERIA: Non-preferred agents recomm is present.	quire a five (5) day trial of the preferred agent before t	they will be approved, unless one (1) of the exceptions on the PA
ABREVA (docosanol) ZOVIRAX CREAM (acyclovir) ZOVIRAX OINTMENT (acyclovir)	acyclovir ointment DENAVIR (penciclovir)	
BETA BLOCKERS <sup>AP</sup>		
	quire fourteen (14) day trials of three (3) chemically di approved, unless one (1) of the exceptions on the Pa	istinct preferred agents, including the generic formulation of the A form is present.
	BETA BLOCKERS	
acebutolol atenolol betaxolol bisoprolol CORGARD (nadolol) metoprolol metoprolol ER pindolol propranolol SORINE (sotalol) sotalol timolol	BETAPACE (sotalol) BYSTOLIC (nebivolol) HEMANGEOL (propranolol)* INDERAL LA (propranolol) INDERAL XL (propranolol) INNOPRAN XL (propranolol) KAPSPARGO SPRINKLE (metoprolol) KERLONE (betaxolol) LEVATOL (penbutolol) LOPRESSOR (metoprolol) nadolol propranolol ER** SECTRAL (acebutolol) TENORMIN (atenolol) TOPROL XL (metoprolol) ZEBETA (bisoprolol)	*Hemangeol will be authorized for the treatment of proliferating infantile hemangioma requiring systemic therapy.  **Propranolol ER shall be authorized for patients with a diagnosis of migraines. Existing users will be grandfathered for use in migraine prophylaxis.
	BETA BLOCKER/DIURETIC COMBINATION	DRUGS
atenolol/chlorthalidone bisoprolol/HCTZ metoprolol/HCTZ propranolol/HCTZ	CORZIDE (nadolol/bendroflumethiazide) DUTOPROL (metoprolol ER/HCTZ ER) LOPRESSOR HCT (metoprolol/HCTZ) metoprolol/HCTZ ER nadolol/bendroflumethiazide TENORETIC (atenolol/chlorthalidone) ZIAC (bisoprolol/HCTZ)	
	BETA- AND ALPHA-BLOCKERS	
carvedilol labetalol	COREG (carvedilol) COREG CR (carvedilol) TRANDATE (labetalol)	



managed categories. Refer to cover page for complete list of rules governing this PDL.

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA
This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 01/01/2019 Version 2019.1g

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
BLADDER RELAXANT PREPARAT	TONSAP		
CLASS PA CRITERIA: Non-preferred agents re exceptions on the PA form is present	quire thirty (30) day trials of each chemically distinct p	preferred agent before they will be approved, unless one (1) of the	
oxybutynin IR oxybutynin ER TOVIAZ (fesoterodine)  BONE RESORPTION SUPPRESSION	DETROL (tolterodine) DETROL LA (tolterodine) DITROPAN XL (oxybutynin) ENABLEX (darifenacin) flavoxate GELNIQUE (oxybutynin) MYRBETRIQ (mirabegron) OXYTROL (oxybutynin) SANCTURA (trospium) SANCTURA XR (trospium) tolterodine tolterodine ER trospium trospium ER VESICARE (solifenacin)		
CLASS PA CRITERIA: See below for class crite			
	BISPHOSPHONATES		
alendronate tablets ibandronate	ACTONEL (risedronate) ACTONEL WITH CALCIUM (risedronate/ calcium) alendronate solution ATELVIA (risedronate) BINOSTO (alendronate) BONIVA (ibandronate) DIDRONEL (etidronate) etidronate FOSAMAX TABLETS (alendronate) FOSAMAX PLUS D (alendronate/vitamin D) risedronate	Non-preferred agents require thirty (30) day trials of <b>each</b> preferred Bisphosphonate agent before they will be approved, unless one (1) of the exceptions on the PA form is present.	
0,	OTHER BONE RESORPTION SUPPRESSION AND RELATED AGENTS		
	calcitonin  EVISTA (raloxifene)*  FORTEO (teriparatide)  FORTICAL (calcitonin)  MIACALCIN (calcitonin)	Non-preferred agents require a thirty (30) day trial of a preferred Bisphosphonate agent before they will be approved, unless one (1) of the exceptions on the PA form is present.  *Raloxifene will be authorized for postmenopausal women with	



#### **BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID**

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

**EFFECTIVE** 01/01/2019 **Version 2019.1g** 

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	raloxifene* TYMLOS (abaloparatide)	osteoporosis or at high risk for invasive breast cancer.
BPH TREATMENTS		
CLASS PA CRITERIA: Non-preferred agents red the requested non-preferred agent before they wil	uire thirty (30) day trials of at least two (2) chemically be approved, unless one (1) of the exceptions on the	distinct preferred agents, including the generic formulation of e PA form is present.
	5-ALPHA-REDUCTASE (5AR) INHIBITORS AND	PDE-5 AGENTS
finasteride	AVODART (dutasteride) CIALIS 5 mg (tadalafil) dutasteride PROSCAR (finasteride)	
	ALPHA BLOCKERS	
alfuzosin doxazosin tamsulosin terazosin	CARDURA (doxazosin) CARDURA XL (doxazosin) FLOMAX (tamsulosin) HYTRIN (terazosin) RAPAFLO (silodosin) UROXATRAL (alfuzosin)	
5-AL	PHA-REDUCTASE (5AR) INHIBITORS/ALPHA BLC	
	dutasteride/tamsulosin JALYN (dutasteride/tamsulosin)	<b>Substitute for Class Criteria</b> : Concurrent thirty (30) day trials of dutasteride and tamsulosin are required before the non-preferred agent will be authorized.
<b>BRONCHODILATORS, BETA AGON</b>	IIST <sup>AP</sup>	
CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of each chemically distinct preferred agent in their corresponding sub-class unless one (1) of the exceptions on the PA form is present.		
	INHALATION SOLUTION	
albuterol	BROVANA (arformoterol) levalbuterol metaproterenol PERFOROMIST (formoterol) XOPENEX (levalbuterol)*	*Xopenex Inhalation Solution will be authorized for twelve (12) months for a diagnosis of asthma or COPD for patients on concurrent asthma controller therapy (either oral or inhaled) with documentation of failure on a trial of albuterol or documented intolerance of albuterol, or for concurrent diagnosis of heart disease.
	INHALERS, LONG-ACTING	
FORADIL (formoterol) SEREVENT (salmeterol)	ARCAPTA (indacaterol maleate) STRIVERDI RESPIMAT (olodaterol) INHALERS, SHORT-ACTING	
PROAIR HFA (albuterol)	MAXAIR (pirbuterol)	
PROAIR RESPICLICK (albuterol) PROVENTIL HFA (albuterol)	VENTOLIN HFA (albuterol) XOPENEX HFA (levalbuterol)	



EFFECTIVE 01/01/2019 Version 2019.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ORAL	
	albuterol ER albuterol IR metaproterenol VOSPIRE ER (albuterol) terbutaline	
CALCIUM CHANNEL BLOCKERSAP		
CLASS PA CRITERIA: Non-preferred agents requires one (1) of the exceptions on the PA form is		within the corresponding sub-class before they will be approved,
	LONG-ACTING	
amlodipine diltiazem ER felodipine ER nifedipine ER verapamil ER	ADALAT CC (nifedipine) CALAN SR (verapamil) CARDENE SR (nicardipine) CARDIZEM CD, LA (diltiazem) COVERA-HS (verapamil) diltiazem LA MATZIM LA (diltiazem) nisoldipine NORVASC (amlodipine) PLENDIL (felodipine) PROCARDIA XL (nifedipine) SULAR (nisoldipine) TIAZAC (diltiazem) verapamil ER PM VERELAN/VERELAN PM (verapamil)	
	SHORT-ACTING	
diltiazem verapamil	CALAN (verapamil) CARDIZEM (diltiazem) isradipine nicardipine nifedipine nimodipine NIMOTOP (nimodipine) NYMALIZE SOLUTION (nimodipine) PROCARDIA (nifedipine)	



#### **BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID**

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

**EFFECTIVE** 01/01/2019 **Version 2019.1g** 

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>CEPHALOSPORINS AND RELATE</b>	D ANTIBIOTICS <sup>AP</sup>	
CLASS PA CRITERIA: Non-preferred agents re one (1) of the exceptions on the PA form is present		e corresponding sub-class before they will be approved, unless
	TAMS AND BETA LACTAM/BETA-LACTAMASE IN	IHIBITOR COMBINATIONS
amoxicillin/clavulanate IR	amoxicillin/clavulanate ER AUGMENTIN (amoxicillin/clavulanate) AUGMENTIN XR (amoxicillin/clavulanate) MOXATAG (amoxicillin)	
	CEPHALOSPORINS	
cefaclor capsule cefadroxil capsule, tablet cefdinir cefuroxime tablet cephalexin capsule, suspension	CEDAX (ceftibuten) cefaclor suspension cefaclor ER tablet cefadroxil suspension cefpodoxime cefprozil ceftibuten capsule, suspension CEFTIN (cefuroxime) cefuroxime suspension cephalexin tablet DAXABIA (cephalexin) KEFLEX (cephalexin) OMNICEF (cefdinir) RANICLOR (cefaclor) SUPRAX (cefixime)	
COPD AGENTS		
CLASS PA CRITERIA: Non-preferred agents require a sixty (60) day trial of one preferred agent from the corresponding sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present.		
	ANTICHOLINERGICAP	
ipratropium nebulizer solution SPIRIVA (tiotropium) TUDORZA (aclidinium)	ATROVENT HFA (ipratropium) INCRUSE ELLIPTA (umeclidinium) LONHALA MAGNAIR (glycopyrrolate) SEEBRI NEOHALER (glycopyrrolate) SPIRIVA RESPIMAT (tiotropium)	
	ANTICHOLINERGIC-BETA AGONIST COMBIN	
ANORO ELLIPTA (umeclidinium/vilanterol) albuterol/ipratropium nebulizer solution BEVESPI (glycopyrrolate/formoterol) UTIBRON (indacaterol/glycopyrrolate)	COMBIVENT RESPIMAT (albuterol/ipratropium) DUONEB (albuterol/ipratropium) STIOLTO RESPIMAT (tiotropium/olodaterol)*	*In addition to the Class PA criteria, Stiolto Respimat requires a sixty (60) day trial of Anoro Ellipta.



EFFECTIVE 01/01/2019 Version 2019.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTI	CHOLINERGIC-BETA AGONIST-GLUCOCORTICO	
	TRELEGY ELLIPTA (fluticasone/umeclidinium/vilanterol)*	* Trelegy Ellipta may be prior authorized for patients currently established on the individual components for at least 30 days.
	PDE4 INHIBITOR	
	DALIRESP (roflumilast)*	*Daliresp will be authorized if the following criteria are met:  1. Patient is forty (40) years of age or older and  2. Diagnosis of severe chronic obstructive pulmonary disease (COPD) associated with chronic bronchitis and multiple exacerbations requiring systemic glucocorticoids in the preceding six (6) months and  3. Concurrent therapy with an inhaled corticosteroid and long-acting bronchodilator and evidence of compliance and  4. No evidence of moderate to severe liver impairment (Child-Pugh Class B or C) and  5. No concurrent use with strong cytochrome P450 inducers (rifampicin, phenobarbital, carbamazepine or phenytoin)
CYTOKINE & CAM ANTAGONISTS	CL	
CLASS PA CRITERIA: Non-preferred agents re FDA-approved indications, an additional ninety (9		el unless one (1) of the exceptions on the PA form is present. For
	ANTI-TNFs	
ENBREL (etanercept)* HUMIRA (adalimumab)*	CIMZIA (certolizumab pegol) REMICADE (infliximab) RENFLEXIS (infliximab) SIMPONI subcutaneous (golimumab)	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
OTHERS		
COSENTYX (secukinumab)*	ACTEMRA subcutaneous (tocilizumab) ENTYVIO (vedolizumab) ILARIS (canakinumab) KEVZARA (sarilumab) KINERET (anakinra) ORENCIA subcutaneous (abatacept) OTEZLA (apremilast) SILIQ (brodalumab) STELARA subcutaneous (ustekinumab) TALTZ (ixekizumab)	*Cosentyx will be authorized for treatment of plaque psoriasis, psoriatic arthritis and ankylosing spondylitis only after inadequate response to a ninety (90) day trial of one preferred agent.



EFFECTIVE 01/01/2019 Version 2019.1g

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	TREMFYA (guselkumab) XELJANZ (tofacitinib) XELJANZ XR (tofacitinib)	
EPINEPHRINE, SELF-INJECTED		
CLASS PA CRITERIA: A non-preferred agent ma understand the training for the preferred agent(s).		tient's inability to follow the instructions, or the patient's failure to
epinephrine (labeler 49502 & 00093 only)	ADRENACLICK (epinephrine) epinephrine (labeler 54505 and 00115) EPIPEN (epinephrine) EPIPEN JR (epinephrine)	
<b>ERYTHROPOIESIS STIMULATING I</b>	PROTEINS	
<b>CLASS PA CRITERIA:</b> Non-preferred agents re PA form is present.	quire a thirty (30) day trial of a preferred agent before	re they will be approved, unless one (1) of the exceptions on the
EPOGEN (rHuEPO) PROCRIT (rHuEPO)	ARANESP (darbepoetin)  MIRCERA (methoxy PEG-epoetin)	Erythropoiesis agents will be authorized if the following criteria are met:  1. Hemoglobin or Hematocrit less than 10/30 respectively. For renewal, hemoglobin or hematocrit levels greater than 12/36 will require dosage reduction or discontinuation. Exceptions will be considered on an individual basis after medical documentation is reviewed. (Lab oratory values must be dated within six (6) weeks of request.) and  2. Transferrin saturation ≥ 20%, ferritin levels ≥100 mg/ml, or on concurrent therapeutic iron therapy. (Laboratory values must be dated within three (3) weeks of request. For re-authorization, transferrin saturation or ferritin levels are not required if the patient has been responsive to the erythropoietin agent and  3. For HIV-infected patients, endogenous serum erythropoietin level must be ≤ 500mU/ml to initiate therapy and  4. No evidence of untreated GI bleeding, hemolysis, or Vitamin B-12, iron or folate deficiency.



EFFECTIVE 01/01/2019 Version 2019.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
FLUOROQUINOLONES (Oral)AP		
<b>CLASS PA CRITERIA:</b> Non-preferred agents reform is present.	quire a five (5) day trial of a preferred agent before t	they will be approved, unless one (1) of the exceptions on the PA
CIPRO SUSPENSION (ciprofloxacin) ciprofloxacin levofloxacin tablet	AVELOX (moxifloxacin) BAXDELA (delafloxacin) CIPRO TABLETS (ciprofloxacin) CIPRO XR (ciprofloxacin) ciprofloxacin ER ciprofloxacin suspension LEVAQUIN (levofloxacin) levofloxacin solution moxifloxacin NOROXIN (norfloxacin) ofloxacin	
GLUCOCORTICOIDS, INHALEDAP		
CLASS PA CRITERIA: Non-preferred agents re exceptions on the PA form is present.	quire thirty (30) day trials of each chemically unique p	preferred agent before they will be approved, unless one (1) of the
	GLUCOCORTICOIDS	
ASMANEX TWISTHALER (mometasone) FLOVENT DISKUS (fluticasone) FLOVENT HFA (fluticasone) PULMICORT FLEXHALER (budesonide) PULMICORT RESPULES (budesonide)* QVAR REDIHALER (beclomethasone)	AEROSPAN (flunisolide)** ALVESCO (ciclesonide) ARMONAIR RESPICLICK (fluticasone) ARNUITY ELLIPTA (fluticasone) ASMANEX HFA (mometasone) budesonide	*Pulmicort Respules are only preferred for children up to nine (9) years of age. For patients nine (9) and older, prior authorization is required and will be approved only for a diagnosis of severe nasal polyps.  **Aerospan will be authorized for children ages 6 through 11 years old without a trial of a preferred agent.
	GLUCOCORTICOID/BRONCHODILATOR COM	BINATIONS
ADVAIR DISKUS (fluticasone/salmeterol) ADVAIR HFA (fluticasone/salmeterol) DULERA (mometasone/formoterol) SYMBICORT(budesonide/formoterol)	AIRDUO RESPICLICK (fluticasone/salmeterol) BREO ELLIPTA (fluticasone/vilanterol) fluticasone/salmeterol	
GROWTH HORMONECL		
CLASS PA CRITERIA: Non-preferred agents require three (3) month trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.		
GENOTROPIN (somatropin) NORDITROPIN (somatropin)	HUMATROPE (somatropin) INCRELEX (mecasermin) NUTROPIN AQ (somatropin) OMNITROPE (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin)	Patients already on a non-preferred agent will receive authorization to continue therapy on that agent for the duration of the existing PA.



EFFECTIVE 01/01/2019 Version 2019.1g

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ZOMACTON (somatropin) ZORBTIVE (somatropin)	
H. PYLORI TREATMENT		
		components of the requested non-preferred agent and must be vill be approved, unless one (1) of the exceptions on the PA form
Please use individual components:     preferred PPI (omeprazole or pantoprazole)     amoxicillin     tetracycline     metronidazole     clarithromycin     bismuth  PYLERA (bismuth/metronidazole/tetracycline)	HELIDAC (bismuth/metronidazole/tetracycline) lansoprazole/amoxicillin/clarithromycin OMECLAMOX-PAK (omeprazole/amoxicillin/clarithromycin) PREVPAC (lansoprazole/amoxicillin/clarithromycin)	
HEPATITIS B TREATMENTS		
<b>CLASS PA CRITERIA:</b> Non-preferred agents re PA form is present.	quire ninety (90) day trials of each preferred agent bef	fore they will be approved, unless one (1) of the exceptions on the
BARACLUDE SOLUTION (entecavir) entecavir lamivudine HBV	adefovir  BARACLUDE TABLET (entecavir)  EPIVIR HBV (lamivudine)  HEPSERA (adefovir)  VEMLIDY (tenofovir alafenamide fumarate)	
HEPATITIS C TREATMENTSCL		
require medical reasoning why a preferred regime	en cannot be used.	d on the PA Criteria page. Requests for non-preferred regimens
EPCLUSA (sofosbuvir/velpatasvir)* HARVONI (ledipasvir/sofosbuvir)* MAVYRET (pibrentasvir/glecaprevir)* ribavirin ZEPATIER (elbasvir/grazoprevir)*	COPEGUS (ribavirin) DAKLINZA (daclatasvir)* MODERIBA 400 mg, 600 mg MODERIBA DOSE PACK PEGASYS (pegylated interferon) PEG-INTRON (pegylated interferon) OLYSIO (simeprevir)* REBETOL (ribavirin) RIBASPHERE RIBAPAK (ribavirin) RIBASPHERE 400 mg, 600 mg (ribavirin) SOVALDI (sofosbuvir)* TECHNIVIE (ombitasvir/paritaprevir/ritonavir)* VIEKIRA PAK (dasabuvir/ombitasvir/	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.



EFFECTIVE 01/01/2019 Version 2019.1g

	THERAPEUTIC DRUG CLAS	S
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	paritaprevir/ritonavir)* VIEKIRA XR (dasabuvir/ombitasvir/ paritaprevir/ritonavir)* VOSEVI (sofosbuvir/velpatasvir/voxilaprevir)	
HYPERPARATHYROID AGENTSAP		
<b>CLASS PA CRITERIA:</b> Non-preferred agents red PA form is present.	quire thirty (30) day trials of each preferred agent before	ore they will be approved, unless one (1) of the exceptions on the
paricalcitol capsule	doxercalciferol HECTOROL (doxercalciferol) paricalcitol injection RAYALDEE (calcifediol) SENSIPAR (cinacalcet) ZEMPLAR (paricalcitol)	
HYPOGLYCEMICS, BIGUANIDES CLASS PA CRITERIA: Non-preferred agents re- exceptions on the PA form is present.		milar duration before they will be approved, unless one (1) of the
metformin metformin ER (generic Glucophage XR)	FORTAMET (metformin ER) GLUCOPHAGE (metformin) GLUCOPHAGE XR (metformin ER) GLUMETZA (metformin ER)* metformin ER (generic Glumetza & Fortamet) RIOMET (metformin)	*Glumetza will be approved only after a 30-day trial of Fortamet.
HYPOGLYCEMICS, DPP-4 INHIBITO	ORS	
CLASS PA CRITERIA: Non-preferred agents are available only on appeal.  NOTE: DPP-4 inhibitors will NOT be approved in combination with a GLP-1 agonist.		
JANUMET (sitagliptin/metformin) JANUVIA (sitagliptin) JENTADUETO (linagliptin/metformin) TRADJENTA (linagliptin)	alogliptin alogliptin/metformin alogliptin/pioglitazone JANUMET XR (sitagliptin/metformin) JENTADUETO XR (linagliptin/metformin) KAZANO (alogliptin/metformin) KOMBIGLYZE XR (saxagliptin/metformin) NESINA (alogliptin) ONGLYZA (saxagliptin) OSENI (alogliptin/pioglitazone)	



EFFECTIVE 01/01/2019 Version 2019.1g

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS				
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA		
<b>HYPOGLYCEMICS, GLP-1 AGONIS</b>	STS <sup>CL</sup>			
CLASS PA CRITERIA: Agents in this class will not be approved for patients with a starting A1C < 7%. Non-preferred agents are available only on appeal. Preferred agents in this class shall be approved in six (6) month intervals if the following criteria are met:				
<ul> <li>Initial starts require a diagnosis of Type 2 Diabetes and an A1C taken within the last 30 days reflecting the patient's current and stabilized regimen.</li> <li>No agent in this class shall be approved except as add on therapy to a regimen consisting of at least one (1) other agent prescribed at the maximum tolerable dose for at least 90 days.</li> </ul>				
• Re-authorizations require <u>continued</u> maintenance on a regimen consisting of at least one (1) other agent at the maximum tolerable dose AND an A1C of ≤8%.				
NOTE: GLP-1 agents will NOT be approved in combination with a DPP-4 inhibitor.				
BYDUREON (exenatide) BYETTA (exenatide) OZEMPIC (semaglutide) VICTOZA (liraglutide)	ADLYXIN (lixisenatide) BYDUREON BCISE (exenatide) TANZEUM (albiglutide) TRULICITY (dulaglutide)			
HYPOGLYCEMICS, INSULIN AND RELATED AGENTS				
CLASS PA CRITERIA: Non-preferred agents require a ninety (90) day trial of a pharmacokinetically similar agent before they will be approved, unless one (1) of the exceptions on the PA form is present.				
	norized only for patients who cannot utilize vials due to			
FIASP (insulin aspart) HUMALOG (insulin lispro) HUMALOG MIX VIALS (insulin lispro/lispro protamine) HUMULIN VIALS (insulin) LANTUS (insulin glargine) LEVEMIR (insulin detemir) NOVOLOG (insulin aspart) NOVOLOG MIX (insulin aspart/aspart protamine) TRESIBA (insulin degludec)	ADMELOG (insulin lispro) AFREZZA (insulin) <sup>CL</sup> APIDRA (insulin glulisine) <sup>AP*</sup> BASAGLAR (insulin glargine) HUMALOG JR KWIKPEN (insulin lispro) HUMALOG PEN/KWIKPEN (insulin lispro) HUMALOG MIX PENS (insulin lispro/lispro protamine) HUMULIN PENS (insulin) NOVOLIN (insulin) SOLIQUA (insulin glargine/lixisenatide)** TOUJEO SOLOSTAR (insulin glargine)*** XULTOPHY (insulin degludec/liraglutide)**	*Apidra will be authorized if the following criteria are met:  1. Patient is four (4) years of age or older; and  2. Patient is currently on a regimen including a longer acting or basal insulin, and  3. Patient has had a trial of a similar preferred agent, Novolog or Humalog, with documentation that the desired results were not achieved.  **Non-preferred insulin combination products require that the patient must already be established on the individual agents at doses not exceeding the maximum dose achievable with the combination product and require medical reasoning beyond convenience or enhanced compliance as to why the clinical need cannot be met with a combination of preferred single-ingredient agents.		

\*\*\* Toujeo Solostar and Toujeo Max Solostar will **only** be approved for patients who require once-daily doses of at least 60 units of long-acting insulin and have demonstrated



EFFECTIVE 01/01/2019 Version 2019.1g

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
		at least a 6-month history of compliance on preferred long- acting insulin and who continue to have regular incidents of hypoglycemia.	
HYPOGLYCEMICS, MEGLITINIDES	5		
CLASS PA CRITERIA: Non-preferred agents	are available only on appeal.		
MEGLITINIDES			
nateglinide repaglinide	PRANDIN (repaglinide) STARLIX (nateglinide)		
MEGLITINIDE COMBINATIONS			
	PRANDIMET (repaglinide/metformin) repaglinide/metformin		
HYPOGLYCEMICS, MISCELLANEOUS AGENTS			
CLASS PA CRITERIA: Welchol will be authoriz agent.	ed for add-on therapy for type 2 diabetes when there i	s a previous history of a thirty (30) day trial of an oral diabetic	
WELCHOL (colesevelam) <sup>AP</sup>	SYMLIN (pramlintide)*	*Symlin will be authorized with a history of bolus insulin utilization in the past ninety (90) days with no gaps in insulin therapy greater than thirty (30) days.	
HYPOGLYCEMICS, SGLT2 INHIBIT	TORS <sup>CL</sup>		
CLASS PA CRITERIA: Agents in this class will not be approved for patients with a starting A1C < 7%. Non-preferred agents are available only on appeal. Preferred agents in this class shall be approved in six (6) month intervals if the following criteria are met.			
<ul> <li>Initial starts require a diagnosis of Type 2 must be ≤ 9%.</li> </ul>	Diabetes and an A1C taken within the last 30 days ref	flecting the patient's current and stabilized regimen. Current A1C	
<ul> <li>No agent in this class shall be approved except as add on therapy to a regimen consisting of at least one (1) other agent prescribed at the maximum tolerable dose for at least 90 days.</li> </ul>			
Re-authorizations require <u>continued</u> mainte	nance on a regimen consisting of at least one (1) other	er agent at the maximum tolerable dose AND an A1C of ≤8%.	
	SGLT2 INHIBITORS		
FARXIGA (dapagliflozin)  INVOKANA (canagliflozin)  JARDIANCE (empagliflozin)	STEGLATRO (ertugliflozin)		
` . <del>5</del>	SGLT2 COMBINATIONS		
	GLYXAMBI (empagliflozin/linagliptin) INVOKAMET (canagliflozin/metformin) INVOKAMET XR (canagliflozin/metformin) SEGLUROMET (ertugliflozin/metformin STEGLUJAN (ertugliflozin/sitagliptin)		



EFFECTIVE 01/01/2019 Version 2019.1g

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	SYNJARDY (empagliflozin/metformin) SYNJARDY XR (empagliflozin/metformin) QTERN (dapagliflozin/saxagliptin) XIGDUO XR (dapagliflozin/metformin)	
HYPOGLYCEMICS, TZD	MODOO MY (dapagiiiozii/metiomiii)	
CLASS PA CRITERIA: Non-preferred ager	its are available only on appeal.	
	THIAZOLIDINEDIONES	
pioglitazone	ACTOS (pioglitazone) AVANDIA (rosiglitazone)	
	TZD COMBINATIONS	
	ACTOPLUS MET (pioglitazone/ metformin) ACTOPLUS MET XR (pioglitazone/ metformin) AVANDARYL (rosiglitazone/glimepiride) DUETACT (pioglitazone/glimepiride) pioglitazone/glimepiride pioglitazone/ metformin	Patients are required to use the components of Actoplus Met and Duetact separately. Exceptions will be handled on a case-by-case basis.
<b>IMMUNOMODULATORS, ATOPI</b>		
CLASS PA CRITERIA: Non-preferred agent	s require 30-day trial of a medium to high potency topica	al corticosteroid <b>AND all</b> preferred agents in this class unless one ided with involvement of sensitive areas such as the face and skin
ELIDEL (pimecrolimus) EUCRISA (crisaborole) <sup>AP*</sup>	DUPIXENT (dupilumab)** PROTOPIC (tacrolimus)*** tacrolimus ointment	*Eucrisa requires a 30-day trial of Elidel <b>OR</b> a medium to high potency corticosteroid unless contraindicated.
		**Full PA criteria for Dupixent may be found on the PA Criteria page by clicking the hyperlink
		***Protopic brand is preferred over its generic equiviliant.
IMMUNOMODULATORS, GENIT	AL WARTS & ACTINIC KERATOSIS AGE	ENTS
<b>CLASS PA CRITERIA:</b> Non-preferred agent PA form is present.	s require thirty (30) day trials of each preferred agent bef	fore they will be approved, unless one (1) of the exceptions on the
CONDYLOX GEL (podofilox) EFUDEX (fluorouracil) imiquimod	ALDARA (imiquimod) CARAC (fluorouracil) diclofenac 3% gel fluorouracil 0.5% cream fluorouracil 5% cream podofilox SOLARAZE (diclofenac) TOLAK (fluorouracil 4% cream) VEREGEN (sinecatechins) ZYCLARA (imiquimod)*	*Zyclara will be authorized for a diagnosis of actinic keratosis.



EFFECTIVE 01/01/2019 Version 2019.1g

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
IMMUNOSUPPRESSIVES, ORAL			
<b>CLASS PA CRITERIA:</b> Non-preferred agents rec PA form is present.	uire a fourteen (14) day trial of a preferred agent bef	fore they will be approved, unless one (1) of the exceptions on the	
azathioprine cyclosporine cyclosporine, modified mycophenolate mofetil sirolimus tacrolimus capsule	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) CELLCEPT (mycophenolate mofetil) ENVARSUS XR (tacrolimus) IMURAN (azathioprine) mycophenolic acid mycophenolic mofetil suspension MYFORTIC (mycophenolic acid) NEORAL (cyclosporine, modified) PROGRAF (tacrolimus) RAPAMUNE (sirolimus) SANDIMMUNE (cyclosporine) ZORTRESS (everolimus)		
INTRANASAL RHINITIS AGENTSAP			
CLASS PA CRITERIA: See below for individual	sub-class criteria.		
	ANTICHOLINERGICS		
ipratropium	ATROVENT(ipratropium)	Non-preferred agents require thirty (30) day trials of one (1) preferred nasal anti-cholinergic agent, <b>AND</b> one (1) preferred antihistamine <b>AND</b> one (1) preferred intranasal corticosteroid agent before they will be approved, unless one (1) of the exceptions on the PA form is present.	
	ANTIHISTAMINES		
azelastine	ASTEPRO (azelastine) olopatadine PATANASE (olopatadine)	Non-preferred agents require thirty (30) day trials of one (1) preferred antihistamine <b>AND</b> one (1) preferred intranasal corticosteroid before they will be approved, unless one (1) of the exceptions on the PA form is present.	
COMBINATIONS			
	DYMISTA (azelastine / fluticasone)	Dymista requires a concurrent thirty (30) day trial of each preferred component before it will be approved, unless one (1) of the exceptions on the PA form is present.	
CORTICOSTEROIDS			
fluticasone propionate  OMNARIS (ciclesonide)  QNASL HFA (beclomethasone)  ZETONNA (ciclesonide)	BECONASE AQ (beclomethasone) budesonide flunisolide mometasone NASACORT AQ (triamcinolone)	Non-preferred agents require thirty (30) day trials of each preferred agent in this sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present	



EFFECTIVE 01/01/2019 Version 2019.1g

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	NASONEX (mometasone) triamcinolone VERAMYST (fluticasone furoate)		
IRRITABLE BOWEL SYNDROME/S	HORT BOWEL SYNDROME/SELECTE	ED GI AGENTS CL	
CLASS PA CRITERIA: All agents are approvable	e only for patients age eighteen (18) and older. See b	pelow for additional sub-class criteria.	
	CONSTIPATION		
AMITIZA (lubiprostone)* MOVANTIK (naloxegol)**	LINZESS (linaclotide)*** RELISTOR INJECTION (methylnaltrexone)**** RELISTOR TABLET (methylnaltrexone)**** SYMPROIC (naldemedine)**** TRULANCE (plecanatide)****	All agents require documentation of the current diagnosis and evidence that the patient has failed to find relief with dietary modification and a fourteen (14) day trial of an osmotic laxative.  In addition:  * Amitiza is indicated for CIC, IBS-C (females only) and OIC. Approval for the diagnosis of OIC requires a concurrent and continuous 90-day history of opioid claims on record.  ** Movantik will be approved per the FDA-approved label for OIC with a concurrent and continuous 90-day history of opioid claims on record.  *** Linzess is indicated for CIC and IBS-C and requires a thirty (30) day trial of Amitiza For the indication of IBS-C in males, a trial of Amitiza is not required.  **** Relistor and Symproic are indicated for OIC and require thirty (30) day trials of both Movantik and Amitiza.  ***** Trulance is indicated for CIC and requires a thirty (30) day trial of Amitiza. For the indication of IBS-C in males, a trial of Amitiza is not required.	
	DIARRHEA	a thai 577 thines to 1150 15 quitos.	
	alosetron MYTESI (crofelemer) LOTRONEX (alosetron) VIBERZI (eluxadoline)	Full PA criteria may be found on the <u>PA Criteria</u> page by clicking the hyperlink.	
LAXATIVES AND CATHARTICS			
CLASS PA CRITERIA: Non-preferred agents red PA form is present	quire thirty (30) day trials of each preferred agent before	ore they will be approved, unless one (1) of the exceptions on the	
COLYTE GOLYTELY NULYTELY peg 3350	HALFLYTELY-BISACODYL KIT MOVIPREP OSMOPREP PREPOPIK SUPREP		



EFFECTIVE 01/01/2019 Version 2019.1g

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
LEUKOTRIENE MODIFIERS			
<b>CLASS PA CRITERIA:</b> Non-preferred agents rec PA form is present.	uire thirty (30) day trials of each preferred agent bef	ore they will be approved, unless one (1) of the exceptions on the	
montelukast zafirlukast	ACCOLATE (zafirlukast) SINGULAIR (montelukast) zileuton ZYFLO (zileuton)		
LIPOTROPICS, OTHER (Non-stating	s)		
<b>CLASS PA CRITERIA:</b> Non-preferred agents req PA form is present.	uire a twelve (12) week trial of a preferred agent bef	fore they will be approved, unless one (1) of the exceptions on the	
	BILE ACID SEQUESTRANTS <sup>AP</sup>		
cholestyramine colestipol tablets	COLESTID (colestipol) colestipol granules KYNAMRO (mipomersen)* QUESTRAN (cholestyramine) WELCHOL (colesevelam)**	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.  **Welchol will be authorized for add-on therapy for type 2 diabetes when there is a previous history of a thirty (30) day trial of an oral agent (metformin, sulfonylurea or thiazolidinedione (TZD)). See HYPOGLYCEMICS, MISCELLANEOUS.	
	CHOLESTEROL ABSORPTION INHIBIT		
ZETIA (ezetimibe)* AP	ezetimibe	*Zetia will be authorized with prior use of a HMG-CoA reductase inhibitor within the previous six (6) months.	
	FATTY ACIDSAP		
LOVAZA (omega-3-acid ethyl esters) omega-3 acid ethyl esters	VASCEPA (icosapent ethyl)	These agents shall only be authorized when the patient has an initial triglyceride level ≥ 500 mg/dL and has had inadequate response or intolerance to trials of BOTH a nicotinic acid and a fibrate, unless otherwise contraindicated.	
FIBRIC ACID DERIVATIVES <sup>AP</sup>			
fenofibrate 54 and 160 mg fenofibrate micronized 67mg, 134mg & 200mg fenofibrate nanocrystallized 48 mg, 145 mg gemfibrozil	ANTARA (fenofibrate) FENOGLIDE (fenofibrate) FIBRICOR (fenofibric acid) fenofibrate 40 mg tablet fenofibrate 150 mg capsules fenofibrate 43, 50, 120 and 130 mg fenofibric acid LIPOFEN (fenofibrate) LOFIBRA (fenofibrate)		



EFFECTIVE 01/01/2019 Version 2019.1g

	THERAPEUTIC DRUG CLA	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	LOPID (gemfibrozil) TRICOR (fenofibrate nanocrystallized) TRIGLIDE (fenofibrate) TRILIPIX (fenofibric acid)	
	MTP INHIBITORS	
	JUXTAPID (lomitapide)*	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
	NIACIN	
niacin NIACOR (niacin) NIASPAN (niacin)	niacin ER	
,	PCSK-9 INHIBITORS	
	PRALUENT (alirocumab)* REPATHA (evolocumab)*	*Full PA criteria may be found on the <u>PA Criteria</u> page by clicking the hyperlink.
LIPOTROPICS, STATINS <sup>AP</sup>	, in the second	
CLASS PA CRITERIA: See below for indir	vidual sub-class criteria.	
	STATINS	
atorvastatin lovastatin pravastatin rosuvastatin simvastatin*	ALTOPREV (lovastatin) CRESTOR (rosuvastatin) fluvastatin fluvastatin ER LESCOL (fluvastatin) LESCOL XL (fluvastatin) LIPITOR (atorvastatin) LIVALO (pitavastatin) MEVACOR (lovastatin) PRAVACHOL (pravastatin) ZOCOR (simvastatin)* ZYPITAMAG (pitavastatin)	Non-preferred agents require twelve (12) week trials of two (2) preferred agents, including the generic formulation of the requested non-preferred agent, before they will be approved, unless one (1) of the exceptions on the PA form is present.  *Zocor/simvastatin 80mg tablets will require a clinical PA.
	STATIN COMBINATIONS	
	ADVICOR (lovastatin/niacin) amlodipine/atorvastatin CADUET (atorvastatin/amlodipine) ezetimibe/simvastatin LIPTRUZET (atorvastatin/ezetimibe) SIMCOR (simvastatin/niacin ER) VYTORIN (simvastatin/ezetimibe)*	Non-preferred agents require thirty (30) day concurrent trials of the corresponding preferred single agents before they will be approved, unless one (1) of the exceptions on the PA form is present.  *Vytorin will be authorized only after an insufficient response to a twelve (12) week trial of the maximum tolerable dose of atorvastatin or rosuvastatin, unless one (1) of the exceptions on the PA form is present.  Vytorin 80/10mg tablets will require a clinical PA.



01/01/2019

Version 2019.1g

**EFFECTIVE** 

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
MACROLIDES			
<b>CLASS PA CRITERIA:</b> Non-preferred agents PA form is present.	require a five (5) day trial of each preferred agent be	fore they will be approved, unless one (1) of the exceptions on the	
FA form is present.	MACROLIDES		
azithromycin erythromycin base	BIAXIN (clarithromycin) clarithromycin tablets clarithromycin ER clarithromycin suspension E.E.S. (erythromycin ethylsuccinate) E-MYCIN (erythromycin) ERYC (erythromycin) ERYPED (erythromycin ethylsuccinate) ERY-TAB (erythromycin) ERYTHROCIN (erythromycin stearate) erythromycin estolate PCE (erythromycin) ZITHROMAX (azithromycin) ZMAX (azithromycin)		
MULTIPLE SCLEROSIS AGENTS	CL		
	require a diagnosis of multiple sclerosis and thirty (30) one (1) of the exceptions on the PA form is present.	) day trials of each chemically unique preferred agent in the same	
	INTERFERONS <sup>AP</sup>		
AVONEX (interferon beta-1a) AVONEX PEN (interferon beta-1a) BETASERON (interferon beta-1b)	EXTAVIA KIT (interferon beta-1b) EXTAVIA VIAL (interferon beta-1b) PLEGRIDY (peginterferon beta-1a) REBIF (interferon beta-1a) REBIF REBIDOSE (interferon beta-1a)		
000000000000000000000000000000000000000	NON-INTERFERONS	Land Billion Co. Land BA and Co. Land Land Co. Hard Land C	
COPAXONE 20 mg (glatiramer) GILENYA (fingolimod) *	AMPYRA (dalfampridine)** AUBAGIO (teriflunomide)*** COPAXONE 40 mg (glatiramer)**** glatiramer GLATOPA (glatiramer) TECFIDERA (dimethyl fumarate)**** ZINBRYTA (daclizumab)	In addition to class PA criteria, the following conditions and criteria also apply:  *Gilenya will be approved after a thirty (30) day trial of a preferred injectable agent.  **Ampyra will be authorized if the following criteria are met:  1. Diagnosis of multiple sclerosis and 2. No history of seizures and 3. No evidence of moderate or severe renal impairment and 4. Initial prescription will be authorized for thirty (30) days only.	



EFFECTIVE 01/01/2019 Version 2019.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		***Aubagio will be authorized if the following criteria are met:  1. Diagnosis of relapsing multiple sclerosis and  2. Measurement of transaminase and bilirubin levels within the (6) months before initiation of therapy and ALT levels at least monthly for six (6) months after initiation of therapy and  3. Complete blood cell count (CBC) within six (6) months before initiation of therapy and  4. Female patients must have a negative pregnancy test before initiation of therapy and be established on a reliable method of contraception if appropriate and  5. Patient is from eighteen (18) up to sixty-five (65) years of age and  6. Negative tuberculin skin test before initiation of therapy  ****Copaxone 40mg will only be authorized for documented injection site issues.  *****Tecfidera will be authorized if the following criteria are met:  1. Diagnosis of relapsing multiple sclerosis and  2. Complete blood count (CBC) within six (6) months of initiation of therapy and six (6) months after initiation and  3. Complete blood count (CBC) annually during therapy.
NEUROPATHIC PAIN		g and appropriate the second control of the
CLASS PA CRITERIA: Non-preferred agents red approved, unless one (1) of the exceptions on the		e corresponding dosage form (oral or topical) before they will be
capsaicin OTC duloxetine gabapentin lidocaine patch LYRICA CAPSULE (pregabalin)	CYMBALTA (duloxetine) GRALISE (gabapentin)* HORIZANT (gabapentin) IRENKA (duloxetine) LIDODERM (lidocaine) LYRICA CR (pregabalin)** LYRICA SOLUTION (pregabalin)** NEURONTIN (gabapentin) <sup>AP</sup> QUTENZA (capsaicin) SAVELLA (milnacipran)***	*Gralise will be authorized only if the following criteria are met:  1. Diagnosis of post herpetic neuralgia and 2. Trial of a tricyclic antidepressant for a least thirty (30) days and 3. 90-day trial of gabapentin immediate release formulation (positive response without adequate duration) and 4. Request is for once daily dosing with 1800 mg maximum daily dosage.  **Lyrica CR and Lyrica Solution require medical reasoning beyond convenience as to why the need cannot be met



EFFECTIVE 01/01/2019 Version 2019.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		using preferred Lyrica capsules.
		***Savella will be authorized for a diagnosis of fibromyalgia only after a 90-day trial of one preferred agent
NSAIDS <sup>AP</sup>		
CLASS PA CRITERIA: See below for sub-class if	PA criteria.	
	NON-SELECTIVE	
diclofenac (IR, SR) flurbiprofen ibuprofen (Rx and OTC) INDOCIN SUSPENSION (indomethacin) indomethacin ketoprofen ketorolac meloxicam tablet nabumetone naproxen (Rx and OTC) piroxicam sulindac	CATAFLAM (diclofenac) CLINORIL (sulindac) DAYPRO (oxaprozin) diflunisal DUEXIS (famotidine/ibuprofen) etodolac IR etodolac SR FELDENE (piroxicam) fenoprofen INDOCIN SUPPOSITORIES (indomethacin) indomethacin ER ketoprofen ER meclofenamate mefenamic acid meloxicam suspension MOBIC TABLET (meloxicam) NALFON (fenoprofen) NAPRELAN (naproxen) NAPROSYN (naproxen) naproxen CR oxaprozin PONSTEL (meclofenamate) SPRIX (ketorolac) TIVORBEX (indomethacin) tolmetin VIVLODEX (meloxicam) VOLTAREN (diclofenac) ZIPSOR (diclofenac potassium) ZORVOLEX (diplofenac)	Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
	NSAID/GI PROTECTANT COMBINATION ARTHROTEC (diclofenac/misoprostol)	Non-preferred agents are only available on appeal and require
	diclofenac/misoprostol VIMOVO (naproxen/esomeprazole)	medical reasoning beyond convenience as to why the need cannot be met with the combination of preferred single agents.



EFFECTIVE 01/01/2019 Version 2019.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	COX-II SELECTIVE	
	CELEBREX (celecoxib) celecoxib	COX-II Selective agents require thirty (30) day trials of each preferred Non-Selective Oral NSAID, <b>UNLESS</b> the following criteria are met:
		Patient has a history or risk of a serious GI complication; <b>OR</b> Agent is requested for treatment of a chronic condition <b>and</b> 1. Patient is seventy (70) years of age or older, <b>or</b> 2. Patient is currently on anticoagulation therapy. 3.
	TOPICAL	<b>5.</b>
FLECTOR PATCH (diclofenac)*	diclofenac gel	*Flector patches are limited to one per day.
VOLTAREN GEL (diclofenac)**	diclofenac solution PENNSAID (diclofenac)	**Voltaren Gel will be limited to 100 grams per month.
		Non-preferred agents require a thirty (30) day trial of the preferred Topical agent and thirty (30) day trials of each preferred oral NSAID before they will be approved, unless one(1) of the exceptions on the PA form is present.
OPHTHALMIC ANTIBIOTICS <sup>AP</sup>		
	uire three (3) day trials of each preferred agent befo	re they will be approved, unless one (1) of the exceptions on the
PA form is present.	4740ITE ( :::	
bacitracin/polymyxin ointment ciprofloxacin* erythromycin gentamicin levofloxacin* MOXEZA (moxifloxacin) neomycin/bacitracin/polymyxin ofloxacin* polymyxin/trimethoprim tobramycin TOBREX OINT (tobramycin)	AZASITE (azithromycin) bacitracin BLEPH-10 (sulfacetamide) BESIVANCE (besifloxacin)* CILOXAN (ciprofloxacin) GARAMYCIN (gentamicin) gatifloxacin ILOTYCIN (erythromycin) moxifloxacin** NATACYN (natamycin) neomycin/polymyxin/gramicidin NEOSPORIN (neomycin/polymyxin/gramicidin) OCUFLOX (ofloxacin) POLYTRIM (polymyxin/trimethoprim) sulfacetamide drops sulfacetamide ointment TOBREX (tobramycin) VIGAMOX (moxifloxacin) ZYMAXID (gatifloxacin)	*Prior authorization of any fluoroquinolone agent requires three (3) day trials of all other preferred agents unless definitive laboratory cultures exist indicating the need to use a fluoroquinolone.



PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA
This is not an all-inclusive list of available covered drugs and includes only

managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/2019 Version 2019.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>OPHTHALMIC ANTIBIOTIC/STERO</b>	ID COMBINATIONSAP	
<b>CLASS PA CRITERIA:</b> Non-preferred agents red PA form is present.	quire three (3) day trials of each preferred agent befo	ore they will be approved, unless one (1) of the exceptions on the
BLEPHAMIDE (prednisolone/sulfacetamide) neomycin/polymyxin/dexamethasone sulfacetamide/prednisolone TOBRADEX OINTMENT (tobramycin/ dexamethasone) TOBRADEX SUSPENSION (tobramycin/ dexamethasone)	BLEPHAMIDE S.O.P. (prednisolone/ sulfacetamide) MAXITROL ointment (neomycin/polymyxin/ dexamethasone) MAXITROL suspension (neomycin/polymyxin/ dexamethasone) neomycin/bacitracin/polymyxin/ hydrocortisone neomycin/polymyxin/hydrocortisone PRED-G (prednisolone/gentamicin) TOBRADEX ST (tobramycin/ dexamethasone) tobramycin/dexamethasone suspension ZYLET (loteprednol/tobramycin	
OPHTHALMICS FOR ALLERGIC CO		
of the exceptions on the PA form is present.	quire thirty (30) day trials of three (3) preferred chem	nically unique agents before they will be approved, unless one (1
ALAWAY (ketotifen) cromolyn ketotifen olopatadine (Sandoz brand labeler 61314) ZADITOR OTC (ketotifen)	ALAMAST (pemirolast) ALOCRIL (nedocromil) ALOMIDE (lodoxamide) ALREX (loteprednol) azelastine BEPREVE (bepotastine) CROLOM (cromolyn) ELESTAT (epinastine) EMADINE (emedastine) epinastine LASTACAFT (alcaftadine) olopatadine (all labelers except Sandoz) OPTICROM (cromolyn) OPTIVAR (azelastine) PATADAY (olopatadine) PATANOL (olopatadine) PAZEO (olopatadine)	



managed categories. Refer to cover page for complete list of rules governing this PDL.

THED ADELLTIC DRIC CLASS

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA
This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 01/01/2019 Version 2019.1g

	THERAPEUTIC DRUG CLA	ISS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
OPHTHALMICS, ANTI-INFLAM	MATORIES- IMMUNOMODULATORS	
CLASS PA CRITERIA: See below for indiv	vidual sub-class criteria.	
	RESTASIS (cyclosporine) XIIDRA (lifitegrast)	<ol> <li>The following prior authorization criteria apply to both Restas and Xiidra:         <ol> <li>Patient must be sixteen (16) years of age or greater; AND</li> <li>Prior Authorization must be requested by an ophthalmologist or optometrist; AND</li> <li>Clinically diagnosed tear deficiency due to ocular inflammation in patients with keratoconjunctivitis sicca or dry eye syndrome (also known as dry eye); AND</li> </ol> </li> <li>Patient must have a functioning lacrimal gland; AND</li> <li>Patient using artificial tears at least four (4) times a day over the last thirty (30) days; AND</li> <li>Patient must not have an active ocular infection</li> </ol>
<b>OPHTHALMICS, ANTI-INFLAN</b>	MATORIES	
	gents require five (5) day trials of at least two (2) preforms must include at least one agent with the same mechanism.	erred agents before they will be approved, unless one (1) of the sm of action as the requested non-preferred agent.
dexamethasone diclofenac DUREZOL (difluprednate) fluorometholone flurbiprofen ILEVRO (nepafenac) ketorolac prednisolone acetate prednisolone sodium phosphate	ACULAR (ketorolac) ACULAR LS (ketorolac) ACUVAIL (ketorolac tromethamine) BROMDAY (bromfenac) bromfenac BROMSITE (bromfenac) FLAREX (fluorometholone) FML (fluorometholone) FML FORTE (fluorometholone) FML S.O.P. (fluorometholone) LOTEMAX DROPS, OINTMENT (loteprednol) LOTEMAX GEL (loteprednol) MAXIDEX (dexamethasone) NEVANAC (nepafenac) OMNIPRED (prednisolone) OZURDEX (dexamethasone) PRED FORTE (prednisolone)	

PRED MILD (prednisolone) PROLENSA (bromfenac) RETISERT (fluocinolone)



EFFECTIVE 01/01/2019 Version 2019.1g

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	TRIESENCE (triamcinolone) VEXOL (rimexolone) XIBROM (bromfenac)		
OPHTHALMICS, GLAUCOMA AGEN	NTS		
CLASS PA CRITERIA: Non-preferred agents will	only be authorized if there is an allergy to all preferre	ed agents in the corresponding sub-class.	
	COMBINATION AGENTS		
COMBIGAN (brimonidine/timolol) dorzolamide/timolol SIMBRINZA (brinzolamide/brimonidine)	COSOPT (dorzolamide/timolol) COSOPT PF (dorzolamide/timolol)		
	BETA BLOCKERS		
BETOPTIC S (betaxolol) carteolol levobunolol timolol drops	BETAGAN (levobunolol) betaxolol ISTALOL (timolol) OPTIPRANOLOL (metipranolol) timolol gel TIMOPTIC (timolol)		
	CARBONIC ANHYDRASE INHIBITOR	S	
AZOPT (brinzolamide) orzolamide	TRUSOPT (dorzolamide)		
	PARASYMPATHOMIMETICS		
PHOSPHOLINE IODIDE (echothiophate iodide)	pilocarpine		
latanoprost TRAVATAN-Z (travoprost)	bimatoprost LUMIGAN (bimatoprost) travoprost VYZULTA (latanoprostene) XALATAN (latanoprost) ZIOPTAN (tafluprost)		
	RHO-KINASE INHIBITORS		
	RHOPRESSA (netarsudil)	Prior authorization of any agent in this sub-class requires a trial of at least one (1) preferred agent from all other sub-classes.	
SYMPATHOMIMETICS			
brimonidine 0.2%	ALPHAGAN P 0.1% Solution (brimonidine) ALPHAGAN P 0.15% Solution (brimonidine) apraclonidine brimonidine 0.15% IOPIDINE (apraclonidine)		



PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA
This is not an all-inclusive list of available covered drugs and includes only

managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/2019 Version 2019.1g

_		
THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>OPIATE DEPENDENCE TREATME</b>	NTS	
CLASS PA CRITERIA: Buprenorphine/naloxone	e tablets, Bunavail and Zubsolv will only be approved	with a documented intolerance of or allergy to Suboxone strips.
WV Medicaid's buprenorphine coverage policy m	ay be viewed by clicking on the following hyperlink:	Buprenorphine Coverage Policy and Related Forms
naloxone NARCAN NASAL SPRAY (naloxone) SUBOXONE FILM (buprenorphine/naloxone)* VIVITROL (naltrexone)	buprenorphine tablets buprenorphine/naloxone tablets BUNAVAIL (buprenorphine/naloxone) SUBLOCADE (buprenorphine soln)** ZUBSOLV (buprenorphine/naloxone)	* Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.  **Sublocade is approvable only on appeal and requires medical reasoning as to why the clinical need cannot be met with a preferred product.
		VIVITROL no longer requires a PA.
OTIC ANTIBIOTICS <sup>AP</sup>		
<b>CLASS PA CRITERIA:</b> Non-preferred agents re PA form is present.	equire five (5) day trials of each preferred agent bef	ore they will be approved, unless one (1) of the exceptions on the
CIPRO HC (ciprofloxacin/hydrocortisone) CIPRODEX (ciprofloxacin/dexamethasone) COLY-MYCIN S (colistin/hydrocortisone/ neomycin/thonzonium bromide) ofloxacin	ciprofloxacin CORTISPORIN-TC (colistin/hydrocortisone/ neomycin) neomycin/polymyxin/HC solution/suspension OTOVEL (ciprofloxacin/fluocinolone)	
PAH AGENTS - ENDOTHELIN REC	CEPTOR ANTAGONISTSCL	
CLASS PA CRITERIA: Non-preferred agents re PA form is present.	equire a thirty (30) day trial of a preferred agent before	ore they will be approved, unless one (1) of the exceptions on the
LETAIRIS (ambrisentan) TRACLEER (bosentan)	OPSUMIT (macitentan)	
PAH AGENTS - GUANYLATE CYC	LASE STIMULATORCL	
<b>CLASS PA CRITERIA:</b> Non-preferred agents re of the exceptions on the PA form is present.	equire a thirty (30) day trial of a preferred agent from	any other PAH Class before they will be approved, unless one (1)
	ADEMPAS (riociguat)	
PAH AGENTS - PDE5scl		
PA form is present.		ore they will be approved, unless one (1) of the exceptions on the
Patients stabilized on non-preferred agents will b		
sildenafil	ADCIRCA (tadalafil) REVATIO IV (sildenafil) REVATIO SUSPENSION (sildenafil) REVATIO TABLETS (sildenafil)	



EFFECTIVE 01/01/2019 Version 2019.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PAH AGENTS - PROSTACYCLINS	EL	
CLASS PA CRITERIA: Non-preferred agents re available), before they will be approved, unless or		cluding the preferred generic form of the non-preferred agent (if
epoprostenol VENTAVIS (iloprost)*	FLOLAN (epoprostenol) ORENITRAM ER (treprostinil) REMODULIN (treprostinil sodium) TYVASO (treprostinil) UPTRAVI (selexipag) VELETRI (epoprostenol)	*Ventavis will only be authorized for the treatment of pulmonary artery hypertension (WHO Group 1) in patients with NYHA Class III or IV symptoms.
PANCREATIC ENZYMESAP		
CLASS PA CRITERIA: Non-preferred agents re PA form is present. For members with cystic fibrosis, a trial of a prefer		re they will be approved, unless one (1) of the exceptions on the
CREON ZENPEP	PANCREAZE PERTZYE ULTRESA VIOKACE	
PHOSPHATE BINDERSAP		
CLASS PA CRITERIA: Non-preferred agents re exceptions on the PA form is present.	equire a thirty (30) day trial of at least two (2) prefe	erred agents before they will be approved, unless one (1) of the
calcium acetate MAGNEBIND RX (calcium carbonate, folic acid, magnesium carbonate) PHOSLYRA (calcium acetate) RENAGEL (sevelamer)	AURYXIA (ferric citrate) ELIPHOS (calcium acetate) FOSRENOL (lanthanum) PHOSLO (calcium acetate) RENVELA (sevelamer carbonate) sevelamer carbonate VELPHORO (sucroferric oxyhydroxide)	
PLATELET AGGREGATION INHIBITORS		
CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.		
AGGRENOX (dipyridamole/ASA) BRILINTA (ticagrelor) clopidogrel prasugrel	clopidogrel kit dipyridamole dipyridamole/aspirin EFFIENT (prasugrel) PERSANTINE (dipyridamole) PLAVIX (clopidogrel) TICLID (ticlopidine)	



EFFECTIVE 01/01/2019 Version 2019.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ticlopidine ZONTIVITY (vorapaxar)	
PROGESTATIONAL AGENTS		
CLASS PA CRITERIA: Full PA criteria may be for	ound on the PA Criteria page by clicking the hyperlink	•
MAKENA (hydroxyprogesterone caproate) AUTO INJECTOR MAKENA (hydroxyprogesterone caproate) VIAL PROGESTINS FOR CACHEXIA		
CLASS PA CRITERIA: Non-preferred agents re PA form is present.	quire a thirty (30) day trial of a preferred agent befor	e they will be approved, unless one (1) of the exceptions on the
megestrol	MEGACE ES (megestrol)	
PROTON PUMP INHIBITORSAP		
a concurrent thirty (30) day trial at the maximum d	ose of an H <sub>2</sub> antagonist before they will be approved,	I pantoprazole at the maximum recommended dose*, inclusive of unless one (1) of the exceptions on the PA form is present.
omeprazole (Rx) pantoprazole  NEXIUM PACKETS (esomeprazole)** PROTONIX GRANULES (pantoprazole)**	ACIPHEX (rabeprazole) ACIPHEX SPRINKLE (rabeprazole) DEXILANT (dexlansoprazole) esomeprazole magnesium esomeprazole strontium lansoprazole Rx NEXIUM (esomeprazole) omeprazole/sodium bicarbonate (Rx) PREVACID CAPSULES (lansoprazole) PREVACID SOLUTABS (lansoprazole)** PRILOSEC Rx (omeprazole) PROTONIX DR TABLETS (pantoprazole) rabeprazole ZEGERID Rx (omeprazole/sodium bicarbonate)	*Maximum recommended doses of the PPIs and H2-receptor antagonists may be located at the BMS Pharmacy PA criteria page titled "Max PPI and H2RA" by clicking on the hyperlink.  **Prior authorization is required for members nine (9) years of age or older for these agents.
SEDATIVE HYPNOTICSAP		
CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of the preferred agent in <b>BOTH</b> sub-classes before they will be approved, unless one (1) of the exceptions on the PA form is present. All agents in this class will be limited to fifteen (15) tablets in a thirty (30) day period.		
	BENZODIAZEPINES	
temazepam 15, 30 mg	DALMANE (flurazepam) estazolam flurazepam HALCION (triazolam)	



EFFECTIVE 01/01/2019 Version 2019.1g

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	RESTORIL (temazepam) temazepam 7.5, 22.5 mg triazolam	
	OTHERS	
melatonin zolpidem 5, 10 mg	AMBIEN (zolpidem) AMBIEN CR (zolpidem) BELSOMRA (suvorexant) chloral hydrate EDLUAR (zolpidem) eszopiclone HETLIOZ (tasimelteon) <sup>CL*</sup> INTERMEZZO (zolpidem) LUNESTA (eszopiclone) ROZEREM (ramelteon) SILENOR (doxepin) SOMNOTE (chloral hydrate) SONATA (zaleplon) zaleplon zolpidem ER 6.25, 12.5 mg ZOLPIMIST (zolpidem)	Strengths of zolpidem that are non-preferred (6.25 and 12.5 mg) must be created by combining or splitting the preferred doses (5 and 10 mg) of zolpidem, if appropriate.  For treatment naïve female patients, zolpidem and zolpidem ER maximum dosages will be limited to 5 mg and 6.25 mg respectively per day.  *Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
CKELETAL MUICCLE DEL AVANTO	·	

#### SKELETAL MUSCLE RELAXANTSAP

CLASS PA CRITERIA: See below for individual sub-class criteria.

chlorzoxazone	AMRIX (cyclobenzaprine)	Non-preferred agents require thirty (30) day trials of each
cyclobenzaprine IR 5, 10 mg	carisoprodol*	preferred agent before they will be approved, unless one (1) of
methocarbamol	carisoprodol/ASA*	the exceptions on the PA form is present, with the exception of
	carisoprodol/ASA/codeine*	carisoprodol.
	cyclobenzaprine ER	
	cyclobenzaprine IR 7.5 mg	*Carisoprodol requires thirty (30) day trials of each of the
	FEXMID (cyclobenzaprine)	preferred acute musculoskeletal relaxants and Skelaxin before
	FLEXERIL (cyclobenzaprine)	it will be approved.
	LORZONE (chlorzoxazone)	
	metaxalone	
	orphenadrine	
	orphenadrine/ASA/caffeine	
	orphenadrine ER	
	PARAFON FORTE (chlorzoxazone)	
	ROBAXIN (methocarbamol)	

SKELAXIN (metaxalone) SOMA (carisoprodol)

**ACUTE MUSCULOSKELETAL RELAXANT AGENTS** 



### **BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID**

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

**EFFECTIVE** 01/01/2019 **Version 2019.1g** 

THERAPEUTIC DRUG CLASS				
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA		
	MUSCULOSKELETAL RELAXANT AGENTS USED FOR SPASTICITY			
baclofen tizanidine tablets	DANTRIUM (dantrolene) dantrolene tizanidine capsules ZANAFLEX (tizanidine)	Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.		
STEROIDS, TOPICAL	,			
CLASS PA CRITERIA: Non-preferred agents req before they will be approved, unless one (1) of the		rred unique active ingredient in the corresponding potency group		
	VERY HIGH & HIGH POTENCY			
betamethasone valerate cream betamethasone valerate lotion betamethasone valerate oint clobetasol propionate     cream/gel/ointment/solution clobetasol emollient CLODAN SHAMPOO (clobetasol propionate) fluocinonide gel triamcinolone acetonide cream, ointment triamcinolone acetonide lotion	amcinonide APEXICON (diflorasone diacetate) APEXICON E (diflorasone diacetate) betamethasone dipropionate gel, lotion, ointment clobetasol lotion, shampoo clobetasol propionate foam CLOBEX (clobetasol propionate) CLODAN KIT (clobetasol propionate) CCORMAX (clobetasol propionate) desoximetasone cream/gel/ointment diflorasone diacetate DIPROLENE (betamethasone dipropionate/propylene glycol) DIPROLENE AF (betamethasone dipropionate/propylene glycol) DIPROSONE (betamethasone dipropionate) fluocinonide cream fluocinonide ointment fluocinonide solution fluocinonide/emollient halcinonide HALAC (halobetasol propionate) halobetasol propionate HALOG (triamcinolone acetonide) LIDEX (fluocinonide) LIDEX-E (fluocinonide) OLUX (clobetasol propionate/emollient) PSORCON (diflorasone diacetate) SERNIVO SPRAY (betamethasone dipropionate)			



EFFECTIVE 01/01/2019 Version 2019.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	TEMOVATE (clobetasol propionate) TEMOVATE-E (clobetasol propionate/emollient) TOPICORT CREAM, GEL, OINTMENT (desoximetasone) TOPICORT SPRAY (desoximetasone) ULTRAVATE (halobetasol propionate) ULTRAVATE PAC cream ULTRAVATE X (halobetasol propionate / lactic acid) VANOS (fluocinonide)	
	MEDIUM POTENCY	
fluticasone propionate cream, ointment mometasone furoate triamcinolone acetonide 0.025% and 0.1% cream	ARISTOCORT (triamcinolone) BETA-VAL (betamethasone valerate) betamethasone valerate foam CLODERM (clocortolone pivalate) clocortolone cream CORDRAN/CORDRAN SP (flurandrenolide) CUTIVATE (fluticasone propionate) DERMATOP (prednicarbate) ELOCON (mometasone furoate) fluocinolone acetonide cream, ointment, solution fluticasone propionate lotion hydrocortisone butyrate cream hydrocortisone butyrate ointment, solution hydrocortisone valerate LOCOID (hydrocortisone butyrate) LOCOID LIPOCREAM (hydrocortisone butyrate/emollient) LUXIQ (betamethasone valerate) MOMEXIN (mometasone) PANDEL (hydrocortisone probutate) prednicarbate TOPICORT LP (desoximetasone) TRIDERM (triamcinolone acetonide) WESTCORT (hydrocortisone valerate)	
hydropartiagna agotata (Dy. OTC)	LOW POTENCY	
hydrocortisone acetate (Rx, OTC) hydrocortisone cream (Rx, OTC) hydrocortisone lotion OTC hydrocortisone ointment (Rx, OTC) hydrocortisone solution OTC hydrocortisone-aloe cream OTC hydrocortisone-aloe ointment OTC	ACLOVATE (alclometasone dipropionate) alclometasone dipropionate AQUA GLYCOLIC HC (hydrocortisone) CAPEX (fluocinolone acetonide) DERMA-SMOOTHE FS (fluocinolone acetonide) DESONATE (desonide) desonide cream, ointment	



EFFECTIVE 01/01/2019 Version 2019.1g

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	desonide lotion DESOWEN (desonide) fluocinolone oil hydrocortisone/mineral oil/petrolatum hydrocortisone acetate/urea hydrocortisone lotion hydrocortisone/aloe gel LOKARA (desonide) PEDIADERM HC (hydrocortisone) PEDIADERM TA (hydrocortisone) SCALPICIN OTC (hydrocortisone) SYNALAR (fluocinolone) TEXACORT (hydrocortisone)	
	PEDIADERM TA (hydrocortisone) SCALPICIN OTC (hydrocortisone) SYNALAR (fluocinolone) TEXACORT (hydrocortisone)	

#### STIMULANTS AND RELATED AGENTS

**CLASS PA CRITERIA:** A PA is required for adults eighteen (18) years of age or older. PLEASE NOTE: Requests for amphetamine or methylphenidate IR + ER combination therapy must be for the same active ingredient in the same salt form, if available.

Non-preferred agents require a thirty (30) day trial of at least one preferred agent in the same subclass and with a similar duration of effect and mechanism of action, unless one (1) of the exceptions on the PA form is present. **NOTE**: Non-preferred agents will NOT be "grandfathered" for adults. Children under the age of 18 may continue their current therapy until the end of the school year after which they will be required to switch to a preferred agent.

	AMPHETAMINES	
amphetamine salt combination IR dextroamphetamine ER dextroamphetamine IR PROCENTRA solution (dextroamphetamine) VYVANSE CHEWABLE (lisdexamfetamine) VYVANSE CAPSULE (lisdexamfetamine)	ADDERALL (amphetamine salt combination) ADDERALL XR* (amphetamine salt combination) ADZENYS XR ODT (amphetamine) ADZENYS ER SUSP (amphetamine) amphetamine salt combination ER DESOXYN (methamphetamine) DEXEDRINE ER (dextroamphetamine) DEXEDRINE IR (dextroamphetamine) dextroamphetamine solution DYANAVEL XR SUSP (amphetamine) EVEKEO (amphetamine) methamphetamine MYDAYIS (dextroamphetamine/amphetamine salt)** ZENZEDI (dextroamphetamine)	In addition to the Class Criteria: Thirty (30) day trials of at least three (3) antidepressants are required before amphetamines will be authorized for depression.  *Adderall XR is preferred over its generic equivalents.  **Mydayis requires a 30-day trial of at least one long-acting preferred agent in this subclass and a trial of Adderall XR.
	NON-AMPHETAMINE	
APTENSIO XR (methylphenidate) armodafinil <sup>CL</sup> atomoxetine clonidine IR DAYTRANA (methylphenidate)	clonidine ER CONCERTA (methylphenidate) COTEMPLA XR ODT (methylphenidate) dexmethylphenidate XR FOCALIN IR (dexmethylphenidate)	



EFFECTIVE 01/01/2019 Version 2019.1g

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
dexmethylphenidate IR FOCALIN XR (dexmethylphenidate) guanfacine ER guanfacine IR METADATE CD (methylphenidate) discontinued by labeler METHYLIN SOLUTION (methylphenidate) methylphenidate IR modafinil <sup>CL</sup> QUILLICHEW ER (methylphenidate) QUILLIVANT XR (methylphenidate)	INTUNIV (guanfacine extended-release) KAPVAY (clonidine extended-release) methylphenidate CD methylphenidate chewable tablets, solution methylphenidate ER methylphenidate ER (generic CONCERTA) methylphenidate LA NUVIGIL (armodafinil) PROVIGIL (modafinil) RITALIN (methylphenidate) RITALIN LA (methylphenidate) STRATTERA (atomoxetine)	

#### **TETRACYCLINES**

**CLASS PA CRITERIA:** Non-preferred agents require ten (10) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.



EFFECTIVE 01/01/2019 Version 2019.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ULCERATIVE COLITIS AGENTSAP		
	quire thirty (30) day trials of each preferred dosage for see approved, unless one (1) of the exceptions on the F	rm or chemical entity before the corresponding non-preferred PA form is present.
	ORAL	
APRISO (mesalamine) balsalazide sulfasalazine	ASACOL HD (mesalamine) AZULFIDINE (sulfasalazine) COLAZAL (balsalazide) DELZICOL (mesalamine) DIPENTUM (olsalazine) GIAZO (balsalazide) LIALDA (mesalamine) mesalamine PENTASA (mesalamine) 250 mg PENTASA (mesalamine) 500 mg UCERIS (budesonide)	
	RECTAL	
CANASA (mesalamine) mesalamine	DELZICOL DR (mesalamine) mesalamine kit ROWASA (mesalamine) SF ROWASA (mesalamine) UCERIS (budesonide)	
VASODILATORS, CORONARY		
CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of each preferred dosage form before they will be approved, unless one (1) of the exceptions on the PA form is present.		
SUBLINGUAL NITROGLYCERIN		
nitroglycerin spray (generic NITROLINGUAL) nitroglycerin sublingual NITROSTAT SUBLINGUAL (nitroglycerin)	GONITRO SPRAY POWDER (nitroglycerin) nitroglycerin spray (generic NITROMIST) NITROLINGUAL SPRAY (nitroglycerin) NITROMIST (nitroglycerin)	