

EFFECTIVE 04/01/2018 Version 2018.2f

- Prior authorization for a non-preferred agent in any class will be given only if there has been a trial of the preferred brand/generic equivalent or preferred formulation of the active ingredient, at a therapeutic dose, that resulted in a partial response with a documented intolerance.
- Prior authorization of a non-preferred isomer, pro-drug, or metabolite will be considered with a trial of a preferred parent drug of the same chemical entity, at a therapeutic dose, that resulted in a partial response with documented intolerance or a previous trial and therapy failure, at a therapeutic dose, with a preferred drug of a different chemical entity indicated to treat the submitted diagnosis. (The required trial may be overridden when documented evidence is provided that the use of these preferred agent(s) would be medically contraindicated.)
- Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC drugs are not covered unless specified.
- PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.
- The use of pharmaceutical samples will not be considered when evaluating the members' medical condition or prior prescription history for drugs that require prior authorization.
- Quantity limits may apply. Refer to the Limits List on <u>the BMS Website</u> by clicking the hyperlink.
- Unless otherwise indicated, non-preferred combination products require medical reasoning beyond convenience or enhanced compliance as to why the clinical need cannot be met with a preferred agent or combination of preferred single-ingredient agents.
- Acronyms
 - CL Requires clinical PA. For detailed clinical criteria, please go to the PA criteria page by clicking the hyperlink.
 - NR Denotes a new drug which has not yet been reviewed by the P & T Committee. These agents are available only on appeal to the BMS Medical Director.
 - o AP Non-preferred and selected preferred drugs, where indicated, are subject to auto-PA criteria. See PA criteria column.



EFFECTIVE 04/01/2018 Version 2018.2f

	Status	PA Criteria	
CLASSES CHANGING	Changes	Changes	New Drugs
ANALGESICS, NARCOTIC LONG ACTING (Non-parenteral)			XXXX
ANTIEMETICS, CANNABINOIDS			XXXX
ANTIMIGRAINE AGENTS, TRIPTANS			XXXX
ANTIPARKINSON'S AGENTS			XXXX
BONE RESORPTION SUPPRESSION AND RELATED AGENTS			XXXX
CYTOKINE & CAM ANTAGONISTS, ANTI-INFs			XXXX
CYTOKINE & CAM ANTAGONISTS, OTHERS			XXXX
GLUCOCORTICOIDS, INHALED			XXXX
GLUCOCORTICOIDS, INHALED -			XXXX
GLUCOCORTICOID/BRONCHOIDLATOR COMBINATIONS			
HEPATITIS C TREATMENTS			XXXX
IMMUNOMODULATORS, ATOPIC DERMATITIS			XXXX
LIPOTROPICS, STATINS – STATIN COMBINATIONS			XXXX
NSAIDS, NON-SELECTIVE			XXXX
STIMULANTS AND RELATED AGENTS, AMPHETAMINES			XXXX
VASODILATORS, CORONARY			XXXX



EFFECTIVE 04/01/2018 Version 2018.2f

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS

	NON PREFERENCE	DA ODUETOLA	
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
ACNE AGENTS, TOPICALAP			
CLASS PA CRITERIA: Non-preferred agents requbelasses, including the generic version of the requipresent.	CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of one (1) preferred retinoid and two (2) unique chemical entites in two (2) other subclasses, including the generic version of the requested non-preferred product, before they will be approved, unless one (1) of the exceptions on the PA form is		
In cases of pregnancy, a trial of retinoids will <i>not</i> be Acne kits are non-preferred.	e required. For members eighteen (18) years of a	age or older, a trial of retinoids will not be required.	
Specific Criteria for sub-class will be listed below.			
	ANTI-INFECTIVE		
clindamycin gel, lotion, medicated swab, solution erythromycin gel, solution	ACZONE (dapsone) AKNE-MYCIN (erythromycin) AZELEX (azelaic acid) CLEOCIN-T (clindamycin) CLINDACIN PAC (clindamycin) CLINDAGEL (clindamycin) clindamycin foam erythromycin medicated swab EVOCLIN (clindamycin) FABIOR (tazarotene) KLARON (sulfacetamide) OVACE/PLUS (sulfacetamide) sodium sulfacetamide 10% cleansing gel sulfacetamide cleanser sulfacetamide cleanser ER sulfacetamide shampoo sulfacetamide suspension		
	RETINOIDS		
RETIN-A (tretinoin) TAZORAC (tazarotene)	adapalene ATRALIN (tretinoin) AVITA (tretinoin) DIFFERIN (adapalene) RETIN-A MICRO (tretinoin) tretinoin cream, gel tretinoin gel micro	In addition to the Class Criteria: PA required for members eighteen (18) years of age or older.	
KERATOLYTICS			
benzoyl peroxide cleanser Rx & OTC, 10% cream OTC, gel Rx & OTC, lotion OTC, wash OTC	BENZEFOAM ULTRA (benzoyl peroxide) BENZEPRO (benzoyl peroxide) benzoyl peroxide cloths, medicated pads, microspheres cleanser BP 10-1 (benzoyl peroxide)		



EFFECTIVE 04/01/2018 Version 2018.2f

	THERAPEUTIC DRUG CLA	488
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	BP WASH 7% LIQUID PACNEX/HP/LP (benzoyl peroxide) PANOXYL-4, -8 OTC (benzoyl peroxide) PERSA-GEL OTC (benzoyl peroxide) SULPHO-LAC (sulfur)	
	COMBINATION AGENTS	
erythromycin/benzoyl peroxide	ACANYA (clindamycin phosphate/benzoyl peroxide) AVAR/-E/LS (sulfur/sulfacetamide) BENZACLIN GEL (benzoyl peroxide/ clindamycin) BENZAMYCIN PAK (benzoyl peroxide/ erythromycin) benzoyl peroxide/clindamycin gel benzoyl peroxide/urea CERISA (sulfacetamide sodium/sulfur) CLARIFOAM EF (sulfacetamide/sulfur) CLENIA (sulfacetamide sodium/sulfur) DUAC (benzoyl peroxide/clindamycin) EPIDUO (adapalene/benzoyl peroxide)* INOVA 4/1, 5/2benzoyl peroxide/salicylic acid) NEUAC (clindamycin phosphate/benzoyl peroxide) NUOX (benzoyl peroxide/sulfur) ONEXTON (clindamycin phosphate/benzoyl peroxide) PRASCION (sulfacetamide sodium/sulfur) SE 10-5 SS (sulfacetamide/sulfur) SSS 10-4 (sulfacetamide /sulfur) SSS 10-5 foam (sulfacetamide /sulfur) sulfacetamide sodium/sulfur cloths, lotion, pads, suspension sulfacetamide/sulfur wash kit sulfacetamide/sulfur wash kit sulfacetamide sodium/sulfur/ urea SUMADAN/XLT (sulfacetamide sodium/sulfur) SUMAXIN/TS (sulfacetamide sodium/sulfur) VELTIN (clindamycin/tretinoin)* ZIANA (clindamycin/tretinoin)*	In addition to the Class Criteria: Non-preferred combination agents require thirty (30) day trials of the corresponding preferred single agents before they will be approved. *PA required for combination agents with Retinoid products for members eighteen (18) years of age or older.



BUREAU FOR MEDICAL SERVICES **WEST VIRGINIA MEDICAID**

managed categories. Refer to cover page for complete list of rules governing this PDL.

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 04/01/2018 Version 2018.2f

THERAPEUTIC DRUG CLASS

PREFERRED AGENTS **NON-PREFERRED AGENTS PA CRITERIA**

ALZHEIMER'S AGENTSAP

CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of a preferred agent in the same sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present.

Prior authorization is required for members up to forty-five (45) years of age if there is no diagnosis of Alzheimer's disease.

	CHOLINESTERASE INHIBITO	RS
donepezil 5 and 10 mg	ARICEPT (donepezil) donepezil 23 mg* EXELON CAPSULE (rivastigmine) EXELON PATCH (rivastigmine) galantamine galantamine ER RAZADYNE (galantamine) RAZADYNE ER (galantamine) rivastigmine	*Donepezil 23 mg tablets will be authorized if the following criteria are met: 1. There is a diagnosis of moderate-to-severe Alzheimer's Disease and 2. There has been a trial of donepezil 10 mg daily for at least three (3) months and donepezil 20 mg daily for an additional one (1) month.
	NMDA RECEPTOR ANTAGON	IIST
memantine	NAMENDA (memantine)	*Namenda XR requires ninety (90) days of compliant therapy with
	NAMENDA XR (memantine)*	Namenda.
CHOLINESTERASE INHIBITOR/NMDA RECEPTOR ANTAGONIST COMBINATIONS		
	NAMZARIC (donepezil/memantine)	Combination agents require thirty (30) day trials of each

ANALGESICS. NARCOTIC LONG ACTING (Non-parenteral)

CLASS PA CRITERIA: Non-preferred agents require six (6) day trials of two (2) chemically distinct preferred agents AND a six (6) day trial of the generic form of the requested non-preferred agent (if available) before they will be approved, unless one (1) of the exceptions on the PA form is present. If no generic form is available for the requested non-preferred brand agent, then another generic non-preferred agent must be trialed instead. NOTE: All long-acting opioid agents require a prior authorization for children under 18 years of age. Reguests must be for an FDA approved age and indication and specify previous opioid and non-opioid therapies attempted.

buprenorphine patch (labeler 00093 only)	ARYMO ER (morphine sulfate)
BUTRANS (buprenorphine)	BELBUCA (buprenorphine buccal film)*
EMBEDA (morphine/naltrexone)	buprenorphine patch (all labelers excl 00093)
fentanyl transdermal 12, 25, 50, 75, 100 mcg/hr	CONZIP ER (tramadol)
morphine ER tablets	DOLOPHINE (methadone)
	DURAGESIC (fentanyl)
	EXALGO ER (hydromorphone)
	fentanyl transdermal 37.5, 62.5, 87.5 mcg/hr
	hydromorphone ER
	HYSINGLA ER (hydrocodone)
	KADIAN (morphine)

LAZANDA SPRAY (fentanvl)

MORPHABOND ER (morphine sulfate)

methadone**

*Belbuca prior authorization requires manual review. Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.

corresponding preferred single agent.

**Methadone, oxycodone ER and oxymorphone ER will be authorized without a trial of the preferred agents if a diagnosis of cancer is submitted.

***Tramadol ER requires a manual review and may be authorized for ninety (90) days with submission of a detailed treatment plan including anticipated duration of treatment and scheduled followups with the prescriber.



EFFECTIVE 04/01/2018 **Version 2018.2f**

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	morphine ER capsules (generic for Avinza) morphine ER capsules (generic for Kadian) MS CONTIN (morphine) NUCYNTA ER (tapentadol) OPANA ER (oxymorphone) oxycodone ER** OXYCONTIN (oxycodone) oxymorphone ER** tramadol ER*** ULTRAM ER (tramadol) XARTEMIS XR (oxycodone) acetaminophen) XTAMPZA ER (oxycodone) ZOHYDRO ER (hydrocodone)	
ANALGESICS, NARCOTIC SHORT ACTING (Non-parenteral) ^{AP}		

CLASS PA CRITERIA: Non-preferred agents require six (6) day trials of at least four (4) chemically distinct preferred agents (based on the narcotic ingredient only), including the generic formulation of the requested non-preferred agent, before they will be approved, unless one (1) of the exceptions on the PA form is present. NOTE: All tramadol and codeine products require a prior authorization for children under 18 years of age. Requests must be for an FDA approved age and indication and specify non-opioid therapies attempted.

APAP/codeine butalbital/APAP/caffeine/codeine codeine hydrocodone/APAP 2.5/325 mg, 5/325 mg, 7.5/325 mg,10/325 mg hydrocodone/APAP solution hydrocodone/ibuprofen hydromorphone tablets morphine oxycodone tablets, concentrate, solution oxycodone/APAP oxycodone/ASA tramadol tramadol/APAP

ACTIQ (fentanvl) butalbital/ASA/caffeine/codeine butorphanol CAPITAL W/CODEINE (APAP/codeine) DEMEROL (meperidine) dihydrocodeine/ APAP/caffeine DILAUDID (hydromorphone) fentanyl FENTORA (fentanyl) FIORICET W/ CODEINE (butalbital/APAP/caffeine/codeine) FIORINAL W/ CODEINE (butalbital/ASA/caffeine/codeine) hydrocodone/APAP 5/300 mg, 7.5/300 mg, 10/300 mg hydromorphone liquid, suppositories IBUDONE (hydrocodone/ibuprofen) LAZANDA (fentanvl) levorphanol

LORCET (hydrocodone/APAP) LORTAB (hydrocodone/APAP)

NORCO (hydrocodone/APAP)

meperidine

ABSTRAL (fentanyl)

Fentanyl buccal, nasal and sublingual products will only be authorized for a diagnosis of cancer and as an adjunct to a longacting agent. These dosage forms will not be authorized for monotherapy.

Limits: Unless the patient has escalating cancer pain or another diagnosis supporting increased quantities of short-acting opioids, all short acting solid forms of the narcotic analgesics are limited to 120 tablets per thirty (30) days. Longer-acting medications should be maximized to prevent unnecessary breakthrough pain in chronic pain therapy.

Immediate-release tramadol is limited to 240 tablets per thirty (30) days.



EFFECTIVE 04/01/2018 Version 2018.2f

	THERAPEUTIC DRUG CLA	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	NUCYNTA (tapentadol) ONSOLIS (fentanyl) OPANA (oxymorphone) OXECTA (oxycodone) oxycodone capsules oxycodone/ibuprofen oxymorphone pentazocine/naloxone PERCOCET (oxycodone/APAP) PRIMLEV (oxycodone/APAP) REPREXAIN (hydrocodone/ibuprofen) ROXICODONE (oxycodone) RYBIX ODT (tramadol) SUBSYS (fentanyl) SYNALGOS-DC (dihydrocodeine/ASA/caffeine) TYLENOL W/CODEINE (APAP/codeine) ULTRACET (tramadol/APAP) ULTRAM (tramadol) VERDROCET (hydrocodone/APAP) VICODIN (hydrocodone/APAP) VICOPROFEN (hydrocodone/ibuprofen) XODOL (hydrocodone/acetaminophen) XYLON (hydrocodone/APAP)	
ANDROGENIC AGENTS	(4)	u PA (
CLASS PA CRITERIA: A non-preferred agent will ANDRODERM (testosterone) ANDROGEL (testosterone) METHITEST (methyltestosterone) testosterone cypionate vial ^{CL} testosterone enanthate vial ^{CL}	ANDROID (methyltestosterone) AVEED VIAL (testosterone undecanoate) AXIRON (testosterone) FORTESTA (testosterone) methyltestosterone capsule NATESTO (testosterone) STRIANT BUCCAL (testosterone) TESTIM (testosterone) TESTRED (methyltestosterone) testosterone gel VOGELXO (testosterone)	The PA form is present.



BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

EFFECTIVE 04/01/2018 Version 2018.2f

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANESTHETICS, TOPICALAP		
· · · · · · · · · · · · · · · · · · ·		efore they will be approved, unless one (1) of the exceptions on the
lidocaine lidocaine/prilocaine xylocaine	EMLA (lidocaine/prilocaine) LIDAMANTLE (lidocaine) LIDAMANTLE HC (lidocaine/hydrocortisone) lidocaine/hydrocortisone LIDOTRAL CREAM (lidocaine) SYNERA (lidocaine/tetracaine) VOPAC MDS (ketoprofen/lidocaine)	
ANGIOTENSIN MODULATORSAP		
	require fourteen (14) day trials of each preferred anne (1) of the exceptions on the PA form is present.	gent in the same sub-class, with the exception of the Direct Renin
	ACE INHIBITORS	
benazepril captopril enalapril fosinopril lisinopril quinapril ramipril	ACCUPRIL (quinapril) ACEON (perindopril) ALTACE (ramipril) EPANED (enalapril)* LOTENSIN (benazepril) MAVIK (trandolapril) moexipril perindopril PRINIVIL (lisinopril) QBRELIS SOLUTION (lisinopril)** trandolapril UNIVASC (moexipril) VASOTEC (enalapril) ZESTRIL (lisinopril)	*Epaned will be authorized with a diagnosis of hypertension, symptomatic heart failure or asymptomatic left ventricular dysfunction provided that the patient is less than seven (7) years of age OR is unable to ingest a solid dosage form due to documented oral-motor difficulties or dysphagia. **Qbrelis solution may be authorized for children ages 6-10 who are unable to tolerate a solid dosage form. Qbrelis may also be authorized for older patients with clinical documentation indicating oral-motor difficulties or dysphagia.
	ACE INHIBITOR COMBINATION DR	UGS
benazepril/amlodipine benazepril/HCTZ captopril/HCTZ enalapril/HCTZ fosinopril/HCTZ lisinopril/HCTZ quinapril/HCTZ	ACCURETIC (quinapril/HCTZ) CAPOZIDE (captopril/HCTZ) LOTENSIN HCT (benazepril/HCTZ) LOTREL (benazepril/amlodipine) moexipril/HCTZ PRESTALIA (perindopril/amlodipine) PRINZIDE (lisinopril/HCTZ) TARKA (trandolapril/verapamil) trandolapril/verapamil VASERETIC (enalapril/HCTZ) ZESTORETIC (lisinopril/HCTZ)	



EFFECTIVE 04/01/2018 Version 2018.2f

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ANGIOTENSIN II RECEPTOR BLOCKER	S (ARBs)
irbesartan losartan valsartan olmesartan	ATACAND (candesartan) AVAPRO (irbesartan) BENICAR (olmesartan) candesartan COZAAR (losartan) DIOVAN (valsartan) EDARBI (azilsartan) eprosartan MICARDIS (telmisartan) telmisartan TEVETEN (eprosartan)	
	ARB COMBINATIONS	
ENTRESTO (valsartan/sucubitril) ^{CL*} irbesartan/HCTZ losartan/HCTZ olmesartan/amlodipine olmesartan/amlodipine/HCTZ olmesartan/HCTZ valsartan/Amlodipine valsartan/HCTZ	ATACAND-HCT (candesartan/HCTZ) AVALIDE (irbesartan/HCTZ) AZOR (olmesartan/amlodipine) BENICAR-HCT (olmesartan/HCTZ) BYVALSON (nebivolol/valsartan) candesartan/HCTZ DIOVAN-HCT (valsartan/HCTZ) EDARBYCLOR (azilsartan/chlorthalidone) EXFORGE (valsartan/amlodipine) EXFORGE HCT (valsartan/amlodipine/HCTZ) HYZAAR (losartan/HCTZ) MICARDIS-HCT (telmisartan/HCTZ) telmisartan/amlodipine telmisartan HCTZ TEVETEN-HCT (eprosartan/HCTZ) TRIBENZOR (olmesartan/amlodipine/HCTZ) TWYNSTA (telmisartan/amlodipine) valsartan/amlodipine/HCTZ	*Entresto will only be authorized for patients diagnosed with chronic heart-failure (NYHA classification 2-4) with an EF ≤ 40%.
	DIRECT RENIN INHIBITORS	
	AMTURNIDE (aliskiren/amlodipine/HCTZ) TEKAMLO (aliskiren/amlodipine) TEKTURNA (aliskiren) TEKTURNA HCT (aliskiren/HCTZ) VALTURNA (aliskiren/valsartan)	Substitute for Class Criteria: Tekturna requires a thirty (30) day trial of one (1) preferred ACE, ARB, or combination agent, at the maximum tolerable dose, before it will be authorized unless one (1) of the exceptions on the PA form is present. Amturnide, Tekamlo, Tekturna HCT or Valturna will be authorized if the criteria for Tekturna are met and the patient also needs the other agents in the combination.



PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA
This is not an all-inclusive list of available covered drugs and includes only

managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 04/01/2018 Version 2018.2f

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIANGINAL & ANTI-ISCHEMIC		
or a combination agent containing one (1) of th		calcium channel blocker, a beta blocker, or a nitrite as single agents
RANEXA (ranolazine) ^{AP}		
ANTIBIOTICS, GI & RELATED AG	BENTS	
CLASS PA CRITERIA: Non-preferred agents PA form is present.	require a fourteen (14) day trial of a preferred agent	before they will be approved, unless one (1) of the exceptions on the
metronidazole tablet neomycin tinidazole	ALINIA (nitazoxanide) DIFICID (fidaxomicin)* FLAGYL (metronidazole) FLAGYL ER (metronidazole ER) metronidazole capsule paromomycin TINDAMAX (tinidazole) VANCOCIN (vancomycin) vancomycin** XIFAXAN (rifaximin)***	*Dificid will be authorized if the following criteria are met: 1. There is a diagnosis of severe <i>C. difficile</i> infection; and 2. There is no response to prior treatment with vancomycin for ten (10) to fourteen (14) days. **Vancomycin will be authorized for treatment of mild to moderate <i>C. difficile</i> infections after a fourteen (14) day trial of metronidazole. Severe <i>C. difficile</i> infections do not require a trial of metronidazole for authorization. ***Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
ANTIBIOTICS, INHALED		
CLASS PA CRITERIA: Non-preferred agents approved, unless one (1) of the exceptions on the exceptions on the exceptions on the exceptions of the exception of the exceptions of the exceptions of the exceptions of the exception of t		gent and documentation of therapeutic failure before they will be
BETHKIS (tobramycin) KITABIS PAK (tobramycin)	CAYSTON (aztreonam) TOBI (tobramycin) TOBI PODHALER (tobramycin) tobramycin	
ANTIBIOTICS, TOPICAL		
CLASS PA CRITERIA: Non-preferred agents	require ten (10) day trials of at least one preferred acunless one (1) of the exceptions on the PA form is preferred acunless one (1) of the exceptions on the PA form is preferred acunless one (1) of the exceptions on the PA form is preferred acunless one (1) of the PA form is preferred acunless on the PA form is preferred acunless one (1) of the exceptions on the PA form is preferred acunless one (1) of the exceptions on the PA form is preferred acunless one (1) of the exceptions on the PA form is preferred acunless one (1) of the exceptions on the PA form is preferred acunless one (1) of the exceptions on the PA form is preferred acunless one (1) of the exceptions on the PA form is preferred acunless one (1) of the exceptions on the PA form is preferred acunless on the PA for	gent, including the generic formulation of the requested non- resent.



EFFECTIVE 04/01/2018 Version 2018.2f

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
ANTIBIOTICS, VAGINAL			
CLASS PA CRITERIA: Non-preferred agents requapproved, unless one (1) of the exceptions on the		nt at the manufacturer's recommended duration, before they will be	
clindamycin cream CLINDESSE (clindamycin) metronidazole	AVC (sulfanilamide) CLEOCIN CREAM (clindamycin) CLEOCIN OVULE (clindamycin) METROGEL (metronidazole) NUVESSA (metronidazole) VANDAZOLE (metronidazole)		
ANTICOAGULANTS			
CLASS PA CRITERIA: Non-preferred agents req	uire a trial of each preferred agent in the same sub	o-class, unless one (1) of the exceptions on the PA form is present.	
	INJECTABLECL		
enoxaparin	ARIXTRA (fondaparinux) fondaparinux FRAGMIN (dalteparin) LOVENOX (enoxaparin)		
	ORAL		
COUMADIN (warfarin) ELIQUIS (apixaban) ^{AP*} PRADAXA (dabigatran) ^{AP*} warfarin XARELTO (rivaroxaban)	SAVAYSA (edoxaban)	*Selected preferred agents will be authorized per FDA approved indications and dosage only.	
ANTICONVULSANTS			
CLASS PA CRITERIA: For a diagnosis of seizure disorder, non-preferred agents require a fourteen (14) day trial of a preferred agent in the same sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present; patients currently on established therapies shall be grandfathered.			
For all other diagnoses, non-preferred agents require a thirty (30) day trial of a preferred agent in the same sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present.			
In situations where AB-rated generic equivalent products are available, "Brand Medically Necessary" must be hand-written by the prescriber on the prescription for the brand name product to be reimbursed.			
	ADJUVANTS		
carbamazepine carbamazepine ER carbamazepine XR	APTIOM (eslicarbazepine) BANZEL(rufinamide) BRIVIACT (brivaracetam)	*Topiramate ER will be authorized after a thirty (30) day trial of topiramate IR.	



EFFECTIVE 04/01/2018 Version 2018.2f

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
divalproex divalproex ER divalproex sprinkle EPITOL (carbamazepine) GABITRIL (tiagabine) lamotrigine levetiracetam IR levetiracetam ER oxcarbazepine suspension and tablets topiramate IR topiramate ER* valproic acid VIMPAT(lacosamide) zonisamide	CARBATROL (carbamazepine) DEPAKENE (valproic acid) DEPAKOTE (divalproex) DEPAKOTE ER (divalproex) DEPAKOTE SPRINKLE (divalproex) EQUETRO (carbamazepine) FANATREX SUSPENSION (gabapentin) felbamate FELBATOL (felbamate) FYCOMPA (perampanel) KEPPRA (levetiracetam) KEPPRA (levetiracetam) LAMICTAL (lamotrigine) LAMICTAL CHEWABLE (lamotrigine) LAMICTAL ODT (lamotrigine) LAMICTAL XR (lamotrigine) lamotrigine dose pack lamotrigine ER OXTELLAR XR (oxcarbazepine) POTIGA (ezogabine) QUDEXY XR (topiramate ER)** SABRIL (vigabatrin) SPRITAM (levetiracetam) STAVZOR (valproic acid) TEGRETOL (carbamazepine) TEGRETOL XR (carbamazepine) tiagabine TOPAMAX (topiramate) TRILEPTAL SUSPENSION and TABLETS (oxcarbazepine) TROKENDI XR (topiramate)** ZONEGRAN (zonisamide)	***Qudexy XR and Trokendi XR are only approvable on appeal.
	BARBITURATES ^{AP}	
phenobarbital primidone	MYSOLINE (primidone)	
	BENZODIAZEPINESAP	
clonazepam DIASTAT (diazepam rectal) diazepam tablets	clonazepam ODT diazepam rectal gel KLONOPIN (clonazepam) ONFI (clobazam)* ONFI SUSPENSION (clobazam)* VALIUM TABLETS (diazepam)	*Onfi shall be authorized as adjunctive therapy for treatment of Lennox-Gastaut Syndrome without further restrictions. Off-label use requires an appeal to the Medical Director.



EFFECTIVE 04/01/2018 Version 2018.2f

	THERAPEUTIC DRUG CLA	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	HYDANTOINSAP	
DILANTIN (phenytoin sodium, extended) PEGANONE (ethotoin) phenytoin capsules, chewable tablets, suspension	DILANTIN INFATABS (phenytoin) PHENYTEK (phenytoin)	
	SUCCINIMIDES	
CELONTIN (methsuximide) ethosuximide capsules ethosuximide syrup	ZARONTIN (ethosuximide) capsules ZARONTIN (ethosuximide) syrup	
ANTIDEPRESSANTS, OTHER		
CLASS PA CRITERIA: See below for individual	sub-class criteria.	
	MAOIsAP	
	MARPLAN (isocarboxazid) NARDIL (phenelzine) PARNATE (tranylcypromine) phenelzine tranylcypromine	Patients stabilized on MAOI agents will be grandfathered.
	SNRISAP	
duloxetine capulses venlafaxine ER capsules	CYMBALTA (duloxetine) desvenlafaxine ER desvenlafaxine fumarate ER EFFEXOR XR (venlafaxine) FETZIMA (levomilnacipran) KHEDEZLA (desvenlafaxine) PRISTIQ (desvenlafaxine) venlafaxine IR VENLAFAXINE ER TABLETS (venlafaxine)	Non-preferred agents require separate thirty (30) day trials of a preferred agent in this sub-class AND an SSRI before they will be approved, unless one (1) of the exceptions on the PA form is present.
	SECOND GENERATION NON-SSRI, O	
bupropion IR bupropion SR bupropion XL mirtazapine trazodone	APLENZIN (bupropion hbr) EMSAM (selegiline) FORFIVO XL (bupropion) nefazodone OLEPTRO ER (trazodone) REMERON (mirtazapine) TRINTELLIX (vortioxetine) VIIBRYD (vilazodone HCI) WELLBUTRIN (bupropion) WELLBUTRIN SR (bupropion) WELLBUTRIN XL (bupropion)	Non-preferred agents require separate thirty (30) day trials of a preferred agent in this sub-class AND an SSRI before they will be approved, unless one (1) of the exceptions on the PA form is present.



EFFECTIVE 04/01/2018 Version 2018.2f

	THERAPEUTIC DRUG CLA	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	SELECTED TCAs	
imipramine HCI	imipramine pamoate TOFRANIL (imipramine HCI) TOFRANIL PM (imipramine pamoate)	Non-preferred agents require a twelve (12) week trial of imipramine HCl before they will be approved, unless one (1) of the exceptions on the PA form is present.
ANTIDEPRESSANTS, SSRISAP		
CLASS PA CRITERIA: Non-preferred agents re exceptions on the PA form is present.	equire thirty (30) day trials of at least two (2) pre	eferred agents before they will be approved, unless one (1) of the
Upon hospital discharge, patients admitted with a continue that drug.	primary mental health diagnosis who have been st	tabilized on a non-preferred SSRI will receive an authorization to
citalopram escitalopram tablets fluoxetine capsules, solution fluvoxamine paroxetine sertraline	BRISDELLE (paroxetine) CELEXA (citalopram) escitalopram solution fluoxetine tablets fluvoxamine ER LEXAPRO (escitalopram) LUVOX CR (fluvoxamine) paroxetine ER PAXIL (paroxetine) PAXIL CR (paroxetine) PEXEVA (paroxetine) PROZAC (fluoxetine) SARAFEM (fluoxetine) ZOLOFT (sertraline)	
ANTIEMETICSAP		
CLASS PA CRITERIA: See below for sub-class of	criteria	
CENSO I A CHITEINA. Coo solow for our class		
and anatura ODT colution tablets	5HT3 RECEPTOR BLOCKER	
ondansetron ODT, solution, tablets	ANZEMET (dolasetron) granisetron GRANISOL (granisetron) ondansetron vials SANCUSO (granisetron) SUSTOL (granisetron) ZOFRAN (ondansetron) ZUPLENZ (ondansetron)	Non-preferred agents require a three (3) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
	CANNABINOIDS CESAMET (nabilone)*	*Cesamet will be authorized only for the treatment of nausea and
	dronabinol** MARINOL (dronabinol)**	vomiting associated with cancer chemotherapy for patients who have failed to respond adequately to three (3) day trials of



EFFECTIVE 04/01/2018 Version 2018.2f

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	SYNDROS SOLUTION (dronabinol)	conventional treatments such as promethazine or ondansetron and are eighteen (18) years of age or older.
		**Dronabinol will only be authorized for: 1. The treatment of anorexia associated with weight loss in patients with AIDS or cancer and unresponsive to megestrol or 2. The prophylaxis of chemotherapy induced nausea and vomiting unresponsive to three (3) day trials of ondansetron or promethazine for patients from eighteen (18) up to sixty-five (65) years of age.
	SUBSTANCE P ANTAGONISTS	
EMEND (aprepitant)	aprepitant VARUBI (rolapitant)	Non-preferred agents require a three (3) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
	COMBINATIONS	
	AKYNZEO (netupitant/palonosetron)	Non-preferred agents will only be approved on appeal.
ANTIFUNGALS, ORAL		
CLASS PA CRITERIA: Non-preferred agents w	ill only be authorized if one (1) of the exceptions on	the PA form is present.
clotrimazole fluconazole*	ANCOBON (flucytosine) CRESEMBA (isovuconazonium) ^{CL**}	*PA is required when limits are exceeded.
nystatin terbinafine ^{CL}	DIFLUCAN (fluconazole) flucytosine GRIFULVIN V TABLET (griseofulvin)	**Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
	griseofulvin*** GRIS-PEG (griseofulvin) itraconazole	***PA is not required for griseofulvin suspension for children up to eighteen (18) years of age for the treatment of tinea capitis.
	ketoconazole**** LAMISIL (terbinafine)	****Ketoconazole will be authorized if the following criteria are met:
	MYCELEX (clotrimazole) MYCOSTATIN Tablets (nystatin) NIZORAL (ketoconazole)	Diagnosis of one of the following fungal infections: blastomycosis, coccidioidomycosis, histoplasmosis, chromomycosis, or paracoccidioidomycosis and
	NOXAFIL (posaconazole) ONMEL (itraconazole) ORAVIG (miconazole)	2. Documented failure or intolerance of all other diagnosis- appropriate antifungal therapies, i.e. itraconazole, fluconazole, flucytosine, etc and
	SPORANOX (itraconazole) VFEND (voriconazole)	3. Baseline assessment of the liver status including alanine aminotransferase (ALT), aspartate aminotransferase (AST),
	voriconazole suspension voriconazole tablets	total bilirubin, alkaline phosphatase, prothrombin time, and international normalized ratio (INR) before starting treatment and
		Weekly monitoring of serum ALT for the duration of treatment (If ALT values increase to a level above the upper



EFFECTIVE 04/01/2018 Version 2018.2f

	THERAPEUTIC DRUG CL	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		limit of normal or 30% above baseline, or if the patient develops symptoms of abnormal liver function, treatment should be interrupted and a full set of liver tests be obtained. Liver tests should be repeated to ensure normalization of values.) and 5. Assessment of all concomitant medications for potential adverse drug interactions with ketoconazole. Ketoconazole will not be authorized for treatment for fungal infections of the skin and nails.
ANTIFUNGALS, TOPICALAP		
CLASS PA CRITERIA: Non-preferred agents		d agents in the same subclass before they will be approved, unless urteen (14) day trial of one (1) preferred product (i.e. ketoconazole
onampoo, io roquirou.	ANTIFUNGALS	
econazole ketoconazole cream, shampoo MENTAX (butenafine) miconazole (OTC) nystatin	CICLODAN (ciclopirox) ciclopirox ERTACZO (sertaconazole) EXELDERM (sulconazole) EXTINA (ketoconazole) JUBLIA (efinaconazole) ketoconazole foam KERYDIN (tavaborole) KETODAN (ketoconazole) LOPROX (ciclopirox) LUZU (luliconazole) MYCOSTATIN (nystatin) NAFTIN CREAM (naftifine) NAFTIN GEL (naftifine) NIZORAL (ketoconazole) OXISTAT (oxiconazole)* PEDIPIROX-4 (ciclopirox) PENLAC (ciclopirox) VUSION (miconazole/petrolatum/zinc oxide) XOLEGEL (ketoconazole)	*Oxistat cream will be authorized for children up to thirteen (13) years of age for tinea corporis, tinea cruris, tinea pedis, and tinea (pityriasis) versicolor.
	ANTIFUNGAL/STEROID COMBINA	TIONS
clotrimazole/betamethasone	KETOCON PLUS (ketoconazole/hydrocortisone) LOTRISONE (clotrimazole/betamethasone) nystatin/triamcinolone	



PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA
This is not an all-inclusive list of available covered drugs and includes only

managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 04/01/2018 Version 2018.2f

THERAPEUTIC DRUG CLASS				
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA		
	ANTIHEMOPHILIA FACTOR AGENTS ^{CL} CLASS PA CRITERIA: All agents will require prior-authorization, and non-preferred agents require medical reasoning explaining why the need cannot be met using preferred product.			
All currently established regimens shall be gra	andfathered with documentation of adherence to therap	ov.		
	FACTOR VIII			
ALPHANATE HEMOFIL M HUMATE-P KOATE KOATE-DVI MONOCLATE-P NOVOEIGHT WILATE XYNTHA XYNTHA SOLOFUSE	ADVATE ADYNOVATE ELOCTATE KOGENATE FS KOVALTRY NUWIQ RECOMBINATE VONVENDI			
	FACTOR IX			
ALPHANINE SD BEBULIN BENEFIX IXINITY MONONINE PROFILNINE RIXUBIS	ALPROLIX IDELVION			
ANTIHYPERTENSIVES, SYMPATHOLYTICS				
	s require thirty (30) day trials of each preferred unique	chemical entity in the corresponding formulation before they will be		
CATAPRES-TTS (clonidine) clonidine tablets	CATAPRES TABLETS (clonidine) clonidine patch NEXICLON XR (clonidine)			
ANTIHYPERURICEMICS				
	s require a thirty (30) day trial of one (1) of the preferre inol) before they will be approved, unless one (1) of the			
	ANTIMITOTICS			
colchicine capsules*	colchicine tablets COLCRYS (colchicine) MITIGARE (colchicine)	*In the case of acute gouty attacks, a ten (10) day supply (twenty (20) capsules) of colchicine will be authorized per ninety (90) days.		



EFFECTIVE 04/01/2018 Version 2018.2f

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	ANTIMITOTIC-URICOSURIC COMBIN	ATION	
colchicine/probenecid			
	URICOSURIC		
probenecid	ZURAMPIC (lesinurad)*	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.	
	XANTHINE OXIDASE INHIBITOR	S	
allopurinol	ULORIC (febuxostat) ZYLOPRIM (allopurinol)		
	URICOSURIC – XANTHINE OXIDASE IN	HIBITORS	
	DUZALLO (allopurinol/lesinurad) ^{NR}	Non-preferred agents will only be approved on appeal.	
ANTIMIGRAINE AGENTS, OTHERAP			
	CLASS PA CRITERIA: Non-preferred agents require three (3) day trials of each unique chemical entity of the preferred Antimigraine Triptan Agents before they will be approved, unless one (1) of the exceptions on the PA form is present.		
	CAMBIA (diclofenac)		
ANTIMIGRAINE AGENTS, TRIPTAN	SAP		
CLASS PA CRITERIA: Non-preferred agents re exceptions on the PA form is present.	quire three (3) day trials of each preferred unique	chemical entity before they will be approved, unless one (1) of the	
	TRIPTANS		
naratriptan rizatriptan ODT rizatriptan tablet sumatriptan injection ^{CL} sumatriptan nasal spray sumatriptan tablets	almotriptan AMERGE (naratriptan) AXERT (almotriptan) eletriptan FROVA (frovatriptan) frovatriptan IMITREX INJECTION (sumatriptan) ^{CL} IMITREX NASAL SPRAY (sumatriptan) IMITREX tablets (sumatriptan) MAXALT MLT (rizatriptan) MAXALT (rizatriptan) ONZETRA XSAIL (sumatriptan)* RELPAX (eletriptan) SUMAVEL (sumatriptan) ZECUITY PATCH (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan) zolmitriptan	*In addition to the Class Criteria: Onzetra Xsail requires three (3) day trials of each preferred oral, nasal and injectable forms of sumatriptan.	



EFFECTIVE 04/01/2018 Version 2018.2f

	THERAPEUTIC DRUG CLA	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	zolmitriptan ODT ZOMIG (zolmitriptan) ZOMIG ZMT (zolmitriptan)	
	TRIPTAN COMBINATIONS TREXIMET (sumatriptan/naproxen sodium)	
ANTIPARASITICS, TOPICALAP	TREATMET (Surfatilptati/Haproxett Souluiti)	
•		and weight appropriate) before they will be approved, unless one
NATROBA (spinosad) permethrin 5% cream permethrin 1% lotion (OTC) pyrethrins-piperonyl butoxide OTC SKLICE (ivermectin)	EURAX (crotamiton) LICE EGG REMOVER OTC (benzalkonium chloride) lindane malathion OVIDE (malathion) spinosad	
ANTIPARKINSON'S AGENTS		
CLASS PA CRITERIA: Patients starting therapy a non-preferred agent will be authorized.	on drugs in this class must show a documented all	lergy to all preferred agents in the corresponding sub-class, before
	ANTICHOLINERGICS	
benztropine trihexyphenidyl	COGENTIN (benztropine)	
,, ,	COMT INHIBITORS	
	COMTAN (entacapone) entacapone TASMAR (tolcapone) DOPAMINE AGONISTS	COMT Inhibitor agents will only be approved as add-on therapy to a levodopa-containing regimen for treatment of documented motor complications.
pramipexole	MIRAPEX (pramipexole)	*Mirapex ER and Requip XL will be authorized for a diagnosis of
ropinirole	MIRAPEX ER (pramipexole)* NEUPRO (rotigotine) pramipexole ER REQUIP (ropinirole) REQUIP XL (ropinirole)* ropinirole ER	Parkinsonism without a trial of preferred agents.
, I' AAD	OTHER ANTIPARKINSON'S AGEN	
amantadine*AP bromocriptine carbidopa/levodopa levodopa/carbidopa/entacapone selegiline	AZILECT (rasagiline) carbidopa ELDEPRYL (selegiline) levodopa/carbidopa ODT LODOSYN (carbidopa) PARCOPA (levodopa/carbidopa)	*Amantadine will not be authorized for the treatment or prophylaxis of influenza.



EFFECTIVE 04/01/2018 Version 2018.2f

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS				
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA		
	PARLODEL (bromocriptine) rasagiline RYTARY (levodopa/carbidopa) SINEMET (levodopa/carbidopa) STALEVO (levodopa/carbidopa/entacapone) XADAGO (safinamide) ZELAPAR (selegiline)			
ANTIPSORIATICS, TOPICAL				
CLASS PA CRITERIA: Non-preferred agents req the exceptions on the PA form is present.	uire thirty (30) day trials of two (2) preferred uniqu	e chemical entities before they will be approved, unless one (1) of		
TACLONEX OINT (calcipotriene/ betamethasone) TAZORAC (tazarotene) VECTICAL (calcitriol)	calcipotriene cream calcipotriene ointment calcipotriene solution calcipotriene/betamethasone ointment CALCITRENE (calcipotriene) calcitriol DOVONEX (calcipotriene) ENSTILAR (calcipotriene/betamethasone) SORILUX (calcipotriene) tazarotene cream (tazarotene)			

ANTIPSYCHOTICS, ATYPICAL

CLASS PA CRITERIA: All antipsychotic agents require prior authorization for children up to eighteen (18) years of age. All PA requests for antipsychotics for children 6 years of age and younger will be reviewed by Medicaid's consultant psychiatrist.

Non-preferred agents require fourteen (14) day trials of three (3) preferred agents, including the generic formulation of the requested agent (if available), before they will be approved unless one (1) of the exceptions on the PA form is present.

Upon discharge, a hospitalized patient stabilized on a non-preferred agent may receive authorization to continue this drug for labeled indications and at FDA recommended dosages. For off-label indications or dosages, a thirty (30) day prior-authorization shall be granted pending BMS review.

SINGLE INGREDIENT		
ABILIFY MAINTENA (aripiprazole) ^{CL}	ABILIFY TABLETS (aripiprazole)	In addition to class criteria:
aripiprazole tablets & oral solution	ADASUVE (loxapine)	
ARISTADA (aripiprazole) ^{CL}	aripiprazole discmelt	*Invega Trinza will be authorized after four months' treatment
clozapine	clozapine ODT	with Invega Sustenna
INVEGA SUSTENNA (paliperidone) ^{CL}	CLOZARIL (clozapine)	-
INVEGA TRINZA (paliperidone)* CL	FANAPT (iloperidone)	**Quetiapine 25 mg will be authorized:
olanzapine	FAZACLO (clozapine)	 For a diagnosis of schizophrenia or
olanzapine ODT	GEODON (ziprasidone)	For a diagnosis of bipolar disorder or
quetiapine** AP for the 25 mg Tablet Only	GEODON IM (ziprasidone)	3. When prescribed concurrently with other strengths of
quetiapine ER	INVEGA ER (paliperidone)	Seroquel in order to achieve therapeutic treatment
RISPERDAL CONSTA (risperidone) ^{CL}	LATUDA (lurasidone)*** AP	levels.



EFFECTIVE 04/01/2018 Version 2018.2f

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
risperidone ziprasidone	NUPLAZID (pimavanserin) **** olanzapine IM ^{CL} paliperidone ER REXULTI (brexipiprazole) RISPERDAL (risperidone) SAPHRIS (asenapine) SEROQUEL (quetiapine) SEROQUEL XR (quetiapine) VERSACLOZ (clozapine) VRAYLAR (capriprazine) VRAYLAR DOSE PAK (capriprazine) ZYPREXA (olanzapine) ZYPREXA IM (olanzapine) CL ZYPREXA RELPREVV (olanzapine)	Quetiapine 25 mg will not be authorized for use as a sedative hypnotic. ***For the indication of bipolar depression only, prior authorization of Latuda requires a 14-day trial of either quetiapine OR a combination of olanzapine + fluoxetine. All other indications follow class criteria. Patients already stabilized on Latuda shall be grandfathered. ****Nuplazid will only be authorized for the treatment of Parkinson Disease Induced Psychosis after documented treatment failure with quetiapine.
	ATYPICAL ANTIPSYCHOTIC/SSRI COMB	INATIONS
	olanzapine/fluoxetine SYMBYAX (olanzapine/fluoxetine)	

ANTIRETROVIRALS

CLASS PA CRITERIA: Non-preferred drugs require medical reasoning beyond convenience or enhanced compliance as to why the clinical need cannot be met with a preferred agent or combination of preferred agents. <u>NOTE</u>: Regimens consisting of preferred agents will result in no more than one additional unit per day over equivalent regimens composed of non-preferred agents. Patients already on a non-preferred regimen shall be grandfathered.

INTEGRASE STRAND TRANSFER INHIBITORS ISENTRESS (raltegravir potassium) TIVICAY (dolutegravir sodium) VITEKTA (elvitegravir) **NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITORS (NRTI)** abacavir sulfate tablet abacavir sulfate solution^{NR} didanosine DR capsule **EPIVIR TABLET (lamivudine)** EMTRIVA (emtricitabine) RETROVIR (zidovudine) **EPIVIR SOLUTION (lamivudine)** VIDEX EC (didanosine) lamivudine ZERIT (stavudine) stavudine ZIAGEN TABLET (abacavir sulfate) VIDEX SOLUTION (didanosine) VIREAD (tenofovir disoproxil fumarate) ZIAGEN SOLUTION (abacavir sulfate) zidovudine NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITOR (NNRTI) EDURANT (rilpivirine) INTELENCE (etravirine) SUSTIVA (efavirenz) nevirapine nevirapine ER



EFFECTIVE 04/01/2018 Version 2018.2f

	THERAPEUTIC DRUG CLASS	
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	RESCRIPTOR (delavirdine mesylate)	
	VIRAMUNE ER 24H (nevirapine)	
	VIRAMUNE SUSPENSION (nevirapine)	
	PHARMACOENHANCER – CYTOCHROME P450	INHIBITOR
TYBOST (cobicistat)		
	PROTEASE INHIBITORS (PEPTIDIC)	
EVOTAZ (atazanavir/cobicistat)	CRIXIVAN (indinavir)	
NORVIR (ritonavir)	INVIRASE (saquinavir mesylate)	
REYATAŽ (atazanavir)	LEXIVA (fosamprenavir)	
	VIRACEPT (nelfinavir mesylate)	
DDEZIOTA (I	PROTEASE INHIBITORS (NON-PEPTIDI	C)
PREZISTA (darunavir ethanolate)	APTIVUS (tipranavir)	
	PREZCOBIX (darunavir/cobicistat) ENTRY INHIBITORS – CCR5 CO-RECEPTOR ANT	'A CONICTO
		AGUNIS15
	SELZENTRY (maraviroc) ENTRY INHIBITORS – FUSION INHIBITO	De
	FUZEON (enfuvirtide)	NO .
	COMBINATION PRODUCTS - NRTIs	
EPZICOM (abacavir/lamivudine)	abacavir/lamivudine ^{NR}	
lamivudine/zidovudine	abacavir/lamivudine/zidovudine	
	COMBIVIR (lamivudine/zidovudine)	
	TRIZIVIR (abacavir/lamivudine/zidovudine)	
	BINATION PRODUCTS - NUCLEOSIDE & NUCLEOT	TIDE ANALOG RTIS
DESCOVY (emtricitabine/tenofovir)		
TRUVADA (emtricitabine/tenofovir)	RODUCTS – NUCLEOSIDE & NUCLEOTIDE ANALO	GS & INTEGRASE INHIBITORS
GENVOYA	STRIBILD	*Stribild requires medical reasoning beyond convenience or
(elvitegravir/cobicistat/emtricitabine/tenofovir)	(elvitegravir/cobicistat/emtricitabine/tenofovir)* TRIUMEQ (abacavir/lamivudine/ dolutegravir)**	enhanced compliance as to why the medical need cannot be met with the the preferred agent Genvoya.
		**Tai.usaa usaujus usadisel usaasujus kausud saasaissa
		**Triumeq requires medical reasoning beyond convenience or enhanced compliance as to why the medical need cannot
		be met with the preferred agents Epzicom and Tivicay.
		22 and prototion against Epitionia and Tiviouy.
	RODUCTS - NUCLEOSIDE & NUCLEOTIDE ANALO	
ATRIPLA (efavirenz/emtricitabine/tenofovir) ODEFSEY (emtricitabine/rilpivirine/tenofovir)	COMPLERA (emtricitabine/rilpivirine/tenofovir)*	*Complera requires medical reasoning beyond convenience or enhanced compliance as to why the medical need cannot be met with the preferred agents Truvada and Edurant.
	COMBINATION PRODUCTS - PROTEASE INH	IBITORS
KALETRA (lopinavir/ritonavir)	lopinavir/ritonavir	



EFFECTIVE 04/01/2018 Version 2018.2f

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIVIRALS, ORAL		
CLASS PA CRITERIA: Non-preferred agents red the exceptions on the PA form is present.	quire five (5) day trials of each preferred agent in the	e same sub-class before they will be approved, unless one (1) of
	ANTI HERPES	
acyclovir valacyclovir	famciclovir FAMVIR (famciclovir) SITAVIG (acyclovir) VALTREX ZOVIRAX (acyclovir)	
	ANTI-INFLUENZA	
RELENZA (zanamivir) TAMIFLU (oseltamivir)	FLUMADINE (rimantadine) oseltamivir rimantadine	In addition to the Class Criteria: The anti-influenza agents will be authorized only for a diagnosis of influenza.
ANTIVIRALS, TOPICALAP		
·	quire a five (5) day trial of the preferred agent befor	e they will be approved, unless one (1) of the exceptions on the PA
ZOVIRAX CREAM (acyclovir)	ABREVA (docosanol) acyclovir ointment DENAVIR (penciclovir) ZOVIRAX OINTMENT (acyclovir)	
BETA BLOCKERSAP	, <u>, , , , , , , , , , , , , , , , , , </u>	
	quire fourteen (14) day trials of three (3) chemically approved, unless one (1) of the exceptions on the	distinct preferred agents, including the generic formulation of the PA form is present.
	BETA BLOCKERS	
acebutolol atenolol betaxolol bisoprolol CORGARD (nadolol) metoprolol metoprolol ER pindolol propranolol sotalol timolol	BETAPACE (sotalol) BYSTOLIC (nebivolol) HEMANGEOL (propranolol)* INDERAL LA (propranolol) INDERAL XL (propranolol) INNOPRAN XL (propranolol) KERLONE (betaxolol) LEVATOL (penbutolol) LOPRESSOR (metoprolol) nadolol propranolol ER** SECTRAL (acebutolol) TENORMIN (atenolol) TOPROL XL (metoprolol) ZEBETA (bisoprolol)	*Hemangeol will be authorized for the treatment of proliferating infantile hemangioma requiring systemic therapy. **Propranolol ER shall be authorized for patients with a diagnosis of migraines. Existing users will be grandfathered for use in migraine prophylaxis.



EFFECTIVE 04/01/2018 Version 2018.2f

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	BETA BLOCKER/DIURETIC COMBINATION	ON DRUGS
atenolol/chlorthalidone bisoprolol/HCTZ metoprolol/HCTZ propranolol/HCTZ	CORZIDE (nadolol/bendroflumethiazide) DUTOPROL (metoprolol ER/HCTZ ER) LOPRESSOR HCT (metoprolol/HCTZ) metoprolol/HCTZ ER nadolol/bendroflumethiazide TENORETIC (atenolol/chlorthalidone) ZIAC (bisoprolol/HCTZ)	
	BETA- AND ALPHA-BLOCKERS	S
carvedilol labetalol	COREG (carvedilol) COREG CR (carvedilol) TRANDATE (labetalol)	
BLADDER RELAXANT PREPARAT		
CLASS PA CRITERIA: Non-preferred agents red exceptions on the PA form is present	quire thirty (30) day trials of each chemically distinc	et preferred agent before they will be approved, unless one (1) of the
oxybutynin IR oxybutynin ER TOVIAZ (fesoterodine)	DETROL (tolterodine) DETROL LA (tolterodine) DITROPAN XL (oxybutynin) ENABLEX (darifenacin) flavoxate GELNIQUE (oxybutynin) MYRBETRIQ (mirabegron) OXYTROL (oxybutynin) SANCTURA (trospium) SANCTURA XR (trospium) tolterodine tolterodine ER trospium trospium ER VESICARE (solifenacin)	
BONE RESORPTION SUPPRESSIO	· · · · · · · · · · · · · · · · · · ·	
CLASS PA CRITERIA: See below for class crite	ria.	
	BISPHOSPHONATES	
alendronate tablets ibandronate	ACTONEL (risedronate) ACTONEL WITH CALCIUM (risedronate/ calcium) alendronate solution ATELVIA (risedronate) BINOSTO (alendronate) BONIVA (ibandronate)	Non-preferred agents require thirty (30) day trials of each preferred Bisphosphonate agent before they will be approved, unless one (1) of the exceptions on the PA form is present.



EFFECTIVE 04/01/2018 Version 2018.2f

	THERAPEUTIC DRUG CL	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	DIDRONEL (etidronate) etidronate FOSAMAX TABLETS (alendronate) FOSAMAX PLUS D (alendronate/vitamin D)	
	risedronate OTHER BONE RESORPTION SUPPRESSION ANI	D RELATED AGENTS
	calcitonin EVISTA (raloxifene)* FORTEO (teriparatide) FORTICAL (calcitonin) MIACALCIN (calcitonin) raloxifene* TYMLOS (abaloparatide)	Non-preferred agents require a thirty (30) day trial of a preferred Bisphosphonate agent before they will be approved, unless one (1) of the exceptions on the PA form is present. *Raloxifene generic will be authorized for postmenopausa women with osteoporosis or at high risk for invasive breast cancer.
BPH TREATMENTS		
	ts require thirty (30) day trials of at least two (2) chemically will be approved, unless one (1) of the exceptions o	cally distinct preferred agents, including the generic formulation of n the PA form is present.
	5-ALPHA-REDUCTASE (5AR) INHIBITORS A	ND PDE-5 AGENTS
finasteride	AVODART (dutasteride) CIALIS 5 mg (tadalafil) dutasteride PROSCAR (finasteride) ALPHA BLOCKERS	
alfuzosin	CARDURA (doxazosin)	
doxazosin tamsulosin terazosin	CARDURA XL (doxazosin) FLOMAX (tamsulosin) HYTRIN (terazosin) RAPAFLO (silodosin) UROXATRAL (alfuzosin)	
	5-ALPHA-REDUCTASE (5AR) INHIBITORS/ALPHA	
	dutasteride/tamsulosin JALYN (dutasteride/tamsulosin)	Substitute for Class Criteria : Concurrent thirty (30) day trials of dutasteride and tamsulosin are required before the non-preferred agent will be authorized.
BRONCHODILATORS, BETA AC	GONIST ^{AP}	
CLASS PA CRITERIA: Non-preferred agen the exceptions on the PA form is present.	ts require thirty (30) day trials of each chemically distil	nct preferred agent in their corresponding sub-class unless one (1) of
	INHALATION SOLUTION	
albuterol	BROVANA (arformoterol) levalbuterol	*Xopenex Inhalation Solution will be authorized for twelve (12) months for a diagnosis of asthma or COPD for patients on



EFFECTIVE 04/01/2018 Version 2018.2f

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	metaproterenol PERFOROMIST (formoterol) XOPENEX (levalbuterol)*	concurrent asthma controller therapy (either oral or inhaled) with documentation of failure on a trial of albuterol or documented intolerance of albuterol, or for concurrent diagnosis of heart disease.
	INHALERS, LONG-ACTING	
FORADIL (formoterol) SEREVENT (salmeterol)	ARCAPTA (indacaterol maleate) STRIVERDI RESPIMAT (olodaterol) INHALERS, SHORT-ACTING	
PROAIR HFA (albuterol) PROVENTIL HFA (albuterol)	MAXAIR (pirbuterol) PROAIR RESPICLICK (albuterol) VENTOLIN HFA (albuterol) XOPENEX HFA (levalbuterol)	
	ORAL	
albuterol ER albuterol IR terbutaline	metaproterenol VOSPIRE ER (albuterol)	
CALCIUM CHANNEL BLOCKERS		
CLASS PA CRITERIA: Non-preferred agents reunless one (1) of the exceptions on the PA form		nt within the corresponding sub-class before they will be approved,
	LONG-ACTING	
amlodipine diltiazem ER felodipine ER nifedipine ER verapamil ER	ADALAT CC (nifedipine) CALAN SR (verapamil) CARDENE SR (nicardipine) CARDIZEM CD, LA (diltiazem) COVERA-HS (verapamil) diltiazem LA DYNACIRC CR (isradipine) ISOPTIN SR (verapamil) MATZIM LA (diltiazem) nisoldipine NORVASC (amlodipine) PLENDIL (felodipine) PROCARDIA XL (nifedipine) SULAR (nisoldipine) TIAZAC (diltiazem) verapamil ER PM VERELAN/VERELAN PM (verapamil)	
diltiazem	CALAN (verapamil)	
verapamil	CARDIZEM (diltiazem) isradipine nicardipine	



EFFECTIVE 04/01/2018 Version 2018.2f

	THERAPEUTIC DRUG CLA	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	nifedipine nimodipine NIMOTOP (nimodipine) NYMALIZE SOLUTION (nimodipine) PROCARDIA (nifedipine)	
CEPHALOSPORINS AND RELAT	ED ANTIBIOTICSAP	
CLASS PA CRITERIA: Non-preferred agents one (1) of the exceptions on the PA form is pre-		the corresponding sub-class before they will be approved, unless
BETA L	ACTAMS AND BETA LACTAM/BETA-LACTAMASE	INHIBITOR COMBINATIONS
amoxicillin/clavulanate IR	amoxicillin/clavulanate ER AUGMENTIN (amoxicillin/clavulanate) AUGMENTIN XR (amoxicillin/clavulanate) MOXATAG (amoxicillin)	
	CEPHALOSPORINS	
cefaclor capsule cefadroxil capsule, tablet cefdinir cefuroxime tablet cephalexin capsule, suspension	CEDAX (ceftibuten) cefaclor suspension cefaclor ER tablet cefadroxil suspension cefditoren cefpodoxime cefprozil ceftibuten capsule, suspension CEFTIN (cefuroxime) cefuroxime suspension cephalexin tablet KEFLEX (cephalexin) OMNICEF (cefdinir) RANICLOR (cefaclor) SPECTRACEF (cefditoren) SUPRAX (cefixime)	
COPD AGENTS	,	
CLASS PA CRITERIA: Non-preferred agenunless one (1) of the exceptions on the PA for		nt from the corresponding sub-class before they will be approved,
	ANTICHOLINERGIC ^{AP}	
ipratropium nebulizer solution SPIRIVA (tiotropium)	ATROVENT HFA (ipratropium) INCRUSE ELLIPTA (umeclidinium) SEEBRI NEOHALER(glycopyrrolate) SPIRIVA RESPIMAT (tiotropium) TUDORZA (aclidinium)	



EFFECTIVE 04/01/2018 Version 2018.2f

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTICHOLINERGIC-BETA AGONIST COMBINATIONSAP		
albuterol/ipratropium nebulizer solution BEVESPI (glycopyrrolate/formoterol)	ANORO ELLIPTA (umeclidinium/vilanterol) COMBIVENT RESPIMAT (albuterol/ipratropium) DUONEB (albuterol/ipratropium) STIOLTO RESPIMAT (tiotropium/olodaterol)* UTIBRON (indacaterol/glycopyrrolate) PDE4 INHIBITOR	*In addition to the Class PA criteria, Stiolto Respimat requires a sixty (60) day trial of Anoro Ellipta.
	DALIRESP (roflumilast)*	*Daliresp will be authorized if the following criteria are met:
CYTOKINE & CAM ANTAGONISTS		1. Patient is forty (40) years of age or older and 2. Diagnosis of severe chronic obstructive pulmonary disease (COPD) associated with chronic bronchitis and multiple exacerbations requiring systemic glucocorticoids in the preceding six (6) months and 3. Concurrent therapy with an inhaled corticosteroid and long-acting bronchodilator and evidence of compliance and 4. No evidence of moderate to severe liver impairment (Child-Pugh Class B or C) and 5. No concurrent use with strong cytochrome P450 inducers (rifampicin, phenobarbital, carbamazepine or phenytoin)
		valuations and (4) of the augustions on the DA forms is present. For
FDA-approved indications, an additional ninety (90		rel unless one (1) of the exceptions on the PA form is present. For
	ANTI-TNFs	
ENBREL (etanercept)* HUMIRA (adalimumab)*	CIMZIA (certolizumab pegol) REMICADE (infliximab) RENFLEXIS (infliximab) SIMPONI subcutaneous (golimumab)	*Full PA criteria may be found on the <u>PA Criteria</u> page by clicking the hyperlink.
	OTHERS	
COSENTYX (secukinumab)	ACTEMRA subcutaneous (tocilizumab) ENTYVIO (vedolizumab) ^{NR} ILARIS (canakinumab) KEVZARA (sarilumab) KINERET (anakinra) ORENCIA subcutaneous (abatacept) OTEZLA (apremilast) SILIQ (brodalumab) STELARA subcutaneous (ustekinumab) TALTZ (ixekizumab)	*Cosentyx will be authorized for treatment of plaque psoriasis, psoriatic arthritis and ankylosing spondylitis only after inadequate response to a ninety (90) day trial of Humira.



EFFECTIVE 04/01/2018 Version 2018.2f

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THED ADELLTIC DOLLG CLASS

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	TREMFYA (guselkumab) XELJANZ (tofacitinib) XELJANZ XR (tofacitinib)	
EPINEPHRINE, SELF-INJECTED		
CLASS PA CRITERIA: A non-preferred agent ma understand the training for the preferred agent(s).	ay be authorized with documentation showing the p	patient's inability to follow the instructions, or the patient's failure to
epinephrine (labeler 49502 only)	ADRENACLICK (epinephrine) epinephrine (labeler 54505 and 00115) EPIPEN (epinephrine) EPIPEN JR (epinephrine)	
ERYTHROPOIESIS STIMULATING F	PROTEINSCL	
CLASS PA CRITERIA: Non-preferred agents red PA form is present.	quire a thirty (30) day trial of a preferred agent be	fore they will be approved, unless one (1) of the exceptions on the
EPOGEN (rHuEPO) PROCRIT (rHuEPO)	ARANESP (darbepoetin)	Erythropoiesis agents will be authorized if the following criteria are met: 1. Hemoglobin or Hematocrit less than 10/30 respectively. For renewal, hemoglobin or hematocrit levels greater than 12/36 will require dosage reduction or discontinuation. Exceptions will be considered on an individual basis after medical documentation is reviewed. (Lab oratory values must be dated within six (6) weeks of request.) and 2. Transferrin saturation ≥ 20%, ferritin levels ≥100 mg/ml, or on concurrent therapeutic iron therapy. (Laboratory values must be dated within three (3) weeks of request. For re-authorization, transferrin saturation or ferritin levels are not required if the patient has been responsive to the erythropoietin agent and 3. For HIV-infected patients, endogenous serum erythropoietin level must be ≤ 500mU/ml to initiate therapy and 4. No evidence of untreated GI bleeding, hemolysis, or Vitamin B-12, iron or folate deficiency.



EFFECTIVE 04/01/2018 Version 2018.2f

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
FLUOROQUINOLONES (Oral)AP		
CLASS PA CRITERIA: Non-preferred agents reform is present.	quire a five (5) day trial of a preferred agent before	e they will be approved, unless one (1) of the exceptions on the PA
CIPRO SUSPENSION (ciprofloxacin) ciprofloxacin levofloxacin tablet	AVELOX (moxifloxacin) CIPRO TABLETS (ciprofloxacin) CIPRO XR (ciprofloxacin) ciprofloxacin ER ciprofloxacin suspension FACTIVE (gemifloxacin) LEVAQUIN (levofloxacin) levofloxacin solution moxifloxacin NOROXIN (norfloxacin) ofloxacin	
GLUCOCORTICOIDS, INHALEDAP		
CLASS PA CRITERIA: Non-preferred agents receptions on the PA form is present.		e preferred agent before they will be approved, unless one (1) of the
	GLUCOCORTICOIDS	
FLOVENT DISKUS (fluticasone) FLOVENT HFA (fluticasone) PULMICORT FLEXHALER (budesonide) PULMICORT RESPULES (budesonide)* QVAR (beclomethasone)	AEROSPAN (flunisolide)** ALVESCO (ciclesonide) ARMONAIR RESPICLICK (fluticasone) ARNUITY ELLIPTA (fluticasone) ASMANEX HFA (mometasone) ASMANEX TWISTHALER (mometasone) budesonide	*Pulmicort Respules are only preferred for children up to nine (9) years of age. For patients nine (9) and older, prior authorization is required and will be approved only for a diagnosis of severe nasal polyps. **Aerospan will be authorized for children ages 6 through 11 years old without a trial of a preferred agent.
	QVAR REDIHALER (beclomethasone)NR	
	GLUCOCORTICOID/BRONCHODILATOR CO	
ADVAIR DISKUS (fluticasone/salmeterol) ADVAIR HFA (fluticasone/salmeterol) DULERA (mometasone/formoterol) SYMBICORT(budesonide/formoterol)	AIRDUO RESPICLICK (fluticasone/salmeterol) BREO ELLIPTA (fluticasone/vilanterol) fluticasone/salmeterol	Substitute for Class Criteria: For a diagnosis of COPD only, non-preferred agents require sixty (60) day trials of each chemically unique preferred agent in this sub-class before they will be authorized, unless one (1) of the exceptions on the PA form is present. NOTE: Agents without an FDA-approved indication for COPD do not need to be trialed.
GROWTH HORMONECL		
CLASS PA CRITERIA: Non-preferred agents recthe PA form is present.	quire three (3) month trials of each preferred ager	nt before they will be approved, unless one (1) of the exceptions on
GENOTROPIN (somatropin) NORDITROPIN (somatropin)	HUMATROPE (somatropin) INCRELEX (mecasermin)	Patients already on a non-preferred agent will receive authorization to continue therapy on that agent for the duration of



BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

EFFECTIVE 04/01/2018 Version 2018.2f

	THERAPEUTIC DRUG CL	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	NUTROPIN AQ (somatropin) OMNITROPE (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin) ZOMACTON (somatropin) ZORBTIVE (somatropin)	the existing PA.
H. PYLORI TREATMENT		
		ed components of the requested non-preferred agent and must be ey will be approved, unless one (1) of the exceptions on the PA form
Please use individual components: preferred PPI (omeprazole or pantoprazole) amoxicillin tetracycline metronidazole clarithromycin bismuth	HELIDAC (bismuth/metronidazole/tetracycline) lansoprazole/amoxicillin/clarithromycin OMECLAMOX-PAK (omeprazole/amoxicillin/clarithromycin) PREVPAC (lansoprazole/amoxicillin/clarithromycin) PYLERA (bismuth/metronidazole/tetracycline)	
HEPATITIS B TREATMENTS		
	equire ninety (90) day trials of each preferred agent	before they will be approved, unless one (1) of the exceptions on the
BARACLUDE (entecavir) lamivudine HBV	adefovir entecavir EPIVIR HBV (lamivudine) HEPSERA (adefovir) VEMLIDY (tenofovir alafenamide fumarate)	
HEPATITIS C TREATMENTSCL	,	
CLASS PA CRITERIA: For patients starting the require medical reasoning why a preferred regin		und on the PA Criteria page. Requests for non-preferred regimens
EPCLUSA (sofosbuvir/velpatasvir)* HARVONI (ledipasvir/sofosbuvir)* MAVYRET (pibrentasvir/glecaprevir)* ribavirin ZEPATIER (elbasvir/grazoprevir)*	COPEGUS (ribavirin) DAKLINZA (daclatasvir)* MODERIBA 400 mg, 600 mg MODERIBA DOSE PACK PEGASYS (pegylated interferon) PEG-INTRON (pegylated interferon) OLYSIO (simeprevir)* REBETOL (ribavirin) RIBASPHERE RIBAPAK (ribavirin) RIBASPHERE 400 mg, 600 mg (ribavirin) SOVALDI (sofosbuvir)*	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.



EFFECTIVE 04/01/2018 Version 2018.2f

	THERAPEUTIC DRUG CLA	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	TECHNIVIE (ombitasvir/paritaprevir/ritonavir)* VIEKIRA PAK (dasabuvir/ombitasvir/ paritaprevir/ritonavir)* VIEKIRA XR (dasabuvir/ombitasvir/ paritaprevir/ritonavir)* VOSEVI (sofosbuvir/velpatasvir/voxilaprevir)	
HYPERPARATHYROID AGENTSAP		
CLASS PA CRITERIA: Non-preferred agents re PA form is present.	equire thirty (30) day trials of each preferred agent b	before they will be approved, unless one (1) of the exceptions on the
doxercalciferol paricalcitol capsule	HECTOROL (doxercalciferol) paricalcitol injection RAYALDEE (calcifediol) SENSIPAR (cinacalcet) ZEMPLAR (paricalcitol)	
HYPOGLYCEMICS, BIGUANIDES		
CLASS PA CRITERIA: Non-preferred agents rexceptions on the PA form is present.	equire a ninety (90) day trial of a preferred agent of	f similar duration before they will be approved, unless one (1) of the
metformin ER (generic Glucophage XR)	FORTAMET (metformin ER) GLUCOPHAGE (metformin) GLUCOPHAGE XR (metformin ER) GLUMETZA (metformin ER)* metformin ER (generic Glumetza & Fortamet) RIOMET (metformin)	*Glumetza will be approved only after a 30-day trial of Fortamet.
HYPOGLYCEMICS, DPP-4 INHIBIT		
CLASS PA CRITERIA: Non-preferred agents	are available only on appeal.	
NOTE: DPP-4 inhibitors will NOT be approved	d in combination with a GLP-1 agonist.	
JANUMET (sitagliptin/metformin) JANUVIA (sitagliptin) JENTADUETO (linagliptin/metformin) TRADJENTA (linagliptin)	alogliptin alogliptin/metformin alogliptin/pioglitazone JANUMET XR (sitagliptin/metformin) JENTADUETO XR (linagliptin/metformin) KAZANO (alogliptin/metformin) KOMBIGLYZE XR (saxagliptin/metformin) NESINA (alogliptin) ONGLYZA (saxagliptin) OSENI (alogliptin/pioglitazone)	



BUREAU FOR MEDICAL SERVICES **WEST VIRGINIA MEDICAID**

managed categories. Refer to cover page for complete list of rules governing this PDL.

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 04/01/2018 **Version 2018.2f**

THERAPEUTIC DRUG CLASS

PREFERRED AGENTS **NON-PREFERRED AGENTS PA CRITERIA**

HYPOGLYCEMICS, GLP-1 AGONISTSCL

CLASS PA CRITERIA: Agents in this class will not be approved for patients with a starting A1C < 7%. Non-preferred agents are available only on appeal. Preferred agents in this class shall be approved in six (6) month intervals if the following criteria are met:

- Initial starts require a diagnosis of Type 2 Diabetes and an A1C taken within the last 30 days reflecting the patient's current and stabilized regimen. Current A1C must be $\leq 9\%$
- No agent in this class shall be approved except as add on therapy to a regimen consisting of at least one (1) other agent prescribed at the maximum tolerable dose for at least 90 days.
- Re-authorizations require continued maintenance on a regimen consisting of at least one (1) other agent at the maximum tolerable dose AND an A1C of ≤8%.

NOTE: GLP-1 agents will NOT be approved in combination with a DPP-4 inhibitor.

BYDUREON (exenatide) ADLYXIN (lixisenatide) BYETTA (exenatide) TANZEUM (albiglutide) VICTOZA (liraglutide) TRULICITY (dulaglutide)

HYPOGLYCEMICS, INSULIN AND RELATED AGENTS

CLASS PA CRITERIA: Non-preferred agents require a ninety (90) day trial of a pharmacokinetically similar agent before they will be approved, unless one (1) of the exceptions on the PA form is present.

Humulin pens and Humalog Mix pens will be authorized only for patients who cannot utilize vials due to impaired vision or dexterity.

HUMALOG (insulin lispro)

HUMALOG MIX VIALS (insulin lispro/lispro

protamine)

HUMULIN VIALS (insulin)

LANTUS (insulin glargine)

LEVEMIR (insulin detemir) NOVOLOG (insulin aspart)

NOVOLOG MIX (insulin aspart/aspart

protamine)

AFREZZA (insulin)CL

APIDRA (insulin alulisine)AP* BASAGLAR (insulin glargine)

HUMALOG JR KWIKPEN (insulin lispro) HUMALOG PEN/KWIKPEN (insulin lispro)

HUMALOG MIX PENS (insulin lispro/lispro protamine)

HUMULIN PENS (insulin)

NOVOLIN (insulin)

SOLIQUA (insulin glargine/lixisenatide)***

TOUJEO SOLOSTAR (insulin glargine)**

TRESIBA (insulin dealudec)**

XULTOPHY (insulin degludec/liraglutide)***

*Apidra will be authorized if the following criteria are met:

- 1. Patient is four (4) years of age or older; and
- 2. Patient is currently on a regimen including a longer acting or basal insulin, and
- 3. Patient has had a trial of a similar preferred agent, Novolog or Humalog, with documentation that the desired results were not achieved.

**Tresiba U-100 will be authorized only for patients with a 6month history of compliance on preferred long-acting insulin.

Tresiba U-200 and Toujeo Solostar will only be approved for patients with a 6-month history of compliance on preferred long-acting insulin who require once-daily doses of at least 60 units of insulin.

***Non-preferred insulin combination products require that the patient must already be established on the individual agents at doses not exceeding the maximum dose achievable with the



EFFECTIVE 04/01/2018 Version 2018.2f

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		combination product, and require medical reasoning beyond convenience or enhanced compliance as to why the clinical need cannot be met with a combination of preferred single-ingredient agents.
HYPOGLYCEMICS, MEGLITINIDI	ES	
CLASS PA CRITERIA: Non-preferred agent	· · · · · · · · · · · · · · · · · · ·	
	MEGLITINIDES	
nateglinide repaglinide	PRANDIN (repaglinide) STARLIX (nateglinide)	
	MEGLITINIDE COMBINATIONS	S
	PRANDIMET (repaglinide/metformin) repaglinide/metformin	
HYPOGLYCEMICS, MISCELLANI	EOUS AGENTS	
CLASS PA CRITERIA: Welchol will be authoragent.	rized for add-on therapy for type 2 diabetes when the	re is a previous history of a thirty (30) day trial of an oral diabetic
WELCHOL (colesevelam) ^{AP}	SYMLIN (pramlintide)*	*Symlin will be authorized with a history of bolus insulin utilization in the past ninety (90) days with no gaps in insulin therapy greater than thirty (30) days.
HYPOGLYCEMICS, SGLT2 INHIE	SITORS ^{CL}	
	s will not be approved for patients with a startir d in six (6) month intervals if the following criteria are	ng A1C < 7%. Non-preferred agents are available only on appeal. met.
Initial starts require a diagnosis of Type	2 Diabetes and an A1C taken within the last 30 days	reflecting the nationt's current and stabilized regimen. Current A1C

- Initial starts require a diagnosis of Type 2 Diabetes and an A1C taken within the last 30 days reflecting the patient's current and stabilized regimen. Current A1C must be ≤ 9%.
- No agent in this class shall be approved except as add on therapy to a regimen consisting of at least one (1) other agent prescribed at the maximum tolerable dose for at least 90 days.
- Re-authorizations require continued maintenance on a regimen consisting of at least one (1) other agent at the maximum tolerable dose AND an A1C of ≤8%.

	SGLT2 INHIBITORS		
FARXIGA (dapagliflozin) JARDIANCE (empagliflozin)	INVOKANA (canagliflozin)		
SGLT2 COMBINATIONS			
SYNJARDY (empagliflozin/metformin) SYNJARDY XR (empagliflozin/metformin)	GLYXAMBI (empagliflozin/linagliptin) INVOKAMET (canagliflozin/metformin) INVOKAMET XR (canagliflozin/metformin) XIGDUO XR (dapagliflozin/metformin)		



EFFECTIVE 04/01/2018 Version 2018.2f

	THERAPEUTIC DRUG CLA	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
HYPOGLYCEMICS, TZD		
CLASS PA CRITERIA: Non-preferred agents a	re available only on appeal.	
	THIAZOLIDINEDIONES	
pioglitazone	ACTOS (pioglitazone) AVANDIA (rosiglitazone)	
	TZD COMBINATIONS	
	ACTOPLUS MET (pioglitazone/ metformin) ACTOPLUS MET XR (pioglitazone/ metformin) AVANDAMET (rosiglitazone/metformin) AVANDARYL (rosiglitazone/glimepiride) DUETACT (pioglitazone/glimepiride) pioglitazone/glimepiride pioglitazone/ metformin	Patients are required to use the components of Actoplus Met and Duetact separately. Exceptions will be handled on a case-by-case basis.
IMMUNOMODULATORS, ATOPIC D	ERMATITIS	
CLASS PA CRITERIA: Non-preferred agents req	uire 6-week trials of a medium to high potency top	pical corticosteroid AND all preferred agents in this class unless one cluded with involvement of sensitive areas such as the face and skin
ELIDEL (pimecrolimus) EUCRISA (crisaborole) ^{AP*}	DUPIXENT (dupilumab) PROTOPIC (tacrolimus)** tacrolimus ointment	*Eucrisa requires a 6-week trial of Elidel OR a medium to high potency corticosteroid unless contraindicated. **Protopic brand is preferred over its generic equiviliant.
IMMUNOMODULATORS, GENITAL	 WARTS & ACTINIC KERATOSIS AG	BENTS
CLASS PA CRITERIA: Non-preferred agents red PA form is present.	uire thirty (30) day trials of each preferred agent b	efore they will be approved, unless one (1) of the exceptions on the
CONDYLOX GEL (podofilox) EFUDEX (fluorouracil) imiquimod	ALDARA (imiquimod) CARAC (fluorouracil) CONDYLOX SOLUTION (podofilox) diclofenac 3% gel fluorouracil 0.5% cream fluorouracil 5% cream podofilox SOLARAZE (diclofenac) TOLAK (fluorouracil 4% cream) VEREGEN (sinecatechins) ZYCLARA (imiquimod)*	*Zyclara will be authorized for a diagnosis of actinic keratosis.



EFFECTIVE 04/01/2018 Version 2018.2f

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
IMMUNOSUPPRESSIVES, ORAL		
CLASS PA CRITERIA: Non-preferred agents require a fourteen (14) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.		
azathioprine cyclosporine cyclosporine, modified mycophenolate mofetil sirolimus tacrolimus capsule	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) CELLCEPT (mycophenolate mofetil) ENVARSUS XR (tacrolimus) IMURAN (azathioprine) mycophenolic acid mycophenolic mofetil suspension MYFORTIC (mycophenolic acid) NEORAL (cyclosporine, modified) PROGRAF (tacrolimus) RAPAMUNE (sirolimus) SANDIMMUNE (cyclosporine) ZORTRESS (everolimus)	
INTRANASAL RHINITIS AGENTSAP		
CLASS PA CRITERIA: See below for individual sub-class criteria.		
ANTICHOLINERGICS		
ipratropium	ATROVENT(ipratropium)	Non-preferred agents require thirty (30) day trials of one (1) preferred nasal anti-cholinergic agent, AND one (1) preferred antihistamine AND one (1) preferred intranasal corticosteroid agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
ANTIHISTAMINES		
azelastine	ASTEPRO (azelastine) olopatadine PATANASE (olopatadine)	Non-preferred agents require thirty (30) day trials of one (1) preferred antihistamine AND one (1) preferred intranasal corticosteroid before they will be approved, unless one (1) of the exceptions on the PA form is present.
COMBINATIONS District (1) in the control of the co		
	DYMISTA (azelastine / fluticasone)	Dymista requires a concurrent thirty (30) day trial of each preferred component before it will be approved, unless one (1) of the exceptions on the PA form is present.
CORTICOSTEROIDS		
fluticasone propionate	BECONASE AQ (beclomethasone) budesonide FLONASE (fluticasone propionate) flunisolide mometasone NASACORT AQ (triamcinolone)	Non-preferred agents require thirty (30) day trials of the preferred agent in this sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present



EFFECTIVE 04/01/2018 Version 2018.2f

	THERAPEUTIC DRUG CLA	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	NASONEX (mometasone) OMNARIS (ciclesonide) QNASL HFA (beclomethasone) RHINOCORT AQUA (budesonide) triamcinolone VERAMYST (fluticasone furoate) ZETONNA (ciclesonide)	
IRRITABLE BOWEL SYNDROME/SI	HORT BOWEL SYNDROME/SELECT	TED GI AGENTS CL
CLASS PA CRITERIA: All agents are approvable	e only for patients age eighteen (18) and older. See	e below for additional sub-class criteria.
	CONSTIPATION	
AMITIZA (lubiprostone)* MOVANTIK (naloxegol)**	LINZESS (linaclotide)*** RELISTOR INJECTION (methylnaltrexone)*** RELISTOR TABLET (methylnaltrexone)**** TRULANCE (plecanatide)*****	All agents require documentation of the current diagnosis and evidence that the patient has failed to find relief with dietary modification and a fourteen (14) day trial of an osmotic laxative. In addition: * Amitiza is indicated for CIC, IBS-C and OIC. Approval for the diagnosis of OIC requires a concurrent and continuous 90-day history of opioid claims on record. ** Movantik will be approved per the FDA-approved label for OIC with a concurrent and continuous 90-day history of opioid claims on record. *** Linzess is indicated for CIC and IBS-C and requires a thirty (30) day trial of Amitiza. **** Relistor is indicated for OIC and requires thirty (30) day trials of both Movantik and Amitiza. ***** Trulance is indicated for CIC and IBS-C and requires a thirty (30) day trial of Amitiza.
	DIARRHEA	
	alosetron* MYTESI (crofelemer)* LOTRONEX (alosetron)* VIBERZI (eluxadoline)*	* Full PA criteria may be found on the <u>PA Criteria</u> page by clicking the hyperlink.
LAXATIVES AND CATHARTICS		
CLASS PA CRITERIA: Non-preferred agents rec PA form is present	uire thirty (30) day trials of each preferred agent b	efore they will be approved, unless one (1) of the exceptions on the
COLYTE GOLYTELY NULYTELY	HALFLYTELY-BISACODYL KIT MOVIPREP OSMOPREP	



EFFECTIVE 04/01/2018 Version 2018.2f

	THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
peg 3350	PREPOPIK SUPREP		
LEUKOTRIENE MODIFIERS			
CLASS PA CRITERIA: Non-preferred agents re PA form is present.	equire thirty (30) day trials of each preferred agent b	before they will be approved, unless one (1) of the exceptions on the	
montelukast zafirlukast	ACCOLATE (zafirlukast) SINGULAIR (montelukast) zileuton ZYFLO (zileuton)		
LIPOTROPICS, OTHER (Non-statis	· · · · · · · · · · · · · · · · · · ·		
CLASS PA CRITERIA: Non-preferred agents re PA form is present.	equire a twelve (12) week trial of a preferred agent l	before they will be approved, unless one (1) of the exceptions on the	
	BILE ACID SEQUESTRANTS ^{AI}		
cholestyramine colestipol tablets	COLESTID (colestipol) colestipol granules KYNAMRO (mipomersen)* QUESTRAN (cholestyramine) WELCHOL (colesevelam)**	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink. **Welchol will be authorized for add-on therapy for type 2 diabetes when there is a previous history of a thirty (30) day trial of an oral agent (metformin, sulfonylurea or thiazolidinedione (TZD)). See HYPOGLYCEMICS, MISCELLANEOUS.	
	CHOLESTEROL ABSORPTION INHIE		
ZETIA (ezetimibe) AP	ezetimibe	Zetia will be authorized with prior use of a HMG-CoA reductase inhibitor within the previous six (6) months.	
	FATTY ACIDS ^{AP}		
	LOVAZA (omega-3-acid ethyl esters) omega-3 acid ethyl esters VASCEPA (icosapent ethyl)	These agents shall only be authorized when the patient has an initial triglyceride level ≥ 500 mg/dL and has had inadequate response or intolerance to trials of BOTH a nicotinic acid and a fibrate, unless otherwise contraindicated.	
	FIBRIC ACID DERIVATIVES ^{AP}		
fenofibrate 40 mg fenofibrate 54, 150 and 160 mg fenofibrate micronized 67mg, 134mg & 200mg fenofibrate nanocrystallized 48 mg, 145 mg gemfibrozil	ANTARA (fenofibrate) FENOGLIDE (fenofibrate) FIBRICOR (fenofibric acid) fenofibrate 43, 50, 120 and 130 mg fenofibric acid LIPOFEN (fenofibrate) LOFIBRA (fenofibrate) LOPID (gemfibrozil) TRICOR (fenofibrate nanocrystallized) TRIGLIDE (fenofibric acid)		



EFFECTIVE 04/01/2018 Version 2018.2f

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	MTP INHIBITORS	
	JUXTAPID (lomitapide)*	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
	NIACIN	clicking the hypermine.
niacin NIACOR (niacin) NIASPAN (niacin)	niacin ER	
	PCSK-9 INHIBITORS	
	PRALUENT (alirocumab)* REPATHA (evolocumab)*	*Full PA criteria may be found on the <u>PA Criteria</u> page by clicking the hyperlink.
LIPOTROPICS, STATINS ^{AP}		
CLASS PA CRITERIA: See below for individual s	sub-class criteria.	
	STATINS	
atorvastatin lovastatin pravastatin rosuvastatin simvastatin*	ALTOPREV (lovastatin) CRESTOR (rosuvastatin) fluvastatin fluvastatin ER LESCOL (fluvastatin) LESCOL XL (fluvastatin) LIPITOR (atorvastatin) LIVALO (pitavastatin) MEVACOR (lovastatin) PRAVACHOL (pravastatin) ZOCOR (simvastatin)*	Non-preferred agents require twelve (12) week trials of two (2) preferred agents, including the generic formulation of the requested non-preferred agent, before they will be approved, unless one (1) of the exceptions on the PA form is present. *Zocor/simvastatin 80mg tablets will require a clinical PA.
	STATIN COMBINATIONS	
	ADVICOR (lovastatin/niacin) amlodipine/atorvastatin CADUET (atorvastatin/amlodipine) ezetimibe/simvastatin LIPTRUZET (atorvastatin/ezetimibe) SIMCOR (simvastatin/niacin ER) VYTORIN (simvastatin/ezetimibe)*	Non-preferred agents require thirty (30) day concurrent trials of the corresponding preferred single agents before they will be approved, unless one (1) of the exceptions on the PA form is present. *Vytorin will be authorized only after an insufficient response to a twelve (12) week trial of the maximum tolerable dose of atorvastatin or rosuvastatin, unless one (1) of the exceptions on the PA form is present. Vytorin 80/10mg tablets will require a clinical PA.



EFFECTIVE 04/01/2018 Version 2018.2f

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
MACROLIDES			
CLASS PA CRITERIA: Non-preferred agents repaired pagents in present.	quire a five (5) day trial of each preferred agent be	efore they will be approved, unless one (1) of the exceptions on the	
	MACROLIDES		
azithromycin clarithromycin suspension erythromycin base	BIAXIN (clarithromycin) clarithromycin tablets clarithromycin ER E.E.S. (erythromycin ethylsuccinate) E-MYCIN (erythromycin) ERYC (erythromycin) ERYPED (erythromycin ethylsuccinate) ERY-TAB (erythromycin) ERYTHROCIN (erythromycin stearate) erythromycin estolate PCE (erythromycin) ZITHROMAX (azithromycin) ZMAX (azithromycin)		
MULTIPLE SCLEROSIS AGENTSCL			
CLASS PA CRITERIA: Non-preferred agents red sub-class before they will be approved, unless one	quire a diagnosis of multiple sclerosis and thirty (30 e (1) of the exceptions on the PA form is present.)) day trials of each chemically unique preferred agent in the same	
	INTERFERONS ^{AP}		
AVONEX (interferon beta-1a) AVONEX PEN (interferon beta-1a) BETASERON (interferon beta-1b)	EXTAVIA KIT (interferon beta-1b) EXTAVIA VIAL (interferon beta-1b) PLEGRIDY (peginterferon beta-1a) REBIF (interferon beta-1a) REBIF REBIDOSE (interferon beta-1a) NON-INTERFERONS		
COPAXONE 20 mg (glatiramer) GILENYA (fingolimod) *	AMPYRA (dalfampridine)** AUBAGIO (teriflunomide)*** COPAXONE 40 mg (glatiramer)**** GLATOPA (glatiramer) TECFIDERA (dimethyl fumarate)**** ZINBRYTA (daclizumab)	In addition to class PA criteria, the following conditions and criteria also apply: *Gilenya will be approved after a thirty (30) day trial of a preferred injectable agent. **Ampyra will be authorized if the following criteria are met: 1. Diagnosis of multiple sclerosis and 2. No history of seizures and 3. No evidence of moderate or severe renal impairment and 4. Initial prescription will be authorized for thirty (30) days only.	



EFFECTIVE 04/01/2018 Version 2018.2f

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		Aubagio will be authorized if the following criteria are met: 1. Diagnosis of relapsing multiple sclerosis and 2. Measurement of transaminase and bilirubin levels within the (6) months before initiation of therapy and ALT levels at least monthly for six (6) months after initiation of therapy and 3. Complete blood cell count (CBC) within six (6) months before initiation of therapy and 4. Female patients must have a negative pregnancy test before initiation of therapy and be established on a reliable method of contraception if appropriate and 5. Patient is from eighteen (18) up to sixty-five (65) years of age and 6. Negative tuberculin skin test before initiation of therapy *Copaxone 40mg will only be authorized for documented injection site issues. *****Tecfidera will be authorized if the following criteria are met: 1. Diagnosis of relapsing multiple sclerosis and 2. Complete blood count (CBC) within six (6) months of initiation of therapy and six (6) months after initiation and 3. Complete blood count (CBC) annually during therapy.
NEUROPATHIC PAIN		
CLASS PA CRITERIA: Non-preferred agents require one (1) of the exceptions on the PA form is present		ng dosage form (oral or topical) before they will be approved, unless
capsaicin OTC duloxetine gabapentin lidocaine patch	CYMBALTA (duloxetine) GRALISE (gabapentin)* HORIZANT (gabapentin) IRENKA (duloxetine) LIDODERM (lidocaine) LYRICA CAPSULE (pregabalin)** LYRICA SOLUTION (pregabalin)** NEURONTIN (gabapentin) QUTENZA (capsaicin) SAVELLA (milnacipran)*** ZOSTRIX OTC (capsaicin)	*Gralise will be authorized if the following criteria are met: 1. Diagnosis of post herpetic neuralgia and 2. Trial of a tricyclic antidepressant for a least thirty (30) days and 3. 90-day trial of gabapentin immediate release formulation (positive response without adequate duration) and 4. Request is for once daily dosing with 1800 mg maximum daily dosage. **Lyrica will be authorized only if the following criteria are met: 1. Diagnosis of seizure disorders or neuropathic pain associated with a spinal cord injury or 2. Diagnosis of fibromyalgia, postherpetic neuralgia, or diabetic neuropathy AND a history of a 90-day trial of duloxetine at the generally accepted maximum



EFFECTIVE 04/01/2018 Version 2018.2f

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		therapeutic dose of 60 mg/day AND a 90-day trial of gabapentin at a therapeutic dose range between 900 mg and 2,400 mg per day for ninety (90) days within the previous twenty-four (24) month period or an intolerance due to a potential adverse drug-drug interaction, drug-disease interaction, or intolerable side effect (In cases of renal impairment, doses may be adjusted based on the degree of impairment.)
		***Savella will be authorized for a diagnosis of fibromyalgia after a 90-day trial of one preferred agent.
NSAIDS ^{AP}		
CLASS PA CRITERIA: See below for sub-class I	PA criteria.	
	NON CELECTIVE	
" I ((ID OD)	NON-SELECTIVE	
diclofenac (IR, SR) flurbiprofen ibuprofen (Rx and OTC) INDOCIN SUSPENSION (indomethacin) indomethacin ketoprofen ketorolac meloxicam tablet nabumetone naproxen (Rx and OTC) piroxicam sulindac	ANAPROX (naproxen) ANSAID (flurbiprofen) CATAFLAM (diclofenac) CLINORIL (sulindac) DAYPRO (oxaprozin) diflunisal DUEXIS (famotidine/ibuprofen) etodolac IR etodolac SR FELDENE (piroxicam) fenoprofen INDOCIN SUPPOSITORIES (indomethacin) indomethacin ER ketoprofen ER LODINE (etodolac) meclofenamate mefenamic acid meloxicam suspension MOBIC TABLET (meloxicam) MOTRIN (ibuprofen) NALFON (fenoprofen) NAPRELAN (naproxen) NAPROSYN (naproxen) naproxen CR oxaprozin PONSTEL (meclofenamate) SPRIX (ketorolac)	Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.



EFFECTIVE 04/01/2018 Version 2018.2f

	THERAPEUTIC DRUG CLA	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	TIVORBEX (indomethacin) tolmetin VIVLODEX (meloxicam) VOLTAREN (diclofenac) ZIPSOR (diclofenac potassium) ZORVOLEX (diclofenac)	
	NSAID/GI PROTECTANT COMBINAT	
	ARTHROTEC (diclofenac/misoprostol) diclofenac/misoprostol VIMOVO (naproxen/esomeprazole)	Non-preferred agents are only available on appeal and require medical reasoning beyond convenience as to why the need cannot be met with the combination of preferred single agents.
	COX-II SELECTIVE	
	CELEBREX (celecoxib) celecoxib	COX-II Selective agents require thirty (30) day trials of each preferred Non-Selective Oral NSAID, UNLESS the following criteria are met: Patient has a history or risk of a serious GI complication; OR Agent is requested for treatment of a chronic condition and 1. Patient is seventy (70) years of age or older, or 2. Patient is currently on anticoagulation therapy.
	TOPICAL	
VOLTAREN GEL (diclofenac)*	diclofenac gel diclofenac solution FLECTOR PATCH (diclofenac)** PENNSAID (diclofenac)	*Voltaren Gel will be limited to 100 grams per month. Non-preferred agents require a thirty (30) day trial of the preferred Topical agent and thirty (30) day trials of each preferred oral NSAID before they will be approved, unless one (1) of the exceptions on the PA form is present. **Flector patches will only be authorized for a diagnosis of acute strain, sprain or injury after a five (5) day trial of one (1) of the preferred oral NSAIDs and for a maximum duration of fourteen (14) days unless one (1) of the exceptions on the PA form is present.
OPHTHALMIC ANTIBIOTICSAP		
	quire three (3) day trials of each preferred agent be	efore they will be approved, unless one (1) of the exceptions on the
bacitracin/polymyxin ointment ciprofloxacin* erythromycin gentamicin levofloxacin	AZASITE (azithromycin) bacitracin BLEPH-10 (sulfacetamide) BESIVANCE (besifloxacin)* CILOXAN (ciprofloxacin)	*Prior authorization of any fluoroquinolone agent requires three (3) day trials of all other preferred agents unless definitive laboratory cultures exist indicating the need to use a fluoroquinolone.



EFFECTIVE 04/01/2018 Version 2018.2f

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
neomycin/bacitracin/polymyxin ofloxacin* polymyxin/trimethoprim sulfacetamide drops tobramycin TOBREX OINT (tobramycin)	GARAMYCIN (gentamicin) gatifloxacin ILOTYCIN (erythromycin) MOXEZA (moxifloxacin)** moxifloxacin** NATACYN (natamycin) neomycin/polymyxin/gramicidin NEOSPORIN (neomycin/polymyxin/gramicidin) OCUFLOX (ofloxacin) POLYTRIM (polymyxin/trimethoprim) sulfacetamide ointment TOBREX (tobramycin) VIGAMOX (moxifloxacin) ** ZYMAR (gatifloxacin) ZYMAXID (gatifloxacin)	**Brand Vigamox will be preferred over Brand Moxeza, and both brands are preferred over their generic equivalent.	
OPHTHALMIC ANTIBIOTIC/STER	OID COMBINATIONS ^{AP}		
CLASS PA CRITERIA: Non-preferred agents PA form is present.	require three (3) day trials of each preferred agent be	efore they will be approved, unless one (1) of the exceptions on the	
BLEPHAMIDE (prednisolone/sulfacetamide) neomycin/polymyxin/dexamethasone sulfacetamide/prednisolone TOBRADEX OINTMENT (tobramycin/ dexamethasone) TOBRADEX SUSPENSION (tobramycin/ dexamethasone)	BLEPHAMIDE S.O.P. (prednisolone/ sulfacetamide) MAXITROL ointment (neomycin/polymyxin/ dexamethasone) MAXITROL suspension (neomycin/polymyxin/ dexamethasone) neomycin/bacitracin/polymyxin/ hydrocortisone neomycin/polymyxin/hydrocortisone PRED-G (prednisolone/gentamicin) TOBRADEX ST (tobramycin/ dexamethasone) tobramycin/dexamethasone suspension ZYLET (loteprednol/tobramycin)		
OPHTHALMICS FOR ALLERGIC	OPHTHALMICS FOR ALLERGIC CONJUNCTIVITISAP		
CLASS PA CRITERIA: Non-preferred agents of the exceptions on the PA form is present.	require thirty (30) day trials of three (3) preferred che	emically unique agents before they will be approved, unless one (1)	
ALAWAY (ketotifen) cromolyn ketotifen olopatadine (Sandoz brand labeler 61314) ZADITOR OTC (ketotifen)	ALAMAST (pemirolast) ALOCRIL (nedocromil) ALOMIDE (lodoxamide) ALREX (loteprednol) azelastine		



EFFECTIVE 04/01/2018 Version 2018.2f

	THERAPEUTIC DRUG CI	_ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	BEPREVE (bepotastine) CROLOM (cromolyn) ELESTAT (epinastine) EMADINE (emedastine) epinastine LASTACAFT (alcaftadine) olopatadine (all labelers except Sandoz) OPTICROM (cromolyn) OPTIVAR (azelastine) PATADAY (olopatadine) PATANOL (olopatadine) PAZEO (olopatadine)	
OPHTHALMICS, ANTI-INFLAMM	ATORIES- IMMUNOMODULATORS	
CLASS PA CRITERIA: See below for individ		
	RESTASIS (cyclosporine) XIIDRA (lifitegrast)	 The following prior authorization criteria apply to both Restasis and Xiidra: Patient must be sixteen (16) years of age or greater; AND Prior Authorization must be requested by an ophthalmologist or optometrist; AND Clinically diagnosed tear deficiency due to ocular inflammation in patients with keratoconjunctivitis sicca or dry eye syndrome (also known as dry eye); AND Patient must have a functioning lacrimal gland; AND Patient using artificial tears at least four (4) times a day over the last thirty (30) days; AND Patient must not have an active ocular infection
OPHTHALMICS, ANTI-INFLAM	MATORIES	
		referred agents before they will be approved, unless one (1) of the nism of action as the requested non-preferred agent.
dexamethasone diclofenac DUREZOL (difluprednate) fluorometholone flurbiprofen ketorolac prednisolone acetate prednisolone sodium phosphate	ACULAR (ketorolac) ACULAR LS (ketorolac) ACUVAIL (ketorolac tromethamine) BROMDAY (bromfenac) bromfenac BROMSITE (bromfenac) FLAREX (fluorometholone) FML (fluorometholone) FML FORTE (fluorometholone) FML S.O.P. (fluorometholone)	



EFFECTIVE 04/01/2018 Version 2018.2f

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ILEVRO (nepafenac) LOTEMAX DROPS, OINTMENT (loteprednol) LOTEMAX GEL (loteprednol) MAXIDEX (dexamethasone) NEVANAC (nepafenac) OMNIPRED (prednisolone) OZURDEX (dexamethasone) PRED FORTE (prednisolone) PRED MILD (prednisolone) PROLENSA (bromfenac) RETISERT (fluocinolone) TRIESENCE (triamcinolone) VEXOL (rimexolone) XIBROM (bromfenac)	
OPHTHALMICS, GLAUCOMA AGEN	ITS	
CLASS PA CRITERIA: Non-preferred agents will	only be authorized if there is an allergy to all prefe	rred agents in the corresponding sub-class.
	COMBINATION AGENTS	
COMBIGAN (brimonidine/timolol) dorzolamide/timolol SIMBRINZA (brinzolamide/brimonidine)	COSOPT (dorzolamide/timolol) COSOPT PF (dorzolamide/timolol)	
,	BETA BLOCKERS	
BETOPTIC S (betaxolol) carteolol levobunolol timolol drops	BETAGAN (levobunolol) betaxolol BETIMOL (timolol) ISTALOL (timolol) OPTIPRANOLOL (metipranolol) timolol gel TIMOPTIC (timolol)	
	CARBONIC ANHYDRASE INHIBITO	ORS
AZOPT (brinzolamide) orzolamide	TRUSOPT (dorzolamide)	
	PARASYMPATHOMIMETICS	
PHOSPHOLINE IODIDE (echothiophate iodide)	pilocarpine	
	PROSTAGLANDIN ANALOGS	
latanoprost TRAVATAN-Z (travoprost)	bimatoprost LUMIGAN (bimatoprost) RESCULA (unoprostone) travoprost XALATAN (latanoprost) ZIOPTAN (tafluprost)	



EFFECTIVE 04/01/2018 Version 2018.2f

	THERAPEUTIC DRUG CL	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	SYMPATHOMIMETICS	
brimonidine 0.2%	ALPHAGAN P 0.1% Solution (brimonidine) ALPHAGAN P 0.15% Solution (brimonidine) apraclonidine brimonidine 0.15% IOPIDINE (apraclonidine)	
OPIATE DEPENDENCE TREATMI	ENTS	
CLASS PA CRITERIA: Buprenorphine/naloxo See below for further criteria.		oved with a documented intolerance of or allergy to Suboxone strips.
Naloxone NARCAN NASAL SPRAY (naloxone) SUBOXONE FILM (buprenorphine/naloxone)* VIVITROL (naltrexone)	buprenorphine tablets buprenorphine/naloxone tablets BUNAVAIL (buprenorphine/naloxone) ZUBSOLV (buprenorphine/naloxone)	* Full PA criteria may be found on the <u>PA Criteria</u> page by clicking the hyperlink.VIVITROL no longer requires a PA.
OTIC ANTIBIOTICS ^{AP}		
CLASS PA CRITERIA: Non-preferred agents PA form is present.	require five (5) day trials of each preferred agent b	before they will be approved, unless one (1) of the exceptions on the
CIPRO HC (ciprofloxacin/hydrocortisone) CIPRODEX (ciprofloxacin/dexamethasone) COLY-MYCIN S (colistin/hydrocortisone/ neomycin/thonzonium bromide) ofloxacin	ciprofloxacin CORTISPORIN-TC (colistin/hydrocortisone/ neomycin) neomycin/polymyxin/HC solution/suspension OTIPRIO VIAL (ciprofloxacin) OTOVEL (ciprofloxacin/fluocinolone)	
PAH AGENTS – ENDOTHELIN RE	ECEPTOR ANTAGONISTSCL	
CLASS PA CRITERIA: Non-preferred agents PA form is present.	require a thirty (30) day trial of a preferred agent b	refore they will be approved, unless one (1) of the exceptions on the
LETAIRIS (ambrisentan) TRACLEER (bosentan)	OPSUMIT (macitentan)	
PAH AGENTS – GUANYLATE CY	CLASE STIMULATORCL	
CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of a preferred agent from any other PAH Class before they will be approved, unless one (1) of the exceptions on the PA form is present.		
	ADEMPAS (riociguat)	
		· · · · · · · · · · · · · · · · · · ·



managed categories. Refer to cover page for complete list of rules governing this PDL.

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA
This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 04/01/2018 Version 2018.2f

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PAH AGENTS - PDE5scl		
CLASS PA CRITERIA: Non-preferred agents re PA form is present. Patients stabilized on non-preferred agents will be		fore they will be approved, unless one (1) of the exceptions on the
sildenafil	ADCIRCA (tadalafil) REVATIO IV (sildenafil) REVATIO SUSPENSION (sildenafil) REVATIO TABLETS (sildenafil)	
PAH AGENTS - PROSTACYCLINS		
	equire a thirty (30) day trial of a preferred agent, ne (1) of the exceptions on the PA form is present.	including the preferred generic form of the non-preferred agent (if
epoprostenol VENTAVIS (iloprost)*	FLOLAN (epoprostenol) ORENITRAM ER (treprostinil) REMODULIN (treprostinil sodium) TYVASO (treprostinil) UPTRAVI (selexipag) VELETRI (epoprostenol)	*Ventavis will only be authorized for the treatment of pulmonary artery hypertension (WHO Group 1) in patients with NYHA Class III or IV symptoms.
PANCREATIC ENZYMESAP		
CLASS PA CRITERIA: Non-preferred agents re PA form is present. For members with cystic fibrosis, a trial of a prefe		fore they will be approved, unless one (1) of the exceptions on the
CREON ZENPEP	PANCREAZE PERTZYE ULTRESA VIOKACE	
PHOSPHATE BINDERSAP		
CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of at least two (2) preferred agents before they will be approved, unless one (1) of the exceptions on the PA form is present.		
calcium acetate MAGNEBIND RX (calcium carbonate, folic acid, magnesium carbonate) PHOSLYRA (calcium acetate) RENAGEL (sevelamer)	AURYXIA (ferric citrate) ELIPHOS (calcium acetate) FOSRENOL (lanthanum) PHOSLO (calcium acetate) RENVELA (sevelamer carbonate) sevelamer carbonate VELPHORO (sucroferric oxyhydroxide)	



PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA
This is not an all-inclusive list of available covered drugs and includes only

managed categories. Refer to cover page for complete list of rules governing this PDL.

THED ADELLTIC DOLLS OF ACC

EFFECTIVE 04/01/2018 Version 2018.2f

	THERAPEUTIC DRUG CLASS	
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA

PLATELET AGGREGATION INHIBITORS

CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.

AGGRENOX (dipyridamole/ASA)

BRILINTA (ticagrelor)

clopidogrel

EFFIENT (prasugrel)

dipyridamole

dipyridamole/aspirin DURLAZA ER (aspirin)

PERSANTINE (dipyridamole)

PLAVIX (clopidogrel) TICLID (ticlopidine)

ticlopidine

ZONTIVITY (vorapaxar)

PROGESTINS FOR CACHEXIA

CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.

megestrol MEGACE ES (megestrol)

PROGESTATIONAL AGENTS

CLASS PA CRITERIA: Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.

MAKENA (hydroxyprogesterone caproate)

PROTON PUMP INHIBITORSAP

CLASS PA CRITERIA: Non-preferred agents require sixty (60) day trials of both omeprazole (Rx) and pantoprazole at the maximum recommended dose*, inclusive of a concurrent thirty (30) day trial at the maximum dose of an H₂ antagonist before they will be approved, unless one (1) of the exceptions on the PA form is present.

omeprazole (Rx)
pantoprazole
PREVACID SOLLITARS (Jansoprazole

PREVACID SOLUTABS (lansoprazole)**

ACIPHEX (rabeprazole)

ACIPHEX SPRINKLE (rabeprazole)

DEXILANT (dexlansoprazole) esomeprazole magnesium esomeprazole strontium

lansoprazole Rx

NEXIUM (esomeprazole)

omeprazole/sodium bicarbonate (Rx) PREVACID CAPSULES (lansoprazole)

PRILOSEC Rx (omeprazole) PROTONIX (pantoprazole)

rabeprazole

ZEGERID Rx (omeprazole/sodium

bicarbonate)

*Maximum recommended doses of the PPIs and H2-receptor antagonists may be located at the BMS Pharmacy PA criteria page titled "Max PPI and H2RA" by clicking on the hyperlink.

**Prior authorization is required for Prevacid Solutabs for members nine (9) years of age or older.



EFFECTIVE 04/01/2018 Version 2018.2f

BENZODIAZEPINES DALMANE (flurazepam) DORAL (quazepam) estazolam flurazepam HALCION (triazolam) quazepam RESTORIL (temazepam) temazepam 7.5, 22.5 mg	PA CRITERIA BOTH sub-classes before they will be approved, unless one (1) of
BENZODIAZEPINES DALMANE (flurazepam) DORAL (quazepam) estazolam flurazepam HALCION (triazolam) quazepam RESTORIL (temazepam) temazepam 7.5, 22.5 mg	BOTH sub-classes before they will be approved, unless one (1) of
BENZODIAZEPINES DALMANE (flurazepam) DORAL (quazepam) estazolam flurazepam HALCION (triazolam) quazepam RESTORIL (temazepam) temazepam 7.5, 22.5 mg	SOTH sub-classes before they will be approved, unless one (1) of
DALMANE (flurazepam) DORAL (quazepam) estazolam flurazepam HALCION (triazolam) quazepam RESTORIL (temazepam) temazepam 7.5, 22.5 mg	
DORAL (quazepam) estazolam flurazepam HALCION (triazolam) quazepam RESTORIL (temazepam) temazepam 7.5, 22.5 mg	
triazolam	
OTHERS	
AMBIEN (zolpidem) AMBIEN CR (zolpidem) BELSOMRA (suvorexant) chloral hydrate EDLUAR (zolpidem) eszopiclone HETLIOZ (tasimelteon) ^{CL*} INTERMEZZO (zolpidem) LUNESTA (eszopiclone) ROZEREM (ramelteon) SILENOR (doxepin) SOMNOTE (chloral hydrate) SONATA (zaleplon) zaleplon zolpidem ER 6.25, 12.5 mg ZOLPIMIST (zolpidem)	Strengths of zolpidem that are non-preferred (6.25 and 12.5 mg) must be created by combining or splitting the preferred doses (5 and 10 mg) of zolpidem, if appropriate. For treatment naïve female patients, zolpidem and zolpidem ER maximum dosages will be limited to 5 mg and 6.25 mg respectively per day. *Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
b-class criteria.	
ACUTE MUSCULOSKELETAL RELAXANT	T AGENTS
AMRIX (cyclobenzaprine) carisoprodol* carisoprodol/ASA* carisoprodol/ASA/codeine* cyclobenzaprine FR	Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present, with the exception of carisoprodol. *Carisoprodol requires thirty (30) day trials of each of the
E H I L H S S S Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	eszopiclone HETLIOZ (tasimelteon) ^{CL*} NTERMEZZO (zolpidem) LUNESTA (eszopiclone) ROZEREM (ramelteon) BILENOR (doxepin) BOMNOTE (chloral hydrate) BONATA (zaleplon) Caleplon Colpidem ER 6.25, 12.5 mg ZOLPIMIST (zolpidem) D-class criteria. ACUTE MUSCULOSKELETAL RELAXANTA AMRIX (cyclobenzaprine) Carisoprodol* Carisoprodol/ASA*



EFFECTIVE 04/01/2018 Version 2018.2f

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA		
	FLEXERIL (cyclobenzaprine) LORZONE (chlorzoxazone) metaxalone orphenadrine orphenadrine/ASA/caffeine orphenadrine ER PARAFON FORTE (chlorzoxazone) ROBAXIN (methocarbamol) SKELAXIN (metaxalone)	will be approved.		
	SOMA (carisoprodol)			
M	USCULOSKELETAL RELAXANT AGENTS USED	FOR SPASTICITY		
baclofen tizanidine tablets	DANTRIUM (dantrolene) dantrolene tizanidine capsules ZANAFLEX (tizanidine)	Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.		
STEROIDS, TOPICAL				
	CLASS PA CRITERIA: Non-preferred agents require five (5) day trials of one (1) form of EACH preferred unique active ingredient in the corresponding potency group before they will be approved, unless one (1) of the exceptions on the PA form is present. VERY HIGH & HIGH POTENCY			
betamethasone dipropionate cream betamethasone valerate cream betamethasone valerate lotion betamethasone valerate oint clobetasol propionate cream/gel/ointment/solution clobetasol emollient CLODAN SHAMPOO (clobetasol propionate) fluocinonide gel triamcinolone acetonide cream, ointment triamcinolone acetonide lotion	amcinonide APEXICON (diflorasone diacetate) APEXICON E (diflorasone diacetate) betamethasone dipropionate gel, lotion, ointment clobetasol lotion, shampoo clobetasol propionate foam CLOBEX (clobetasol propionate) CLODAN KIT (clobetasol propionate) CORMAX (clobetasol propionate) desoximetasone cream/gel/ointment diflorasone diacetate DIPROLENE (betamethasone dipropionate/propylene glycol) DIPROLENE AF (betamethasone dipropionate/propylene glycol) DIPROSONE (betamethasone dipropionate) fluocinonide cream fluocinonide solution fluocinonide/emollient halcinonide			



EFFECTIVE 04/01/2018 Version 2018.2f

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	HALAC (halobetasol propionate) halobetasol propionate HALOG (halcinonide) HALONATE (halobetasol propionate) KENALOG (triamcinolone acetonide) LIDEX (fluocinonide) LIDEX-E (fluocinonide) OLUX (clobetasol propionate) OLUX-E (clobetasol propionate/emollient) PSORCON (diflorasone diacetate) SERNIVO SPRAY (betamethasone dipropionate) TEMOVATE (clobetasol propionate) TEMOVATE-E (clobetasol propionate/emollient) TOPICORT CREAM, GEL, OINTMENT (desoximetasone) TOPICORT SPRAY (desoximetasone) ULTRAVATE (halobetasol propionate / lactic acid) VANOS (fluocinonide)	
	MEDIUM POTENCY	
fluticasone propionate cream, ointment mometasone furoate triamcinolone acetonide 0.025% and 0.1% cream	ARISTOCORT (triamcinolone) BETA-VAL (betamethasone valerate) betamethasone valerate foam CLODERM (clocortolone pivalate) clocortolone cream CORDRAN/CORDRAN SP (flurandrenolide) CUTIVATE (fluticasone propionate) DERMATOP (prednicarbate) ELOCON (mometasone furoate) fluocinolone acetonide cream, ointment, solution fluticasone propionate lotion hydrocortisone butyrate cream hydrocortisone butyrate ointment, solution hydrocortisone butyrate ointment, solution hydrocortisone butyrate LOCOID (hydrocortisone butyrate) LOCOID LIPOCREAM (hydrocortisone butyrate/emollient) LUXIQ (betamethasone valerate)	



EFFECTIVE 04/01/2018 Version 2018.2f

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

PREFERRED AGENTS NON-PREFERRED AGENTS MOMEXIN (mometasone) PANDEL (hydrocortisone probutate) prednicarbate TOPICORT LP (desoximetasone) TRIDERM (triamcinolone acetonide) WESTCORT (hydrocortisone valerate) LOW POTENCY hydrocortisone acetate (Rx, OTC) hydrocortisone cream (Rx, OTC) hydrocortisone lotion OTC NON-PREFERRED AGENTS PA CRITERIA MOMEXIN (mometasone) PANDEL (hydrocortisone probutate) acetanical control of the		ASS	THERAPEUTIC DRUG CLASS	
PANDEL (hydrocortisone probutate) prednicarbate TOPICORT LP (desoximetasone) TRIDERM (triamcinolone acetonide) WESTCORT (hydrocortisone valerate) LOW POTENCY hydrocortisone acetate (Rx, OTC) hydrocortisone cream (Rx, OTC) hydrocortisone lotion OTC ACLOVATE (alclometasone dipropionate) alclometasone dipropionate hydrocortisone lotion OTC AQUA GLYCOLIC HC (hydrocortisone)	A	PA CRITERIA	NON-PREFERRED AGENTS	PREFERRED AGENTS
hydrocortisone acetate (Rx, OTC) hydrocortisone cream (Rx, OTC) hydrocortisone lotion OTC ACLOVATE (alclometasone dipropionate) alclometasone dipropionate AQUA GLYCOLIC HC (hydrocortisone)			PANDEL (hydrocortisone probutate) prednicarbate TOPICORT LP (desoximetasone) TRIDERM (triamcinolone acetonide) WESTCORT (hydrocortisone valerate)	
hydrocortisone cream (Rx, OTC) alclometasone dipropionate hydrocortisone lotion OTC AQUA GLYCOLIC HC (hydrocortisone)				
hydrocortisone ointment (Rx, OTC) hydrocortisone solution OTC hydrocortisone-aloe cream OTC hydrocortisone-aloe ointment OTC DESONATE (desonide) desonide cream, ointment desonide lotion DESOWEN (desonide) fluocinolone oil hydrocortisone/mineral oil/petrolatum hydrocortisone/mineral oil/petrolatum hydrocortisone/aloe gel LOKARA (desonide) PEDIADERM HC (hydrocortisone) SCALPICIN OTC (hydrocortisone) SCALPICIN OTC (hydrocortisone) SYNALAR (fluocinolone) TEXACORT (hydrocortisone) TRIDESILON CREAM (desonide) VERDESO (desonide)			alclometasone dipropionate AQUA GLYCOLIC HC (hydrocortisone) CAPEX (fluocinolone acetonide) DERMA-SMOOTHE FS (fluocinolone acetonide) DESONATE (desonide) desonide cream, ointment desonide lotion DESOWEN (desonide) fluocinolone oil hydrocortisone/mineral oil/petrolatum hydrocortisone acetate/urea hydrocortisone lotion hydrocortisone/aloe gel LOKARA (desonide) PEDIADERM HC (hydrocortisone) PEDIADERM TA (hydrocortisone) SCALPICIN OTC (hydrocortisone) SYNALAR (fluocinolone) TEXACORT (hydrocortisone) TRIDESILON CREAM (desonide)	hydrocortisone cream (Rx, OTC) hydrocortisone lotion OTC hydrocortisone ointment (Rx, OTC) hydrocortisone solution OTC hydrocortisone-aloe cream OTC

STIMULANTS AND RELATED AGENTS

CLASS PA CRITERIA: A PA is required for adults eighteen (18) years of age or older.

Non-preferred agents require a thirty (30) day trial of at least one preferred agent in the same subclass and with a similar duration of effect, unless one (1) of the exceptions on the PA form is present.

AMPHETAMINES		
ADZENYS XR ODT (amphetamine)	ADDERALL (amphetamine salt combination)	In addition to the Class Criteria: Thirty (30) day trials of at least
amphetamine salt combination IR	ADDERALL XR* (amphetamine salt	three (3) antidepressants are required before amphetamines will
dextroamphetamine ER	combination)	be authorized for depression.
dextroamphetamine IR	amphetamine salt combination ER	
PROCENTRA solution (dextroamphetamine)	DESOXYN (methamphetamine)	*Adderall XR is preferred over its generic equivalents.



EFFECTIVE 04/01/2018 Version 2018.2f

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
VYVANSE CHEWABLE (lisdexamfetamine) VYVANSE CAPSULE (lisdexamfetamine)	DEXEDRINE ER (dextroamphetamine) DEXEDRINE IR (dextroamphetamine) dextroamphetamine solution DYANAVEL XR SUSP (amphetamine) EVEKEO (amphetamine) methamphetamine MYDAYIS (dextroamphetamine/amphetamine salt)** ZENZEDI (dextroamphetamine)	**Mydayis requires a 30-day trial of at least one long-acting preferred agent in this subclass and a trial of Adderall XR.	
	NON-AMPHETAMINE		
APTENSIO XR (methylphenidate) armodafinil ^{CL} atomoxetine clonidine IR CONCERTA (methylphenidate) DAYTRANA (methylphenidate) dexmethylphenidate IR FOCALIN XR (dexmethylphenidate) guanfacine ER guanfacine IR METADATE CD (methylphenidate) discontinued by labeler methylphenidate ER (generic CONCERTA) METHYLIN SOLUTION (methylphenidate) methylphenidate IR modafinil ^{CL} QUILLICHEW ER (methylphenidate) QUILLIVANT XR (methylphenidate)	clonidine ER* COTEMPLA XR ODT (methylphenidate) ^{NR**} dexmethylphenidate XR FOCALIN IR (dexmethylphenidate) INTUNIV (guanfacine extended-release) KAPVAY (clonidine extended-release)* methylphenidate CD methylphenidate chewable tablets, solution methylphenidate ER methylphenidate LA NUVIGIL (armodafinil) PROVIGIL (modafinil) RITALIN (methylphenidate) RITALIN LA (methylphenidate) STRATTERA (atomoxetine)***	*Kapvay/clonidine ER will be authorized only after fourteen (14) day trials of at least one (1) preferred product from both the amphetamine and non-amphetamine class. These trials must include a fourteen (14) day trial of clonidine IR unless one (1) of the exceptions on the PA form is present. NOTE: In cases of a diagnosis of Tourette's syndrome, tics, autism or disorders included in the autism spectrum, Kapvay will only require a fourteen (14) day trial of clonidine IR for approval. ***Cotempla XR ODT requires a 30-day trial of all other preferred forms of long-acting methylphenidate. ***Strattera is limited to a maximum of 100 mg per day.	
TETRACYCLINES			
CLASS PA CRITERIA: Non-preferred agents require ten (10) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.			
doxycycline hyclate capsules doxycycline hyclate 50, 100 mg tablets doxycycline monohydrate 50, 100 mg capsules minocycline capsules tetracycline	ADOXA (doxycycline monohydrate) demeclocycline* DORYX (doxycycline hyclate) doxycycline hyclate 75, 150 mg tablets doxycycline hyclate tablet DR doxycycline monohydrate 40, 75, 150 mg capsule doxycycline monohydrate tablet doxycycline monohydrate suspension DYNACIN (minocycline)	*Demeclocycline will be authorized for conditions caused by susceptible strains of organisms designated in the product information supplied by the manufacturer. A C&S report must accompany this request. Demeclocycline will also be authorized for SIADH.	



EFFECTIVE 04/01/2018 Version 2018.2f

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	MINOCIN (minocycline)		
	minocycline ER capsules minocycline tablets		
	MONODOX (doxycycline monohydrate)		
	MORGIDOX KIT (doxycycline) ORACEA (doxycycline monohydrate)		
	SOLODYN (minocycline)		
	VIBRAMYCÍN CAPSULÉS, SUSPENSION, SYRUP (doxycycline)		
ULCERATIVE COLITIS AGENTSAP	Circli (dexyeyemic)		
CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of each preferred dosage form or chemical entity before the corresponding non-preferred agent of that dosage form or chemical entity will be approved, unless one (1) of the exceptions on the PA form is present.			
	ORAL		
APRISO (mesalamine) balsalazide	ASACOL HD (mesalamine) AZULFIDINE (sulfasalazine)		
sulfasalazine	COLAZAL (balsalazide)		
	DELZICOL (mesalamine)		
	DIPENTUM (olsalazine) GIAZO (balsalazide)		
	LIALDA (mesalamine)		
	mesalamine		
	PENTASA (mesalamine) 250 mg PENTASA (mesalamine) 500 mg		
	UCERIS (budesonide)		
CANAGA	RECTAL		
CANASA (mesalamine) mesalamine	DELZICOL DR (mesalamine) mesalamine kit		
The Galarian C	ROWASA (mesalamine)		
	SF ROWASA (mesalamine) UCERIS (budesonide)		
VASODILATORS, CORONARY			
CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of each preferred dosage form before they will be approved, unless one (1) of the exceptions on the PA form is present.			
	SUBLINGUAL NITROGLYCERIN	V	
nitroglycerin spray (generic NITROLINGUAL) nitroglycerin sublingual	GONITRO SPRAY POWDER (nitroglycerin) nitroglycerin spray (generic NITROMIST)		
NITROSTAT SUBLINGUAL (nitroglycerin)	NITROLINGUAL SPRAY (nitroglycerin)		
(3,11)	NITROMIST (nitroglycerin)		