

EFFECTIVE 04/01/2019 Version 2019.2h

- Prior authorization for a non-preferred agent in any class will be given only if there has been a trial of the preferred brand/generic equivalent or preferred formulation of the active ingredient, at a therapeutic dose, that resulted in a partial response with a documented intolerance.
- Prior authorization of a non-preferred isomer, pro-drug, or metabolite will be considered with a trial of a preferred parent drug of the same chemical entity, at a therapeutic dose, that resulted in a partial response with documented intolerance or a previous trial and therapy failure, at a therapeutic dose, with a preferred drug of a different chemical entity indicated to treat the submitted diagnosis. (The required trial may be overridden when documented evidence is provided that the use of these preferred agent(s) would be medically contraindicated.)
- Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC drugs are not covered unless specified.
- PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.
- The use of pharmaceutical samples will not be considered when evaluating the members' medical condition or prior prescription history for drugs that require prior authorization.
- Quantity limits may apply. Refer to the Limits List on the BMS Website by clicking the hyperlink.
- Unless otherwise indicated, non-preferred combination products require medical reasoning beyond convenience or enhanced compliance as to why the clinical need cannot be met with a preferred agent or combination of preferred single-ingredient agents.
- Acronyms
  - CL Requires clinical PA. For detailed clinical criteria, please go to the PA criteria page by clicking the hyperlink.
  - NR Denotes a new drug which has not yet been reviewed by the P & T Committee. These agents are available only on appeal to the BMS Medical Director.
  - o AP Non-preferred and selected preferred drugs, where indicated, are subject to auto-PA criteria. See PA criteria column.



EFFECTIVE 04/01/2019 Version 2019.2h

CLASSES CHANGING	Status Changes	PA Criteria Changes	New Drugs
CLASSES CHANGING No Changes This Quarter			Titett Brugo
No Changes This Quarter			



EFFECTIVE 04/01/2019 Version 2019.2h

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ACNE AGENTS, TOPICALAP		
		I and two (2) unique chemical entities in two (2) other subclasses, ess one (1) of the exceptions on the PA form is present.
In cases of pregnancy, a trial of retinoids will <i>not</i> b Acne kits are non-preferred.	e required. For members eighteen (18) years of age	or older, a trial of retinoids will <i>not</i> be required.
Specific Criteria for sub-class will be listed believed ay trial of all preferred agents in that sub-class.	, č	b-class are available only on appeal and require at least a 30-
	ANTI-INFECTIVE	
clindamycin gel, lotion, medicated swab, solution ERYGEL (erythromycin) erythromycin gel, solution	ACZONE (dapsone) AKNE-MYCIN (erythromycin) AZELEX (azelaic acid) CLEOCIN-T (clindamycin) CLINDACIN PAC (clindamycin) CLINDAGEL (clindamycin) clindamycin foam erythromycin medicated swab EVOCLIN (clindamycin) FABIOR (tazarotene) KLARON (sulfacetamide) OVACE/PLUS (sulfacetamide) sodium sulfacetamide 10% cleansing gel sulfacetamide cleanser sulfacetamide cleanser ER sulfacetamide shampoo sulfacetamide suspension	
	RETINOIDS	
TAZORAC (tazarotene) tretinoin cream, gel	adapalene ATRALIN (tretinoin) AVITA (tretinoin) DIFFERIN (adapalene) RETIN-A (tretinoin) RETIN-A MICRO (tretinoin) tazarotene cream tretinoin gel micro	In addition to the Class Criteria: PA required for members eighteen (18) years of age or older.
hanned narravida alagna - Dr. 9 OTO 4004	KERATOLYTICS	
benzoyl peroxide cleanser Rx & OTC, 10% cream OTC, gel Rx & OTC, lotion OTC, wash OTC PANOXYL-4 OTC (benzoyl peroxide)	BENZEFOAM ULTRA (benzoyl peroxide) BP 10-1 (benzoyl peroxide) PANOXYL-8 OTC (benzoyl peroxide) SULPHO-LAC (sulfur)	



EFFECTIVE 04/01/2019 Version 2019.2h

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	COMBINATION AGENTS		
benzoyl peroxide/clindamycin gel (generic DUAC only) EPIDUO (adapalene/benzoyl peroxide)* EPIDUO FORTE (adapalene/benzoyl peroxide)* erythromycin/benzoyl peroxide	ACANYA (clindamycin phosphate/benzoyl peroxide) AVAR/-E/LS (sulfur/sulfacetamide) BENZACLIN GEL (benzoyl peroxide/ clindamycin)	In addition to the Class Criteria: Non-preferred combination agents require thirty (30) day trials of the corresponding preferred single agents before they will be approved.	
erytmomycin/benzoyi peroxide	BENZAMYCIN PAK (benzoyl peroxide/ erythromycin) benzoyl peroxide/clindamycin gel (all generics other than DUAC) benzoyl peroxide/urea CERISA (sulfacetamide sodium/sulfur) CLARIFOAM EF (sulfacetamide/sulfur) CLENIA (sulfacetamide sodium/sulfur) DUAC (benzoyl peroxide/clindamycin) NEUAC (clindamycin phosphate/benzoyl peroxide) ONEXTON (clindamycin phosphate/benzoyl peroxide) PRASCION (sulfacetamide sodium/sulfur) SE 10-5 SS (sulfacetamide/sulfur) SSS 10-4 (sulfacetamide /sulfur) SSS 10-5 foam (sulfacetamide /sulfur) sulfacetamide sodium/sulfur cloths, lotion, pads, suspension sulfacetamide/sulfur wash/cleanser sulfacetamide/sulfur wash kit sulfacetamide sodium/sulfur/ urea SUMADAN/XLT (sulfacetamide/sulfur) SUMAXIN/TS (sulfacetamide sodium/sulfur) VELTIN (clindamycin/tretinoin)* ZIANA (clindamycin/tretinoin)*	*PA required for combination agents with Retinoid products for members eighteen (18) years of age or older.	
	ROSACEA AGENTS		
FINACEA GEL (azelaic acid) MIRVASO GEL (brimonidine) metronidazole cream metronidazole gel 0.75% (NDCs 00115-1474-46, 00168-0275-45, 00713-0637-37, 51672-4116- 06, 66993-0962-45 only)	FINACEA FOAM (azelaic acid) METROCREAM (metronidazole) METROGEL GEL (metronidazole) METROLOTION (metronidazole) metronidazole lotion metronidazole gel (all other NDCs) NORITATE CREAM (metronidazole) RHOFADE (oxymetazoline) ROSADAN (metronidazole) SOOLANTRA CREAM (ivermectin)	<b>Subclass criteria</b> : Non-preferred agents are available only on appeal and require evidence of 30-day trials of all chemically-unique preferred agents in the sub-class.	



EFFECTIVE 04/01/2019 Version 2019.2h

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
ALZHEIMER'S AGENTSAP			
the exceptions on the PA form is present.		e same sub-class before they will be approved, unless one (1) of	
Prior authorization is required for members up to fo	orty-five (45) years of age if there is no diagnosis of A	Alzheimer's disease.	
	CHOLINESTERASE INHIBITORS		
donepezil 5 and 10 mg	ARICEPT (donepezil) donepezil 23 mg* EXELON CAPSULE (rivastigmine) EXELON PATCH (rivastigmine) galantamine galantamine ER RAZADYNE (galantamine) RAZADYNE ER (galantamine) rivastigmine	*Donepezil 23 mg tablets will be authorized if the following criteria are met:  1. There is a diagnosis of moderate-to-severe Alzheimer's Disease and  2. There has been a trial of donepezil 10 mg daily for a least three (3) months and donepezil 20 mg daily fo an additional one (1) month.	
	NMDA RECEPTOR ANTAGONIST		
memantine	memantine ER memantine solution NAMENDA (memantine) NAMENDA XR (memantine)*	*Namenda XR requires ninety (90) days of compliant therapy with Namenda.	
CHOLINE	STERASE INHIBITOR/NMDA RECEPTOR ANTAG		
	NAMZARIC (donepezil/memantine)	Combination agents require thirty (30) day trials of each corresponding preferred single agent.	
ANALGESICS, NARCOTIC LONG ACTING (Non-parenteral) <sup>AP</sup>			
CLASS PA CRITERIA: Non-preferred agents require six (6) day trials of two (2) chemically distinct preferred agents AND a six (6) day trial of the generic form of the requested non-preferred agent (if available) before they will be approved, unless one (1) of the exceptions on the PA form is present. If no generic form is available for the requested non-preferred brand agent, then another generic non-preferred agent must be trialed instead. NOTE: All long-acting opioid agents require a prior authorization for children under 18 years of age. Requests must be for an FDA approved age and indication and specify previous opioid and non-opioid therapies attempted.			
buprenorphine patch (labeler 00093 only)	ARYMO ER (morphine sulfate) BELBUCA (buprenorphine buccal film)*	*Belbuca prior authorization requires manual review. Full PA criteria may be found on the PA Criteria page by clicking the	



EFFECTIVE 04/01/2019 Version 2019.2h

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	LAZANDA SPRAY (fentanyl) methadone** MORPHABOND ER (morphine sulfate) morphine ER capsules (generic for Avinza) morphine ER capsules (generic for Kadian) MS CONTIN (morphine) NUCYNTA ER (tapentadol) OPANA ER (oxymorphone) oxycodone ER** OXYCONTIN (oxycodone) oxymorphone ER** tramadol ER*** ULTRAM ER (tramadol) XARTEMIS XR (oxycodone/ acetaminophen) XTAMPZA ER (oxycodone) ZOHYDRO ER (hydrocodone)	scheduled follow-ups with the prescriber.
ANIAL OFFICE MADOCTIC CHORT		

### ANALGESICS, NARCOTIC SHORT ACTING (Non-parenteral)

CLASS PA CRITERIA: Non-preferred agents require six (6) day trials of at least four (4) chemically distinct preferred agents (based on the narcotic ingredient only), including the generic formulation of the requested non-preferred agent, before they will be approved, unless one (1) of the exceptions on the PA form is present.

NOTE: All tramadol and codeine products require a prior authorization for children under 18 years of age. Requests must be for an FDA approved age and indication and procify non-prior attempted.

indication and specify non-opioid therapies attempted. APAP/codeine ABSTRAL (fentanyl) butalbital/APAP/caffeine/codeine ACTIQ (fentanyl) butalbital/ASA/caffeine/codeine codeine hydrocodone/APAP 2.5/325 mg, 5/325 mg, butorphanol for monotherapy. CAPITAL W/CODEINE (APAP/codeine) 7.5/325 mg,10/325 mg hydrocodone/APAP solution DEMEROL (meperidine) hvdrocodone/ibuprofen dihydrocodeine/ APAP/caffeine hydromorphone tablets DILAUDID (hydromorphone) **LORTAB SOLUTION** fentanyl (hydrocodone/acetaminophen) FENTORA (fentanyl) morphine FIORICET W/ CODEINE oxycodone tablets, concentrate, solution (butalbital/APAP/caffeine/codeine) oxycodone/APAP FIORINAL W/ CODEINE oxvcodone/ASA (butalbital/ASA/caffeine/codeine) (30) days. pentazocine/naloxone hydrocodone/APAP 5/300 mg, 7.5/300 mg, 10/300 mg tramadol tramadol/APAP hydromorphone liquid, suppositories IBUDONE (hydrocodone/ibuprofen)

LAZANDA (fentanyl)

Fentanyl buccal, nasal and sublingual products will only be authorized for a diagnosis of cancer and as an adjunct to a long-acting agent. These dosage forms will not be authorized for monotherapy.

Limits: Unless the patient has escalating cancer pain or another diagnosis supporting increased quantities of short-acting opioids, all short acting solid forms of the narcotic analgesics are limited to 120 tablets per thirty (30) days. Longer-acting medications should be maximized to prevent unnecessary breakthrough pain in chronic pain therapy.

Immediate-release tramadol is limited to 240 tablets per thirty (30) days.



EFFECTIVE 04/01/2019 Version 2019.2h

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	levorphanol LORCET (hydrocodone/APAP) LORTAB (hydrocodone/APAP) meperidine NORCO (hydrocodone/APAP) NUCYNTA (tapentadol) ONSOLIS (fentanyl) OPANA (oxymorphone) OXECTA (oxycodone) oxycodone capsules oxycodone/ibuprofen oxymorphone PERCOCET (oxycodone/APAP) PRIMLEV (oxycodone/APAP) REPREXAIN (hydrocodone/ibuprofen) ROXICODONE (oxycodone) ROXYBOND (oxycodone) ROXYBOND (tramadol) SUBSYS (fentanyl) SYNALGOS-DC (dihydrocodeine/ASA/ caffeine) TYLENOL W/CODEINE (APAP/codeine) ULTRACET (tramadol/APAP) ULTRAM (tramadol) VERDROCET (hydrocodone/APAP) VICODIN (hydrocodone/APAP) VICOPROFEN (hydrocodone/ibuprofen) XODOL (hydrocodone/acetaminophen) XYLON (hydrocodone/ibuprofen) ZAMICET (hydrocodone/APAP)		
ANDROGENIC AGENTS	· · · · · · · · · · · · · · · · · · ·		
	I only be authorized if one (1) of the exceptions on the	e PA form is present.	
ANDRODERM (testosterone) ANDROGEL (testosterone) METHITEST (methyltestosterone) testosterone cypionate vial <sup>CL</sup> testosterone enanthate vial <sup>CL</sup>	ANDROID (methyltestosterone) AVEED VIAL (testosterone undecanoate) AXIRON (testosterone) FORTESTA (testosterone) methyltestosterone capsule NATESTO (testosterone) STRIANT BUCCAL (testosterone) TESTIM (testosterone) TESTRED (methyltestosterone) testosterone gel VOGELXO (testosterone		



EFFECTIVE 04/01/2019 Version 2019.2h

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS

	THERAI EUTIO DIGO GLAC	
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANESTHETICS, TOPICALAP		
		are they will be approved, unless one (1) of the exceptions on the
lidocaine lidocaine/prilocaine xylocaine	LIDAMANTLE (lidocaine) LIDAMANTLE HC (lidocaine/hydrocortisone) lidocaine/hydrocortisone LIDOTRAL CREAM (lidocaine) SYNERA (lidocaine/tetracaine) VOPAC MDS (ketoprofen/lidocaine)	
ANGIOTENSIN MODULATORSAP		
CLASS PA CRITERIA: Non-preferred agents re- Inhibitors, before they will be approved, unless one	e (1) of the exceptions on the PA form is present.	nt in the same sub-class, with the exception of the Direct Renin
	ACE INHIBITORS	
benazepril captopril enalapril fosinopril lisinopril quinapril ramipril	ACCUPRIL (quinapril) ACEON (perindopril) ALTACE (ramipril) EPANED (enalapril)* LOTENSIN (benazepril) MAVIK (trandolapril) moexipril perindopril PRINIVIL (lisinopril) QBRELIS SOLUTION (lisinopril)** trandolapril UNIVASC (moexipril) VASOTEC (enalapril) ZESTRIL (lisinopril)	*Epaned will be authorized with a diagnosis of hypertension, symptomatic heart failure or asymptomatic left ventricular dysfunction provided that the patient is less than seven (7) years of age <b>OR</b> is unable to ingest a solid dosage form due to documented oral-motor difficulties or dysphagia.  **Qbrelis solution may be authorized for children ages 6-10 who are unable to tolerate a solid dosage form. Qbrelis may also be authorized for older patients with clinical documentation indicating oral-motor difficulties or dysphagia.
	ACE INHIBITOR COMBINATION DRUG	GS
benazepril/amlodipine benazepril/HCTZ captopril/HCTZ enalapril/HCTZ fosinopril/HCTZ lisinopril/HCTZ quinapril/HCTZ	ACCURETIC (quinapril/HCTZ) CAPOZIDE (captopril/HCTZ) LOTENSIN HCT (benazepril/HCTZ) LOTREL (benazepril/amlodipine) moexipril/HCTZ PRESTALIA (perindopril/amlodipine) PRINZIDE (lisinopril/HCTZ) TARKA (trandolapril/verapamil) trandolapril/verapamil VASERETIC (enalapril/HCTZ) ZESTORETIC (lisinopril/HCTZ)	



EFFECTIVE 04/01/2019 Version 2019.2h

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	ANGIOTENSIN II RECEPTOR BLOCKERS	(ARBs)	
irbesartan losartan valsartan olmesartan	ATACAND (candesartan) AVAPRO (irbesartan) BENICAR (olmesartan) candesartan COZAAR (losartan) DIOVAN (valsartan) EDARBI (azilsartan) eprosartan MICARDIS (telmisartan) telmisartan		
	ARB COMBINATIONS		
ENTRESTO (valsartan/sacubitril) <sup>AP*</sup> irbesartan/HCTZ losartan/HCTZ olmesartan/amlodipine olmesartan/HCTZ valsartan/amlodipine valsartan/HCTZ	ATACAND-HCT (candesartan/HCTZ) AVALIDE (irbesartan/HCTZ) AZOR (olmesartan/amlodipine) BENICAR-HCT (olmesartan/HCTZ) BYVALSON (nebivolol/valsartan) candesartan/HCTZ DIOVAN-HCT (valsartan/HCTZ) EDARBYCLOR (azilsartan/chlorthalidone) EXFORGE (valsartan/amlodipine) EXFORGE HCT (valsartan/amlodipine/HCTZ) HYZAAR (losartan/HCTZ) MICARDIS-HCT (telmisartan/HCTZ) olmesartan/amlodipine/HCTZ telmisartan/amlodipine telmisartan HCTZ TRIBENZOR (olmesartan/amlodipine) valsartan/amlodipine) valsartan/amlodipine/HCTZ	*Entresto will only be authorized for patients 18 years of age or older who are diagnosed with chronic heart-failure.	
DIRECT RENIN INHIBITORS  AMTURNUDE (aliakiran lambalinina /HCT7)  Substituta for Class Criteria: Takturna requires a thirty (20)			
	AMTURNIDE (aliskiren/amlodipine/HCTZ) TEKAMLO (aliskiren/amlodipine) TEKTURNA (aliskiren) TEKTURNA HCT (aliskiren/HCTZ) VALTURNA (aliskiren/valsartan)	Substitute for Class Criteria: Tekturna requires a thirty (30) day trial of one (1) preferred ACE, ARB, or combination agent, at the maximum tolerable dose, before it will be authorized unless one (1) of the exceptions on the PA form is present.  Amturnide, Tekamlo, Tekturna HCT or Valturna will be authorized if the criteria for Tekturna are met and the patient also needs the other agents in the combination.	

### **ANTIANGINAL & ANTI-ISCHEMIC**

**CLASS PA CRITERIA:** Ranexa will be authorized for patients with angina who are also taking a calcium channel blocker, a beta blocker, or a nitrite as single agents or a combination agent containing one (1) of these ingredients.



EFFECTIVE 04/01/2019 Version 2019.2h

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
RANEXA (ranolazine) <sup>AP</sup>			
ANTIBIOTICS, GI & RELATED AGE	NTS		
PA form is present.		ore they will be approved, unless one (1) of the exceptions on the	
FIRVANQ (vancomycin) metronidazole tablet neomycin tinidazole	DIFICID (fidaxomicin)* FLAGYL (metronidazole) FLAGYL ER (metronidazole ER) metronidazole capsule paromomycin TINDAMAX (tinidazole) VANCOCIN (vancomycin) vancomycin XIFAXAN (rifaximin)*	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.	
ANTIBIOTICS, INHALED	,		
·		and documentation of therapeutic failure before they will be	
BETHKIS (tobramycin) KITABIS PAK (tobramycin)	CAYSTON (aztreonam) TOBI (tobramycin) TOBI PODHALER (tobramycin) tobramycin		
ANTIBIOTICS, TOPICAL	•		
CLASS PA CRITERIA: Non-preferred agents requ	uire ten (10) day trials of at least one preferred agen ss one (1) of the exceptions on the PA form is prese	t, including the generic formulation of the requested non-	
bacitracin (Rx, OTC) gentamicin sulfate mupirocin ointment	BACTROBAN (mupirocin) CENTANY (mupirocin) CORTISPORIN (bacitracin/neomycin/polymyxin/HC) mupirocin cream neomycin/polymyxin/pramoxine		
ANTIBIOTICS, VAGINAL			
CLASS PA CRITERIA: Non-preferred agents require trials of each chemically unique preferred agent at the manufacturer's recommended duration, before they will be approved, unless one (1) of the exceptions on the PA form is present.			
clindamycin cream CLINDESSE (clindamycin) metronidazole	AVC (sulfanilamide) CLEOCIN CREAM (clindamycin) CLEOCIN OVULE (clindamycin) METROGEL (metronidazole) NUVESSA (metronidazole) SOLOSEC (secnidazole) VANDAZOLE (metronidazole)		
ANTICOAGULANTS			



**EFFECTIVE** 04/01/2019 Version 2019.2h

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS				
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA		
CLASS PA CRITERIA: Non-preferred agents req	CLASS PA CRITERIA: Non-preferred agents require a trial of each preferred agent in the same sub-class, unless one (1) of the exceptions on the PA form is present.			
	INJECTABLECL			
enoxaparin	ARIXTRA (fondaparinux) fondaparinux FRAGMIN (dalteparin) LOVENOX (enoxaparin)			
	ORAL			
COUMADIN (warfarin) ELIQUIS (apixaban) PRADAXA (dabigatran) warfarin XARELTO (rivaroxaban)	SAVAYSA (edoxaban)			
ANTICONVIII SANTS				

### ANTICONVULSANTS

CLASS PA CRITERIA: For a diagnosis of seizure disorder, non-preferred agents require a fourteen (14) day trial of a preferred agent in the same sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present; patients currently on established therapies shall be grandfathered.

For all other diagnoses, non-preferred agents require a thirty (30) day trial of a preferred agent in the same sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present.

In situations where AB-rated generic equivalent products are available, "Brand Medically Necessary" must be hand-written by the prescriber on the prescription for the brand name product to be reimbursed.

	ADJUVANTS	
carbamazepine carbamazepine ER	APTIOM (eslicarbazepine) BANZEL (rufinamide)	*Topiramate ER will be authorized after a thirty (30) day trial of topiramate IR.
carbamazepine XR	BRIVIACT (brivaracetam)	'
divalproex divalproex ER	CARBATROL (carbamazepine) DEPAKENE (valproic acid)	**Qudexy XR and Trokendi XR are only approvable on appeal.
divalproex sprinkle EPITOL (carbamazepine)	DEPAKOTE (divalproex) DEPAKOTE ER (divalproex)	
GABITRIL (tiagabine) lamotrigine	DEPAKOTE SPRINKLE (divalproex) EQUETRO (carbamazepine)	
levetiracetam IR	FANATREX SUSPENSION (gabapentin) felbamate	
oxcarbazepine suspension and tablets	FELBATOL (felbamate)	
topiramate IR topiramate ER*	FYCOMPA (perampanel) KEPPRA (levetiracetam)	
valproic acid	KEPPRA XR (levetiracetam)	



EFFECTIVE 04/01/2019 Version 2019.2h

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
VIMPAT (lacosamide) zonisamide	LAMICTAL (lamotrigine) LAMICTAL CHEWABLE (lamotrigine) LAMICTAL ODT (lamotrigine) LAMICTAL XR (lamotrigine) lamotrigine dose pack lamotrigine ER OXTELLAR XR (oxcarbazepine) POTIGA (ezogabine) QUDEXY XR (topiramate ER)** SABRIL (vigabatrin) SPRITAM (levetiracetam) STAVZOR (valproic acid) TEGRETOL (carbamazepine) TEGRETOL XR (carbamazepine) tiagabine TOPAMAX (topiramate) TRILEPTAL SUSPENSION and TABLETS (oxcarbazepine) TROKENDI XR (topiramate)** ZONEGRAN (zonisamide)		
phenobarbital	MYSOLINE (primidone)		
primidone	, , , , , , , , , , , , , , , , , , ,		
	BENZODIAZEPINESAP	** *	
clonazepam diazepam rectal gel diazepam tablets	clobazam* clonazepam ODT DIASTAT (diazepam rectal) KLONOPIN (clonazepam) ONFI (clobazam)* ONFI SUSPENSION (clobazam)* CANNABINOIDS	*Onfi shall be authorized as adjunctive therapy for treatment of Lennox-Gastaut Syndrome without further restrictions. Offlabel use requires an appeal to the Medical Director. NOTE: generic clobazam is preferred over brand ONFI.	
		* Full PA criteria may be found on the PA Criteria page by	
	EPIDIOLEX SOLUTION (cannabidiol)*NR	clicking the hyperlink.	
HYDANTOINSAP			
DILANTIN (phenytoin sodium, extended) PEGANONE (ethotoin) phenytoin capsules, chewable tablets, suspension	DILANTIN INFATABS (phenytoin) PHENYTEK (phenytoin)		
	SUCCINIMIDES		
CELONTIN (methsuximide) ethosuximide capsules	ZARONTIN (ethosuximide) capsules ZARONTIN (ethosuximide) syrup		



EFFECTIVE 04/01/2019 Version 2019.2h

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
ethosuximide syrup			
ANTIDEPRESSANTS, OTHER			
CLASS PA CRITERIA: See below for individual s	sub-class criteria.		
	MAOIs		
	MARPLAN (isocarboxazid) NARDIL (phenelzine) PARNATE (tranylcypromine) phenelzine tranylcypromine	Patients stabilized on MAOI agents will be grandfathered.	
	SNRISAP		
duloxetine capulses venlafaxine ER capsules	CYMBALTA (duloxetine) desvenlafaxine ER desvenlafaxine fumarate ER EFFEXOR XR (venlafaxine) FETZIMA (levomilnacipran) KHEDEZLA (desvenlafaxine) PRISTIQ (desvenlafaxine) venlafaxine IR VENLAFAXINE ER TABLETS (venlafaxine)	Non-preferred agents require separate thirty (30) day trials of a preferred agent in this sub-class <b>AND</b> an SSRI before they will be approved, unless one (1) of the exceptions on the PA form is present.	
	SECOND GENERATION NON-SSRI, OTH	HER <sup>AP</sup>	
bupropion IR bupropion SR bupropion XL mirtazapine trazodone	APLENZIN (bupropion hbr) EMSAM (selegiline) FORFIVO XL (bupropion) nefazodone OLEPTRO ER (trazodone) REMERON (mirtazapine) TRINTELLIX (vortioxetine) VIIBRYD (vilazodone HCI) WELLBUTRIN (bupropion) WELLBUTRIN SR (bupropion) WELLBUTRIN XL (bupropion) SELECTED TCAS	Non-preferred agents require separate thirty (30) day trials of a preferred agent in this sub-class <b>AND</b> an SSRI before they will be approved, unless one (1) of the exceptions on the PA form is present.	
imipramine HCI	imipramine pamoate	Non-preferred agents require a twelve (12) week trial of	
	TOFRANIL (imipramine HCI) TOFRANIL PM (imipramine pamoate)	imipramine HCl before they will be approved, unless one (1) of the exceptions on the PA form is present.	
ANTIDEPRESSANTS, SSRISAP			



EFFECTIVE 04/01/2019 Version 2019.2h

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

	THERAPEUTIC DRUG CLA	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
exceptions on the PA form is present.	. , , , ,	eferred agents before they will be approved, unless one (1) of the tabilized on a non-preferred SSRI will receive an authorization to
citalopram escitalopram tablets fluoxetine capsules, solution fluvoxamine paroxetine sertraline	BRISDELLE (paroxetine) CELEXA (citalopram) escitalopram solution fluoxetine tablets fluvoxamine ER LEXAPRO (escitalopram) LUVOX CR (fluvoxamine) paroxetine 7.5 mg capsules paroxetine ER PAXIL (paroxetine) PAXIL CR (paroxetine) PEXEVA (paroxetine) PROZAC (fluoxetine) SARAFEM (fluoxetine) ZOLOFT (sertraline)	
ANTIEMETICS <sup>AP</sup>		
CLASS PA CRITERIA: See below for sub-cl	ass criteria.	
	5HT3 RECEPTOR BLOCKER	S
granisetron ondansetron ODT, solution, tablets	ANZEMET (dolasetron) GRANISOL (granisetron) ondansetron vials SANCUSO (granisetron) SUSTOL (granisetron) ZOFRAN (ondansetron) ZUPLENZ (ondansetron)	Non-preferred agents require a three (3) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
	CANNABINOIDS	*O
	CESAMET (nabilone)* dronabinol** MARINOL (dronabinol)** SYNDROS SOLUTION (dronabinol)**	*Cesamet will be authorized only for the treatment of nausea and vomiting associated with cancer chemotherapy for patients who have failed to respond adequately to three (3) day trials of conventional treatments such as promethazine or ondansetron and are eighteen (18) years of age or older.
		**Dronabinol will only be authorized for:  1. The treatment AIDO

in patients with AIDS or cancer and unresponsive to



EFFECTIVE 04/01/2019 Version 2019.2h

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		megestrol <b>or</b> 2. The prophylaxis of chemotherapy induced nausea and vomiting unresponsive to three (3) day trials of ondansetron or promethazine for patients from eighteen (18) up to sixty-five (65) years of age.
	SUBSTANCE P ANTAGONISTS	
EMEND (aprepitant)	aprepitant VARUBI (rolapitant)	Non-preferred agents require a three (3) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
	COMBINATIONS	
	AKYNZEO (netupitant/palonosetron) BONJESTA (doxylamine/pyridoxine) DICLEGIS (doxylamine/pyridoxine)	Non-preferred agents will only be approved on appeal.
ANTIFUNGALS, ORAL		
CLASS PA CRITERIA: Non-preferred agents will	only be authorized if one (1) of the exceptions on the	e PA form is present.
clotrimazole fluconazole* nystatin terbinafine <sup>CL</sup>	ANCOBON (flucytosine) CRESEMBA (isovuconazonium)CL** DIFLUCAN (fluconazole) flucytosine griseofulvin*** GRIS-PEG (griseofulvin) itraconazole ketoconazole**** LAMISIL (terbinafine) MYCELEX (clotrimazole) NIZORAL (ketoconazole) NOXAFIL (posaconazole) ONMEL (itraconazole) ORAVIG (miconazole) SPORANOX (itraconazole) VFEND (voriconazole) voriconazole suspension voriconazole tablets	**PA is required when limits are exceeded.  **Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.  ***PA is not required for griseofulvin suspension for children up to eighteen (18) years of age for the treatment of tinea capitis.  ****Ketoconazole will be authorized if the following criteria are met:  1. Diagnosis of one of the following fungal infections: blastomycosis, coccidioidomycosis, histoplasmosis, chromomycosis, or paracoccidioidomycosis and  2. Documented failure or intolerance of all other diagnosis-appropriate antifungal therapies, i.e. itraconazole, fluconazole, flucytosine, etc and  3. Baseline assessment of the liver status including alanine aminotransferase (ALT), aspartate aminotransferase (AST), total bilirubin, alkaline phosphatase, prothrombin time, and international normalized ratio (INR) before starting treatment and  4. Weekly monitoring of serum ALT for the duration of treatment (If ALT values increase to a level above the upper limit of normal or 30% above baseline, or if the



EFFECTIVE 04/01/2019 Version 2019.2h

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		normalization of values.) and 5. Assessment of all concomitant medications for potential adverse drug interactions with ketoconazole.  Ketoconazole will not be authorized for treatment for fungal infections of the skin and nails.
ANTIFUNGALS, TOPICALAP		
CLASS PA CRITERIA: Non-preferred agents req on the PA form is present. If a non-preferred shan	uire fourteen (14) day trials of two (2) preferred agen npoo is requested, a fourteen (14) day trial of one (1)	its before they will be approved, unless one (1) of the exceptions preferred product (i.e. ketoconazole shampoo) is required.
	ANTIFUNGALS	
econazole ketoconazole cream, shampoo MENTAX (butenafine) miconazole (OTC) nystatin	CICLODAN (ciclopirox) ciclopirox ERTACZO (sertaconazole) EXELDERM (sulconazole) EXTINA (ketoconazole) JUBLIA (efinaconazole) ketoconazole foam KERYDIN (tavaborole) KETODAN (ketoconazole) LOPROX (ciclopirox) LUZU (luliconazole) MYCOSTATIN (nystatin) NAFTIN CREAM (naftifine) NAFTIN GEL (naftifine) NIZORAL (ketoconazole) OXISTAT (oxiconazole)* PEDIPIROX-4 (ciclopirox) PENLAC (ciclopirox) VUSION (miconazole/petrolatum/zinc oxide)	*Oxistat cream will be authorized for children up to thirteen (13) years of age for tinea corporis, tinea cruris, tinea pedis, and tinea (pityriasis) versicolor.
	ANTIFUNGAL/STEROID COMBINATIO	NS
clotrimazole/betamethasone cream	clotrimazole/betamethasone lotion KETOCON PLUS (ketoconazole/hydrocortisone) LOTRISONE (clotrimazole/betamethasone) nystatin/triamcinolone	
ANTIHEMOPHILIA FACTOR AGENT	SCL	



EFFECTIVE 04/01/2019 Version 2019.2h

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
CLASS PA CRITERIA: All agents will require prior-authorization, and non-preferred agents require medical reasoning explaining why the need cannot be met using a preferred product.			
All currently established regimens shall be grandf	athered with documentation of adherence to therapy.		
	FACTOR VIII		
ALPHANATE HEMOFIL M HUMATE-P KOATE KOATE-DVI MONOCLATE-P NOVOEIGHT WILATE XYNTHA XYNTHA SOLOFUSE	ADVATE ADYNOVATE ELOCTATE JIVI <sup>NR</sup> KOGENATE FS KOVALTRY NUWIQ RECOMBINATE VONVENDI		
FACTOR IX			
ALPHANINE SD BEBULIN BENEFIX IXINITY MONONINE PROFILNINE RIXUBIS	ALPROLIX IDELVION REBINYN		
FACTOR IXa/IX			
HEMLIBRA (emicizumab-kxwh)			
ANTIHYPERTENSIVES, SYMPATHO CLASS PA CRITERIA: Non-preferred agents recapproved, unless one (1) of the exceptions on the CATAPRES-TTS (clonidine) clonidine tablets	quire thirty (30) day trials of each preferred unique ch	emical entity in the corresponding formulation before they will be	
ANTIHYPERURICEMICS	,		
CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of one (1) of the preferred agents for the prevention of gouty arthritis attacks (colchicine/probenecid, probenecid, or allopurinol) before they will be approved, unless one (1) of the exceptions on the PA form is present.			
	ANTIMITOTICS		
colchicine capsules	colchicine tablets COLCRYS (colchicine) MITIGARE (colchicine)	In the case of acute gouty attacks, a ten (10) day supply (twenty (20) capsules) of the preferred agent(s) in this subclass will be authorized per ninety (90) days.	
ANTIMITOTIC-URICOSURIC COMBINATION			



EFFECTIVE 04/01/2019 Version 2019.2h

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
colchicine/probenecid		
	URICOSURIC	
probenecid	ZURAMPIC (lesinurad)*	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
	XANTHINE OXIDASE INHIBITORS	
allopurinol	ULORIC (febuxostat) ZYLOPRIM (allopurinol)	
	URICOSURIC – XANTHINE OXIDASE INHI	BITORS
	DUZALLO (allopurinol/lesinurad)	Non-preferred agents will only be approved on appeal.
<b>ANTIMIGRAINE AGENTS, CGRP</b>	INHIBITORSAP	
CLASS PA CRITERIA:		
	AIMOVIG (erenumab) <sup>NR</sup> AJOVY (fremanezumab) <sup>NR</sup> EMGALITY (galcanezumab) <sup>NR</sup>	
<b>ANTIMIGRAINE AGENTS, OTHE</b>		
CLASS PA CRITERIA: Non-preferred agents approved, unless one (1) of the exceptions on		ty of the preferred Antimigraine Triptan Agents before they will be
	CAMBIA (diclofenac)	
ANTIMIGRAINE AGENTS, TRIPT	ANSAP	
CLASS PA CRITERIA: Non-preferred agent exceptions on the PA form is present.	s require three (3) day trials of each preferred unique cl	hemical entity before they will be approved, unless one (1) of th
	TRIPTANS	
naratriptan rizatriptan ODT rizatriptan tablet sumatriptan injection <sup>CL</sup> sumatriptan nasal spray sumatriptan tablets	almotriptan AMERGE (naratriptan) AXERT (almotriptan) eletriptan FROVA (frovatriptan) frovatriptan IMITREX INJECTION (sumatriptan) IMITREX NASAL SPRAY (sumatriptan) IMITREX tablets (sumatriptan) MAXALT MLT (rizatriptan) MAXALT (rizatriptan) ONZETRA XSAIL (sumatriptan)* RELPAX (eletriptan)	*In addition to the Class Criteria: Onzetra Xsail requires three (3) day trials of each preferred oral, nasal and injectable forms of sumatriptan.



EFFECTIVE 04/01/2019 Version 2019.2h

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	SUMAVEL (sumatriptan) ZECUITY PATCH (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan) zolmitriptan zolmitriptan ODT ZOMIG (zolmitriptan) ZOMIG ZMT (zolmitriptan) TRIPTAN COMBINATIONS	
	TREXIMET (sumatriptan/naproxen sodium)	
ANTIPARASITICS, TOPICALAP		
CLASS PA CRITERIA: Non-preferred agents red (1) of the exceptions on the PA form is present		d weight appropriate) before they will be approved, unless one
NATROBA (spinosad) permethrin 5% cream pyrethrins-piperonyl butoxide OTC SKLICE (ivermectin)	EURAX (crotamiton) LICE EGG REMOVER OTC (benzalkonium chloride) lindane malathion OVIDE (malathion) spinosad	
ANTIPARKINSON'S AGENTS		
CLASS PA CRITERIA: Patients starting therapy a non-preferred agent will be authorized.	on drugs in this class must show a documented aller	rgy to all preferred agents in the corresponding sub-class, before
	ANTICHOLINERGICS	
benztropine trihexyphenidyl		
	COMT INHIBITORS	
entacapone	COMTAN (entacapone) TASMAR (tolcapone)	COMT Inhibitor agents will only be approved as add-on therapy to a levodopa-containing regimen for treatment of documented motor complications.
	DOPAMINE AGONISTS	
pramipexole ropinirole	MIRAPEX (pramipexole) MIRAPEX ER (pramipexole)* NEUPRO (rotigotine) pramipexole ER REQUIP (ropinirole) REQUIP XL (ropinirole)* ropinirole ER	*Mirapex ER and Requip XL will be authorized for a diagnosis of Parkinsonism without a trial of preferred agents.
	OTHER ANTIPARKINSON'S AGENT	S



EFFECTIVE 04/01/2019 Version 2019.2h

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS

TILICAL ED NO CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
amantadine*AP bromocriptine carbidopa/levodopa levodopa/carbidopa/entacapone selegiline	AZILECT (rasagiline) carbidopa ELDEPRYL (selegiline) GOCOVRI ER (amantadine) levodopa/carbidopa ODT LODOSYN (carbidopa) OSMOLEX ER (amantadine) PARCOPA (levodopa/carbidopa) PARLODEL (bromocriptine) rasagiline RYTARY (levodopa/carbidopa) SINEMET (levodopa/carbidopa) STALEVO (levodopa/carbidopa/entacapone) XADAGO (safinamide) ZELAPAR (selegiline)	*Amantadine will not be authorized for the treatment prophylaxis of influenza.
ANTIPSORIATICS, TOPICAL CLASS PA CRITERIA: Non-preferred agents re the exceptions on the PA form is present.	quire thirty (30) day trials of two (2) preferred unique	chemical entities before they will be approved, unless one (1) of
TACLONEX OINT (calcipotriene/betamethasone) TAZORAC (tazarotene) VECTICAL (calcitriol)	calcipotriene cream calcipotriene ointment calcipotriene solution calcipotriene/betamethasone ointment CALCITRENE (calcipotriene) calcitriol DOVONEX (calcipotriene) ENSTILAR (calcipotriene/betamethasone) SORILUX (calcipotriene) tazarotene cream (tazarotene)	
ANTIPSYCHOTICS, ATYPICAL		



EFFECTIVE 04/01/2019 Version 2019.2h

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAF	PEUTIC	<b>DRUG</b>	CLASS

### PREFERRED AGENTS NON-PREFERRED AGENTS

**PA CRITERIA** 

CLASS PA CRITERIA: All antipsychotic agents require prior authorization for children up to eighteen (18) years of age. All PA requests for antipsychotics for children 6 years of age and younger will be reviewed by Medicaid's consultant psychiatrist.

Non-preferred agents require thirty (30) day trials of two (2) preferred agents, including the generic formulation of the requested agent (if available), before they will be approved unless one (1) of the exceptions on the PA form is present. All trials must be at the maximum recommended dose for the diagnosis provided before they would be considered a failure unless an adverse reaction is documented necessitating a change in therapy.

Upon discharge, a hospitalized patient stabilized on a non-preferred agent may receive authorization to continue this drug for labeled indications and at FDA recommended dosages. For off-label indications or dosages, a thirty (30) day prior-authorization shall be granted pending BMS review.

### SINGLE INGREDIENT ABILIFY TABLETS (aripiprazole)

ABILIFY MAINTENA (aripiprazole)<sup>CL</sup> aripiprazole tablets
ARISTADA (aripiprazole)<sup>CL</sup> clozapine
INVEGA SUSTENNA (paliperidone)<sup>CL</sup> INVEGA TRINZA (paliperidone)\* CL olanzapine
olanzapine ODT
quetiapine\*\* AP for the 25 mg Tablet Only
quetiapine ER
RISPERDAL CONSTA (risperidone)<sup>CL</sup> risperidone
ziprasidone

ADASUVE (loxapine) clozapine ODT CLOZARIL (clozapine) FANAPT (iloperidone) FAZACLO (clozapine) GEODON (ziprasidone) GEODON IM (ziprasidone)CL INVEGA ER (paliperidone) LATUDA (Iurasidone)\*\*\* AP NUPLAZID (pimavanserin) \*\*\*\* olanzapine IMCL paliperidone ER PERSERIS (risperidone)CL REXULTI (brexipiprazole) RISPERDAL (risperidone) SAPHRIS (asenapine) SEROQUEL (quetiapine) SEROQUEL XR (quetiapine) VERSACLOZ (clozapine) VRAYLAR (capriprazine) VRAYLAR DOSE PAK (capriprazine) ZYPREXA (olanzapine) ZYPREXA IM (olanzapine)CL ZYPREXA RELPREVV (olanzapine)

#### In addition to class criteria:

\*Invega Trinza will be authorized after four months' treatment with Invega Sustenna

\*\*Quetiapine 25 mg will be authorized:

- 1. For a diagnosis of schizophrenia or
- 2. For a diagnosis of bipolar disorder or
- When prescribed concurrently with other strengths of Seroquel in order to achieve therapeutic treatment levels.

### Quetiapine 25 mg will not be authorized for use as a sedative hypnotic.

\*\*\*For the indication of bipolar depression only, prior authorization of Latuda requires failure of a 30-day trial of either quetiapine OR a combination of olanzapine + fluoxetine. All trials must be at the maximum recommended dose for the diagnosis provided before they would be considered a failure unless an adverse reaction is documented necessitating a change in therapy.

All other indications follow class criteria. Patients already stabilized on Latuda shall be grandfathered.

\*\*\*\*Nuplazid will only be authorized for the treatment of Parkinson Disease Induced Psychosis after documented treatment failure with quetiapine.

#### ATYPICAL ANTIPSYCHOTIC/SSRI COMBINATIONS



EFFECTIVE 04/01/2019 Version 2019.2h

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	olanzapine/fluoxetine SYMBYAX (olanzapine/fluoxetine)	
ANTIRETROVIRALS <sup>AP</sup>		
preferred agent or combination of preferred agent		iced compliance as to why the clinical need cannot be met with a lill result in no more than one additional unit per day over shall be grandfathered.
	INTEGRASE STRAND TRANSFER INHIBI	TORS
ISENTRESS (raltegravir potassium) TIVICAY (dolutegravir sodium) VITEKTA (elvitegravir)	ISENTRESS HD (raltegravir potassium)	
VITERTA (elvitegravii)	NUCLEOSIDE REVERSE TRANSCRIPTASE INHIE	BITORS (NRTI)
abacavir sulfate tablet EMTRIVA (emtricitabine) EPIVIR SOLUTION (lamivudine) lamivudine tenofovir disoproxil fumarate VIREA ORAL POWDER (tenofovir disoproxil fumarate) ZIAGEN SOLUTION (abacavir sulfate) zidovudine  NO EDURANT (rilpivirine) SUSTIVA (efavirenz)	abacavir sulfate solution didanosine DR capsule EPIVIR TABLET (lamivudine) RETROVIR (zidovudine) stavudine VIDEX EC (didanosine) VIDEX SOLUTION (didanosine) VIREAD TABLETS (tenofovir disoproxil fumarate) ZERIT (stavudine) ZIAGEN TABLET (abacavir sulfate) DN-NUCLEOSIDE REVERSE TRANSCRIPTASE INI efavirenz INTELENCE (etravirine)	HIBITOR (NNRTI)
TYBOST (cobicistat)	nevirapine nevirapine ER RESCRIPTOR (delavirdine mesylate) VIRAMUNE ER 24H (nevirapine) VIRAMUNE SUSPENSION (nevirapine) PHARMACOENHANCER – CYTOCHROME P450	DINHIBITOR
3 . (002.00000)		
	PROTEASE INHIBITORS (PEPTIDIC	
atazanavir EVOTAZ (atazanavir/cobicistat) NORVIR (ritonavir) REYATAZ POWDER PACK (atazanavir)	CRIXIVAN (indinavir) INVIRASE (saquinavir mesylate) fosamprenavir LEXIVA (fosamprenavir) REYATAZ CAPSULE (atazanavir)	



EFFECTIVE 04/01/2019 Version 2019.2h

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	VIRACEPT (nelfinavir mesylate)	
	PROTEASE INHIBITORS (NON-PEPTIC	DIC)
PREZCOBIX (darunavir/cobicistat) PREZISTA (darunavir ethanolate)	APTIVUS (tipranavir)	
	ENTRY INHIBITORS – CCR5 CO-RECEPTOR AN	  TAGONISTS
	SELZENTRY (maraviroc)	
	ENTRY INHIBITORS - FUSION INHIBIT	ORS
	FUZEON (enfuvirtide)	
	COMBINATION PRODUCTS - NRTIS	
abacavir/lamivudine CIMDUO (lamivudine/tenofovir) lamivudine/zidovudine	abacavir/lamivudine/zidovudine COMBIVIR (lamivudine/zidovudine) EPZICOM (abacavir/lamivudine) TRIZIVIR (abacavir/lamivudine/zidovudine)	
COMBINATION PROD	JCTS – INTEGRASE STRAND TRANSFER INHIBIT	TORS & NUCLEOSIDE ANALOG RTIS
BIKTARVY (bictegravir/emtricitabine/tenofovir alafenamide)		
COMBINATION PRODUCTS - INTEGRASE	STRAND TRANSFER INHIBITORS & NON-NUCLE	EOSIDE REVERSE TRANSCRIPTASE INHIBITOR (NNRTI)
	JULUCA (dolutegravir/rilpivirine)	(,
	BINATION PRODUCTS - NUCLEOSIDE & NUCLEO	TIDE ANALOG RTIS
DESCOVY (emtricitabine/tenofovir) TRUVADA (emtricitabine/tenofovir)		
COMBINATION PR	RODUCTS - NUCLEOSIDE & NUCLEOTIDE ANAL	
GENVOYA (elvitegravir/cobicistat/emtricitabine/tenofovir)	STRIBILD (elvitegravir/cobicistat/emtricitabine/tenofovir)* TRIUMEQ (abacavir/lamivudine/ dolutegravir)**	*Stribild requires medical reasoning beyond convenience or enhanced compliance as to why the medical need cannot be met with the the preferred agent Genvoya.
		**Triumeq requires medical reasoning beyond convenience or enhanced compliance as to why the medical need cannot be met with the preferred agents Epzicom and Tivicay.
COMBINATION P	RODUCTS – NUCLEOSIDE & NUCLEOTIDE ANAL	OGS & NON-NUCLEOSIDE RTIs



EFFECTIVE 04/01/2019 Version 2019.2h

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ATRIPLA (efavirenz/emtricitabine/tenofovir) ODEFSEY (emtricitabine/rilpivirine/tenofovir) SYMFI (efavirenz/lamivudine/tenofovir) SYMFI LO (efavirenz/lamivudine/tenofovir)	COMPLERA (emtricitabine/rilpivirine/tenofovir)*	*Complera requires medical reasoning beyond convenience or enhanced compliance as to why the medical need cannot be met with the preferred agents Truvada and Edurant.
	COMBINATION PRODUCTS - PROTEASE INI	HIBITORS
KALETRA (lopinavir/ritonavir)	lopinavir/ritonavir	
ANTIVIRALS, ORAL		
CLASS PA CRITERIA: Non-preferred agents require exceptions on the PA form is present.	uire five (5) day trials of each preferred agent in the s	same sub-class before they will be approved, unless one (1) of
	ANTI HERPES	
acyclovir valacyclovir	famciclovir FAMVIR (famciclovir) SITAVIG (acyclovir) VALTREX (valacyclovir) ZOVIRAX (acyclovir)	
	ANTI-INFLUENZA	
oseltamivir RELENZA (zanamivir) TAMIFLU (oseltamivir)	FLUMADINE (rimantadine) rimantadine XOFLUZA (baloxavir) <sup>NR</sup>	In addition to the Class Criteria: The anti-influenza agents will be authorized only for a diagnosis of influenza.
ANTIVIRALS, TOPICALAP		
<b>CLASS PA CRITERIA:</b> Non-preferred agents required is present.	uire a five (5) day trial of the preferred agent before t	hey will be approved, unless one (1) of the exceptions on the PA
ABREVA (docosanol) ZOVIRAX CREAM (acyclovir) ZOVIRAX OINTMENT (acyclovir)	acyclovir ointment DENAVIR (penciclovir)	
BETA BLOCKERSAP		
	uire fourteen (14) day trials of three (3) chemically di approved, unless one (1) of the exceptions on the PA	stinct preferred agents, including the generic formulation of the A form is present.
	BETA BLOCKERS	
acebutolol atenolol betaxolol bisoprolol CORGARD (nadolol) metoprolol metoprolol ER	BETAPACE (sotalol) BYSTOLIC (nebivolol) HEMANGEOL (propranolol)* INDERAL LA (propranolol) INDERAL XL (propranolol) INNOPRAN XL (propranolol) KAPSPARGO SPRINKLE (metoprolol)	*Hemangeol will be authorized for the treatment of proliferating infantile hemangioma requiring systemic therapy.  **Propranolol ER shall be authorized for patients with a diagnosis of migraines. Existing users will be grandfathered for use in migraine prophylaxis.



EFFECTIVE 04/01/2019 Version 2019.2h

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
pindolol propranolol SORINE (sotalol) sotalol timolol	KERLONE (betaxolol) LEVATOL (penbutolol) LOPRESSOR (metoprolol) nadolol propranolol ER** SECTRAL (acebutolol) TENORMIN (atenolol) TOPROL XL (metoprolol) ZEBETA (bisoprolol) BETA BLOCKER/DIURETIC COMBINATION	DRUGS
atenolol/chlorthalidone	CORZIDE (nadolol/bendroflumethiazide)	2.1000
bisoprolol/HCTZ	DUTOPROL (metoprolol ER/HCTZ ER)	
metoprolol/HCTZ propranolol/HCTZ	LOPRESSOR HCT (metoprolol/HCTZ) metoprolol/HCTZ ER	
proprancio//TOTZ	nadolol/bendroflumethiazide	
	TENORETIC (atenolol/chlorthalidone)	
	ZIAC (bisoprolol/HCTZ)	
	BETA- AND ALPHA-BLOCKERS	
carvedilol labetalol	COREG (carvedilol) COREG CR (carvedilol)	
labetaloi	TRANDATE (labetalol)	
BLADDER RELAXANT PREPARATIONS <sup>AP</sup> CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of each chemically distinct preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present		
oxybutynin IR	DETROL (tolterodine)	
oxybutynin ER	DETROL (tolterodine)	
TÓVIAZ (fesoterodine)	DITROPAN XL (oxybutynin)	
	ENABLEX (darifenacin) flavoxate	
	GELNIQUE (oxybutynin)	
	MYRBETRIQ (mirabegron)	
	OXYTROL (oxybutynin) SANCTURA (trospium)	
	SANCTURA XR (trospium)	
	tolterodine	
	tolterodine ER	
	trospium trospium ER	
	VESICARE (solifenacin)	



EFFECTIVE 04/01/2019 Version 2019.2h

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>BONE RESORPTION SUPPRES</b>	SION AND RELATED AGENTS	
CLASS PA CRITERIA: See below for class	criteria.	
	BISPHOSPHONATES	
alendronate tablets ibandronate	ACTONEL (risedronate) ACTONEL WITH CALCIUM (risedronate/calcium) alendronate solution ATELVIA (risedronate) BINOSTO (alendronate) BONIVA (ibandronate) DIDRONEL (etidronate) etidronate FOSAMAX TABLETS (alendronate) FOSAMAX PLUS D (alendronate/vitamin D) risedronate	Non-preferred agents require thirty (30) day trials of <b>eac</b> preferred Bisphosphonate agent before they will be approve unless one (1) of the exceptions on the PA form is present.
	OTHER BONE RESORPTION SUPPRESSION AND	RELATED AGENTS
	calcitonin EVISTA (raloxifene)* FORTEO (teriparatide) FORTICAL (calcitonin) MIACALCIN (calcitonin) raloxifene* TYMLOS (abaloparatide)	Non-preferred agents require a thirty (30) day trial of a preferred Bisphosphonate agent before they will be approved unless one (1) of the exceptions on the PA form is present.  *Raloxifene will be authorized for postmenopausal women with osteoporosis or at high risk for invasive breast cancer.
BPH TREATMENTS		
	s require thirty (30) day trials of at least two (2) chemically will be approved, unless one (1) of the exceptions on	ally distinct preferred agents, including the generic formulation of the PA form is present.
	5-ALPHA-REDUCTASE (5AR) INHIBITORS AN	D PDE-5 AGENTS
finasteride	AVODART (dutasteride) CIALIS 5 mg (tadalafil) dutasteride PROSCAR (finasteride)	
alfuzosin	ALPHA BLOCKERS  CARDURA (doxazosin)	
doxazosin tamsulosin terazosin	CARDURA (doxazosin) CARDURA XL (doxazosin) FLOMAX (tamsulosin) HYTRIN (terazosin) RAPAFLO (silodosin) UROXATRAL (alfuzosin)	



EFFECTIVE 04/01/2019 Version 2019.2h

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
5-ALPHA-REDUCTASE (5AR) INHIBITORS/ALPHA BLOCKER COMBINATION		
	dutasteride/tamsulosin JALYN (dutasteride/tamsulosin)	<b>Substitute for Class Criteria</b> : Concurrent thirty (30) day trials of dutasteride and tamsulosin are required before the non-preferred agent will be authorized.
BRONCHODILATORS, BETA AGON	IIST <sup>AP</sup>	
CLASS PA CRITERIA: Non-preferred agents require exceptions on the PA form is present.	uire thirty (30) day trials of each chemically distinct p	preferred agent in their corresponding sub-class unless one (1) of
	INHALATION SOLUTION	
albuterol	BROVANA (arformoterol) levalbuterol metaproterenol PERFOROMIST (formoterol) XOPENEX (levalbuterol)*	*Xopenex Inhalation Solution will be authorized for twelve (12) months for a diagnosis of asthma or COPD for patients on concurrent asthma controller therapy (either oral or inhaled) with documentation of failure on a trial of albuterol or documented intolerance of albuterol, or for concurrent diagnosis of heart disease.
	INHALERS, LONG-ACTING	
FORADIL (formoterol) SEREVENT (salmeterol)	ARCAPTA (indacaterol maleate) STRIVERDI RESPIMAT (olodaterol)	
DDOAID LIEA (albutaral)	INHALERS, SHORT-ACTING	
PROAIR HFA (albuterol) PROAIR RESPICLICK (albuterol) PROVENTIL HFA (albuterol)	MAXAIR (pirbuterol) VENTOLIN HFA (albuterol) XOPENEX HFA (levalbuterol)	
	ORAL	
	albuterol ER albuterol IR metaproterenol VOSPIRE ER (albuterol) terbutaline	
CALCIUM CHANNEL BLOCKERSAP		
CLASS PA CRITERIA: Non-preferred agents require fourteen (14) day trials of each preferred agent within the corresponding sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present.		
LONG-ACTING		
amlodipine diltiazem ER felodipine ER nifedipine ER verapamil ER	ADALAT CC (nifedipine) CALAN SR (verapamil) CARDENE SR (nicardipine) CARDIZEM CD, LA (diltiazem) COVERA-HS (verapamil) diltiazem LA MATZIM LA (diltiazem)	



EFFECTIVE 04/01/2019 Version 2019.2h

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	nisoldipine NORVASC (amlodipine) PLENDIL (felodipine) PROCARDIA XL (nifedipine) SULAR (nisoldipine) TIAZAC (diltiazem) verapamil ER PM VERELAN/VERELAN PM (verapamil)	
diltiazem	SHORT-ACTING  CALAN (verapamil)	
verapamil	CALAN (Veraparili) CARDIZEM (diltiazem) isradipine nicardipine nifedipine nimodipine NIMOTOP (nimodipine) NYMALIZE SOLUTION (nimodipine) PROCARDIA (nifedipine)	
CEPHALOSPORINS AND RELATED	· · · · · ·	
CLASS PA CRITERIA: Non-preferred agents recone (1) of the exceptions on the PA form is preser	uire a five (5) day trial of a preferred agent within the	corresponding sub-class before they will be approved, unless
BETA LACT	AMS AND BETA LACTAM/BETA-LACTAMASE IN	HIBITOR COMBINATIONS
amoxicillin/clavulanate IR	amoxicillin/clavulanate ER AUGMENTIN (amoxicillin/clavulanate) AUGMENTIN XR (amoxicillin/clavulanate) MOXATAG (amoxicillin)	
	CEPHALOSPORINS	
cefaclor capsule cefadroxil capsule, tablet cefdinir cefuroxime tablet cephalexin capsule, suspension	CEDAX (ceftibuten) cefaclor suspension cefaclor ER tablet cefadroxil suspension cefpodoxime cefprozil ceftibuten capsule, suspension CEFTIN (cefuroxime) cefuroxime suspension cephalexin tablet DAXABIA (cephalexin) KEFLEX (cephalexin) OMNICEF (cefdinir) RANICLOR (cefaclor) SUPRAX (cefixime)	



EFFECTIVE 04/01/2019 Version 2019.2h

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS PA CRITERIA		
COPD AGENTS	COPD AGENTS		
CLASS PA CRITERIA: Non-preferred agents reunless one (1) of the exceptions on the PA form is		from the corresponding sub-class before they will be approved,	
	ANTICHOLINERGICAP		
ipratropium nebulizer solution SPIRIVA (tiotropium) TUDORZA (aclidinium)	ATROVENT HFA (ipratropium) INCRUSE ELLIPTA (umeclidinium) LONHALA MAGNAIR (glycopyrrolate) SEEBRI NEOHALER (glycopyrrolate) SPIRIVA RESPIMAT (tiotropium)		
	ANTICHOLINERGIC-BETA AGONIST COMBIN		
ANORO ELLIPTA (umeclidinium/vilanterol) albuterol/ipratropium nebulizer solution BEVESPI (glycopyrrolate/formoterol) UTIBRON (indacaterol/glycopyrrolate)	COMBIVENT RESPIMAT (albuterol/ipratropium) DUONEB (albuterol/ipratropium) STIOLTO RESPIMAT (tiotropium/olodaterol)*	*In addition to the Class PA criteria, Stiolto Respimat requires a sixty (60) day trial of Anoro Ellipta.	
ANTICHOLINERGIC-BETA AGONIST-GLUCOCORTICOID COMBINATIONS			
	TRELEGY ELLIPTA (fluticasone/umeclidinium/vilanterol)*	* Trelegy Ellipta may be prior authorized for patients currently established on the individual components for at least 30 days.	
	PDE4 INHIBITOR		
	DALIRESP (roflumilast)*	*Daliresp will be authorized if the following criteria are met:  1. Patient is forty (40) years of age or older and 2. Diagnosis of severe chronic obstructive pulmonary disease (COPD) associated with chronic bronchitis and multiple exacerbations requiring systemic glucocorticoids in the preceding six (6) months and 3. Concurrent therapy with an inhaled corticosteroid and long-acting bronchodilator and evidence of compliance and 4. No evidence of moderate to severe liver impairment (Child-Pugh Class B or C) and 5. No concurrent use with strong cytochrome P450 inducers (rifampicin, phenobarbital, carbamazepine or phenytoin)	
CYTOKINE & CAM ANTAGONISTS			
CLASS PA CRITERIA: Non-preferred agents require ninety (90) day trials of both Humira and Enbrel unless one (1) of the exceptions on the PA form is present. For FDA-approved indications, an additional ninety (90) day trial of Cosentyx will also be required.			
	ANTI-TNFs		
ENBREL (etanercept)* HUMIRA (adalimumab)*	CIMZIA (certolizumab pegol) REMICADE (infliximab)	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.	



EFFECTIVE 04/01/2019 Version 2019.2h

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	RENFLEXIS (infliximab)	
	SIMPONI subcutaneous (golimumab) OTHERS	
COSENTYX (secukinumab)*	ACTEMRA subcutaneous (tocilizumab) ENTYVIO (vedolizumab) ILARIS (canakinumab) ILUMYA (tildrakizumab) <sup>NR</sup> KEVZARA (sarilumab) KINERET (anakinra) OLUMIANT (baricitinib) <sup>NR</sup> ORENCIA subcutaneous (abatacept) OTEZLA (apremilast) SILIQ (brodalumab) STELARA subcutaneous (ustekinumab) TALTZ (ixekizumab) TREMFYA (guselkumab) XELJANZ (tofacitinib) XELJANZ XR (tofacitinib)	*Cosentyx will be authorized for treatment of plaque psoriasis, psoriatic arthritis and ankylosing spondylitis only after inadequate response to a ninety (90) day trial of one preferred agent.
EPINEPHRINE, SELF-INJECTED		
<b>CLASS PA CRITERIA:</b> A non-preferred agent runderstand the training for the preferred agent(s)		tient's inability to follow the instructions, or the patient's failure to
epinephrine (labeler 49502 & 00093 only)	ADRENACLICK (epinephrine) epinephrine (labeler 54505 and 00115) EPIPEN (epinephrine) EPIPEN JR (epinephrine)	
ERYTHROPOIESIS STIMULATING PROTEINSCL		
CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.		
EPOGEN (rHuEPO) PROCRIT (rHuEPO)	ARANESP (darbepoetin) MIRCERA (methoxy PEG-epoetin) RETACRIT (epoetin alfa) <sup>NR</sup>	Erythropoiesis agents will be authorized if the following criteria are met:  1. Hemoglobin or Hematocrit less than 10/30 respectively. For renewal, hemoglobin or hematocrit levels greater than 12/36 will require dosage reduction or discontinuation. Exceptions will be considered on an individual basis after medical documentation is reviewed. (Lab oratory values must be dated within



EFFECTIVE 04/01/2019 Version 2019.2h

SENTS  PA CRITERIA  six (6) weeks of request.) and  2. Transferrin saturation ≥ 20%, ferritin levels ≥100 mg/ml, or on concurrent therapeutic iron therapy. (Laboratory values must be dated within three (3)		
<ol> <li>Transferrin saturation ≥ 20%, ferritin levels ≥100 mg/ml, or on concurrent therapeutic iron therapy.         (Laboratory values must be dated within three (3)</li> </ol>		
<ul> <li>weeks of request. For re-authorization, transferrin saturation or ferritin levels are not required if the patient has been responsive to the erythropoietin agent and</li> <li>3. For HIV-infected patients, endogenous serum erythropoietin level must be ≤ 500mU/ml to initiate therapy and</li> <li>4. No evidence of untreated GI bleeding, hemolysis, or Vitamin B-12, iron or folate deficiency.</li> </ul>		
agent before they will be approved, unless one (1) of the exceptions on the PA		
CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of each chemically unique preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.		
ICOIDS		
*Pulmicort Respules are only preferred for children up to nine (9) years of age. For patients nine (9) and older, prior authorization is required and will be approved only for a diagnosis of severe nasal polyps.  **Aerospan will be authorized for children ages 6 through 11		



EFFECTIVE 04/01/2019 Version 2019.2h

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ADVAIR DISKUS (fluticasone/salmeterol) ADVAIR HFA (fluticasone/salmeterol) DULERA (mometasone/formoterol) SYMBICORT(budesonide/formoterol)	GLUCOCORTICOID/BRONCHODILATOR COM AIRDUO RESPICLICK (fluticasone/salmeterol) BREO ELLIPTA (fluticasone/vilanterol) fluticasone/salmeterol	IBINATIONS
GROWTH HORMONECL		
CLASS PA CRITERIA: Non-preferred agents the PA form is present.	require three (3) month trials of each preferred agent	before they will be approved, unless one (1) of the exceptions or
GENOTROPIN (somatropin) NORDITROPIN (somatropin)	HUMATROPE (somatropin) INCRELEX (mecasermin) NUTROPIN AQ (somatropin) OMNITROPE (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin) ZOMACTON (somatropin) ZORBTIVE (somatropin)	Patients already on a non-preferred agent will receive authorization to continue therapy on that agent for the duration of the existing PA.
H. PYLORI TREATMENT		
		components of the requested non-preferred agent and must be will be approved, unless one (1) of the exceptions on the PA form
Please use individual components:     preferred PPI (omeprazole or pantoprazole)     amoxicillin     tetracycline     metronidazole     clarithromycin     bismuth PYLERA (bismuth/metronidazole/tetracycline)	HELIDAC (bismuth/metronidazole/tetracycline) lansoprazole/amoxicillin/clarithromycin OMECLAMOX-PAK (omeprazole/amoxicillin/clarithromycin) PREVPAC (lansoprazole/amoxicillin/clarithromycin)	
HEPATITIS B TREATMENTS		
<b>CLASS PA CRITERIA:</b> Non-preferred agents re PA form is present.	equire ninety (90) day trials of each preferred agent be	fore they will be approved, unless one (1) of the exceptions on the
BARACLUDE SOLUTION (entecavir) entecavir lamivudine HBV	adefovir BARACLUDE TABLET (entecavir) EPIVIR HBV (lamivudine) HEPSERA (adefovir) VEMLIDY (tenofovir alafenamide fumarate)	



EFFECTIVE 04/01/2019 Version 2019.2h

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
HEPATITIS C TREATMENTS <sup>CL</sup>		
<b>CLASS PA CRITERIA:</b> For patients starting the require medical reasoning why a preferred regime		I on the PA Criteria page. Requests for non-preferred regimens
EPCLUSA (sofosbuvir/velpatasvir)* HARVONI (ledipasvir/sofosbuvir)* MAVYRET (pibrentasvir/glecaprevir)* ribavirin ZEPATIER (elbasvir/grazoprevir)*	COPEGUS (ribavirin)  DAKLINZA (daclatasvir)*  ledipasvir/sofosbuvir*NR  MODERIBA 400 mg, 600 mg  MODERIBA DOSE PACK  PEGASYS (pegylated interferon)  PEG-INTRON (pegylated interferon)  OLYSIO (simeprevir)*  REBETOL (ribavirin)  RIBASPHERE RIBAPAK (ribavirin)  RIBASPHERE 400 mg, 600 mg (ribavirin)  sofosbuvir/velpatasvir*NR  SOVALDI (sofosbuvir)*  TECHNIVIE (ombitasvir/paritaprevir/ritonavir)*  VIEKIRA PAK (dasabuvir/ombitasvir/ paritaprevir/ritonavir)*  VIEKIRA XR (dasabuvir/ombitasvir/ paritaprevir/ritonavir)*  VOSEVI (sofosbuvir/velpatasvir/voxilaprevir)	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
HYPERPARATHYROID AGENTSAP	with thirty (20) downtries of each professed accept haf	
PA form is present.	uire triffty (50) day trials of each preferred agent ber	ore they will be approved, unless one (1) of the exceptions on the
paricalcitol capsule	doxercalciferol HECTOROL (doxercalciferol) paricalcitol injection RAYALDEE (calcifediol) SENSIPAR (cinacalcet) ZEMPLAR (paricalcitol)	
HYPOGLYCEMICS, BIGUANIDES		
CLASS PA CRITERIA: Non-preferred agents require a ninety (90) day trial of a preferred agent of similar duration before they will be approved, unless one (1) of the exceptions on the PA form is present.		
metformin metformin ER (generic Glucophage XR)	FORTAMET (metformin ER) GLUCOPHAGE (metformin) GLUCOPHAGE XR (metformin ER) GLUMETZA (metformin ER)* metformin ER (generic Glumetza & Fortamet) RIOMET (metformin)	*Glumetza will be approved only after a 30-day trial of Fortamet.



### BUREAU FOR MEDICAL SERVICES **WEST VIRGINIA MEDICAID**

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA This is not an all-inclusive list of available covered drugs and includes only

**EFFECTIVE** 04/01/2019 Version 2019.2h

managed categories. Refer to cover page for complete list of rules governing this PDL. THERAPEUTIC DRUG CLASS **PREFERRED AGENTS NON-PREFERRED AGENTS PA CRITERIA HYPOGLYCEMICS, DPP-4 INHIBITORS** CLASS PA CRITERIA: Non-preferred agents are available only on appeal.

NOTE: DPP-4 inhibitors will NOT be approved in combination with a GLP-1 agonist.

alogliptin

alogliptin/metformin

alogliptin/pioglitazone

JANUMET (sitagliptin/metformin)

JANUMET XR (sitagliptin/metformin) JANUVIA (sitagliptin)

JENTADUETO (linagliptin/metformin)

TRADJENTA (linagliptin)

JENTADUETO XR (linagliptin/metformin) KAZANO (alogliptin/metformin)

KOMBIGLYZE XR (saxagliptin/metformin)

NESINA (alogliptin) ONGLYZA (saxagliptin) OSENI (alogliptin/pioglitazone)

### HYPOGLYCEMICS, GLP-1 AGONISTSCL

CLASS PA CRITERIA: Agents in this class will not be approved for patients with a starting A1C < 7%. Non-preferred agents are available only on appeal. Preferred agents in this class shall be approved in six (6) month intervals if the following criteria are met:

- Initial starts require a diagnosis of Type 2 Diabetes and an A1C taken within the last 30 days reflecting the patient's current and stabilized regimen.
- No agent in this class shall be approved except as add on therapy to a regimen consisting of at least one (1) other agent prescribed at the maximum tolerable dose for at least 90 days.
- Re-authorizations require continued maintenance on a regimen consisting of at least one (1) other agent at the maximum tolerable dose AND an A1C of ≤8%.

NOTE: GLP-1 agents will NOT be approved in combination with a DPP-4 inhibitor.

BYDUREON (exenatide) ADLYXIN (lixisenatide)

BYETTA (exenatide) BYDUREON BCISE (exenatide)

OZEMPIC (semaglutide) TANZEUM (albiglutide) VICTOZA (liraglutide) TRULICITY (dulaqlutide)

### HYPOGLYCEMICS, INSULIN AND RELATED AGENTS

CLASS PA CRITERIA: Non-preferred agents require a ninety (90) day trial of a pharmacokinetically similar agent before they will be approved, unless one (1) of the exceptions on the PA form is present.

Humulin pens and Humalog Mix pens will be authorized only for patients who cannot utilize vials due to impaired vision or dexterity.

FIASP (insulin aspart) ADMELOG (insulin lispro) \*Apidra will be authorized if the following criteria are met: HUMALOG (insulin lispro) AFREZZA (insulin)CL 1. Patient is four (4) years of age or older; and HUMALOG MIX VIALS (insulin lispro/lispro APIDRA (insulin glulisine)AP\* 2. Patient is currently on a regimen including a longer protamine) BASAGLAR (insulin glargine) acting or basal insulin. and HUMALOG JR KWIKPEN (insulin lispro) HUMULIN VIALS (insulin) 3. Patient has had a trial of a similar preferred agent,



EFFECTIVE 04/01/2019 Version 2019.2h

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
LANTUS (insulin glargine) LEVEMIR (insulin detemir) NOVOLOG (insulin aspart) NOVOLOG MIX (insulin aspart/aspart protamine) TRESIBA (insulin degludec)	HUMALOG PEN/KWIKPEN (insulin lispro) HUMALOG MIX PENS (insulin lispro/lispro protamine) HUMULIN PENS (insulin) NOVOLIN (insulin) SOLIQUA (insulin glargine/lixisenatide)** TOUJEO SOLOSTAR (insulin glargine)** XULTOPHY (insulin degludec/liraglutide)**	Novolog or Humalog, with documentation that the desired results were not achieved.  ** Tresiba U-100 will be authorized only for patients who have demonstrated at least a 6-month history of compliance on preferred long-acting insulin and who continue to have regular incidents of hypoglycemia.  Tresiba U-200, Toujeo Solostar and Toujeo Max Solostar will only be approved for patients who require once-daily doses of at least 60 units of long-acting insulin and have demonstrated at least a 6-month history of compliance on preferred long-acting insulin and who continue to have regular incidents of hypoglycemia.  *** Non-preferred insulin combination products require that the patient must already be established on the individual agents at doses not exceeding the maximum dose achievable with the combination product, and require medical reasoning beyond convenience or enhanced compliance as to why the clinical need cannot be met with a combination of preferred single-ingredient agents.	
HYPOGLYCEMICS, MEGLITINIDES			
CLASS PA CRITERIA: Non-preferred agents are available only on appeal.			
notoglinido	MEGLITINIDES PRANDIN (repaglinide)		
nateglinide repaglinide	STARLIX (nateglinide)		
	MEGLITINIDE COMBINATIONS		
	PRANDIMET (repaglinide/metformin) repaglinide/metformin		
HYPOGLYCEMICS, MISCELLANEOUS AGENTS			
CLASS PA CRITERIA: Welchol will be authorized for add-on therapy for type 2 diabetes when there is a previous history of a thirty (30) day trial of an oral diabetic agent.			
WELCHOL (colesevelam) <sup>AP</sup>	SYMLIN (pramlintide)*	*Symlin will be authorized with a history of bolus insulin utilization in the past ninety (90) days with no gaps in insulin therapy greater than thirty (30) days.	



managed categories. Refer to cover page for complete list of rules governing this PDL.

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA
This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 04/01/2019 Version 2019.2h

### THERAPEUTIC DRUG CLASS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA

### HYPOGLYCEMICS, SGLT2 INHIBITORSCL

CLASS PA CRITERIA: Agents in this class will not be approved for patients with a starting A1C < 7%. Non-preferred agents are available only on appeal. Preferred agents in this class shall be approved in six (6) month intervals if the following criteria are met.

- Initial starts require a diagnosis of Type 2 Diabetes and an A1C taken within the last 30 days reflecting the patient's current and stabilized regimen.
- No agent in this class shall be approved except as add on therapy to a regimen consisting of at least one (1) other agent prescribed at the maximum tolerable dose for at least 90 days.

<ul> <li>Re-authorizations require <u>continued</u> maintenance on a regimen consisting of at least one (1) other agent at the maximum tolerable dose AND an A1C of ≤8%.</li> </ul>		
	SGLT2 INHIBITORS	
FARXIGA (dapagliflozin) INVOKANA (canagliflozin) JARDIANCE (empagliflozin)	STEGLATRO (ertugliflozin)	
	SGLT2 COMBINATIONS	
	GLYXAMBI (empagliflozin/linagliptin) INVOKAMET (canagliflozin/metformin) INVOKAMET XR (canagliflozin/metformin) SEGLUROMET (ertugliflozin/metformin) STEGLUJAN (ertugliflozin/sitagliptin) SYNJARDY (empagliflozin/metformin) SYNJARDY XR (empagliflozin/metformin) QTERN (dapagliflozin/saxagliptin) XIGDUO XR (dapagliflozin/metformin)	
HYPOGLYCEMICS, TZD		
CLASS PA CRITERIA: Non-preferred agents ar	e available only on appeal.	
	THIAZOLIDINEDIONES	
pioglitazone	ACTOS (pioglitazone) AVANDIA (rosiglitazone)	
	TZD COMBINATIONS	
	ACTOPLUS MET (pioglitazone/ metformin) ACTOPLUS MET XR (pioglitazone/ metformin) AVANDARYL (rosiglitazone/glimepiride) DUETACT (pioglitazone/glimepiride) pioglitazone/glimepiride pioglitazone/ metformin	Patients are required to use the components of Actoplus Met and Duetact separately. Exceptions will be handled on a case-by-case basis.



#### **BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID**

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

**EFFECTIVE** 04/01/2019 Version 2019.2h

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
(1) of the exceptions on the PA form is present. F	quire 30-day trial of a medium to high potency topica	I corticosteroid <b>AND all</b> preferred agents in this class unless one ded with involvement of sensitive areas such as the face and skin
folds. ELIDEL (pimecrolimus) EUCRISA (crisaborole) <sup>AP*</sup>	DUPIXENT (dupilumab)** PROTOPIC (tacrolimus)*** tacrolimus ointment	*Eucrisa requires a 30-day trial of Elidel <b>OR</b> a medium to high potency corticosteroid unless contraindicated.  **Full PA criteria for Dupixent may be found on the PA Criteria page by clicking the hyperlink  ***Protopic brand is preferred over its generic equiviliant.
IMMUNOMODULATORS, GENITAL	WARTS & ACTINIC KERATOSIS AGE	, , , , , , , , , , , , , , , , , , , ,
<b>CLASS PA CRITERIA:</b> Non-preferred agents red PA form is present.	uire thirty (30) day trials of each preferred agent before	ore they will be approved, unless one (1) of the exceptions on the
CONDYLOX GEL (podofilox) EFUDEX (fluorouracil) imiquimod	ALDARA (imiquimod) CARAC (fluorouracil) diclofenac 3% gel fluorouracil 0.5% cream fluorouracil 5% cream podofilox SOLARAZE (diclofenac) TOLAK (fluorouracil 4% cream) VEREGEN (sinecatechins) ZYCLARA (imiquimod)*	*Zyclara will be authorized for a diagnosis of actinic keratosis.
IMMUNOSUPPRESSIVES, ORAL		
<b>CLASS PA CRITERIA:</b> Non-preferred agents red PA form is present.	uire a fourteen (14) day trial of a preferred agent bef	ore they will be approved, unless one (1) of the exceptions on the
azathioprine cyclosporine cyclosporine, modified mycophenolate mofetil sirolimus tacrolimus capsule	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) CELLCEPT (mycophenolate mofetil) ENVARSUS XR (tacrolimus) IMURAN (azathioprine) mycophenolic acid mycophenolic mofetil suspension MYFORTIC (mycophenolic acid) NEORAL (cyclosporine, modified) PROGRAF (tacrolimus) RAPAMUNE (sirolimus) SANDIMMUNE (cyclosporine) ZORTRESS (everolimus)	



EFFECTIVE 04/01/2019 Version 2019.2h

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
INTRANASAL RHINITIS AGENTSAP		
CLASS PA CRITERIA: See below for individual s	ub-class criteria.	
	ANTICHOLINERGICS	
ipratropium	ATROVENT(ipratropium)	Non-preferred agents require thirty (30) day trials of one (1) preferred nasal anti-cholinergic agent, <b>AND</b> one (1) preferred antihistamine <b>AND</b> one (1) preferred intranasal corticosteroid agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
	ANTIHISTAMINES	
azelastine	ASTEPRO (azelastine) olopatadine PATANASE (olopatadine)	Non-preferred agents require thirty (30) day trials of one (1) preferred antihistamine <b>AND</b> one (1) preferred intranasal corticosteroid before they will be approved, unless one (1) of the exceptions on the PA form is present.
	COMBINATIONS	
	DYMISTA (azelastine / fluticasone)	Dymista requires a concurrent thirty (30) day trial of each preferred component before it will be approved, unless one (1) of the exceptions on the PA form is present.
	CORTICOSTEROIDS	
fluticasone propionate OMNARIS (ciclesonide) QNASL HFA (beclomethasone) ZETONNA (ciclesonide)	BECONASE AQ (beclomethasone) budesonide flunisolide mometasone NASACORT AQ (triamcinolone) NASONEX (mometasone) triamcinolone VERAMYST (fluticasone furoate)	Non-preferred agents require thirty (30) day trials of each preferred agent in this sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present
IRRITABLE BOWEL SYNDROME/SI	HORT BOWEL SYNDROME/SELECTE	ED GI AGENTS <sup>CL</sup>
CLASS PA CRITERIA: All agents are approvable	only for patients age eighteen (18) and older. See b	pelow for additional sub-class criteria.
	CONSTIPATION	
AMITIZA (lubiprostone)* MOVANTIK (naloxegol)**	LINZESS (linaclotide)*** RELISTOR INJECTION (methylnaltrexone)**** RELISTOR TABLET (methylnaltrexone)**** SYMPROIC (naldemedine)**** TRULANCE (plecanatide)****	All agents require documentation of the current diagnosis and evidence that the patient has failed to find relief with dietary modification and a fourteen (14) day trial of an osmotic laxative.  In addition:  * Amitiza is indicated for CIC, IBS-C (females only) and
		OIC. Approval for the diagnosis of OIC requires a concurrent and continuous 90-day history of opioid claims on record.  ** Movantik will be approved per the FDA-approved label for



EFFECTIVE 04/01/2019 Version 2019.2h

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		OIC with a concurrent and continuous 90-day history of opioid claims on record.  *** Linzess is indicated for CIC and IBS-C and requires a thirty (30) day trial of Amitiza For the indication of IBS-C in males, a trial of Amitiza is not required.  **** Relistor and Symproic are indicated for OIC and require thirty (30) day trials of both Movantik and Amitiza.  ***** Trulance is indicated for CIC and requires a thirty (30) day trial of Amitiza. For the indication of IBS-C in males, a trial of Amitiza is not required.
	DIARRHEA	
	alosetron MYTESI (crofelemer) LOTRONEX (alosetron) VIBERZI (eluxadoline)	Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
LAXATIVES AND CATHARTICS		
<b>CLASS PA CRITERIA:</b> Non-preferred agents red PA form is present	uire thirty (30) day trials of each preferred agent bef	ore they will be approved, unless one (1) of the exceptions on the
COLYTE GOLYTELY NULYTELY peg 3350	HALFLYTELY-BISACODYL KIT MOVIPREP OSMOPREP PREPOPIK SUPREP	
LEUKOTRIENE MODIFIERS		
CLASS PA CRITERIA: Non-preferred agents red PA form is present.	uire thirty (30) day trials of each preferred agent bef	ore they will be approved, unless one (1) of the exceptions on the
montelukast zafirlukast	ACCOLATE (zafirlukast) SINGULAIR (montelukast) zileuton ZYFLO (zileuton)	
LIPOTROPICS, OTHER (Non-statin		
CLASS PA CRITERIA: Non-preferred agents red PA form is present.	uire a twelve (12) week trial of a preferred agent bef	ore they will be approved, unless one (1) of the exceptions on the
	BILE ACID SEQUESTRANTSAP	
cholestyramine colestipol tablets	COLESTID (colestipol) colestipol granules	*Full PA criteria may be found on the <u>PA Criteria</u> page by clicking the hyperlink.



EFFECTIVE 04/01/2019 Version 2019.2h

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	KYNAMRO (mipomersen)* QUESTRAN (cholestyramine) WELCHOL (colesevelam)**	**Welchol will be authorized for add-on therapy for type 2 diabetes when there is a previous history of a thirty (30) day trial of an oral agent (metformin, sulfonylurea or thiazolidinedione (TZD)). See HYPOGLYCEMICS, MISCELLANEOUS.
	CHOLESTEROL ABSORPTION INHIBIT	ORS
ZETIA (ezetimibe)* AP	ezetimibe	*Zetia will be authorized with prior use of a HMG-CoA reductase inhibitor within the previous six (6) months.
	FATTY ACIDS	
LOVAZA (omega-3-acid ethyl esters) omega-3 acid ethyl esters	VASCEPA (icosapent ethyl)	These agents are recommended when the patient has an initial triglyceride level ≥ 500 mg/dL.
	FIBRIC ACID DERIVATIVESCL	
fenofibrate 54 and 160 mg fenofibrate micronized 67mg, 134mg & 200mg fenofibrate nanocrystallized 48 mg, 145 mg gemfibrozil	ANTARA (fenofibrate) FENOGLIDE (fenofibrate) FIBRICOR (fenofibric acid) fenofibrate 40 mg tablet fenofibrate 150 mg capsules fenofibrate 43, 50, 120 and 130 mg fenofibric acid LIPOFEN (fenofibrate) LOFIBRA (fenofibrate) LOPID (gemfibrozil) TRICOR (fenofibrate nanocrystallized) TRIGLIDE (fenofibrate) TRILIPIX (fenofibric acid)	
	MTP INHIBITORS	
	JUXTAPID (lomitapide)*	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
	NIACIN	ŭ ,
niacin NIACOR (niacin) NIASPAN (niacin)	niacin ER	
	PCSK-9 INHIBITORS	
	PRALUENT (alirocumab)* REPATHA (evolocumab)*	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.



EFFECTIVE 04/01/2019 Version 2019.2h

	THERAPEUTIC DRUG CLA	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LIPOTROPICS, STATINSAP	<u>'</u>	
CLASS PA CRITERIA: See below for inc	ividual sub-class criteria.	
	STATINS	
atorvastatin lovastatin pravastatin rosuvastatin simvastatin*	ALTOPREV (lovastatin) CRESTOR (rosuvastatin) fluvastatin fluvastatin ER LESCOL (fluvastatin) LESCOL XL (fluvastatin) LIPITOR (atorvastatin) LIVALO (pitavastatin) MEVACOR (lovastatin) PRAVACHOL (pravastatin) ZOCOR (simvastatin)* ZYPITAMAG (pitavastatin)	Non-preferred agents require twelve (12) week trials of two (2) preferred agents, including the generic formulation of the requested non-preferred agent, before they will be approved, unless one (1) of the exceptions on the PA form is present.  *Zocor/simvastatin 80mg tablets will require a clinical PA.
	STATIN COMBINATIONS	
	ADVICOR (lovastatin/niacin) amlodipine/atorvastatin CADUET (atorvastatin/amlodipine) ezetimibe/simvastatin LIPTRUZET (atorvastatin/ezetimibe) SIMCOR (simvastatin/niacin ER) VYTORIN (simvastatin/ezetimibe)*	Non-preferred agents require thirty (30) day concurrent trials of the corresponding preferred single agents before they will be approved, unless one (1) of the exceptions on the PA form is present.  *Vytorin will be authorized only after an insufficient response to a twelve (12) week trial of the maximum tolerable dose of atorvastatin or rosuvastatin, unless one (1) of the exceptions on the PA form is present.  Vytorin 80/10mg tablets will require a clinical PA.
MACROLIDES		, , , , , , , , , , , , , , , , , , , ,
	ents require a five (5) day trial of each preferred agent be	efore they will be approved, unless one (1) of the exceptions on the
	MACROLIDES	
azithromycin erythromycin base	BIAXIN (clarithromycin) clarithromycin tablets clarithromycin ER clarithromycin suspension E.E.S. (erythromycin ethylsuccinate) E-MYCIN (erythromycin) ERYC (erythromycin) ERYPED (erythromycin ethylsuccinate) ERY-TAB (erythromycin) ERYTHROCIN (erythromycin stearate)	



EFFECTIVE 04/01/2019 Version 2019.2h

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	erythromycin estolate PCE (erythromycin) ZITHROMAX (azithromycin) ZMAX (azithromycin)	
MULTIPLE SCLEROSIS AGENTSCL	, ,	
CLASS PA CRITERIA: Non-preferred agents requ sub-class before they will be approved, unless one		day trials of each chemically unique preferred agent in the same
	INTERFERONS <sup>AP</sup>	
AVONEX (interferon beta-1a) AVONEX PEN (interferon beta-1a) BETASERON (interferon beta-1b)	EXTAVIA KIT (interferon beta-1b) EXTAVIA VIAL (interferon beta-1b) PLEGRIDY (peginterferon beta-1a) REBIF (interferon beta-1a) REBIF REBIDOSE (interferon beta-1a)	
	NON-INTERFERONS	
COPAXONE 20 mg (glatiramer) GILENYA (fingolimod) *	AMPYRA (dalfampridine)** AUBAGIO (teriflunomide)*** COPAXONE 40 mg (glatiramer)**** glatiramer GLATOPA (glatiramer) TECFIDERA (dimethyl fumarate)**** ZINBRYTA (daclizumab)	In addition to class PA criteria, the following conditions and criteria also apply:  *Gilenya will be approved after a thirty (30) day trial of a preferred injectable agent.  **Ampyra will be authorized if the following criteria are met:  1. Diagnosis of multiple sclerosis and  2. No history of seizures and  3. No evidence of moderate or severe renal impairment and  4. Initial prescription will be authorized for thirty (30) days only.  ***Aubagio will be authorized if the following criteria are met:  1. Diagnosis of relapsing multiple sclerosis and  2. Measurement of transaminase and bilirubin levels within the (6) months before initiation of therapy and ALT levels at least monthly for six (6) months after initiation of therapy and  3. Complete blood cell count (CBC) within six (6) months before initiation of therapy and  4. Female patients must have a negative pregnancy test before initiation of therapy and be established on a reliable method of contraception if appropriate and  5. Patient is from eighteen (18) up to sixty-five (65) years of age and



EFFECTIVE 04/01/2019 Version 2019.2h

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		6. Negative tuberculin skin test before initiation of therapy
		****Copaxone 40mg will only be authorized for documented injection site issues.
		<ol> <li>*****Tecfidera will be authorized if the following criteria are met:</li> <li>Diagnosis of relapsing multiple sclerosis and</li> <li>Complete blood count (CBC) within six (6) months of initiation of therapy and six (6) months after initiation and</li> <li>Complete blood count (CBC) annually during therapy.</li> </ol>
NEUROPATHIC PAIN		
<b>CLASS PA CRITERIA:</b> Non-preferred agents reapproved, unless one (1) of the exceptions on the		e corresponding dosage form (oral or topical) before they will be
capsaicin OTC duloxetine gabapentin lidocaine patch LYRICA CAPSULE (pregabalin)	CYMBALTA (duloxetine) GRALISE (gabapentin)* HORIZANT (gabapentin) IRENKA (duloxetine) LIDODERM (lidocaine) LYRICA CR (pregabalin)** LYRICA SOLUTION (pregabalin)** NEURONTIN (gabapentin) <sup>AP</sup> QUTENZA (capsaicin) SAVELLA (milnacipran)***	*Gralise will be authorized only if the following criteria are met:  1. Diagnosis of post herpetic neuralgia and 2. Trial of a tricyclic antidepressant for a least thirty (30) days and 3. 90-day trial of gabapentin immediate release formulation (positive response without adequate duration) and 4. Request is for once daily dosing with 1800 mg maximum daily dosage.  **Lyrica CR and Lyrica Solution require medical reasoning beyond convenience as to why the need cannot be met using preferred Lyrica capsules.  ***Savella will be authorized for a diagnosis of fibromyalgia only after a 90-day trial of one preferred agent.
NSAIDSAP		
CLASS PA CRITERIA: See below for sub-class F	PA criteria.	
	NON-SELECTIVE	
diclofenac (IR, SR) flurbiprofen ibuprofen (Rx and OTC)	CATAFLAM (diclofenac) CLINORIL (sulindac) DAYPRO (oxaprozin)	Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.



EFFECTIVE 04/01/2019 Version 2019.2h

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
INDOCIN SUSPENSION (indomethacin) indomethacin ketoprofen ketorolac meloxicam tablet nabumetone naproxen (Rx and OTC) piroxicam sulindac	diflunisal DUEXIS (famotidine/ibuprofen) etodolac IR etodolac SR FELDENE (piroxicam) fenoprofen INDOCIN SUPPOSITORIES (indomethacin) indomethacin ER ketoprofen ER meclofenamate mefenamic acid meloxicam suspension MOBIC TABLET (meloxicam) NALFON (fenoprofen) NAPRELAN (naproxen) NAPROSYN (naproxen) naproxen CR oxaprozin PONSTEL (meclofenamate) SPRIX (ketorolac) TIVORBEX (indomethacin) tolmetin VIVLODEX (meloxicam) VOLTAREN (diclofenac) ZIPSOR (diclofenac potassium) ZORVOLEX (diclofenac)	
	NSAID/GI PROTECTANT COMBINATIO	
	ARTHROTEC (diclofenac/misoprostol) diclofenac/misoprostol VIMOVO (naproxen/esomeprazole)	Non-preferred agents are only available on appeal and require medical reasoning beyond convenience as to why the need cannot be met with the combination of preferred single agents.
	CELEBREY (colonovib)	COV II Salactive agents require thirty (20) day trials of each
	CELEBREX (celecoxib) celecoxib	COX-II Selective agents require thirty (30) day trials of each preferred Non-Selective Oral NSAID, <b>UNLESS</b> the following criteria are met:  Patient has a history or risk of a serious GI complication; <b>OR</b> Agent is requested for treatment of a chronic condition <b>and</b> 1. Patient is seventy (70) years of age or older, <b>or</b> 2. Patient is currently on anticoagulation therapy.  3.
	TOPICAL	
FLECTOR PATCH (diclofenac)*	diclofenac gel diclofenac solution	*Flector patches are limited to two per day.



EFFECTIVE 04/01/2019 Version 2019.2h

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
VOLTAREN GEL (diclofenac)**	PENNSAID (diclofenac)	**Voltaren Gel will be limited to 100 grams per month.  Non-preferred agents require a thirty (30) day trial of the preferred Topical agent and thirty (30) day trials of each preferred oral NSAID before they will be approved, unless one(1) of the exceptions on the PA form is present.
OPHTHALMIC ANTIBIOTICS <sup>AP</sup>		
<b>CLASS PA CRITERIA:</b> Non-preferred agents red PA form is present.	quire three (3) day trials of each preferred agent before	ore they will be approved, unless one (1) of the exceptions on the
bacitracin/polymyxin ointment ciprofloxacin* erythromycin gentamicin levofloxacin* MOXEZA (moxifloxacin) neomycin/bacitracin/polymyxin ofloxacin* polymyxin/trimethoprim tobramycin TOBREX OINT (tobramycin)	AZASITE (azithromycin) bacitracin BLEPH-10 (sulfacetamide) BESIVANCE (besifloxacin)* CILOXAN (ciprofloxacin) GARAMYCIN (gentamicin) gatifloxacin ILOTYCIN (erythromycin) moxifloxacin** NATACYN (natamycin) neomycin/polymyxin/gramicidin NEOSPORIN (neomycin/polymyxin/gramicidin) OCUFLOX (ofloxacin) POLYTRIM (polymyxin/trimethoprim) sulfacetamide drops sulfacetamide ointment TOBREX (tobramycin) VIGAMOX (moxifloxacin)** ZYMAR (gatifloxacin) ZYMAXID (gatifloxacin)	*Prior authorization of any fluoroquinolone agent requires three (3) day trials of all other preferred agents unless definitive laboratory cultures exist indicating the need to use a fluoroquinolone.
OPHTHALMIC ANTIBIOTIC/STERO	D COMBINATIONS <sup>AP</sup>	
<b>CLASS PA CRITERIA:</b> Non-preferred agents red PA form is present.	quire three (3) day trials of each preferred agent before	ore they will be approved, unless one (1) of the exceptions on the
BLEPHAMIDE (prednisolone/sulfacetamide) neomycin/polymyxin/dexamethasone sulfacetamide/prednisolone TOBRADEX OINTMENT (tobramycin/ dexamethasone) TOBRADEX SUSPENSION (tobramycin/ dexamethasone)	BLEPHAMIDE S.O.P. (prednisolone/ sulfacetamide)  MAXITROL ointment (neomycin/polymyxin/ dexamethasone)  MAXITROL suspension (neomycin/polymyxin/ dexamethasone) neomycin/bacitracin/polymyxin/ hydrocortisone neomycin/polymyxin/hydrocortisone PRED-G (prednisolone/gentamicin)	



EFFECTIVE 04/01/2019 Version 2019.2h

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	TOBRADEX ST (tobramycin/ dexamethasone) tobramycin/dexamethasone suspension ZYLET (loteprednol/tobramycin	
OPHTHALMICS FOR ALLERGIC CO	· · · ·	
<b>CLASS PA CRITERIA:</b> Non-preferred agents red of the exceptions on the PA form is present.	quire thirty (30) day trials of three (3) preferred chem	nically unique agents before they will be approved, unless one (1)
ALAWAY (ketotifen) cromolyn ketotifen olopatadine 0.1% (Generic PATANOL labeler 61314 only) ZADITOR OTC (ketotifen)  OPHTHALMICS, ANTI-INFLAMMAT	ALAMAST (pemirolast) ALOCRIL (nedocromil) ALOMIDE (lodoxamide) ALREX (loteprednol) azelastine BEPREVE (bepotastine) CROLOM (cromolyn) ELESTAT (epinastine) EMADINE (emedastine) epinastine LASTACAFT (alcaftadine) olopatadine 0.1% (all formulations except Generic PATANOL labeler 61314) olopatadine 0.2% (all labelers) OPTICROM (cromolyn) OPTIVAR (azelastine) PATADAY (olopatadine) PATANOL (olopatadine) PAZEO (olopatadine) ORIES-IMMUNOMODULATORS	
CLASS PA CRITERIA: See below for individual		
	RESTASIS (cyclosporine) XIIDRA (lifitegrast)	<ol> <li>The following prior authorization criteria apply to both Restasis and Xiidra:         <ol> <li>Patient must be sixteen (16) years of age or greater; AND</li> <li>Prior Authorization must be requested by an ophthalmologist or optometrist; AND</li> <li>Clinically diagnosed tear deficiency due to ocular inflammation in patients with keratoconjunctivitis sicca or dry eye syndrome (also known as dry eye); AND</li> </ol> </li> <li>Patient must have a functioning lacrimal gland; AND</li> <li>Patient using artificial tears at least four (4) times a day over the last thirty (30) days; AND</li> <li>Patient must not have an active ocular infection</li> </ol>



EFFECTIVE 04/01/2019 Version 2019.2h

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
OPHTHALMICS, ANTI-INFLAMMAT	ORIES	
	equire five (5) day trials of at least two (2) preferr include at least one agent with the same mechanism	ed agents before they will be approved, unless one (1) of the of action as the requested non-preferred agent.
dexamethasone diclofenac DUREZOL (difluprednate) fluorometholone flurbiprofen ILEVRO (nepafenac) ketorolac prednisolone acetate prednisolone sodium phosphate	ACULAR (ketorolac) ACULAR LS (ketorolac) ACUVAIL (ketorolac tromethamine) BROMDAY (bromfenac) bromfenac BROMSITE (bromfenac) FLAREX (fluorometholone) FML (fluorometholone) FML FORTE (fluorometholone) LOTEMAX DROPS, OINTMENT (loteprednol) LOTEMAX GEL (loteprednol) MAXIDEX (dexamethasone) NEVANAC (nepafenac) OMNIPRED (prednisolone) OZURDEX (dexamethasone) PRED FORTE (prednisolone) PRED MILD (prednisolone) PROLENSA (bromfenac) RETISERT (fluocinolone) TRIESENCE (triamcinolone) VEXOL (rimexolone) XIBROM (bromfenac)	
OPHTHALMICS, GLAUCOMA AGEN		
CLASS PA CRITERIA: Non-preferred agents will	only be authorized if there is an allergy to all preferre	d agents in the corresponding sub-class.
COMBIGAN (brimonidine/timolol) dorzolamide/timolol SIMBRINZA (brinzolamide/brimonidine)	COMBINATION AGENTS COSOPT (dorzolamide/timolol) COSOPT PF (dorzolamide/timolol)	
PETOPTIC S (hotovolol)	BETA BLOCKERS	
BETOPTIC S (betaxolol) carteolol levobunolol timolol drops	BETAGAN (levobunolol) betaxolol ISTALOL (timolol) OPTIPRANOLOL (metipranolol) timolol gel TIMOPTIC (timolol)	



EFFECTIVE 04/01/2019 Version 2019.2h

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	CARBONIC ANHYDRASE INHIBITOR	S
AZOPT (brinzolamide) orzolamide	TRUSOPT (dorzolamide)	
	PARASYMPATHOMIMETICS	
PHOSPHOLINE IODIDE (echothiophate iodide)	pilocarpine	
	PROSTAGLANDIN ANALOGS	
latanoprost TRAVATAN-Z (travoprost)	bimatoprost LUMIGAN (bimatoprost) travoprost VYZULTA (latanoprostene)* XALATAN (latanoprost) ZIOPTAN (tafluprost)	*Vyzulta – prior authorization requires failure on a 3-month trial of at least one preferred prostaglandin eye drop used in combination with an agent from another subclass.
	RHO-KINASE INHIBITORS	
	RHOPRESSA (netarsudil)	Prior authorization of any agent in this sub-class requires a trial of at least one (1) preferred agent from all other sub-classes.
	SYMPATHOMIMETICS	
brimonidine 0.2%	ALPHAGAN P 0.1% Solution (brimonidine) ALPHAGAN P 0.15% Solution (brimonidine) apraclonidine brimonidine 0.15% IOPIDINE (apraclonidine)	
<b>OPIATE DEPENDENCE TREATMEN</b>		
		with a documented intolerance of or allergy to Suboxone strips.
	y be viewed by clicking on the following hyperlink: B	· ·
naloxone NARCAN NASAL SPRAY (naloxone) SUBOXONE FILM (buprenorphine/naloxone)* VIVITROL (naltrexone)	buprenorphine tablets buprenorphine/naloxone tablets BUNAVAIL (buprenorphine/naloxone) LUCEMYRA (lofexidine) <sup>NR</sup> SUBLOCADE (buprenorphine soln)** ZUBSOLV (buprenorphine/naloxone)	* Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.  **Sublocade is approvable only on appeal and requires medical reasoning as to why the clinical need cannot be met with a preferred product.  VIVITROL no longer requires a PA.
OTIC ANTIBIOTICS <sup>AP</sup>		In longer required a 17th
<b>CLASS PA CRITERIA:</b> Non-preferred agents rec PA form is present.	quire five (5) day trials of each preferred agent before	re they will be approved, unless one (1) of the exceptions on the
17 Term to precent		



EFFECTIVE 04/01/2019 Version 2019.2h

	THERAPEUTIC DRUG CLAS	S
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CIPRODEX (ciprofloxacin/dexamethasone) COLY-MYCIN S (colistin/hydrocortisone/ neomycin/thonzonium bromide) ofloxacin	CORTISPORIN-TC (colistin/hydrocortisone/ neomycin) neomycin/polymyxin/HC solution/suspension OTOVEL (ciprofloxacin/fluocinolone)	
PAH AGENTS - ENDOTHELIN RECI	EPTOR ANTAGONISTS <sup>CL</sup>	
<b>CLASS PA CRITERIA:</b> Non-preferred agents red PA form is present.	uire a thirty (30) day trial of a preferred agent befor	re they will be approved, unless one (1) of the exceptions on the
LETAIRIS (ambrisentan) TRACLEER (bosentan)	OPSUMIT (macitentan)	
PAH AGENTS – GUANYLATE CYCL	ASE STIMULATOR <sup>CL</sup>	
<b>CLASS PA CRITERIA:</b> Non-preferred agents req of the exceptions on the PA form is present.	uire a thirty (30) day trial of a preferred agent from a	any other PAH Class before they will be approved, unless one (1)
	ADEMPAS (riociguat)	
PAH AGENTS - PDE5scl		
CLASS PA CRITERIA: Non-preferred agents red PA form is present. Patients stabilized on non-preferred agents will be		e they will be approved, unless one (1) of the exceptions on the
sildenafil	ADCIRCA (tadalafil) REVATIO IV (sildenafil) REVATIO SUSPENSION (sildenafil) REVATIO TABLETS (sildenafil)	
PAH AGENTS - PROSTACYCLINSCI	-	
CLASS PA CRITERIA: Non-preferred agents re available), before they will be approved, unless one		cluding the preferred generic form of the non-preferred agent (if
epoprostenol VENTAVIS (iloprost)*	FLOLAN (epoprostenol) ORENITRAM ER (treprostinil) REMODULIN (treprostinil sodium) TYVASO (treprostinil) UPTRAVI (selexipag) VELETRI (epoprostenol)	*Ventavis will only be authorized for the treatment of pulmonary artery hypertension (WHO Group 1) in patients with NYHA Class III or IV symptoms.



EFFECTIVE 04/01/2019 Version 2019.2h

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PANCREATIC ENZYMESAP		
CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.  For members with cystic fibrosis, a trial of a preferred agent will not be required.		
CREON ZENPEP	PANCREAZE PERTZYE ULTRESA VIOKACE	
PHOSPHATE BINDERSAP		
CLASS PA CRITERIA: Non-preferred agents re exceptions on the PA form is present.	quire a thirty (30) day trial of at least two (2) prefe	erred agents before they will be approved, unless one (1) of the
calcium acetate MAGNEBIND RX (calcium carbonate, folic acid, magnesium carbonate) PHOSLYRA (calcium acetate) RENAGEL (sevelamer)	AURYXIA (ferric citrate) ELIPHOS (calcium acetate) FOSRENOL (lanthanum) PHOSLO (calcium acetate) RENVELA (sevelamer carbonate) sevelamer carbonate VELPHORO (sucroferric oxyhydroxide)	
PLATELET AGGREGATION INHIBITORS		
CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.		
AGGRENOX (dipyridamole/ASA) BRILINTA (ticagrelor) clopidogrel prasugrel	clopidogrel kit dipyridamole dipyridamole/aspirin EFFIENT (prasugrel) PERSANTINE (dipyridamole) PLAVIX (clopidogrel) TICLID (ticlopidine) ticlopidine ZONTIVITY (vorapaxar)	
PROGESTATIONAL AGENTS		
CLASS PA CRITERIA: Full PA criteria may be fo	und on the <u>PA Criteria</u> page by clicking the hyperlink	(.
MAKENA (hydroxyprogesterone caproate) AUTO INJECTOR MAKENA (hydroxyprogesterone caproate) VIAL		



EFFECTIVE 04/01/2019 Version 2019.2h

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PROGESTINS FOR CACHEXIA		
<b>CLASS PA CRITERIA:</b> Non-preferred agents red PA form is present.	uire a thirty (30) day trial of a preferred agent befor	re they will be approved, unless one (1) of the exceptions on the
megestrol	MEGACE ES (megestrol)	
PROTON PUMP INHIBITORSAP		
		d pantoprazole at the maximum recommended dose*, inclusive of , unless one (1) of the exceptions on the PA form is present.
	s except melatonin will be limited to fifteen (15) table	*Maximum recommended doses of the PPIs and H2-receptor antagonists may be located at the BMS Pharmacy PA criteria page titled "Max PPI and H2RA" by clicking on the hyperlink.  **Prior authorization is required for members nine (9) years of age or older for these agents.  TH sub-classes before they will be approved, unless one (1) of ets in a thirty (30) day period. NOTE: WV Medicaid covers
	BENZODIAZEPINES	
temazepam 15, 30 mg	DALMANE (flurazepam) estazolam flurazepam HALCION (triazolam) RESTORIL (temazepam) temazepam 7.5, 22.5 mg triazolam	
Melatonin (labeler code 51645 only)	OTHERS AMBIEN (zolpidem)	Strengths of zolpidem that are non-preferred (6.25 and 12.5
zolpidem 5, 10 mg	AMBIEN CR (zolpidem) BELSOMRA (suvorexant) chloral hydrate	mg) must be created by combining or splitting the preferred doses (5 and 10 mg) of zolpidem, if appropriate.



EFFECTIVE 04/01/2019 Version 2019.2h

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	EDLUAR (zolpidem) eszopiclone HETLIOZ (tasimelteon) <sup>CL*</sup> INTERMEZZO (zolpidem) LUNESTA (eszopiclone) ROZEREM (ramelteon) SILENOR (doxepin) SOMNOTE (chloral hydrate) SONATA (zaleplon) zaleplon zolpidem ER 6.25, 12.5 mg ZOLPIMIST (zolpidem)	For treatment naïve female patients, zolpidem and zolpidem ER maximum dosages will be limited to 5 mg and 6.25 mg respectively per day.  *Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
SKELETAL MUSCLE RELAXANTS		
CLASS PA CRITERIA: See below for individual s	ub-class criteria.	
	ACUTE MUSCULOSKELETAL RELAXANT	
chlorzoxazone (generic PARAFON FORTE) cyclobenzaprine IR 5, 10 mg methocarbamol	AMRIX (cyclobenzaprine) carisoprodol* carisoprodol/ASA* carisoprodol/ASA/codeine* chlorzoxazone (generic LORZONE) <sup>NR</sup> cyclobenzaprine ER cyclobenzaprine IR 7.5 mg FEXMID (cyclobenzaprine) FLEXERIL (cyclobenzaprine) LORZONE (chlorzoxazone) metaxalone orphenadrine orphenadrine ER PARAFON FORTE (chlorzoxazone) ROBAXIN (methocarbamol) SKELAXIN (metaxalone) SOMA (carisoprodol)	Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present, with the exception of carisoprodol.  *Carisoprodol requires thirty (30) day trials of each of the preferred acute musculoskeletal relaxants and Skelaxin before it will be approved.
MU baclofen	JSCULOSKELETAL RELAXANT AGENTS USED F DANTRIUM (dantrolene)	
tizanidine tablets	dantrolene tizanidine capsules ZANAFLEX (tizanidine)	Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.



EFFECTIVE 04/01/2019 Version 2019.2h

PREFERRED AGENTS STEROIDS, TOPICAL  CLASS PA CRITERIA: Non-preferred agents require five (5) day trials of one (1) form of EACH preferred unique active ingredient in the corresponding potency group before they will be approved, unless one (1) of the exceptions on the PA form is present.  VERY HIGH & HIGH POTENCY  betamethasone valerate cream betamethasone valerate cream betamethasone valerate toition betamethasone valerate lotion betamethasone valerate lotion clobetasol propionate or cream/gel/ointment/solution clobetasol propionate shampoo fluocinonide gel triamcinolone acetonide cream, ointment triamcinolone acetonide lotion  APEXICON E (diflorasone diacetate) APEXICON E (diflorasone diacetate) betamethasone dipropionate propionate foam clobetasol propionate of clobetasol propionate foam fluocinonide caream fluocinonide ointment fluocinonide command fluocinonide foam fluocinonide fluoc		THERAPEUTIC DRUG CLAS	S
CLASS PA CRITERIA: Non-preferred agents require five (5) day trials of one (1) form of EACH preferred unique active ingredient in the corresponding potency group before they will be approved, unless one (1) of the exceptions on the PA form is present.  VERY HIGH & HIGH POTENCY  betamethasone dipropionate cream betamethasone valerate cream betamethasone valerate oint clobetasol propionate cream/gel/ointment/solution clobetasol propionate shampoo fluocinonide gel triamcinolone acetonide cream, ointment triamcinolone acetonide lotion  CLOBAN KI (clobetasol propionate)  CORMAX (clobetasol propionate)  CLOBAN KI (clobetasol propionate)  CLOBAN CRICERIA (clobetasol propionate)  C	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
betamethasone dipropionate cream betamethasone valerate cream betamethasone valerate continue cream betamethasone valerate oitor betamethasone valerate oitor betamethasone valerate oitor betamethasone valerate oitor colobetasol propionate cream/gel/ointment/solution clobetasol propionate shampoo fluocinonide gel triamcinolone acetonide lotion  DIPROLENE (albetasol propionate) clopa kirl (clobetasol propionate) dipropionate oream, ointment triamcinolone acetonide lotion  DIPROLENE (betamethasone dipropionate) dipropionate/propylene glycol) DIPROLENE AF (betamethasone dipropionate/propylene glycol) DIPROSONE (betamethasone dipropionate) fluocinonide ointment fluocinonide ointment fluocinonide ointment fluocinonide ointment fluocinonide oream fluocinonide ointment fluocinonide oppopionate halcinonide HALAC (halobetasol propionate) halobetasol propionate) KENALOG (triamcinolone acetonide) LIDEX (fluorencide)	STEROIDS, TOPICAL		
betamethasone dipropionate cream betamethasone valerate cream betamethasone valerate lotion betamethasone valerate oint clobetasol propionate cream/gel/ointment/solution clobetasol propionate shampoo fluocinonide gel triamcinolone acetonide lotion  CORMAX (clobetasol propionate) triamcinolone acetonide lotion  CORMAX (clobetasol propionate) triamcinolone acetonide foream, ointment triamcinolone acetonide lotion  CORMAX (clobetasol propionate) CORMAX (clobetasol propionate) corporate description of the propionate of the propionat			rred unique active ingredient in the corresponding potency group
betamethasone valerate cream betamethasone valerate lotion betamethasone valerate lotion betamethasone valerate lotion clobetasol propionate cream/gel/ointment/solution clobetasol propionate clobetasol propionate shampoo fluocinonide gel triamcinolone acetonide lotion  COMBAX (clobetasol propionate) CLODAN STI (clobetasol propionate) CORMAX (clobetasol propionate) desoximetasone cream/gel/ointment diflorasone diacetate DIPROLENE (betamethasone dipropionate/propylene glycol) DIPROSONE (betamethasone dipropionate) Huocinonide cream fluocinonide solution fluocinonide solution fluocinonide/emblient halcinonide HALAC (halobetasol propionate) HALONATE (halobetasol propionate) KENALOG (triamcinolone acetonide) LIDEX (fluocinonide)		VERY HIGH & HIGH POTENCY	
OLUX (clobetasol propionate) OLUX-E (clobetasol propionate/emollient) PSORCON (diflorasone diacetate) SERNIVO SPRAY (betamethasone dipropionate) TEMOVATE (clobetasol propionate) TEMOVATE-E (clobetasol propionate/emollient) TOPICORT CREAM, GEL, OINTMENT (desoximetasone) TOPICORT SPRAY (desoximetasone)	betamethasone valerate cream betamethasone valerate lotion betamethasone valerate oint clobetasol propionate     cream/gel/ointment/solution clobetasol emollient clobetasol propionate shampoo fluocinonide gel triamcinolone acetonide cream, ointment	amcinonide APEXICON (diflorasone diacetate) APEXICON E (diflorasone diacetate) betamethasone dipropionate gel, lotion, ointment clobetasol lotion clobetasol propionate foam CLOBEX (clobetasol propionate) CLODAN KIT (clobetasol propionate) CLODAN SHAMPOO (clobetasol propionate) CORMAX (clobetasol propionate) desoximetasone cream/gel/ointment diflorasone diacetate DIPROLENE (betamethasone dipropionate/propylene glycol) DIPROLENE AF (betamethasone dipropionate/propylene glycol) DIPROSONE (betamethasone dipropionate) fluocinonide cream fluocinonide ointment fluocinonide solution fluocinonide/emollient halcinonide HALAC (halobetasol propionate) halobetasol propionate HALOG (halcinonide) HALONATE (halobetasol propionate) KENALOG (triamcinolone acetonide) LIDEX (fluocinonide) OLUX (clobetasol propionate/emollient) PSORCON (diflorasone diacetate) SERNIVO SPRAY (betamethasone dipropionate) TEMOVATE (clobetasol propionate) TEMOVATE-E (clobetasol propionate/emollient) TOPICORT CREAM, GEL, OINTMENT (desoximetasone)	



EFFECTIVE 04/01/2019 Version 2019.2h

	THERAPEUTIC DRUG CLAS	S
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ULTRAVATE (halobetasol propionate) ULTRAVATE PAC cream ULTRAVATE X (halobetasol propionate / lactic acid) VANOS (fluocinonide)  MEDIUM POTENCY	
fluticasone propionate cream, ointment	ARISTOCORT (triamcinolone)	
mometasone furoate triamcinolone acetonide 0.025% and 0.1% cream	BETA-VAL (betamethasone valerate) betamethasone valerate foam CLODERM (clocortolone pivalate) clocortolone cream CORDRAN/CORDRAN SP (flurandrenolide) CUTIVATE (fluticasone propionate) DERMATOP (prednicarbate) ELOCON (mometasone furoate) fluocinolone acetonide cream, ointment, solution fluticasone propionate lotion hydrocortisone butyrate cream hydrocortisone butyrate ointment, solution hydrocortisone valerate LOCOID (hydrocortisone butyrate) LOCOID LIPOCREAM (hydrocortisone butyrate/emollient) LUXIQ (betamethasone valerate) MOMEXIN (mometasone) PANDEL (hydrocortisone probutate) prednicarbate TOPICORT LP (desoximetasone) TRIDERM (triamcinolone acetonide)	
	WESTCORT (hydrocortisone valerate)	
hydrocortisone acetate (Rx, OTC) hydrocortisone cream (Rx, OTC) hydrocortisone lotion OTC hydrocortisone ointment (Rx, OTC) hydrocortisone solution OTC hydrocortisone-aloe cream OTC hydrocortisone-aloe ointment OTC	ACLOVATE (alclometasone dipropionate) alclometasone dipropionate AQUA GLYCOLIC HC (hydrocortisone) CAPEX (fluocinolone acetonide) DERMA-SMOOTHE FS (fluocinolone acetonide) DESONATE (desonide) desonide cream, ointment desonide lotion DESOWEN (desonide) fluocinolone oil hydrocortisone/mineral oil/petrolatum hydrocortisone acetate/urea	



EFFECTIVE 04/01/2019 Version 2019.2h

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

PREFERRED AGENTS NON-PREFERRED AGENTS	PA CRITERIA
	PACRITERIA
hydrocortisone lotion hydrocortisone/aloe gel LOKARA (desonide) PEDIADERM HC (hydrocortisone) PEDIADERM TA (hydrocortisone) SCALPICIN OTC (hydrocortisone) SYNALAR (fluocinolone) TEXACORT (hydrocortisone)	

#### STIMULANTS AND RELATED AGENTS

**CLASS PA CRITERIA:** A PA is required for adults eighteen (18) years of age or older. PLEASE NOTE: Requests for amphetamine or methylphenidate IR + ER combination therapy must be for the same active ingredient in the same salt form, if available.

Non-preferred agents require a thirty (30) day trial of at least one preferred agent in the same subclass and with a similar duration of effect and mechanism of action, unless one (1) of the exceptions on the PA form is present. **NOTE**: Non-preferred agents will NOT be "grandfathered" for adults. Children under the age of 18 may continue their current therapy until the end of the school year after which they will be required to switch to a preferred agent.

continue their current therapy until the end of the s	chool year after which they will be required to switch	to a preferred agent.
AMPHETAMINES		
amphetamine salt combination IR dextroamphetamine ER dextroamphetamine IR PROCENTRA solution (dextroamphetamine) VYVANSE CHEWABLE (lisdexamfetamine) VYVANSE CAPSULE (lisdexamfetamine)	ADDERALL (amphetamine salt combination) ADDERALL XR* (amphetamine salt combination) ADZENYS XR ODT (amphetamine) ADZENYS ER SUSP (amphetamine) amphetamine salt combination ER DESOXYN (methamphetamine) DEXEDRINE ER (dextroamphetamine) DEXEDRINE IR (dextroamphetamine) dextroamphetamine solution DYANAVEL XR SUSP (amphetamine) EVEKEO (amphetamine) methamphetamine MYDAYIS (dextroamphetamine/amphetamine salt)** ZENZEDI (dextroamphetamine)	In addition to the Class Criteria: Thirty (30) day trials of at least three (3) antidepressants are required before amphetamines will be authorized for depression.  *Adderall XR is preferred over its generic equivalents.  **Mydayis requires a 30-day trial of at least one long-acting preferred agent in this subclass and a trial of Adderall XR.
	NON-AMPHETAMINE	
APTENSIO XR (methylphenidate) armodafinil <sup>CL</sup> atomoxetine clonidine IR DAYTRANA (methylphenidate) dexmethylphenidate IR FOCALIN XR (dexmethylphenidate) guanfacine ER guanfacine IR	clonidine ER CONCERTA (methylphenidate) COTEMPLA XR ODT (methylphenidate) dexmethylphenidate XR FOCALIN IR (dexmethylphenidate) INTUNIV (guanfacine extended-release) KAPVAY (clonidine extended-release) methylphenidate CD methylphenidate chewable tablets, solution	*Strattera is limited to a maximum of 100 mg per day.



EFFECTIVE 04/01/2019 Version 2019.2h

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
METHYLIN SOLUTION (methylphenidate) methylphenidate IR modafinil <sup>CL</sup> QUILLICHEW ER (methylphenidate) QUILLIVANT XR (methylphenidate)  RITALIN (methylphenidate)  RITALIN LA (methylphenidate) STRATTERA (atomoxetine)*  methylphenidate ER methylphenidate ER (generic CONCERTA) methylphenidate LA NUVIGIL (armodafinil) PROVIGIL (modafinil) RITALIN (methylphenidate) STRATTERA (atomoxetine)*			
TETRACYCLINES			
CLASS PA CRITERIA: Non-preferred agents require ten (10) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.			

·		
doxycycline hyclate capsules doxycycline hyclate 100 mg tablets doxycycline monohydrate 50, 100 mg capsules minocycline capsules	ADOXA (doxycycline monohydrate) demeclocycline* DORYX (doxycycline hyclate) doxycycline hyclate 75, 150 mg tablets doxycycline hyclate tablet DR 75, 100, 150, 200 mg doxycycline hyclate tablet DR 50 mg doxycycline monohydrate 40, 75, 150 mg capsule doxycycline monohydrate tablet doxycycline monohydrate suspension DYNACIN (minocycline) MINOCIN (minocycline) minocycline ER capsules minocycline tablets MORGIDOX KIT (doxycycline) ORACEA (doxycycline monohydrate) SOLODYN (minocycline) tetracycline VIBRAMYCIN CAPSULES, SUSPENSION, SYRUP (doxycycline) XIMINO (minocycline)	*Demeclocycline will be authorized for conditions caused by susceptible strains of organisms designated in the product information supplied by the manufacturer. A C&S report must accompany this request.  Demeclocycline will also be authorized for SIADH.
THE CLUATIVE COLITIC ACENTEAD		

#### ULCERATIVE COLITIS AGENTSAP

CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of each preferred dosage form or chemical entity before the corresponding non-preferred agent of that dosage form or chemical entity will be approved, unless one (1) of the exceptions on the PA form is present.

	ORAL	
APRISO (mesalamine) balsalazide	ASACOL HD (mesalamine) AZULFIDINE (sulfasalazine)	



EFFECTIVE 04/01/2019 Version 2019.2h

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
sulfasalazine	COLAZAL (balsalazide) DELZICOL (mesalamine) DIPENTUM (olsalazine) GIAZO (balsalazide) LIALDA (mesalamine) mesalamine PENTASA (mesalamine) 250 mg PENTASA (mesalamine) 500 mg UCERIS (budesonide)	
RECTAL		
CANASA (mesalamine) mesalamine	DELZICOL DR (mesalamine) mesalamine kit ROWASA (mesalamine) SF ROWASA (mesalamine) UCERIS (budesonide)	
VASODILATORS, CORONARY	,	
CLASS PA CRITERIA: Non-preferred agents recon the PA form is present.	uire thirty (30) day trials of each preferred dosage fo	rm before they will be approved, unless one (1) of the exceptions
	SUBLINGUAL NITROGLYCERIN	
nitroglycerin spray (generic NITROLINGUAL) nitroglycerin sublingual NITROSTAT SUBLINGUAL (nitroglycerin)	GONITRO SPRAY POWDER (nitroglycerin) nitroglycerin spray (generic NITROMIST) NITROLINGUAL SPRAY (nitroglycerin) NITROMIST (nitroglycerin)	