

EFFECTIVE 07/01/2019 Version 2019.3b

- Prior authorization for a non-preferred agent in any class will be given only if there has been a trial of the preferred brand/generic equivalent or preferred formulation of the active ingredient, at a therapeutic dose, that resulted in a partial response with a documented intolerance.
- Prior authorization of a non-preferred isomer, pro-drug, or metabolite will be considered with a trial of a preferred parent drug
  of the same chemical entity, at a therapeutic dose, that resulted in a partial response with documented intolerance or a previous
  trial and therapy failure, at a therapeutic dose, with a preferred drug of a different chemical entity indicated to treat the
  submitted diagnosis. (The required trial may be overridden when documented evidence is provided that the use of these
  preferred agent(s) would be medically contraindicated.)
- Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC drugs are not covered unless specified.
- PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.
- The use of pharmaceutical samples will not be considered when evaluating the members' medical condition or prior prescription history for drugs that require prior authorization.
- Quantity limits may apply. Refer to the Limits List on the BMS Website by clicking the hyperlink.
- Unless otherwise indicated, non-preferred combination products require medical reasoning beyond convenience or enhanced compliance as to why the clinical need cannot be met with a preferred agent or combination of preferred single-ingredient agents.
- Acronyms
  - o CL Requires clinical PA. For detailed clinical criteria, please go to the PA criteria page by clicking the hyperlink.
  - NR Denotes a new drug which has not yet been reviewed by the P & T Committee. These agents are available only on appeal to the BMS Medical Director.
  - o AP Non-preferred and selected preferred drugs, where indicated, are subject to auto-PA criteria. See PA criteria column.



EFFECTIVE 07/01/2019 Version 2019.3b

CLASSES CHANGING	Status Changes	PA Criteria Changes	New Drugs
ANALGESICS, NARCOTIC SHORT ACTING			XXXX
ACNE AGENTS, TOPICAL – RETINOIDS	XXXX		XXXX
ANESTHETICS, TOPICAL	XXXX		
ANTICONVULSANTS, CANNABINOIDS			XXXX
ANTIHEMOPHILIA AGENTS, FACTOR VIII			XXXX
ANTIMIGRAINE AGENTS, CGRP INHIBITORS			XXXX
ANTIPSYCHOTICS, ATYPICAL			XXXX
ANTIRETROVIRALS, SINGLE TABLET REGIMENS	XXXX		XXXX
ANTIRETROVIRALS, NNRTI			XXXX
ANTIVIRALS, INFLUENZA			XXXX
CYTOKINE AND CAM ANTAGONISTS, OTHERS			XXXX
ERYTHROPOIESIS STIMULATING PROTEINS	XXXX		XXXX
NEUROPATHIC PAIN			XXXX
OPIATE DEPENDENCE TREATMENTS			XXXX
PITUITARY SUPPRESSIVE AGENTS, LHRH			XXXX



EFFECTIVE 07/01/2019 Version 2019.3b

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
In cases of pregnancy, a trial of retinoids will <i>not</i> Acne kits are non-preferred.	n-preferred product, before they will be approved, unlesse required. For members eighteen (18) years of age		
Specific Criteria for sub-class will be listed be day trial of all preferred agents in that sub-class.	· ·	ıb-class are available only on appeal and require at least a 30-	
	ANTI-INFECTIVE		
clindamycin gel, lotion, medicated swab, solution ERYGEL (erythromycin) erythromycin gel, solution	ACZONE (dapsone) AKNE-MYCIN (erythromycin) AZELEX (azelaic acid) CLEOCIN-T (clindamycin) CLINDACIN PAC (clindamycin) CLINDAGEL (clindamycin) clindamycin foam erythromycin medicated swab EVOCLIN (clindamycin) FABIOR (tazarotene) KLARON (sulfacetamide) OVACE/PLUS (sulfacetamide) sodium sulfacetamide 10% cleansing gel sulfacetamide cleanser sulfacetamide shampoo sulfacetamide suspension		
	RETINOIDS		
TAZORAC (tazarotene) tretinoin cream, gel	adapalene ALTRENO LOTION (tretinoin) ATRALIN (tretinoin) AVITA (tretinoin) DIFFERIN (adapalene) PLIXDA SOLUTION (adapalene) RETIN-A (tretinoin) RETIN-A MICRO (tretinoin) tazarotene cream tretinoin gel micro	In addition to the Class Criteria: PA required for members eighteen (18) years of age or older.	
KERATOLYTICS			
benzoyl peroxide cleanser Rx & OTC, 10% cream OTC, gel Rx & OTC, lotion OTC, wash OTC	BENZEFOAM ULTRA (benzoyl peroxide) BP 10-1 (benzoyl peroxide) PANOXYL-8 OTC (benzoyl peroxide)		



EFFECTIVE 07/01/2019 Version 2019.3b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
PANOXYL-4 OTC (benzoyl peroxide)	SULPHO-LAC (sulfur)	
	COMBINATION AGENTS	
benzoyl peroxide/clindamycin gel (generic DUAC only) EPIDUO (adapalene/benzoyl peroxide)* EPIDUO FORTE (adapalene/benzoyl peroxide)* erythromycin/benzoyl peroxide	ACANYA (clindamycin phosphate/benzoyl peroxide)  AVAR/-E/LS (sulfur/sulfacetamide)  BENZACLIN GEL (benzoyl peroxide/ clindamycin)  BENZAMYCIN PAK (benzoyl peroxide/ erythromycin)  benzoyl peroxide/clindamycin gel (all generics other than DUAC)  benzoyl peroxide/urea  CERISA (sulfacetamide sodium/sulfur)  CLARIFOAM EF (sulfacetamide/sulfur)  CLENIA (sulfacetamide sodium/sulfur)  DUAC (benzoyl peroxide/clindamycin)  NEUAC (clindamycin phosphate/benzoyl peroxide)  ONEXTON (clindamycin phosphate/benzoyl peroxide)  PRASCION (sulfacetamide sodium/sulfur)  SE 10-5 SS (sulfacetamide/sulfur)  SSS 10-4 (sulfacetamide /sulfur)  SSS 10-5 foam (sulfacetamide /sulfur)  sulfacetamide sodium/sulfur cloths, lotion, pads, suspension  sulfacetamide/sulfur wash/cleanser  sulfacetamide/sulfur wash kit  sulfacetamide sodium/sulfur/ urea  SUMADAN/XLT (sulfacetamide/sulfur)  SUMAXIN/TS (sulfacetamide sodium/sulfur)  VELTIN (clindamycin/tretinoin)*  ZIANA (clindamycin/tretinoin)*	In addition to the Class Criteria: Non-preferred combination agents require thirty (30) day trials of the corresponding preferred single agents before they will be approved.  *PA required for combination agents with Retinoid products for members eighteen (18) years of age or older.
	ROSACEA AGENTS	
FINACEA GEL (azelaic acid) MIRVASO GEL (brimonidine) metronidazole cream metronidazole gel 0.75% (NDCs 00115-1474- 46, 00168-0275-45, 00713-0637-37, 51672- 4116-06, 66993-0962-45 only)	FINACEA FOAM (azelaic acid) METROCREAM (metronidazole) METROGEL GEL (metronidazole) METROLOTION (metronidazole) metronidazole lotion metronidazole gel (all other NDCs) NORITATE CREAM (metronidazole) RHOFADE (oxymetazoline) ROSADAN (metronidazole) SOOLANTRA CREAM (ivermectin)	Subclass criteria: Non-preferred agents are available only on appeal and require evidence of 30-day trials of all chemically-unique preferred agents in the sub-class.



EFFECTIVE 07/01/2019 Version 2019.3b

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS

	THERAI LOTIO DIVOG OLAC	<del>~</del>
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ALZHEIMER'S AGENTSAP		
	equire a thirty (30) day trial of a preferred agent in the	e same sub-class before they will be approved, unless one (1) of
Prior authorization is required for members up to	forty-five (45) years of age if there is no diagnosis of A	Alzheimer's disease.
	CHOLINESTERASE INHIBITORS	
donepezil 5 and 10 mg	ARICEPT (donepezil) donepezil 23 mg* EXELON CAPSULE (rivastigmine) EXELON PATCH (rivastigmine) galantamine galantamine ER RAZADYNE (galantamine) RAZADYNE ER (galantamine) rivastigmine	*Donepezil 23 mg tablets will be authorized if the following criteria are met:  1. There is a diagnosis of moderate-to-severe Alzheimer's Disease and  2. There has been a trial of donepezil 10 mg daily for at least three (3) months and donepezil 20 mg daily for an additional one (1) month.
	NMDA RECEPTOR ANTAGONIST	
memantine	memantine ER memantine solution NAMENDA (memantine) NAMENDA XR (memantine)*	*Namenda XR requires ninety (90) days of compliant therapy with Namenda.
CHOLIN	ESTERASE INHIBITOR/NMDA RECEPTOR ANTAG	
	NAMZARIC (donepezil/memantine)	Combination agents require thirty (30) day trials of each corresponding preferred single agent.
ANALGESICS, NARCOTIC LONG A	ACTING (Non-parenteral)	
CLASS PA CRITERIA: Non-preferred agents re requested non-preferred agent (if available) before the requested non-preferred brand agent, then a authorization for children under 18 years of a attempted.	equire six (6) day trials of two (2) chemically distinct pare they will be approved, unless one (1) of the except another generic non-preferred agent must be trialed age. Requests must be for an FDA approved age and	preferred agents <b>AND</b> a six (6) day trial of the generic form of the ions on the PA form is present. If no generic form is available for instead. <b>NOTE: All long-acting opioid agents require a prior</b> d indication and specify previous opioid and non-opioid therapies
buprenorphine patch (labeler 00093 only) BUTRANS (buprenorphine) EMBEDA (morphine/naltrexone) fentanyl transdermal 12, 25, 50, 75, 100 mcg/hr morphine ER tablets	ARYMO ER (morphine sulfate) BELBUCA (buprenorphine buccal film)* buprenorphine patch (all labelers excl 00093) CONZIP ER (tramadol) DOLOPHINE (methadone) DURAGESIC (fentanyl) EXALGO ER (hydromorphone)	*Belbuca prior authorization requires manual review. Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.  **Methadone, oxycodone ER and oxymorphone ER will be authorized without a trial of the preferred agents if a diagnosis of cancer is submitted.
	fentanyl transdermal 37.5, 62.5, 87.5 mcg/hr hydromorphone ER HYSINGLA ER (hydrocodone) KADIAN (morphine)	***Tramadol ER requires a manual review and may be authorized for ninety (90) days with submission of a detailed treatment plan including anticipated duration of treatment and



**EFFECTIVE** 07/01/2019 Version 2019.3b

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	LAZANDA SPRAY (fentanyl) methadone** MORPHABOND ER (morphine sulfate) morphine ER capsules (generic for Avinza) morphine ER capsules (generic for Kadian) MS CONTIN (morphine) NUCYNTA ER (tapentadol) OPANA ER (oxymorphone) oxycodone ER** OXYCONTIN (oxycodone) oxymorphone ER** tramadol ER*** ULTRAM ER (tramadol) XARTEMIS XR (oxycodone/ acetaminophen) XTAMPZA ER (oxycodone) ZOHYDRO ER (hydrocodone)	scheduled follow-ups with the prescriber.

#### ANALGESICS, NARCOTIC SHORT ACTING (Non-parenteral) AP

CLASS PA CRITERIA: Non-preferred agents require six (6) day trials of at least four (4) chemically distinct preferred agents (based on the narcotic ingredient only), including the generic formulation of the requested non-preferred agent, before they will be approved, unless one (1) of the exceptions on the PA form is present. NOTE: All tramadol and codeine products require a prior authorization for children under 18 years of age. Requests must be for an FDA approved age and indication and specify non-opioid therapies attempted.

APAP/codeine ABSTRAL (fentanyl) butalbital/APAP/caffeine/codeine ACTIQ (fentanyl) codeine hydrocodone/APAP 2.5/325 mg, 5/325 mg, butorphanol 7.5/325 mg,10/325 mg hydrocodone/APAP solution DEMEROL (meperidine) hydrocodone/ibuprofen hydromorphone tablets LORTAB SOLUTION fentanvl FENTORA (fentanyl) (hydrocodone/acetaminophen) morphine FIORICET W/ CODEINE oxycodone tablets, concentrate, solution oxycodone/APAP FIORINAL W/ CODEINE oxycodone/ASA pentazocine/naloxone tramadol 10/300 mg tramadol/APAP

butalbital/ASA/caffeine/codeine CAPITAL W/CODEINE (APAP/codeine) dihydrocodeine/ APAP/caffeine DILAUDID (hydromorphone) (butalbital/APAP/caffeine/codeine) (butalbital/ASA/caffeine/codeine) hydrocodone/APAP 5/300 ma. 7.5/300 ma. hydromorphone liquid, suppositories IBUDONE (hydrocodone/ibuprofen)

LAZANDA (fentanyl)

levorphanol

Fentanyl buccal, nasal and sublingual products will only be authorized for a diagnosis of cancer and as an adjunct to a long-acting agent. These dosage forms will not be authorized for monotherapy.

Limits: Unless the patient has escalating cancer pain or another diagnosis supporting increased quantities of shortacting opioids, all short acting solid forms of the narcotic analgesics are limited to 120 tablets per thirty (30) days. Longer-acting medications should be maximized to prevent unnecessary breakthrough pain in chronic pain therapy.

Immediate-release tramadol is limited to 240 tablets per thirty (30) days.



EFFECTIVE 07/01/2019 Version 2019.3b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	LORCET (hydrocodone/APAP) LORTAB (hydrocodone/APAP) meperidine NORCO (hydrocodone/APAP) NUCYNTA (tapentadol) ONSOLIS (fentanyl) OPANA (oxymorphone) OXECTA (oxycodone) oxycodone capsules oxycodone/ibuprofen oxymorphone PERCOCET (oxycodone/APAP) PRIMLEV (oxycodone/APAP) REPREXAIN (hydrocodone/ibuprofen) ROXICODONE (oxycodone) RYBIX ODT (tramadol) SUBSYS (fentanyl) SYNALGOS-DC (dihydrocodeine/ASA/ caffeine) TYLENOL W/CODEINE (APAP/codeine) ULTRACET (tramadol/APAP) ULTRAM (tramadol) VERDROCET (hydrocodone/APAP) VICODIN (hydrocodone/APAP) VICOPROFEN (hydrocodone/ibuprofen) XODOL (hydrocodone/acetaminophen) XYLON (hydrocodone/APAP) ZAMICET (hydrocodone/APAP)	
ANDROGENIC AGENTS		
CLASS PA CRITERIA: A non-preferred agent w ANDRODERM (testosterone) ANDROGEL (testosterone) METHITEST (methyltestosterone) testosterone cypionate vial <sup>CL</sup> testosterone enanthate vial <sup>CL</sup>	ill only be authorized if one (1) of the exceptions on th ANDROID (methyltestosterone) AVEED VIAL (testosterone undecanoate) AXIRON (testosterone) FORTESTA (testosterone) methyltestosterone capsule NATESTO (testosterone) STRIANT BUCCAL (testosterone) TESTIM (testosterone) TESTRED (methyltestosterone) testosterone gel VOGELXO (testosterone)	e PA form is present.



#### **BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID**

managed categories. Refer to cover page for complete list of rules governing this PDL.

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA This is not an all-inclusive list of available covered drugs and includes only

**EFFECTIVE** 07/01/2019 Version 2019.3b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANESTHETICS, TOPICALAP		
<b>CLASS PA CRITERIA:</b> Non-preferred agents rec PA form is present.	quire ten (10) day trials of each preferred agent before	re they will be approved, unless one (1) of the exceptions on the
lidocaine lidocaine/prilocaine xylocaine	LIDAMANTLE (lidocaine) LIDAMANTLE HC (lidocaine/hydrocortisone) lidocaine/hydrocortisone LIDOTRAL CREAM (lidocaine) LIDOZION LOTION (lidocaine) SYNERA (lidocaine/tetracaine) VOPAC MDS (ketoprofen/lidocaine)	

#### ANGIOTENSIN MODULATORSAP

CLASS PA CRITERIA: Non-preferred agents require fourteen (14) day trials of each preferred agent in the same sub-class, with the exception of the Direct Renin

· ·	ved, unless one (1) of the exceptions on the PA form is present	ed agent in the same sub-class, with the exception of the bliect Renin ent.
	ACE INHIBITORS	
benazepril captopril enalapril fosinopril lisinopril quinapril ramipril	ACCUPRIL (quinapril) ACEON (perindopril) ALTACE (ramipril) EPANED (enalapril)* LOTENSIN (benazepril) MAVIK (trandolapril) moexipril perindopril PRINIVIL (lisinopril) QBRELIS SOLUTION (lisinopril)** trandolapril UNIVASC (moexipril) VASOTEC (enalapril) ZESTRIL (lisinopril)	*Epaned will be authorized with a diagnosis of hypertension, symptomatic heart failure or asymptomatic left ventricular dysfunction provided that the patient is less than seven (7) years of age <b>OR</b> is unable to ingest a solid dosage form due to documented oral-motor difficulties or dysphagia.  **Qbrelis solution may be authorized for children ages 6-10 who are unable to tolerate a solid dosage form. Qbrelis may also be authorized for older patients with clinical documentation indicating oral-motor difficulties or dysphagia.
	ACE INHIBITOR COMBINATION	N DRUGS
benazepril/amlodipine benazepril/HCTZ captopril/HCTZ enalapril/HCTZ fosinopril/HCTZ lisinopril/HCTZ quinapril/HCTZ	ACCURETIC (quinapril/HCTZ) CAPOZIDE (captopril/HCTZ) LOTENSIN HCT (benazepril/HCTZ) LOTREL (benazepril/amlodipine) moexipril/HCTZ PRESTALIA (perindopril/amlodipine) PRINZIDE (lisinopril/HCTZ) TARKA (trandolapril/verapamil) trandolapril/verapamil VASERETIC (enalapril/HCTZ) ZESTORETIC (lisinopril/HCTZ)	



EFFECTIVE 07/01/2019 Version 2019.3b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ANGIOTENSIN II RECEPTOR BLOCKERS	(ARBs)
irbesartan losartan valsartan olmesartan	ATACAND (candesartan) AVAPRO (irbesartan) BENICAR (olmesartan) candesartan COZAAR (losartan) DIOVAN (valsartan) EDARBI (azilsartan) eprosartan MICARDIS (telmisartan) telmisartan	
	ARB COMBINATIONS	
ENTRESTO (valsartan/sacubitril) <sup>AP*</sup> irbesartan/HCTZ losartan/HCTZ olmesartan/amlodipine olmesartan/HCTZ valsartan/amlodipine valsartan/HCTZ	ATACAND-HCT (candesartan/HCTZ) AVALIDE (irbesartan/HCTZ) AZOR (olmesartan/amlodipine) BENICAR-HCT (olmesartan/HCTZ) BYVALSON (nebivolol/valsartan) candesartan/HCTZ DIOVAN-HCT (valsartan/HCTZ) EDARBYCLOR (azilsartan/chlorthalidone) EXFORGE (valsartan/amlodipine) EXFORGE HCT (valsartan/amlodipine/HCTZ) HYZAAR (losartan/HCTZ) MICARDIS-HCT (telmisartan/HCTZ) olmesartan/amlodipine/HCTZ telmisartan/amlodipine telmisartan HCTZ TRIBENZOR (olmesartan/amlodipine) valsartan/amlodipine/HCTZ	*Entresto will only be authorized for patients 18 years of age or older who are diagnosed with chronic heart-failure.
	DIRECT RENIN INHIBITORS	
	AMTURNIDE (aliskiren/amlodipine/HCTZ) TEKAMLO (aliskiren/amlodipine) TEKTURNA (aliskiren) TEKTURNA HCT (aliskiren/HCTZ) VALTURNA (aliskiren/valsartan)	Substitute for Class Criteria: Tekturna requires a thirty (30) day trial of one (1) preferred ACE, ARB, or combination agent, at the maximum tolerable dose, before it will be authorized unless one (1) of the exceptions on the PA form is present.  Amturnide, Tekamlo, Tekturna HCT or Valturna will be authorized if the criteria for Tekturna are met and the patient also needs the other agents in the combination.



EFFECTIVE 07/01/2019 Version 2019.3b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIANGINAL & ANTI-ISCHEMIC		
		sium channel blocker, a beta blocker, or a nitrite as single agents
or a combination agent containing one (1) of these RANEXA (ranolazine) <sup>AP</sup>	e ingredients.	
ANTIBIOTICS, GI & RELATED AGE	NTC	
•		ore they will be approved, unless one (1) of the exceptions on the
PA form is present.	quire a fourteerr (14) day that of a preferred agent ber	ore they will be approved, unless one (1) of the exceptions of the
FIRVANQ (vancomycin) metronidazole tablet neomycin tinidazole	DIFICID (fidaxomicin)* FLAGYL (metronidazole) FLAGYL ER (metronidazole ER) metronidazole capsule paromomycin TINDAMAX (tinidazole) VANCOCIN (vancomycin) vancomycin	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
ANTIDIOTICS INITIAL FD	XIFAXAN (rifaximin)*	
ANTIBIOTICS, INHALED		
approved, unless one (1) of the exceptions on the	PA form is present.	and documentation of therapeutic failure before they will be
BETHKIS (tobramycin) KITABIS PAK (tobramycin)	CAYSTON (aztreonam) TOBI (tobramycin) TOBI PODHALER (tobramycin) tobramycin	
ANTIBIOTICS, TOPICAL	,	
CLASS PA CRITERIA: Non-preferred agents red	quire ten (10) day trials of at least one preferred agen ess one (1) of the exceptions on the PA form is prese	t, including the generic formulation of the requested non-
bacitracin (Rx, OTC) gentamicin sulfate mupirocin ointment	BACTROBAN (mupirocin) CENTANY (mupirocin) CORTISPORIN (bacitracin/neomycin/polymyxin/HC) mupirocin cream neomycin/polymyxin/pramoxine	
ANTIBIOTICS, VAGINAL		
CLASS PA CRITERIA: Non-preferred agents red approved, unless one (1) of the exceptions on the		at the manufacturer's recommended duration, before they will be
clindamycin cream CLINDESSE (clindamycin) metronidazole	AVC (sulfanilamide) CLEOCIN CREAM (clindamycin) CLEOCIN OVULE (clindamycin) METROGEL (metronidazole) NUVESSA (metronidazole)	



EFFECTIVE 07/01/2019 Version 2019.3b

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THED A DELITIC DOLLG CLASS

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	SOLOSEC (secnidazole) VANDAZOLE (metronidazole)	
ANTICOAGULANTS		
CLASS PA CRITERIA: Non-preferred agents r	equire a trial of each preferred agent in the same sub-	class, unless one (1) of the exceptions on the PA form is present.
	INJECTABLE <sup>CL</sup>	
enoxaparin	ARIXTRA (fondaparinux) fondaparinux FRAGMIN (dalteparin) LOVENOX (enoxaparin)	
	ORAL	
COUMADIN (warfarin) ELIQUIS (apixaban) PRADAXA (dabigatran) warfarin XARELTO (rivaroxaban)	SAVAYSA (edoxaban)	
ANTICONVIII SANTS		

#### **ANTICONVULSANTS**

**CLASS PA CRITERIA:** For a diagnosis of seizure disorder, non-preferred agents require a fourteen (14) day trial of a preferred agent in the same sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present; patients currently on established therapies shall be grandfathered.

For all other diagnoses, non-preferred agents require a thirty (30) day trial of a preferred agent in the same sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present.

In situations where AB-rated generic equivalent products are available, "Brand Medically Necessary" must be hand-written by the prescriber on the prescription for the brand name product to be reimbursed.

	AD IIIVANTO	
	ADJUVANTS	
carbamazepine	APTIOM (eslicarbazepine)	*Topiramate ER will be authorized after a thirty (30) day trial of
carbamazepine ER	BANZEL (rufinamide)	topiramate IR.
carbamazepine XR	BRIVIACT (brivaracetam)	
divalproex	CARBATROL (carbamazepine)	**Qudexy XR and Trokendi XR are only approvable on appeal.
divalproex ER	DEPAKENE (valproic acid)	
divalproex sprinkle	DEPAKOTE (divalproex)	
EPITOL (carbamazepine)	DEPAKOTE ER (divalproex)	
GABITRIL (tiagabine)	DEPAKOTE SPRINKLE (divalproex)	
lamotrigine	EQUETRO (carbamazepine)	
levetiracetam IR	FANATREX SUSPENSION (gabapentin)	
levetiracetam ER	felbamate	
oxcarbazepine suspension and tablets	FELBATOL (felbamate)	



EFFECTIVE 07/01/2019 Version 2019.3b

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
topiramate IR topiramate ER* valproic acid VIMPAT (lacosamide) zonisamide	FYCOMPA (perampanel) KEPPRA (levetiracetam) KEPPRA XR (levetiracetam) LAMICTAL (lamotrigine) LAMICTAL CHEWABLE (lamotrigine) LAMICTAL ODT (lamotrigine) LAMICTAL XR (lamotrigine) lamotrigine dose pack lamotrigine ER OXTELLAR XR (oxcarbazepine) POTIGA (ezogabine) QUDEXY XR (topiramate ER)** SABRIL (vigabatrin) SPRITAM (levetiracetam) STAVZOR (valproic acid) TEGRETOL (carbamazepine) TEGRETOL XR (carbamazepine) tiagabine TOPAMAX (topiramate) TRILEPTAL SUSPENSION and TABLETS (oxcarbazepine) TROKENDI XR (topiramate)** ZONEGRAN (zonisamide)	
phenobarbital	BARBITURATESAP MYSOLINE (primidone)	
primidone	WI JOLINE (PHIMIDONE)	
	BENZODIAZEPINES <sup>AP</sup>	
clonazepam diazepam rectal gel diazepam tablets	clobazam* clonazepam ODT DIASTAT (diazepam rectal) KLONOPIN (clonazepam) ONFI (clobazam)* ONFI SUSPENSION (clobazam)*	*Onfi shall be authorized as adjunctive therapy for treatment of Lennox-Gastaut Syndrome without further restrictions. Off-label use requires an appeal to the Medical Director. NOTE: generic clobazam is preferred over brand ONFI.
	CANNABINOIDS	* Full DA aritaria manu ha faurad an the DA Critaria
	EPIDIOLEX SOLUTION (cannabidiol)*	* Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
	HYDANTOINSAP	
DILANTIN (phenytoin sodium, extended) PEGANONE (ethotoin) phenytoin capsules, chewable tablets, suspension	DILANTIN INFATABS (phenytoin) PHENYTEK (phenytoin)	



EFFECTIVE 07/01/2019 Version 2019.3b

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
CELONTIN (methsuximide)	SUCCINIMIDES  ZARONTIN (ethosuximide) capsules		
ethosuximide capsules	ZARONTIN (ethosuximide) syrup		
ethosuximide syrup			
ANTIDEPRESSANTS, OTHER			
CLASS PA CRITERIA: See below for individual	sub-class criteria.		
	MAOIsAP		
	MARPLAN (isocarboxazid)	Patients stabilized on MAOI agents will be grandfathered.	
	NARDIL (phenelzine) PARNATE (tranylcypromine)		
	phenelzine		
	tranylcypromine		
duloxetine capulses	SNRIS <sup>AP</sup> CYMBALTA (duloxetine)	Non-preferred agents require separate thirty (30) day trials of a	
venlafaxine ER capsules	desvenlafaxine ER	preferred agent in this sub-class <b>AND</b> an SSRI before they will	
·	desvenlafaxine fumarate ER	be approved, unless one (1) of the exceptions on the PA form	
	EFFEXOR XR (venlafaxine)	is present.	
	FETZIMA (levomilnacipran) KHEDEZLA (desvenlafaxine)		
	PRISTIQ (desvenlafaxine)		
	venlafaxine IR		
	VENLAFAXINE ER TABLETS (venlafaxine) SECOND GENERATION NON-SSRI, OTH	IFRAP	
bupropion IR	APLENZIN (bupropion hbr)	Non-preferred agents require separate thirty (30) day trials of a	
bupropion SR	EMSAM (selegiline)	preferred agent in this sub-class AND an SSRI before they will	
bupropion XL	FORFIVO XL (bupropion)	be approved, unless one (1) of the exceptions on the PA form	
mirtazapine trazodone	nefazodone OLEPTRO ER (trazodone)	is present.	
trazodone	REMERON (mirtazapine)		
	TRINTELLIX (vortioxetine)		
	VIIBRYD (vilazodone HCI)		
	WELLBUTRIN (bupropion) WELLBUTRIN SR (bupropion)		
	WELLBUTRIN XL (bupropion)		
SELECTED TCAs			
imipramine HCI	imipramine pamoate TOFRANIL (imipramine HCI)	Non-preferred agents require a twelve (12) week trial of imipramine HCl before they will be approved, unless one (1) of	
	TOFRANIL (imipramine noi) TOFRANIL PM (imipramine pamoate)	the exceptions on the PA form is present.	



EFFECTIVE 07/01/2019 Version 2019.3b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIDEPRESSANTS, SSRISAP		
exceptions on the PA form is present.	require thirty (30) day trials of at least two (2) prefe	rred agents before they will be approved, unless one (1) of the
Upon hospital discharge, patients admitted with a continue that drug.	primary mental health diagnosis who have been stab	oilized on a non-preferred SSRI will receive an authorization to
citalopram escitalopram tablets fluoxetine capsules, solution fluvoxamine paroxetine sertraline	BRISDELLE (paroxetine) CELEXA (citalopram) escitalopram solution fluoxetine tablets fluvoxamine ER LEXAPRO (escitalopram) LUVOX CR (fluvoxamine) paroxetine 7.5 mg capsules paroxetine ER PAXIL (paroxetine) PAXIL CR (paroxetine) PEXEVA (paroxetine) PROZAC (fluoxetine) SARAFEM (fluoxetine) ZOLOFT (sertraline)	
ANTIEMETICSAP		
CLASS PA CRITERIA: See below for sub-class	criteria.	
	5HT3 RECEPTOR BLOCKERS	
granisetron ondansetron ODT, solution, tablets	ANZEMET (dolasetron) GRANISOL (granisetron) ondansetron vials SANCUSO (granisetron) SUSTOL (granisetron) ZOFRAN (ondansetron) ZUPLENZ (ondansetron)	Non-preferred agents require a three (3) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
	CESAMET (pobilopo)*	*Connect will be authorized only for the treatment of names
	CESAMET (nabilone)* dronabinol** MARINOL (dronabinol)** SYNDROS SOLUTION (dronabinol)**	*Cesamet will be authorized only for the treatment of nausea and vomiting associated with cancer chemotherapy for patients who have failed to respond adequately to three (3) day trials of conventional treatments such as promethazine or ondansetron and are eighteen (18) years of age or older.



EFFECTIVE 07/01/2019 Version 2019.3b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		**Dronabinol will only be authorized for:  1. The treatment of anorexia associated with weight loss in patients with AIDS or cancer and unresponsive to megestrol or  2. The prophylaxis of chemotherapy induced nausea and vomiting unresponsive to three (3) day trials of ondansetron or promethazine for patients from eighteen (18) up to sixty-five (65) years of age.
	SUBSTANCE P ANTAGONISTS	3 ( , 1 ) , ( , , ,
EMEND (aprepitant)	aprepitant VARUBI (rolapitant)	Non-preferred agents require a three (3) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
	COMBINATIONS	
	AKYNZEO (netupitant/palonosetron) BONJESTA (doxylamine/pyridoxine) DICLEGIS (doxylamine/pyridoxine)	Non-preferred agents will only be approved on appeal.
ANTIFUNGALS, ORAL		
·	s will only be authorized if one (1) of the exceptions on the	ne PA form is present.
clotrimazole fluconazole* nystatin terbinafine <sup>CL</sup>	ANCOBON (flucytosine) CRESEMBA (isovuconazonium)CL** DIFLUCAN (fluconazole) flucytosine griseofulvin*** GRIS-PEG (griseofulvin) itraconazole ketoconazole**** LAMISIL (terbinafine) MYCELEX (clotrimazole) NIZORAL (ketoconazole) NOXAFIL (posaconazole) ONMEL (itraconazole) ORAVIG (miconazole) SPORANOX (itraconazole) VFEND (voriconazole) voriconazole suspension voriconazole tablets	*PA is required when limits are exceeded.  **Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.  ***PA is not required for griseofulvin suspension for children up to eighteen (18) years of age for the treatment of tinea capitis.  ****Ketoconazole will be authorized if the following criteria are met:  1. Diagnosis of one of the following fungal infections: blastomycosis, coccidioidomycosis, histoplasmosis, chromomycosis, or paracoccidioidomycosis and  2. Documented failure or intolerance of all other diagnosis-appropriate antifungal therapies, i.e. itraconazole, fluconazole, flucytosine, etc and  3. Baseline assessment of the liver status including alanine aminotransferase (ALT), aspartate aminotransferase (AST), total bilirubin, alkaline phosphatase, prothrombin time, and international normalized ratio (INR) before starting treatment and  4. Weekly monitoring of serum ALT for the duration of treatment (If ALT values increase to a level above the



EFFECTIVE 07/01/2019 Version 2019.3b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		upper limit of normal or 30% above baseline, or if the patient develops symptoms of abnormal liver function, treatment should be interrupted and a full set of liver tests be obtained. Liver tests should be repeated to ensure normalization of values.) and  5. Assessment of all concomitant medications for potential adverse drug interactions with ketoconazole.  Ketoconazole will not be authorized for treatment for fungal infections of the skin and nails.
ANTIFUNGALS, TOPICALAP		
		nts before they will be approved, unless one (1) of the exceptions preferred product (i.e. ketoconazole shampoo) is required.
	ANTIFUNGALS	
econazole ketoconazole cream, shampoo MENTAX (butenafine) miconazole (OTC) nystatin	CICLODAN (ciclopirox) ciclopirox ERTACZO (sertaconazole) EXELDERM (sulconazole) EXTINA (ketoconazole) JUBLIA (efinaconazole) ketoconazole foam KERYDIN (tavaborole) KETODAN (ketoconazole) LOPROX (ciclopirox) LUZU (luliconazole) MYCOSTATIN (nystatin) NAFTIN CREAM (naftifine) NAFTIN GEL (naftifine) NIZORAL (ketoconazole) OXISTAT (oxiconazole)* PEDIPIROX-4 (ciclopirox) PENLAC (ciclopirox) VUSION (miconazole/petrolatum/zinc oxide)	*Oxistat cream will be authorized for children up to thirteen (13) years of age for tinea corporis, tinea cruris, tinea pedis, and tinea (pityriasis) versicolor.
	ANTIFUNGAL/STEROID COMBINATIO	NS
clotrimazole/betamethasone cream	clotrimazole/betamethasone lotion KETOCON PLUS (ketoconazole/hydrocortisone) LOTRISONE (clotrimazole/betamethasone) nystatin/triamcinolone	



EFFECTIVE 07/01/2019 Version 2019.3b

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIHEMOPHILIA FACTOR AGEN	TS <sup>CL</sup>	
		nedical reasoning explaining why the need cannot be met using a
All currently established regimens shall be grand	fathered with documentation of adherence to therapy.	
	FACTOR VIII	
ALPHANATE HEMOFIL M HUMATE-P KOATE KOATE-DVI MONOCLATE-P NOVOEIGHT WILATE XYNTHA XYNTHA SOLOFUSE  ALPHANINE SD BEBULIN BENEFIX IXINITY MONONINE PROFILININE	ADVATE ADYNOVATE ELOCTATE JIVI KOGENATE FS KOVALTRY NUWIQ RECOMBINATE VONVENDI  FACTOR IX  ALPROLIX IDELVION REBINYN	
RIXUBIS	FACTOR IXa/IX	
HEMLIBRA (emicizumab-kxwh)	- Indian	
ANTIHYPERTENSIVES, SYMPATH	quire thirty (30) day trials of each preferred unique ch	emical entity in the corresponding formulation before they will be
ANTIHYPERURICEMICS		
CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of one (1) of the preferred agents for the prevention of gouty arthritis attacks (colchicine/probenecid, probenecid, or allopurinol) before they will be approved, unless one (1) of the exceptions on the PA form is present.		

**ANTIMITOTICS** 



EFFECTIVE 07/01/2019 Version 2019.3b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
colchicine capsules	colchicine tablets COLCRYS (colchicine) MITIGARE (colchicine)	In the case of acute gouty attacks, a ten (10) day supply (twenty (20) capsules) of the preferred agent(s) in this subclass will be authorized per ninety (90) days.
	ANTIMITOTIC-URICOSURIC COMBINAT	TION
colchicine/probenecid		
	URICOSURIC	
probenecid	ZURAMPIC (lesinurad)*	*Full PA criteria may be found on the <u>PA Criteria</u> page by clicking the hyperlink.
	XANTHINE OXIDASE INHIBITORS	
allopurinol	ULORIC (febuxostat) ZYLOPRIM (allopurinol)	
	URICOSURIC - XANTHINE OXIDASE INHIE	BITORS
	DUZALLO (allopurinol/lesinurad)	Non-preferred agents will only be approved on appeal.
ANTIMIGRAINE AGENTS, CGRP IN CLASS PA CRITERIA:	HIBITORS <sup>AP</sup>	
OLAGOTA GIATILIA.	AIMOVIG (erenumab)	
	AJOVY (fremanezumab) EMGALITY (galcanezumab)	
ANTIMIGRAINE AGENTS, OTHER	P	
CLASS PA CRITERIA: Non-preferred agents re approved, unless one (1) of the exceptions on the		ty of the preferred Antimigraine Triptan Agents before they will be
	CAMBIA (diclofenac)	
<b>ANTIMIGRAINE AGENTS, TRIPTAL</b>	NS <sup>AP</sup>	
CLASS PA CRITERIA: Non-preferred agents re exceptions on the PA form is present.	equire three (3) day trials of each preferred unique ch	nemical entity before they will be approved, unless one (1) of the
·	TRIPTANS	
naratriptan rizatriptan ODT rizatriptan tablet sumatriptan injection <sup>CL</sup> sumatriptan nasal spray sumatriptan tablets	almotriptan AMERGE (naratriptan) AXERT (almotriptan) eletriptan FROVA (frovatriptan) frovatriptan IMITREX INJECTION (sumatriptan) IMITREX NASAL SPRAY (sumatriptan)	*In addition to the Class Criteria: Onzetra Xsail requires three (3) day trials of each preferred oral, nasal and injectable forms of sumatriptan.



EFFECTIVE 07/01/2019 Version 2019.3b

	THERAPEUTIC DRUG CLA	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	IMITREX tablets (sumatriptan) MAXALT MLT (rizatriptan) MAXALT (rizatriptan) ONZETRA XSAIL (sumatriptan)* RELPAX (eletriptan) SUMAVEL (sumatriptan) ZECUITY PATCH (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan) zolmitriptan zolmitriptan ODT ZOMIG (zolmitriptan) ZOMIG ZMT (zolmitriptan)	
	TRIPTAN COMBINATIONS	
	TREXIMET (sumatriptan/naproxen sodium)	
ANTIPARASITICS, TOPICALAP		
CLASS PA CRITERIA: Non-preferred agent (1) of the exceptions on the PA form is pre-		and weight appropriate) before they will be approved, unless one
NATROBA (spinosad) permethrin 5% cream pyrethrins-piperonyl butoxide OTC SKLICE (ivermectin)	EURAX (crotamiton) LICE EGG REMOVER OTC (benzalkonium chloride) lindane malathion OVIDE (malathion) spinosad	
ANTIPARKINSON'S AGENTS		
CLASS PA CRITERIA: Patients starting the a non-preferred agent will be authorized.	rapy on drugs in this class must show a documented all	ergy to all preferred agents in the corresponding sub-class, before
	ANTICHOLINERGICS	
benztropine trihexyphenidyl		
	COMT INHIBITORS	
entacapone	COMTAN (entacapone) TASMAR (tolcapone)	COMT Inhibitor agents will only be approved as add-on therapy to a levodopa-containing regimen for treatment of documented motor complications.
	DOPAMINE AGONISTS	



EFFECTIVE 07/01/2019 Version 2019.3b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
pramipexole ropinirole	MIRAPEX (pramipexole) MIRAPEX ER (pramipexole)* NEUPRO (rotigotine) pramipexole ER REQUIP (ropinirole) REQUIP XL (ropinirole)* ropinirole ER	*Mirapex ER and Requip XL will be authorized for a diagnosis of Parkinsonism without a trial of preferred agents.
	OTHER ANTIPARKINSON'S AGENT	
amantadine*AP bromocriptine carbidopa/levodopa levodopa/carbidopa/entacapone selegiline	AZILECT (rasagiline) carbidopa ELDEPRYL (selegiline) GOCOVRI ER (amantadine) levodopa/carbidopa ODT LODOSYN (carbidopa) OSMOLEX ER (amantadine) PARCOPA (levodopa/carbidopa) PARLODEL (bromocriptine) rasagiline RYTARY (levodopa/carbidopa) SINEMET (levodopa/carbidopa) STALEVO (levodopa/carbidopa/entacapone) XADAGO (safinamide) ZELAPAR (selegiline)	*Amantadine will not be authorized for the treatment or prophylaxis of influenza.
ANTIPSORIATICS, TOPICAL		
CLASS PA CRITERIA: Non-preferred agents the exceptions on the PA form is present.	require thirty (30) day trials of two (2) preferred unique of	chemical entities before they will be approved, unless one (1) of
TACLONEX OINT (calcipotriene/ betamethasone) TAZORAC (tazarotene) VECTICAL (calcitriol)	calcipotriene cream calcipotriene ointment calcipotriene solution calcipotriene/betamethasone ointment CALCITRENE (calcipotriene) calcitriol DOVONEX (calcipotriene) ENSTILAR (calcipotriene/betamethasone) SORILUX (calcipotriene)	



EFFECTIVE 07/01/2019 Version 2019.3b

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

	THE ARELITIC PRINCE	400	
THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	tazarotene cream (tazarotene)		
ANTIDOVOLIOTICO ATVOICAL			
ANTIPSYCHOTICS, ATYPICAL	and the state of t	All DA	
for children 6 years of age and younger w	igents require prior authorization for children up to fill be reviewed by Medicaid's consultant psychiatr	e eighteen (18) years of age. All PA requests for antipsychotics ist.	
Non-preferred agents require thirty (30) day	trials of two (2) preferred agents, including the generic	formulation of the requested agent (if available), before they will be	
		num recommended dose for the diagnosis provided before they	
	erse reaction is documented necessitating a change in		
		on to continue this drug for labeled indications and at FDA	
recommended dosages. For off-label indicati	ions or dosages, a thirty (30) day prior-authorization sh	nall be granted pending BMS review.	
	SINGLE INGREDIENT		
ABILIFY MAINTENA (aripiprazole) <sup>CL</sup>	ABILIFY TABLETS (aripiprazole)	In addition to class criteria:	
aripiprazole tablets	ADASUVE (loxapine)	*Invega Trinza will be authorized after four months' treatmen	
ARISTADA (aripiprazole) <sup>CL</sup> clozapine	clozapine ODT CLOZARIL (clozapine)	with Invega Sustenna	
INVEGA SUSTENNA (paliperidone) <sup>CL</sup>	FANAPT (iloperidone)	with invega Sustenila	
INVEGA TRINZA (paliperidone)* CL	FAZACLO (clozapine)	**Quetiapine 25 mg will be authorized:	
olanzapine	GEODON (ziprasidone)	For a diagnosis of schizophrenia <b>or</b>	
olanzapine ODT	GEODON IM (ziprasidone)	2. For a diagnosis of bipolar disorder <b>or</b>	
quetiapine** AP for the 25 mg Tablet Only	INVEGA ER (paliperidone)	3. When prescribed concurrently with other strengths of	
quetiapine ER	LATUDA (lurasidone)***	Seroquel in order to achieve therapeutic treatment	
RISPERDAL CONSTA (risperidone) <sup>CL</sup>	NUPLAZID (pimavanserin) ****	levels.	
risperidone	olanzapine IM <sup>CL</sup>	Quetiapine 25 mg will not be authorized for use as a	
ziprasidone	paliperidone ER PERSERIS (risperidone) <sup>CL</sup>	sedative hypnotic.	
	REXULTI (brexipiprazole)	***For the indication of bipolar depression only, prio	
	RISPERDAL (risperidone)	authorization of LATUDA or VRAYLAR requires failure of a 30	
	SAPHRIS (asenapine)	day trial of either quetiapine OR a combination of olanzapine	
	SEROQUEL (quetiapine)	fluoxetine. All trials must be at the maximum recommended	
	SEROQUEL XR (quetiapine)	dose for the diagnosis provided before they would be	
	VERSACLOZ (clozapine)	considered a failure unless an adverse reaction is documented	
	VRAYLAR (capriprazine)***	necessitating a change in therapy. All other indications follow	
	VRAYLAR DOSE PAK (capriprazine)***	class criteria. Patients already stabilized on Latuda or Vrayla	
	ZYPREXA (olanzapine)	shall be grandfathered.	
	ZYPREXA IM (olanzapine) <sup>CL</sup> ZYPREXA RELPREVV (olanzapine)	****Nuplazid will only be authorized for the treatment of	
	ZIFNEAA KELFKEVV (Ulalizapiile)	Parkinson Disease Induced Psychosis after documented	
		treatment failure with quotiening	

treatment failure with quetiapine.



EFFECTIVE 07/01/2019 Version 2019.3b

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	ATYPICAL ANTIPSYCHOTIC/SSRI COMBIN	ATIONS	
	olanzapine/fluoxetine SYMBYAX (olanzapine/fluoxetine)		
ANTIRETROVIRALS <sup>AP</sup>			
preferred agent or combination of preferred agen		nced compliance as to why the clinical need cannot be met with a ill result in no more than one additional unit per day over shall be grandfathered.	
	SINGLE TABLET REGIMENS		
BIKTARVY (bictegravir/emtricitabine/tenofovir alafenamide) GENVOYA (elvitegravir/cobicistat/emtricitabine/tenofovir) ODEFSEY (emtricitabine/rilpivirine/tenofovir) SYMFI (efavirenz/lamivudine/tenofovir) SYMFI LO (efavirenz/lamivudine/tenofovir)	ATRIPLA (efavirenz/emtricitabine/tenofovir) COMPLERA (emtricitabine/rilpivirine/tenofovir)* DELSTRIGO (doravirine/lamivudine/tenofovir df) JULUCA (dolutegravir/rilpivirine) SYMTUZA	*Complera requires medical reasoning beyond convenience or enhanced compliance as to why the medical need cannot be met with the preferred agents Truvada and Edurant.  **Stribild requires medical reasoning beyond convenience or enhanced compliance as to why the medical need cannot be met with the preferred agent Genvoya.  ***Triumeq requires medical reasoning beyond convenience or enhanced compliance as to why the medical need cannot be met with the preferred agents Epzicom and Tivicay.	
	INTEGRASE STRAND TRANSFER INHIBI	TORS	
ISENTRESS (raltegravir potassium) TIVICAY (dolutegravir sodium) VITEKTA (elvitegravir)	ISENTRESS HD (raltegravir potassium)		
	NUCLEOSIDE REVERSE TRANSCRIPTASE INHIB	BITORS (NRTI)	
abacavir sulfate tablet EMTRIVA (emtricitabine) EPIVIR SOLUTION (lamivudine) lamivudine tenofovir disoproxil fumarate VIREA ORAL POWDER (tenofovir disoproxil fumarate) ZIAGEN SOLUTION (abacavir sulfate) zidovudine	abacavir sulfate solution didanosine DR capsule EPIVIR TABLET (lamivudine) RETROVIR (zidovudine) stavudine VIDEX EC (didanosine) VIDEX SOLUTION (didanosine) VIREAD TABLETS (tenofovir disoproxil fumarate) ZERIT (stavudine) ZIAGEN TABLET (abacavir sulfate)		
	NON-NUCLEOSIDE REVERSE TRANSCRIPTASE INHIBITOR (NNRTI)		
EDURANT (rilpivirine) SUSTIVA (efavirenz)	efavirenz INTELENCE (etravirine) nevirapine		



EFFECTIVE 07/01/2019 Version 2019.3b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	nevirapine ER	
	PIFELTRO (doravirine)	
	RESCRIPTOR (delavirdine mesylate)	
	VIRAMUNE ER 24H (nevirapine)	
	VIRAMUNE SUSPENSION (nevirapine) PHARMACOENHANCER – CYTOCHROME P450	INLIDITOR
TYBOST (cobicistat)	PHARMACOENHANCER - CT TOCHROME P450	JINNIBITOR
11BOO1 (cobioistat)		
	PROTEASE INHIBITORS (PEPTIDIC	
atazanavir	CRIXIVAN (indinavir)	
EVOTAZ (atazanavir/cobicistat)	INVIRASE (saquinavir mesylate)	
NORVIR (ritonavir)	fosamprenavir	
REYATAZ POWDER PACK (atazanavir)	LEXIVA (fosamprenavir) REYATAZ CAPSULE (atazanavir)	
	VIRACEPT (nelfinavir mesylate)	
	PROTEASE INHIBITORS (NON-PEPTIC	DIC)
PREZCOBIX (darunavir/cobicistat)	APTIVUS (tipranavir)	,
PREZISTA (darunavir ethanolate)		
,	ENTRY INHIBITORS - CCR5 CO-RECEPTOR AN	ITAGONISTS
	SELZENTRY (maraviroc)	
	ENTRY INHIBITORS – FUSION INHIBIT	ORS
	FUZEON (enfuvirtide)	
	COMBINATION PRODUCTS - NRTIS	
abacavir/lamivudine	abacavir/lamivudine/zidovudine	
CIMDUO (lamivudine/tenofovir)	COMBIVIR (lamivudine/zidovudine)	
lamivudine/zidovudine	EPZICOM (abacavir/lamivudine)	
	TRIZIVIR (abacavir/lamivudine/zidovudine)	
	MBINATION PRODUCTS - NUCLEOSIDE & NUCLEO	OTIDE ANALOG RTIS
DESCOVY (emtricitabine/tenofovir) TRUVADA (emtricitabine/tenofovir)		
THO VADA (eminorabine/tenolovii)	COMBINATION PRODUCTS - PROTEASE IN	HIBITORS
KALETRA (lopinavir/ritonavir)	lopinavir/ritonavir	
ANTIVIRALS, ORAL		
<b>CLASS PA CRITERIA:</b> Non-preferred agents the exceptions on the PA form is present.	require five (5) day trials of each preferred agent in the	same sub-class before they will be approved, unless one (1) of
	ANTI HERPES	
acyclovir	famciclovir	
valacyclovir	FAMVIR (famciclovir)	
	SITAVIG (acyclovir)	



EFFECTIVE 07/01/2019 Version 2019.3b

	THERAPEUTIC DRUG CLAS	S
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	VALTREX (valacyclovir) ZOVIRAX (acyclovir)	
	ANTI-INFLUENZA	
oseltamivir RELENZA (zanamivir) TAMIFLU (oseltamivir)	FLUMADINE (rimantadine) rimantadine  XOFLUZA (baloxavir)	In addition to the Class Criteria: The anti-influenza agents will be authorized only for a diagnosis of influenza.
ANTIVIRALS, TOPICALAP		
<b>CLASS PA CRITERIA:</b> Non-preferred agents reform is present.	equire a five (5) day trial of the preferred agent before t	they will be approved, unless one (1) of the exceptions on the PA
ABREVA (docosanol) ZOVIRAX CREAM (acyclovir) ZOVIRAX OINTMENT (acyclovir)	acyclovir ointment DENAVIR (penciclovir)	
BETA BLOCKERSAP		
	equire fourteen (14) day trials of three (3) chemically die approved, unless one (1) of the exceptions on the Pa	istinct preferred agents, including the generic formulation of the A form is present.
	BETA BLOCKERS	
acebutolol atenolol betaxolol bisoprolol CORGARD (nadolol) metoprolol metoprolol ER pindolol propranolol SORINE (sotalol) sotalol timolol	BETAPACE (sotalol) BYSTOLIC (nebivolol) HEMANGEOL (propranolol)* INDERAL LA (propranolol) INDERAL XL (propranolol) INNOPRAN XL (propranolol) KAPSPARGO SPRINKLE (metoprolol) KERLONE (betaxolol) LEVATOL (penbutolol) LOPRESSOR (metoprolol) nadolol propranolol ER** SECTRAL (acebutolol) TENORMIN (atenolol) TOPROL XL (metoprolol) ZEBETA (bisoprolol) BETA BLOCKER/DIURETIC COMBINATION	*Hemangeol will be authorized for the treatment of proliferating infantile hemangioma requiring systemic therapy.  **Propranolol ER shall be authorized for patients with a diagnosis of migraines. Existing users will be grandfathered for use in migraine prophylaxis.
atenolol/chlorthalidone	CORZIDE (nadolol/bendroflumethiazide)	
bisoprolol/HCTZ metoprolol/HCTZ propranolol/HCTZ	DUTOPROL (metoprolol ER/HCTZ ER) LOPRESSOR HCT (metoprolol/HCTZ) metoprolol/HCTZ ER nadolol/bendroflumethiazide TENORETIC (atenolol/chlorthalidone)	



EFFECTIVE 07/01/2019 Version 2019.3b

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ZIAC (bisoprolol/HCTZ)	
	BETA- AND ALPHA-BLOCKERS	
carvedilol labetalol	COREG (carvedilol) COREG CR (carvedilol) TRANDATE (labetalol)	
BLADDER RELAXANT PREPAI	· · · · · · · · · · · · · · · · · · ·	
		preferred agent before they will be approved, unless one (1) of the
oxybutynin IR oxybutynin ER TOVIAZ (fesoterodine)	DETROL (tolterodine) DETROL LA (tolterodine) DITROPAN XL (oxybutynin) ENABLEX (darifenacin) flavoxate GELNIQUE (oxybutynin) MYRBETRIQ (mirabegron) OXYTROL (oxybutynin) SANCTURA (trospium) SANCTURA XR (trospium) tolterodine tolterodine ER trospium trospium ER VESICARE (solifenacin)	
BONE RESORPTION SUPPRES	SSION AND RELATED AGENTS	
CLASS PA CRITERIA: See below for class		
	BISPHOSPHONATES  ACTONICI (vice disputate)	Non-professed exemple require thinty (00) days trials (1)
alendronate tablets ibandronate	ACTONEL (risedronate) ACTONEL WITH CALCIUM (risedronate/ calcium) alendronate solution ATELVIA (risedronate) BINOSTO (alendronate) BONIVA (ibandronate) DIDRONEL (etidronate) etidronate FOSAMAX TABLETS (alendronate) FOSAMAX PLUS D (alendronate/vitamin D) risedronate	Non-preferred agents require thirty (30) day trials of <b>each</b> preferred Bisphosphonate agent before they will be approved, unless one (1) of the exceptions on the PA form is present.



EFFECTIVE 07/01/2019 Version 2019.3b

	THERAPEUTIC DRUG CLAS	S
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
01	THER BONE RESORPTION SUPPRESSION AND RI	
	calcitonin EVISTA (raloxifene)* FORTEO (teriparatide) FORTICAL (calcitonin) MIACALCIN (calcitonin) raloxifene* TYMLOS (abaloparatide)	Non-preferred agents require a thirty (30) day trial of a preferred Bisphosphonate agent before they will be approved, unless one (1) of the exceptions on the PA form is present.  *Raloxifene will be authorized for postmenopausal women with osteoporosis or at high risk for invasive breast cancer.
BPH TREATMENTS		
	quire thirty (30) day trials of at least two (2) chemically II be approved, unless one (1) of the exceptions on the	y distinct preferred agents, including the generic formulation of e PA form is present.
	5-ALPHA-REDUCTASE (5AR) INHIBITORS AND	PDE-5 AGENTS
finasteride	AVODART (dutasteride) CIALIS 5 mg (tadalafil) dutasteride PROSCAR (finasteride)	
	ALPHA BLOCKERS	
alfuzosin doxazosin tamsulosin terazosin	CARDURA (doxazosin) CARDURA XL (doxazosin) FLOMAX (tamsulosin) HYTRIN (terazosin) RAPAFLO (silodosin) UROXATRAL (alfuzosin)	
5-AL	PHA-REDUCTASE (5AR) INHIBITORS/ALPHA BLC	
	dutasteride/tamsulosin JALYN (dutasteride/tamsulosin)	<b>Substitute for Class Criteria</b> : Concurrent thirty (30) day trials of dutasteride and tamsulosin are required before the non-preferred agent will be authorized.
<b>BRONCHODILATORS, BETA AGOI</b>	NIST <sup>AP</sup>	
CLASS PA CRITERIA: Non-preferred agents re the exceptions on the PA form is present.	quire thirty (30) day trials of each chemically distinct p	preferred agent in their corresponding sub-class unless one (1) of
	INHALATION SOLUTION	
albuterol	BROVANA (arformoterol) levalbuterol metaproterenol PERFOROMIST (formoterol) XOPENEX (levalbuterol)*  INHALERS, LONG-ACTING	*Xopenex Inhalation Solution will be authorized for twelve (12) months for a diagnosis of asthma or COPD for patients on concurrent asthma controller therapy (either oral or inhaled) with documentation of failure on a trial of albuterol or documented intolerance of albuterol, or for concurrent diagnosis of heart disease.
FORADIL (formoterol)	ARCAPTA (indacaterol maleate)	
SEREVENT (salmeterol)	STRIVERDI RESPIMAT (olodaterol)	



EFFECTIVE 07/01/2019 Version 2019.3b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	INHALERS, SHORT-ACTING	
PROAIR HFA (albuterol) PROAIR RESPICLICK (albuterol) PROVENTIL HFA (albuterol)	MAXAIR (pirbuterol) VENTOLIN HFA (albuterol) XOPENEX HFA (levalbuterol)	
	ORAL Olloutoral ED	
	albuterol ER albuterol IR metaproterenol VOSPIRE ER (albuterol) terbutaline	
CALCIUM CHANNEL BLOCKERS	P	
CLASS PA CRITERIA: Non-preferred agents reunless one (1) of the exceptions on the PA form		within the corresponding sub-class before they will be approved,
	LONG-ACTING	
amlodipine diltiazem ER felodipine ER nifedipine ER verapamil ER	ADALAT CC (nifedipine) CALAN SR (verapamil) CARDENE SR (nicardipine) CARDIZEM CD, LA (diltiazem) COVERA-HS (verapamil) diltiazem LA MATZIM LA (diltiazem) nisoldipine NORVASC (amlodipine) PLENDIL (felodipine) PROCARDIA XL (nifedipine) SULAR (nisoldipine) TIAZAC (diltiazem) verapamil ER PM VERELAN/VERELAN PM (verapamil)	
Pic	SHORT-ACTING	
diltiazem verapamil	CALAN (verapamil) CARDIZEM (diltiazem) isradipine nicardipine nifedipine nimodipine NIMOTOP (nimodipine) NYMALIZE SOLUTION (nimodipine) PROCARDIA (nifedipine)	



EFFECTIVE 07/01/2019 Version 2019.3b

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS PA CRITERIA			
CEPHALOSPORINS AND RELATE	D ANTIBIOTICS <sup>AP</sup>		
CLASS PA CRITERIA: Non-preferred agents re one (1) of the exceptions on the PA form is prese		corresponding sub-class before they will be approved, unless	
	TAMS AND BETA LACTAM/BETA-LACTAMASE IN	HIBITOR COMBINATIONS	
amoxicillin/clavulanate IR	amoxicillin/clavulanate ER AUGMENTIN (amoxicillin/clavulanate) AUGMENTIN XR (amoxicillin/clavulanate) MOXATAG (amoxicillin)		
	CEPHALOSPORINS		
cefaclor capsule cefadroxil capsule, tablet cefdinir cefuroxime tablet cephalexin capsule, suspension	CEDAX (ceftibuten) cefaclor suspension cefaclor ER tablet cefadroxil suspension cefpodoxime cefprozil ceftibuten capsule, suspension CEFTIN (cefuroxime) cefuroxime suspension cephalexin tablet DAXABIA (cephalexin) KEFLEX (cephalexin) OMNICEF (cefdinir) RANICLOR (cefaclor) SUPRAX (cefixime)		
COPD AGENTS			
CLASS PA CRITERIA: Non-preferred agents unless one (1) of the exceptions on the PA form is		from the corresponding sub-class before they will be approved,	
	ANTICHOLINERGICAP		
ipratropium nebulizer solution SPIRIVA (tiotropium) TUDORZA (aclidinium)	ATROVENT HFA (ipratropium) INCRUSE ELLIPTA (umeclidinium) LONHALA MAGNAIR (glycopyrrolate) SEEBRI NEOHALER (glycopyrrolate) SPIRIVA RESPIMAT (tiotropium)		
	ANTICHOLINERGIC-BETA AGONIST COMBIN	ATIONSAP	



EFFECTIVE 07/01/2019 Version 2019.3b

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANORO ELLIPTA (umeclidinium/vilanterol) albuterol/ipratropium nebulizer solution BEVESPI (glycopyrrolate/formoterol) UTIBRON (indacaterol/glycopyrrolate)	COMBIVENT RESPIMAT (albuterol/ipratropium) DUONEB (albuterol/ipratropium) STIOLTO RESPIMAT (tiotropium/olodaterol)*	*In addition to the Class PA criteria, Stiolto Respimat requires a sixty (60) day trial of Anoro Ellipta.
AN	TICHOLINERGIC-BETA AGONIST-GLUCOCORTICO	DID COMBINATIONS
	TRELEGY ELLIPTA (fluticasone/umeclidinium/vilanterol)*	* Trelegy Ellipta may be prior authorized for patients currently established on the individual components for at least 30 days.
	PDE4 INHIBITOR	
	DALIRESP (roflumilast)*	*Daliresp will be authorized if the following criteria are met:  1. Patient is forty (40) years of age or older and  2. Diagnosis of severe chronic obstructive pulmonary disease (COPD) associated with chronic bronchitis and multiple exacerbations requiring systemic glucocorticoids in the preceding six (6) months and  3. Concurrent therapy with an inhaled corticosteroid and long-acting bronchodilator and evidence of compliance and  4. No evidence of moderate to severe liver impairment (Child-Pugh Class B or C) and  5. No concurrent use with strong cytochrome P450 inducers (rifampicin, phenobarbital, carbamazepine or phenytoin)
CYTOKINE & CAM ANTAGONISTS	Scr .	
CLASS PA CRITERIA: Non-preferred agents of FDA-approved indications, an additional ninety of the state of the		el unless one (1) of the exceptions on the PA form is present. For
	ANTI-TNFs	
ENBREL (etanercept)* HUMIRA (adalimumab)*	CIMZIA (certolizumab pegol) REMICADE (infliximab) RENFLEXIS (infliximab) SIMPONI subcutaneous (golimumab)	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
	OTHERS	
COSENTYX (secukinumab)*	ACTEMRA subcutaneous (tocilizumab) ENTYVIO (vedolizumab) ILARIS (canakinumab) ILUMYA (tildrakizumab) KEVZARA (sarilumab) KINERET (anakinra)	*Cosentyx will be authorized for treatment of plaque psoriasis, psoriatic arthritis and ankylosing spondylitis only after inadequate response to a ninety (90) day trial of one preferred agent.



EFFECTIVE 07/01/2019 Version 2019.3b

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS

MENALECTIC BROO SEASO			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	OLUMIANT (baricitinib) ORENCIA subcutaneous (abatacept) OTEZLA (apremilast) SILIQ (brodalumab) STELARA subcutaneous (ustekinumab) TALTZ (ixekizumab) TREMFYA (guselkumab) XELJANZ (tofacitinib) XELJANZ XR (tofacitinib)		
EPINEPHRINE, SELF-INJECTED			
CLASS PA CRITERIA: A non-preferred agent munderstand the training for the preferred agent(s).		tient's inability to follow the instructions, or the patient's failure to	
epinephrine (labeler 49502 & 00093 only)	ADRENACLICK (epinephrine) epinephrine (labeler 54505 and 00115) EPIPEN (epinephrine) EPIPEN JR (epinephrine)		
ERYTHROPOIESIS STIMULATING	PROTEINS <sup>CL</sup>		
CLASS PA CRITERIA: Non-preferred agents re PA form is present.	equire a thirty (30) day trial of a preferred agent befor	re they will be approved, unless one (1) of the exceptions on the	
EPOGEN (rHuEPO) RETACRIT (epoetin alfa)	ARANESP (darbepoetin) MIRCERA (methoxy PEG-epoetin) PROCRIT (rHuEPO)	Erythropoiesis agents will be authorized if the following criteria are met:  1. Hemoglobin or Hematocrit less than 10/30 respectively. For renewal, hemoglobin or hematocrit levels greater than 12/36 will require dosage reduction or discontinuation. Exceptions will be considered on an individual basis after medical documentation is reviewed. (Lab oratory values must be dated within six (6) weeks of request.) and  2. Transferrin saturation ≥ 20%, ferritin levels ≥100 mg/ml, or on concurrent therapeutic iron therapy. (Laboratory values must be dated within three (3) weeks of request. For re-authorization, transferrin saturation or ferritin levels are not required if the patient has been responsive to the erythropoietin agent and  3. For HIV-infected patients, endogenous serum	



EFFECTIVE 07/01/2019 Version 2019.3b

	THERAPEUTIC DRUG CLAS	S
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		<ul> <li>erythropoietin level must be ≤ 500mU/ml to initiate therapy and</li> <li>4. No evidence of untreated GI bleeding, hemolysis, or Vitamin B-12, iron or folate deficiency.</li> </ul>
FLUOROQUINOLONES (Oral)AP		
<b>CLASS PA CRITERIA:</b> Non-preferred agents r form is present.	equire a five (5) day trial of a preferred agent before the	hey will be approved, unless one (1) of the exceptions on the PA
CIPRO SUSPENSION (ciprofloxacin) ciprofloxacin levofloxacin tablet	AVELOX (moxifloxacin) BAXDELA (delafloxacin) CIPRO TABLETS (ciprofloxacin) CIPRO XR (ciprofloxacin) ciprofloxacin ER ciprofloxacin suspension LEVAQUIN (levofloxacin) levofloxacin solution moxifloxacin NOROXIN (norfloxacin) ofloxacin	
GLUCOCORTICOIDS, INHALEDAP		
CLASS PA CRITERIA: Non-preferred agents re exceptions on the PA form is present.	equire thirty (30) day trials of each chemically unique p	referred agent before they will be approved, unless one (1) of the
	GLUCOCORTICOIDS	
ASMANEX TWISTHALER (mometasone) FLOVENT DISKUS (fluticasone) FLOVENT HFA (fluticasone) PULMICORT FLEXHALER (budesonide) PULMICORT RESPULES (budesonide)* QVAR REDIHALER (beclomethasone)	AEROSPAN (flunisolide)** ALVESCO (ciclesonide) ARMONAIR RESPICLICK (fluticasone) ARNUITY ELLIPTA (fluticasone) ASMANEX HFA (mometasone) budesonide	*Pulmicort Respules are only preferred for children up to nine (9) years of age. For patients nine (9) and older, prior authorization is required and will be approved only for a diagnosis of severe nasal polyps.  **Aerospan will be authorized for children ages 6 through 11 years old without a trial of a preferred agent.
	GLUCOCORTICOID/BRONCHODILATOR COM	BINATIONS
ADVAIR DISKUS (fluticasone/salmeterol) ADVAIR HFA (fluticasone/salmeterol) DULERA (mometasone/formoterol) SYMBICORT(budesonide/formoterol)	AIRDUO RESPICLICK (fluticasone/salmeterol) BREO ELLIPTA (fluticasone/vilanterol) fluticasone/salmeterol	
GROWTH HORMONE <sup>CL</sup>		
<b>CLASS PA CRITERIA:</b> Non-preferred agents rethe PA form is present.	equire three (3) month trials of each preferred agent be	pefore they will be approved, unless one (1) of the exceptions on
GENOTROPIN (somatropin) NORDITROPIN (somatropin)	HUMATROPE (somatropin) INCRELEX (mecasermin)	Patients already on a non-preferred agent will receive authorization to continue therapy on that agent for the duration



EFFECTIVE 07/01/2019 Version 2019.3b

THERAPEUTIC DRUG CLASS		S
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	NUTROPIN AQ (somatropin) OMNITROPE (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin) ZOMACTON (somatropin) ZORBTIVE (somatropin)	of the existing PA.
H. PYLORI TREATMENT		
		components of the requested non-preferred agent and must be vill be approved, unless one (1) of the exceptions on the PA form
Please use individual components:     preferred PPI (omeprazole or pantoprazole)     amoxicillin     tetracycline     metronidazole     clarithromycin     bismuth PYLERA (bismuth/metronidazole/tetracycline)	HELIDAC (bismuth/metronidazole/tetracycline) lansoprazole/amoxicillin/clarithromycin OMECLAMOX-PAK (omeprazole/amoxicillin/clarithromycin) PREVPAC (lansoprazole/amoxicillin/clarithromycin)	
HEPATITIS B TREATMENTS		
	uire ninety (90) day trials of each preferred agent before	ore they will be approved, unless one (1) of the exceptions on the
PA form is present. BARACLUDE SOLUTION (entecavir) entecavir lamivudine HBV	adefovir BARACLUDE TABLET (entecavir) EPIVIR HBV (lamivudine) HEPSERA (adefovir) VEMLIDY (tenofovir alafenamide fumarate)	
HEPATITIS C TREATMENTS <sup>CL</sup>		
		on the PA Criteria page. Requests for non-preferred regimens
EPCLUSA (sofosbuvir/velpatasvir)* HARVONI (ledipasvir/sofosbuvir)* MAVYRET (pibrentasvir/glecaprevir)* ribavirin ZEPATIER (elbasvir/grazoprevir)*	COPEGUS (ribavirin) DAKLINZA (daclatasvir)* ledipasvir/sofosbuvir* MODERIBA 400 mg, 600 mg MODERIBA DOSE PACK PEGASYS (pegylated interferon) PEG-INTRON (pegylated interferon) OLYSIO (simeprevir)* REBETOL (ribavirin) RIBASPHERE RIBAPAK (ribavirin)	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.



EFFECTIVE 07/01/2019 Version 2019.3b

	THERAPEUTIC DRUG CLA	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	RIBASPHERE 400 mg, 600 mg (ribavirin) sofosbuvir/velpatasvir* SOVALDI (sofosbuvir)* TECHNIVIE (ombitasvir/paritaprevir/ritonavir)* VIEKIRA PAK (dasabuvir/ombitasvir/paritaprevir/ritonavir)* VIEKIRA XR (dasabuvir/ombitasvir/paritaprevir/ritonavir)* VIEKIRA XR (dasabuvir/ombitasvir/paritaprevir/ritonavir)* VOSEVI (sofosbuvir/velpatasvir/voxilaprevir)	
HYPERPARATHYROID AGENTS	AP	
<b>CLASS PA CRITERIA:</b> Non-preferred agent PA form is present.	s require thirty (30) day trials of each preferred agent be	efore they will be approved, unless one (1) of the exceptions on the
paricalcitol capsule	doxercalciferol HECTOROL (doxercalciferol) paricalcitol injection RAYALDEE (calcifediol) SENSIPAR (cinacalcet) ZEMPLAR (paricalcitol)	
HYPOGLYCEMICS, BIGUANIDE		
		similar duration before they will be approved, unless one (1) of the
metformin metformin ER (generic Glucophage XR)	FORTAMET (metformin ER) GLUCOPHAGE (metformin) GLUCOPHAGE XR (metformin ER) GLUMETZA (metformin ER)* metformin ER (generic Glumetza & Fortamet) RIOMET (metformin)	*Glumetza will be approved only after a 30-day trial of Fortamet.
HYPOGLYCEMICS, DPP-4 INHIE	BITORS	
CLASS PA CRITERIA: Non-preferred ager		
NOTE: DPP-4 inhibitors will NOT be appro	ved in combination with a GLP-1 agonist.	
JANUMET (sitagliptin/metformin) JANUMET XR (sitagliptin/metformin) JANUVIA (sitagliptin) JENTADUETO (linagliptin/metformin) TRADJENTA (linagliptin)	alogliptin alogliptin/metformin alogliptin/pioglitazone JENTADUETO XR (linagliptin/metformin) KAZANO (alogliptin/metformin) KOMBIGLYZE XR (saxagliptin/metformin)	



**EFFECTIVE** 07/01/2019 Version 2019.3b

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	NESINA (alogliptin) ONGLYZA (saxagliptin) OSENI (alogliptin/pioglitazone)	

#### HYPOGLYCEMICS, GLP-1 AGONISTSCL

CLASS PA CRITERIA: Agents in this class will not be approved for patients with a starting A1C < 7%. Non-preferred agents are available only on appeal. Preferred agents in this class shall be approved in six (6) month intervals if the following criteria are met:

- Initial starts require a diagnosis of Type 2 Diabetes and an A1C taken within the last 30 days reflecting the patient's current and stabilized regimen.
- No agent in this class shall be approved except as add on therapy to a regimen consisting of at least one (1) other agent prescribed at the maximum tolerable dose for at least 90 days.
- Re-authorizations require continued maintenance on a regimen consisting of at least one (1) other agent at the maximum tolerable dose AND an A1C of ≤8%.

#### NOTE: GLP-1 agents will NOT be approved in combination with a DPP-4 inhibitor.

	ADLYXIN (lixisenatide) BYDUREON BCISE (exenatide) TANZEUM (albiglutide) TRULICITY (dulaglutide)	BYDUREON (exenatide) BYETTA (exenatide) OZEMPIC (semaglutide) VICTOZA (liraglutide)	O)
--	---	---	----

#### HYPOGLYCEMICS, INSULIN AND RELATED AGENTS

CLASS PA CRITERIA: Non-preferred agents require a ninety (90) day trial of a pharmacokinetically similar agent before they will be approved, unless one (1) of the exceptions on the PA form is present.

Humulin pens and Humalog Mix pens will be authorized only for patients who cannot utilize vials due to impaired vision or dexterity.				
FIASP (insulin aspart)	ADMELOG (insulin lispro)	*Apidra will be authorized if the following criteria are met:		
HUMALOG (insulin lispro)	AFREZZA (insulin) <sup>CL</sup>	<ol> <li>Patient is four (4) years of age or older; and</li> </ol>		
HUMALOG MIX VIALS (insulin lispro/lispro	APIDRA (insulin glulisine) <sup>AP*</sup>	2. Patient is currently on a regimen including a longer		
protamine)	BASAGLAR (insulin glargine)	acting or basal insulin, and		
HUMULIN VIALS (insulin)	HUMALOG JR KWIKPEN (insulin lispro)	3. Patient has had a trial of a similar preferred agent,		
LANTUS (insulin glargine)	HUMALOG PEN/KWIKPEN (insulin lispro)	Novolog or Humalog, with documentation that the		
LEVEMIR (insulin detemir)	HUMALOG MIX PENS (insulin lispro/lispro	desired results were not achieved.		
NOVOLOG (insulin aspart)	protamine)			
NOVOLOG MIX (insulin aspart/aspart	HUMULIN PENS (insulin)	** Tresiba U-100 will be authorized only for patients who have		
protamine)	NOVOLIN (insulin)	demonstrated at least a 6-month history of compliance on		
TRESIBA (insulin degludec)	SOLIQUA (insulin glargine/lixisenatide)**	preferred long-acting insulin and who continue to have regular		
	TOUJEO SOLOSTAR (insulin glargine)**	incidents of hypoglycemia.		
	XULTOPHY (insulin degludec/liraglutide)**			
		Tresiba U-200, Toujeo Solostar and Toujeo Max Solostar will		
		only be approved for patients who require once-daily doses of		



**EFFECTIVE** 07/01/2019 Version 2019.3b

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS				
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA		
		at least 60 units of long-acting insulin and have demonstrated at least a 6-month history of compliance on preferred long-acting insulin and who continue to have regular incidents of hypoglycemia.		
		*** Non-preferred insulin combination products require that the patient must already be established on the individual agents at doses not exceeding the maximum dose achievable with the combination product, and require medical reasoning beyond convenience or enhanced compliance as to why the clinical need cannot be met with a combination of preferred single-ingredient agents.		
HYPOGLYCEMICS, MEGLITINIDES				
CLASS PA CRITERIA: Non-preferred agents are available only on appeal.				
	MEGLITINIDES			
nateglinide repaglinide	PRANDIN (repaglinide) STARLIX (nateglinide)			
MEGLITINIDE COMBINATIONS				
	PRANDIMET (repaglinide/metformin) repaglinide/metformin			
HYPOGLYCEMICS, MISCELLANEOUS AGENTS				
CLASS PA CRITERIA: Welchol will be authorized for add-on therapy for type 2 diabetes when there is a previous history of a thirty (30) day trial of an oral diabetic agent.				
WELCHOL (colesevelam) <sup>AP</sup>	SYMLIN (pramlintide)*	*Symlin will be authorized with a history of bolus insulin utilization in the past ninety (90) days with no gaps in insulin therapy greater than thirty (30) days.		
HYPOGLYCEMICS, SGLT2 INHIBITORSCL				

CLASS PA CRITERIA: Agents in this class will not be approved for patients with a starting A1C < 7%. Non-preferred agents are available only on appeal. Preferred agents in this class shall be approved in six (6) month intervals if the following criteria are met.

- Initial starts require a diagnosis of Type 2 Diabetes and an A1C taken within the last 30 days reflecting the patient's current and stabilized regimen.
- No agent in this class shall be approved except as add on therapy to a regimen consisting of at least one (1) other agent prescribed at the maximum tolerable dose for at least 90 days.
- Re-authorizations require continued maintenance on a regimen consisting of at least one (1) other agent at the maximum tolerable dose AND an A1C of ≤8%.

#### **SGLT2 INHIBITORS**



EFFECTIVE 07/01/2019 Version 2019.3b

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

INVOKANA (canagliflozin)  SGLT2 COMBINATIONS  GLYXAMBI (empagliflozin/magliptin) INVOKAMET (canagliflozin/metformin) INVOKAMET (canagliflozin/metformin) SEGLUROMET (ertugliflozin/metformin) SEGLUROMET (ertugliflozin/sitagliptin) SYNJARDY (empagliflozin/metformin) SYNJARDY (empagliflozin/metformin) SYNJARDY XR (empagliflozin/metformin) SYNJARDY XR (empagliflozin/metformin) OTERN (dapagliflozin/saxagliptin) XIGDUO XR (dapagliflozin/metformin) ACTOPLUS (empagliflozin/metformin) AVANDIA (empagliflozin/metformin) AV	THERAPEUTIC DRUG CLASS				
SGLT2 COMBINATIONS  CLYXAMBI (empagliflozin/inagilptin) INVOKAMET (canagliflozin/inagilptin) INVOKAMET (canagliflozin/inagilptin) INVOKAMET (canagliflozin/inagilptin) SEGLUROMET (enugliflozin/inagilptin) STEGLUDAN (erugliflozin/inagilptin) SYNJARDY (empagliflozin/inagilptin) SYNJARDY (empagliflozin/inagilptin) SYNJARDY X (empagliflozin/inagilptin) SYNJARDY X (empagliflozin/inagilptin) SYNJARDY X (empagliflozin/inagilif	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA		
GLYXAMBI (empagliflozin/inagliptin) INVOKAMET (canagliflozin/metformin) SEGLUROMET (etugliflozin/metformin) SEGLUROMET (etugliflozin/metformin) SEGLUROMET (etugliflozin/metformin) STEGLUANO (erugliflozin/metformin) SYNJARDY (empagliflozin/metformin) SYNJARDY X (empagliflozin/metformin) OTERN (dapagliflozin/saxagliptin) XIGDUO XR (dapa	FARXIGA (dapagliflozin) INVOKANA (canagliflozin) JARDIANCE (empagliflozin)	STEGLATRO (ertugliflozin)			
INVOKAMET (canagilifozin/metformin) INVOKAMET XR (canagilifozin/metformin) SEGLUROMET (ertuglifozin/sitagliptin) SYNJARDY (empagilifozin/sitagliptin) SYNJARDY XR (empagilifozin/sitagliptin) SYNJARDY XR (empagilifozin/sitagliptin) SYNJARDY XR (empagilifozin/sitagliptin) SYNJARDY XR (empagilifozin/metformin) OTERN (dapaglifozin/sitagliptin) XIGDUO XR (dapaglifozin/metformin)  HYPOGLYCEMICS, TZD  CLASS PA CRITERIA: Non-preferred agents are available only on appeal. THIAZOLIDINEDIONES  ACTOS (pioglitazone) AVANDIA (rosiglitazone) AVANDIA (rosiglitazone/metformin) ACTOPLUS MET (pioglitazone/metformin) ACTOPLUS MET (pioglitazone/metformin) AVANDARYL (rosiglitazone/glimepiride) DUETACT (pioglitazone/glimepiride) pioglitazone/glimepiride pioglitazone/metformin  IMMUNOMODULATORS, ATOPIC DERMATITIS  CLASS PA CRITERIA: Non-preferred agents require 30-day trial of a medium to high potency topical corticosteroid AND all preferred agents in this class unless on (1) of the exceptions on the PA form is present. Requirement for topical corticosteroids may be excluded with involvement of sensitive areas such as the face and skin folds.  BUPIXENT (dupilumab)** PROTOPIC (tacrolimus)** PROTOPIC (tacrolimus)** PROTOPIC (tacrolimus)** **Eucrisar requires a 30-day trial of Elidel OR a medium to high potency corticosteroid unless contraindicated.  **Full PA criteria for Dupixent may be found on the PA Criteria page by clicking the hyperlink  ****Protopic brand is preferred over its generic equiviliant.		SGLT2 COMBINATIONS			
THAZOLIDINEDIONES  ACTOS (pioglitazone)  ACTOPLUS MET (pioglitazone/ metformin) ACTOPLUS MET X (pioglitazone/ metformin) AVANDARYL (rosiglitazone/glimepiride) DUETACT (pioglitazone/glimepiride) pioglitazone/glimepiride pioglitazone/glimepiride pioglitazone/metformin  ACAS PA CRITERIA: Non-preferred agents require 30-day trial of a medium to high potency topical corticosteroid AND all preferred agents in this class unless one (1) of the exceptions on the PA form is present. Requirement for topical corticosteroids may be excluded with involvement of sensitive areas such as the face and skir folds.  ELIDEL (pimecrolimus) EUCRISA (crisaborole)  DUPIXENT (dupilumab)** PROTOPIC (tacrolimus) EUCRISA (crisaborole)  DUPIXENT (dupilumab)** PROTOPIC (tacrolimus)  **Eucrisa requires a 30-day trial of Elidel OR a medium to high potency corticosteroid unless contraindicated.  **Full PA criteria for Dupixent may be found on the PA Criteria page by clicking the hyperlink  ***Protopic brand is preferred over its generic equiviliant.		INVOKAMET (canagliflozin/metformin) INVOKAMET XR (canagliflozin/metformin) SEGLUROMET (ertugliflozin/metformin) STEGLUJAN (ertugliflozin/sitagliptin) SYNJARDY (empagliflozin/metformin) SYNJARDY XR (empagliflozin/metformin) QTERN (dapagliflozin/saxagliptin)			
THIAZOLIDINEDIONES  pioglitazone  ACTOS (pioglitazone)  TZD COMBINATIONS  ACTOPLUS MET (pioglitazone/ metformin)     ACTOPLUS MET XR (pioglitazone/ metformin)     AVANDARYL (rosiglitazone/glimepiride)     DUETACT (pioglitazone/glimepiride)     pioglitazone/glimepiride)     pioglitazone/glimepiride     pio	HYPOGLYCEMICS, TZD				
ACTOS (pioglitazone) AVANDIA (rosiglitazone) ACTOPLUS MET (pioglitazone/ metformin) ACTOPLUS MET XR (pioglitazone/ metformin) AVANDARYL (rosiglitazone/glimepiride) DUETACT (pioglitazone/glimepiride) pioglitazone/glimepiride pioglitazone/glimepiride pioglitazone/metformin  IMMUNOMODULATORS, ATOPIC DERMATITIS  CLASS PA CRITERIA: Non-preferred agents require 30-day trial of a medium to high potency topical corticosteroid AND all preferred agents in this class unless one (1) of the exceptions on the PA form is present. Requirement for topical corticosteroids may be excluded with involvement of sensitive areas such as the face and skin folds.  ELIDEL (pimecrolimus) EUCRISA (crisaborole)  DUPIXENT (dupilumab)** PROTOPIC (tacrolimus)*** PROTOPIC (tacrolimus)*** Tacrolimus ointment  PA Criteria page by clicking the hyperlink  ***Protopic brand is preferred over its generic equiviliant.	CLASS PA CRITERIA: Non-preferred agen	ts are available only on appeal.			
AVANDIÀ (rosiglitazone)  TZD COMBINATIONS  ACTOPLUS MET (pioglitazone/ metformin) ACTOPLUS MET XR (pioglitazone/ metformin) AVANDARYL (rosiglitazone/glimepiride) DUETACT (pioglitazone/glimepiride) pioglitazone/glimepiride py-case basis.   **Eucrisa required to use the components of Actoplus denderors and Duetact separately. Exceptions will be handled on a case by-case basis.  **Eucrisa required to use the components of Actoplus denderors and Duetact separately. py-case basis.  **Eucrisa required to use the components of Actoplus denderors and Duetact separately. py-case basis.  **Eucrisa required to use the components of Actoplus denderors and Duetact separately. py-case basis.  **Eucrisa required to use the components of Actoplus denderors and Duetact separately. py-case basis.  **Euc	THIAZOLIDINEDIONES				
ACTOPLUS MET (pioglitazone/ metformin) ACTOPLUS MET XR (pioglitazone/ metformin) AVANDARYL (rosiglitazone/glimepiride) DUETACT (pioglitazone/glimepiride) pioglitazone/glimepiride pioglitazone/metformin  IMMUNOMODULATORS, ATOPIC DERMATITIS  CLASS PA CRITERIA: Non-preferred agents require 30-day trial of a medium to high potency topical corticosteroid AND all preferred agents in this class unless one (1) of the exceptions on the PA form is present. Requirement for topical corticosteroids may be excluded with involvement of sensitive areas such as the face and skir folds.  ELIDEL (pimecrolimus) EUCRISA (crisaborole) <sup>AP*</sup> DUPIXENT (dupilumab)** PROTOPIC (tacrolimus)*** PROTOPIC (tacrolimus)*** Telurisa requires a 30-day trial of Elidel OR a medium to high potency corticosteroid unless contraindicated.  **Full PA criteria for Dupixent may be found on the PA Criteria page by clicking the hyperlink  ***Protopic brand is preferred over its generic equiviliant.	pioglitazone				
ACTOPLUS MET XR (pioglitazone/ metformin) AVANDARYL (rosiglitazone/glimepiride) DUETACT (pioglitazone/glimepiride) pioglitazone/glimepiride pioglitazone/glimepiride pioglitazone/metformin  IMMUNOMODULATORS, ATOPIC DERMATITIS  CLASS PA CRITERIA: Non-preferred agents require 30-day trial of a medium to high potency topical corticosteroid AND all preferred agents in this class unless one (1) of the exceptions on the PA form is present. Requirement for topical corticosteroids may be excluded with involvement of sensitive areas such as the face and skin folds.  ELIDEL (pimecrolimus) EUCRISA (crisaborole)  DUPIXENT (dupilumab)** PROTOPIC (tacrolimus)*** PROTOPIC (tacrolimus)*** tacrolimus ointment  **Eucrisa requires a 30-day trial of Elidel OR a medium to high potency corticosteroid unless contraindicated.  **Full PA criteria for Dupixent may be found on the PA Criteria page by clicking the hyperlink  ***Protopic brand is preferred over its generic equiviliant.		TZD COMBINATIONS			
IMMUNOMODULATORS, ATOPIC DERMATITIS  CLASS PA CRITERIA: Non-preferred agents require 30-day trial of a medium to high potency topical corticosteroid AND all preferred agents in this class unless one (1) of the exceptions on the PA form is present. Requirement for topical corticosteroids may be excluded with involvement of sensitive areas such as the face and skin folds.  ELIDEL (pimecrolimus)  EUCRISA (crisaborole) AP*  DUPIXENT (dupilumab)** PROTOPIC (tacrolimus)*** tacrolimus ointment  *Eucrisa requires a 30-day trial of Elidel OR a medium to high potency corticosteroid unless contraindicated.  **Full PA criteria for Dupixent may be found on the PA Criteria page by clicking the hyperlink  ***Protopic brand is preferred over its generic equiviliant.		ACTOPLUS MET XR (pioglitazone/ metformin) AVANDARYL (rosiglitazone/glimepiride) DUETACT (pioglitazone/glimepiride) pioglitazone/glimepiride	Patients are required to use the components of Actoplus Met and Duetact separately. Exceptions will be handled on a case-by-case basis.		
CLASS PA CRITERIA: Non-preferred agents require 30-day trial of a medium to high potency topical corticosteroid AND all preferred agents in this class unless one (1) of the exceptions on the PA form is present. Requirement for topical corticosteroids may be excluded with involvement of sensitive areas such as the face and skill folds.  ELIDEL (pimecrolimus)  EUCRISA (crisaborole)  DUPIXENT (dupilumab)**  PROTOPIC (tacrolimus)***  tacrolimus ointment  **Eucrisa requires a 30-day trial of Elidel OR a medium to high potency corticosteroid unless contraindicated.  **Full PA criteria for Dupixent may be found on the PA Criteria page by clicking the hyperlink  ***Protopic brand is preferred over its generic equiviliant.	<b>IMMUNOMODULATORS, ATOPIC</b>				
ELIDEL (pimecrolimus)  EUCRISA (crisaborole) <sup>AP*</sup> DUPIXENT (dupilumab)** PROTOPIC (tacrolimus)*** tacrolimus ointment  *Eucrisa requires a 30-day trial of Elidel <b>OR</b> a medium to high potency corticosteroid unless contraindicated.  **Full PA criteria for Dupixent may be found on the <u>PA Criteria page</u> by clicking the hyperlink  ***Protopic brand is preferred over its generic equiviliant.	CLASS PA CRITERIA: Non-preferred agent	s require 30-day trial of a medium to high potency topics			
page by clicking the hyperlink  ***Protopic brand is preferred over its generic equiviliant.	ELIDEL (pimecrolimus) EUCRISA (crisaborole) <sup>AP*</sup>	PROTOPIC (tacrolimus)***			
· · · · · · · · · · · · · · · · · · ·			page by clicking the hyperlink		
	IMMUNOMODUL ATORS CENIT	AL MADTE & ACTINIC MEDATORIS ACT	• • • • • • • • • • • • • • • • • • • •		

**CLASS PA CRITERIA:** Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.



EFFECTIVE 07/01/2019 Version 2019.3b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
CONDYLOX GEL (podofilox) EFUDEX (fluorouracil) imiquimod	ALDARA (imiquimod) CARAC (fluorouracil) diclofenac 3% gel fluorouracil 0.5% cream fluorouracil 5% cream podofilox SOLARAZE (diclofenac) TOLAK (fluorouracil 4% cream) VEREGEN (sinecatechins) ZYCLARA (imiquimod)*	*Zyclara will be authorized for a diagnosis of actinic keratosis.
IMMUNOSUPPRESSIVES, ORAL		
CLASS PA CRITERIA: Non-preferred agents re PA form is present.	equire a fourteen (14) day trial of a preferred agent before	ore they will be approved, unless one (1) of the exceptions on the
azathioprine cyclosporine cyclosporine, modified mycophenolate mofetil sirolimus tacrolimus capsule	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) CELLCEPT (mycophenolate mofetil) ENVARSUS XR (tacrolimus) IMURAN (azathioprine) mycophenolic acid mycophenolic mofetil suspension MYFORTIC (mycophenolic acid) NEORAL (cyclosporine, modified) PROGRAF (tacrolimus) RAPAMUNE (sirolimus) SANDIMMUNE (cyclosporine) ZORTRESS (everolimus)	
INTRANASAL RHINITIS AGENTSAF		
CLASS PA CRITERIA: See below for individual	sub-class criteria.	
	ANTICHOLINERGICS	
ipratropium	ATROVENT(ipratropium)	Non-preferred agents require thirty (30) day trials of one (1) preferred nasal anti-cholinergic agent, <b>AND</b> one (1) preferred antihistamine <b>AND</b> one (1) preferred intranasal corticosteroid agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
	ANTIHISTAMINES	
azelastine	ASTEPRO (azelastine) olopatadine PATANASE (olopatadine)	Non-preferred agents require thirty (30) day trials of one (1) preferred antihistamine <b>AND</b> one (1) preferred intranasal corticosteroid before they will be approved, unless one (1) of the exceptions on the PA form is present.



EFFECTIVE 07/01/2019 Version 2019.3b

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	COMBINATIONS		
	DYMISTA (azelastine / fluticasone)	Dymista requires a concurrent thirty (30) day trial of each preferred component before it will be approved, unless one (1) of the exceptions on the PA form is present.	
	CORTICOSTEROIDS		
fluticasone propionate OMNARIS (ciclesonide) QNASL HFA (beclomethasone) ZETONNA (ciclesonide)	BECONASE AQ (beclomethasone) budesonide flunisolide mometasone NASACORT AQ (triamcinolone) NASONEX (mometasone) triamcinolone VERAMYST (fluticasone furoate)	Non-preferred agents require thirty (30) day trials of each preferred agent in this sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present	
IRRITABLE BOWEL SYNDROME/S	HORT BOWEL SYNDROME/SELECTE	ED GI AGENTS CL	
CLASS PA CRITERIA: All agents are approvable	e only for patients age eighteen (18) and older. See b	pelow for additional sub-class criteria.	
	CONSTIPATION		
AMITIZA (lubiprostone)* MOVANTIK (naloxegol)**	LINZESS (linaclotide)*** RELISTOR INJECTION (methylnaltrexone)**** RELISTOR TABLET (methylnaltrexone)**** SYMPROIC (naldemedine)**** TRULANCE (plecanatide)****	All agents require documentation of the current diagnosis and evidence that the patient has failed to find relief with dietary modification and a fourteen (14) day trial of an osmotic laxative.  In addition:  * Amitiza is indicated for CIC, IBS-C (females only) and OIC. Approval for the diagnosis of OIC requires a concurrent and continuous 90-day history of opioid claims on record.  ** Movantik will be approved per the FDA-approved label for OIC with a concurrent and continuous 90-day history of opioid claims on record.  *** Linzess is indicated for CIC and IBS-C and requires a thirty (30) day trial of Amitiza. For the indication of IBS-C in males, a trial of Amitiza is not required.  **** Relistor and Symproic are indicated for OIC and require thirty (30) day trials of both Movantik and Amitiza.  ***** Trulance is indicated for CIC and requires a thirty (30) day trial of Amitiza. For the indication of IBS-C in males, a trial of Amitiza is not required.	
	DIARRHEA		
	alosetron MYTESI (crofelemer) LOTRONEX (alosetron)	Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.	



EFFECTIVE 07/01/2019 Version 2019.3b

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	VIBERZI (eluxadoline)		
LAXATIVES AND CATHARTICS			
CLASS PA CRITERIA: Non-preferred agents re PA form is present	quire thirty (30) day trials of each preferred agent before	ore they will be approved, unless one (1) of the exceptions on the	
COLYTE GOLYTELY NULYTELY peg 3350	HALFLYTELY-BISACODYL KIT MOVIPREP OSMOPREP PREPOPIK SUPREP		
LEUKOTRIENE MODIFIERS			
CLASS PA CRITERIA: Non-preferred agents re PA form is present.	equire thirty (30) day trials of each preferred agent before	ore they will be approved, unless one (1) of the exceptions on the	
montelukast zafirlukast	ACCOLATE (zafirlukast) SINGULAIR (montelukast) zileuton ZYFLO (zileuton)		
LIPOTROPICS, OTHER (Non-statin	· ·		
CLASS PA CRITERIA: Non-preferred agents require a twelve (12) week trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.			
	BILE ACID SEQUESTRANTSAP		
cholestyramine colestipol tablets	COLESTID (colestipol) colestipol granules KYNAMRO (mipomersen)* QUESTRAN (cholestyramine) WELCHOL (colesevelam)**	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.  **Welchol will be authorized for add-on therapy for type 2 diabetes when there is a previous history of a thirty (30) day trial of an oral agent (metformin, sulfonylurea or thiazolidinedione (TZD)). See HYPOGLYCEMICS, MISCELLANEOUS.	
	CHOLESTEROL ABSORPTION INHIBITORS		
ZETIA (ezetimibe)* AP	ezetimibe	*Zetia will be authorized with prior use of a HMG-CoA reductase inhibitor within the previous six (6) months.	
FATTY ACIDSCL			
LOVAZA (omega-3-acid ethyl esters) omega-3 acid ethyl esters	VASCEPA (icosapent ethyl)	These agents are recommended when the patient has an initial triglyceride level ≥ 500 mg/dL.	



EFFECTIVE 07/01/2019 Version 2019.3b

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	FIBRIC ACID DERIVATIVESAP	
fenofibrate 54 and 160 mg fenofibrate micronized 67mg, 134mg & 200mg fenofibrate nanocrystallized 48 mg, 145 mg gemfibrozil	ANTARA (fenofibrate) FENOGLIDE (fenofibrate) FIBRICOR (fenofibric acid) fenofibrate 40 mg tablet fenofibrate 150 mg capsules fenofibrate 43, 50, 120 and 130 mg fenofibric acid LIPOFEN (fenofibrate) LOFIBRA (fenofibrate) LOPID (gemfibrozil) TRICOR (fenofibrate nanocrystallized) TRIGLIDE (fenofibrate) TRILIPIX (fenofibric acid)  MTP INHIBITORS	
	JUXTAPID (lomitapide)*	*Full PA criteria may be found on the PA Criteria page by
	JONTAL ID (IOIIIIapide)	clicking the hyperlink.
	NIACIN	5 71
niacin niacin ER (OTC) NIACOR (niacin) NIASPAN (niacin)	niacin ER (Rx)	
,	PCSK-9 INHIBITORS	
	PRALUENT (alirocumab)* REPATHA (evolocumab)*	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
LIPOTROPICS, STATINS <sup>AP</sup>		
CLASS PA CRITERIA: See below for individual	sub-class criteria.	
	STATINS	
atorvastatin lovastatin pravastatin rosuvastatin simvastatin*	ALTOPREV (lovastatin) CRESTOR (rosuvastatin) fluvastatin fluvastatin ER LESCOL (fluvastatin) LESCOL XL (fluvastatin) LIPITOR (atorvastatin) LIVALO (pitavastatin) MEVACOR (lovastatin) PRAVACHOL (pravastatin) ZOCOR (simvastatin)* ZYPITAMAG (pitavastatin)	Non-preferred agents require twelve (12) week trials of two (2) preferred agents, including the generic formulation of the requested non-preferred agent, before they will be approved, unless one (1) of the exceptions on the PA form is present.  *Zocor/simvastatin 80mg tablets will require a clinical PA.



EFFECTIVE 07/01/2019 Version 2019.3b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	STATIN COMBINATIONS	
	ADVICOR (lovastatin/niacin) amlodipine/atorvastatin CADUET (atorvastatin/amlodipine) ezetimibe/simvastatin LIPTRUZET (atorvastatin/ezetimibe) SIMCOR (simvastatin/niacin ER) VYTORIN (simvastatin/ezetimibe)*	Non-preferred agents require thirty (30) day concurrent trials of the corresponding preferred single agents before they will be approved, unless one (1) of the exceptions on the PA form is present.  *Vytorin will be authorized only after an insufficient response to a twelve (12) week trial of the maximum tolerable dose of atorvastatin or rosuvastatin, unless one (1) of the exceptions on the PA form is present.
MACROLIDES		Vytorin 80/10mg tablets will require a clinical PA.
	equire a five (5) day trial of each preferred agent befo	ore they will be approved, unless one (1) of the exceptions on the
	MACROLIDES	
azithromycin erythromycin base	BIAXIN (clarithromycin) clarithromycin tablets clarithromycin ER clarithromycin suspension E.E.S. (erythromycin ethylsuccinate) E-MYCIN (erythromycin) ERYC (erythromycin) ERYPED (erythromycin ethylsuccinate) ERY-TAB (erythromycin) ERYTHROCIN (erythromycin stearate) erythromycin estolate PCE (erythromycin) ZITHROMAX (azithromycin) ZMAX (azithromycin)	
MULTIPLE SCLEROSIS AGENTSCL	•	
	quire a diagnosis of multiple sclerosis and thirty (30) one (1) of the exceptions on the PA form is present.	day trials of each chemically unique preferred agent in the same
	INTERFERONS <sup>AP</sup>	
AVONEX (interferon beta-1a) AVONEX PEN (interferon beta-1a) BETASERON (interferon beta-1b)	EXTAVIA KIT (interferon beta-1b) EXTAVIA VIAL (interferon beta-1b) PLEGRIDY (peginterferon beta-1a) REBIF (interferon beta-1a) REBIF REBIDOSE (interferon beta-1a)	



EFFECTIVE 07/01/2019 Version 2019.3b

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	NON-INTERFERONS	
COPAXONE 20 mg (glatiramer) GILENYA (fingolimod) *	AMPYRA (dalfampridine)** AUBAGIO (teriflunomide)*** COPAXONE 40 mg (glatiramer)**** glatiramer GLATOPA (glatiramer) TECFIDERA (dimethyl fumarate)**** ZINBRYTA (daclizumab)	In addition to class PA criteria, the following conditions and criteria also apply:  *Gilenya will be approved after a thirty (30) day trial of a preferred injectable agent.  **Ampyra will be authorized if the following criteria are met:  1. Diagnosis of multiple sclerosis and  2. No history of seizures and  3. No evidence of moderate or severe renal impairment and  4. Initial prescription will be authorized for thirty (30) days only.  ***Aubagio will be authorized if the following criteria are met:  1. Diagnosis of relapsing multiple sclerosis and  2. Measurement of transaminase and bilirubin levels within the (6) months before initiation of therapy and ALT levels at least monthly for six (6) months after initiation of therapy and  3. Complete blood cell count (CBC) within six (6) months before initiation of therapy and  4. Female patients must have a negative pregnancy test before initiation of therapy and be established on a reliable method of contraception if appropriate and  5. Patient is from eighteen (18) up to sixty-five (65) years of age and  6. Negative tuberculin skin test before initiation of therapy  *****Copaxone 40mg will only be authorized for documented injection site issues.  ******Tecfidera will be authorized if the following criteria are met:  1. Diagnosis of relapsing multiple sclerosis and  2. Complete blood count (CBC) within six (6) months of initiation of therapy and six (6) months after initiation and  3. Complete blood count (CBC) annually during therapy.



naproxen (Rx and OTC)

piroxicam sulindac

#### BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA
This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 07/01/2019 Version 2019.3b

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
NEUROPATHIC PAIN		
CLASS PA CRITERIA: Non-preferred agent approved, unless one (1) of the exceptions on		ne corresponding dosage form (oral or topical) before they will be
capsaicin OTC duloxetine gabapentin lidocaine patch LYRICA CAPSULE (pregabalin)	CYMBALTA (duloxetine) GRALISE (gabapentin)* HORIZANT (gabapentin) IRENKA (duloxetine) LIDODERM (lidocaine) LYRICA CR (pregabalin)** LYRICA SOLUTION (pregabalin)** NEURONTIN (gabapentin) <sup>AP</sup> QUTENZA (capsaicin) SAVELLA (milnacipran)*** ZTLIDO PATCH (lidocaine)	*Gralise will be authorized only if the following criteria are met:  1. Diagnosis of post herpetic neuralgia and 2. Trial of a tricyclic antidepressant for a least thirty (30) days and 3. 90-day trial of gabapentin immediate release formulation (positive response without adequate duration) and 4. Request is for once daily dosing with 1800 mg maximum daily dosage.  **Lyrica CR and Lyrica Solution require medical reasoning beyond convenience as to why the need cannot be met using preferred Lyrica capsules.  ***Savella will be authorized for a diagnosis of fibromyalgia only after a 90-day trial of one preferred agent
NSAIDS <sup>AP</sup>		
CLASS PA CRITERIA: See below for sub-cla	ass PA criteria.	
	NON-SELECTIVE	
diclofenac (IR, SR) flurbiprofen ibuprofen (Rx and OTC) INDOCIN SUSPENSION (indomethacin) indomethacin ketoprofen ketorolac meloxicam tablet nabumetone	CATAFLAM (diclofenac) CLINORIL (sulindac) DAYPRO (oxaprozin) diflunisal DUEXIS (famotidine/ibuprofen) etodolac IR etodolac SR FELDENE (piroxicam) fenoprofen	Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.

INDOCIN SUPPOSITORIES (indomethacin)

indomethacin ER

ketoprofen ER meclofenamate mefenamic acid meloxicam suspension MOBIC TABLET (meloxicam) NALFON (fenoprofen)



EFFECTIVE 07/01/2019 Version 2019.3b

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	NAPRELAN (naproxen) NAPROSYN (naproxen) naproxen CR oxaprozin PONSTEL (meclofenamate) SPRIX (ketorolac) TIVORBEX (indomethacin) tolmetin VIVLODEX (meloxicam) VOLTAREN (diclofenac) ZIPSOR (diclofenac potassium) ZORVOLEX (diclofenac)	
	NSAID/GI PROTECTANT COMBINATIO	
	ARTHROTEC (diclofenac/misoprostol) diclofenac/misoprostol VIMOVO (naproxen/esomeprazole)	Non-preferred agents are only available on appeal and require medical reasoning beyond convenience as to why the need cannot be met with the combination of preferred single agents.
	COX-II SELECTIVE CELEBREX (celecoxib)	COV II Salactive agents require thirty (20) day trials of each
	celecoxib	COX-II Selective agents require thirty (30) day trials of each preferred Non-Selective Oral NSAID, <b>UNLESS</b> the following criteria are met:  Patient has a history or risk of a serious GI complication; <b>OR</b> Agent is requested for treatment of a chronic condition <b>and</b> 1. Patient is seventy (70) years of age or older, <b>or</b>
		<ol> <li>Patient is currently on anticoagulation therapy.</li> <li>3.</li> </ol>
	TOPICAL	
FLECTOR PATCH (diclofenac)* VOLTAREN GEL (diclofenac)**	diclofenac gel diclofenac solution PENNSAID (diclofenac)	*Flector patches are limited to two per day.  **Voltaren Gel will be limited to 100 grams per month.  Non-preferred agents require a thirty (30) day trial of the preferred Topical agent and thirty (30) day trials of each preferred oral NSAID before they will be approved, unless one(1) of the exceptions on the PA form is present.
OPHTHALMIC ANTIBIOTICS <sup>AP</sup>		
<b>CLASS PA CRITERIA:</b> Non-preferred agents re PA form is present.	equire three (3) day trials of each preferred agent before	ore they will be approved, unless one (1) of the exceptions on the
bacitracin/polymyxin ointment ciprofloxacin* erythromycin gentamicin	AZASITE (azithromycin) bacitracin BLEPH-10 (sulfacetamide) BESIVANCE (besifloxacin)*	*Prior authorization of any fluoroquinolone agent requires three (3) day trials of all other preferred agents unless definitive laboratory cultures exist indicating the need to use a fluoroquinolone.



EFFECTIVE 07/01/2019 Version 2019.3b

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
levofloxacin* MOXEZA (moxifloxacin) neomycin/bacitracin/polymyxin ofloxacin* polymyxin/trimethoprim tobramycin TOBREX OINT (tobramycin)	CILOXAN (ciprofloxacin) GARAMYCIN (gentamicin) gatifloxacin ILOTYCIN (erythromycin) moxifloxacin** NATACYN (natamycin) neomycin/polymyxin/gramicidin NEOSPORIN (neomycin/polymyxin/gramicidin) OCUFLOX (ofloxacin) POLYTRIM (polymyxin/trimethoprim) sulfacetamide drops sulfacetamide ointment TOBREX (tobramycin) VIGAMOX (moxifloxacin)** ZYMAR (gatifloxacin)	
OPHTHALMIC ANTIBIOTIC/STER		
<b>CLASS PA CRITERIA:</b> Non-preferred agents PA form is present.	require three (3) day trials of each preferred agent before	ore they will be approved, unless one (1) of the exceptions on the
BLEPHAMIDE (prednisolone/sulfacetamide) neomycin/polymyxin/dexamethasone sulfacetamide/prednisolone TOBRADEX OINTMENT (tobramycin/ dexamethasone) TOBRADEX SUSPENSION (tobramycin/ dexamethasone)	BLEPHAMIDE S.O.P. (prednisolone/ sulfacetamide) MAXITROL ointment (neomycin/polymyxin/ dexamethasone) MAXITROL suspension (neomycin/polymyxin/ dexamethasone) neomycin/bacitracin/polymyxin/ hydrocortisone neomycin/polymyxin/hydrocortisone PRED-G (prednisolone/gentamicin) TOBRADEX ST (tobramycin/ dexamethasone) tobramycin/dexamethasone suspension ZYLET (loteprednol/tobramycin	
OPHTHALMICS FOR ALLERGIC	CONJUNCTIVITISAP	
<b>CLASS PA CRITERIA:</b> Non-preferred agents of the exceptions on the PA form is present.	require thirty (30) day trials of three (3) preferred chen	nically unique agents before they will be approved, unless one (1)
ALAWAY (ketotifen) cromolyn ketotifen olopatadine 0.1% (Generic PATANOL labeler	ALAMAST (pemirolast) ALOCRIL (nedocromil) ALOMIDE (lodoxamide) ALREX (loteprednol)	



EFFECTIVE 07/01/2019 Version 2019.3b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
61314 only) ZADITOR OTC (ketotifen)	azelastine BEPREVE (bepotastine) CROLOM (cromolyn) ELESTAT (epinastine) EMADINE (emedastine) epinastine LASTACAFT (alcaftadine) olopatadine 0.1% (all formulations except Generic PATANOL labeler 61314) olopatadine 0.2% (all labelers) OPTICROM (cromolyn) OPTIVAR (azelastine) PATADAY (olopatadine) PATANOL (olopatadine) PAZEO (olopatadine)	
OPHTHALMICS, ANTI-INFLAMMAT	ORIES- IMMUNOMODULATORS	
CLASS PA CRITERIA: See below for individual	sub-class criteria.	
	RESTASIS (cyclosporine) XIIDRA (lifitegrast)	<ol> <li>The following prior authorization criteria apply to both Restasis and Xiidra:</li> <li>Patient must be sixteen (16) years of age or greater; AND</li> <li>Prior Authorization must be requested by an ophthalmologist or optometrist; AND</li> <li>Clinically diagnosed tear deficiency due to ocular inflammation in patients with keratoconjunctivitis sicca or dry eye syndrome (also known as dry eye); AND</li> <li>Patient must have a functioning lacrimal gland; AND</li> <li>Patient using artificial tears at least four (4) times a day over the last thirty (30) days; AND</li> <li>Patient must not have an active ocular infection</li> </ol>
OPHTHALMICS, ANTI-INFLAMMA	TORIES	
CLASS PA CRITERIA: Non-preferred agents require five (5) day trials of at least two (2) preferred agents before they will be approved, unless one (1) of the exceptions on the PA form is present. Trials must include at least one agent with the same mechanism of action as the requested non-preferred agent.		
dexamethasone diclofenac DUREZOL (difluprednate) fluorometholone	ACULAR (ketorolac) ACULAR LS (ketorolac) ACUVAIL (ketorolac tromethamine) BROMDAY (bromfenac)	



EFFECTIVE 07/01/2019 Version 2019.3b

	THERAPEUTIC DRUG CLAS	S
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
flurbiprofen ILEVRO (nepafenac) ketorolac prednisolone acetate prednisolone sodium phosphate	bromfenac BROMSITE (bromfenac) FLAREX (fluorometholone) FML (fluorometholone) FML FORTE (fluorometholone) FML S.O.P. (fluorometholone) LOTEMAX DROPS, OINTMENT (loteprednol) LOTEMAX GEL (loteprednol) MAXIDEX (dexamethasone) NEVANAC (nepafenac) OMNIPRED (prednisolone) OZURDEX (dexamethasone) PRED FORTE (prednisolone) PRED MILD (prednisolone) PRED MILD (prednisolone) PROLENSA (bromfenac) RETISERT (fluocinolone) TRIESENCE (triamcinolone) VEXOL (rimexolone) XIBROM (bromfenac)	
OPHTHALMICS, GLAUCOMA AGE	NTS	
CLASS PA CRITERIA: Non-preferred agents wil	I only be authorized if there is an allergy to all preferre	ed agents in the corresponding sub-class.
	COMBINATION AGENTS	
COMBIGAN (brimonidine/timolol) dorzolamide/timolol SIMBRINZA (brinzolamide/brimonidine)	COSOPT (dorzolamide/timolol) COSOPT PF (dorzolamide/timolol)	
	BETA BLOCKERS	
BETOPTIC S (betaxolol) carteolol levobunolol timolol drops	BETAGAN (levobunolol) betaxolol ISTALOL (timolol) OPTIPRANOLOL (metipranolol) timolol gel TIMOPTIC (timolol)	
A700T (L	CARBONIC ANHYDRASE INHIBITOR	S
AZOPT (brinzolamide) orzolamide	TRUSOPT (dorzolamide)	
BUOODIOUNE IODIDE ( I di I di I di I di I	PARASYMPATHOMIMETICS	
PHOSPHOLINE IODIDE (echothiophate iodide)	pilocarpine	
latanoprost TRAVATAN-Z (travoprost)	PROSTAGLANDIN ANALOGS bimatoprost LUMIGAN (bimatoprost) travoprost	*Vyzulta – prior authorization requires failure on a 3-month trial of at least one preferred prostaglandin eye drop used in



EFFECTIVE 07/01/2019 Version 2019.3b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	VYZULTA (latanoprostene)* XALATAN (latanoprost) ZIOPTAN (tafluprost)	combination with an agent from another subclass.
	RHO-KINASE INHIBITORS	
	RHOPRESSA (netarsudil)	Prior authorization of any agent in this sub-class requires a tria of at least one (1) preferred agent from all other sub-classes.
	SYMPATHOMIMETICS	
brimonidine 0.2%	ALPHAGAN P 0.1% Solution (brimonidine) ALPHAGAN P 0.15% Solution (brimonidine) apraclonidine brimonidine 0.15% IOPIDINE (apraclonidine)	
<b>OPIATE DEPENDENCE TREATME</b>		
		with a documented intolerance of or allergy to Suboxone strips.
· ·		
WV Medicaid's buprenorphine coverage policy n	nay be viewed by clicking on the following hyperlink:	Suprenorphine Coverage Policy and Related Forms
naloxone NARCAN NASAL SPRAY (naloxone) SUBOXONE FILM (buprenorphine/naloxone)* VIVITROL (naltrexone)	buprenorphine tablets buprenorphine/naloxone tablets BUNAVAIL (buprenorphine/naloxone) LUCEMYRA (lofexidine) SUBLOCADE (buprenorphine soln)** ZUBSOLV (buprenorphine/naloxone)	* Full PA criteria may be found on the PA Criteria page be clicking the hyperlink.  **Sublocade is approvable only on appeal and requires medical reasoning as to why the clinical need cannot be met with a preferred product.  VIVITROL no longer requires a PA.
OTIC ANTIBIOTICSAP		VIVITAGE 110 longer requires a FA.
<b>CLASS PA CRITERIA:</b> Non-preferred agents r PA form is present.	equire five (5) day trials of each preferred agent before	ore they will be approved, unless one (1) of the exceptions on the
CIPRO HC (ciprofloxacin/hydrocortisone) CIPRODEX (ciprofloxacin/dexamethasone) COLY-MYCIN S (colistin/hydrocortisone/ neomycin/thonzonium bromide) ofloxacin	ciprofloxacin CORTISPORIN-TC (colistin/hydrocortisone/ neomycin) neomycin/polymyxin/HC solution/suspension OTOVEL (ciprofloxacin/fluocinolone)	
PAH AGENTS - ENDOTHELIN RE	CEPTOR ANTAGONISTSCL	
		ore they will be approved, unless one (1) of the exceptions on the
LETAIRIS (ambrisentan) TRACLEER (bosentan)	OPSUMIT (macitentan)	



EFFECTIVE 07/01/2019 Version 2019.3b

	THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
<b>PAH AGENTS – GUANYLATE CYC</b>	LASE STIMULATOR <sup>CL</sup>		
<b>CLASS PA CRITERIA:</b> Non-preferred agents re of the exceptions on the PA form is present.		any other PAH Class before they will be approved, unless one (1)	
	ADEMPAS (riociguat)		
PAH AGENTS – PDE5s <sup>CL</sup> CLASS PA CRITERIA: Non-preferred agents re PA form is present. Patients stabilized on non-preferred agents will be		re they will be approved, unless one (1) of the exceptions on the	
sildenafil	ADCIRCA (tadalafil) REVATIO IV (sildenafil) REVATIO SUSPENSION (sildenafil) REVATIO TABLETS (sildenafil)		
<b>PAH AGENTS - PROSTACYCLINS</b>	CL		
	equire a thirty (30) day trial of a preferred agent, inche (1) of the exceptions on the PA form is present.	cluding the preferred generic form of the non-preferred agent (if	
epoprostenol VENTAVIS (iloprost)*	FLOLAN (epoprostenol) ORENITRAM ER (treprostinil) REMODULIN (treprostinil sodium) TYVASO (treprostinil) UPTRAVI (selexipag) VELETRI (epoprostenol)	*Ventavis will only be authorized for the treatment of pulmonary artery hypertension (WHO Group 1) in patients with NYHA Class III or IV symptoms.	
PANCREATIC ENZYMESAP			
CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.  For members with cystic fibrosis, a trial of a preferred agent will not be required.			
CREON ZENPEP	PANCREAZE PERTZYE ULTRESA VIOKACE		
PHOSPHATE BINDERSAP			
CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of at least two (2) preferred agents before they will be approved, unless one (1) of the exceptions on the PA form is present.			
calcium acetate MAGNEBIND RX (calcium carbonate, folic acid, magnesium carbonate) PHOSLYRA (calcium acetate)	AURYXIA (ferric citrate) ELIPHOS (calcium acetate) FOSRENOL (lanthanum) PHOSLO (calcium acetate)		



EFFECTIVE 07/01/2019 Version 2019.3b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
RENAGEL (sevelamer)	RENVELA (sevelamer carbonate) sevelamer carbonate VELPHORO (sucroferric oxyhydroxide)	
PITUITARY SUPPRESSIVE AGENT		
CLASS PA CRITERIA: Non-preferred agents a		
LUPANETA (leuprolide) LUPRON DEPOT KIT (leuprolide) LUPRON DEPOT-PED KIT (leuprolide) ORILISSA(elagolix) SYNAREL (nafarelin) TRELSTAR (triptorelin) TRIPTODUR (triptorelin) VANTAS (histrelin) ZOLADEX (goserelin)	leuprolide SUPPRELIN LA KIT (histrelin)	
PLATELET AGGREGATION INHIBITORS		
CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.		
AGGRENOX (dipyridamole/ASA) BRILINTA (ticagrelor) clopidogrel prasugrel	clopidogrel kit dipyridamole dipyridamole/aspirin EFFIENT (prasugrel) PERSANTINE (dipyridamole) PLAVIX (clopidogrel) TICLID (ticlopidine) ticlopidine ZONTIVITY (vorapaxar)	
PROGESTATIONAL AGENTS	23	
CLASS PA CRITERIA: Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.		
MAKENA (hydroxyprogesterone caproate) AUTO INJECTOR MAKENA (hydroxyprogesterone caproate) VIAL PROGESTINS FOR CACHEXIA		
CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.		
megestrol	MEGACE ES (megestrol)	



EFFECTIVE 07/01/2019 Version 2019.3b

THERAPEUTIC DRUG CLASS				
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA		
PROTON PUMP INHIBITORSAP				
	CLASS PA CRITERIA: Non-preferred agents require sixty (60) day trials of both omeprazole (Rx) and pantoprazole at the maximum recommended dose*, inclusive of a concurrent thirty (30) day trial at the maximum dose of an H <sub>2</sub> antagonist before they will be approved, unless one (1) of the exceptions on the PA form is present.			
omeprazole (Rx) pantoprazole  NEXIUM PACKETS (esomeprazole)** PROTONIX GRANULES (pantoprazole)**	ACIPHEX (rabeprazole) ACIPHEX SPRINKLE (rabeprazole) DEXILANT (dexlansoprazole) esomeprazole magnesium esomeprazole strontium lansoprazole Rx NEXIUM (esomeprazole) omeprazole/sodium bicarbonate (Rx) PREVACID CAPSULES (lansoprazole) PREVACID SOLUTABS (lansoprazole)** PRILOSEC Rx (omeprazole) PROTONIX DR TABLETS (pantoprazole) rabeprazole ZEGERID Rx (omeprazole/sodium bicarbonate)	*Maximum recommended doses of the PPIs and H2-receptor antagonists may be located at the BMS Pharmacy PA criteria page titled "Max PPI and H2RA" by clicking on the hyperlink.  **Prior authorization is required for members nine (9) years of age or older for these agents.		
SEDATIVE HYPNOTICSAP				
CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of all preferred agents in <b>BOTH</b> sub-classes before they will be approved, unless one (1) of the exceptions on the PA form is present. All agents <u>except melatonin</u> will be limited to fifteen (15) tablets in a thirty (30) day period. NOTE: WV Medicaid covers melatonin up to a maximum dose of 9 mg/day without a PA.				
	BENZODIAZEPINES			
temazepam 15, 30 mg	DALMANE (flurazepam) estazolam flurazepam HALCION (triazolam) RESTORIL (temazepam) temazepam 7.5, 22.5 mg triazolam			
OTHERS				
Melatonin (labeler code 51645 only) zolpidem 5, 10 mg	AMBIEN (zolpidem) AMBIEN CR (zolpidem) BELSOMRA (suvorexant) chloral hydrate EDLUAR (zolpidem) eszopiclone HETLIOZ (tasimelteon) <sup>CL*</sup> INTERMEZZO (zolpidem)	Strengths of zolpidem that are non-preferred (6.25 and 12.5 mg) must be created by combining or splitting the preferred doses (5 and 10 mg) of zolpidem, if appropriate.  For treatment naïve female patients, zolpidem and zolpidem ER maximum dosages will be limited to 5 mg and 6.25 mg respectively per day.		
	LUNESTA (eszopiclone) ROZEREM (ramelteon)	*Full PA criteria may be found on the <u>PA Criteria</u> page by clicking the hyperlink.		



EFFECTIVE 07/01/2019 Version 2019.3b

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	SILENOR (doxepin) SOMNOTE (chloral hydrate) SONATA (zaleplon) zaleplon zolpidem ER 6.25, 12.5 mg ZOLPIMIST (zolpidem)		
SKELETAL MUSCLE RELAXANTS	AP		
CLASS PA CRITERIA: See below for individual	sub-class criteria.		
	ACUTE MUSCULOSKELETAL RELAXANT	AGENTS	
Chlorzoxazone (generic PARAFON FORTE) cyclobenzaprine IR 5, 10 mg methocarbamol	AMRIX (cyclobenzaprine) carisoprodol* carisoprodol/ASA* carisoprodol/ASA/codeine* chlorzoxazone (generic LORZONE) <sup>NR</sup> cyclobenzaprine ER cyclobenzaprine IR 7.5 mg FEXMID (cyclobenzaprine) FLEXERIL (cyclobenzaprine) LORZONE (chlorzoxazone) metaxalone orphenadrine orphenadrine ER PARAFON FORTE (chlorzoxazone) ROBAXIN (methocarbamol) SKELAXIN (metaxalone) SOMA (carisoprodol)	Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present, with the exception of carisoprodol.  *Carisoprodol requires thirty (30) day trials of each of the preferred acute musculoskeletal relaxants and Skelaxin before it will be approved.	
IV	IUSCULOSKELETAL RELAXANT AGENTS USED F		
baclofen tizanidine tablets	DANTRIUM (dantrolene) dantrolene tizanidine capsules ZANAFLEX (tizanidine)	Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.	
STEROIDS, TOPICAL			
CLASS PA CRITERIA: Non-preferred agents require five (5) day trials of one (1) form of EACH preferred unique active ingredient in the corresponding potency group before they will be approved, unless one (1) of the exceptions on the PA form is present.			
	VERY HIGH & HIGH POTENCY		
betamethasone dipropionate cream betamethasone valerate cream betamethasone valerate lotion	amcinonide APEXICON (diflorasone diacetate) APEXICON E (diflorasone diacetate)		



EFFECTIVE 07/01/2019 Version 2019.3b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
betamethasone valerate oint clobetasol propionate cream/gel/ointment/solution clobetasol emollient clobetasol propionate shampoo fluocinonide gel triamcinolone acetonide cream, ointment triamcinolone acetonide lotion	betamethasone dipropionate gel, lotion, ointment clobetasol lotion clobetasol propionate foam CLOBEX (clobetasol propionate) CLODAN KIT (clobetasol propionate) CLODAN SHAMPOO (clobetasol propionate) CORMAX (clobetasol propionate) desoximetasone cream/gel/ointment diflorasone diacetate DIPROLENE (betamethasone dipropionate/propylene glycol) DIPROLENE AF (betamethasone dipropionate/propylene glycol) DIPROSONE (betamethasone dipropionate/propylene glycol) DIPROSONE (betamethasone dipropionate) fluocinonide cream fluocinonide ointment fluocinonide solution fluocinonide/emollient halcinonide HALAC (halobetasol propionate) halobetasol propionate HALOG (halcinonide) HALONATE (halobetasol propionate) HALONATE (halobetasol propionate) LIDEX (fluocinonide) UIDEX-E (fluocinonide) OLUX (clobetasol propionate/emollient) PSORCON (diflorasone diacetate) SERNIVO SPRAY (betamethasone dipropionate) TEMOVATE (clobetasol propionate/emollient) TOPICORT CREAM, GEL, OINTMENT (desoximetasone) TOPICORT SPRAY (desoximetasone) ULTRAVATE (halobetasol propionate) ULTRAVATE (halobetasol propionate) ULTRAVATE (halobetasol propionate / lactic acid) VANOS (fluocinonide)	



EFFECTIVE 07/01/2019 Version 2019.3b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	MEDIUM POTENCY	
fluticasone propionate cream, ointment mometasone furoate triamcinolone acetonide 0.025% and 0.1% cream	ARISTOCORT (triamcinolone) BETA-VAL (betamethasone valerate) betamethasone valerate foam CLODERM (clocortolone pivalate) clocortolone cream CORDRAN/CORDRAN SP (flurandrenolide) CUTIVATE (fluticasone propionate) DERMATOP (prednicarbate) ELOCON (mometasone furoate) fluocinolone acetonide cream, ointment, solution fluticasone propionate lotion hydrocortisone butyrate cream hydrocortisone butyrate ointment, solution hydrocortisone valerate LOCOID (hydrocortisone butyrate) LOCOID LIPOCREAM (hydrocortisone butyrate/emollient) LUXIQ (betamethasone valerate) MOMEXIN (mometasone) PANDEL (hydrocortisone probutate) prednicarbate TOPICORT LP (desoximetasone) TRIDERM (triamcinolone acetonide) WESTCORT (hydrocortisone valerate)	
(D. 070)	LOW POTENCY	
hydrocortisone acetate (Rx, OTC) hydrocortisone cream (Rx, OTC) hydrocortisone lotion OTC hydrocortisone solution OTC hydrocortisone-aloe cream OTC hydrocortisone-aloe ointment OTC	ACLOVATE (alclometasone dipropionate) alclometasone dipropionate AQUA GLYCOLIC HC (hydrocortisone) CAPEX (fluocinolone acetonide) DERMA-SMOOTHE FS (fluocinolone acetonide) DESONATE (desonide) desonide cream, ointment desonide lotion DESOWEN (desonide) fluocinolone oil hydrocortisone/mineral oil/petrolatum hydrocortisone acetate/urea hydrocortisone lotion hydrocortisone/aloe gel LOKARA (desonide) PEDIADERM HC (hydrocortisone) PEDIADERM TA (hydrocortisone)	



EFFECTIVE 07/01/2019 Version 2019.3b

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS

THERAI EUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	SCALPICIN OTC (hydrocortisone) SYNALAR (fluocinolone) TEXACORT (hydrocortisone)		
STIMULANTS AND RELATED AGE	NTS		
CLASS PA CRITERIA: A PA is required for adult combination therapy must be for the same active		E: Requests for amphetamine or methylphenidate IR + ER	
Non-preferred agents require a thirty (30) day trial of at least one preferred agent in the same subclass and with a similar duration of effect and mechanism of action, unless one (1) of the exceptions on the PA form is present. <b>NOTE</b> : Non-preferred agents will NOT be "grandfathered" for adults. Children under the age of 18 may continue their current therapy until the end of the school year after which they will be required to switch to a preferred agent.  AMPHETAMINES			
amphetamine salt combination IR	ADDERALL (amphetamine salt combination)	In addition to the Class Criteria: Thirty (30) day trials of at	
dextroamphetamine ER dextroamphetamine IR PROCENTRA solution (dextroamphetamine) VYVANSE CHEWABLE (lisdexamfetamine)	ADDERALL (ampliedamine sait combination) ADDERALL XR* (amphetamine salt combination) ADZENYS XR ODT (amphetamine) ADZENYS ER SUSP (amphetamine) amphetamine salt combination ER	least three (3) antidepressants are required before amphetamines will be authorized for depression.  *Adderall XR is preferred over its generic equivalents.	
VYVANSE CAPSULE (lisdexamfetamine)	DESOXYN (methamphetamine)	3	
,	DEXEDRINE ER (dextroamphetamine)	**Mydayis requires a 30-day trial of at least one long-acting	
	DEXEDRINE IR (dextroamphetamine) dextroamphetamine solution DYANAVEL XR SUSP (amphetamine) EVEKEO (amphetamine) methamphetamine MYDAYIS (dextroamphetamine/amphetamine salt)** ZENZEDI (dextroamphetamine)	preferred agent in this subclass and a trial of Adderall XR.	
	NON-AMPHETAMINE		
APTENSIO XR (methylphenidate) armodafinil <sup>CL</sup> atomoxetine clonidine IR DAYTRANA (methylphenidate) dexmethylphenidate IR FOCALIN XR (dexmethylphenidate) guanfacine ER guanfacine IR METHYLIN SOLUTION (methylphenidate) methylphenidate IR modafinil <sup>CL</sup> QUILLICHEW ER (methylphenidate) QUILLIVANT XR (methylphenidate)	clonidine ER CONCERTA (methylphenidate) COTEMPLA XR ODT (methylphenidate) dexmethylphenidate XR FOCALIN IR (dexmethylphenidate) INTUNIV (guanfacine extended-release) KAPVAY (clonidine extended-release) methylphenidate CD methylphenidate chewable tablets, solution methylphenidate ER methylphenidate ER (generic CONCERTA) methylphenidate LA NUVIGIL (armodafinil) PROVIGIL (modafinil)	*Strattera is limited to a maximum of 100 mg per day.	



EFFECTIVE 07/01/2019 Version 2019.3b

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	RITALIN (methylphenidate) RITALIN LA (methylphenidate) STRATTERA (atomoxetine)*		
TETRACYCLINES			
<b>CLASS PA CRITERIA:</b> Non-preferred agents r PA form is present.	equire ten (10) day trials of each preferred agent befo	are they will be approved, unless one (1) of the exceptions on the	
doxycycline hyclate capsules doxycycline hyclate 100 mg tablets doxycycline monohydrate 50, 100 mg capsules minocycline capsules	ADOXA (doxycycline monohydrate) demeclocycline* DORYX (doxycycline hyclate) doxycycline hyclate 75, 150 mg tablets doxycycline hyclate tablet DR 75, 100, 150, 200 mg doxycycline hyclate tablet DR 50 mg doxycycline monohydrate 40, 75, 150 mg capsule doxycycline monohydrate tablet doxycycline monohydrate suspension DYNACIN (minocycline) MINOCIN (minocycline) minocycline ER capsules minocycline tablets MORGIDOX KIT (doxycycline) ORACEA (doxycycline monohydrate) SOLODYN (minocycline) tetracycline VIBRAMYCIN CAPSULES, SUSPENSION, SYRUP (doxycycline) XIMINO (minocycline)	*Demeclocycline will be authorized for conditions caused by susceptible strains of organisms designated in the product information supplied by the manufacturer. A C&S report must accompany this request.  Demeclocycline will also be authorized for SIADH.	
ULCERATIVE COLITIS AGENTSAP			
CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of each preferred dosage form or chemical entity before the corresponding non-preferred agent of that dosage form or chemical entity will be approved, unless one (1) of the exceptions on the PA form is present.			
	ORAL		
APRISO (mesalamine) balsalazide sulfasalazine	ASACOL HD (mesalamine) AZULFIDINE (sulfasalazine) COLAZAL (balsalazide) DELZICOL (mesalamine) DIPENTUM (olsalazine) GIAZO (balsalazide) LIALDA (mesalamine) mesalamine		



EFFECTIVE 07/01/2019 Version 2019.3b

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	PENTASA (mesalamine) 250 mg PENTASA (mesalamine) 500 mg UCERIS (budesonide)	
	RECTAL	
CANASA (mesalamine) mesalamine	DELZICOL DR (mesalamine) mesalamine kit ROWASA (mesalamine) SF ROWASA (mesalamine) UCERIS (budesonide)	
VASODILATORS, CORONARY		
CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of each preferred dosage form before they will be approved, unless one (1) of the exceptions on the PA form is present.		
SUBLINGUAL NITROGLYCERIN		
nitroglycerin spray (generic NITROLINGUAL) nitroglycerin sublingual NITROSTAT SUBLINGUAL (nitroglycerin)	GONITRO SPRAY POWDER (nitroglycerin) nitroglycerin spray (generic NITROMIST) NITROLINGUAL SPRAY (nitroglycerin) NITROMIST (nitroglycerin)	