

EFFECTIVE 10/01/2018 Version 2018.4d

- Prior authorization for a non-preferred agent in any class will be given only if there has been a trial of the preferred brand/generic equivalent or preferred formulation of the active ingredient, at a therapeutic dose, that resulted in a partial response with a documented intolerance.
- Prior authorization of a non-preferred isomer, pro-drug, or metabolite will be considered with a trial of a preferred parent drug of the same chemical entity, at a therapeutic dose, that resulted in a partial response with documented intolerance or a previous trial and therapy failure, at a therapeutic dose, with a preferred drug of a different chemical entity indicated to treat the submitted diagnosis. (The required trial may be overridden when documented evidence is provided that the use of these preferred agent(s) would be medically contraindicated.)
- Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC drugs are not covered unless specified.
- PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.
- The use of pharmaceutical samples will not be considered when evaluating the members' medical condition or prior prescription history for drugs that require prior authorization.
- Quantity limits may apply. Refer to the Limits List on the BMS Website by clicking the hyperlink.
- Unless otherwise indicated, non-preferred combination products require medical reasoning beyond convenience or enhanced compliance as to why the clinical need cannot be met with a preferred agent or combination of preferred single-ingredient agents.
- Acronyms
  - CL Requires clinical PA. For detailed clinical criteria, please go to the PA criteria page by clicking the hyperlink.
  - NR Denotes a new drug which has not yet been reviewed by the P & T Committee. These agents are available only on appeal to the BMS Medical Director.
  - o AP Non-preferred and selected preferred drugs, where indicated, are subject to auto-PA criteria. See PA criteria column.



EFFECTIVE 10/01/2018 Version 2018.4d

CLASSES CHANGING	Status Changes	PA Criteria Changes	New Drugs
ANTIBIOTICS, VAGINAL			XXXX
ANTIHEMOPHILIA FACTOR AGENTS			XXXX
ANTIPSYCHOTICS, ATYPICAL		XXXX	
ANTIRETROVIRALS	XXXX		XXXX
CEPHALOSPORINS AND RELATED AGENTS			XXXX
COPD AGENTS			XXXX
HYPOGLYCEMICS, GLP-1 AGONISTS		XXXX	XXXX
HYPOGLYCEMICS, INSULIN AND RELATED AGENTS		XXXX	XXXX
HYPOGLYCEMICS, SGLT2 COMBINATIONS			XXXX
MS AGENTS, NON-INTERFERON			XXXX
NEUROPATHIC PAIN AGENTS			XXXX
OPHTHALMICS, GLAUCOMA AGENTS		XXXX	XXXX
OPIATE DEPENDENCE TREATMENTS		XXXX	XXXX
STIMULANTS AND RELATED AGENTS		XXXX	XXXX
TETRACYCLINES	XXXX		XXXX



EFFECTIVE 10/01/2018 Version 2018.4d

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA		
ACNE AGENTS, TOPICALAP				
	CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of one (1) preferred retinoid and two (2) unique chemical entities in two (2) other subclasses, including the generic version of the requested non-preferred product, before they will be approved, unless one (1) of the exceptions on the PA form is present.			
In cases of pregnancy, a trial of retinoids will <i>not</i> be Acne kits are non-preferred.	e required. For members eighteen (18) years of age	or older, a trial of retinoids will not be required.		
Specific Criteria for sub-class will be listed bel day trial of all preferred agents in that sub-class.	·	ıb-class are available only on appeal and require at least a 30-		
	ANTI-INFECTIVE			
clindamycin gel, lotion, medicated swab, solution erythromycin gel, solution	ACZONE (dapsone) AKNE-MYCIN (erythromycin) AZELEX (azelaic acid) CLEOCIN-T (clindamycin) CLINDACIN PAC (clindamycin) CLINDAGEL (clindamycin) clindamycin foam erythromycin medicated swab EVOCLIN (clindamycin) FABIOR (tazarotene) KLARON (sulfacetamide) OVACE/PLUS (sulfacetamide) sodium sulfacetamide 10% cleansing gel sulfacetamide cleanser sulfacetamide cleanser ER sulfacetamide shampoo sulfacetamide suspension			
	RETINOIDS			
RETIN-A (tretinoin) TAZORAC (tazarotene)	adapalene ATRALIN (tretinoin) AVITA (tretinoin) DIFFERIN (adapalene) RETIN-A MICRO (tretinoin) tretinoin cream, gel tretinoin gel micro	In addition to the Class Criteria: PA required for members eighteen (18) years of age or older.		
hammed narroyida alaamaan Dy 8 OTC 400/	KERATOLYTICS			
benzoyl peroxide cleanser Rx & OTC, 10% cream OTC, gel Rx & OTC, lotion OTC, wash OTC	BENZEFOAM ULTRA (benzoyl peroxide) BENZEPRO (benzoyl peroxide) benzoyl peroxide cloths, medicated pads, microspheres cleanser BP 10-1 (benzoyl peroxide) BP WASH 7% LIQUID			



EFFECTIVE 10/01/2018 Version 2018.4d

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	PACNEX/HP/LP (benzoyl peroxide) PANOXYL-4, -8 OTC (benzoyl peroxide) PERSA-GEL OTC (benzoyl peroxide) SULPHO-LAC (sulfu)	
or thromyoin/honzoyl porovido	COMBINATION AGENTS	In addition to the Class Criteria: Non-preferred combination
erythromycin/benzoyl peroxide	ACANYA (clindamycin phosphate/benzoyl peroxide)  AVAR/-E/LS (sulfur/sulfacetamide)  BENZACLIN GEL (benzoyl peroxide/ clindamycin)  BENZAMYCIN PAK (benzoyl peroxide/ erythromycin)  benzoyl peroxide/clindamycin gel benzoyl peroxide/urea  CERISA (sulfacetamide sodium/sulfur)  CLARIFOAM EF (sulfacetamide/sulfur)  CLENIA (sulfacetamide sodium/sulfur)  DUAC (benzoyl peroxide/clindamycin)  EPIDUO (adapalene/benzoyl peroxide)*  INOVA 4/1, 5/2benzoyl peroxide/salicylic acid)  NEUAC (clindamycin phosphate/benzoyl peroxide)  NUOX (benzoyl peroxide/sulfur)  ONEXTON (clindamycin phosphate/benzoyl peroxide)  PRASCION (sulfacetamide sodium/sulfur)  SE 10-5 SS (sulfacetamide/sulfur)  SSS 10-4 (sulfacetamide /sulfur)  sulfacetamide sodium/sulfur cloths, lotion, pads, suspension  sulfacetamide/sulfur wash/cleanser	agents require thirty (30) day trials of the corresponding preferred single agents before they will be approved.  *PA required for combination agents with Retinoid products for members eighteen (18) years of age or older.
	sulfacetamide/sulfur wash kit sulfacetamide sodium/sulfur/ urea SUMADAN/XLT (sulfacetamide/sulfur) SUMAXIN/TS (sulfacetamide sodium/sulfur) VELTIN (clindamycin/tretinoin)* ZIANA (clindamycin/tretinoin)*	
	ROSACEA AGENTS	
FINACEA GEL (azelaic acid) MIRVASO GEL (brimonidine) metronidazole cream metronidazole gel (NDCs 00115-1474-46,	FINACEA FOAM (azelaic acid) METROCREAM (metronidazole) METROGEL GEL (metronidazole) METROLOTION (metronidazole)	<b>Subclass criteria</b> : Non-preferred agents are available only on appeal and require evidence of 30-day trials of all chemically-unique preferred agents in the sub-class.



EFFECTIVE 10/01/2018 Version 2018.4d

donepezil 23 mg* EXELON CAPSULE (rivastigmine) EXELON PATCH (rivastigmine) galantamine galantamine ER RAZADYNE (galantamine) RAZADYNE (galantamine) RAZADYNE ER (galantamine) rivastigmine  NAMENDA (memantine) NAMENDA (memantine) NAMENDA XR (memantine) NAMENDA RECEPTOR ANTAGONIST COMBINATIONS Combination agents require thirty (30) day trials of corresponding preferred single agent.  ANALGESICS, NARCOTIC LONG ACTING (Non-parenteral) <sup>AP</sup> CLASS PA CRITERIA: Non-preferred agents require six (6) day trials of two (2) chemically distinct preferred agents AND a six (6) day trial of the generic form requested non-preferred brand agent, then another generic non-preferred agent must be trialed instead. NOTE: All long-acting opioid agents require authorization for children under 18 years of age. Requests must be for an FDA approved age and indication and specify previous opioid and non-opioid the attempted.  buprenorphine patch (labeler 00093 only) BUTRANS (buprenorphine) EMBEDA (morphine/naltrexone) fentanyl transdermal 12, 25, 50, 75, 100 mcg/hr				
metronidazole gel (all other NDCs) NORITATE CREAM (metronidazole) RNOSADA (met	THERAPEUTIC DRUG CLASS			
### ##################################	PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of a preferred agent in the same sub-class before they will be approved, unless one the exceptions on the PA form is present.  Prior authorization is required for members up to forty-five (45) years of age if there is no diagnosis of Alzheimer's disease.  CHOLINESTERASE INHIBITORS  donepezil 5 and 10 mg  ARICEPT (donepezil)  Gonepezil 23 mg  EXELON PAFULE (rivastigmine)  EXELON CAPSULE (rivastigmine)  galantamine  galantamine ER  RAZADYNE (galantamine)  rivastigmine)  NAMENDA (Remantine)  NAMENDA (R		metronidazole gel (all other NDCs) NORITATE CREAM (metronidazole) RHOFADE (oxymetazoline) ROSADAN (metronidazole)		
the exceptions on the PA form is present.  Prior authorization is required for members up to forty-five (45) years of age if there is no diagnosis of Alzheimer's disease.  CHOLINESTERASE INHIBITORS  donepezil 5 and 10 mg  ARICEPT (donepezil)  ARICEPT (donepezil)  ARICEPT (donepezil)  EXELON CAPSULE (rivastigmine)  EXELON PATCH (rivastigmine)  galantamine  galantamine galantamine  galantamine galantamine  galantamine  memantine  NAMENDA (galantamine)  rivastigmine  NAMENDA (memantine)  NAMENDA (memantine)  NAMENDA XR (memantine)  NAMENDA XR (memantine)  NAMENDA XR (memantine)  CHOLINESTERASE INHIBITOR/NMDA RECEPTOR ANTAGONIST  NAMENDA XR (memantine)  NAMENDA XR (memantine)  CHOLINESTERASE INHIBITOR/NMDA RECEPTOR ANTAGONIST  CHOLINESTERASE INHIBITOR/MDA RECEPTOR ANTAGONIST  ANAL GESICS, NARCOTIC LONG ACTING (Non-parenteral)  ANAL GESICS, NARCOTIC LONG ACTING (Non-parenteral)  CLASS PA CRITERIA: Non-preferred agents require six (6) day trials of two (2) chemically distinct preferred agents AND a six (6) day trial of the generic form requested non-preferred agent (if available) before they will be approved, unless one (1) of the exceptions on the PA form is present. If no generic form is available the requested non-preferred brand agent, then another generic non-preferred agent must be trialed instead. NOTE: All long-acting opioid agents require a authorization for children under 18 years of age. Requests must be for an FDA approved age and indication and specify previous opioid and non-opioid the authorization for children under 18 years of age. Requests must be for an FDA approved age and indication and specify previ	ALZHEIMER'S AGENTSAP			
CHOLINESTERASE INHIBITORS  donepezil 5 and 10 mg  ARICEPT (donepezil) donepezil 23 mg* EXELON CAPSULE (rivastigmine) galantamine galantamine galantamine RAZADYNE (galantamine) Razadynta (galantamine) RAZADYNE (galantamine) RAZADY	the exceptions on the PA form is present.			
donepezil 5 and 10 mg  ARICEPT (donepezil) donepezil 23 mg* EXELON CAPSULE (rivastigmine) EXELON PATCH (rivastigmine) galantamine galantamine ER RAZADYNE (galantamine) rivastigmine  MMDA RECEPTOR ANTAGONIST  NAMENDA (memantine) NAMENDA XR (memantine)*  CHOLINESTERASE INHIBITOR/NMDA RECEPTOR ANTAGONIST  NAMZARIC (donepezil/memantine)  NAMZARIC (donepezil/memantine)  NAMZARIC (donepezil/memantine)  CLASS PA CRITERIA: Non-preferred agents require six (6) day trials of two (2) chemically distinct preferred agents AND a six (6) day trial of the generic form requested non-preferred agent (if available) before they will be approved, unless one (1) of the exceptions on the PA form is present. If no generic form is availe authorization for children under 18 years of age. Requests must be for an FDA approved age and indication and specify previous opioid and non-opioid the attempted.  ARYMO ER (morphine patch (labeler 00093 only)  BUTRANS (buprenorphine)  EXELON CAPSULE (rivastigmine)  1. There is a diagnosis of moderate-to-Alzheimer's Disease and  2. There has been a trial of donepezil 10 mg daily least three (3) months and donepezil 20 mg distinct preferred Agent XR requires ninety (90) days of compliant the with Namenda.  *Namenda XR requires ninety (90) days of compliant the with Namenda.  *Combination agents require sinety (90) days of compliant the with Namenda.  *Combination agents require sinety (90) days of compliant the suit Namenda.  *Combination agents require sinety (90) days of compliant the suit Namenda.  *Combination agents require sinety (90) days of compliant the suit Namenda.  *Combination agents require sinety (90) days of compliant the suit Namenda.  *Combination agents require days of the exceptions on the PA form is present. If no generic form is availed instead. NOTE: All long-acting opioid agents require a unthorization for children under 18 years of age. Requests must be fo	Prior authorization is required for members up to f	orty-five (45) years of age if there is no diagnosis of <i>i</i>	Alzheimer's disease.	
donepezil 5 and 10 mg  ARICEPT (donepezil) donepezil 23 mg* EXELON CAPSULE (rivastigmine) EXELON PATCH (rivastigmine) galantamine galantamine ER RAZADYNE (galantamine) RAZADYNE (galantamine) rivastigmine  MMDA RECEPTOR ANTAGONIST  NAMENDA (memantine) NAMENDA XR (memantine) NAMENDA XR (memantine) NAMENDA XR (memantine) NAMZARIC (donepezil/memantine) NAMZARIC (donepezil/memantine)  NAMZARIC (donepezil/memantine)  CLASS PA CRITERIA: Non-preferred agents require six (6) day trials of two (2) chemically distinct preferred agents AND a six (6) day trial of the generic form requested non-preferred agent (if available) before they will be approved, unless one (1) of the exceptions on the PA form is present. If no generic form is availate the requested onon-preferred brand agent, then another generic non-preferred agent must be trialed instead. NOTE: All long-acting opioid agents require authorization for children under 18 years of age. Requests must be for an FDA approved age and indication and specify previous opioid and non-opioid the attempted.  ARYMO ER (morphine sulfate) BELBUCA (buprenorphine) EXELON CAPSULE (rivastigmine) EXELON CAPSULE (rivastigmine)  *Donepezil 23 mg tablets will be authorized if the for criteria are met:  1. There is a diagnosis of moderate-to-Alzheimer's Disease and  2. There has been a trial of donepezil 10 mg daily least three (3) months and donepezil 20 mg disease three (3) months.  *Donepezil 23 mg tablets will denet the folicitor and disease three (3) months and donepezil 20 mg disease three (3) month		CHOLINESTERASE INHIBITORS		
MMENDA (memantine)  NAMENDA (memantine)  NAMENDA XR (memantine)*  CHOLINESTERASE INHIBITOR/NMDA RECEPTOR ANTAGONIST COMBINATIONS  NAMZARIC (donepezil/memantine)  NAMENDA XR (memantine)*  Combination agents require thirty (30) day trials of corresponding preferred single agent.  ANALGESICS, NARCOTIC LONG ACTING (Non-parenteral)^AP  CLASS PA CRITERIA: Non-preferred agents require six (6) day trials of two (2) chemically distinct preferred agents AND a six (6) day trial of the generic form requested non-preferred agent (if available) before they will be approved, unless one (1) of the exceptions on the PA form is present. If no generic form is availate the requested non-preferred brand agent, then another generic non-preferred agent must be trialed instead. NOTE: All long-acting opioid agents require a authorization for children under 18 years of age. Requests must be for an FDA approved age and indication and specify previous opioid and non-opioid the attempted.  buprenorphine patch (labeler 00093 only)  BUTRANS (buprenorphine)  EMBEDA (morphine/naltrexone) fentanyl transdermal 12, 25, 50, 75, 100 mcg/hr  CONZIP ER (tramadol)  **Belbuca prior authorization requires manual review. For criteria may be found on the PA Criteria page by clicking hyperlink.	donepezil 5 and 10 mg	donepezil 23 mg* EXELON CAPSULE (rivastigmine) EXELON PATCH (rivastigmine) galantamine galantamine ER RAZADYNE (galantamine) RAZADYNE ER (galantamine)	<ol> <li>There is a diagnosis of moderate-to-severe Alzheimer's Disease and</li> <li>There has been a trial of donepezil 10 mg daily for at least three (3) months and donepezil 20 mg daily for</li> </ol>	
NAMENDA XR (memantine)*  With Namenda.  CHOLINESTERASE INHIBITOR/NMDA RECEPTOR ANTAGONIST COMBINATIONS  NAMZARIC (donepezil/memantine)  Combination agents require thirty (30) day trials of corresponding preferred single agent.  ANALGESICS, NARCOTIC LONG ACTING (Non-parenteral)^AP  CLASS PA CRITERIA: Non-preferred agents require six (6) day trials of two (2) chemically distinct preferred agents AND a six (6) day trial of the generic form requested non-preferred agent (if available) before they will be approved, unless one (1) of the exceptions on the PA form is present. If no generic form is available requested non-preferred brand agent, then another generic non-preferred agent must be trialed instead. NOTE: All long-acting opioid agents require a authorization for children under 18 years of age. Requests must be for an FDA approved age and indication and specify previous opioid and non-opioid the attempted.  ARYMO ER (morphine sulfate)  BUTRANS (buprenorphine)  BELBUCA (buprenorphine buccal film)*  buprenorphine/naltrexone)  fentanyl transdermal 12, 25, 50, 75, 100 mcg/hr  CONZIP ER (tramadol)  With Namenda.  Combination agents require thirty (30) day trials of corresponding preferred single agent.  Combination agents require thirty (30) day trials of corresponding preferred single agent.  ANALGESICS, NARCOTIC LONG ACTING (Non-parenteral)^AP  CLASS PA CRITERIA: Non-preferred agents with the generic form is available in the exceptions on the PA form is present. If no generic form is available in the exceptions on the PA form is present. If no generic form is available in the exceptions on the PA form is present. If no generic form is available in the exceptions on the PA form is present. If no generic form is available in the exceptions on the PA form is present. If no generic form is available in the exceptions on the PA form is present. If no generic form is available in the exceptions on the PA form is present. If no generic form is available in the exceptions on the PA form is present. If no generic form is				
ANALGESICS, NARCOTIC LONG ACTING (Non-parenteral) <sup>AP</sup> CLASS PA CRITERIA: Non-preferred agents require six (6) day trials of two (2) chemically distinct preferred agents AND a six (6) day trial of the generic form requested non-preferred agent (if available) before they will be approved, unless one (1) of the exceptions on the PA form is present. If no generic form is available the requested non-preferred brand agent, then another generic non-preferred agent must be trialed instead. NOTE: All long-acting opioid agents require a authorization for children under 18 years of age. Requests must be for an FDA approved age and indication and specify previous opioid and non-opioid the attempted.  buprenorphine patch (labeler 00093 only) BUTRANS (buprenorphine) EMBEDA (morphine/naltrexone) fentanyl transdermal 12, 25, 50, 75, 100 mcg/hr  CONZIP ER (tramadol)  Combination agents require thirty (30) day trials of corresponding preferred single agent.  Combination agents require thirty (30) day trials of corresponding preferred single agent.  Combination agents require thirty (30) day trials of corresponding preferred single agent.	memantine		*Namenda XR requires ninety (90) days of compliant therapy with Namenda.	
ANALGESICS, NARCOTIC LONG ACTING (Non-parenteral) <sup>AP</sup> CLASS PA CRITERIA: Non-preferred agents require six (6) day trials of two (2) chemically distinct preferred agents AND a six (6) day trial of the generic form requested non-preferred agent (if available) before they will be approved, unless one (1) of the exceptions on the PA form is present. If no generic form is available the requested non-preferred brand agent, then another generic non-preferred agent must be trialed instead. NOTE: All long-acting opioid agents require a authorization for children under 18 years of age. Requests must be for an FDA approved age and indication and specify previous opioid and non-opioid the attempted.  buprenorphine patch (labeler 00093 only) BUTRANS (buprenorphine)	CHOLINE			
CLASS PA CRITERIA: Non-preferred agents require six (6) day trials of two (2) chemically distinct preferred agents AND a six (6) day trial of the generic form requested non-preferred agent (if available) before they will be approved, unless one (1) of the exceptions on the PA form is present. If no generic form is available the requested non-preferred brand agent, then another generic non-preferred agent must be trialed instead. NOTE: All long-acting opioid agents require a authorization for children under 18 years of age. Requests must be for an FDA approved age and indication and specify previous opioid and non-opioid the attempted.  buprenorphine patch (labeler 00093 only)  BUTRANS (buprenorphine)  BUTRANS (buprenorphine)  BELBUCA (buprenorphine buccal film)*  buprenorphine patch (all labelers excl 00093)  fentanyl transdermal 12, 25, 50, 75, 100 mcg/hr  CONZIP ER (tramadol)		NAMZARIC (donepezil/memantine)		
CLASS PA CRITERIA: Non-preferred agents require six (6) day trials of two (2) chemically distinct preferred agents AND a six (6) day trial of the generic form requested non-preferred agent (if available) before they will be approved, unless one (1) of the exceptions on the PA form is present. If no generic form is available the requested non-preferred brand agent, then another generic non-preferred agent must be trialed instead. NOTE: All long-acting opioid agents require a authorization for children under 18 years of age. Requests must be for an FDA approved age and indication and specify previous opioid and non-opioid the attempted.  buprenorphine patch (labeler 00093 only)  BUTRANS (buprenorphine)  BUTRANS (buprenorphine)  BELBUCA (buprenorphine buccal film)*  buprenorphine patch (all labelers excl 00093)  fentanyl transdermal 12, 25, 50, 75, 100 mcg/hr  CONZIP ER (tramadol)	ANALGESICS, NARCOTIC LONG A	CTING (Non-parenteral) <sup>AP</sup>		
buprenorphine patch (labeler 00093 only) BUTRANS (buprenorphine) BUTRANS (buprenorphine) EMBEDA (morphine/naltrexone) fentanyl transdermal 12, 25, 50, 75, 100 mcg/hr  ARYMO ER (morphine sulfate) BELBUCA (buprenorphine buccal film)* buprenorphine patch (all labelers excl 00093) buprenorphine patch (labeler 00093 only)  *Belbuca prior authorization requires manual review. For iteria may be found on the PA Criteria page by clicking hyperlink.  *CONZIP ER (tramadol)	CLASS PA CRITERIA: Non-preferred agents require six (6) day trials of two (2) chemically distinct preferred agents AND a six (6) day trial of the generic form of the requested non-preferred agent (if available) before they will be approved, unless one (1) of the exceptions on the PA form is present. If no generic form is available for the requested non-preferred brand agent, then another generic non-preferred agent must be trialed instead. NOTE: All long-acting opioid agents require a prior authorization for children under 18 years of age. Requests must be for an FDA approved age and indication and specify previous opioid and non-opioid therapies			
morphine Lit tablets   DOLOT Find (methadone)   Methadone, Oxygoddine Lit and Oxymorphone Lit	buprenorphine patch (labeler 00093 only) BUTRANS (buprenorphine) EMBEDA (morphine/naltrexone)	BELBUCA (buprenorphine buccal film)* buprenorphine patch (all labelers excl 00093)	*Belbuca prior authorization requires manual review. Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.  **Methadone, oxycodone ER and oxymorphone ER will be	



EFFECTIVE 10/01/2018 Version 2018.4d

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	EXALGO ER (hydromorphone) fentanyl transdermal 37.5, 62.5, 87.5 mcg/hr hydromorphone ER HYSINGLA ER (hydrocodone) KADIAN (morphine) LAZANDA SPRAY (fentanyl) methadone** MORPHABOND ER (morphine sulfate) morphine ER capsules (generic for Avinza) morphine ER capsules (generic for Kadian) MS CONTIN (morphine) NUCYNTA ER (tapentadol) OPANA ER (oxymorphone) oxycodone ER** OXYCONTIN (oxycodone) oxymorphone ER** tramadol ER*** ULTRAM ER (tramadol) XARTEMIS XR (oxycodone/ acetaminophen) XTAMPZA ER (oxycodone) ZOHYDRO ER (hydrocodone)	of cancer is submitted.  ***Tramadol ER requires a manual review and may be authorized for ninety (90) days with submission of a detailed treatment plan including anticipated duration of treatment and scheduled follow-ups with the prescriber.

#### ANALGESICS, NARCOTIC SHORT ACTING (Non-parenteral) AP

CLASS PA CRITERIA: Non-preferred agents require six (6) day trials of at least four (4) chemically distinct preferred agents (based on the narcotic ingredient only), including the generic formulation of the requested non-preferred agent, before they will be approved, unless one (1) of the exceptions on the PA form is present.

NOTE: All tramadol and codeine products require a prior authorization for children under 18 years of age. Requests must be for an FDA approved age and indication and specify non-opioid therapies attempted

indication and specify non-opioid therapies attempted.			
APAP/codeine	ABSTRAL (fentanyl)	Fentanyl buccal, nasal and sublingual products will only be	
butalbital/APAP/caffeine/codeine	ACTIQ (fentanyl)	authorized for a diagnosis of cancer and as an adjunct to a	
codeine	butalbital/ASA/caffeine/codeine	long-acting agent. These dosage forms will not be authorized	
hydrocodone/APAP 2.5/325 mg, 5/325 mg,	butorphanol	for monotherapy.	
7.5/325 mg,10/325 mg	CAPITAL W/CODEINE (APAP/codeine)		
hydrocodone/APAP solution	DEMEROL (meperidine)	Limits: Unless the patient has escalating cancer pain or	
hydrocodone/ibuprofen	dihydrocodeine/ APAP/caffeine	another diagnosis supporting increased quantities of short-	
hydromorphone tablets	DILAUDID (hydromorphone)	acting opioids, all short acting solid forms of the narcotic	
morphine	fentanyl	analgesics are limited to 120 tablets per thirty (30) days.	
oxycodone tablets, concentrate, solution	FENTORA (fentanyl)	Longer-acting medications should be maximized to prevent	
oxycodone/APAP	FIORICET W/ CODEINE	unnecessary breakthrough pain in chronic pain therapy.	
oxycodone/ASA	(butalbital/APAP/caffeine/codeine)		
tramadol	FIORINAL W/ CODEINE	Immediate-release tramadol is limited to 240 tablets per thirty	
tramadol/APAP	(butalbital/ASA/caffeine/codeine)	(30) days.	



EFFECTIVE 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	hydrocodone/APAP 5/300 mg, 7.5/300 mg, 10/300 mg hydromorphone liquid, suppositories IBUDONE (hydrocodone/ibuprofen) LAZANDA (fentanyl) levorphanol LORCET (hydrocodone/APAP) LORTAB (hydrocodone/APAP) meperidine NORCO (hydrocodone/APAP) NUCYNTA (tapentadol) ONSOLIS (fentanyl) OPANA (oxymorphone) OXECTA (oxycodone) oxycodone capsules oxycodone/ibuprofen oxymorphone pentazocine/naloxone PERCOCET (oxycodone/APAP) REPREXAIN (hydrocodone/ibuprofen) ROXICODONE (oxycodone) RYBIX ODT (tramadol) SUBSYS (fentanyl) SYNALGOS-DC (dihydrocodeine/ASA/ caffeine) TYLENOL W/CODEINE (APAP/codeine) ULTRACET (tramadol/APAP) ULTRAM (tramadol) VERDROCET (hydrocodone/APAP) VICODIN (hydrocodone/APAP) VICOPROFEN (hydrocodone/ibuprofen) XODOL (hydrocodone/acetaminophen) XYLON (hydrocodone/ibuprofen) ZAMICET (hydrocodone/APAP)	
ANDROGENIC AGENTS		
ANDRODERM (testosterone)	Il only be authorized if one (1) of the exceptions on the ANDROID (methyltestosterone)	ne PA form is present.
ANDROGEL (testosterone)	AVEED VIAL (testosterone undecanoate)	
METHITEST (methyltestosterone) testosterone cypionate vial <sup>CL</sup>	AXIRON (testosterone) FORTESTA (testosterone)	
testosterone enanthate vial <sup>CL</sup>	methyltestosterone capsule NATESTO (testosterone)	



EFFECTIVE 10/01/2018 Version 2018.4d

	THERAPEUTIC DRUG CLA	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	STRIANT BUCCAL (testosterone) TESTIM (testosterone) TESTRED (methyltestosterone) testosterone gel VOGELXO (testosterone)	
ANESTHETICS, TOPICALAP		
	require ten (10) day trials of each preferred agent bef	ore they will be approved, unless one (1) of the exceptions on the
lidocaine lidocaine/prilocaine xylocaine	EMLA (lidocaine/prilocaine) LIDAMANTLE (lidocaine) LIDAMANTLE HC (lidocaine/hydrocortisone) lidocaine/hydrocortisone LIDOTRAL CREAM (lidocaine) SYNERA (lidocaine/tetracaine) VOPAC MDS (ketoprofen/lidocaine)	
ANGIOTENSIN MODULATORSAP		
	s require fourteen (14) day trials of each preferred agone (1) of the exceptions on the PA form is present.	ent in the same sub-class, with the exception of the Direct Renin
, , , , , , , , , , , , , , , , , , , ,	ACE INHIBITORS	
benazepril captopril enalapril fosinopril lisinopril quinapril ramipril	ACCUPRIL (quinapril) ACEON (perindopril) ALTACE (ramipril) EPANED (enalapril)* LOTENSIN (benazepril) MAVIK (trandolapril) moexipril perindopril PRINIVIL (lisinopril) QBRELIS SOLUTION (lisinopril)** trandolapril UNIVASC (moexipril) VASOTEC (enalapril) ZESTRIL (lisinopril)	*Epaned will be authorized with a diagnosis of hypertension, symptomatic heart failure or asymptomatic left ventricular dysfunction provided that the patient is less than seven (7) years of age <b>OR</b> is unable to ingest a solid dosage form due to documented oral-motor difficulties or dysphagia.  **Qbrelis solution may be authorized for children ages 6-10 who are unable to tolerate a solid dosage form. Qbrelis may also be authorized for older patients with clinical documentation indicating oral-motor difficulties or dysphagia.
benazepril/amlodipine	ACE INHIBITOR COMBINATION DRU ACCURETIC (quinapril/HCTZ)	JGS
benazeprii/HCTZ captoprii/HCTZ enalaprii/HCTZ fosinoprii/HCTZ	CAPOZIDE (captopril/HCTZ) LOTENSIN HCT (benazepril/HCTZ) LOTREL (benazepril/amlodipine) moexipril/HCTZ	



EFFECTIVE 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
lisinopril/HCTZ quinapril/HCTZ	PRESTALIA (perindopril/amlodipine) PRINZIDE (lisinopril/HCTZ) TARKA (trandolapril/verapamil) trandolapril/verapamil VASERETIC (enalapril/HCTZ) ZESTORETIC (lisinopril/HCTZ) ANGIOTENSIN II RECEPTOR BLOCKERS	(ADDa)
irbesartan	ATACAND (candesartan)	(ARBS)
losartan valsartan olmesartan	AVAPRO (irbesartan) BENICAR (olmesartan) candesartan COZAAR (losartan) DIOVAN (valsartan) EDARBI (azilsartan) eprosartan MICARDIS (telmisartan) telmisartan TEVETEN (eprosartan)	
	ARB COMBINATIONS	
ENTRESTO (valsartan/sucubitril) <sup>CL*</sup> irbesartan/HCTZ losartan/HCTZ olmesartan/amlodipine olmesartan/amlodipine/HCTZ olmesartan/HCTZ valsartan/amlodipine valsartan/HCTZ	ATACAND-HCT (candesartan/HCTZ) AVALIDE (irbesartan/HCTZ) AZOR (olmesartan/amlodipine) BENICAR-HCT (olmesartan/HCTZ) BYVALSON (nebivolol/valsartan) candesartan/HCTZ DIOVAN-HCT (valsartan/HCTZ) EDARBYCLOR (azilsartan/chlorthalidone) EXFORGE (valsartan/amlodipine) EXFORGE HCT (valsartan/amlodipine/HCTZ) HYZAAR (losartan/HCTZ) MICARDIS-HCT (telmisartan/HCTZ) telmisartan/amlodipine telmisartan HCTZ TEVETEN-HCT (eprosartan/HCTZ) TRIBENZOR (olmesartan/amlodipine) valsartan/amlodipine/HCTZ	*Entresto will only be authorized for patients diagnosed with chronic heart-failure (NYHA classification 2-4) with an EF ≤ 40%.
	DIRECT RENIN INHIBITORS  AMTURNUDE (alighiron/amledining/HCTZ)	Substitute for Class Criteria: Tekturna requires a thirty (30)
	AMTURNIDE (aliskiren/amlodipine/HCTZ) TEKAMLO (aliskiren/amlodipine) TEKTURNA (aliskiren) TEKTURNA HCT (aliskiren/HCTZ) VALTURNA (aliskiren/valsartan)	day trial of one (1) preferred ACE, ARB, or combination agent, at the maximum tolerable dose, before it will be authorized unless one (1) of the exceptions on the PA form is present.



### **BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID**

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

**EFFECTIVE** 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		Amturnide, Tekamlo, Tekturna HCT or Valturna will be authorized if the criteria for Tekturna are met and the patient also needs the other agents in the combination.
ANTIANGINAL & ANTI-ISCHEMIC		
or a combination agent containing one (1) of these		cium channel blocker, a beta blocker, or a nitrite as single agents
RANEXA (ranolazine) <sup>AP</sup>		
<b>ANTIBIOTICS, GI &amp; RELATED AGE</b>	NTS	
CLASS PA CRITERIA: Non-preferred agents red PA form is present.	uire a fourteen (14) day trial of a preferred agent bef	ore they will be approved, unless one (1) of the exceptions on the
FIRVANQ (vancomycin) metronidazole tablet neomycin tinidazole	ALINIA (nitazoxanide) DIFICID (fidaxomicin)* FLAGYL (metronidazole) FLAGYL ER (metronidazole ER) metronidazole capsule paromomycin TINDAMAX (tinidazole) VANCOCIN (vancomycin) vancomycin XIFAXAN (rifaximin)*	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
ANTIBIOTICS, INHALED		
CLASS PA CRITERIA: Non-preferred agents recapproved, unless one (1) of the exceptions on the		and documentation of therapeutic failure before they will be
BETHKIS (tobramycin) KITABIS PAK (tobramycin)	CAYSTON (aztreonam) TOBI (tobramycin) TOBI PODHALER (tobramycin) tobramycin	
ANTIBIOTICS, TOPICAL		
CLASS PA CRITERIA: Non-preferred agents require ten (10) day trials of at least one preferred agent, including the generic formulation of the requested non-preferred agent, before they will be approved, unless one (1) of the exceptions on the PA form is present.		
bacitracin (Rx, OTC) gentamicin sulfate mupirocin ointment	BACTROBAN (mupirocin) CENTANY (mupirocin) CORTISPORIN (bacitracin/neomycin/polymyxin/HC) mupirocin cream neomycin/polymyxin/pramoxine	



EFFECTIVE 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIBIOTICS, VAGINAL		
CLASS PA CRITERIA: Non-preferred agents red approved, unless one (1) of the exceptions on the		at the manufacturer's recommended duration, before they will be
clindamycin cream CLINDESSE (clindamycin) metronidazole	AVC (sulfanilamide) CLEOCIN CREAM (clindamycin) CLEOCIN OVULE (clindamycin) METROGEL (metronidazole) NUVESSA (metronidazole) SOLOSEC (secnidazole) VANDAZOLE (metronidazole)	
ANTICOAGULANTS		
CLASS PA CRITERIA: Non-preferred agents red	· · · · · · · · · · · · · · · · · · ·	class, unless one (1) of the exceptions on the PA form is present.
<u>.</u>	INJECTABLE <sup>CL</sup>	
enoxaparin	ARIXTRA (fondaparinux) fondaparinux FRAGMIN (dalteparin) LOVENOX (enoxaparin)	
	ORAL	
COUMADIN (warfarin) ELIQUIS (apixaban) PRADAXA (dabigatran) warfarin XARELTO (rivaroxaban)	SAVAYSA (edoxaban)	
ANTICONVULSANTS		
CLASS PA CRITERIA: For a diagnosis of seizure disorder, non-preferred agents require a fourteen (14) day trial of a preferred agent in the same sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present; patients currently on established therapies shall be grandfathered.		
For all other diagnoses, non-preferred agents require a thirty (30) day trial of a preferred agent in the same sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present.		
In situations where AB-rated generic equivalent products are available, "Brand Medically Necessary" must be hand-written by the prescriber on the prescription for the brand name product to be reimbursed.		
ADJUVANTS		
carbamazepine carbamazepine ER	APTIOM (eslicarbazepine) BANZEL(rufinamide)	*Topiramate ER will be authorized after a thirty (30) day trial of topiramate IR.



EFFECTIVE 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
carbamazepine XR divalproex divalproex ER divalproex sprinkle EPITOL (carbamazepine) GABITRIL (tiagabine) lamotrigine levetiracetam IR levetiracetam ER oxcarbazepine suspension and tablets topiramate IR topiramate ER* valproic acid VIMPAT(lacosamide) <sup>AP</sup> zonisamide	BRIVIACT (brivaracetam) CARBATROL (carbamazepine) DEPAKENE (valproic acid) DEPAKOTE (divalproex) DEPAKOTE ER (divalproex) DEPAKOTE SPRINKLE (divalproex) EQUETRO (carbamazepine) FANATREX SUSPENSION (gabapentin) felbamate FELBATOL (felbamate) FYCOMPA (perampanel) KEPPRA (levetiracetam) KEPPRA XR (levetiracetam) LAMICTAL (lamotrigine) LAMICTAL ODT (lamotrigine) LAMICTAL XR (lamotrigine) lamotrigine dose pack lamotrigine ER OXTELLAR XR (oxcarbazepine) POTIGA (ezogabine) QUDEXY XR (topiramate ER)** SABRIL (vigabatrin) SPRITAM (levetiracetam) STAVZOR (valproic acid) TEGRETOL (carbamazepine) TEGRETOL XR (carbamazepine) tiagabine TOPAMAX (topiramate) TRILEPTAL SUSPENSION and TABLETS (oxcarbazepine) TROKENDI XR (topiramate)** ZONEGRAN (zonisamide)	**Qudexy XR and Trokendi XR are only approvable on appeal.
	BARBITURATESAP	
phenobarbital primidone	MYSOLINE (primidone)	
	BENZODIAZEPINESAP	
clonazepam DIASTAT (diazepam rectal) diazepam tablets	clonazepam ODT diazepam rectal gel KLONOPIN (clonazepam) ONFI (clobazam)* ONFI SUSPENSION (clobazam)* VALIUM TABLETS (diazepam)	*Onfi shall be authorized as adjunctive therapy for treatment of Lennox-Gastaut Syndrome without further restrictions. Offlabel use requires an appeal to the Medical Director.



EFFECTIVE 10/01/2018 Version 2018.4d

	THERAPEUTIC DRUG CLA	SS	
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	HYDANTOINSAP		
DILANTIN (phenytoin sodium, extended) PEGANONE (ethotoin) phenytoin capsules, chewable tablets, suspension	DILANTIN INFATABS (phenytoin) PHENYTEK (phenytoin)		
	SUCCINIMIDES		
CELONTIN (methsuximide) ethosuximide capsules ethosuximide syrup	ZARONTIN (ethosuximide) capsules ZARONTIN (ethosuximide) syrup		
ANTIDEPRESSANTS, OTHER			
CLASS PA CRITERIA: See below for individu	ual sub-class criteria.		
	MAOIsAP		
	MARPLAN (isocarboxazid) NARDIL (phenelzine) PARNATE (tranylcypromine) phenelzine tranylcypromine	Patients stabilized on MAOI agents will be grandfathered.	
	SNRISAP		
duloxetine capulses venlafaxine ER capsules	CYMBALTA (duloxetine) desvenlafaxine ER desvenlafaxine fumarate ER EFFEXOR XR (venlafaxine) FETZIMA (levomilnacipran) KHEDEZLA (desvenlafaxine) PRISTIQ (desvenlafaxine) venlafaxine IR VENLAFAXINE ER TABLETS (venlafaxine)	Non-preferred agents require separate thirty (30) day trials of a preferred agent in this sub-class <b>AND</b> an SSRI before they will be approved, unless one (1) of the exceptions on the PA form is present.	
SECOND GENERATION NON-SSRI, OTHERAP			
bupropion IR bupropion SR bupropion XL mirtazapine trazodone	APLENZIN (bupropion hbr) EMSAM (selegiline) FORFIVO XL (bupropion) nefazodone OLEPTRO ER (trazodone) REMERON (mirtazapine) TRINTELLIX (vortioxetine) VIIBRYD (vilazodone HCI) WELLBUTRIN (bupropion) WELLBUTRIN SR (bupropion) WELLBUTRIN XL (bupropion)	Non-preferred agents require separate thirty (30) day trials of a preferred agent in this sub-class <b>AND</b> an SSRI before they will be approved, unless one (1) of the exceptions on the PA form is present.	



EFFECTIVE 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	SELECTED TCAs	
imipramine HCI	imipramine pamoate TOFRANIL (imipramine HCI) TOFRANIL PM (imipramine pamoate)	Non-preferred agents require a twelve (12) week trial of imipramine HCI before they will be approved, unless one (1) of the exceptions on the PA form is present.
ANTIDEPRESSANTS, SSRISAP		
<b>CLASS PA CRITERIA:</b> Non-preferred agent exceptions on the PA form is present.	s require thirty (30) day trials of at least two (2) pref	erred agents before they will be approved, unless one (1) of the
Upon hospital discharge, patients admitted with continue that drug.	n a primary mental health diagnosis who have been sta	bilized on a non-preferred SSRI will receive an authorization to
citalopram escitalopram tablets fluoxetine capsules, solution fluvoxamine paroxetine sertraline	BRISDELLE (paroxetine) CELEXA (citalopram) escitalopram solution fluoxetine tablets fluvoxamine ER LEXAPRO (escitalopram) LUVOX CR (fluvoxamine) paroxetine 7.5 mg capsules paroxetine ER PAXIL (paroxetine) PAXIL CR (paroxetine) PEXEVA (paroxetine) PEXEVA (fluoxetine) SARAFEM (fluoxetine) ZOLOFT (sertraline)	
ANTIEMETICS <sup>AP</sup>	2020. I (contamily)	
CLASS PA CRITERIA: See below for sub-class criteria.		
	5HT3 RECEPTOR BLOCKERS	
ondansetron ODT, solution, tablets	ANZEMET (dolasetron) granisetron GRANISOL (granisetron) ondansetron vials SANCUSO (granisetron) SUSTOL (granisetron) ZOFRAN (ondansetron) ZUPLENZ (ondansetron)	Non-preferred agents require a three (3) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
	CESAMET (pobilopo)*	*Connect will be authorized only for the treatment of names
	CESAMET (nabilone)* dronabinol**	*Cesamet will be authorized only for the treatment of nausea and vomiting associated with cancer chemotherapy for patients



EFFECTIVE 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	MARINOL (dronabinol)** SYNDROS SOLUTION (dronabinol)	who have failed to respond adequately to three (3) day trials of conventional treatments such as promethazine or ondansetron and are eighteen (18) years of age or older.
		**Dronabinol will only be authorized for:  1. The treatment of anorexia associated with weight loss in patients with AIDS or cancer and unresponsive to megestrol or  2. The prophylaxis of chemotherapy induced nausea and vomiting unresponsive to three (3) day trials of ondansetron or promethazine for patients from eighteen (18) up to sixty-five (65) years of age.
	SUBSTANCE P ANTAGONISTS	org (10) up 10 omily 1110 (10) y omil or algori
EMEND (aprepitant)	aprepitant CINVANTI (aprepitant) VARUBI (rolapitant)	Non-preferred agents require a three (3) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
	COMBINATIONS  AKYNZEO (netupitant/palonosetron)	Non-preferred agents will only be approved on appeal.
ANTIFUNGALS, ORAL	ARTIVELO (Hetapitani/paionosetron)	Non-preferred agents will only be approved on appeal.
•	I only be authorized if one (1) of the exceptions on th	o DA form is present
clotrimazole	ANCOBON (flucytosine)	·
fluconazole*	CRESEMBA (isovuconazonium) <sup>CL**</sup>	*PA is required when limits are exceeded.
nystatin	DIFLUCAN (fluconazole)	**Full PA criteria may be found on the PA Criteria page by
terbinafine <sup>CL</sup>	flucytosine	clicking the hyperlink.
	GRIFULVIN V TABLET (griseofulvin)	
	griseofulvin***	***PA is not required for griseofulvin suspension for children up
	GRIS-PEG (griseofulvin) itraconazole	to eighteen (18) years of age for the treatment of tinea capitis.
	ketoconazole****	****Ketoconazole will be authorized if the following criteria are
	LAMISIL (terbinafine)	met:
	MYCELEX (clotrimazole)	1. Diagnosis of one of the following fungal infections:
	MYCOSTATIN Tablets (nystatin)	blastomycosis, coccidioidomycosis, histoplasmosis,
	NIZORAL (ketoconazole) NOXAFIL (posaconazole)	chromomycosis, or paracoccidioidomycosis <b>and</b> 2. Documented failure or intolerance of all other diagnosis-
	ONMEL (itraconazole)	appropriate antifungal therapies, i.e. itraconazole,
	ORAVIG (miconazole)	fluconazole, flucytosine, etc <b>and</b>
	SPORANOX (itraconazole)	3. Baseline assessment of the liver status including alanine
	VFEND (voriconazole)	aminotransferase (ALT), aspartate aminotransferase
	voriconazole suspension	(AST), total bilirubin, alkaline phosphatase, prothrombin
	voriconazole tablets	time, and international normalized ratio (INR) before starting treatment <b>and</b> 4. Weekly monitoring of serum ALT for the duration of
		T. WOORING INCIDING OF SOLUTION THE CUITATION OF



EFFECTIVE 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		treatment (If ALT values increase to a level above the upper limit of normal or 30% above baseline, or if the patient develops symptoms of abnormal liver function, treatment should be interrupted and a full set of liver tests be obtained. Liver tests should be repeated to ensure normalization of values.) and  5. Assessment of all concomitant medications for potential adverse drug interactions with ketoconazole.  Ketoconazole will not be authorized for treatment for fungal infections of the skin and nails.
ANTIFUNGALS, TOPICALAP		
	mpoo is requested, a fourteen (14) day trial of one (1)	nts before they will be approved, unless one (1) of the exceptions preferred product (i.e. ketoconazole shampoo) is required.
	ANTIFUNGALS	
econazole ketoconazole cream, shampoo MENTAX (butenafine) miconazole (OTC) nystatin	CICLODAN (ciclopirox) ciclopirox ERTACZO (sertaconazole) EXELDERM (sulconazole) EXTINA (ketoconazole) JUBLIA (efinaconazole) ketoconazole foam KERYDIN (tavaborole) KETODAN (ketoconazole) LOPROX (ciclopirox) LUZU (luliconazole) MYCOSTATIN (nystatin) NAFTIN CREAM (naftifine) NAFTIN GEL (naftifine) NIZORAL (ketoconazole) OXISTAT (oxiconazole)* PEDIPIROX-4 (ciclopirox) PENLAC (ciclopirox) VUSION (miconazole/petrolatum/zinc oxide) XOLEGEL (ketoconazole)	*Oxistat cream will be authorized for children up to thirteen (13) years of age for tinea corporis, tinea cruris, tinea pedis, and tinea (pityriasis) versicolor.
alatvima zala/h atamatha aana	ANTIFUNGAL/STEROID COMBINATIO	NS
clotrimazole/betamethasone	KETOCON PLUS (ketoconazole/hydrocortisone) LOTRISONE (clotrimazole/betamethasone) nystatin/triamcinolone	



### **BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID**

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

**EFFECTIVE** 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
ANTIHEMOPHILIA FACTOR AGENT			
CLASS PA CRITERIA: All agents will require pr preferred product.	ior-authorization, and non-preferred agents require m	nedical reasoning explaining why the need cannot be met using a	
All currently established regimens shall be grandf	athered with documentation of adherence to therapy.		
	FACTOR VIII		
ALPHANATE HEMOFIL M HUMATE-P KOATE KOATE-DVI MONOCLATE-P NOVOEIGHT WILATE XYNTHA XYNTHA SOLOFUSE	ADVATE ADYNOVATE ELOCTATE KOGENATE FS KOVALTRY NUWIQ RECOMBINATE VONVENDI		
	FACTOR IX		
ALPHANINE SD BEBULIN BENEFIX IXINITY MONONINE PROFILNINE RIXUBIS	ALPROLIX IDELVION REBINYN		
	FACTOR IXa/IX		
HEMLIBRA (emicizumab-kxwh)			
	ANTIHYPERTENSIVES, SYMPATHOLYTICS		
CLASS PA CRITERIA: Non-preferred agents recapproved, unless one (1) of the exceptions on the CATAPRES-TTS (clonidine) clonidine tablets		emical entity in the corresponding formulation before they will be	



EFFECTIVE 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIHYPERURICEMICS		
	uire a thirty (30) day trial of one (1) of the preferred a before they will be approved, unless one (1) of the e	
	ANTIMITOTICS	
MITIGARE (colchicine)*	colchicine capsules colchicine tablets COLCRYS (colchicine)	*In the case of acute gouty attacks, a ten (10) day supply (twenty (20) capsules) of Mitigare will be authorized per ninety (90) days.
	ANTIMITOTIC-URICOSURIC COMBINAT	FION
colchicine/probenecid		
	URICOSURIC	
probenecid	ZURAMPIC (lesinurad)*	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
	XANTHINE OXIDASE INHIBITORS	
allopurinol	ULORIC (febuxostat) ZYLOPRIM (allopurinol)	
	URICOSURIC – XANTHINE OXIDASE INHIE	BITORS
	DUZALLO (allopurinol/lesinurad)	Non-preferred agents will only be approved on appeal.
ANTIMIGRAINE AGENTS, OTHERAP		
CLASS PA CRITERIA: Non-preferred agents red approved, unless one (1) of the exceptions on the		ty of the preferred Antimigraine Triptan Agents before they will be
	CAMBIA (diclofenac)	
ANTIMIGRAINE AGENTS, TRIPTAN	SAP	
CLASS PA CRITERIA: Non-preferred agents require three (3) day trials of each preferred unique chemical entity before they will be approved, unless one (1) of the exceptions on the PA form is present.		
TRIPTANS		
naratriptan rizatriptan ODT rizatriptan tablet sumatriptan injection <sup>CL</sup> sumatriptan nasal spray sumatriptan tablets	almotriptan AMERGE (naratriptan) AXERT (almotriptan) eletriptan FROVA (frovatriptan) frovatriptan	*In addition to the Class Criteria: Onzetra Xsail requires three (3) day trials of each preferred oral, nasal and injectable forms of sumatriptan.



EFFECTIVE 10/01/2018 Version 2018.4d

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	IMITREX INJECTION (sumatriptan) <sup>CL</sup> IMITREX NASAL SPRAY (sumatriptan) IMITREX tablets (sumatriptan) MAXALT MLT (rizatriptan) MAXALT (rizatriptan) ONZETRA XSAIL (sumatriptan)* RELPAX (eletriptan) SUMAVEL (sumatriptan) ZECUITY PATCH (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan) zolmitriptan zolmitriptan ODT ZOMIG (zolmitriptan) ZOMIG ZMT (zolmitriptan)	
	TRIPTAN COMBINATIONS	
	TREXIMET (sumatriptan/naproxen sodium)	
ANTIPARASITICS, TOPICALAP		
•		nd weight appropriate) before they will be approved, unless one
NATROBA (spinosad) permethrin 5% cream permethrin 1% lotion (OTC) pyrethrins-piperonyl butoxide OTC SKLICE (ivermectin)	EURAX (crotamiton) LICE EGG REMOVER OTC (benzalkonium chloride) lindane malathion OVIDE (malathion) spinosad	
ANTIPARKINSON'S AGENTS		
CLASS PA CRITERIA: Patients starting therap a non-preferred agent will be authorized.	y on drugs in this class must show a documented aller	rgy to all preferred agents in the corresponding sub-class, before
	ANTICHOLINERGICS	
benztropine trihexyphenidyl	COGENTIN (benztropine)	
	COMT INHIBITORS	
	COMTAN (entacapone) entacapone TASMAR (tolcapone)	COMT Inhibitor agents will only be approved as add-on therapy to a levodopa-containing regimen for treatment of documented motor complications.



EFFECTIVE 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	DOPAMINE AGONISTS	
pramipexole ropinirole	MIRAPEX (pramipexole) MIRAPEX ER (pramipexole)* NEUPRO (rotigotine) pramipexole ER REQUIP (ropinirole) REQUIP XL (ropinirole)* ropinirole ER	*Mirapex ER and Requip XL will be authorized for a diagnosis of Parkinsonism without a trial of preferred agents.
, 1' *AD	OTHER ANTIPARKINSON'S AGENTS	
amantadine*AP bromocriptine carbidopa/levodopa levodopa/carbidopa/entacapone selegiline	AZILECT (rasagiline) carbidopa ELDEPRYL (selegiline) levodopa/carbidopa ODT LODOSYN (carbidopa) PARCOPA (levodopa/carbidopa) PARLODEL (bromocriptine) rasagiline RYTARY (levodopa/carbidopa) SINEMET (levodopa/carbidopa) STALEVO (levodopa/carbidopa/entacapone) XADAGO (safinamide) ZELAPAR (selegiline)	*Amantadine will not be authorized for the treatment or prophylaxis of influenza.
ANTIPSORIATICS, TOPICAL		
· · · · · · · · · · · · · · · · · · ·	uire thirty (30) day trials of two (2) preferred unique of	chemical entities before they will be approved, unless one (1) of
TACLONEX OINT (calcipotriene/ betamethasone) TAZORAC (tazarotene) VECTICAL (calcitriol)	calcipotriene cream calcipotriene ointment calcipotriene solution calcipotriene/betamethasone ointment CALCITRENE (calcipotriene) calcitriol DOVONEX (calcipotriene) ENSTILAR (calcipotriene/betamethasone) SORILUX (calcipotriene) tazarotene cream (tazarotene)	



managed categories. Refer to cover page for complete list of rules governing this PDL.

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA
This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 10/01/2018 Version 2018.4d

#### THERAPEUTIC DRUG CLASS

**PREFERRED AGENTS** 

#### NON-PREFERRED AGENTS

#### PA CRITERIA

#### **ANTIPSYCHOTICS, ATYPICAL**

CLASS PA CRITERIA: All antipsychotic agents require prior authorization for children up to eighteen (18) years of age. All PA requests for antipsychotics for children 6 years of age and younger will be reviewed by Medicaid's consultant psychiatrist.

Non-preferred agents require thirty (30) day trials of two (2) preferred agents, including the generic formulation of the requested agent (if available), before they will be approved unless one (1) of the exceptions on the PA form is present. All trials must be at the maximum recommended dose for the diagnosis provided before they would be considered a failure unless an adverse reaction is documented necessitating a change in therapy.

Upon discharge, a hospitalized patient stabilized on a non-preferred agent may receive authorization to continue this drug for labeled indications and at FDA recommended dosages. For off-label indications or dosages, a thirty (30) day prior-authorization shall be granted pending BMS review.

#### SINGLE INGREDIENT

ABILIFY MAINTENA (aripiprazole)<sup>CL</sup> aripiprazole tablets
ARISTADA (aripiprazole)<sup>CL</sup> clozapine
INVEGA SUSTENNA (paliperidone)<sup>CL</sup> INVEGA TRINZA (paliperidone)\* <sup>CL</sup> olanzapine
olanzapine ODT
quetiapine\*\* AP for the 25 mg Tablet Only
quetiapine ER
RISPERDAL CONSTA (risperidone)<sup>CL</sup> risperidone
ziprasidone

ADASUVE (loxapine) clozapine ODT CLOZARIL (clozapine) FANAPT (iloperidone) FAZACLO (clozapine) GEODON (ziprasidone) GEODON IM (ziprasidone) INVEGA ER (paliperidone) LATUDA (lurasidone)\*\*\* AP NUPLAZID (pimavanserin) \*\*\*\* olanzapine IMCL paliperidone ER REXULTI (brexipiprazole) RISPERDAL (risperidone) SAPHRIS (asenapine) SEROQUEL (quetiapine) SEROQUEL XR (quetiapine) VERSACLOZ (clozapine) VRAYLAR (capriprazine) VRAYLAR DOSE PAK (capriprazine) ZYPREXA (olanzapine) ZYPREXA IM (olanzapine)CL

ABILIFY TABLETS (aripiprazole)

### In addition to class criteria:

\*Invega Trinza will be authorized after four months' treatment with Invega Sustenna

\*\*Quetiapine 25 mg will be authorized:

- 1. For a diagnosis of schizophrenia or
- 2. For a diagnosis of bipolar disorder or
- When prescribed concurrently with other strengths of Seroquel in order to achieve therapeutic treatment levels.

### Quetiapine 25 mg will not be authorized for use as a sedative hypnotic.

\*\*\*For the indication of bipolar depression only, prior authorization of Latuda requires failure of 30-day trial of quetiapine and failure of 30-day trial with a combination of olanzapine + fluoxetine. All trials must be at the maximum recommended dose for the diagnosis provided before they would be considered a failure unless an adverse reaction is documented necessitating a change in therapy.

All other indications follow class criteria. Patients already stabilized on Latuda shall be grandfathered.

\*\*\*\*Nuplazid will only be authorized for the treatment of Parkinson Disease Induced Psychosis after documented treatment failure with quetiapine.

#### ATYPICAL ANTIPSYCHOTIC/SSRI COMBINATIONS

olanzapine/fluoxetine SYMBYAX (olanzapine/fluoxetine)

ZYPREXA RELPREVV (olanzapine)



### **BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID**

managed categories. Refer to cover page for complete list of rules governing this PDL.

**EFFECTIVE** PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA This is not an all-inclusive list of available covered drugs and includes only

10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIRETROVIRALS		
preferred agent or combination of preferred agent		nced compliance as to why the clinical need cannot be met with a ill result in no more than one additional unit per day over shall be grandfathered.
	INTEGRASE STRAND TRANSFER INHIBI	TORS
ISENTRESS (raltegravir potassium) TIVICAY (dolutegravir sodium) VITEKTA (elvitegravir)	ISENTRESS HD (raltegravir potassium)	
	NUCLEOSIDE REVERSE TRANSCRIPTASE INHIB	BITORS (NRTI)
abacavir sulfate tablet didanosine DR capsule EMTRIVA (emtricitabine) EPIVIR SOLUTION (lamivudine) lamivudine stavudine tenofovir disoproxil fumarate VIDEX SOLUTION (didanosine) VIREAD SOLUTION (tenofovir disoproxil fumarate) ZIAGEN SOLUTION (abacavir sulfate) zidovudine	abacavir sulfate solution EPIVIR TABLET (lamivudine) RETROVIR (zidovudine) VIDEX EC (didanosine) VIREAD TABLETS (tenofovir disoproxil fumarate) ZERIT (stavudine) ZIAGEN TABLET (abacavir sulfate)	HIDITOD (AMPTI)
EDURANT (rilpivirine)	efavirenz	
SUSTIVA (efavirenz)	INTELENCE (etravirine) nevirapine nevirapine ER RESCRIPTOR (delavirdine mesylate) VIRAMUNE ER 24H (nevirapine) VIRAMUNE SUSPENSION (nevirapine) PHARMACOENHANCER – CYTOCHROME P450	DINHIBITOR
TYBOST (cobicistat)		
	DDOTE ASE INITIDITODS (DEDTING)	
atazanavir EVOTAZ (atazanavir/cobicistat) NORVIR (ritonavir) REYATAZ POWDER PACK (atazanavir)	PROTEASE INHIBITORS (PEPTIDIC) CRIXIVAN (indinavir) INVIRASE (saquinavir mesylate) fosamprenavir LEXIVA (fosamprenavir) REYATAZ CAPSULE (atazanavir) VIRACEPT (nelfinavir mesylate)	



EFFECTIVE 10/01/2018 Version 2018.4d

	THERAPEUTIC DRUG CLAS	SS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA		
	PROTEASE INHIBITORS (NON-PEPTIDIC)			
PREZISTA (darunavir ethanolate)	APTIVUS (tipranavir)	,		
	PREZCOBIX (darunavir/cobicistat)			
	ENTRY INHIBITORS – CCR5 CO-RECEPTOR AN	ITAGONISTS		
	SELZENTRY (maraviroc)			
	ENTRY INHIBITORS – FUSION INHIBIT	ORS		
	FUZEON (enfuvirtide)			
	COMBINATION PRODUCTS - NRTIS	3		
abacavir/lamivudine	abacavir/lamivudine/zidovudine			
lamivudine/zidovudine	COMBIVIR (lamivudine/zidovudine)			
	EPZICOM (abacavir/lamivudine)			
	TRIZIVIR (abacavir/lamivudine/zidovudine)			
	DUCTS – INTEGRASE STRAND TRANSFER INHIBIT	IORS & NUCLEOSIDE ANALOG RTIS		
BIKTARVY (bictegravir/emtricitabine/tenofovir alafenamide)				
COMBINATION PRODUCTS - INTEGRAS	E STRAND TRANSFER INHIBITORS & NON-NUCLI	EOSIDE REVERSE TRANSCRIPTASE INHIBITOR (NNRTI)		
	JULUCA (dolutegravir/rilpivirine)			
CON	BINATION PRODUCTS - NUCLEOSIDE & NUCLEO	OTIDE ANALOG RTIS		
DESCOVY (emtricitabine/tenofovir)				
TRUVADA (emtricitabine/tenofovir)	ADODUCTO MUCI FOODE & MUCI FOTIDE AMAI			
GENVOYA	PRODUCTS - NUCLEOSIDE & NUCLEOTIDE ANAL STRIBILD	*Stribild requires medical reasoning beyond convenience or		
(elvitegravir/cobicistat/emtricitabine/tenofovir)	(elvitegravir/cobicistat/emtricitabine/tenofovir)*	enhanced compliance as to why the medical need cannot be		
(entegravii/cobicistat/entificitabilie/teriolovii)	TRIUMEQ (abacavir/lamivudine/ dolutegravir)**	met with the the preferred agent Genvoya.		
		,		
		**Triumeq requires medical reasoning beyond convenience or		
		enhanced compliance as to why the medical need cannot be		
		met with the preferred agents Epzicom and Tivicay.		
	PRODUCTS - NUCLEOSIDE & NUCLEOTIDE ANAL			
ATRIPLA (efavirenz/emtricitabine/tenofovir)	COMPLERA (emtricitabine/rilpivirine/tenofovir)*	*Complera requires medical reasoning beyond convenience or		
ODEFSEY (emtricitabine/rilpivirine/tenofovir)		enhanced compliance as to why the medical need cannot be met with the preferred agents Truvada and Edurant.		
	COMBINATION PRODUCTS – PROTEASE IN			
KALETRA (lopinavir/ritonavir)	lopinavir/ritonavir	IIIDII OILO		
TO LETTO CHOPHIAVII/IIIOHAVII/	Ιοριπαντι/πιοπαντι			



### **BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID**

managed categories. Refer to cover page for complete list of rules governing this PDL.

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA This is not an all-inclusive list of available covered drugs and includes only

**EFFECTIVE** 10/01/2018 Version 2018.4d

	THERAPEUTIC DRUG CLA	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ANTIVIRALS, ORAL		
CLASS PA CRITERIA: Non-preferred agent the exceptions on the PA form is present.	s require five (5) day trials of each preferred agent in the	ne same sub-class before they will be approved, unless one (1) of
	ANTI HERPES	
acyclovir valacyclovir	famciclovir FAMVIR (famciclovir) SITAVIG (acyclovir) VALTREX ZOVIRAX (acyclovir)	
	ANTI-INFLUENZA <sup>CL</sup>	
<mark>oseltamivir</mark> RELENZA (zanamivir)	FLUMADINE (rimantadine) rimantadine TAMIFLU (oseltamivir)	In addition to the Class Criteria: The anti-influenza agent will be authorized only for a diagnosis of influenza.
form is present.  ZOVIRAX CREAM (acyclovir)	ABREVA (docosanol) acyclovir ointment	
	DENAVIR (penciclovir) ZOVIRAX OINTMENT (acyclovir)	
BETA BLOCKERSAP		
	es require fourteen (14) day trials of three (3) chemically ill be approved, unless one (1) of the exceptions on the	distinct preferred agents, including the generic formulation of the PA form is present.
	BETA BLOCKERS	
acebutolol atenolol betaxolol bisoprolol CORGARD (nadolol) metoprolol	BETAPACE (sotalol) BYSTOLIC (nebivolol) HEMANGEOL (propranolol)* INDERAL LA (propranolol) INDERAL XL (propranolol) INNOPRAN XL (propranolol)	*Hemangeol will be authorized for the treatment of proliferatin infantile hemangioma requiring systemic therapy.  **Propranolol ER shall be authorized for patients with diagnosis of migraines. Existing users will be grandfathered for use in migraine prophylaxis.
metoprolol ER pindolol propranolol sotalol timolol	KERLONE (betaxolol) LEVATOL (penbutolol) LOPRESSOR (metoprolol) nadolol propranolol ER** SECTRAL (acebutolol) TENORMIN (atenolol) TOPROL XL (metoprolol) ZEBETA (bisoprolol)	



EFFECTIVE 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	BETA BLOCKER/DIURETIC COMBINATION	DRUGS
atenolol/chlorthalidone bisoprolol/HCTZ metoprolol/HCTZ propranolol/HCTZ	CORZIDE (nadolol/bendroflumethiazide) DUTOPROL (metoprolol ER/HCTZ ER) LOPRESSOR HCT (metoprolol/HCTZ) metoprolol/HCTZ ER nadolol/bendroflumethiazide TENORETIC (atenolol/chlorthalidone) ZIAC (bisoprolol/HCTZ)	
	BETA- AND ALPHA-BLOCKERS	
carvedilol labetalol	COREG (carvedilol) COREG CR (carvedilol) TRANDATE (labetalol)	
<b>BLADDER RELAXANT PREPARAT</b>	IONSAP	
CLASS PA CRITERIA: Non-preferred agents re- exceptions on the PA form is present	quire thirty (30) day trials of each chemically distinct p	referred agent before they will be approved, unless one (1) of the
oxybutynin IR oxybutynin ER TOVIAZ (fesoterodine)	DETROL (tolterodine) DETROL LA (tolterodine) DITROPAN XL (oxybutynin) ENABLEX (darifenacin) flavoxate GELNIQUE (oxybutynin) MYRBETRIQ (mirabegron) OXYTROL (oxybutynin) SANCTURA (trospium) SANCTURA XR (trospium) tolterodine tolterodine ER trospium trospium ER VESICARE (solifenacin)	
BONE RESORPTION SUPPRESSION AND RELATED AGENTS		
CLASS PA CRITERIA: See below for class crite	ria. BISPHOSPHONATES	
alendronate tablets ibandronate	ACTONEL (risedronate) ACTONEL WITH CALCIUM (risedronate/ calcium) alendronate solution ATELVIA (risedronate)	Non-preferred agents require thirty (30) day trials of <b>each</b> preferred Bisphosphonate agent before they will be approved, unless one (1) of the exceptions on the PA form is present.



EFFECTIVE 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	BINOSTO (alendronate) BONIVA (ibandronate) DIDRONEL (etidronate) etidronate FOSAMAX TABLETS (alendronate) FOSAMAX PLUS D (alendronate/vitamin D) risedronate		
ОТ	HER BONE RESORPTION SUPPRESSION AND RI	ELATED AGENTS	
	calcitonin EVISTA (raloxifene)* FORTEO (teriparatide) FORTICAL (calcitonin) MIACALCIN (calcitonin) raloxifene* TYMLOS (abaloparatide)	Non-preferred agents require a thirty (30) day trial of a preferred Bisphosphonate agent before they will be approved, unless one (1) of the exceptions on the PA form is present.  *Raloxifene generic will be authorized for postmenopausal women with osteoporosis or at high risk for invasive breast cancer.	
BPH TREATMENTS	,		
	uire thirty (30) day trials of at least two (2) chemically be approved, unless one (1) of the exceptions on the	/ distinct preferred agents, including the generic formulation of e PA form is present.	
	5-ALPHA-REDUCTASE (5AR) INHIBITORS AND	PDE-5 AGENTS	
finasteride	AVODART (dutasteride) CIALIS 5 mg (tadalafil) dutasteride PROSCAR (finasteride)		
	ALPHA BLOCKERS		
alfuzosin doxazosin tamsulosin terazosin	CARDURA (doxazosin) CARDURA XL (doxazosin) FLOMAX (tamsulosin) HYTRIN (terazosin) RAPAFLO (silodosin) UROXATRAL (alfuzosin)		
5-ALI	PHA-REDUCTASE (5AR) INHIBITORS/ALPHA BLO		
	dutasteride/tamsulosin JALYN (dutasteride/tamsulosin)	<b>Substitute for Class Criteria</b> : Concurrent thirty (30) day trials of dutasteride and tamsulosin are required before the non-preferred agent will be authorized.	
<b>BRONCHODILATORS, BETA AGON</b>	BRONCHODILATORS, BETA AGONISTAP		
CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of each chemically distinct preferred agent in their corresponding sub-class unless one (1) of the exceptions on the PA form is present.			
INHALATION SOLUTION			
albuterol	BROVANA (arformoterol) levalbuterol	*Xopenex Inhalation Solution will be authorized for twelve (12) months for a diagnosis of asthma or COPD for patients on	



EFFECTIVE 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	metaproterenol PERFOROMIST (formoterol) XOPENEX (levalbuterol)*	concurrent asthma controller therapy (either oral or inhaled) with documentation of failure on a trial of albuterol or documented intolerance of albuterol, or for concurrent diagnosis of heart disease.
CEDEVENT (colmotoval)	INHALERS, LONG-ACTING	
SEREVENT (salmeterol)	ARCAPTA (indacaterol maleate) STRIVERDI RESPIMAT (olodaterol)	
DDCAID LIEA (-lleviterel)	INHALERS, SHORT-ACTING	
PROAIR HFA (albuterol) PROVENTIL HFA (albuterol)	MAXAIR (pirbuterol) PROAIR RESPICLICK (albuterol) VENTOLIN HFA (albuterol) XOPENEX HFA (levalbuterol)	
	ORAL	
albuterol ER albuterol IR terbutaline	metaproterenol VOSPIRE ER (albuterol)	
CALCIUM CHANNEL BLOCKERS	P	
CLASS PA CRITERIA: Non-preferred agents runless one (1) of the exceptions on the PA form		within the corresponding sub-class before they will be approved,
	LONG-ACTING	
amlodipine diltiazem ER felodipine ER nifedipine ER verapamil ER	ADALAT CC (nifedipine) CALAN SR (verapamil) CARDENE SR (nicardipine) CARDIZEM CD, LA (diltiazem) COVERA-HS (verapamil) diltiazem LA DYNACIRC CR (isradipine) ISOPTIN SR (verapamil) MATZIM LA (diltiazem) nisoldipine NORVASC (amlodipine) PLENDIL (felodipine) PROCARDIA XL (nifedipine) SULAR (nisoldipine) TIAZAC (diltiazem) verapamil ER PM VERELAN/VERELAN PM (verapamil) SHORT-ACTING	
diltiazem verapamil	CALAN (verapamil) CARDIZEM (diltiazem)	



EFFECTIVE 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	isradipine nicardipine nifedipine nimodipine NIMOTOP (nimodipine) NYMALIZE SOLUTION (nimodipine) PROCARDIA (nifedipine)	
CEPHALOSPORINS AND RELATED	ANTIBIOTICSAP	
CLASS PA CRITERIA: Non-preferred agents recone (1) of the exceptions on the PA form is preser		corresponding sub-class before they will be approved, unless
	AMS AND BETA LACTAM/BETA-LACTAMASE IN	HIBITOR COMBINATIONS
amoxicillin/clavulanate IR	amoxicillin/clavulanate ER AUGMENTIN (amoxicillin/clavulanate) AUGMENTIN XR (amoxicillin/clavulanate) MOXATAG (amoxicillin)	
	CEPHALOSPORINS	
cefactor capsule cefadroxil capsule, tablet cefdinir cefuroxime tablet cephalexin capsule, suspension	CEDAX (ceftibuten) cefaclor suspension cefaclor ER tablet cefadroxil suspension cefditoren cefpodoxime cefprozil ceftibuten capsule, suspension CEFTIN (cefuroxime) cefuroxime suspension cephalexin tablet DAXABIA (cephalexin) KEFLEX (cephalexin) OMNICEF (cefdinir) RANICLOR (cefaclor) SPECTRACEF (cefditoren) SUPRAX (cefixime)	



EFFECTIVE 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
COPD AGENTS		
CLASS PA CRITERIA: Non-preferred agents runless one (1) of the exceptions on the PA form is		from the corresponding sub-class before they will be approved,
	ANTICHOLINERGICAP	
Ipratropium nebulizer solution SPIRIVA (tiotropium)	ATROVENT HFA (ipratropium) INCRUSE ELLIPTA (umeclidinium) LONHALA MAGNAIR (glycopyrrolate) SEEBRI NEOHALER (glycopyrrolate) SPIRIVA RESPIMAT (tiotropium) TUDORZA (aclidinium)	
	ANTICHOLINERGIC-BETA AGONIST COMBIN	
albuterol/ipratropium nebulizer solution BEVESPI (glycopyrrolate/formoterol)	ANORO ELLIPTA (umeclidinium/vilanterol) COMBIVENT RESPIMAT (albuterol/ipratropium) DUONEB (albuterol/ipratropium) STIOLTO RESPIMAT (tiotropium/olodaterol)* UTIBRON (indacaterol/glycopyrrolate)	*In addition to the Class PA criteria, Stiolto Respimat requires a sixty (60) day trial of Anoro Ellipta.
ANTI	CHOLINERGIC-BETA AGONIST-GLUCOCORTICO	DID COMBINATIONS
	Trelegy Ellipta (fluticasone/umeclidinium/vilanterol)*	* Trelegy Ellipta may be prior authorized for patients currently established on the individual components for at least 30 days.
	PDE4 INHIBITOR	
	DALIRESP (roflumilast)*	*Daliresp will be authorized if the following criteria are met:  1. Patient is forty (40) years of age or older and  2. Diagnosis of severe chronic obstructive pulmonary disease (COPD) associated with chronic bronchitis and multiple exacerbations requiring systemic glucocorticoids in the preceding six (6) months and  3. Concurrent therapy with an inhaled corticosteroid and long-acting bronchodilator and evidence of compliance and  4. No evidence of moderate to severe liver impairment (Child-Pugh Class B or C) and  5. No concurrent use with strong cytochrome P450 inducers (rifampicin, phenobarbital, carbamazepine or phenytoin)



### **BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID**

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

**EFFECTIVE** 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>CYTOKINE &amp; CAM ANTAGONISTS</b>	CL	
<b>CLASS PA CRITERIA:</b> Non-preferred agents re FDA-approved indications, an additional ninety (9		el unless one (1) of the exceptions on the PA form is present. For
	ANTI-TNFs	
ENBREL (etanercept)* HUMIRA (adalimumab)*	CIMZIA (certolizumab pegol) REMICADE (infliximab) RENFLEXIS (infliximab) SIMPONI subcutaneous (golimumab)	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
	OTHERS	
COSENTYX (secukinumab)	ACTEMRA subcutaneous (tocilizumab) ENTYVIO (vedolizumab) ILARIS (canakinumab) KEVZARA (sarilumab) KINERET (anakinra) ORENCIA subcutaneous (abatacept) OTEZLA (apremilast) SILIQ (brodalumab) STELARA subcutaneous (ustekinumab) TALTZ (ixekizumab) TREMFYA (guselkumab) XELJANZ (tofacitinib) XELJANZ XR (tofacitinib)	*Cosentyx will be authorized for treatment of plaque psoriasis, psoriatic arthritis and ankylosing spondylitis only after inadequate response to a ninety (90) day trial of Humira.
EPINEPHRINE, SELF-INJECTED		
<b>CLASS PA CRITERIA:</b> A non-preferred agent m understand the training for the preferred agent(s).		tient's inability to follow the instructions, or the patient's failure to
epinephrine (labeler 49502 only)	ADRENACLICK (epinephrine) epinephrine (labeler 54505 and 00115) EPIPEN (epinephrine) EPIPEN JR (epinephrine)	
ERYTHROPOIESIS STIMULATING PROTEINSCL		
CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.		
EPOGEN (rHuEPO) PROCRIT (rHuEPO)	ARANESP (darbepoetin)	Erythropoiesis agents will be authorized if the following criteria are met:  1. Hemoglobin or Hematocrit less than 10/30 respectively. For renewal, hemoglobin or hematocrit levels greater than 12/36 will require dosage reduction



EFFECTIVE 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		or discontinuation. Exceptions will be considered on an individual basis after medical documentation is reviewed. (Lab oratory values must be dated within six (6) weeks of request.) and  2. Transferrin saturation ≥ 20%, ferritin levels ≥100 mg/ml, or on concurrent therapeutic iron therapy. (Laboratory values must be dated within three (3) weeks of request. For re-authorization, transferrin saturation or ferritin levels are not required if the patient has been responsive to the erythropoietin agent and  3. For HIV-infected patients, endogenous serum erythropoietin level must be ≤ 500mU/ml to initiate therapy and  4. No evidence of untreated GI bleeding, hemolysis, or Vitamin B-12, iron or folate deficiency.
FLUOROQUINOLONES (Oral)AP		
<b>CLASS PA CRITERIA:</b> Non-preferred agents reform is present.	quire a five (5) day trial of a preferred agent before t	hey will be approved, unless one (1) of the exceptions on the PA
CIPRO SUSPENSION (ciprofloxacin) ciprofloxacin levofloxacin tablet	AVELOX (moxifloxacin) BAXDELA (delafloxacin) CIPRO TABLETS (ciprofloxacin) CIPRO XR (ciprofloxacin) ciprofloxacin ER ciprofloxacin suspension FACTIVE (gemifloxacin) LEVAQUIN (levofloxacin) levofloxacin solution moxifloxacin NOROXIN (norfloxacin) ofloxacin	
GLUCOCORTICOIDS, INHALEDAP		
CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of each chemically unique preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.		
	GLUCOCORTICOIDS	
FLOVENT DISKUS (fluticasone) FLOVENT HFA (fluticasone) PULMICORT FLEXHALER (budesonide) PULMICORT RESPULES (budesonide)* QVAR REDIHALER (beclomethasone)	AEROSPAN (flunisolide)** ALVESCO (ciclesonide) ARMONAIR RESPICLICK (fluticasone) ARNUITY ELLIPTA (fluticasone) ASMANEX HFA (mometasone)	*Pulmicort Respules are only preferred for children up to nine (9) years of age. For patients nine (9) and older, prior authorization is required and will be approved only for a diagnosis of severe nasal polyps.



EFFECTIVE 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ASMANEX TWISTHALER (mometasone) budesonide	**Aerospan will be authorized for children ages 6 through 11 years old without a trial of a preferred agent.
	GLUCOCORTICOID/BRONCHODILATOR COM	
ADVAIR DISKUS (fluticasone/salmeterol) ADVAIR HFA (fluticasone/salmeterol) DULERA (mometasone/formoterol) SYMBICORT(budesonide/formoterol)	AIRDUO RESPICLICK (fluticasone/salmeterol) BREO ELLIPTA (fluticasone/vilanterol) fluticasone/salmeterol	Substitute for Class Criteria: For a diagnosis of COPD only non-preferred agents require sixty (60) day trials of each chemically unique preferred agent in this sub-class before they will be authorized, unless one (1) of the exceptions on the PA form is present. NOTE: Agents without an FDA-approved indication for COPD do not need to be trialed.
GROWTH HORMONECL		
the PA form is present.		before they will be approved, unless one (1) of the exceptions on
GENOTROPIN (somatropin) NORDITROPIN (somatropin)	HUMATROPE (somatropin) INCRELEX (mecasermin) NUTROPIN AQ (somatropin) OMNITROPE (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin) ZOMACTON (somatropin) ZORBTIVE (somatropin)	Patients already on a non-preferred agent will receive authorization to continue therapy on that agent for the duration of the existing PA.
H. PYLORI TREATMENT		
		components of the requested non-preferred agent and must be vill be approved, unless one (1) of the exceptions on the PA form
Please use individual components:     preferred PPI (omeprazole or pantoprazole)     amoxicillin     tetracycline     metronidazole     clarithromycin     bismuth	HELIDAC (bismuth/metronidazole/tetracycline) lansoprazole/amoxicillin/clarithromycin OMECLAMOX-PAK (omeprazole/amoxicillin/clarithromycin) PREVPAC (lansoprazole/amoxicillin/clarithromycin) PYLERA (bismuth/metronidazole/tetracycline)	
HEPATITIS B TREATMENTS		
CLASS PA CRITERIA: Non-preferred agents require ninety (90) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.		
BARACLUDE (entecavir) Iamivudine HBV	adefovir entecavir EPIVIR HBV (lamivudine) HEPSERA (adefovir) VEMLIDY (tenofovir alafenamide fumarate)	



EFFECTIVE 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
HEPATITIS C TREATMENTSCL	HEPATITIS C TREATMENTS <sup>CL</sup>		
CLASS PA CRITERIA: For patients starting the require medical reasoning why a preferred regime		I on the PA Criteria page. Requests for non-preferred regimens	
EPCLUSA (sofosbuvir/velpatasvir)* HARVONI (ledipasvir/sofosbuvir)* MAVYRET (pibrentasvir/glecaprevir)* ribavirin ZEPATIER (elbasvir/grazoprevir)*	COPEGUS (ribavirin) DAKLINZA (daclatasvir)* MODERIBA 400 mg, 600 mg MODERIBA DOSE PACK PEGASYS (pegylated interferon) PEG-INTRON (pegylated interferon) OLYSIO (simeprevir)* REBETOL (ribavirin) RIBASPHERE RIBAPAK (ribavirin) RIBASPHERE 400 mg, 600 mg (ribavirin) SOVALDI (sofosbuvir)* TECHNIVIE (ombitasvir/paritaprevir/ritonavir)* VIEKIRA PAK (dasabuvir/ombitasvir/ paritaprevir/ritonavir)* VIEKIRA XR (dasabuvir/ombitasvir/ paritaprevir/ritonavir)* VOSEVI (sofosbuvir/velpatasvir/voxilaprevir)	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.	
HYPERPARATHYROID AGENTS <sup>AP</sup>			
PA form is present.	quire thirty (30) day trials of each preferred agent before	ore they will be approved, unless one (1) of the exceptions on the	
doxercalciferol paricalcitol capsule	HECTOROL (doxercalciferol) paricalcitol injection RAYALDEE (calcifediol) SENSIPAR (cinacalcet) ZEMPLAR (paricalcitol)		
HYPOGLYCEMICS, BIGUANIDES	HYPOGLYCEMICS, BIGUANIDES		
CLASS PA CRITERIA: Non-preferred agents require a ninety (90) day trial of a preferred agent of similar duration before they will be approved, unless one (1) of the exceptions on the PA form is present.			
metformin metformin ER (generic Glucophage XR)	FORTAMET (metformin ER) GLUCOPHAGE (metformin) GLUCOPHAGE XR (metformin ER) GLUMETZA (metformin ER)* metformin ER (generic Glumetza & Fortamet) RIOMET (metformin)	*Glumetza will be approved only after a 30-day trial of Fortamet.	



managed categories. Refer to cover page for complete list of rules governing this PDL.

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
HYPOGLYCEMICS, DPP-4 INHIBITO	DRS	
CLASS PA CRITERIA: Non-preferred agents a	re available only on appeal.	
NOTE: DPP-4 inhibitors will NOT be approved	in combination with a GLP-1 agonist.	
JANUMET (sitagliptin/metformin) JANUVIA (sitagliptin) JENTADUETO (linagliptin/metformin) TRADJENTA (linagliptin)	alogliptin alogliptin/metformin alogliptin/pioglitazone JANUMET XR (sitagliptin/metformin) JENTADUETO XR (linagliptin/metformin) KAZANO (alogliptin/metformin) KOMBIGLYZE XR (saxagliptin/metformin) NESINA (alogliptin) ONGLYZA (saxagliptin) OSENI (alogliptin/pioglitazone)	

#### HYPOGLYCEMICS, GLP-1 AGONISTSCL

CLASS PA CRITERIA: Agents in this class will not be approved for patients with a starting A1C < 7%. Non-preferred agents are available only on appeal. Preferred agents in this class shall be approved in six (6) month intervals if the following criteria are met:

- Initial starts require a diagnosis of Type 2 Diabetes and an A1C taken within the last 30 days reflecting the patient's current and stabilized regimen.
- No agent in this class shall be approved except as add on therapy to a regimen consisting of at least one (1) other agent prescribed at the maximum tolerable dose for at least 90 days.
- Re-authorizations require continued maintenance on a regimen consisting of at least one (1) other agent at the maximum tolerable dose AND an A1C of ≤8%.

NOTE: GLP-1 agents will NOT be approved in combination with a DPP-4 inhibitor.

BYDUREON (exenatide)

BYETTA (exenatide)

VICTOZA (liraglutide)

ADLYXIN (lixisenatide)

BYDUREON BCISE (exenatide)

OZEMPIC (semaglutide)

TANZEUM (albiglutide)

TRULICITY (dulaglutide)

#### HYPOGLYCEMICS, INSULIN AND RELATED AGENTS

**CLASS PA CRITERIA:** Non-preferred agents require a ninety (90) day trial of a pharmacokinetically similar agent before they will be approved, unless one (1) of the exceptions on the PA form is present.

Humulin pens and Humalog Mix pens will be authorized only for patients who cannot utilize vials due to impaired vision or dexterity.

HUMALOG (insulin lispro)

HUMALOG MIX VIALS (insulin lispro/lispro

Potamine)

ADMELOG (insulin lispro)

AFREZZA (insulin)<sup>CL</sup>

AFREZZA (insulin)<sup>CL</sup>

APIDRA (insulin glulisine)<sup>AP\*</sup>

HUMULIN VIALS (insulin)

\*Apidra will be authorized if the following criteria are met:

1. Patient is four (4) years of age or older; and

Patient is currently on a regimen including a longer acting or basal insulin, and



EFFECTIVE 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
LANTUS (insulin glargine) LEVEMIR (insulin detemir) NOVOLOG (insulin aspart) NOVOLOG MIX (insulin aspart/aspart protamine)	FIASP (insulin aspart) HUMALOG JR KWIKPEN (insulin lispro) HUMALOG PEN/KWIKPEN (insulin lispro) HUMALOG MIX PENS (insulin lispro/lispro protamine) HUMULIN PENS (insulin) NOVOLIN (insulin) SOLIQUA (insulin glargine/lixisenatide)*** TOUJEO SOLOSTAR (insulin glargine)** TRESIBA (insulin degludec)** XULTOPHY (insulin degludec/liraglutide)***	3. Patient has had a trial of a similar preferred agent, Novolog or Humalog, with documentation that the desired results were not achieved.  **Tresiba U-100 will be authorized only for patients who have demonstrated at least a 6-month history of compliance on preferred long-acting insulin and who continue to have regular incidents of hypoglycemia.  Tresiba U-200, Toujeo Solostar and Toujeo Max Solostar will only be approved for patients who require once-daily doses of at least 60 units of long-acting insulin and have demonstrated at least a 6-month history of compliance on preferred long-acting insulin and who continue to have regular incidents of hypoglycemia.  ***Non-preferred insulin combination products require that the patient must already be established on the individual agents at doses not exceeding the maximum dose achievable with the combination product, and require medical reasoning beyond convenience or enhanced compliance as to why the clinical need cannot be met with a combination of preferred single-ingredient agents.
HYPOGLYCEMICS, MEGLITINIDES		
CLASS PA CRITERIA: Non-preferred agents are available only on appeal.  MEGLITINIDES		
nateglinide repaglinide	PRANDIN (repaglinide) STARLIX (nateglinide)	
	MEGLITINIDE COMBINATIONS PRANDIMET (repaglinide/metformin) repaglinide/metformin	
HYPOGLYCEMICS, MISCELLANEO	US AGENTS	
CLASS PA CRITERIA: Welchol will be authorized for add-on therapy for type 2 diabetes when there is a previous history of a thirty (30) day trial of an oral diabetic agent.		
WELCHOL (colesevelam) <sup>AP</sup>	SYMLIN (pramlintide)*	*Symlin will be authorized with a history of bolus insulin utilization in the past ninety (90) days with no gaps in insulin therapy greater than thirty (30) days.



### **BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID**

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

**EFFECTIVE** 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
HYPOGLYCEMICS, SGLT2 INHIBIT	ORS <sup>CL</sup>		
CLASS PA CRITERIA: Agents in this class w	CLASS PA CRITERIA: Agents in this class will not be approved for patients with a starting A1C < 7%. Non-preferred agents are available only on appeal. Preferred agents in this class shall be approved in six (6) month intervals if the following criteria are met.		
<ul> <li>Initial starts require a diagnosis of Type 2 Diabetes and an A1C taken within the last 30 days reflecting the patient's current and stabilized regimen.</li> <li>No agent in this class shall be approved except as add on therapy to a regimen consisting of at least one (1) other agent prescribed at the maximum tolerable dose for at least 90 days.</li> <li>Re-authorizations require continued maintenance on a regimen consisting of at least one (1) other agent at the maximum tolerable dose AND an A1C of ≤8%.</li> </ul>			
	SGLT2 INHIBITORS		
FARXIGA (dapagliflozin) JARDIANCE (empagliflozin)	INVOKANA (canagliflozin)  STEGLATRO (ertugliflozin)		
	SGLT2 COMBINATIONS		
SYNJARDY (empagliflozin/metformin) SYNJARDY XR (empagliflozin/metformin)	GLYXAMBI (empagliflozin/linagliptin) INVOKAMET (canagliflozin/metformin) INVOKAMET XR (canagliflozin/metformin) SEGLUROMET (ertugliflozin/metformin STEGLUJAN (ertugliflozin/sitagliptin) QTERN (dapagliflozin/saxagliptin) XIGDUO XR (dapagliflozin/metformin)		
HYPOGLYCEMICS, TZD			
CLASS PA CRITERIA: Non-preferred agents are available only on appeal.			
THIAZOLIDINEDIONES			
pioglitazone	ACTOS (pioglitazone) AVANDIA (rosiglitazone)		
	TZD COMBINATIONS		
	ACTOPLUS MET (pioglitazone/ metformin) ACTOPLUS MET XR (pioglitazone/ metformin) AVANDAMET (rosiglitazone/metformin) AVANDARYL (rosiglitazone/glimepiride) DUETACT (pioglitazone/glimepiride) pioglitazone/glimepiride pioglitazone/ metformin	Patients are required to use the components of Actoplus Met and Duetact separately. Exceptions will be handled on a case-by-case basis.	



EFFECTIVE 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS				
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA		
· ·	IMMUNOMODULATORS, ATOPIC DERMATITIS			
(1) of the exceptions on the PA form is present. I folds.	Requirement for topical corticosteroids may be exclu-	Il corticosteroid <b>AND all</b> preferred agents in this class unless one ded with involvement of sensitive areas such as the face and skin		
ELIDEL (pimecrolimus) EUCRISA (crisaborole) <sup>AP*</sup>	DUPIXENT (dupilumab)** PROTOPIC (tacrolimus)*** tacrolimus ointment	*Eucrisa requires a 30-day trial of Elidel <b>OR</b> a medium to high potency corticosteroid unless contraindicated.		
		**Full PA criteria for Dupixent may be found on the <u>PA Criteria</u> page by clicking the hyperlink		
MALINIAL ATORS OF MEAN		***Protopic brand is preferred over its generic equiviliant.		
·	WARTS & ACTINIC KERATOSIS AGE			
PA form is present.		ore they will be approved, unless one (1) of the exceptions on the		
CONDYLOX GEL (podofilox) EFUDEX (fluorouracil) imiquimod	ALDARA (imiquimod) CARAC (fluorouracil) diclofenac 3% gel fluorouracil 0.5% cream fluorouracil 5% cream podofilox SOLARAZE (diclofenac) TOLAK (fluorouracil 4% cream) VEREGEN (sinecatechins) ZYCLARA (imiquimod)*	*Zyclara will be authorized for a diagnosis of actinic keratosis.		
IMMUNOSUPPRESSIVES, ORAL	,			
<b>CLASS PA CRITERIA:</b> Non-preferred agents req PA form is present.	uire a fourteen (14) day trial of a preferred agent bef	ore they will be approved, unless one (1) of the exceptions on the		
azathioprine cyclosporine cyclosporine, modified mycophenolate mofetil sirolimus tacrolimus capsule	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) CELLCEPT (mycophenolate mofetil) ENVARSUS XR (tacrolimus) IMURAN (azathioprine) mycophenolic acid mycophenolic mofetil suspension MYFORTIC (mycophenolic acid) NEORAL (cyclosporine, modified) PROGRAF (tacrolimus) RAPAMUNE (sirolimus) SANDIMMUNE (cyclosporine) ZORTRESS (everolimus)			



EFFECTIVE 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
INTRANASAL RHINITIS AGENTS	SAP SAP	
CLASS PA CRITERIA: See below for individ	ual sub-class criteria.	
	ANTICHOLINERGICS	
ipratropium	ATROVENT(ipratropium)	Non-preferred agents require thirty (30) day trials of one (1) preferred nasal anti-cholinergic agent, <b>AND</b> one (1) preferred antihistamine <b>AND</b> one (1) preferred intranasal corticosteroid agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
	ANTIHISTAMINES	
azelastine	ASTEPRO (azelastine) olopatadine PATANASE (olopatadine)	Non-preferred agents require thirty (30) day trials of one (1) preferred antihistamine <b>AND</b> one (1) preferred intranasal corticosteroid before they will be approved, unless one (1) of the exceptions on the PA form is present.
	COMBINATIONS	
	DYMISTA (azelastine / fluticasone)	Dymista requires a concurrent thirty (30) day trial of each preferred component before it will be approved, unless one (1) of the exceptions on the PA form is present.
	CORTICOSTEROIDS	
fluticasone propionate	BECONASE AQ (beclomethasone) budesonide FLONASE (fluticasone propionate) flunisolide mometasone NASACORT AQ (triamcinolone) NASONEX (mometasone) OMNARIS (ciclesonide) QNASL HFA (beclomethasone) RHINOCORT AQUA (budesonide) triamcinolone VERAMYST (fluticasone furoate) ZETONNA (ciclesonide)	Non-preferred agents require thirty (30) day trials of the preferred agent in this sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present
IRRITABLE BOWEL SYNDROME	E/SHORT BOWEL SYNDROME/SELECT	ED GI AGENTS CL
CLASS PA CRITERIA: All agents are approv	able only for patients age eighteen (18) and older. See	below for additional sub-class criteria.
	CONSTIPATION	
AMITIZA (lubiprostone)* MOVANTIK (naloxegol)**	LINZESS (linaclotide)*** RELISTOR INJECTION (methylnaltrexone)**** RELISTOR TABLET (methylnaltrexone)**** SYMPROIC (naldemedine) TRULANCE (plecanatide)*****	All agents require documentation of the current diagnosis and evidence that the patient has failed to find relief with dietary modification and a fourteen (14) day trial of an osmotic laxative.  In addition:



EFFECTIVE 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		<ul> <li>* Amitiza is indicated for CIC, IBS-C (females only) and OIC. Approval for the diagnosis of OIC requires a concurrent and continuous 90-day history of opioid claims on record.</li> <li>** Movantik will be approved per the FDA-approved label for OIC with a concurrent and continuous 90-day history of opioid claims on record.</li> <li>*** Linzess is indicated for CIC and IBS-C and requires a thirty (30) day trial of Amitiza For the indication of IBS-C in males, a trial of Amitiza is not required.</li> <li>**** Relistor is indicated for OIC and requires thirty (30) day trials of both Movantik and Amitiza.</li> <li>***** Trulance is indicated for CIC and requires a thirty (30) day trial of Amitiza. For the indication of IBS-C in males, a trial of Amitiza is not required.</li> </ul>
	DIARRHEA	•
	alosetron* MYTESI (crofelemer)* LOTRONEX (alosetron)* VIBERZI (eluxadoline)*	* Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
LAXATIVES AND CATHARTICS		
CLASS PA CRITERIA: Non-preferred agents rec PA form is present	uire thirty (30) day trials of each preferred agent before	ore they will be approved, unless one (1) of the exceptions on the
COLYTE GOLYTELY NULYTELY peg 3350	HALFLYTELY-BISACODYL KIT MOVIPREP OSMOPREP PREPOPIK SUPREP	
LEUKOTRIENE MODIFIERS		
<b>CLASS PA CRITERIA:</b> Non-preferred agents rec PA form is present.	uire thirty (30) day trials of each preferred agent before	ore they will be approved, unless one (1) of the exceptions on the
montelukast zafirlukast	ACCOLATE (zafirlukast) SINGULAIR (montelukast) zileuton ZYFLO (zileuton)	



EFFECTIVE 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
LIPOTROPICS, OTHER (Non-statin	s)		
CLASS PA CRITERIA: Non-preferred agents red PA form is present.	quire a twelve (12) week trial of a preferred agent bef	fore they will be approved, unless one (1) of the exceptions on the	
	BILE ACID SEQUESTRANTSAP		
cholestyramine colestipol tablets	COLESTID (colestipol) colestipol granules KYNAMRO (mipomersen)* QUESTRAN (cholestyramine) WELCHOL (colesevelam)**	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.  **Welchol will be authorized for add-on therapy for type 2 diabetes when there is a previous history of a thirty (30) day trial of an oral agent (metformin, sulfonylurea or thiazolidinedione (TZD)). See HYPOGLYCEMICS, MISCELLANEOUS.	
	CHOLESTEROL ABSORPTION INHIBIT		
ZETIA (ezetimibe) AP	ezetimibe	Zetia will be authorized with prior use of a HMG-CoA reductase inhibitor within the previous six (6) months.	
	FATTY ACIDSAP	The second of th	
	LOVAZA (omega-3-acid ethyl esters) omega-3 acid ethyl esters VASCEPA (icosapent ethyl)	These agents shall only be authorized when the patient has an initial triglyceride level ≥ 500 mg/dL and has had inadequate response or intolerance to trials of BOTH a nicotinic acid and a fibrate, unless otherwise contraindicated.	
	FIBRIC ACID DERIVATIVES <sup>AP</sup>		
fenofibrate 40 mg fenofibrate 54, 150 and 160 mg fenofibrate micronized 67mg, 134mg & 200mg fenofibrate nanocrystallized 48 mg, 145 mg gemfibrozil	ANTARA (fenofibrate) FENOGLIDE (fenofibrate) FIBRICOR (fenofibric acid) fenofibrate 43, 50, 120 and 130 mg fenofibric acid LIPOFEN (fenofibrate) LOFIBRA (fenofibrate) LOPID (gemfibrozil) TRICOR (fenofibrate nanocrystallized) TRIGLIDE (fenofibrate) TRILIPIX (fenofibric acid)  MTP INHIBITORS		
	JUXTAPID (lomitapide)*	*Full PA criteria may be found on the PA Criteria page by	
	ooxiii ib (ioiiiiapide)	clicking the hyperlink.	
NIACIN			
niacin NIACOR (niacin) NIASPAN (niacin)	niacin ER		



EFFECTIVE 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	PCSK-9 INHIBITORS	
	PRALUENT (alirocumab)* REPATHA (evolocumab)*	*Full PA criteria may be found on the <u>PA Criteria</u> page by clicking the hyperlink.
LIPOTROPICS, STATINS <sup>AP</sup>		
CLASS PA CRITERIA: See below for individual s	sub-class criteria.	
	STATINS	
atorvastatin lovastatin pravastatin rosuvastatin simvastatin*	ALTOPREV (lovastatin) CRESTOR (rosuvastatin) fluvastatin fluvastatin ER LESCOL (fluvastatin) LESCOL XL (fluvastatin) LIPITOR (atorvastatin) LIVALO (pitavastatin) MEVACOR (lovastatin) PRAVACHOL (pravastatin) ZOCOR (simvastatin)*	Non-preferred agents require twelve (12) week trials of two (2) preferred agents, including the generic formulation of the requested non-preferred agent, before they will be approved, unless one (1) of the exceptions on the PA form is present.  *Zocor/simvastatin 80mg tablets will require a clinical PA.
	STATIN COMBINATIONS	
	ADVICOR (lovastatin/niacin) amlodipine/atorvastatin CADUET (atorvastatin/amlodipine) ezetimibe/simvastatin LIPTRUZET (atorvastatin/ezetimibe) SIMCOR (simvastatin/niacin ER) VYTORIN (simvastatin/ezetimibe)*	Non-preferred agents require thirty (30) day concurrent trials of the corresponding preferred single agents before they will be approved, unless one (1) of the exceptions on the PA form is present.  *Vytorin will be authorized only after an insufficient response to a twelve (12) week trial of the maximum tolerable dose of atorvastatin or rosuvastatin, unless one (1) of the exceptions on the PA form is present.  Vytorin 80/10mg tablets will require a clinical PA.
MACROLIDES		
<b>CLASS PA CRITERIA:</b> Non-preferred agents re- PA form is present.	quire a five (5) day trial of each preferred agent before	ore they will be approved, unless one (1) of the exceptions on the
	MACROLIDES	
azithromycin clarithromycin suspension erythromycin base	BIAXIN (clarithromycin) clarithromycin tablets clarithromycin ER E.E.S. (erythromycin ethylsuccinate) E-MYCIN (erythromycin) ERYC (erythromycin)	



EFFECTIVE 10/01/2018 Version 2018.4d

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ERYPED (erythromycin ethylsuccinate) ERY-TAB (erythromycin) ERYTHROCIN (erythromycin stearate) erythromycin estolate PCE (erythromycin) ZITHROMAX (azithromycin) ZMAX (azithromycin)	
MULTIPLE SCLEROSIS AGENTSCI	-	
	quire a diagnosis of multiple sclerosis and thirty (30) one (1) of the exceptions on the PA form is present.	day trials of each chemically unique preferred agent in the same
	INTERFERONS <sup>AP</sup>	
AVONEX (interferon beta-1a) AVONEX PEN (interferon beta-1a) BETASERON (interferon beta-1b)	EXTAVIA KIT (interferon beta-1b) EXTAVIA VIAL (interferon beta-1b) PLEGRIDY (peginterferon beta-1a) REBIF (interferon beta-1a) REBIF REBIDOSE (interferon beta-1a)	
CODA VONE 20 mars (relative mass)	NON-INTERFERONS	In addition to class PA criteria, the following conditions
COPAXONE 20 mg (glatiramer) GILENYA (fingolimod)*	AMPYRA (dalfampridine)** AUBAGIO (teriflunomide)*** COPAXONE 40 mg (glatiramer)****  glatiramer GLATOPA (glatiramer) TECFIDERA (dimethyl fumarate)**** ZINBRYTA (daclizumab)	**Ampyra will be approved after a thirty (30) day trial of a preferred injectable agent.  **Ampyra will be authorized if the following criteria are met:  1. Diagnosis of multiple sclerosis and  2. No history of seizures and  3. No evidence of moderate or severe renal impairment and  4. Initial prescription will be authorized for thirty (30) days only.  ***Aubagio will be authorized if the following criteria are met:  1. Diagnosis of relapsing multiple sclerosis and  2. Measurement of transaminase and bilirubin levels within the (6) months before initiation of therapy and ALT levels at least monthly for six (6) months after initiation of therapy and  3. Complete blood cell count (CBC) within six (6) months before initiation of therapy and  4. Female patients must have a negative pregnancy test



EFFECTIVE 10/01/2018 Version 2018.4d

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		before initiation of therapy and be established on a reliable method of contraception if appropriate <b>and</b> 5. Patient is from eighteen (18) up to sixty-five (65) years of age <b>and</b> 6. Negative tuberculin skin test before initiation of therapy  ****Copaxone 40mg will only be authorized for documented
		injection site issues.
		*****Tecfidera will be authorized if the following criteria are met:  1. Diagnosis of relapsing multiple sclerosis <b>and</b> 2. Complete blood count (CBC) within six (6) months of initiation of therapy and six (6) months after initiation <b>and</b> 3. Complete blood count (CBC) annually during therapy.
NEUROPATHIC PAIN		
CLASS PA CRITERIA: Non-preferred agents reapproved, unless one (1) of the exceptions on the	quire a thirty (30) day trial of a preferred agent in th PA form is present.	e corresponding dosage form (oral or topical) before they will be
capsaicin OTC duloxetine gabapentin lidocaine patch	CYMBALTA (duloxetine) GRALISE (gabapentin)* HORIZANT (gabapentin) IRENKA (duloxetine) LIDODERM (lidocaine) LYRICA CAPSULE (pregabalin) <sup>AP**</sup> LYRICA CR (pregabalin) <sup>AP**</sup> LYRICA SOLUTION (pregabalin) <sup>AP**</sup> NEURONTIN (gabapentin) <sup>AP</sup> QUTENZA (capsaicin) SAVELLA (milnacipran)*** ZOSTRIX OTC (capsaicin)	*Gralise will be authorized only if the following criteria are met:  1. Diagnosis of post herpetic neuralgia and  2. Trial of a tricyclic antidepressant for a least thirty (30) days and  3. 90-day trial of gabapentin immediate release formulation (positive response without adequate duration) and  4. Request is for once daily dosing with 1800 mg maximum daily dosage.  **Lyrica will be authorized only if the following criteria are met:  1. Diagnosis of seizure disorders or neuropathic pain associated with a spinal cord injury or  2. Diagnosis of fibromyalgia, postherpetic neuralgia, or diabetic neuropathy AND a history of a 90-day trial of duloxetine at the generally accepted maximum therapeutic dose of 60 mg/day AND a 90-day trial of
		gabapentin at a therapeutic dose range between 900 mg and 2,400 mg per day for ninety (90) days within the previous twenty-four (24) month period or an intolerance due to a potential adverse drug-drug interaction, drug-disease interaction, or intolerable



EFFECTIVE 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		side effect (In cases of renal impairment, doses may be adjusted based on the degree of impairment.)
		***Savella will be authorized for a diagnosis of fibromyalgia only after a 90-day trial of one preferred agent
NSAIDSAP		
CLASS PA CRITERIA: See below for sub-class F	PA criteria.	
	NON-SELECTIVE	
diclofenac (IR, SR) flurbiprofen ibuprofen (Rx and OTC) INDOCIN SUSPENSION (indomethacin) indomethacin ketoprofen ketorolac meloxicam tablet nabumetone naproxen (Rx and OTC) piroxicam sulindac	ANAPROX (naproxen) ANSAID (flurbiprofen) CATAFLAM (diclofenac) CLINORIL (sulindac) DAYPRO (oxaprozin) diflunisal DUEXIS (famotidine/ibuprofen) etodolac IR etodolac SR FELDENE (piroxicam) fenoprofen INDOCIN SUPPOSITORIES (indomethacin) indomethacin ER ketoprofen ER LODINE (etodolac) meclofenamate mefenamic acid meloxicam suspension MOBIC TABLET (meloxicam) MOTRIN (ibuprofen) NALFON (fenoprofen) NAPRELAN (naproxen) NAPROSYN (naproxen) naproxen CR oxaprozin PONSTEL (meclofenamate) SPRIX (ketorolac) TIVORBEX (indomethacin) tolmetin VIVLODEX (meloxicam) VOLTAREN (diclofenac) ZIPSOR (diclofenac potassium) ZORVOLEX (diclofenac)	Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.



EFFECTIVE 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
NSAID/GI PROTECTANT COMBINATIONS		
	ARTHROTEC (diclofenac/misoprostol) diclofenac/misoprostol VIMOVO (naproxen/esomeprazole)	Non-preferred agents are only available on appeal and require medical reasoning beyond convenience as to why the need cannot be met with the combination of preferred single agents.
	COX-II SELECTIVE	
	CELEBREX (celecoxib) celecoxib	COX-II Selective agents require thirty (30) day trials of each preferred Non-Selective Oral NSAID, <b>UNLESS</b> the following criteria are met:  Patient has a history or risk of a serious GI complication; <b>OR</b> Agent is requested for treatment of a chronic condition <b>and</b> 1. Patient is seventy (70) years of age or older, <b>or</b> 2. Patient is currently on anticoagulation therapy.
	TOPICAL	
VOLTAREN GEL (diclofenac)*	diclofenac gel diclofenac solution FLECTOR PATCH (diclofenac)** PENNSAID (diclofenac)	*Voltaren Gel will be limited to 100 grams per month.  Non-preferred agents require a thirty (30) day trial of the preferred Topical agent and thirty (30) day trials of each preferred oral NSAID before they will be approved, unless one (1) of the exceptions on the PA form is present.  **Flector patches will only be authorized for a diagnosis of acute strain, sprain or injury after a five (5) day trial of one (1) of the preferred oral NSAIDs and for a maximum duration of fourteen (14) days unless one (1) of the exceptions on the PA form is present.
OPHTHALMIC ANTIBIOTICS <sup>AP</sup>		
<b>CLASS PA CRITERIA:</b> Non-preferred agents PA form is present.	require three (3) day trials of each preferred agent be	efore they will be approved, unless one (1) of the exceptions on the
bacitracin/polymyxin ointment ciprofloxacin* erythromycin gentamicin levofloxacin* neomycin/bacitracin/polymyxin ofloxacin* polymyxin/trimethoprim sulfacetamide drops	AZASITE (azithromycin) bacitracin BLEPH-10 (sulfacetamide) BESIVANCE (besifloxacin)* CILOXAN (ciprofloxacin) GARAMYCIN (gentamicin) gatifloxacin ILOTYCIN (erythromycin) MOXEZA (moxifloxacin)**	*Prior authorization of any fluoroquinolone agent requires three (3) day trials of all other preferred agents unless definitive laboratory cultures exist indicating the need to use a fluoroquinolone.  **Brand Vigamox will be preferred over Brand Moxeza, and both brands are preferred over their generic equivalent.



EFFECTIVE 10/01/2018 Version 2018.4d

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
tobramycin TOBREX OINT (tobramycin)	moxifloxacin** NATACYN (natamycin) neomycin/polymyxin/gramicidin NEOSPORIN (neomycin/polymyxin/gramicidin) OCUFLOX (ofloxacin) POLYTRIM (polymyxin/trimethoprim) sulfacetamide ointment TOBREX (tobramycin) VIGAMOX (moxifloxacin)** ZYMAR (gatifloxacin) ZYMAXID (gatifloxacin)	
OPHTHALMIC ANTIBIOTIC/STER	ROID COMBINATIONSAP	
<b>CLASS PA CRITERIA:</b> Non-preferred agents PA form is present.	require three (3) day trials of each preferred agent before	ore they will be approved, unless one (1) of the exceptions on the
BLEPHAMIDE (prednisolone/sulfacetamide) neomycin/polymyxin/dexamethasone sulfacetamide/prednisolone TOBRADEX OINTMENT (tobramycin/ dexamethasone) TOBRADEX SUSPENSION (tobramycin/ dexamethasone)	BLEPHAMIDE S.O.P. (prednisolone/ sulfacetamide)  MAXITROL ointment (neomycin/polymyxin/ dexamethasone)  MAXITROL suspension (neomycin/polymyxin/ dexamethasone) neomycin/bacitracin/polymyxin/ hydrocortisone neomycin/polymyxin/hydrocortisone PRED-G (prednisolone/gentamicin) TOBRADEX ST (tobramycin/ dexamethasone) tobramycin/dexamethasone suspension ZYLET (loteprednol/tobramycin)	
<b>OPHTHALMICS FOR ALLERGIC</b>	CONJUNCTIVITISAP	
CLASS PA CRITERIA: Non-preferred agents of the exceptions on the PA form is present.	require thirty (30) day trials of three (3) preferred chen	nically unique agents before they will be approved, unless one (1)
ALAWAY (ketotifen) cromolyn ketotifen olopatadine (Sandoz brand labeler 61314) ZADITOR OTC (ketotifen)	ALAMAST (pemirolast) ALOCRIL (nedocromil) ALOMIDE (lodoxamide) ALREX (loteprednol) azelastine BEPREVE (bepotastine) CROLOM (cromolyn) ELESTAT (epinastine) EMADINE (emedastine)	



EFFECTIVE 10/01/2018 Version 2018.4d

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	epinastine LASTACAFT (alcaftadine) olopatadine (all labelers except Sandoz) OPTICROM (cromolyn) OPTIVAR (azelastine) PATADAY (olopatadine) PATANOL (olopatadine) PAZEO (olopatadine)	
OPHTHALMICS, ANTI-INFLAMMAT	ORIES- IMMUNOMODULATORS	
CLASS PA CRITERIA: See below for individual	sub-class criteria.	
	RESTASIS (cyclosporine) XIIDRA (lifitegrast)	<ol> <li>The following prior authorization criteria apply to both Restasis and Xiidra:         <ol> <li>Patient must be sixteen (16) years of age or greater; AND</li> <li>Prior Authorization must be requested by an ophthalmologist or optometrist; AND</li> </ol> </li> <li>Clinically diagnosed tear deficiency due to ocular inflammation in patients with keratoconjunctivitis sicca or dry eye syndrome (also known as dry eye); AND</li> <li>Patient must have a functioning lacrimal gland; AND</li> <li>Patient using artificial tears at least four (4) times a day over the last thirty (30) days; AND</li> <li>Patient must not have an active ocular infection</li> </ol>
OPHTHALMICS, ANTI-INFLAMMA	TORIES	
CLASS PA CRITERIA: Non-preferred agents require five (5) day trials of at least two (2) preferred agents before they will be approved, unless one (1) of the exceptions on the PA form is present. Trials must include at least one agent with the same mechanism of action as the requested non-preferred agent.		
dexamethasone diclofenac DUREZOL (difluprednate) fluorometholone flurbiprofen ketorolac prednisolone acetate prednisolone sodium phosphate	ACULAR (ketorolac) ACULAR LS (ketorolac) ACUVAIL (ketorolac tromethamine) BROMDAY (bromfenac) bromfenac BROMSITE (bromfenac) FLAREX (fluorometholone) FML (fluorometholone) FML FORTE (fluorometholone) FML S.O.P. (fluorometholone)	



EFFECTIVE 10/01/2018 Version 2018.4d

	THERAPEUTIC DRUG CLAS	SS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ILEVRO (nepafenac) LOTEMAX DROPS, OINTMENT (loteprednol) LOTEMAX GEL (loteprednol) MAXIDEX (dexamethasone) NEVANAC (nepafenac) OMNIPRED (prednisolone) OZURDEX (dexamethasone) PRED FORTE (prednisolone) PRED MILD (prednisolone) PROLENSA (bromfenac) RETISERT (fluocinolone) TRIESENCE (triamcinolone) VEXOL (rimexolone) XIBROM (bromfenac)	
OPHTHALMICS, GLAUCOMA AGEN	NTS	
CLASS PA CRITERIA: Non-preferred agents will	only be authorized if there is an allergy to all preferre	ed agents in the corresponding sub-class.
	COMBINATION AGENTS	
COMBIGAN (brimonidine/timolol) dorzolamide/timolol SIMBRINZA (brinzolamide/brimonidine)	COSOPT (dorzolamide/timolol) COSOPT PF (dorzolamide/timolol)	
	BETA BLOCKERS	
BETOPTIC S (betaxolol) carteolol levobunolol timolol drops  AZOPT (brinzolamide)	BETAGAN (levobunolol) betaxolol BETIMOL (timolol) ISTALOL (timolol) OPTIPRANOLOL (metipranolol) timolol gel TIMOPTIC (timolol) CARBONIC ANHYDRASE INHIBITOR TRUSOPT (dorzolamide)	es
orzolamide		
	PARASYMPATHOMIMETICS	
PHOSPHOLINE IODIDE (echothiophate iodide)	pilocarpine	
latanoprost TRAVATAN-Z (travoprost)	bimatoprost LUMIGAN (bimatoprost) RESCULA (unoprostone) travoprost VYZULTA (latanoprostene) XALATAN (latanoprost) ZIOPTAN (tafluprost)	



EFFECTIVE 10/01/2018 Version 2018.4d

	THERAPEUTIC DRUG CL	
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	RHO-KINASE INHIBITORS	
	RHOPRESSA (netarsudil) <sup>NR</sup>	Prior authorization of any agent in this sub-class requires a trial of at least one (1) preferred agent from all other sub-classes.
	SYMPATHOMIMETICS	
brimonidine 0.2%	ALPHAGAN P 0.1% Solution (brimonidine) ALPHAGAN P 0.15% Solution (brimonidine) apraclonidine brimonidine 0.15% IOPIDINE (apraclonidine)	
<b>OPIATE DEPENDENCE TREATM</b>	ENTS	
CLASS PA CRITERIA: Buprenorphine/naloxo	one tablets, Bunavail and Zubsolv will only be approve	ed with a documented intolerance of or allergy to Suboxone strips.
WV Medicaid's buprenorphine coverage policy	may be viewed by clicking on the following hyperlink	:: Buprenorphine Coverage Policy and Related Forms
Naloxone NARCAN NASAL SPRAY (naloxone) SUBOXONE FILM (buprenorphine/naloxone)*		* Full PA criteria may be found on the <u>PA Criteria</u> page by clicking the hyperlink.
VIVITROL (naltrexone)	SUBLOCADE (buprenorphine soln)** ZUBSOLV (buprenorphine/naloxone)	**Sublocade is approvable only on appeal and requires medical reasoning as to why the clinical need cannot be met with a preferred product.
		VIVITROL no longer requires a PA.
OTIC ANTIBIOTICSAP		
CLASS PA CRITERIA: Non-preferred agents PA form is present.	s require five (5) day trials of each preferred agent be	efore they will be approved, unless one (1) of the exceptions on the
CIPRO HC (ciprofloxacin/hydrocortisone) CIPRODEX (ciprofloxacin/dexamethasone) COLY-MYCIN S (colistin/hydrocortisone/ neomycin/thonzonium bromide) ofloxacin	ciprofloxacin CORTISPORIN-TC (colistin/hydrocortisone/ neomycin) neomycin/polymyxin/HC solution/suspension OTIPRIO VIAL (ciprofloxacin) OTOVEL (ciprofloxacin/fluocinolone)	
<b>PAH AGENTS - ENDOTHELIN RI</b>	ECEPTOR ANTAGONISTSCL	
<b>CLASS PA CRITERIA:</b> Non-preferred agents PA form is present.	s require a thirty (30) day trial of a preferred agent be	efore they will be approved, unless one (1) of the exceptions on the
LETAIRIS (ambrisentan) TRACLEER (bosentan)	OPSUMIT (macitentan)	



### **BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID**

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

**EFFECTIVE** 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS					
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA			
PAH AGENTS – GUANYLATE CYCLASE STIMULATOR <sup>CL</sup>					
CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of a preferred agent from any other PAH Class before they will be approved, unless one (1) of the exceptions on the PA form is present.					
ADEMPAS (riociguat)					
PAH AGENTS - PDE5scl					
CLASS PA CRITERIA: Non-preferred agents re PA form is present. Patients stabilized on non-preferred agents will be		re they will be approved, unless one (1) of the exceptions on the			
sildenafil	ADCIRCA (tadalafil) REVATIO IV (sildenafil) REVATIO SUSPENSION (sildenafil) REVATIO TABLETS (sildenafil)				
PAH AGENTS - PROSTACYCLINS	L				
CLASS PA CRITERIA: Non-preferred agents re available), before they will be approved, unless or		cluding the preferred generic form of the non-preferred agent (if			
epoprostenol VENTAVIS (iloprost)*	FLOLAN (epoprostenol) ORENITRAM ER (treprostinil) REMODULIN (treprostinil sodium) TYVASO (treprostinil) UPTRAVI (selexipag) VELETRI (epoprostenol)	*Ventavis will only be authorized for the treatment of pulmonary artery hypertension (WHO Group 1) in patients with NYHA Class III or IV symptoms.			
PANCREATIC ENZYMESAP					
CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.  For members with cystic fibrosis, a trial of a preferred agent will not be required.					
CREON ZENPEP	PANCREAZE PERTZYE ULTRESA VIOKACE				
PHOSPHATE BINDERSAP					
CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of at least two (2) preferred agents before they will be approved, unless one (1) of the exceptions on the PA form is present.					
calcium acetate MAGNEBIND RX (calcium carbonate, folic acid, magnesium carbonate) PHOSLYRA (calcium acetate)	AURYXIA (ferric citrate) ELIPHOS (calcium acetate) FOSRENOL (lanthanum) PHOSLO (calcium acetate)				



### **BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID**

**EFFECTIVE** 10/01/2018 PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

Version 2018.4d

This is not an all-inclusive list of available covered drugs and includes only
managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS				
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA		
RENAGEL (sevelamer)	RENVELA (sevelamer carbonate) sevelamer carbonate VELPHORO (sucroferric oxyhydroxide)			
PLATELET AGGREGATION INHIE	BITORS			
<b>CLASS PA CRITERIA:</b> Non-preferred agents PA form is present.	require a thirty (30) day trial of a preferred agent before	re they will be approved, unless one (1) of the exceptions on the		
AGGRENOX (dipyridamole/ASA)  BRILINTA (ticagrelor)  clopidogrel  prasugrel  DURLAZA ER (aspirin)  EFFIENT (prasugrel)  PERSANTINE (dipyridamole)  PLAVIX (clopidogrel)  TICLID (ticlopidine)  ticlopidine  ZONTIVITY (vorapaxar)				
PROGESTINS FOR CACHEXIA				
<b>CLASS PA CRITERIA:</b> Non-preferred agents PA form is present.	require a thirty (30) day trial of a preferred agent before	re they will be approved, unless one (1) of the exceptions on the		
megestrol	MEGACE ES (megestrol)			
PROGESTATIONAL AGENTS				
	found on the PA Criteria page by clicking the hyperlink			
MAKENA (hydroxyprogesterone caproate)				
PROTON PUMP INHIBITORSAP				
CLASS PA CRITERIA: Non-preferred agents require sixty (60) day trials of both omeprazole (Rx) and pantoprazole at the maximum recommended dose*, inclusive of a concurrent thirty (30) day trial at the maximum dose of an H <sub>2</sub> antagonist before they will be approved, unless one (1) of the exceptions on the PA form is present.				
NEXIUM PACKETS (esomeprazole)** omeprazole (Rx) pantoprazole PROTONIX GRANULES (pantoprazole)**	ACIPHEX (rabeprazole) ACIPHEX SPRINKLE (rabeprazole) DEXILANT (dexlansoprazole) esomeprazole magnesium esomeprazole strontium lansoprazole Rx NEXIUM (esomeprazole) omeprazole/sodium bicarbonate (Rx) PREVACID CAPSULES (lansoprazole) PREVACID SOLUTABS (lansoprazole) PRILOSEC Rx (omeprazole)	*Maximum recommended doses of the PPIs and H2-receptor antagonists may be located at the BMS Pharmacy PA criteria page titled "Max PPI and H2RA" by clicking on the hyperlink.  **Prior authorization is required for members nine (9) years of age or older.		



EFFECTIVE 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS				
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA		
	PROTONIX DR TABLETS (pantoprazole)			
	rabeprazole ZEGERID Rx (omeprazole/sodium bicarbonate)			
SEDATIVE HYPNOTICSAP	ZEGERID RX (omeprazoie/sodium bicarbonate)			
	uire thirty (30) day trials of all preferred agents in BC	<b>OTH</b> sub-classes before they will be approved, unless one (1) of		
the exceptions on the PA form is present. All agen	nts except melatonin will be limited to fifteen (15) table	lets in a thirty (30) day period. NOTE: WV Medicaid covers		
melatonin up to a maximum dose of 9 mg/day with				
temazepam 15, 30 mg	BENZODIAZEPINES DALMANE (flurazepam)			
temazepam 15, 30 mg	DORAL (quazepam) estazolam flurazepam HALCION (triazolam) quazepam RESTORIL (temazepam) temazepam 7.5, 22.5 mg			
	triazolam OTHERS			
melatonin (labeler code 51645)	AMBIEN (zolpidem)	Strengths of zolpidem that are non-preferred (6.25 and 12.5		
zolpidem 5, 10 mg  SKELETAL MUSCLE RELAXANTS	AMBIEN CR (zolpidem) BELSOMRA (suvorexant) chloral hydrate EDLUAR (zolpidem) eszopiclone HETLIOZ (tasimelteon) <sup>CL*</sup> INTERMEZZO (zolpidem) LUNESTA (eszopiclone) ROZEREM (ramelteon) SILENOR (doxepin) SOMNOTE (chloral hydrate) SONATA (zaleplon) zaleplon zolpidem ER 6.25, 12.5 mg ZOLPIMIST (zolpidem)	mg) must be created by combining or splitting the preferred doses (5 and 10 mg) of zolpidem, if appropriate.  For treatment naïve female patients, zolpidem and zolpidem ER maximum dosages will be limited to 5 mg and 6.25 mg respectively per day.  *Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.		
CLASS PA CRITERIA: See below for individual sub-class criteria.				
	ACUTE MUSCULOSKELETAL RELAXANT			
chlorzoxazone cyclobenzaprine IR 5, 10 mg methocarbamol	AMRIX (cyclobenzaprine) carisoprodol* carisoprodol/ASA* carisoprodol/ASA/codeine*	Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present, with the exception of carisoprodol.		



EFFECTIVE 10/01/2018 Version 2018.4d

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

	THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
cyclobenzaprine ER cyclobenzaprine IR 7.5 mg FEXMID (cyclobenzaprine) FLEXERIL (cyclobenzaprine) LORZONE (chlorzoxazone) metaxalone orphenadrine orphenadrine/ASA/caffeine orphenadrine ER PARAFON FORTE (chlorzoxazone) ROBAXIN (methocarbamol) SKELAXIN (metaxalone)		*Carisoprodol requires thirty (30) day trials of each of the preferred acute musculoskeletal relaxants and Skelaxin before it will be approved.	
	MUSCULOSKELETAL RELAXANT AGENTS USED F	FOR SPASTICITY	
baclofen tizanidine tablets	DANTRIUM (dantrolene) dantrolene tizanidine capsules ZANAFLEX (tizanidine)	Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.	
STEROIDS, TOPICAL			
CLASS PA CRITERIA: Non-preferred agents require five (5) day trials of one (1) form of EACH preferred unique active ingredient in the corresponding potency group			

**CLASS PA CRITERIA:** Non-preferred agents require five (5) day trials of one (1) form of **EACH** preferred unique active ingredient in the corresponding potency group before they will be approved, unless one (1) of the exceptions on the PA form is present.

VERY HIGH	æ	HIGH	POI	FNCY
	Œ	111011		

	VERT HIGH & HIGH PUTENCT	
betamethasone dipropionate cream	amcinonide	
betamethasone valerate cream	APEXICON (diflorasone diacetate)	
betamethasone valerate lotion	APEXICON E (diflorasone diacetate)	
betamethasone valerate oint	betamethasone dipropionate gel, lotion, ointment	
clobetasol propionate	clobetasol lotion, shampoo	
cream/gel/ointment/solution	clobetasol propionate foam	
clobetasol emollient	CLOBEX (clobetasol propionate)	
CLODAN SHAMPOO (clobetasol propionate)	CLODAN KIT (clobetasol propionate)	
fluocinonide gel	CORMAX (clobetasol propionate)	
triamcinolone acetonide cream, ointment	desoximetasone cream/gel/ointment	
triamcinolone acetonide lotion	diflorasone diacetate	
	DIPROLENE (betamethasone	
	dipropionate/propylene glycol)	
	DIPROLENE AF (betamethasone	
	dipropionate/propylene glycol)	
	DIPROSONE (betamethasone dipropionate)	
	fluocinonide cream	
	fluocinonide ointment	
	fluocinonide solution	



EFFECTIVE 10/01/2018 Version 2018.4d

	THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	fluocinonide/emollient halcinonide HALAC (halobetasol propionate) halobetasol propionate HALOG (halcinonide) HALONATE (halobetasol propionate) KENALOG (triamcinolone acetonide) LIDEX (fluocinonide) LIDEX-E (fluocinonide) OLUX (clobetasol propionate/emollient) PSORCON (diflorasone diacetate) SERNIVO SPRAY (betamethasone dipropionate) TEMOVATE (clobetasol propionate) TEMOVATE-E (clobetasol propionate/emollient) TOPICORT CREAM, GEL, OINTMENT (desoximetasone) TOPICORT SPRAY (desoximetasone) ULTRAVATE (halobetasol propionate / lactic acid) VANOS (fluocinonide)		
	MEDIUM POTENCY		
fluticasone propionate cream, ointment mometasone furoate triamcinolone acetonide 0.025% and 0.1% cream	ARISTOCORT (triamcinolone) BETA-VAL (betamethasone valerate) betamethasone valerate foam CLODERM (clocortolone pivalate) clocortolone cream CORDRAN/CORDRAN SP (flurandrenolide) CUTIVATE (fluticasone propionate) DERMATOP (prednicarbate) ELOCON (mometasone furoate) fluocinolone acetonide cream, ointment, solution fluticasone propionate lotion hydrocortisone butyrate cream hydrocortisone butyrate ointment, solution hydrocortisone valerate LOCOID (hydrocortisone butyrate) LOCOID LIPOCREAM (hydrocortisone butyrate/emollient) LUXIQ (betamethasone valerate) MOMEXIN (mometasone)		



EFFECTIVE 10/01/2018 Version 2018.4d

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	PANDEL (hydrocortisone probutate) prednicarbate TOPICORT LP (desoximetasone) TRIDERM (triamcinolone acetonide) WESTCORT (hydrocortisone valerate)	
	LOW POTENCY	
hydrocortisone acetate (Rx, OTC) hydrocortisone cream (Rx, OTC) hydrocortisone lotion OTC hydrocortisone solution OTC hydrocortisone solution OTC hydrocortisone-aloe cream OTC hydrocortisone-aloe ointment OTC	ACLOVATE (alclometasone dipropionate) alclometasone dipropionate AQUA GLYCOLIC HC (hydrocortisone) CAPEX (fluocinolone acetonide) DERMA-SMOOTHE FS (fluocinolone acetonide) DESONATE (desonide) desonide cream, ointment desonide lotion DESOWEN (desonide) fluocinolone oil hydrocortisone/mineral oil/petrolatum hydrocortisone acetate/urea hydrocortisone lotion hydrocortisone/aloe gel LOKARA (desonide) PEDIADERM HC (hydrocortisone) PEDIADERM TA (hydrocortisone) SCALPICIN OTC (hydrocortisone) SYNALAR (fluocinolone) TEXACORT (hydrocortisone) TRIDESILON CREAM (desonide) VERDESO (desonide)	

#### STIMULANTS AND RELATED AGENTS

CLASS PA CRITERIA: A PA is required for adults eighteen (18) years of age or older. PLEASE NOTE: Requests for amphetamine or methylphenidate IR + ER combination therapy must be for the same active ingredient in the same salt form, if available.

Non-preferred agents require a thirty (30) day trial of at least one preferred agent in the same subclass and with a similar duration of effect and mechanism of action, unless one (1) of the exceptions on the PA form is present. **NOTE**: Non-preferred agents will NOT be "grandfathered" for adults. Children under the age of 18 may continue their current therapy until the end of the school year after which they will be required to switch to a preferred agent.

AMPRETAMINES		
ADZENYS XR ODT (amphetamine)	ADDERALL (amphetamine salt combination)	In addition to the Class Criteria: Thirty (30) day trials of at
amphetamine salt combination IR	ADDERALL XR* (amphetamine salt combination)	least three (3) antidepressants are required before
dextroamphetamine ER	ADZENYS ER SUSP (amphetamine)	amphetamines will be authorized for depression.
dextroamphetamine IR	amphetamine salt combination ER	
PROCENTRA solution (dextroamphetamine)	DESOXYN (methamphetamine)	*Adderall XR is preferred over its generic equivalents.
VYVANSE CHEWABLE (lisdexamfetamine)	DEXEDRINE ER (dextroamphetamine)	



EFFECTIVE 10/01/2018 Version 2018.4d

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
VYVANSE CAPSULE (lisdexamfetamine)	DEXEDRINE IR (dextroamphetamine) dextroamphetamine solution DYANAVEL XR SUSP (amphetamine) EVEKEO (amphetamine) methamphetamine MYDAYIS (dextroamphetamine/amphetamine salt)** ZENZEDI (dextroamphetamine)	**Mydayis requires a 30-day trial of at least one long-acting preferred agent in this subclass and a trial of Adderall XR.	
	NON-AMPHETAMINE		
APTENSIO XR (methylphenidate) armodafinilCL atomoxetine clonidine IR COTEMPLA XR ODT (methylphenidate) DAYTRANA (methylphenidate) dexmethylphenidate IR FOCALIN XR (dexmethylphenidate) guanfacine ER guanfacine IR METADATE CD (methylphenidate) discontinued by labeler METHYLIN SOLUTION (methylphenidate) methylphenidate IR modafinilCL QUILLICHEW ER (methylphenidate)	clonidine ER CONCERTA (methylphenidate) dexmethylphenidate XR FOCALIN IR (dexmethylphenidate) INTUNIV (guanfacine extended-release) KAPVAY (clonidine extended-release) methylphenidate CD methylphenidate chewable tablets, solution methylphenidate ER methylphenidate ER (generic CONCERTA) methylphenidate LA NUVIGIL (armodafinil) PROVIGIL (modafinil) QUILLIVANT XR (methylphenidate) RITALIN (methylphenidate) RITALIN LA (methylphenidate) STRATTERA (atomoxetine)*	*Strattera is limited to a maximum of 100 mg per day.	

#### **TETRACYCLINES**

**CLASS PA CRITERIA:** Non-preferred agents require ten (10) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.

doxycycline hyclate capsules doxycycline hyclate 50, 100 mg tablets doxycycline monohydrate 50, 100 mg capsules minocycline capsules	ADOXA (doxycycline monohydrate) demeclocycline* DORYX (doxycycline hyclate) doxycycline hyclate 75, 150 mg tablets doxycycline hyclate tablet DR 75, 100, 150, 200 mg doxycycline hyclate tablet DR 50 mg doxycycline monohydrate 40, 75, 150 mg capsule doxycycline monohydrate tablet doxycycline monohydrate suspension DYNACIN (minocycline)	*Demeclocycline will be authorized for conditions caused by susceptible strains of organisms designated in the product information supplied by the manufacturer. A C&S report must accompany this request.  Demeclocycline will also be authorized for SIADH.



EFFECTIVE 10/01/2018 Version 2018.4d

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	MINOCIN (minocycline) minocycline ER capsules minocycline tablets MONODOX (doxycycline monohydrate) MORGIDOX KIT (doxycycline) ORACEA (doxycycline monohydrate) SOLODYN (minocycline) tetracycline VIBRAMYCIN CAPSULES, SUSPENSION, SYRUP (doxycycline) XIMINO (minocycline)		
ULCERATIVE COLITIS AGENTSAP			
CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of each preferred dosage form or chemical entity before the corresponding non-preferred agent of that dosage form or chemical entity will be approved, unless one (1) of the exceptions on the PA form is present.			
	ORAL		
APRISO (mesalamine) balsalazide sulfasalazine	ASACOL HD (mesalamine) AZULFIDINE (sulfasalazine) COLAZAL (balsalazide) DELZICOL (mesalamine) DIPENTUM (olsalazine) GIAZO (balsalazide) LIALDA (mesalamine) mesalamine PENTASA (mesalamine) 250 mg PENTASA (mesalamine) 500 mg UCERIS (budesonide)		
RECTAL			
CANASA (mesalamine) mesalamine	DELZICOL DR (mesalamine) mesalamine kit ROWASA (mesalamine) SF ROWASA (mesalamine) UCERIS (budesonide)		
VASODILATORS, CORONARY			
CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of each preferred dosage form before they will be approved, unless one (1) of the exceptions on the PA form is present.			
	SUBLINGUAL NITROGLYCERIN		
nitroglycerin spray (generic NITROLINGUAL) nitroglycerin sublingual NITROSTAT SUBLINGUAL (nitroglycerin)	GONITRO SPRAY POWDER (nitroglycerin) nitroglycerin spray (generic NITROMIST) NITROLINGUAL SPRAY (nitroglycerin) NITROMIST (nitroglycerin)		



This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 10/01/2018 Version 2018.4d