

EFFECTIVE 01/01/2018 Version 2018.1g

- Prior authorization for a non-preferred agent in any class will be given only if there has been a trial of the preferred brand/generic equivalent or preferred formulation of the active ingredient, at a therapeutic dose, that resulted in a partial response with a documented intolerance.
- Prior authorization of a non-preferred isomer, pro-drug, or metabolite will be considered with a trial of a preferred parent drug of the same chemical entity, at a therapeutic dose, that resulted in a partial response with documented intolerance or a previous trial and therapy failure, at a therapeutic dose, with a preferred drug of a different chemical entity indicated to treat the submitted diagnosis. (The required trial may be overridden when documented evidence is provided that the use of these preferred agent(s) would be medically contraindicated.)
- Unless otherwise specified, the listing of a particular brand or generic name includes all legend forms of that drug. OTC drugs are not covered unless specified.
- PA criteria for non-preferred agents apply in addition to general Drug Utilization Review policy that is in effect for the entire pharmacy program, including, but not limited to, appropriate dosing, duplication of therapy, etc.
- The use of pharmaceutical samples will not be considered when evaluating the members' medical condition or prior prescription history for drugs that require prior authorization.
- Quantity limits may apply. Refer to the Limits List on the BMS Website by clicking the hyperlink.
- Unless otherwise indicated, non-preferred combination products require medical reasoning beyond convenience or enhanced compliance as to why the clinical need cannot be met with a preferred agent or combination of preferred single-ingredient agents.
- Acronyms
  - o CL Requires clinical PA. For detailed clinical criteria, please go to the PA criteria page by clicking the hyperlink.
  - NR Denotes a new drug which has not yet been reviewed by the P & T Committee. These agents are available only on appeal to the BMS Medical Director.
  - o AP Non-preferred and selected preferred drugs, where indicated, are subject to auto-PA criteria. See PA criteria column.



EFFECTIVE 01/01/2018 Version 2018.1g

CLASSES CHANGING	Status Changes	PA Criteria Changes	New Drugs
ANALGESICS, NARCOTIC LONG ACTING (Non-parenteral)	XXXX		XXXX
ANALGESICS, NARCOTIC SHORT ACTING (Non-parenteral)	XXXX		
ANDROGENIC AGENTS			XXXX
ANESTHETICS, TOPICAL			XXXX
ANTIANGINAL & ANTI-ISCHEMIC	XXXX		
ANTIBIOTICS, VAGINAL	XXXX		
ANTICONVULSANTS, ADJUVANTS	XXXX		
ANTICONVULSANTS, SUCCINIMIDES	XXXX		
ANTIFUNGALS, TOPICAL – ANTIFUNGAL/STEROID COMBINATIONS	XXXX		
ANTIHEMOPHILIA FACTOR AGENTS – FACTOR VIII			XXXX
ANTIHEMOPHILIA FACTOR AGENTS – FACTOR IX			XXXX
ANTIHYPERURICEMICS	XXXX		
ANTIPARASITICS, TOPICAL	XXXX		
ANTIPSORIATICS, TOPICAL	XXXX		XXXX
ANTIPSYCHOTICS, ATYPICAL	XXXX		
ANTIRETROVIRALS, COMBINATION PRODUCTS – NUCLEOSIDE & NUCLEOTIDE ANALOGS & NON-NUCLEOSIDE RTIs	XXXX		
BETA BLOCKERS	XXXX		
BLADDER RELAXANT PREPARATIONS	XXXX		
BONE RESORPTION SUPPRESSION & RELATED AGENTS - BIPHOSPHONATES	XXXX		
BONE RESORPTION SUPPRESSION & RELATED AGENTS - OTHERS	XXXX		
BRONCHODILATORS, BETA AGONIST – ORAL	XXXX		
COPD AGENTS, ANTICHOLINERGIC			XXXX
COPD AGENTS, ANTICHOLINERGIC-BETA AGONIST COMBINATIONS	XXXX		
CYTOKINE & CAM ANTAGONISTS, OTHERS	XXXX		XXXX



EFFECTIVE 01/01/2018 Version 2018.1g

	Status	PA Criteria	
CLASSES CHANGING	Changes	Changes	<b>New Drugs</b>
EPINEPHRINE, SELF-INJECTED	XXXX		
ERYTHROPOIESIS STIMULATING PROTEINS	XXXX		
GLUCOCORTICOIDS, INHALED - GLUCOCORTICOIDS	XXXX		
GLUCOCORTICOIDS, INHALED - GLUCOCORTICOID/BRONCHODILATOR COMBINATIONS	XXXX		XXXX
GROWTH HORMONE	XXXX		
HEPATITIS C TREATMENTS	XXXX		
HYPOGLYCEMICS, SGLT2 INHIBITORS	XXXX		
HYPOGLYCEMICS, SGLT2 COMBINATIONS	XXXX		XXXX
IMMUNOMODULATORS, ATOPIC DERMATITIS	XXXX		
INTRANASAL RHINITIS AGENTS – ANTIHISTAMINES	XXXX		
INTRANASAS RHINITIS AGENTS – CORTICOSTEROIDS	XXXX		
IRRITABLE BOWEL SYNDROME/SHORT BOWEL SYNDROME/SELECTED GI AGENTS	XXXX		
OPHTHALMIC ANTIBIOTICS	XXXX		XXXX
OPHTHALMIC ANTIBIOTIC/STEROID COMBINATIONS	XXXX		
OTIC ANTIBIOTICS	XXXX		XXXX
STEROIDS, TOPICAL	XXXX		
STIMULANTS AND RELATED AGENTS, AMPHETAMINES	XXXX		XXXX
STIMULANTS AND RELATED AGENTS, NON-AMPHETAMINE	XXXX		
ULCERATIVE COLITIS AGENTS	XXXX		



EFFECTIVE 01/01/2018 Version 2018.1g

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THER ADELLTIC DRIC CLASS

	THERAPEUTIC DRUG CLA	ASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA		
ACNE AGENTS, TOPICALAP				
CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of one (1) preferred retinoid and two (2) unique chemical entites in two (2) other subclasses, including the generic version of the requested non-preferred product, before they will be approved, unless one (1) of the exceptions on the PA form is present.				
In cases of pregnancy, a trial of retinoids will <i>not</i> be Acne kits are non-preferred.	e required. For members eighteen (18) years of a	age or older, a trial of retinoids will not be required.		
Specific Criteria for sub-class will be listed below.				
	ANTI-INFECTIVE			
clindamycin gel, lotion, medicated swab, solution erythromycin gel, solution	ACZONE (dapsone) AKNE-MYCIN (erythromycin) AZELEX (azelaic acid) CLEOCIN-T (clindamycin) CLINDACIN PAC (clindamycin) CLINDAGEL (clindamycin) clindamycin foam erythromycin medicated swab EVOCLIN (clindamycin) FABIOR (tazarotene) KLARON (sulfacetamide) OVACE/PLUS (sulfacetamide) sodium sulfacetamide 10% cleansing gel sulfacetamide cleanser sulfacetamide cleanser ER sulfacetamide shampoo sulfacetamide suspension			
	RETINOIDS			
RETIN-A (tretinoin) TAZORAC (tazarotene)	adapalene ATRALIN (tretinoin) AVITA (tretinoin) DIFFERIN (adapalene) RETIN-A MICRO (tretinoin) tretinoin cream, gel tretinoin gel micro	In addition to the Class Criteria: PA required for members eighteen (18) years of age or older.		
D 0 0T0 1001	KERATOLYTICS			
benzoyl peroxide cleanser Rx & OTC, 10% cream OTC, gel Rx & OTC, lotion OTC, wash OTC	BENZEFOAM ULTRA (benzoyl peroxide) BENZEPRO (benzoyl peroxide) benzoyl peroxide cloths, medicated pads, microspheres cleanser BP 10-1 (benzoyl peroxide)			



EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	BP WASH 7% LIQUID PACNEX/HP/LP (benzoyl peroxide) PANOXYL-4, -8 OTC (benzoyl peroxide) PERSA-GEL OTC (benzoyl peroxide) SULPHO-LAC (sulfur)	
	COMBINATION AGENTS	
erythromycin/benzoyl peroxide	ACANYA (clindamycin phosphate/benzoyl peroxide)  AVAR/-E/LS (sulfur/sulfacetamide)  BENZACLIN GEL (benzoyl peroxide/clindamycin)  BENZAMYCIN PAK (benzoyl peroxide/erythromycin)  benzoyl peroxide/clindamycin gel benzoyl peroxide/urea  CERISA (sulfacetamide sodium/sulfur)  CLARIFOAM EF (sulfacetamide/sulfur)  CLENIA (sulfacetamide sodium/sulfur)  DUAC (benzoyl peroxide/clindamycin)  EPIDUO (adapalene/benzoyl peroxide)*  INOVA 4/1, 5/2benzoyl peroxide/salicylic acid)  NEUAC (clindamycin phosphate/benzoyl peroxide)  NUOX (benzoyl peroxide/sulfur)  ONEXTON (clindamycin phosphate/benzoyl peroxide)  PRASCION (sulfacetamide sodium/sulfur)  SE 10-5 SS (sulfacetamide/sulfur)  SSS 10-4 (sulfacetamide /sulfur)  SSS 10-5 foam (sulfacetamide /sulfur)  sulfacetamide sodium/sulfur cloths, lotion, pads, suspension  sulfacetamide/sulfur wash kit sulfacetamide/sulfur wash kit sulfacetamide sodium/sulfur/ urea  SUMADAN/XLT (sulfacetamide sodium/sulfur)  SUMAXIN/TS (sulfacetamide sodium/sulfur)  VELTIN (clindamycin/tretinoin)*  ZIANA (clindamycin/tretinoin)*	In addition to the Class Criteria: Non-preferred combination agents require thirty (30) day trials of the corresponding preferred single agents before they will be approved.  *PA required for combination agents with Retinoid products for members eighteen (18) years of age or older.



managed categories. Refer to cover page for complete list of rules governing this PDL.

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA
This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
ALZHEIMER'S AGENTSAP		
CLASS PA CRITERIA: Non-preferred agents re the exceptions on the PA form is present.	equire a thirty (30) day trial of a preferred agent in	the same sub-class before they will be approved, unless one (1) of
Prior authorization is required for members up to	forty-five (45) years of age if there is no diagnosis	of Alzheimer's disease.
	CHOLINESTERASE INHIBITOR	RS
donepezil 5 and 10 mg	ARICEPT (donepezil) donepezil 23 mg* EXELON CAPSULE (rivastigmine) EXELON PATCH (rivastigmine) galantamine galantamine ER RAZADYNE (galantamine) RAZADYNE ER (galantamine) rivastigmine	*Donepezil 23 mg tablets will be authorized if the following criteria are met:  1. There is a diagnosis of moderate-to-severe Alzheimer Disease and  2. There has been a trial of donepezil 10 mg daily for a least three (3) months and donepezil 20 mg daily for a additional one (1) month.
	NMDA RECEPTOR ANTAGONI	ST
memantine	NAMENDA (memantine) NAMENDA XR (memantine)*	*Namenda XR requires ninety (90) days of compliant therapy wit Namenda.
CHOLINI	ESTERASE INHIBITOR/NMDA RECEPTOR ANT	
	NAMZARIC (donepezil/memantine)	Combination agents require thirty (30) day trials of eac corresponding preferred single agent.
ANALGESICS, NARCOTIC LONG A	ACTING (Non-parenteral) <sup>AP</sup>	
requested non-preferred agent (if available) before the requested non-preferred brand agent, then a authorization for children under 18 years of a attempted.	re they will be approved, unless one (1) of the excanother generic non-preferred agent must be triange. Requests must be for an FDA approved age	ct preferred agents <b>AND</b> a six (6) day trial of the generic form of the peptions on the PA form is present. If no generic form is available for led instead. <b>NOTE: All long-acting opioid agents require a prior</b> and indication and specify previous opioid and non-opioid therapies.
buprenorphine patch (labeler 00093 only) BUTRANS (buprenorphine) EMBEDA (morphine/naltrexone) fentanyl transdermal 12, 25, 50, 75, 100 mcg/hr	ARYMO ER (morphine sulfate) BELBUCA (buprenorphine buccal film)* buprenorphine patch (all labelers excl 00093) CONZIP ER (tramadol)	*Belbuca prior authorization requires manual review. Full P criteria may be found on the PA Criteria page by clicking th hyperlink.
morphine ER tablets	DOLOPHINE (methadone) DURAGESIC (fentanyl) EXALGO ER (hydromorphone) fentanyl transdermal 37.5, 62.5, 87.5 mcg/hr hydromorphone ER	**Methadone, oxycodone ER and oxymorphone ER will be authorized without a trial of the preferred agents if a diagnosis cancer is submitted.  ***Tramadol ER requires a manual review and may be authorized.

ups with the prescriber.

LAZANDA SPRAY (fentanyl)

MORPHABOND ER (morphine sulfate)<sup>NR</sup>

methadone\*\*



**EFFECTIVE** 01/01/2018 **Version 2018.1g** 

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS NON-PREFERRED AGENTS	PA CRITERIA	
morphine ER capsules (generic for Avinza) morphine ER capsules (generic for Kadian) MS CONTIN (morphine) NUCYNTA ER (tapentadol) OPANA ER (oxymorphone) oxycodone ER** OXYCONTIN (oxycodone) oxymorphone ER** tramadol ER*** ULTRAM ER (tramadol) XARTEMIS XR (oxycodone/ acetaminophen) XTAMPZA ER (oxycodone) ZOHYDRO ER (hydrocodone)		

#### ANALGESICS, NARCOTIC SHORT ACTING (Non-parenteral)

CLASS PA CRITERIA: Non-preferred agents require six (6) day trials of at least four (4) chemically distinct preferred agents (based on the narcotic ingredient only), including the generic formulation of the requested non-preferred agent, before they will be approved, unless one (1) of the exceptions on the PA form is present. NOTE: All tramadol and codeine products require a prior authorization for children under 18 years of age. Requests must be for an FDA approved age and indication and specify non-opioid therapies attempted.

APAP/codeine butalbital/APAP/caffeine/codeine codeine hydrocodone/APAP 2.5/325 mg, 5/325 mg, 7.5/325 mg,10/325 mg hydrocodone/APAP solution hydrocodone/ibuprofen hydromorphone tablets morphine oxycodone tablets, concentrate, solution oxycodone/APAP oxycodone/ASA tramadol tramadol/APAP

ABSTRAL (fentanyl) ACTIQ (fentanvl) butalbital/ASA/caffeine/codeine

butorphanol

CAPITAL W/CODEINE (APAP/codeine)

DEMEROL (meperidine) dihydrocodeine/ APAP/caffeine DILAUDID (hydromorphone)

fentanyl

FENTORA (fentanyl) FIORICET W/ CODEINE

(butalbital/APAP/caffeine/codeine)

FIORINAL W/ CODEINE

(butalbital/ASA/caffeine/codeine)

hydrocodone/APAP 5/300 mg, 7.5/300 mg,

10/300 mg

hydromorphone liquid, suppositories IBUDONE (hydrocodone/ibuprofen)

LAZANDA (fentanvl)

levorphanol

LORCET (hydrocodone/APAP)

LORTAB (hydrocodone/APAP)

meperidine

NORCO (hydrocodone/APAP)

Fentanyl buccal, nasal and sublingual products will only be authorized for a diagnosis of cancer and as an adjunct to a longacting agent. These dosage forms will not be authorized for monotherapy.

Limits: Unless the patient has escalating cancer pain or another diagnosis supporting increased quantities of short-acting opioids, all short acting solid forms of the narcotic analgesics are limited to 120 tablets per thirty (30) days. Longer-acting medications should be maximized to prevent unnecessary breakthrough pain in chronic pain therapy.

Immediate-release tramadol is limited to 240 tablets per thirty (30) days.



EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	NUCYNTA (tapentadol) ONSOLIS (fentanyl) OPANA (oxymorphone) OXECTA (oxycodone) oxycodone capsules oxycodone/ibuprofen oxymorphone pentazocine/naloxone PERCOCET (oxycodone/APAP) PRIMLEV (oxycodone/APAP) REPREXAIN (hydrocodone/ibuprofen) ROXICODONE (oxycodone) RYBIX ODT (tramadol) SUBSYS (fentanyl) SYNALGOS-DC (dihydrocodeine/ASA/caffeine) TYLENOL W/CODEINE (APAP/codeine) ULTRACET (tramadol/APAP) ULTRAM (tramadol) VERDROCET (hydrocodone/APAP) VICODIN (hydrocodone/APAP) VICOPROFEN (hydrocodone/ibuprofen) XODOL (hydrocodone/acetaminophen) XYLON (hydrocodone/ibuprofen) ZAMICET (hydrocodone/APAP)	
ANDROGENIC AGENTS		d DA (
CLASS PA CRITERIA: A non-preferred agent wi ANDRODERM (testosterone) ANDROGEL (testosterone) METHITEST (methyltestosterone) testosterone cypionate vial <sup>CL</sup> testosterone enanthate vial <sup>CL</sup>	Il only be authorized if one (1) of the exceptions or ANDROID (methyltestosterone)  AVEED VIAL (testosterone undecanoate)  AXIRON (testosterone)  FORTESTA (testosterone)  methyltestosterone capsule  NATESTO (testosterone)  STRIANT BUCCAL (testosterone)  TESTIM (testosterone)  TESTRED (methyltestosterone)  testosterone gel  VOGELXO (testosterone)	the PA form is present.



### **BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID**

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

01/01/2018 **Version 2018.1g** 

**EFFECTIVE** 

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
ANESTHETICS, TOPICALAP			
	quire ten (10) day trials of each preferred agent be	efore they will be approved, unless one (1) of the exceptions on the	
PA form is present.	ENAL A (lide points (puille points)		
lidocaine lidocaine/prilocaine xylocaine	EMLA (lidocaine/prilocaine) LIDAMANTLE (lidocaine) LIDAMANTLE HC (lidocaine/hydrocortisone) lidocaine/hydrocortisone LIDOTRAL CREAM (lidocaine) SYNERA (lidocaine/tetracaine) VOPAC MDS (ketoprofen/lidocaine)		
ANGIOTENSIN MODULATORSAP			
CLASS PA CRITERIA: Non-preferred agents re Inhibitors, before they will be approved, unless on	e (1) of the exceptions on the PA form is present.	gent in the same sub-class, with the exception of the Direct Renin	
	ACE INHIBITORS		
benazepril captopril enalapril fosinopril lisinopril quinapril ramipril	ACCUPRIL (quinapril) ACEON (perindopril) ALTACE (ramipril) EPANED (enalapril)* LOTENSIN (benazepril) MAVIK (trandolapril) moexipril perindopril PRINIVIL (lisinopril) QBRELIS SOLUTION (lisinopril)** trandolapril UNIVASC (moexipril) VASOTEC (enalapril) ZESTRIL (lisinopril)	*Epaned will be authorized with a diagnosis of hypertension, symptomatic heart failure or asymptomatic left ventricular dysfunction provided that the patient is less than seven (7) years of age <b>OR</b> is unable to ingest a solid dosage form due to documented oral-motor difficulties or dysphagia.  **Qbrelis solution may be authorized for children ages 6-10 who are unable to tolerate a solid dosage form. Qbrelis may also be authorized for older patients with clinical documentation indicating oral-motor difficulties or dysphagia.	
	ACE INHIBITOR COMBINATION DR	UGS	
benazepril/amlodipine benazepril/HCTZ captopril/HCTZ enalapril/HCTZ fosinopril/HCTZ lisinopril/HCTZ quinapril/HCTZ	ACCURETIC (quinapril/HCTZ) CAPOZIDE (captopril/HCTZ) LOTENSIN HCT (benazepril/HCTZ) LOTREL (benazepril/amlodipine) moexipril/HCTZ PRESTALIA (perindopril/amlodipine) PRINZIDE (lisinopril/HCTZ) TARKA (trandolapril/verapamil) trandolapril/verapamil VASERETIC (enalapril/HCTZ) ZESTORETIC (lisinopril/HCTZ)		



EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ANGIOTENSIN II RECEPTOR BLOCKER	S (ARBs)
irbesartan losartan valsartan olmesartan	ATACAND (candesartan) AVAPRO (irbesartan) BENICAR (olmesartan) candesartan COZAAR (losartan) DIOVAN (valsartan) EDARBI (azilsartan) eprosartan MICARDIS (telmisartan) telmisartan TEVETEN (eprosartan)	
	ARB COMBINATIONS	
ENTRESTO (valsartan/sucubitril) <sup>CL*</sup> irbesartan/HCTZ losartan/HCTZ olmesartan/amlodipine olmesartan/HCTZ olmesartan/HCTZ valsartan/amlodipine valsartan/HCTZ	ATACAND-HCT (candesartan/HCTZ) AVALIDE (irbesartan/HCTZ) AZOR (olmesartan/amlodipine) BENICAR-HCT (olmesartan/HCTZ) BYVALSON (nebivolol/valsartan) candesartan/HCTZ DIOVAN-HCT (valsartan/HCTZ) EDARBYCLOR (azilsartan/chlorthalidone) EXFORGE (valsartan/amlodipine) EXFORGE HCT (valsartan/amlodipine/HCTZ) HYZAAR (losartan/HCTZ) MICARDIS-HCT (telmisartan/HCTZ) telmisartan/amlodipine telmisartan HCTZ TEVETEN-HCT (eprosartan/HCTZ) TRIBENZOR (olmesartan/amlodipine/HCTZ) TWYNSTA (telmisartan/amlodipine) valsartan/amlodipine/HCTZ	*Entresto will only be authorized for patients diagnosed with chronic heart-failure (NYHA classification 2-4) with an EF ≤ 40%.
	DIRECT RENIN INHIBITORS	
	AMTURNIDE (aliskiren/amlodipine/HCTZ) TEKAMLO (aliskiren/amlodipine) TEKTURNA (aliskiren) TEKTURNA HCT (aliskiren/HCTZ) VALTURNA (aliskiren/valsartan)	Substitute for Class Criteria: Tekturna requires a thirty (30) day trial of one (1) preferred ACE, ARB, or combination agent, at the maximum tolerable dose, before it will be authorized unless one (1) of the exceptions on the PA form is present.  Amturnide, Tekamlo, Tekturna HCT or Valturna will be authorized if the criteria for Tekturna are met and the patient also needs the other agents in the combination.



### **BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID**

managed categories. Refer to cover page for complete list of rules governing this PDL.

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA This is not an all-inclusive list of available covered drugs and includes only

**EFFECTIVE** 01/01/2018 **Version 2018.1g** 

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA

**ANTIANGINAL & ANTI-ISCHEMIC** 

CLASS PA CRITERIA: Ranexa will be authorized for patients with angina who are also taking a calcium channel blocker, a beta blocker, or a nitrite as single agents or a combination agent containing one (1) of these ingredients.

RANEXA (ranolazine)<sup>AP</sup>

#### **ANTIBIOTICS, GI & RELATED AGENTS**

CLASS PA CRITERIA: Non-preferred agents require a fourteen (14) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the

PA form is present.

metronidazole tablet

neomycin tinidazole

ALINIA (nitazoxanide)

DIFICID (fidaxomicin)\*

FLAGYL (metronidazole)

FLAGYL ER (metronidazole ER)

metronidazole capsule

paromomycin

TINDAMAX (tinidazole) VANCOCIN (vancomycin)

vancomycin\*\*

XIFAXAN (rifaximin)\*\*\*

\*Dificid will be authorized if the following criteria are met:

- 1. There is a diagnosis of severe *C. difficile* infection; and
- 2. There is no response to prior treatment with vancomycin for ten (10) to fourteen (14) days.

\*\*Vancomvcin will be authorized for treatment of mild to moderate C. difficile infections after a fourteen (14) day trial of metronidazole. Severe C. difficile infections do not require a trial of metronidazole for authorization.

\*\*\*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.

#### ANTIBIOTICS, INHALED

CLASS PA CRITERIA: Non-preferred agents require a twenty-eight (28) day trial of a preferred agent and documentation of therapeutic failure before they will be approved, unless one (1) of the exceptions on the PA form is present.

BETHKIS (tobramycin) KITABIS PAK (tobramycin) CAYSTON (aztreonam) TOBI (tobramycin)

TOBI PODHALER (tobramycin)

tobramycin

#### **ANTIBIOTICS, TOPICAL**

CLASS PA CRITERIA: Non-preferred agents require ten (10) day trials of at least one preferred agent, including the generic formulation of the requested nonpreferred agent, before they will be approved, unless one (1) of the exceptions on the PA form is present.

bacitracin (Rx. OTC) gentamicin sulfate mupirocin ointment

ALTABAX (retapamulin) BACTROBAN (mupirocin) CENTANY (mupirocin) CORTISPORIN

(bacitracin/neomycin/polymyxin/HC)

mupirocin cream

neomycin/polymyxin/pramoxine



EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
ANTIBIOTICS, VAGINAL			
CLASS PA CRITERIA: Non-preferred agents red approved, unless one (1) of the exceptions on the		ent at the manufacturer's recommended duration, before they will be	
clindamycin cream CLINDESSE (clindamycin) metronidazole	AVC (sulfanilamide) CLEOCIN CREAM (clindamycin) CLEOCIN OVULE (clindamycin) METROGEL (metronidazole) NUVESSA (metronidazole) VANDAZOLE (metronidazole)		
ANTICOAGULANTS			
CLASS PA CRITERIA: Non-preferred agents red	quire a trial of each preferred agent in the same sul	b-class, unless one (1) of the exceptions on the PA form is present.	
	INJECTABLECL		
enoxaparin	ARIXTRA (fondaparinux) fondaparinux FRAGMIN (dalteparin) LOVENOX (enoxaparin)		
COLIMA DINI (constante)	ORAL	*Oole ded oor formed a work will be not beginning to propose of	
COUMADIN (warfarin) ELIQUIS (apixaban) <sup>AP*</sup> PRADAXA (dabigatran) <sup>AP*</sup> warfarin XARELTO (rivaroxaban) <sup>AP*</sup>	SAVAYSA (edoxaban)	*Selected preferred agents will be authorized per FDA approved indications and dosage only.	
ANTICONVULSANTS			
CLASS PA CRITERIA: For a diagnosis of seizure disorder, non-preferred agents require a fourteen (14) day trial of a preferred agent in the same sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present; patients currently on established therapies shall be grandfathered.			
For all other diagnoses, non-preferred agents require a thirty (30) day trial of a preferred agent in the same sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present.			
In situations where AB-rated generic equivalent products are available, "Brand Medically Necessary" must be hand-written by the prescriber on the prescription for the brand name product to be reimbursed.			
	ADJUVANTS		
carbamazepine carbamazepine ER carbamazepine XR	APTIOM (eslicarbazepine) BANZEL(rufinamide) BRIVIACT (brivaracetam)	*Topiramate ER will be authorized after a thirty (30) day trial of topiramate IR.	
divalproex	CARBATROL (carbamazepine)	**Vimpat will be approved as monotherapy or adjunctive therapy	



EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
divalproex sprinkle EPITOL (carbamazepine) GABITRIL (tiagabine) lamotrigine levetiracetam IR levetiracetam ER oxcarbazepine suspension and tablets topiramate IR topiramate ER* valproic acid VIMPAT(lacosamide) <sup>AP**</sup> zonisamide	DEPAKENE (valproic acid) DEPAKOTE (divalproex) DEPAKOTE ER (divalproex) DEPAKOTE SPRINKLE (divalproex) EQUETRO (carbamazepine) FANATREX SUSPENSION (gabapentin) felbamate FELBATOL (felbamate) FYCOMPA (perampanel) KEPPRA (levetiracetam) KEPPRA XR (levetiracetam) LAMICTAL (lamotrigine) LAMICTAL CHEWABLE (lamotrigine) LAMICTAL ODT (lamotrigine) LAMICTAL XR (lamotrigine) lamotrigine dose pack lamotrigine ER OXTELLAR XR (oxcarbazepine) POTIGA (ezogabine) QUDEXY XR (topiramate ER) SABRIL (vigabatrin) SPRITAM (levetiracetam) STAVZOR (valproic acid) TEGRETOL (carbamazepine) TEGRETOL XR (carbamazepine) TEGRETOL XR (carbamazepine) TEGRETOL XR (topiramate) TRILEPTAL SUSPENSION and TABLETS (oxcarbazepine) TROKENDI XR (topiramate) TROKENDI XR (topiramate)	for a diagnosis of partial-onset seizure disorder.  ***Qudexy XR and Trokendi XR are only approvable on appeal.	
	BARBITURATESAP		
phenobarbital primidone	MYSOLINE (primidone)		
	BENZODIAZEPINESAP		
clonazepam DIASTAT (diazepam rectal) diazepam tablets	clonazepam ODT diazepam rectal gel KLONOPIN (clonazepam) ONFI (clobazam)* ONFI SUSPENSION (clobazam)* VALIUM TABLETS (diazepam)	*Onfi shall be authorized as adjunctive therapy for treatment of Lennox-Gastaut Syndrome without further restrictions. Off-label use requires an appeal to the Medical Director.	



EFFECTIVE 01/01/2018 Version 2018.1g

	THERAPEUTIC DRUG CLA	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	HYDANTOINS <sup>AP</sup>	
DILANTIN (phenytoin sodium, extended) PEGANONE (ethotoin) phenytoin capsules, chewable tablets, suspension	DILANTIN INFATABS (phenytoin) PHENYTEK (phenytoin)	
	SUCCINIMIDES	
CELONTIN (methsuximide) ethosuximide capsules ethosuximide syrup	ZARONTIN (ethosuximide) capsules ZARONTIN (ethosuximide) syrup	
ANTIDEPRESSANTS, OTHER		
CLASS PA CRITERIA: See below for individua	al sub-class criteria.	
	MAOIs <sup>AP</sup>	
	MARPLAN (isocarboxazid) NARDIL (phenelzine) PARNATE (tranylcypromine) phenelzine tranylcypromine	Patients stabilized on MAOI agents will be grandfathered.
dulayatina assulasa	SNRIS <sup>AP</sup>	Non-professed essents require consents thinty (20) day trials of a
duloxetine capulses venlafaxine ER capsules	CYMBALTA (duloxetine) desvenlafaxine ER desvenlafaxine fumarate ER EFFEXOR XR (venlafaxine) FETZIMA (levomilnacipran) KHEDEZLA (desvenlafaxine) PRISTIQ (desvenlafaxine) venlafaxine IR VENLAFAXINE ER TABLETS (venlafaxine)	Non-preferred agents require separate thirty (30) day trials of a preferred agent in this sub-class <b>AND</b> an SSRI before they will be approved, unless one (1) of the exceptions on the PA form is present.
	SECOND GENERATION NON-SSRI, O	THERAP
bupropion IR bupropion SR bupropion XL mirtazapine trazodone	APLENZIN (bupropion hbr) EMSAM (selegiline) FORFIVO XL (bupropion) nefazodone OLEPTRO ER (trazodone) REMERON (mirtazapine) TRINTELLIX (vortioxetine) VIIBRYD (vilazodone HCI) WELLBUTRIN (bupropion) WELLBUTRIN SR (bupropion)	Non-preferred agents require separate thirty (30) day trials of a preferred agent in this sub-class <b>AND</b> an SSRI before they will be approved, unless one (1) of the exceptions on the PA form is present.



EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	SELECTED TCAs	
imipramine HCI	imipramine pamoate TOFRANIL (imipramine HCI) TOFRANIL PM (imipramine pamoate)	Non-preferred agents require a twelve (12) week trial of imipramine HCl before they will be approved, unless one (1) of the exceptions on the PA form is present.
ANTIDEPRESSANTS, SSRISAP		
<b>CLASS PA CRITERIA:</b> Non-preferred agents re exceptions on the PA form is present.	equire thirty (30) day trials of at least two (2) pre	eferred agents before they will be approved, unless one (1) of the
Upon hospital discharge, patients admitted with a continue that drug.	primary mental health diagnosis who have been st	abilized on a non-preferred SSRI will receive an authorization to
citalopram escitalopram tablets fluoxetine capsules, solution fluvoxamine paroxetine sertraline	BRISDELLE (paroxetine) CELEXA (citalopram) escitalopram solution fluoxetine tablets fluvoxamine ER LEXAPRO (escitalopram) LUVOX CR (fluvoxamine) paroxetine ER PAXIL (paroxetine) PAXIL CR (paroxetine) PEXEVA (paroxetine) PROZAC (fluoxetine) SARAFEM (fluoxetine) ZOLOFT (sertraline)	
ANTIEMETICSAP		
CLASS PA CRITERIA: See below for sub-class of	criteria.	
		6
ondansetron ODT, solution, tablets	5HT3 RECEPTOR BLOCKER ANZEMET (dolasetron)	Non-preferred agents require a three (3) day trial of a preferred
Undanselion OD1, Solution, tablets	granisetron GRANISOL (granisetron) ondansetron vials SANCUSO (granisetron) SUSTOL (granisetron) ZOFRAN (ondansetron) ZUPLENZ (ondansetron)	agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
	CANNABINOIDS CESAMET (nabilone)*	*Cesamet will be authorized only for the treatment of nausea and
	dronabinol** MARINOL (dronabinol)**	vomiting associated with cancer chemotherapy for patients who have failed to respond adequately to three (3) day trials of



EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
		conventional treatments such as promethazine or ondansetron and are eighteen (18) years of age or older.	
		**Dronabinol will only be authorized for:  1. The treatment of anorexia associated with weight loss in patients with AIDS or cancer and unresponsive to megestrol or  2. The prophylaxis of chemotherapy induced nausea and vomiting unresponsive to three (3) day trials of ondansetron or promethazine for patients from eighteen (18) up to sixty-five (65) years of age.	
	SUBSTANCE P ANTAGONISTS		
EMEND (aprepitant)	aprepitant VARUBI (rolapitant)	Non-preferred agents require a three (3) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.	
	COMBINATIONS		
	AKYNZEO (netupitant/palonosetron)	Non-preferred agents will only be approved on appeal.	
ANTIFUNGALS, ORAL			
CLASS PA CRITERIA: Non-preferred agents wil	I only be authorized if one (1) of the exceptions on	the PA form is present.	
clotrimazole fluconazole*	ANCOBON (flucytosine) CRESEMBA (isovuconazonium)CL**	*PA is required when limits are exceeded.	
nystatin terbinafine <sup>CL</sup>	DIFLUCAN (fluconazole) flucytosine GRIFULVIN V TABLET (griseofulvin)	**Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.	
	griseofulvin*** GRIS-PEG (griseofulvin)	***PA is not required for griseofulvin suspension for children up to eighteen (18) years of age for the treatment of tinea capitis.	
	itraconazole ketoconazole**** LAMISIL (terbinafine)	****Ketoconazole will be authorized if the following criteria are met:	
	MYCELEX (clotrimazole) MYCOSTATIN Tablets (nystatin) NIZORAL (ketoconazole)	Diagnosis of one of the following fungal infections:     blastomycosis, coccidioidomycosis, histoplasmosis, chromomycosis, or paracoccidioidomycosis and	
	NOXAFIL (posaconazole) ONMEL (itraconazole) ORAVIG (miconazole)	Documented failure or intolerance of all other diagnosis-appropriate antifungal therapies, i.e. itraconazole, fluconazole, flucytosine, etc and	
	SPORANOX (itraconazole) VFEND (voriconazole) voriconazole suspension	3. Baseline assessment of the liver status including alanine aminotransferase (ALT), aspartate aminotransferase (AST), total bilirubin, alkaline phosphatase, prothrombin time, and	
	voriconazole tablets	international normalized ratio (INR) before starting treatment and	
		<ol><li>Weekly monitoring of serum ALT for the duration of treatment (If ALT values increase to a level above the upper</li></ol>	



EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		limit of normal or 30% above baseline, or if the patient develops symptoms of abnormal liver function, treatment should be interrupted and a full set of liver tests be obtained. Liver tests should be repeated to ensure normalization of values.) and  5. Assessment of all concomitant medications for potential adverse drug interactions with ketoconazole.  Ketoconazole will not be authorized for treatment for fungal infections of the skin and nails.
ANTIFUNGALS, TOPICALAP		
		gents before they will be approved, unless one (1) of the exceptions (1) preferred product (i.e. ketoconazole shampoo) is required.
	ANTIFUNGALS	
econazole ketoconazole cream, shampoo MENTAX (butenafine) miconazole (OTC) nystatin	CICLODAN (ciclopirox) ciclopirox ERTACZO (sertaconazole) EXELDERM (sulconazole) EXTINA (ketoconazole) JUBLIA (efinaconazole) ketoconazole foam KERYDIN (tavaborole) KETODAN (ketoconazole) LOPROX (ciclopirox) LUZU (luliconazole) MYCOSTATIN (nystatin) NAFTIN CREAM (naftifine) NAFTIN GEL (naftifine) NIZORAL (ketoconazole) OXISTAT (oxiconazole)* PEDIPIROX-4 (ciclopirox) PENLAC (ciclopirox) VUSION (miconazole/petrolatum/zinc oxide) XOLEGEL (ketoconazole)	*Oxistat cream will be authorized for children up to thirteen (13) years of age for tinea corporis, tinea cruris, tinea pedis, and tinea (pityriasis) versicolor.
ANTIFUNGAL/STEROID COMBINATIONS		
clotrimazole/betamethasone	KETOCON PLUS (ketoconazole/hydrocortisone) LOTRISONE (clotrimazole/betamethasone) nystatin/triamcinolone	



**EFFECTIVE** 01/01/2018 **Version 2018.1g** 

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>ANTIHEMOPHILIA FACTOR AGEN</b>	TS <sup>CL</sup>	
CLASS PA CRITERIA: All agents will require preferred product.	rior-authorization, and non-preferred agents require	e medical reasoning explaining why the need cannot be met using a
All currently established regimens shall be grand	athered with documentation of adherence to therap	o <mark>y.</mark>
ALPHANATE	FACTOR VIII	
HEMOFIL M HUMATE-P KOATE KOATE-DVI MONOCLATE-P NOVOEIGHT WILATE XYNTHA XYNTHA SOLOFUSE	ADVATE ADYNOVATE ELOCTATE KOGENATE FS KOVALTRY NUWIQ RECOMBINATE VONVENDI	
ALPHANINE SD	FACTOR IX	
BEBULIN BENEFIX IXINITY MONONINE PROFILNINE RIXUBIS	ALPROLIX IDELVION	
<b>ANTIHYPERTENSIVES, SYMPATH</b>		
CLASS PA CRITERIA: Non-preferred agents re approved, unless one (1) of the exceptions on the		chemical entity in the corresponding formulation before they will be
CATAPRES-TTS (clonidine) clonidine tablets	CATAPRES TABLETS (clonidine) clonidine patch NEXICLON XR (clonidine)	
ANTIHYPERURICEMICS		
CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of one (1) of the preferred agents for the prevention of gouty arthritis attacks (colchicine/probenecid, probenecid, or allopurinol) before they will be approved, unless one (1) of the exceptions on the PA form is present.		
	ANTIMITOTICS	
colchicine capsules*	colchicine tablets COLCRYS (colchicine) MITIGARE (colchicine)	*In the case of acute gouty attacks, a ten (10) day supply (twenty (20) capsules) of colchicine will be authorized per ninety (90) days.



### **BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID**

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

**EFFECTIVE** 01/01/2018 **Version 2018.1g** 

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL

manag	led categories. Refer to cover page for complete in	st or rules governing this PDL.
	THERAPEUTIC DRUG CL	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ANTIMITOTIC-URICOSURIC COMBII	NATION
colchicine/probenecid		
	URICOSURIC	
probenecid	ZURAMPIC (lesinurad)*	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
	XANTHINE OXIDASE INHIBITO	RS
allopurinol	ULORIC (febuxostat) ZYLOPRIM (allopurinol)	
	URICOSURIC – XANTHINE OXIDASE IN	IHIBITORS
	DUZALLO (allopurinol/lesinurad) <sup>NR</sup>	Non-preferred agents will only be approved on appeal
ANTIMIGRAINE AGENTS, OTHERAP		
<b>CLASS PA CRITERIA:</b> Non-preferred agents r approved, unless one (1) of the exceptions on the		entity of the preferred Antimigraine Triptan Agents before they will be
	CAMBIA (diclofenac)	
<b>ANTIMIGRAINE AGENTS, TRIPTA</b>	NS <sup>AP</sup>	
CLASS PA CRITERIA: Non-preferred agents	require three (3) day trials of each preferred unique	e chemical entity before they will be approved, unless one (1) of the

**CLASS PA CRITERIA:** Non-preferred agents require three (3) day trials of each preferred unique chemical entity before they will be approved, unless one (1) of the exceptions on the PA form is present.

TRIPTANS		
naratriptan rizatriptan ODT rizatriptan tablet sumatriptan injection <sup>CL</sup> sumatriptan nasal spray sumatriptan tablets  Sumatriptan tablets  AXERT (almotriptan) eletriptan FROVA (frovatriptan) frovatriptan IMITREX INJECTION (sumatriptan) IMITREX tablets (sumatriptan) IMITREX tablets (sumatriptan) MAXALT MLT (rizatriptan) MAXALT MLT (rizatriptan) ONZETRA XSAIL (sumatriptan)* RELPAX (eletriptan) SUMAVEL (sumatriptan) ZECUITY PATCH (sumatriptan) ZEMBRACE SYMTOUCH (sumatriptan) zolmitriptan zolmitriptan ODT	*In addition to the Class Criteria: Onzetra Xsail requires three (3) day trials of each preferred oral, nasal and injectable forms of sumatriptan.	



EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	ZOMIG (zolmitriptan) ZOMIG ZMT (zolmitriptan) TRIPTAN COMBINATIONS	
	TREXIMET (sumatriptan/naproxen sodium)	
ANTIPARASITICS, TOPICALAP		
CLASS PA CRITERIA: Non-preferred agents req (1) of the exceptions on the PA form is present.	uire trials of each preferred agent (which are age	and weight appropriate) before they will be approved, unless one
NATROBA (spinosad) permethrin 5% cream permethrin 1% lotion (OTC) pyrethrins-piperonyl butoxide OTC SKLICE (ivermectin)	EURAX (crotamiton) LICE EGG REMOVER OTC (benzalkonium chloride) lindane malathion OVIDE (malathion) spinosad	
ANTIPARKINSON'S AGENTS		
CLASS PA CRITERIA: Patients starting therapy of a non-preferred agent will be authorized.	on drugs in this class must show a documented all	lergy to all preferred agents in the corresponding sub-class, before
	ANTICHOLINERGICS	
benztropine trihexyphenidyl	COGENTIN (benztropine)	
	COMT INHIBITORS	
	COMTAN (entacapone) entacapone TASMAR (tolcapone)	COMT Inhibitor agents will only be approved as add-on therapy to a levodopa-containing regimen for treatment of documented motor complications.
	DOPAMINE AGONISTS	
pramipexole ropinirole	MIRAPEX (pramipexole) MIRAPEX ER (pramipexole)* NEUPRO (rotigotine) pramipexole ER REQUIP (ropinirole) REQUIP XL (ropinirole)* ropinirole ER	*Mirapex ER and Requip XL will be authorized for a diagnosis of Parkinsonism without a trial of preferred agents.
, II AAD	OTHER ANTIPARKINSON'S AGEN	
amantadine*AP bromocriptine carbidopa/levodopa levodopa/carbidopa/entacapone selegiline	AZILECT (rasagiline) carbidopa ELDEPRYL (selegiline) levodopa/carbidopa ODT LODOSYN (carbidopa)	*Amantadine will not be authorized for the treatment or prophylaxis of influenza.



EFFECTIVE 01/01/2018 Version 2018.1g

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	PARCOPA (levodopa/carbidopa) PARLODEL (bromocriptine) rasagiline RYTARY (levodopa/carbidopa) SINEMET (levodopa/carbidopa) STALEVO (levodopa/carbidopa/entacapone) XADAGO (safinamide) ZELAPAR (selegiline)	
ANTIPSORIATICS, TOPICAL		
CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of two (2) preferred unique chemical entities before they will be approved, unless one (1) of the exceptions on the PA form is present.		

the exceptions on the PA form is present.

TACLONEX OINT (calcipotriene/ calcipotriene cream

betamethasone)
TAZORAC (tazarotene)
VECTICAL (calcitriol)

calcipotriene ointment calcipotriene solution

calcipotriene/betamethasone ointment

CALCITRENE (calcipotriene)

calcitriol

DOVONEX (calcipotriene)

ENSTILAR (calcipotriene/betamethasone)

SORILUX (calcipotriene) tazarotene cream (tazarotene)

#### **ANTIPSYCHOTICS, ATYPICAL**

CLASS PA CRITERIA: All antipsychotic agents require prior authorization for children up to eighteen (18) years of age. All PA requests for antipsychotics for children 6 years of age and younger will be reviewed by Medicaid's consultant psychiatrist.

Non-preferred agents require fourteen (14) day trials of three (3) preferred agents, including the generic formulation of the requested agent (if available), before they will be approved unless one (1) of the exceptions on the PA form is present.

Upon discharge, a hospitalized patient stabilized on a non-preferred agent may receive authorization to continue this drug for labeled indications and at FDA recommended dosages. For off-label indications or dosages, a thirty (30) day prior-authorization shall be granted pending BMS review.

SINGLE INGREDIENT		
ABILIFY MAINTENA (aripiprazole) <sup>CL</sup>	ABILIFY TABLETS (aripiprazole)	In addition to class criteria:
ABILIFY DISCMELT & ORAL SOLUTION	ADASUVE (loxapine)	
(aripiprazole)	aripiprazole discmelt & oral solution	*Invega Trinza will be authorized after four months' treatment
aripiprazole tablets	clozapine ODT	with Invega Sustenna
ARISTADA (aripiprazole) <sup>CL</sup>	CLOZARIL (clozapine)	-
clozapine	FANAPT (iloperidone)	**Quetiapine 25 mg will be authorized:
INVEGA SUSTENNA (paliperidone)CL	FAZACLO (clozapine)	<ol> <li>For a diagnosis of schizophrenia or</li> </ol>



EFFECTIVE 01/01/2018 Version 2018.1g

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
INVEGA TRINZA (paliperidone)* CL olanzapine olanzapine ODT quetiapine** AP for the 25 mg Tablet Only quetiapine ER RISPERDAL CONSTA (risperidone)CL risperidone ziprasidone	GEODON (ziprasidone) GEODON IM (ziprasidone) INVEGA ER (paliperidone) LATUDA (lurasidone)****AP NUPLAZID (pimavanserin) ***** olanzapine IMCL paliperidone ER REXULTI (brexipiprazole) RISPERDAL (risperidone) SAPHRIS (asenapine) SEROQUEL (quetiapine) SEROQUEL XR (quetiapine) VERSACLOZ (clozapine) VRAYLAR (capriprazine) VRAYLAR DOSE PAK (capriprazine) ZYPREXA (olanzapine) ZYPREXA IM (olanzapine) CATYPICAL ANTIPSYCHOTIC/SSRI COMB	<ol> <li>For a diagnosis of bipolar disorder or</li> <li>When prescribed concurrently with other strengths of Seroquel in order to achieve therapeutic treatment levels.</li> <li>Quetiapine 25 mg will not be authorized for use as a sedative hypnotic.</li> <li>***For the indication of bipolar depression only, prior authorization of Latuda requires a 14-day trial of either quetiapine OR a combination of olanzapine + fluoxetine. All other indications follow class criteria. Patients already stabilized on Latuda shall be grandfathered.</li> <li>****Nuplazid will only be authorized for the treatment of Parkinson Disease Induced Psychosis after documented treatment failure with quetiapine.</li> </ol>	
	olanzapine/fluoxetine SYMBYAX (olanzapine/fluoxetine)	IIIA II ONO	
	, ,		

#### **ANTIRETROVIRALS**

**CLASS PA CRITERIA:** Non-preferred drugs require medical reasoning beyond convenience or enhanced compliance as to why the clinical need cannot be met with a preferred agent or combination of preferred agents. <u>NOTE</u>: Regimens consisting of preferred agents will result in no more than one additional unit per day over equivalent regimens composed of non-preferred agents. Patients already on a non-preferred regimen shall be grandfathered.

#### INTEGRASE STRAND TRANSFER INHIBITORS

INTEGRACE STRAND TRANSPORT		
ISENTRESS (raltegravir potassium) TIVICAY (dolutegravir sodium) VITEKTA (elvitegravir)		
	<b>NUCLEOSIDE REVERSE TRANSCRIPTASE INF</b>	HIBITORS (NRTI)
abacavir sulfate didanosine DR capsule EMTRIVA (emtricitabine) EPIVIR SOLUTION (lamivudine) lamivudine stavudine VIDEX SOLUTION (didanosine) VIREAD (tenofovir disoproxil fumarate) ZIAGEN SOLUTION (abacavir sulfate) zidovudine	EPIVIR TABLET (lamivudine) RETROVIR (zidovudine) VIDEX EC (didanosine) ZERIT (stavudine) ZIAGEN TABLET (abacavir sulfate)	



EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CLAS	S
NON-PREFERRED AGENTS	PA CRITERIA
N-NUCLEOSIDE REVERSE TRANSCRIPTASE INF	HIBITOR (NNRTI)
INTELENCE (etravirine) nevirapine nevirapine ER RESCRIPTOR (delavirdine mesylate) VIRAMUNE ER 24H (nevirapine)	
PHARMACOENHANCER - CYTOCHROME P450	INHIBITOR
PROTEASE INHIBITORS (PEPTIDIC)	
CRIXIVAN (indinavir) INVIRASE (saquinavir mesylate) LEXIVA (fosamprenavir) VIRACEPT (nelfinavir mesylate)	
PROTEASE INHIBITORS (NON-PEPTID	IC)
APTIVUS (tipranavir) PREZCOBIX (darunavir/cobicistat)	
ENTRY INHIBITORS - CCR5 CO-RECEPTOR AN	TAGONISTS
SELZENTRY (maraviroc)	
ENTRY INHIBITORS – FUSION INHIBITO	DRS
FUZEON (enfuvirtide)	
abacavir/lamivudine/zidovudine COMBIVIR (lamivudine/zidovudine) TRIZIVIR (abacavir/lamivudine/zidovudine)	
BINATION PRODUCTS - NUCLEOSIDE & NUCLEO	TIDE ANALOG RTIS
PODLICTS - NUCL FOSIDE & NUCL FOTIDE ANALO	OGS & INTEGRASE INHIBITORS
STRIBILD  (elvitegravir/cobicistat/emtricitabine/tenofovir)* TRIUMEQ (abacavir/lamivudine/ dolutegravir)**	*Stribild requires medical reasoning beyond convenience or enhanced compliance as to why the medical need cannot be met with the the preferred agent Genvoya.  **Triumeq requires medical reasoning beyond convenience or enhanced compliance as to why the medical need cannot be met with the preferred agents Epzicom and Tivicay.
	NON-PREFERRED AGENTS  DN-NUCLEOSIDE REVERSE TRANSCRIPTASE INFINITELENCE (etravirine) nevirapine nevirapine ER RESCRIPTOR (delavirdine mesylate) VIRAMUNE ER 24H (nevirapine) VIRAMUNE SUSPENSION (nevirapine) PHARMACOENHANCER – CYTOCHROME P450  PROTEASE INHIBITORS (PEPTIDIC) CRIXIVAN (indinavir) INVIRASE (saquinavir mesylate) LEXIVA (fosamprenavir) VIRACEPT (nelfinavir mesylate) PROTEASE INHIBITORS (NON-PEPTIDIC) APTIVUS (tipranavir) PREZCOBIX (darunavir/cobicistat) ENTRY INHIBITORS – CCR5 CO-RECEPTOR AN SELZENTRY (maraviroc) ENTRY INHIBITORS – FUSION INHIBITOR FUZEON (enfuvirtide) COMBINATION PRODUCTS - NRTIS abacavir/lamivudine/zidovudine) TRIZIVIR (abacavir/lamivudine/zidovudine) TRIZIVIR (abacavir/lamivudine/zidovudine) BINATION PRODUCTS – NUCLEOSIDE & NUCLEO RODUCTS – NUCLEOSIDE & NUCLEOTIDE ANALO STRIBILD (elvitegravir/cobicistat/emtricitabine/tenofovir)*



EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
COMBINATION PF	COMBINATION PRODUCTS - NUCLEOSIDE & NUCLEOTIDE ANALOGS & NON-NUCLEOSIDE RTIS		
ATRIPLA (efavirenz/emtricitabine/tenofovir)  ODEFSEY (emtricitabine/rilpivirine/tenofovir)	COMPLERA (emtricitabine/rilpivirine/tenofovir)*	*Complera requires medical reasoning beyond convenience or enhanced compliance as to why the medical need cannot be met with the preferred agents Truvada and Edurant.	
	COMBINATION PRODUCTS - PROTEASE I	NHIBITORS	
KALETRA (lopinavir/ritonavir)	lopinavir/ritonavir		
ANTIVIRALS, ORAL			
<b>CLASS PA CRITERIA:</b> Non-preferred agents req the exceptions on the PA form is present.	uire five (5) day trials of each preferred agent in the	e same sub-class before they will be approved, unless one (1) of	
	ANTI HERPES		
acyclovir valacyclovir	famciclovir FAMVIR (famciclovir) SITAVIG (acyclovir) VALTREX ZOVIRAX (acyclovir)		
DELENIZA (	ANTI-INFLUENZA	In addition to the Olean Oritarie. The auti influence annuts will	
RELENZA (zanamivir) TAMIFLU (oseltamivir)	FLUMADINE (rimantadine) oseltamivir rimantadine	In addition to the Class Criteria: The anti-influenza agents will be authorized only for a diagnosis of influenza.	
ANTIVIRALS, TOPICALAP	Illiandanie		
<b>CLASS PA CRITERIA:</b> Non-preferred agents req form is present.	uire a five (5) day trial of the preferred agent before	e they will be approved, unless one (1) of the exceptions on the PA	
ZOVIRAX CREAM (acyclovir)	ABREVA (docosanol) acyclovir ointment DENAVIR (penciclovir) ZOVIRAX OINTMENT (acyclovir)		
BETA BLOCKERSAP			
CLASS PA CRITERIA: Non-preferred agents require fourteen (14) day trials of three (3) chemically distinct preferred agents, including the generic formulation of the requested non-preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.			
	BETA BLOCKERS		
acebutolol atenolol betaxolol bisoprolol CORGARD (nadolol) metoprolol metoprolol ER	BETAPACE (sotalol) BYSTOLIC (nebivolol) HEMANGEOL (propranolol)* INDERAL LA (propranolol) INDERAL XL (propranolol) INNOPRAN XL (propranolol) KERLONE (betaxolol)	*Hemangeol will be authorized for the treatment of proliferating infantile hemangioma requiring systemic therapy.  **Propranolol ER shall be authorized for patients with a diagnosis of migraines. Existing users will be grandfathered for use in migraine prophylaxis.	



EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
pindolol propranolol sotalol timolol	LEVATOL (penbutolol) LOPRESSOR (metoprolol) nadolol propranolol ER** SECTRAL (acebutolol) TENORMIN (atenolol) TOPROL XL (metoprolol) ZEBETA (bisoprolol)	
	BETA BLOCKER/DIURETIC COMBINATION	ON DRUGS
atenolol/chlorthalidone bisoprolol/HCTZ metoprolol/HCTZ propranolol/HCTZ	CORZIDE (nadolol/bendroflumethiazide) DUTOPROL (metoprolol ER/HCTZ ER) LOPRESSOR HCT (metoprolol/HCTZ) metoprolol/HCTZ ER nadolol/bendroflumethiazide TENORETIC (atenolol/chlorthalidone) ZIAC (bisoprolol/HCTZ)	
	BETA- AND ALPHA-BLOCKERS	
carvedilol labetalol	COREG (carvedilol) COREG CR (carvedilol) TRANDATE (labetalol)	
<b>BLADDER RELAXANT PREPARATI</b>		
CLASS PA CRITERIA: Non-preferred agents requexceptions on the PA form is present	uire thirty (30) day trials of each chemically distinct	t preferred agent before they will be approved, unless one (1) of the
oxybutynin IR oxybutynin ER TOVIAZ (fesoterodine)	DETROL (tolterodine) DETROL LA (tolterodine) DITROPAN XL (oxybutynin) ENABLEX (darifenacin) flavoxate GELNIQUE (oxybutynin) MYRBETRIQ (mirabegron) OXYTROL (oxybutynin) SANCTURA (trospium) SANCTURA XR (trospium) tolterodine tolterodine ER trospium trospium ER VESICARE (solifenacin)	



### **BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID**

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

**EFFECTIVE** 01/01/2018 **Version 2018.1g** 

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
<b>BONE RESORPTION SUPPRESSI</b>	ON AND RELATED AGENTS	
CLASS PA CRITERIA: See below for class cri	teria.	
	BISPHOSPHONATES	
alendronate tablets ibandronate	ACTONEL (risedronate) ACTONEL WITH CALCIUM (risedronate/ calcium) alendronate solution ATELVIA (risedronate) BINOSTO (alendronate) BONIVA (ibandronate) DIDRONEL (etidronate) etidronate FOSAMAX TABLETS (alendronate) FOSAMAX PLUS D (alendronate/vitamin D) risedronate	Non-preferred agents require thirty (30) day trials of <b>each</b> preferred Bisphosphonate agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
	OTHER BONE RESORPTION SUPPRESSION AND	
	calcitonin EVISTA (raloxifene)* FORTEO (teriparatide) FORTICAL (calcitonin) MIACALCIN (calcitonin) raloxifene* TYMLOS (abaloparatide) <sup>NR</sup>	Non-preferred agents require a thirty (30) day trial of a preferred Bisphosphonate agent before they will be approved, unless one (1) of the exceptions on the PA form is present.  *Raloxifene generic will be authorized for postmenopausal women with osteoporosis or at high risk for invasive breast cancer.
BPH TREATMENTS		
	will be approved, unless one (1) of the exceptions on	·
	5-ALPHA-REDUCTASE (5AR) INHIBITORS AN	ND PDE-5 AGENTS
finasteride	AVODART (dutasteride) CIALIS 5 mg (tadalafil) dutasteride PROSCAR (finasteride)  ALPHA BLOCKERS	
alfuzosin doxazosin tamsulosin terazosin	CARDURA (doxazosin) CARDURA XL (doxazosin) FLOMAX (tamsulosin) HYTRIN (terazosin) RAPAFLO (silodosin) UROXATRAL (alfuzosin)	



### **BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID**

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

**EFFECTIVE** 01/01/2018 **Version 2018.1g** 

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
5-Al	PHA-REDUCTASE (5AR) INHIBITORS/ALPHA B	
	dutasteride/tamsulosin JALYN (dutasteride/tamsulosin)	<b>Substitute for Class Criteria</b> : Concurrent thirty (30) day trials of dutasteride and tamsulosin are required before the non-preferred agent will be authorized.
<b>BRONCHODILATORS, BETA AGO</b>	NISTAP	
<b>CLASS PA CRITERIA:</b> Non-preferred agents re the exceptions on the PA form is present.	quire thirty (30) day trials of each chemically distinct	ct preferred agent in their corresponding sub-class unless one (1) of
	INHALATION SOLUTION	
albuterol	BROVANA (arformoterol) levalbuterol metaproterenol PERFOROMIST (formoterol) XOPENEX (levalbuterol)*	*Xopenex Inhalation Solution will be authorized for twelve (12) months for a diagnosis of asthma or COPD for patients on concurrent asthma controller therapy (either oral or inhaled) with documentation of failure on a trial of albuterol or documented intolerance of albuterol, or for concurrent diagnosis of heart disease.
	INHALERS, LONG-ACTING	
FORADIL (formoterol) SEREVENT (salmeterol)	ARCAPTA (indacaterol maleate) STRIVERDI RESPIMAT (olodaterol)	
PROAIR HFA (albuterol)	INHALERS, SHORT-ACTING MAXAIR (pirbuterol)	
PROVENTIL HFA (albuterol)	PROAIR RESPICLICK (albuterol) VENTOLIN HFA (albuterol) XOPENEX HFA (levalbuterol)	
	ORAL	
albuterol ER albuterol IR terbutaline	metaproterenol VOSPIRE ER (albuterol)	
CALCIUM CHANNEL BLOCKERS		
CLASS PA CRITERIA: Non-preferred agents re unless one (1) of the exceptions on the PA form it		nt within the corresponding sub-class before they will be approved,
LONG-ACTING		
amlodipine diltiazem ER felodipine ER nifedipine ER verapamil ER	ADALAT CC (nifedipine) CALAN SR (verapamil) CARDENE SR (nicardipine) CARDIZEM CD, LA (diltiazem) COVERA-HS (verapamil) diltiazem LA DYNACIRC CR (isradipine) ISOPTIN SR (verapamil) MATZIM LA (diltiazem) nisoldipine	



EFFECTIVE 01/01/2018 Version 2018.1g

	THERAPEUTIC DRUG CLA	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	NORVASC (amlodipine) PLENDIL (felodipine) PROCARDIA XL (nifedipine) SULAR (nisoldipine) TIAZAC (diltiazem) verapamil ER PM VERELAN/VERELAN PM (verapamil)	
me.	SHORT-ACTING	
diltiazem verapamil	CALAN (verapamil) CARDIZEM (diltiazem) isradipine nicardipine nifedipine nimodipine NIMOTOP (nimodipine) NYMALIZE SOLUTION (nimodipine) PROCARDIA (nifedipine)	
<b>CEPHALOSPORINS AND RELATE</b>	· · · · · ·	
CLASS PA CRITERIA: Non-preferred agents roone (1) of the exceptions on the PA form is pres		the corresponding sub-class before they will be approved, unless
	CTAMS AND BETA LACTAM/BETA-LACTAMASE	INHIBITOR COMBINATIONS
amoxicillin/clavulanate IR	amoxicillin/clavulanate ER AUGMENTIN (amoxicillin/clavulanate) AUGMENTIN XR (amoxicillin/clavulanate) MOXATAG (amoxicillin)	
	CEPHALOSPORINS  CEPHALOSPORINS	
cefacior capsule cefadroxil capsule, tablet cefdinir cefuroxime tablet cephalexin capsule, suspension	CEDAX (ceftibuten) cefaclor suspension cefaclor ER tablet cefadroxil suspension cefditoren cefpodoxime cefprozil ceftibuten capsule, suspension CEFTIN (cefuroxime) cefuroxime suspension cephalexin tablet KEFLEX (cephalexin) OMNICEF (cefdinir) RANICLOR (cefaclor) SPECTRACEF (cefditoren) SUPRAX (cefixime)	



EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
COPD AGENTS		
		t from the corresponding sub-class before they will be approved,
unless one (1) of the exceptions on the PA form is		
ipratropium nebulizer solution	ANTICHOLINERGIC <sup>AP</sup> ATROVENT HFA (ipratropium)	
SPIRIVA (tiotropium)	INCRUSE ELLIPTA (umeclidinium) SEEBRI NEOHALER(glycopyrrolate) SPIRIVA RESPIMAT (tiotropium) TUDORZA (aclidinium)	
	ANTICHOLINERGIC-BETA AGONIST COMB	
albuterol/ipratropium nebulizer solution BEVESPI (glycopyrrolate/formoterol)	ANORO ELLIPTA (umeclidinium/vilanterol) COMBIVENT RESPIMAT (albuterol/ipratropium) DUONEB (albuterol/ipratropium) STIOLTO RESPIMAT (tiotropium/olodaterol)* UTIBRON (indacaterol/glycopyrrolate)	*In addition to the Class criteria, Stiolto Respimat requires a sixty (60) day trial of Anoro Ellipta.
	PDE4 INHIBITOR	
	DALIRESP (roflumilast)*	*Daliresp will be authorized if the following criteria are met:  1. Patient is forty (40) years of age or older and  2. Diagnosis of severe chronic obstructive pulmonary disease (COPD) associated with chronic bronchitis and multiple exacerbations requiring systemic glucocorticoids in the preceding six (6) months and  3. Concurrent therapy with an inhaled corticosteroid and long-acting bronchodilator and evidence of compliance and  4. No evidence of moderate to severe liver impairment (Child-Pugh Class B or C) and  5. No concurrent use with strong cytochrome P450 inducers (rifampicin, phenobarbital, carbamazepine or phenytoin)
CYTOKINE & CAM ANTAGONISTS	EL .	
<b>CLASS PA CRITERIA:</b> Non-preferred agents require ninety (90) day trials of both Humira and Enbrel unless one (1) of the exceptions on the PA form is present. For FDA-approved indications, an additional ninety (90) day trial of Cosentyx will also be required.		
	ANTI-TNFs	
ENBREL (etanercept)* HUMIRA (adalimumab)*	CIMZIA (certolizumab pegol) REMICADE (infliximab) RENFLEXIS (infliximab) <sup>NR</sup> SIMPONI subcutaneous (golimumab)	*Full PA criteria may be found on the <u>PA Criteria</u> page by clicking the hyperlink.



EFFECTIVE 01/01/2018 Version 2018.1g

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS

PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	OTHERS	
COSENTYX (secukinumab)	ACTEMRA subcutaneous (tocilizumab) ILARIS (canakinumab) KEVZARA (sarilumab)NR KINERET (anakinra) ORENCIA subcutaneous (abatacept) OTEZLA (apremilast) SILIQ (brodalumab) STELARA subcutaneous (ustekinumab) TALTZ (ixekizumab) TREMFYA (guselkumab)NR XELJANZ (tofacitinib) XELJANZ XR (tofacitinib)	*Cosentyx 2-pack will be authorized for treatment of plaque psoriasis, psoriatic arthritis and ankylosing spondylitis only after inadequate response to a ninety (90) day trial of Humira.
EPINEPHRINE, SELF-INJECTED		
<b>CLASS PA CRITERIA:</b> A non-preferred agent manual understand the training for the preferred agent(s).		patient's inability to follow the instructions, or the patient's failure to
epinephrine (labeler 49502 only)	ADRENACLICK (epinephrine) epinephrine (labeler 54505 and 00115) EPIPEN (epinephrine) EPIPEN JR (epinephrine)	
<b>ERYTHROPOIESIS STIMULATING I</b>	PROTEINSCL	
<b>CLASS PA CRITERIA:</b> Non-preferred agents re PA form is present.	quire a thirty (30) day trial of a preferred agent be	fore they will be approved, unless one (1) of the exceptions on the
EPOGEN (rHuEPO) PROCRIT (rHuEPO)	ARANESP (darbepoetin)	Erythropoiesis agents will be authorized if the following criteria are met:  1. Hemoglobin or Hematocrit less than 10/30 respectively. For renewal, hemoglobin or hematocrit levels greater than 12/36 will require dosage reduction or discontinuation. Exceptions will be considered on an individual basis after medical documentation is reviewed. (Lab oratory values must be dated within six (6) weeks of request.) and  2. Transferrin saturation ≥ 20%, ferritin levels ≥100 mg/ml, or on concurrent therapeutic iron therapy. (Laboratory values must be dated within three (3) weeks of request. For re-authorization, transferrin saturation or ferritin levels are not required if the patient has been responsive to the erythropoietin agent and



EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		<ul> <li>3. For HIV-infected patients, endogenous serum erythropoietin level must be ≤ 500mU/ml to initiate therapy and</li> <li>4. No evidence of untreated GI bleeding, hemolysis, or Vitamin B-12, iron or folate deficiency.</li> </ul>
FLUOROQUINOLONES (Oral)AP		Vitaliiii B 12, non or lolate delicitory.
CLASS PA CRITERIA: Non-preferred agents red form is present.	uire a five (5) day trial of a preferred agent before	e they will be approved, unless one (1) of the exceptions on the PA
CIPRO SUSPENSION (ciprofloxacin) ciprofloxacin levofloxacin tablet	AVELOX (moxifloxacin) CIPRO TABLETS (ciprofloxacin) CIPRO XR (ciprofloxacin) ciprofloxacin ER ciprofloxacin suspension FACTIVE (gemifloxacin) LEVAQUIN (levofloxacin) levofloxacin solution moxifloxacin NOROXIN (norfloxacin) ofloxacin	
GLUCOCORTICOIDS, INHALEDAP		
CLASS PA CRITERIA: Non-preferred agents req exceptions on the PA form is present.	uire thirty (30) day trials of each chemically unique	e preferred agent before they will be approved, unless one (1) of the
	GLUCOCORTICOIDS	
FLOVENT DISKUS (fluticasone) FLOVENT HFA (fluticasone) PULMICORT FLEXHALER (budesonide) PULMICORT RESPULES (budesonide)* QVAR (beclomethasone)	AEROSPAN (flunisolide)** ALVESCO (ciclesonide) ARNUITY ELLIPTA (fluticasone) ASMANEX HFA (mometasone) ASMANEX TWISTHALER (mometasone) budesonide	*Pulmicort Respules are only preferred for children up to nine (9) years of age. For patients nine (9) and older, prior authorization is required and will be approved only for a diagnosis of severe nasal polyps.  **Aerospan will be authorized for children ages 6 through 11 years old without a trial of a preferred agent.
	GLUCOCORTICOID/BRONCHODILATOR CO	
ADVAIR DISKUS (fluticasone/salmeterol) ADVAIR HFA (fluticasone/salmeterol) DULERA (mometasone/formoterol) SYMBICORT(budesonide/formoterol)	AIRDUO RESPICLICK (fluticasone/salmeterol) BREO ELLIPTA (fluticasone/vilanerol) fluticasone/salmeterol <sup>NR</sup>	Substitute for Class Criteria: For a diagnosis of COPD only, non-preferred agents require sixty (60) day trials of each chemically unique preferred agent in this sub-class before they will be authorized, unless one (1) of the exceptions on the PA form is present. NOTE: Agents without an FDA-approved indication for COPD do not need to be trialed.



managed categories. Refer to cover page for complete list of rules governing this PDL.

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA
This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 01/01/2018 Version 2018.1g

	THERAPEUTIC DRUG CL	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
GROWTH HORMONE <sup>CL</sup>		
<b>CLASS PA CRITERIA:</b> Non-preferred agents r the PA form is present.	equire three (3) month trials of each preferred age	ent before they will be approved, unless one (1) of the exceptions on
GENOTROPIN (somatropin) NORDITROPIN (somatropin)	HUMATROPE (somatropin) INCRELEX (mecasermin) NUTROPIN AQ (somatropin) OMNITROPE (somatropin) SAIZEN (somatropin) SEROSTIM (somatropin) ZOMACTON (somatropin) ZORBTIVE (somatropin)	Patients already on a non-preferred agent will receive authorization to continue therapy on that agent for the duration of the existing PA.
H. PYLORI TREATMENT		
		red components of the requested non-preferred agent and must be ey will be approved, unless one (1) of the exceptions on the PA form
Please use individual components:     preferred PPI (omeprazole or pantoprazole)     amoxicillin     tetracycline     metronidazole     clarithromycin     bismuth	HELIDAC (bismuth/metronidazole/tetracycline) lansoprazole/amoxicillin/clarithromycin OMECLAMOX-PAK (omeprazole/amoxicillin/clarithromycin) PREVPAC (lansoprazole/amoxicillin/clarithromycin) PYLERA (bismuth/metronidazole/tetracycline)	
HEPATITIS B TREATMENTS		
<b>CLASS PA CRITERIA:</b> Non-preferred agents re PA form is present.	quire ninety (90) day trials of each preferred agent	before they will be approved, unless one (1) of the exceptions on the
BARACLUDE (entecavir) lamivudine HBV	adefovir entecavir EPIVIR HBV (lamivudine) HEPSERA (adefovir) VEMLIDY (tenofovir alafenamide fumarate)	
HEPATITIS C TREATMENTS <sup>CL</sup>		
CLASS PA CRITERIA: For patients starting the require medical reasoning why a preferred regime	erapy in this class, preferred regimens may be for en cannot be used.	ound on the PA Criteria page. Requests for non-preferred regimens
EPCLUSA (sofosbuvir/velpatasvir)* HARVONI (ledipasvir/sofosbuvir)* MAVYRET (pibrentasvir/glecaprevir)* ribavirin ZEPATIER (elbasvir/grazoprevir)*	COPEGUS (ribavirin) DAKLINZA (daclatasvir)* MODERIBA 400 mg, 600 mg MODERIBA DOSE PACK PEGASYS (pegylated interferon) PEG-INTRON (pegylated interferon)	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.



EFFECTIVE 01/01/2018 Version 2018.1g

	THERAPEUTIC DRUG CLA	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	OLYSIO (simeprevir)* REBETOL (ribavirin) RIBASPHERE RIBAPAK (ribavirin) RIBASPHERE 400 mg, 600 mg (ribavirin) SOVALDI (sofosbuvir)* TECHNIVIE (ombitasvir/paritaprevir/ritonavir)* VIEKIRA PAK (dasabuvir/ombitasvir/paritaprevir/ritonavir)* VIEKIRA XR (dasabuvir/ombitasvir/paritaprevir/ritonavir)*	
HYPERPARATHYROID AGENTSAP		
<b>CLASS PA CRITERIA:</b> Non-preferred agents red PA form is present.	quire thirty (30) day trials of each preferred agent b	refore they will be approved, unless one (1) of the exceptions on the
doxercalciferol paricalcitol capsule	HECTOROL (doxercalciferol) paricalcitol injection RAYALDEE (calcifediol) SENSIPAR (cinacalcet) ZEMPLAR (paricalcitol)	
HYPOGLYCEMICS, BIGUANIDES		
<b>CLASS PA CRITERIA:</b> Non-preferred agents reexceptions on the PA form is present.	quire a ninety (90) day trial of a preferred agent <mark>of</mark>	similar duration before they will be approved, unless one (1) of the
metformin metformin ER (generic Glucophage XR)	FORTAMET (metformin ER) GLUCOPHAGE (metformin) GLUCOPHAGE XR (metformin ER) GLUMETZA (metformin ER)* metformin ER (generic Glumetza & Fortamet) RIOMET (metformin)	*Glumetza will be approved only after a 30-day trial of Fortamet.
HYPOGLYCEMICS, DPP-4 INHIBITO	ORS	
CLASS PA CRITERIA: Non-preferred agents a	re available only on appeal.	
NOTE: DPP-4 inhibitors will NOT be approved	in combination with a GLP-1 agonist.	
JANUMET (sitagliptin/metformin) JANUVIA (sitagliptin) JENTADUETO (linagliptin/metformin) TRADJENTA (linagliptin)	alogliptin alogliptin/metformin alogliptin/pioglitazone JANUMET XR (sitagliptin/metformin) JENTADUETO XR (linagliptin/metformin)	



EFFECTIVE 01/01/2018 Version 2018.1g

This is not an all-inclusive list of available covered drugs and includes only managed categories. Refer to cover page for complete list of rules governing this PDL.

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	KAZANO (alogliptin/metformin) KOMBIGLYZE XR (saxagliptin/metformin) NESINA (alogliptin) ONGLYZA (saxagliptin) OSENI (alogliptin/pioglitazone)	

#### HYPOGLYCEMICS, GLP-1 AGONISTSCL

CLASS PA CRITERIA: Agents in this class will not be approved for patients with a starting A1C < 7%. Non-preferred agents are available only on appeal. Preferred agents in this class shall be approved in six (6) month intervals if the following criteria are met:

- Initial starts require a diagnosis of Type 2 Diabetes and an A1C taken within the last 30 days reflecting the patient's current and stabilized regimen. Current A1C must be ≤ 9%
- No agent in this class shall be approved except as add on therapy to a regimen consisting of at least one (1) other agent prescribed at the maximum tolerable dose for at least 90 days.
- Re-authorizations require <u>continued</u> maintenance on a regimen consisting of at least one (1) other agent at the maximum tolerable dose AND an A1C of ≤8%.

NOTE: GLP-1 agents will NOT be approved in combination with a DPP-4 inhibitor.

BYDUREON (exenatide)	ADLYXIN (lixisenatide)
BYETTA (exenatide)	TANZEUM (albiglutide)
VICTOZA (liraglutide)	TRULICITY (dulaglutide)

#### HYPOGLYCEMICS, INSULIN AND RELATED AGENTS

**CLASS PA CRITERIA:** Non-preferred agents require a ninety (90) day trial of a pharmacokinetically similar agent before they will be approved, unless one (1) of the exceptions on the PA form is present.

Humulin pens and Humalog Mix pens will be authorized only for patients who cannot utilize vials due to impaired vision or dexterity.

XULTOPHY (insulin degludec/liraglutide)\*\*\*

numulin pens and numalog wix pens will be author	orized only for patients who cannot utilize vials
HUMALOG (insulin lispro)	AFREZZA (insulin) <sup>CL</sup>
HUMALOG MIX VIALS (insulin lispro/lispro	APIDRA (insulin glulisine) <sup>AP*</sup>
protamine)	BASAGLAR (insulin glargine)
HUMULIN VIALS (insulin)	HUMALOG JR KWIKPEN (insulin lispro)
LANTUS (insulin glargine)	HUMALOG PEN/KWIKPEN (insulin lispro)
LEVEMIR (insulin detemir)	HUMALOG MIX PENS (insulin lispro/lispro
NOVOLOG (insulin aspart)	protamine)
NOVOLOG MIX (insulin aspart/aspart	HUMULIN PENS (insulin)
protamine)	NOVOLIN (insulin)
	SOLIQUA (insulin glargine/lixisenatide)***
	TOUJEO SOLOSTAR (insulin glargine)**
	TRESIBA (insulin degludec)**

\*Apidra will be authorized if the following criteria are met:

- 1. Patient is four (4) years of age or older; and
- 2. Patient is currently on a regimen including a longer acting or basal insulin, **and**
- Patient has had a trial of a similar preferred agent, Novolog or Humalog, with documentation that the desired results were not achieved.

\*\*Tresiba U-100 will be authorized only for patients with a 6-month history of compliance on preferred long-acting insulin.

Tresiba U-200 and Toujeo Solostar will **only** be approved for patients with a 6-month history of compliance on preferred long-acting insulin who require once-daily doses of at least 60 units of insulin.



EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		***Non-preferred insulin combination products require that th patient must already be established on the individual agents a doses not exceeding the maximum dose achievable with the combination product, and require medical reasoning beyon convenience or enhanced compliance as to why the clinical need cannot be met with a combination of preferred single ingredient agents.
HYPOGLYCEMICS, MEGLITINID		
CLASS PA CRITERIA: Non-preferred agen		
notoglinido	MEGLITINIDES  DD ANDIN (reportinide)	
nateglinide repaglinide	PRANDIN (repaglinide) STARLIX (nateglinide)	
repagiinide	MEGLITINIDE COMBINATION	S
	PRANDIMET (repaglinide/metformin)	
	repaglinide/metformin	
HYPOGLYCEMICS, MISCELLAN	EOUS AGENTS	
CLASS PA CRITERIA: Welchol will be authoragent.	orized for add-on therapy for type 2 diabetes when the	ere is a previous history of a thirty (30) day trial of an oral diabetic
WELCHOL (colesevelam) <sup>AP</sup>	SYMLIN (pramlintide)*	*Symlin will be authorized with a history of bolus insuli utilization in the past ninety (90) days with no gaps in insuli therapy greater than thirty (30) days.
HYPOGLYCEMICS, SGLT2 INHIE	BITORSCL	,,,,,
CLASS PA CRITERIA: Agents in this class		ng A1C < 7%. Non-preferred agents are available only on appearmet.
<ul> <li>Initial starts require a diagnosis of Type must be ≤ 9%.</li> </ul>	2 Diabetes and an A1C taken within the last 30 days	s reflecting the patient's current and stabilized regimen. Current A10
<ul> <li>No agent in this class shall be approved dose for at least 90 days.</li> </ul>	except as add on therapy to a regimen consisting of	at least one (1) other agent prescribed at the maximum tolerable
Re-authorizations require <u>continued</u> mai	ntenance on a regimen consisting of <mark>at least one (1) o</mark>	other agent at the maximum tolerable dose AND an A1C of ≤8%.
	SGLT2 INHIBITORS	
<mark>FARXIGA (dapagliflozin)</mark> JARDIANCE (empagliflozin)	INVOKANA (canagliflozin)	
0.4114.552.4	SGLT2 COMBINATIONS	
SYNJARDY (empagliflozin/metformin) SYNJARDY XR (empagliflozin/metformin)	GLYXAMBI (empagliflozin/linagliptin) INVOKAMET (canagliflozin/metformin) INVOKAMET XR (canagliflozin/metformin) XIGDUO XR (dapagliflozin/metformin)	



EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CLASS				
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA		
HYPOGLYCEMICS, TZD				
CLASS PA CRITERIA: Non-preferred agents a	e available only on appeal.			
	THIAZOLIDINEDIONES			
pioglitazone	ACTOS (pioglitazone) AVANDIA (rosiglitazone)			
TZD COMBINATIONS				
	ACTOPLUS MET (pioglitazone/ metformin) ACTOPLUS MET XR (pioglitazone/ metformin) AVANDAMET (rosiglitazone/metformin) AVANDARYL (rosiglitazone/glimepiride) DUETACT (pioglitazone/glimepiride) pioglitazone/glimepiride pioglitazone/ metformin	Patients are required to use the components of Actoplus Met and Duetact separately. Exceptions will be handled on a case-by-case basis.		
IMMUNOMODULATORS, ATOPIC D	ERMATITIS			
		pical corticosteroid AND all preferred agents in this class unless one		
(1) of the exceptions on the PA form is present. I	Requirement for topical corticosteroids may be exc	cluded with involvement of sensitive areas such as the face and skin		
folds. ELIDEL (pimecrolimus)	PROTOPIC (tacrolimus)**	*Eucrisa requires a 6-week trial of Elidel OR a medium to high		
EUCRISA (crisaborole) <sup>AP*</sup>	tacrolimus ointment	potency corticosteroid unless contraindicated.		
		**Protopic brand is preferred over its generic equiviliant.		
IMMUNOMODULATORS, GENITAL	WARTS & ACTINIC KERATOSIS AG	BENTS		
<b>CLASS PA CRITERIA:</b> Non-preferred agents red PA form is present.	uire thirty (30) day trials of each preferred agent b	refore they will be approved, unless one (1) of the exceptions on the		
CONDYLOX GEL (podofilox) EFUDEX (fluorouracil) imiquimod	ALDARA (imiquimod) CARAC (fluorouracil) CONDYLOX SOLUTION (podofilox) diclofenac 3% gel fluorouracil 0.5% cream fluorouracil 5% cream podofilox SOLARAZE (diclofenac) TOLAK (fluorouracil 4% cream) VEREGEN (sinecatechins) ZYCLARA (imiquimod)*	*Zyclara will be authorized for a diagnosis of actinic keratosis.		



EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
IMMUNOSUPPRESSIVES, ORAL		
CLASS PA CRITERIA: Non-preferred agents red PA form is present.	quire a fourteen (14) day trial of a preferred agent b	pefore they will be approved, unless one (1) of the exceptions on the
azathioprine cyclosporine cyclosporine, modified mycophenolate mofetil sirolimus tacrolimus capsule	ASTAGRAF XL (tacrolimus) AZASAN (azathioprine) CELLCEPT (mycophenolate mofetil) ENVARSUS XR (tacrolimus) IMURAN (azathioprine) mycophenolic acid mycophenolic mofetil suspension MYFORTIC (mycophenolic acid) NEORAL (cyclosporine, modified) PROGRAF (tacrolimus) RAPAMUNE (sirolimus) SANDIMMUNE (cyclosporine) ZORTRESS (everolimus)	
INTRANASAL RHINITIS AGENTSAP		
CLASS PA CRITERIA: See below for individual s	sub-class criteria.	
	ANTICHOLINERGICS	
ipratropium	ATROVENT(ipratropium)	Non-preferred agents require thirty (30) day trials of one (1) preferred nasal anti-cholinergic agent, <b>AND</b> one (1) preferred antihistamine <b>AND</b> one (1) preferred intranasal corticosteroid agent before they will be approved, unless one (1) of the exceptions on the PA form is present.
	ANTIHISTAMINES	
azelastine	ASTEPRO (azelastine)  PATANASE (olopatadine)	Non-preferred agents require thirty (30) day trials of one (1) preferred antihistamine <b>AND</b> one (1) preferred intranasal corticosteroid before they will be approved, unless one (1) of the exceptions on the PA form is present.
	COMBINATIONS	
	DYMISTA (azelastine / fluticasone)	Dymista requires a concurrent thirty (30) day trial of each preferred component before it will be approved, unless one (1) of the exceptions on the PA form is present.
	CORTICOSTEROIDS	
fluticasone propionate	BECONASE AQ (beclomethasone) budesonide FLONASE (fluticasone propionate) flunisolide mometasone NASACORT AQ (triamcinolone)	Non-preferred agents require thirty (30) day trials of the preferred agent in this sub-class before they will be approved, unless one (1) of the exceptions on the PA form is present



EFFECTIVE 01/01/2018 Version 2018.1g

	THERAPEUTIC DRUG CLA	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	NASONEX (mometasone) OMNARIS (ciclesonide) QNASL HFA (beclomethasone) RHINOCORT AQUA (budesonide) triamcinolone VERAMYST (fluticasone furoate) ZETONNA (ciclesonide)	
IRRITABLE BOWEL SYNDROME/SI	HORT BOWEL SYNDROME/SELECT	TED GI AGENTS 4
CLASS PA CRITERIA: All agents are approvable		e below for additional sub-class criteria.
_	CONSTIPATION	
AMITIZA (lubiprostone)  MOVANTIK (naloxegol)  **	LINZESS (linaclotide)*** RELISTOR INJECTION (methylnaltrexone)**** RELISTOR TABLET (methylnaltrexone)*** TRULANCE (plecanatide)*****	All agents require documentation of the current diagnosis and evidence that the patient has failed to find relief with dietary modification and a fourteen (14) day trial of an osmotic laxative.  In addition:  * Amitiza is indicated for CIC, IBS-C and OIC. Approval for the diagnosis of OIC requires a concurrent and continuous 90-day history of opioid claims on record.  ** Movantik will be approved per the FDA-approved label for OIC with a concurrent and continuous 90-day history of opioid claims on record.  *** Linzess is indicated for CIC and IBS-C and requires a thirty (30) day trial of Amitiza.  **** Relistor is indicated for OIC and requires thirty (30) day trials of both Movantik and Amitiza.  ***** Trulance is indicated for CIC and requires a thirty (30) day trial of Amitiza.
	DIARRHEA	
	alosetron* MYTESI (crofelemer)* LOTRONEX (alosetron)* VIBERZI (eluxadoline)*	* Full PA criteria may be found on the <u>PA Criteria</u> page by clicking the hyperlink.
LAXATIVES AND CATHARTICS		
CLASS PA CRITERIA: Non-preferred agents rec PA form is present	quire thirty (30) day trials of each preferred agent b	before they will be approved, unless one (1) of the exceptions on the
COLYTE GOLYTELY NULYTELY	HALFLYTELY-BISACODYL KIT MOVIPREP OSMOPREP	



EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
peg 3350	PREPOPIK SUPREP	
LEUKOTRIENE MODIFIERS		
<b>CLASS PA CRITERIA:</b> Non-preferred agents red PA form is present.	quire thirty (30) day trials of each preferred agent b	before they will be approved, unless one (1) of the exceptions on the
montelukast zafirlukast	ACCOLATE (zafirlukast) SINGULAIR (montelukast) zileuton ZYFLO (zileuton)	
LIPOTROPICS, OTHER (Non-statin	s)	
<b>CLASS PA CRITERIA:</b> Non-preferred agents red PA form is present.	quire a twelve (12) week trial of a preferred agent b	pefore they will be approved, unless one (1) of the exceptions on the
	BILE ACID SEQUESTRANTSAF	
cholestyramine colestipol tablets	COLESTID (colestipol) colestipol granules KYNAMRO (mipomersen)* QUESTRAN (cholestyramine) WELCHOL (colesevelam)**	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.  **Welchol will be authorized for add-on therapy for type 2 diabetes when there is a previous history of a thirty (30) day trial of an oral agent (metformin, sulfonylurea or thiazolidinedione (TZD)). See HYPOGLYCEMICS, MISCELLANEOUS.
	CHOLESTEROL ABSORPTION INHIB	ITORS
ZETIA (ezetimibe) AP	ezetimibe	Zetia will be authorized with prior use of a HMG-CoA reductase inhibitor within the previous six (6) months.
	FATTY ACIDSAP	
	LOVAZA (omega-3-acid ethyl esters) omega-3 acid ethyl esters VASCEPA (icosapent ethyl)	These agents shall only be authorized when the patient has an initial triglyceride level ≥ 500 mg/dL and has had inadequate response or intolerance to trials of BOTH a nicotinic acid and a fibrate, unless otherwise contraindicated.
	FIBRIC ACID DERIVATIVESAP	
fenofibrate 40 mg fenofibrate 54, 150 and 160 mg fenofibrate micronized 67mg, 134mg & 200mg fenofibrate nanocrystallized 48 mg, 145 mg gemfibrozil	ANTARA (fenofibrate) FENOGLIDE (fenofibrate) FIBRICOR (fenofibric acid) fenofibrate 43, 50, 120 and 130 mg fenofibric acid LIPOFEN (fenofibrate) LOFIBRA (fenofibrate) LOPID (gemfibrozil) TRICOR (fenofibrate nanocrystallized) TRIGLIDE (fenofibrate) TRILIPIX (fenofibric acid)	



EFFECTIVE 01/01/2018 Version 2018.1g

	THERAPEUTIC DRUG CLA	ASS
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	MTP INHIBITORS	
	JUXTAPID (lomitapide)*	*Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.
	NIACIN	
niacin NIACOR (niacin) NIASPAN (niacin)	niacin ER	
	PCSK-9 INHIBITORS	
	PRALUENT (alirocumab)* REPATHA (evolocumab)*	*Full PA criteria may be found on the <u>PA Criteria</u> page by clicking the hyperlink.
LIPOTROPICS, STATINS <sup>AP</sup>		
CLASS PA CRITERIA: See below for individual s	sub-class criteria.	
	STATINS	
atorvastatin lovastatin pravastatin rosuvastatin simvastatin*	ALTOPREV (lovastatin) CRESTOR (rosuvastatin) fluvastatin fluvastatin ER LESCOL (fluvastatin) LESCOL XL (fluvastatin) LIPITOR (atorvastatin) LIVALO (pitavastatin) MEVACOR (lovastatin) PRAVACHOL (pravastatin) ZOCOR (simvastatin)*	Non-preferred agents require twelve (12) week trials of two (2) preferred agents, including the generic formulation of the requested non-preferred agent, before they will be approved, unless one (1) of the exceptions on the PA form is present.  *Zocor/simvastatin 80mg tablets will require a clinical PA.
	STATIN COMBINATIONS	
	ADVICOR (Iovastatin/niacin) amlodipine/atorvastatin CADUET (atorvastatin/amlodipine) ezetimibe/simvastatin <sup>NR</sup> LIPTRUZET (atorvastatin/ezetimibe) SIMCOR (simvastatin/niacin ER) VYTORIN (simvastatin/ezetimibe)*	Non-preferred agents require thirty (30) day concurrent trials of the corresponding preferred single agents before they will be approved, unless one (1) of the exceptions on the PA form is present.  *Vytorin will be authorized only after an insufficient response to a twelve (12) week trial of the maximum tolerable dose of atorvastatin or rosuvastatin, unless one (1) of the exceptions on the PA form is present.  Vytorin 80/10mg tablets will require a clinical PA.



EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
MACROLIDES		
<b>CLASS PA CRITERIA:</b> Non-preferred agents repair PA form is present.	. , , , , , , , , , , , , , , , , , , ,	efore they will be approved, unless one (1) of the exceptions on the
	MACROLIDES	
azithromycin clarithromycin suspension erythromycin base	BIAXIN (clarithromycin) clarithromycin tablets clarithromycin ER E.E.S. (erythromycin ethylsuccinate) E-MYCIN (erythromycin) ERYC (erythromycin) ERYPED (erythromycin ethylsuccinate) ERY-TAB (erythromycin) ERYTHROCIN (erythromycin stearate) erythromycin estolate PCE (erythromycin) ZITHROMAX (azithromycin) ZMAX (azithromycin)	
MULTIPLE SCLEROSIS AGENTSCL		
CLASS PA CRITERIA: Non-preferred agents red sub-class before they will be approved, unless one		)) day trials of each chemically unique preferred agent in the same
	INTERFERONS <sup>AP</sup>	
AVONEX (interferon beta-1a) AVONEX PEN (interferon beta-1a) BETASERON (interferon beta-1b)	EXTAVIA KIT (interferon beta-1b) EXTAVIA VIAL (interferon beta-1b) PLEGRIDY (peginterferon beta-1a) REBIF (interferon beta-1a) REBIF REBIDOSE (interferon beta-1a) NON-INTERFERONS	
COPAXONE 20 mg (glatiramer) GILENYA (fingolimod) *	AMPYRA (dalfampridine)** AUBAGIO (teriflunomide)*** COPAXONE 40 mg (glatiramer)**** GLATOPA (glatiramer) TECFIDERA (dimethyl fumarate)**** ZINBRYTA (daclizumab)	In addition to class PA criteria, the following conditions and criteria also apply:  *Gilenya will be approved after a thirty (30) day trial of a preferred injectable agent.  **Ampyra will be authorized if the following criteria are met:  1. Diagnosis of multiple sclerosis and  2. No history of seizures and  3. No evidence of moderate or severe renal impairment and  4. Initial prescription will be authorized for thirty (30) days only.



EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		***Aubagio will be authorized if the following criteria are met:  1. Diagnosis of relapsing multiple sclerosis and  2. Measurement of transaminase and bilirubin levels within the (6) months before initiation of therapy and ALT levels at least monthly for six (6) months after initiation of therapy and  3. Complete blood cell count (CBC) within six (6) months before initiation of therapy and  4. Female patients must have a negative pregnancy test before initiation of therapy and be established on a reliable method of contraception if appropriate and  5. Patient is from eighteen (18) up to sixty-five (65) years of age and  6. Negative tuberculin skin test before initiation of therapy  ****Copaxone 40mg will only be authorized for documented injection site issues.  *****Tecfidera will be authorized if the following criteria are met:  1. Diagnosis of relapsing multiple sclerosis and  2. Complete blood count (CBC) within six (6) months of initiation of therapy and six (6) months after initiation and  3. Complete blood count (CBC) annually during therapy.
NEUROPATHIC PAIN		
CLASS PA CRITERIA: Non-preferred agents recone (1) of the exceptions on the PA form is present		ing dosage form (oral or topical) before they will be approved, unless
capsaicin OTC duloxetine gabapentin lidocaine patch <sup>AP*</sup>	CYMBALTA (duloxetine) GRALISE (gabapentin)** HORIZANT (gabapentin) IRENKA (duloxetine) LIDODERM (lidocaine) LYRICA CAPSULE (pregabalin)*** LYRICA SOLUTION (pregabalin)*** NEURONTIN (gabapentin) QUTENZA (capsaicin) SAVELLA (milnacipran)**** ZOSTRIX OTC (capsaicin)	*Lidocaine patches will be authorized for a diagnosis of post-herpetic neuralgia.  **Gralise will be authorized if the following criteria are met:  1. Diagnosis of post herpetic neuralgia and 2. Trial of a tricyclic antidepressant for a least thirty (30) days and 3. Trial of gabapentin immediate release formulation (positive response without adequate duration) and 4. Request is for once daily dosing with 1800 mg maximum daily dosage.  ***Lyrica will be authorized if the following criteria are met:  1. Diagnosis of seizure disorders or neuropathic pain associated with a spinal cord injury or



EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
		2. Diagnosis of fibromyalgia, postherpetic neuralgia, or diabetic neuropathy AND a history of a trial of duloxetine at the generally accepted maximum therapeutic dose of 60 mg/day OR gabapentin at a therapeutic dose range between 900 mg and 2,400 mg per day for thirty (30) days within the previous twenty-four (24) month period or an intolerance due to a potential adverse drug-drug interaction, drug-disease interaction, or intolerable side effect (In cases of renal impairment, doses may be adjusted based on the degree of impairment.)  ****Savella will be authorized for a diagnosis of fibromyalgia or a previous thirty (30) day trial of a drug that infers fibromyalgia: duloxetine, gabapentin, amitriptyline or nortriptyline.
NSAIDS <sup>AP</sup>		autoroune, gasaponum, annunptymne or northptymne.
CLASS PA CRITERIA: See below for sub-class		
distateurs (ID, CD)	NON-SELECTIVE	Non-referred service thinks (00) described
diclofenac (IR, SR) flurbiprofen ibuprofen (Rx and OTC) INDOCIN SUSPENSION (indomethacin) indomethacin ketoprofen ketorolac meloxicam tablet MOBIC SUSPENSION (meloxicam) nabumetone naproxen (Rx and OTC) piroxicam sulindac	ANAPROX (naproxen) ANSAID (flurbiprofen) CATAFLAM (diclofenac) CLINORIL (sulindac) DAYPRO (oxaprozin) diflunisal DUEXIS (famotidine/ibuprofen) etodolac IR etodolac SR FELDENE (piroxicam) fenoprofen INDOCIN SUPPOSITORIES (indomethacin) indomethacin ER ketoprofen ER LODINE (etodolac) meclofenamate mefenamic acid meloxicam suspension MOBIC TABLET (meloxicam) MOTRIN (ibuprofen) NALFON (fenoprofen) NAPROSYN (naproxen) naproxen CR	Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.



EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CL	ASS
NON-PREFERRED AGENTS	PA CRITERIA
oxaprozin PONSTEL (meclofenamate) SPRIX (ketorolac) TIVORBEX (indomethacin) tolmetin VIVLODEX (meloxicam) VOLTAREN (diclofenac) ZIPSOR (diclofenac potassium) ZORVOLEX (diclofenac)	
NSAID/GI PROTECTANT COMBINA	ATIONS
ARTHROTEC (diclofenac/misoprostol) diclofenac/misoprostol VIMOVO (naproxen/esomeprazole)	Non-preferred agents are only available on appeal and require medical reasoning beyond convenience as to why the need cannot be met with the combination of preferred single agents.
COX-II SELECTIVE	
CELEBREX (celecoxib) celecoxib	COX-II Selective agents require thirty (30) day trials of each preferred Non-Selective Oral NSAID, UNLESS the following criteria are met:  Patient has a history or risk of a serious GI complication; OR Agent is requested for treatment of a chronic condition and  1. Patient is seventy (70) years of age or older, or  2. Patient is currently on anticoagulation therapy.
TOPICAL	
diclofenac gel diclofenac solution FLECTOR PATCH (diclofenac)** PENNSAID (diclofenac)	*Voltaren Gel will be limited to 100 grams per month.  Non-preferred agents require a thirty (30) day trial of the preferred Topical agent and thirty (30) day trials of each preferred oral NSAID before they will be approved, unless one (1) of the exceptions on the PA form is present.  **Flector patches will only be authorized for a diagnosis of acute strain, sprain or injury after a five (5) day trial of one (1) of the preferred oral NSAIDs and for a maximum duration of fourteen (14) days unless one (1) of the exceptions on the PA form is present.
	Oxaprozin PONSTEL (meclofenamate) SPRIX (ketorolac) TIVORBEX (indomethacin) tolmetin VIVLODEX (meloxicam) VOLTAREN (diclofenac) ZIPSOR (diclofenac potassium) ZORVOLEX (diclofenac)  NSAID/GI PROTECTANT COMBINA ARTHROTEC (diclofenac/misoprostol) diclofenac/misoprostol VIMOVO (naproxen/esomeprazole)  COX-II SELECTIVE CELEBREX (celecoxib) celecoxib  TOPICAL  diclofenac gel diclofenac solution FLECTOR PATCH (diclofenac)**



managed categories. Refer to cover page for complete list of rules governing this PDL.

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA
This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
OPHTHALMIC ANTIBIOTICSAP		
<b>CLASS PA CRITERIA:</b> Non-preferred agents in PA form is present.	require three (3) day trials of each preferred agent be	efore they will be approved, unless one (1) of the exceptions on the
bacitracin/polymyxin ointment ciprofloxacin* erythromycin gentamicin levofloxacin neomycin/bacitracin/polymyxin ofloxacin* polymyxin/trimethoprim sulfacetamide drops tobramycin TOBREX OINT (tobramycin)	AZASITE (azithromycin) bacitracin BLEPH-10 (sulfacetamide) BESIVANCE (besifloxacin)* CILOXAN (ciprofloxacin) GARAMYCIN (gentamicin) gatifloxacin ILOTYCIN (erythromycin) MOXEZA (moxifloxacin)** moxifloxacin** NATACYN (natamycin) neomycin/polymyxin/gramicidin NEOSPORIN (neomycin/polymyxin/gramicidin) OCUFLOX (ofloxacin) POLYTRIM (polymyxin/trimethoprim) sulfacetamide ointment TOBREX (tobramycin) VIGAMOX (moxifloxacin) ZYMAXID (gatifloxacin)	*Prior authorization of any fluoroquinolone agent requires three (3) day trials of all other preferred agents unless definitive laboratory cultures exist indicating the need to use a fluoroquinolone.  **Brand Vigamox will be preferred over Brand Moxeza, and both brands are preferred over their generic equivalent.
OPHTHALMIC ANTIBIOTIC/STER	OID COMBINATIONSAP	
<b>CLASS PA CRITERIA:</b> Non-preferred agents in PA form is present.	require three (3) day trials of each preferred agent be	efore they will be approved, unless one (1) of the exceptions on the
BLEPHAMIDE (prednisolone/sulfacetamide) neomycin/polymyxin/dexamethasone sulfacetamide/prednisolone TOBRADEX OINTMENT (tobramycin/ dexamethasone) TOBRADEX SUSPENSION (tobramycin/ dexamethasone)	BLEPHAMIDE S.O.P. (prednisolone/ sulfacetamide) MAXITROL ointment (neomycin/polymyxin/ dexamethasone) MAXITROL suspension (neomycin/polymyxin/ dexamethasone) neomycin/bacitracin/polymyxin/ hydrocortisone neomycin/polymyxin/hydrocortisone	

PRED-G (prednisolone/gentamicin)

TOBRADEX ST (tobramycin/ dexamethasone) tobramycin/dexamethasone suspension ZYLET (loteprednol/tobramycin)



**EFFECTIVE** 01/01/2018 **Version 2018.1g** 

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
OPHTHALMICS FOR ALLERGIC CO	ONJUNCTIVITIS <sup>AP</sup>	
CLASS PA CRITERIA: Non-preferred agents red of the exceptions on the PA form is present.	quire thirty (30) day trials of three (3) preferred che	emically unique agents before they will be approved, unless one (1)
ALAWAY (ketotifen) cromolyn ketotifen olopatadine (Sandoz brand labeler 61314) ZADITOR OTC (ketotifen)  OPHTHALMICS, ANTI-INFLAMMAT	ALAMAST (pemirolast) ALOCRIL (nedocromil) ALOMIDE (lodoxamide) ALREX (loteprednol) azelastine BEPREVE (bepotastine) CROLOM (cromolyn) ELESTAT (epinastine) EMADINE (emedastine) epinastine LASTACAFT (alcaftadine) olopatadine (all labelers except Sandoz) OPTICROM (cromolyn) OPTIVAR (azelastine) PATADAY (olopatadine) PATANOL (olopatadine) PAZEO (olopatadine)	
CLASS PA CRITERIA: See below for individual s		
	RESTASIS (cyclosporine) XIIDRA (lifitegrast)	<ul> <li>The following prior authorization criteria apply to both Restasis and Xiidra:</li> <li>1.) Patient must be sixteen (16) years of age or greater; AND</li> <li>2.) Prior Authorization must be requested by an ophthalmologist or optometrist; AND</li> <li>3.) Clinically diagnosed tear deficiency due to ocular inflammation in patients with keratoconjunctivitis sicca or dry eye syndrome (also known as dry eye); AND</li> <li>4.) Patient must have a functioning lacrimal gland; AND</li> <li>5.) Patient using artificial tears at least four (4) times a day over the last thirty (30) days; AND</li> <li>6.) Patient must not have an active ocular infection</li> </ul>



PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA
This is not an all-inclusive list of available covered drugs and includes only

managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
OPHTHALMICS, ANTI-INFLAMMAT	ORIES	
CLASS PA CRITERIA: Non-preferred agents exceptions on the PA form is present. Trials must	require five (5) day trials of at least two (2) prefinctude at least one agent with the same mechanisms.	ferred agents before they will be approved, unless one (1) of the sm of action as the requested non-preferred agent.
dexamethasone diclofenac DUREZOL (difluprednate) fluorometholone flurbiprofen ketorolac prednisolone acetate prednisolone sodium phosphate	ACULAR (ketorolac) ACULAR LS (ketorolac) ACUVAIL (ketorolac tromethamine) BROMDAY (bromfenac) bromfenac BROMSITE (bromfenac) FLAREX (fluorometholone) FML (fluorometholone) FML FORTE (fluorometholone) ILEVRO (nepafenac) LOTEMAX DROPS, OINTMENT (loteprednol) LOTEMAX GEL (loteprednol) MAXIDEX (dexamethasone) NEVANAC (nepafenac) OMNIPRED (prednisolone) OZURDEX (dexamethasone) PRED FORTE (prednisolone) PRED MILD (prednisolone) PROLENSA (bromfenac) RETISERT (fluocinolone) TRIESENCE (triamcinolone) VEXOL (rimexolone) XIBROM (bromfenac)	
OPHTHALMICS, GLAUCOMA AGEI	only be authorized if there is an allergy to all prefe	arrad agents in the corresponding sub-class
CLASS FA CRITERIA. Non-preferred agents will	COMBINATION AGENTS	area agents in the corresponding sub-class.
COMBIGAN (brimonidine/timolol) dorzolamide/timolol SIMBRINZA (brinzolamide/brimonidine)	COSOPT (dorzolamide/timolol) COSOPT PF (dorzolamide/timolol)	
BETOPTIC S (betaxolol) carteolol levobunolol timolol drops	BETA BLOCKERS  BETAGAN (levobunolol) betaxolol BETIMOL (timolol) ISTALOL (timolol)	



EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	OPTIPRANOLOL (metipranolol) timolol gel TIMOPTIC (timolol)	
	CARBONIC ANHYDRASE INHIBITO	ORS
AZOPT (brinzolamide) orzolamide	TRUSOPT (dorzolamide)	
	PARASYMPATHOMIMETICS	
PHOSPHOLINE IODIDE (echothiophate iodide)	pilocarpine	
	PROSTAGLANDIN ANALOGS	
latanoprost TRAVATAN-Z (travoprost)	bimatoprost LUMIGAN (bimatoprost) RESCULA (unoprostone) travoprost XALATAN (latanoprost) ZIOPTAN (tafluprost)	
	SYMPATHOMIMETICS	
brimonidine 0.2%	ALPHAGAN P 0.1% Solution (brimonidine) ALPHAGAN P 0.15% Solution (brimonidine) apraclonidine brimonidine 0.15% IOPIDINE (apraclonidine)	
OPIATE DEPENDENCE TREATMEN	ITS	
	tablets, Bunavail and Zubsolv will only be approve	red with a documented intolerance of or allergy to Suboxone strips.
See below for further criteria.  Naloxone  NARCAN NASAL SPRAY (naloxone)  SUBOXONE FILM (buprenorphine/naloxone)*	buprenorphine tablets buprenorphine/naloxone tablets BUNAVAIL (buprenorphine/naloxone)	* Full PA criteria may be found on the <u>PA Criteria</u> page by clicking the hyperlink.
VIVITROL (naltrexone)	ZUBSOLV (buprenorphine/naloxone)	VIVITROL no longer requires a PA.
OTIC ANTIBIOTICS <sup>AP</sup>		
CLASS PA CRITERIA: Non-preferred agents require five (5) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.		
CIPRO HC (ciprofloxacin/hydrocortisone) CIPRODEX (ciprofloxacin/dexamethasone) COLY-MYCIN S (colistin/hydrocortisone/ neomycin/thonzonium bromide) ofloxacin	ciprofloxacin CORTISPORIN-TC (colistin/hydrocortisone/neomycin) neomycin/polymyxin/HC solution/suspension OTIPRIO VIAL (ciprofloxacin) OTOVEL (ciprofloxacin/fluocinolone)	



EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
PAH AGENTS - ENDOTHELIN REC	EPTOR ANTAGONISTSCL		
<b>CLASS PA CRITERIA:</b> Non-preferred agents red PA form is present.	quire a thirty (30) day trial of a preferred agent be	fore they will be approved, unless one (1) of the exceptions on the	
LETAIRIS (ambrisentan) TRACLEER (bosentan)	OPSUMIT (macitentan)		
PAH AGENTS – GUANYLATE CYCL	ASE STIMULATORCL		
CLASS PA CRITERIA: Non-preferred agents red of the exceptions on the PA form is present.	uire a thirty (30) day trial of a preferred agent fron	n any other PAH Class before they will be approved, unless one (1)	
	ADEMPAS (riociguat)		
PAH AGENTS - PDE5scl			
<b>CLASS PA CRITERIA:</b> Non-preferred agents require a thirty (30) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.  Patients stabilized on non-preferred agents will be grandfathered.			
sildenafil	ADCIRCA (tadalafil) REVATIO IV (sildenafil) REVATIO SUSPENSION (sildenafil) REVATIO TABLETS (sildenafil)		
PAH AGENTS - PROSTACYCLINSC			
CLASS PA CRITERIA: Non-preferred agents re available), before they will be approved, unless on		including the preferred generic form of the non-preferred agent (if	
epoprostenol VENTAVIS (iloprost)*	FLOLAN (epoprostenol) ORENITRAM ER (treprostinil) REMODULIN (treprostinil sodium) TYVASO (treprostinil) UPTRAVI (selexipag) VELETRI (epoprostenol)	*Ventavis will only be authorized for the treatment of pulmonary artery hypertension (WHO Group 1) in patients with NYHA Class III or IV symptoms.	
PANCREATIC ENZYMESAP			
<b>CLASS PA CRITERIA:</b> Non-preferred agents require a thirty (30) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.  For members with cystic fibrosis, a trial of a preferred agent will not be required.			
CREON ZENPEP	PANCREAZE PERTZYE ULTRESA VIOKACE		



managed categories. Refer to cover page for complete list of rules governing this PDL.

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA
This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 01/01/2018 Version 2018.1g

	THERABELITIC DRUG CLA	Acc	
THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
PHOSPHATE BINDERSAP			
<b>CLASS PA CRITERIA:</b> Non-preferred agents r exceptions on the PA form is present.	equire a thirty (30) day trial of at least two (2) pre	eferred agents before they will be approved, unless one (1) of the	
calcium acetate MAGNEBIND RX (calcium carbonate, folic acid, magnesium carbonate) PHOSLYRA (calcium acetate) RENAGEL (sevelamer)	AURYXIA (ferric citrate) ELIPHOS (calcium acetate) FOSRENOL (lanthanum) PHOSLO (calcium acetate) RENVELA (sevelamer carbonate) sevelamer carbonate VELPHORO (sucroferric oxyhydroxide)		
<b>PLATELET AGGREGATION INHIBI</b>			
CLASS PA CRITERIA: Non-preferred agents re PA form is present.	equire a thirty (30) day trial of a preferred agent be	fore they will be approved, unless one (1) of the exceptions on the	
AGGRENOX (dipyridamole/ASA) BRILINTA (ticagrelor) clopidogrel EFFIENT (prasugrel)	dipyridamole dipyridamole/aspirin DURLAZA ER (aspirin) PERSANTINE (dipyridamole) PLAVIX (clopidogrel) TICLID (ticlopidine) ticlopidine ZONTIVITY (vorapaxar)		
PROGESTINS FOR CACHEXIA			
CLASS PA CRITERIA: Non-preferred agents require a thirty (30) day trial of a preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.			
megestrol	MEGACE ES (megestrol)		
PROGESTATIONAL AGENTS			
CLASS PA CRITERIA: Full PA criteria may be for	ound on the PA Criteria page by clicking the hyperli	ink.	
MAKENA (hydroxyprogesterone caproate)			
PROTON PUMP INHIBITORSAP			
CLASS PA CRITERIA: Non-preferred agents require sixty (60) day trials of both omeprazole (Rx) and pantoprazole at the maximum recommended dose*, inclusive o a concurrent thirty (30) day trial at the maximum dose of an H <sub>2</sub> antagonist before they will be approved, unless one (1) of the exceptions on the PA form is present.			
omeprazole (Rx) pantoprazole PREVACID SOLUTABS (lansoprazole)**	ACIPHEX (rabeprazole) ACIPHEX SPRINKLE (rabeprazole) DEXILANT (dexlansoprazole) esomeprazole magnesium	*Maximum recommended doses of the PPIs and H2-receptor antagonists may be located at the BMS Pharmacy PA criteria page titled "Max PPI and H2RA" by clicking on the hyperlink.	



EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	esomeprazole strontium lansoprazole Rx NEXIUM (esomeprazole) omeprazole/sodium bicarbonate (Rx) PREVACID CAPSULES (lansoprazole) PRILOSEC Rx (omeprazole) PROTONIX (pantoprazole) rabeprazole ZEGERID Rx (omeprazole/sodium bicarbonate)	**Prior authorization is required for Prevacid Solutabs for members nine (9) years of age or older.
SEDATIVE HYPNOTICSAP		
<b>CLASS PA CRITERIA:</b> Non-preferred agents require exceptions on the PA form is present.		<b>BOTH</b> sub-classes before they will be approved, unless one (1) of
	BENZODIAZEPINES	
temazepam 15, 30 mg	DALMANE (flurazepam) DORAL (quazepam) estazolam flurazepam HALCION (triazolam) quazepam RESTORIL (temazepam) temazepam 7.5, 22.5 mg triazolam	
	OTHERS	
zolpidem 5, 10 mg	AMBIEN (zolpidem) AMBIEN CR (zolpidem) BELSOMRA (suvorexant) chloral hydrate EDLUAR (zolpidem) eszopiclone HETLIOZ (tasimelteon) <sup>CL*</sup> INTERMEZZO (zolpidem) LUNESTA (eszopiclone) ROZEREM (ramelteon) SILENOR (doxepin) SOMNOTE (chloral hydrate) SONATA (zaleplon) zaleplon zolpidem ER 6.25, 12.5 mg ZOLPIMIST (zolpidem)	Strengths of zolpidem that are non-preferred (6.25 and 12.5 mg) must be created by combining or splitting the preferred doses (5 and 10 mg) of zolpidem, if appropriate.  For treatment naïve female patients, zolpidem and zolpidem ER maximum dosages will be limited to 5 mg and 6.25 mg respectively per day.  *Full PA criteria may be found on the PA Criteria page by clicking the hyperlink.



#### **BUREAU FOR MEDICAL SERVICES WEST VIRGINIA MEDICAID**

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

**EFFECTIVE** 01/01/2018 **Version 2018.1g** 

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
SKELETAL MUSCLE RELAXANTS	•		
CLASS PA CRITERIA: See below for individual s	ub-class criteria.		
	ACUTE MUSCULOSKELETAL RELAXAN	T AGENTS	
chlorzoxazone cyclobenzaprine IR 5, 10 mg methocarbamol	AMRIX (cyclobenzaprine) carisoprodol* carisoprodol/ASA* carisoprodol/ASA/codeine* cyclobenzaprine ER cyclobenzaprine IR 7.5 mg FEXMID (cyclobenzaprine) FLEXERIL (cyclobenzaprine) LORZONE (chlorzoxazone) metaxalone orphenadrine orphenadrine/ASA/caffeine orphenadrine ER PARAFON FORTE (chlorzoxazone) ROBAXIN (methocarbamol) SKELAXIN (metaxalone) SOMA (carisoprodol)	Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present, with the exception of carisoprodol.  *Carisoprodol requires thirty (30) day trials of each of the preferred acute musculoskeletal relaxants and Skelaxin before it will be approved.	
	JSCULOSKELETAL RELAXANT AGENTS USED		
baclofen tizanidine tablets	DANTRIUM (dantrolene) dantrolene tizanidine capsules ZANAFLEX (tizanidine)	Non-preferred agents require thirty (30) day trials of each preferred agent before they will be approved, unless one (1) of the exceptions on the PA form is present.	
STEROIDS, TOPICAL			
CLASS PA CRITERIA: Non-preferred agents require five (5) day trials of one (1) form of EACH preferred unique active ingredient in the corresponding potency group before they will be approved, unless one (1) of the exceptions on the PA form is present.			
VERY HIGH & HIGH POTENCY			
betamethasone dipropionate cream betamethasone valerate cream betamethasone valerate lotion betamethasone valerate oint clobetasol propionate     cream/gel/ointment/solution clobetasol emollient CLODAN (clobetasol propionate) fluocinonide gel triamcinolone acetonide cream, ointment triamcinolone acetonide lotion	amcinonide APEXICON (diflorasone diacetate) APEXICON E (diflorasone diacetate) betamethasone dipropionate gel, lotion, ointment clobetasol lotion, shampoo clobetasol propionate foam CLOBEX (clobetasol propionate) CORMAX (clobetasol propionate) desoximetasone cream/gel/ointment diflorasone diacetate		



EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	DIPROLENE (betamethasone dipropionate/propylene glycol) DIPROLENE AF (betamethasone dipropionate/propylene glycol) DIPROSONE (betamethasone dipropionate) fluocinonide cream fluocinonide ointment fluocinonide solution fluocinonide/emollient halcinonide HALAC (halobetasol propionate) halobetasol propionate HALOG (halcinonide) HALONATE (halobetasol propionate) KENALOG (triamcinolone acetonide) LIDEX (fluocinonide) LIDEX-E (fluocinonide) OLUX (clobetasol propionate/emollient) PSORCON (diflorasone diacetate) SERNIVO SPRAY (betamethasone dipropionate) TEMOVATE (clobetasol propionate) TEMOVATE-E (clobetasol propionate/emollient) TOPICORT CREAM, GEL, OINTMENT (desoximetasone) TOPICORT SPRAY (desoximetasone) ULTRAVATE (halobetasol propionate / lactic	
	acid)	
	VANOS (fluocinonide)  MEDIUM POTENCY	
fluticasone propionate cream, ointment	ARISTOCORT (triamcinolone)	
mometasone furoate triamcinolone acetonide 0.025% and 0.1% cream	BETA-VAL (betamethasone valerate) betamethasone valerate foam CLODERM (clocortolone pivalate) clocortolone cream CORDRAN/CORDRAN SP (flurandrenolide) CUTIVATE (fluticasone propionate) DERMATOP (prednicarbate) ELOCON (mometasone furoate)	



EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
	fluocinolone acetonide cream, ointment, solution fluticasone propionate lotion hydrocortisone butyrate cream hydrocortisone butyrate ointment, solution hydrocortisone valerate LOCOID (hydrocortisone butyrate) LOCOID LIPOCREAM (hydrocortisone butyrate/emollient) LUXIQ (betamethasone valerate) MOMEXIN (mometasone) PANDEL (hydrocortisone probutate) prednicarbate TOPICORT LP (desoximetasone) TRIDERM (triamcinolone acetonide) WESTCORT (hydrocortisone valerate)	
	LOW POTENCY	
hydrocortisone acetate (Rx, OTC) hydrocortisone cream (Rx, OTC) hydrocortisone lotion OTC hydrocortisone solution OTC hydrocortisone-aloe cream OTC hydrocortisone-aloe ointment OTC	ACLOVATE (alclometasone dipropionate) alclometasone dipropionate AQUA GLYCOLIC HC (hydrocortisone) CAPEX (fluocinolone acetonide) DERMA-SMOOTHE FS (fluocinolone acetonide) DESONATE (desonide) desonide cream, ointment desonide lotion DESOWEN (desonide) fluocinolone oil hydrocortisone/mineral oil/petrolatum hydrocortisone acetate/urea hydrocortisone/aloe gel LOKARA (desonide) PEDIADERM HC (hydrocortisone) PEDIADERM TA (hydrocortisone) SCALPICIN OTC (hydrocortisone) SYNALAR (fluocinolone) TEXACORT (hydrocortisone) TRIDESILON CREAM (desonide) VERDESO (desonide)	



managed categories. Refer to cover page for complete list of rules governing this PDL.

PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA

This is not an all-inclusive list of available covered drugs and includes only

EFFECTIVE 01/01/2018 Version 2018.1g

#### THERAPEUTIC DRUG CLASS

PREFERRED AGENTS PA CRITERIA

#### STIMULANTS AND RELATED AGENTS

CLASS PA CRITERIA: A PA is required for adults eighteen (18) years of age or older.

Non-preferred agents require a thirty (30) day trial of at least one preferred agent in the same subclass and with a similar duration of effect, unless one (1) of the exceptions on the PA form is present.

**AMPHETAMINES** 

**NON-AMPHETAMINE** 

ADZENYS XR ODT (amphetamine) amphetamine salt combination IR dextroamphetamine ER dextroamphetamine IR PROCENTRA solution (dextroamphetamine) VYVANSE CHEWABLE (lisdexamfetamine)

VYVANSE CAPSULE (lisdexamfetamine)

ADDERALL (amphetamine salt combination)
ADDERALL XR\* (amphetamine salt
combination)
amphetamine salt combination ER
DESOXYN (methamphetamine)

DEXEDRINE ER (dextroamphetamine)
DEXEDRINE IR (dextroamphetamine)

dextroamphetamine solution

DYANAVEL XR SUSP (amphetamine)

EVEKEO (amphetamine) methamphetamine

MYDAYIS (dextroamphetamine/amphetamine salt)<sup>NR\*\*</sup>

ZENZEDI (dextroamphetamine)

**In addition to the Class Criteria**: Thirty (30) day trials of at least three (3) antidepressants are required before amphetamines will be authorized for depression.

\*Adderall XR is preferred over its generic equivalents.

\*\*Mydayis requires a 30-day trial of at least one long-acting preferred agent in this subclass and a trial of Adderall XR.

#### APTENSIO XR (methylphenidate)

#### armodafinil<sup>CL</sup>

atomoxetine clonidine IR

#### CONCERTA (methylphenidate)

DAYTRANA (methylphenidate) dexmethylphenidate IR

FOCALIN XR (dexmethylphenidate)

guanfacine ER guanfacine IR

METADATE CD (methylphenidate) discontinued

by labeler

methylphenidate ER (authorized generic

CONCERTA) labeler 00591 only METHYLIN SOLUTION (methylphenidate)

methylphenidate IR

#### modafinil<sup>CL</sup>

QUILLICHEW ER (methylphenidate) QUILLIVANT XR (methylphenidate) clonidine ER\*

#### COTEMPLA XR ODT (methylphenidate)<sup>NR\*\*</sup>

dexmethylphenidate XR

FOCALIN IR (dexmethylphenidate)

INTUNIV (guanfacine extended-release)

KAPVAY (clonidine extended-release)\*

#### methylphenidate CD

methylphenidate chewable tablets, solution methylphenidate ER

#### methylphenidate ER (generic CONCERTA) all labelers excluding labeler 00591

methylphenidate LA

NUVIGIL (armodafinil) PROVIGIL (modafinil)

RITALIN (methylphenidate)

RITALIN LA (methylphenidate)

STRATTERA (atomoxetine)\*\*\*

\*Kapvay/clonidine ER will be authorized only after fourteen (14) day trials of at least one (1) preferred product from both the amphetamine and non-amphetamine class. These trials must include a fourteen (14) day trial of clonidine IR unless one (1) of the exceptions on the PA form is present.

NOTE: In cases of a diagnosis of Tourette's syndrome, tics, autism or disorders included in the autism spectrum, Kapvay will only require a fourteen (14) day trial of clonidine IR for approval.

#### \*\*Cotempla XR ODT requires a 30-day trial of all other preferred forms of long-acting methylphenidate.

\*\*\*Strattera is limited to a maximum of 100 mg per day.



PREFERRED DRUG LIST WITH PRIOR AUTHORIZATION CRITERIA
This is not an all-inclusive list of available covered drugs and includes only

managed categories. Refer to cover page for complete list of rules governing this PDL.

EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CLASS		
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA
TETRACYCLINES		
<b>CLASS PA CRITERIA:</b> Non-preferred agents r PA form is present.	equire ten (10) day trials of each preferred agent l	before they will be approved, unless one (1) of the exceptions on the
doxycycline hyclate capsules doxycycline hyclate 50, 100 mg tablets doxycycline monohydrate 50, 100 mg capsules minocycline capsules tetracycline	ADOXA (doxycycline monohydrate) demeclocycline* DORYX (doxycycline hyclate) doxycycline hyclate 75, 150 mg tablets doxycycline hyclate tablet DR doxycycline monohydrate 40, 75, 150 mg capsule doxycycline monohydrate tablet doxycycline monohydrate suspension DYNACIN (minocycline) MINOCIN (minocycline) minocycline ER capsules minocycline tablets MONODOX (doxycycline monohydrate) MORGIDOX KIT (doxycycline) ORACEA (doxycycline monohydrate) SOLODYN (minocycline) VIBRAMYCIN CAPSULES, SUSPENSION, SYRUP (doxycycline)	*Demeclocycline will be authorized for conditions caused by susceptible strains of organisms designated in the product information supplied by the manufacturer. A C&S report must accompany this request.  Demeclocycline will also be authorized for SIADH.
ULCERATIVE COLITIS AGENTSAP		
	equire thirty (30) day trials of each preferred dosag be approved, unless one (1) of the exceptions on t	e form or chemical entity before the corresponding non-preferred the PA form is present.
	ORAL	
APRISO (mesalamine) balsalazide sulfasalazine	ASACOL HD (mesalamine) AZULFIDINE (sulfasalazine) COLAZAL (balsalazide) DELZICOL (mesalamine) DIPENTUM (olsalazine) GIAZO (balsalazide) LIALDA (mesalamine) mesalamine PENTASA (mesalamine) 250 mg	

PENTASA (mesalamine) 500 mg

UCERIS (budesonide)



EFFECTIVE 01/01/2018 Version 2018.1g

THERAPEUTIC DRUG CLASS			
PREFERRED AGENTS	NON-PREFERRED AGENTS	PA CRITERIA	
	RECTAL		
CANASA (mesalamine) mesalamine	DELZICOL DR (mesalamine) mesalamine kit ROWASA (mesalamine) SF ROWASA (mesalamine) UCERIS (budesonide)		
VASODILATORS, CORONARY			
CLASS PA CRITERIA: Non-preferred agents require thirty (30) day trials of each preferred dosage form before they will be approved, unless one (1) of the exceptions on the PA form is present.			
SUBLINGUAL NITROGLYCERIN			
nitroglycerin spray (generic NITROLINGUAL) nitroglycerin sublingual NITROSTAT SUBLINGUAL (nitroglycerin)	GONITRO SPRAY POWDER (nitroglycerin)NR nitroglycerin spray (generic NITROMIST) NITROLINGUAL SPRAY (nitroglycerin) NITROMIST (nitroglycerin)		