HCPCS/Drug Code List Version 14.8 Revised 5/13/24

List will be updated routinely

Disclaimer: For drug codes that require an NDC, coverage depends on the drug NDC status (rebate eligible, Non-DESI, non-termed, etc) on the date of service.

Note: Physician/Facility-administered medications are reimbursed using the Centers for Medicare and Medicaid Services (CMS) Part B Drug pricing file found on the CMS website--www.cms.gov.

In the absence of a fee, pricing may reflect the methodolgy used for retail pharmacies.

Go to data.medicaid.gov for a complete list of drug NDCs participating in the Medicaid drug rebate program.

Consult with each Managed Care Organization (MCO) about their coverage guidelines and prior authroization requirements, if applicable.

Highlights represent updated material for each specific revision of the Drug Code List. NDC NDC unit P NP MW MH HS PO OPH Code Description **Brand Name** Category Service HI ID DC Special Instructions Limits OP OP TF req. for measure drug rebate 90281 human ig, im Gamastan Yes ML Antisera NONE X X X X Closed 3/31/13. Gamimune, ML Closed 3/31/13. Cost invoice required with claim. Restricted to ICD-9 diagnoses codes 204.10 - 204.12, 90283 human ig, iv Antisera NONE Χ Χ Flebogamma 279.02, 279.04, 279.06, 279.12, 287.31, and 446.1, and must be included on claim form, effective 10/1/09. Gammagard Not Covered 90287 botulinum antitoxin N/A Antisera 90288 botulism ig, iv No ML NONE Requires documentation and medical review X X 90291 cmv ig, iv Cytogam Yes ML Antisera NONE Χ Χ Χ Closed 3/31/13. ML 90296 diphtheria antitoxin No NONE X X X ML 90371 hep b ig, im Bayhep B, Antisera NONE X Χ Х Closed 3/31/13. Hyperhep B, Nabi-HB NONE 90375 rabies ig, im/sc HyperRab Yes ML Antisera X X X X 90376 rabies ig, heat treated Imogam Yes ML Antisera NONE X X X X 90377 Rabies immune globulin. Kedrab Yes ML Antisera NONE X X X Effective 1/1/21. heat- and solvent/detergenttreated (RIg-HT S/D). human, for intramuscular and/or subcutaneous NONE 90378 Respiratory syncytial Synagis Yes Antisera Χ Pends for manual review. Requires prior authorization from Rational Drug Therapy Program (RDTP), at 1-800virus immune globulin(RSV-IgIM), for intramuscular use, 50 mg., each 90379 Respiratory syncytial Respigam Yes ML Antisera NONE Closed. virus immune alobulin(RSV-laIV). human, for intravenous 90384 Rho(D) immune globulin Gamulin RH Yes EA=UN Immune globulin NONE X X Code closed 3/31/13. See J2790 after this date. (Rhlg), human, full-dose, SOL=ML 300 mcg., intramuscular use

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | Р | NP | MW | МН | HS | PO | ОРН | НІ | ID TF | DC | Special Instructions |
|-------|--|-----------------------------------|---|---------------------------|---|-------------------|----------|-----------|---|----|----|----|----|----|-----|----|----------|----|---|
| 90385 | Rho(D) immune globulin (Rhlg), human, mini- dose, 50 mcg., intramuscular use | BayRho-D MicrhoGam Hyprho-D | Yes | SOL=ML EA=UN | Immune globulin | NONE | Х | Х | Х | Х | | | | | | | | | Code closed 3/31/13. See J2788 after this date. |
| 90386 | Rho(D) immune globulin (RhIgIV), human, intravenous use | BAYrho-D Winrho SDF | Yes | EA=UN SOL=ML | Immune globulin | NONE | Х | Х | Х | Х | | | | | | | | | Closed 3/31/13. |
| 90393 | vaccina ig, im | ., | No | ML | | NONE | X | X | | | | | | | | | | | Requires documentation and medical review |
| 90396 | varicella-zoster ig, im | Varicella- Zoster | No | ML | Antisera | NONE | Х | Х | Х | Х | | | | | | | | | Effective 2/29/24, NDC requirement removed. |
| 90399 | immune globulin | Gammagard Polygam | Yes | ML | Antisera | NONE | Х | Х | Х | Х | | | | | | | | | Effective 2/29/24, code is closed. See J1566 & J1569. |
| | | • | | • | Radiopharm | aceuticals | S | | | | | | | | • | | - | - | |
| A4216 | Sterile water, saline and/or dextrose, diluent/flush, 10 ml | Multiple products | Yes | See product code | | | | | | | | | | | | | | | Covered under Chapter 506, DME & Supplies of the Medicaid Manual |
| A4217 | Sterile water/saline, 500 ml | Multiple products | Yes | See product code | | | | | | | | | | | | | | | Covered under Chapter 506, DME & Supplies of the Medicaid Manual |
| A4641 | Radiopharmaceutical, diagnostic, not otherwise classified | | | | | | | | | | | | | | | | | | Not Covered |
| | In111 satumomab INDIUM IN-111 SATUMOMAB PENDETIDE, DIAGNOSTIC, PER STUDY DOSE, UP TO 6 MILLICURIES | | No | | Diagnostic agent Radio- pharmaceutical | | X | X | X | | | | | | | | X | | Paper Claim. Send copy of the invoice which includes the NDC billed |
| A9500 | Tc99m sestamibi TECHNETIUM TC-99M SESTAMIBI, DIAGNOSTIC, PER STUDY DOSE | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | X | | |
| A9501 | Technetium TC-99M Teboroxime, Diagnostic, per Study Dose | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | X | | | | | | | | Х | | Paper Claim. Send copy of the invoice which includes the NDC billed |

| Code | Dogorintian | Drond Nam: | NDC | NDC ·····! | Cotomomi | Conde | 40 | CALL | - | ND | BANA/ | 8411 | LIC. | P.C | OBL | | Lin | Б.С | Considerations |
|------|--|--------------------|------------------------------------|---------------------------|---|-------------------|----|-----------|---|----|-------|------|------|-----|-----|---|-----|-----|---|
| Code | Description | Brand Name | req. for drug rebate ? | NDC unit of measure | Category | Service Limits | OP | CAH OP | | NP | IVIVV | IVIH | нъ | PO | ОРН | н | TF | | Special Instructions |
| | Tc99m tetrofosmin TECHNETIUM TC-99M TETROFOSMIN, DIAGNOSTIC, PER STUDY DOSE | | No | | Diagnostic agent Radio- pharmaceutical | | X | X | X | | | | | | | | X | | |
| | Tc99m medronate TECHNETIUM TC-99M MEDRONATE, DIAGNOSTIC, PER STUDY DOSE, UP TO 30 MILLICURIES | | No | | Diagnostic agent Radio- pharmaceutical | | X | X | X | | | | | | | | X | | |
| | Tc99m apcitide TECHNETIUM TC-99M APCITIDE, DIAGNOSTIC, PER STUDY DOSE, UP TO 20 MILLICURIES | | No | | Diagnostic agent Radio- pharmaceutical | | X | X | X | | | | | | | | X | | Paper Claim. Send copy of the invoice which includes the NDC billed |
| | TL201 thallium THALLIUM TL-201 THALLOUS CHLORIDE, DIAGNOSTIC, PER MILLICURIE | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | | |
| | In111 capromab INDIUM IN-111 CAPROMAB PENDETIDE, DIAGNOSTIC, PER STUDY DOSE, UP TO 10 MILLICURIES | Prostascint Kit | No | | Diagnostic agent Radio- pharmaceutical | | х | х | Х | | | | | | | | Х | | Paper Claim. Send copy of the invoice which includes the NDC billed |
| | I131 iodobenguate, dx IODINE I-131 IOBENGUANE SULFATE, DIAGNOSTIC, PER 0.5 MILLICURIE | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | X | | Paper Claim. Send copy of the invoice which includes the NDC billed |
| | IODINE I-123 Sodium Iodide, Diagnostic, Per Millicurie | | No | | Diagnostic agent Radio- pharmaceutical | | X | Х | X | | | | | | | | X | | Paper Claim. Send copy of the invoice which includes the NDC billed |
| | Tc99m disofenin TECHNETIUM TC-99M DISOFENIN, DIAGNOSTIC, PER STUDY DOSE, UP TO 15 MILLICURIES | | No | | Diagnostic agent Radio- pharmaceutical | | Х | х | Х | | | | | | | | Х | | Paper Claim. Send copy of the invoice which includes the NDC billed |

| Code | Description | Brand Name | NDC req. for drug | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | Р | NP | MW | МН | HS | РО | ОРН | НІ | ID TF | Special Instructions |
|-------|--|------------|----------------------------|---------------------------|---|-------------------|----------|-----------|---|----|----|----|----|----|-----|----|----------|---|
| | | | rebate | | | | | | | | | | | | | | | |
| | Tc99m pertechnetate TECHNETIUM TC-99M PERTECHNETATE, DIAGNOSTIC, PER MILLICURIE | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | Paper Claim. Send copy of the invoice which includes the NDC billed |
| A9515 | Choline C-11, diagnostic, per study dose up to 20 mCi | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | No special instructions |
| A9516 | I123 iodide cap, dx IODINE I-123 SODIUM IODIDE CAPSULE(S), DIAGNOSTIC, PER 100 MICROCURIES | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | Paper Claim. Send copy of the invoice which includes the NDC billed |
| A9517 | I131 iodide cap, rx IODINE I-131 SODIUM IODIDE CAPSULE(S), THERAPEUTIC, PER MILLICURIE | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | Paper Claim. Send copy of the invoice which includes the NDC billed |
| A9520 | Technetium tc-99m, tilmanocept, diagnostic, up to 0.5 millicuries | | No | | Diagnostic agent Radio- pharmaceutical | | Х | X | Х | | | | | | | | Х | Paper Claim. Send copy of the invoice which includes the NDC billed |
| | Tc99m exametazime TECHNETIUM TC-99M EXAMETAZIME, DIAGNOSTIC, PER STUDY DOSE, UP TO 25 MILLICURIES | | No | | Diagnostic agent Radio- pharmaceutical | | X | X | X | | | | | | | | X | Paper Claim. Send copy of the invoice which includes the NDC billed |
| | I131 serum albumin, dx IODINE I-131 IODINATED SERUM ALBUMIN, DIAGNOSTIC, PER 5 MICROCURIES | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | Paper Claim. Send copy of the invoice which includes the NDC billed |
| A9526 | Nitrogen N-13 ammonia NITROGEN N-13 AMMONIA, DIAGNOSTIC, PER STUDY DOSE, UP TO 40 MILLICURIES | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | X | | | | | | | | Х | Paper Claim. Send copy of the invoice which includes the NDC billed |

| Codo | Deceriation | Drond Nam - | NDC | NDC ·····! | Cotomomi | Conde | ۸.۰ | CALL | ъ. | ND | BADA/ | NA:: | nc. | D.C. | OPU | .,. | l in | P. | Chasial Instructions |
|------|--|-------------------|------------------------------------|---------------------------|---|-------------------|----------|------|----|----|-------|------|-----|------|-----|-----|------|----|---|
| Code | Description | Brand Name | req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | OP | P | NP | MW | IVIH | HS | 70 | ОРН | Н | TF | DC | Special Instructions |
| | lodine I-125 sodium iodide IODINE I-125, SODIUM IODIDE SOLUTION, THERAPEUTIC, PER MILLICURIE | | No | | Diagnostic agent Radio- pharmaceutical | | X | X | X | | | | | | | | X | | Paper Claim. Send copy of the invoice which includes the NDC billed |
| | Iodine I-131 iodide cap, dx IODINE I-131 SODIUM IODIDE CAPSULE(S), DIAGNOSTIC, PER MILLICURIE | | No | | Diagnostic agent Radio- pharmaceutical | | X | X | X | | | | | | | | X | | Paper Claim. Send copy of the invoice which includes the NDC billed |
| | I131 iodide sol, dx IODINE I-131 SODIUM IODIDE SOLUTION, DIAGNOSTIC, PER MILLICURIE | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | | Paper Claim. Send copy of the invoice which includes the NDC billed |
| | I131 iodide sol, rx IODINE I-131 SODIUM IODIDE SOLUTION, THERAPEUTIC, PER MILLICURIE | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | | Paper Claim. Send copy of the invoice which includes the NDC billed |
| | I131 max 100uCi IODINE I-131 SODIUM IODIDE, DIAGNOSTIC, PER MICROCURIE (UP TO 100 MICROCURIES) | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | X | | Paper Claim. Send copy of the invoice which includes the NDC billed |
| | I125 serum albumin, dx IODINE I-125 SERUM ALBUMIN, DIAGNOSTIC, PER 5 MICROCURIES | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | х | | Paper Claim. Send copy of the invoice which includes the NDC billed |
| | Injection, methylene blue INJECTION, METHYLENE BLUE, 1 ML | Methylene Blue | | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | х | | Closed 1/1/10. CodeTermed |
| | Tc99m depreotide TECHNETIUM TC-99M DEPREOTIDE, DIAGNOSTIC, PER STUDY DOSE, UP TO 35 MILLICURIES | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | X | | | | | | | | Х | | Paper Claim. Send copy of the invoice which includes the NDC billed |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | Р | NP | MW | МН | HS | PO | ОРН | HI | I ID TF | Special Instructions |
|------|--|----------------------------|---|---------------------------|---|-------------------|----------|-----------|---|----|----|----|----|----|-----|----|------------|---|
| | Tc99m mebrofenin TECHNETIUM TC-99M MEBROFENIN, DIAGNOSTIC, PER STUDY DOSE, UP TO 15 MILLICURIES | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | Paper Claim. Send copy of the invoice which includes the NDC billed |
| | Tc99m pyrophosphate TECHNETIUM TC-99M PYROPHOSPHATE, DIAGNOSTIC, PER STUDY DOSE, UP TO 25 MILLICURIES | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | Paper Claim. Send copy of the invoice which includes the NDC billed |
| | Tc99m pentetate TECHNETIUM TC-99M PENTETATE, DIAGNOSTIC, PER STUDY DOSE, UP TO 25 MILLICURIES | CA-DTPA ZN-DTPA | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | Paper Claim. Send copy of the invoice which includes the NDC billed |
| | Tc99m MAA TECHNETIUM TC-99M MACROAGGREGATED ALBUMIN, DIAGNOSTIC, PER STUDY DOSE, UP TO 10 MILLICURIES | | No | | Diagnostic agent Radio- pharmaceutical | | х | Х | Х | | | | | | | | Х | |
| | Tc99m sulfur colloid TECHNETIUM TC-99M SULFUR COLLOID, DIAGNOSTIC, PER STUDY DOSE, UP TO 20 MILLICURIES | Sulfer Powder Colloidal | | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | |
| | In111 ibritumomab, dx INDIUM IN-111 IBRITUMOMAB TIUXETAN, DIAGNOSTIC, PER STUDY DOSE, UP TO 5 MILLICURIES | Zevalin | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | X | | | | | | | | X | |
| | Y90 ibritumomab, rx YTTRIUM Y-90 IBRITUMOMAB TIUXETAN, THERAPEUTIC, PER TREATMENT DOSE, UP TO 40 MILLICURIES | | No | | Diagnostic agent Radio- pharmaceutical | | х | Х | Х | | | | | | | | X | |
| | I131 tositumomab, dx IODINE I-131 TOSITUMOMAB, DIAGNOSTIC, PER STUDY DOSE | Bexxar | | | Diagnostic agent Radio- pharmaceutical | | Х | Х | х | | | | | | | | Х | Closed. |

| Cada | Description | Duand Na | NDC | NDC ·····' | Catamami | Camilaa | 40 | CALL | | ND | BASA/ I | BAL! | ш | DC. | Loni | | ID | DC. | Consider Instructions |
|------|--|--------------------|---|---------------------------|---|-------------------|----------|------|---|----|---------|------|----|-----|------|----|----|-----|---|
| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | OP | Р | NP | MW | MH | нѕ | PO | ОРН | НІ | TF | | Special Instructions |
| | I131 tositumomab, rx IODINE I-131 TOSITUMOMAB, THERAPEUTIC, PER TREATMENT DOSE | Bexxar | | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | X | | Closed. |
| | Co57/58 COBALT CO-57/58, CYANOCOBALAMIN, DIAGNOSTIC, PER STUDY DOSE, UP TO 1 MICROCURIE | Various Generic | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | | |
| | In111 oxyquinoline INDIUM IN-111 OXYQUINOLINE, DIAGNOSTIC, PER 0.5 MILLICURIE | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | | |
| | In111 pentetate INDIUM IN-111 PENTETATE, DIAGNOSTIC, PER 0.5 MILLICURIE | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | X | | |
| | Tc99m gluceptate TECHNETIUM TC-99M SODIUM GLUCEPTATE, DIAGNOSTIC, PER STUDY DOSE, UP TO 25 MILLICURIES | | No | | Diagnostic agent Radio- pharmaceutical | | Х | X | Х | | | | | | | | X | | Paper Claim. Send copy of the invoice which includes the NDC billed |
| | Tc99m succimer TECHNETIUM TC-99M SUCCIMER, DIAGNOSTIC, PER STUDY DOSE, UP TO 10 MILLICURIES | DMSA Powder | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | | |
| | FLUORODEOXYGLUC OSE F-18 FDG, DIAGNOSTIC, PER STUDY DOSE, UP TO 45 MILLICURIES | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | | |
| | Cr51 chromate CHROMIUM CR-51 SODIUM CHROMATE, DIAGNOSTIC, PER STUDY DOSE, UP TO 250 MICROCURIES | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | X | | | | | | | | Х | | |

| Code | Description | Brand Name | NDC req. for drug | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | ОРН | НІ | ID TF | DC | Special Instructions |
|------|--|------------|----------------------------|---------------------------|---|-------------------|----------|-----------|---|----|----|----|----|----|-----|----|----------|----|---|
| | | | rebate | | | | | | | | | | | | | | | | |
| | 1125 iothalamate, dx IODINE I-125 SODIUM IOTHALAMATE, DIAGNOSTIC, PER STUDY DOSE, UP TO 10 MICROCURIES | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | х | | | | | | | | Х | | |
| | Rb82 rubidium RUBIDIUM RB-82, DIAGNOSTIC, PER STUDY DOSE, UP TO 60 MILLICURIES | | No | | Diagnostic agent Radio- pharmaceutical | | Х | X | X | | | | | | | | X | | Paper Claim. Send copy of the invoice which includes the NDC billed |
| | Ga67 gallium GALLIUM GA-67 CITRATE, DIAGNOSTIC, PER MILLICURIE | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | | Paper Claim. Send copy of the invoice which includes the NDC billed |
| | Tc99m bicisate TECHNETIUM TC-99M BICISATE, DIAGNOSTIC, PER STUDY DOSE, UP TO 25 MILLICURIES | | No | | Diagnostic agent Radio- pharmaceutical | | Х | х | х | | | | | | | | Х | | Paper Claim. Send copy of the invoice which includes the NDC billed |
| | Xe133 xenon 10mci XENON XE-133 GAS, DIAGNOSTIC, PER 10 MILLICURIES | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | х | | | | | | | | Х | | Paper Claim. Send copy of the invoice which includes the NDC billed |
| | Co57 cyano COBALT CO-57 CYANOCOBALAMIN, ORAL, DIAGNOSTIC, PER STUDY DOSE, UP TO 1 MICROCURIE | | | | Diagnostic agent Radio- pharmaceutical | | Х | Х | х | | | | | | | | Х | | Closed |
| | Tc99m labeled rbc TECHNETIUM TC-99M LABELED RED BLOOD CELLS, DIAGNOSTIC, PER STUDY DOSE, UP TO 30 MILLICURIES | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | х | | | | | | | | Х | | |
| | Tc99m oxidronate TECHNETIUM TC-99M OXIDRONATE, DIAGNOSTIC, PER STUDY DOSE, UP TO 30 MILLICURIES | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | | Paper Claim. Send copy of the invoice which includes the NDC billed |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | Р | NP | MW | МН | нѕ | PO | ОРН | H | HI II | D [| C Spe | ecial Instructions |
|-------|---|------------|---|---------------------------|---|-------------------|----------|-----------|---|----|----|----|----|----|-----|---|-------|-----|-------|---|
| | TC99m mertiatide TECHNETIUM TC-99M MERTIATIDE, DIAGNOSTIC, PER STUDY DOSE, UP TO 15 MILLICURIES | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | |) | х | Рар | per Claim. Send copy of the invoice which includes the NDC billed |
| A9563 | P32 Na phosphate SODIUM PHOSPHATE P-32, THERAPEUTIC, PER MILLICURIE | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | |) | X | Pap | per Claim. Send copy of the invoice which includes the NDC billed |
| | P32 chromic phosphate CHROMIC PHOSPHATE P-32 SUSPENSION, THERAPEUTIC, PER MILLICURIE | | No | | Diagnostic agent Radio- pharmaceutical | | Х | X | Х | | | | | | | |) | X | Pap | per Claim. Send copy of the invoice which includes the NDC billed |
| | In111 pentetreotide INDIUM IN-111 PENTETREOTIDE, DIAGNOSTIC, PER MILLICURIE | | No | | Diagnostic agent Radio- pharmaceutical | | X | X | Х | | | | | | | |) | x | Clo | osed. Paper Claim. Send copy of the invoice which includes the NDC billed |
| | Tc99m fanolesomab TECHNETIUM TC-99M FANOLESOMAB, DIAGNOSTIC, PER STUDY DOSE, UP TO 25 MILLICURIES | | No | | Diagnostic agent Radio- pharmaceutical | | X | X | X | | | | | | | |) | X | | |
| A9567 | Technetium TC-99m aerosol TECHNETIUM TC-99M PENTETATE, DIAGNOSTIC, AEROSOL, PER STUDY DOSE, UP TO 75 MILLICURIES | | No | | Diagnostic agent Radio- pharmaceutical | | X | X | X | | | | | | | | | X | Рар | per Claim. Send copy of the invoice which includes the NDC billed |
| A9568 | Technetium tc-99m arcitumomab per dose up to 45 millicuries | | No | | Diagnostic agent Radio- pharmaceutical | | Х | X | Х | | | | | | | |) | х | Рар | per Claim. Send copy of the invoice which includes the NDC billed |
| A9569 | Technetium TC-99M Exametazime Labeled Autologous White Blood Cells, Diagnostic | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | |) | Х | Pap | per Claim. Send copy of the invoice which includes the NDC billed |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | ОРН | HI | ID TF | Special Instructions |
|-------|--|------------|---|---------------------------|---|-------------------|----------|-----------|---|----|----|----|----|----|-----|----|----------|---|
| A9570 | Indium IN-111 Labeled Autulogous White Blood Cells, Diagnostic, Per Study Dose | | No | | Diagnostic agent Radio- pharmaceutical | | Х | X | X | | | | | | | | X | Paper Claim. Send copy of the invoice which includes the NDC billed |
| A9571 | Indium IN-111 Labeled Autulogous Platelets, Diagnostic, Per Study Dose | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | Paper Claim. Send copy of the invoice which includes the NDC billed |
| A9572 | Indium IN-111 Pentetreotide, Diagnostic, Per Study Dose, up to 6 Millicuries | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | Paper Claim. Send copy of the invoice which includes the NDC billed |
| A9575 | Injection, gadoterate meglumine, 0.1ml | | No | | Contrast agent | | Х | Х | Х | | | | | | | | Х | Paper Claim. Send copy of the invoice which includes the NDC billed |
| A9576 | Injection, Gadoteridol, (Prohance multipack), per ML | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | |
| A9577 | Injection, Gadobenate Dimeglumine (Multihance), Per ML | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | |
| A9578 | Injection, Gadobenate Dimeglumine (Multihance Multipack), Per ML | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | X | |
| A9579 | Injection, Gadolinium- Based Magnetic Resonance Contrast Agent, Not Otherwise Classified | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | X | |
| A9581 | Injection Gadoxetate Disodium, 1ML | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | |

| Code | Description | Brand Name | req. for drug rebate ? | NDC unit of measure | Category | Service Limits | OP | CAH OP | | NP | MW | МН | HS | PO | ОРН | Н | TF | Special Instructions |
|-------|--|------------|------------------------------------|---------------------------|---|-------------------|----|-----------|---|----|----|----|----|----|-----|---|----|--|
| | Iodine I-123 Iobenguane, diagnostic, per study dose, up to 15 Millicuries | | No | | Diagnostic agent Radio- pharmaceutical | | Х | X | X | | | | | | | | X | Paper Claim. Send copy of the invoice which includes the NDC billed. |
| A9583 | Injection Gadofosvese T Trisodium, 1 ML | | No | | Diagnostic agent Radio- pharmaceutical | | Х | X | Х | | | | | | | | X | |
| | lodine I-123 loflupane, diagnostic, per study dose, up to 5 Millicuries | | No | | Diagnostic agent Radio- pharmaceutical | | X | Х | Х | | | | | | | | X | Paper Claim. Send copy of the invoice which includes the NDC billed. |
| A9585 | Injection, gadobutrol, 0.1 ml. | | No | | Contrast agent | | X | Х | Х | | | | | | | | X | Paper Claim. Send copy of the invoice which includes the NDC billed. |
| | Florbetapir F18, diagnostic, per study dose, up to 10 mCi | | No | | Diagnostic agent Radio- pharmaceutical | | X | Х | Х | | | | | | | | X | No special instructions |
| | Gallium Ga-68, dotatate, diagnostic, 0.1 mCi | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | Packaged service/item; no separate payment made. |
| | Fluciclovine F-18, diagnostic, 1 mCi | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | | | | | | | | | Х | Packaged service/item; no separate payment made. |
| | Iodine I-131, iobenguane, 1 mCi | | No | | Diagnostic agent Radio- pharmaceutical | | Х | X | | | | | | | | | | Requires a prior authorization from UMC |
| A9592 | Copper cu-64, dotatate, diagnostic, 1 millicurie | Detectnet | No | | Diagnostic agent Radio- | | X | X | Х | | | | | | | | Х | Effective 1/1/23. |

| Codo | Description | Drond Now: | NDC | NDC unit | Catamami | Conde | ۸. | CALL | Р | ND | BANA/ | NA: | LIC. | D.C. | ODI | 112 | ID | Б. | Chaniel Instructions |
|-------|--|------------|------------------------------------|---------------|--|-------------------|----------|-----------|---|----|-------|------|------|------|-----|-----|----|----|--|
| Code | Description | Brand Name | req. for drug rebate ? | of measure | Category | Service Limits | AC OP | CAH OP | P | NP | IVIVV | IVIH | нз | PO | ОРН | HI | TF | | Special Instructions |
| A9595 | Piflufolastat f-18, diagnostic, 1 millicurie | | No | | Diagnostic agent Radio- pharmaceutical | | х | х | х | | | | | | | | x | | No special instructions |
| | Positron emission tomography radiopharmaceutical, diagnostic, for tumor identification, not otherwise classified | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | X | | Packaged service/item; no separate payment made. |
| | Positron emission tomography radiopharmaceutical, diagnostic, for nontumor identification, not otherwise classified | | No | | Diagnostic agent Radio- pharmaceutical | | х | х | Х | | | | | | | | Х | | Packaged service/item; no separate payment made. |
| | Radiopharmaceutical, diagnostic, for beta- amyloid positron emission tomography (pet) imaging, per study dose. | | No | | Diagnostic agent Radio- pharmaceutical | | X | Х | Х | | | | | | | | X | | Paper Claim. Send copy of the invoice which includes the NDC billed. |
| | Sr89 strontium STRONTIUM SR-89 CHLORIDE, THERAPEUTIC, PER MILLICURIE | | No | | Diagnostic agent Radio- pharmaceutical | | Х | х | Х | | | | | | | | X | | Paper Claim. Send copy of the invoice which includes the NDC billed. |
| | Samarium SM-153 Lexidronam, Therapeutic, per treatment dose, up to 150 | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | X | | Paper Claim. Send copy of the invoice which includes the NDC billed |
| | Sm 153 lexidronm SAMARIUM SM 153 LEXIDRONAMM, THERAPEUTIC, PER- 50 MILLICURIES | Quadramet | No | | Diagnostic- agent Radio- pharmaceutical | | X | Х | Х | | | | | | | | Х | | Paper Claim. Send copy of the invoice which includes the NDC billed Only covered when billed with the following CPT codes on the same claim: 79101. Closed 12/31/09. See A9604 |
| | Radium ra-223 dichloride, therapeutic, per microcurie | | No | | Radio- pharmaceutical | | Х | Х | х | | | | | | | | | | Requires Prior authorization through the UMC. Paper Claim. Send copy of the invoice which includes the NDC billed |
| | Lutetium Lu 177 vipivotide tetraxetan, therapeutic, 1 mCi | Pluvicto | Yes | EA | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Effective 10/1/22. Restricted to ICD-10 C61. Minimum age of 16 years. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | ОРН | Н | I ID | C Special Instructions |
|-------|---|------------|---|---------------------------|---|-------------------|----------|-----------|---|----|----|----|----|----|-----|---|------|--|
| A9608 | Flotufolastat f 18, diagnostic, 1 millicurie | Posluma | No | | | | Х | Х | Х | | | | | | | | Х | Effective 1/1/24. |
| | Nonradioactive contrast imaging material, not otherwise classified, per study | | | | | | | | | | | | | | | | | Not Covered |
| | Radiopharmaceutical, therapeutic, not otherwise classified | | | | | | | | | | | | | | | | | Not Covered |
| | Contrast Material Supply of injectable contrast material for use in echocardiography, per study | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | х | Paper Claim. Send copy of the invoice which includes the NDC billed |
| A9513 | Lutetium Lu 177, dotatate, therapeutic, 1 mCi. | Lutathera | Yes | UN | Genetic therapy | N/A | Х | | | | | | | | | | | Effective 1/1/19. Cost invoice required with claim. Contact Kepro at 800-346-8272 for prior authorization requests. |
| C9003 | Palivizumab, per 50 mg | Synagis | N/A | | Antisera | | | | | | | | | | | | | Not Covered |
| C9014 | Injection, cerliponase alfa, 1 mg. | Brineura | Yes | UN | Enzymatic | None | Х | Х | | | | | | | | | | Closed 12/31/18. See J0567 after this date. Effective 1/1/18. Cost invoice with NDC required. Restricted to ICD-10 E75.4. Minimum age of 3 years. |
| C9016 | Injection, triptorelin pamoate ER, 3.5 mg. | Triptodur | Yes | UN | Gonadotropin | None | Х | Х | | | | | | | | | | Closed 12/31/18. See J3316 after this date. Effective 1/1/18. Cost invoice with NDC required. ICD-10 diagnosis restriction of E30.1. Minimum age of 2 years. |
| C9021 | Injection, obinutuzumab, 10 mg. | Gazyva | Yes | ML | Antineoplastic | none | Х | Х | | | | | | | | | | Closed 12/31/14. See J9301 after this date. Effective 4/1/14. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 204.10. Minimum age restriciton of 16 years. |
| C9022 | Injection, elosulfase alfa, 1 mg. | Vimizim | Yes | ML | Enzymatic | none | Х | Х | | | | | | | | | | Closed 12/31/14. See J1322 after this date. Effective 7/1/14. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 277.5. Minimum age restriction of 5 years. |
| | Injection, liposomal, 1 mg daunorubicin and 2.27 mg cytarabine | Vyxeos | Yes | UN | Antineoplastic | none | Х | Х | | | | | | | | | | Closed 12/31/18. See J9153 after this date. Effective 1/1/18. Cost invoice with NDC required. Restricted to ICD-10 C92.00 - C92.02. Minimum age of 16 years. |
| C9025 | Injection, ramucirumab, 5 mg. | Cyramza | Yes | ML | Antineoplastic | none | X | X | | | | | | | | | | Closed 12/31/15. See J9308 after this date. diagnosis codes C16.0 - C16.9, C18.0 - C18.9, C19, C20, C21.0 - C21.2, C21.8, C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, or C34.80 - C34.82 Effective 4/24/15, ICD-9 restriction of 153.0 - 154.8 added. Effective 12/12/14, ICD-9 diagnosis restriction of 162.0 - 162.8 added. Effective 10/1/14. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 151.0 - 151.9. Minimum age restriction of 16 years. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | OF | РΗ | ID | OC Special Instructions |
|-------|--|------------|---|---------------------------|----------------------|----------------------|----------|-----------|---|----|----|----|----|----|----|----|----|--|
| C9026 | Injection, vedolizumab, 1 mg. | Entyvio | Yes | UN | Anti-Infective | none | X | Х | | | | | | | | | | Closed 12/31/15. See J3380 after this date. 10/1/2015 ICD-10 diagnosis codes K50.00, K50.011 - K50.014, K50.018, K50.019, K50.10, K50.111 - K50.114, K50.118, K50.119, K50.80, K50.811 - K50.814, K50.818, K50.819, K50.90, K50.911 - K50.914, K50.918, K50.918, K50.919, K51.00, K51.011 - K51.014, K51.018, K51.20, K51.20, K51.21 - K51.214, K51.218, K51.219, K51.30, K51.311 - K51.314, K51.318, K51.319, K51.40, K51.411 - K51.414, K51.418, K51.419, K51.50, K51.511 - K51.514, K51.518, K51.519, K51.80, K51.811 - K51.814, K51.818, K51.819, K51.90, K51.911 - K51.918 or K51.919 Effective 10/1/14. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 555.0 - 556.9. Minimum age restriction of 16 years. |
| C9027 | Injection, pembrolizumab, 1 mg | Keytruda | Yes | UN | Antineoplastic | none | X | X | | | | | | | | | | Closed 12/31/15. See J9271 after this date. Effective 10/2/15, new indication of ICD-10 C33, C34.01, C34.02, C34.10, C34.11, C34.12, C34.2, C34.30, C34.31, C34.32, C34.80, C34.81, C34.80, C34.81, C34.90, C34.81, C34.91, or C34.92 added. Effective 10/1/2015 ICD-10 diagnosis codes C00.5, C43.0, C43.10 - C43.12, C43.20 - C43.22, C43.30, C43.31, C43.39, C43.4, C43.51, C43.52, C43.59 - C43.62, C43.70 - C43.72, C43.8, C43.9, C44.00 - C44.02, C44.09, C44.101, C44.102, C44.109, C44.111, C44.112, C44.119, C44.121, C44.122, C44.129, C44.191, C44.192, C44.193, C44.201, C44.202, C44.209, C44.211, C44.212, C44.219, C44.221, C44.222, C44.229, C44.291, C44.292, C44.292, C44.290, C44.300, C44.301, C44.301, C44.301, C44.319 - C44.321, C44.329, C44.390, C44.391, C44.390, C44.501, C44.501, C44.601, C44.602, C44.611, C44.612, C44.612, C44.622, C44.629, C44.691, C44.692, C44.691, C44.602, C44.609, C44.611, C44.612, C44.612, C44.622, C44.622, C44.691, C44.692, C44.691, C44.699, C44.709, C44.711, C44.712, C44.719, C44.722, C44.729, C44.791, C44.792, C44.791, C44.792, C44.801, C44.802, C44.801, C44.802, C44.809, C44.801, C44.809, C44.801, C44.802, C44.801, C44.722, C44.791, C44.792, C44.791, C44.792, C44.792, C44.792, C44.792, C44.791, C44.792, C44.791, C44.792, C44.791, C44.792, C44.791, C44.792, C44.791, C44.792, C44.792, C44.791, C44.792, C44.792, C44.791, C44.792, C44.792, C44.792, C44.791, C44.792, C44.792, C44.791, C44.792, C44.792, C44.791, C44.792, C44.792, C44.791, C44.792, C4 |
| C9028 | Injection, inotuzumab ozogamicin, 0.1 mg. | Besponsa | Yes | UN | Antineoplastic | none | Х | Х | | | | | | | | | | Closed 12/31/18. See J9229 after this date. Effective 1/1/18. Cost invoice with NDC required. Restricted to ICD-10 C91.00 - C91.02. Minimum age of 16 years. |
| C9030 | Injection, copanlisib, 1 mg | Aliqopa | Yes | EA | Antineoplastic | 60 units daily | Х | Х | | | | | | | | | | Closed 12/31/18. See J9057 after this date. Effective 7/1/18. Cost invoice with NDC required. Restricted to ICD-10 diagnosis of C82.00 - C82.99. Minimum age of 16 years. |
| C9031 | Injection, Lutetium Lu 177, dotatate, therapeutic 1 mCi. | Lutathera | Yes | EA | Radiologic | N/A | Х | | | | | | | | | | | Closed 12/31/18. See A9513 after this date. Contact Kepro at 800-346-8272 for prior authorization requests. Effective 7/1/18. |
| C9032 | Injection, voretigene neparvovec-rzyl, 1 billion vector genome | Luxturna | Yes | ML | Genetic therapy | N/A | Х | | | | | | | | | | | Closed 12/31/18. See J3398 after this date. Contact Kepro at 800-346-8272 for prior authorization requests. Effective 7/1/8. |
| C9036 | Injection, patisiran, 0.1 mg | Onpattro | Yes | ML | Amyloidosis agent | Maximum 300 units | Х | Х | | | | | | | | | | Closed 9/30/19. See J0222 after this date. Effective 1/1/19. Cost invoice with NDC required. Restricted to ICD-10 E85.1. Minimumg age 18 yars. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | I HS | PC | 0 | РН | Н | ID TF | Special Instructions |
|-------|--|------------|---|---------------------------|------------------------------|-------------------|----------|-----------|---|----|----|----|------|----|---|----|---|----------|--|
| C9038 | Injection, mogamulizumab-kpkc, 1 mg | Poteligeo | Yes | ML | Anti-neoplastic | None | Х | Х | | | | | | | | | | | Closed 9/30/19. See J9204 after this date. Effective 1/1/19. Cost invoice with NDC required. Restricted to ICD-10 C84.01 - C84.09, C84.11 - C84.19. |
| C9041 | Injection, coagulation Factor Xa (recombinant), inactivated, 10 mg | Andexxa | Yes | UN | Anticoagulant reversal agent | None | Х | Х | | | | | | | | | | | Closed 6/30/20. See J7169 after this date. Effective 4/1/19. Cost invoice with NDC required. Note: Reimbursement of drug is separately billed from hospital in-patient on a UB claim by using bill type 0111 for this service. Outpatient billing uses bill type 0131 on the UB claim form. |
| C9043 | Injection, levoleucovorin, 1 mg. | Khapzory | Yes | UN | Folate analog | None | Х | Х | | | | | | | | | | | Closed 12/31/19. See J0642 after this date. Effective 4/1/19. Cost invoice with NDC required. |
| C9044 | Injection, cemiplimab- rwlc, 1 mg. | Libtayo | Yes | ML | Anti-neoplastic | 350 units daily | Х | Х | | | | | | | | | | | Closed 9/30/19. See J9119 after this date. Effective 4/1/19. Cost invoice with NDC required. Minimum age of 16 years. |
| C9045 | Injection, moxetumomab pasudotox-tdfk, 0.01 mg. | Lumoxiti | Yes | UN | Anti-neoplastic | None | Х | Х | | | | | | | | | | | Closed 9/30/19. See J9313 after this date. Effective 4/1/19. Cost invoice with NDC required. Restricted to ICD-10 of C91.40, C91.41, C91.42. Minimum age of 16 years. |
| C9048 | Dexamethasone, lacrimal ophthalmic insert, 0.1 mg. | Dextenza | Yes | UN | Anti- inflammatory | 4 daily | Х | Х | | | | | | | | | | | Closed 9/30/19. See J1096 after this date. Effective 7/1/19. Cost invoice with NDC required. |
| C9049 | Injection, tagraxofusperzs, 10 mcg | Elzonris | Yes | ML | Anti-neoplastic | None | Х | Х | | | | | | | | | | | Closed 9/30/19. See J9269 after this date. Effective 7/1/19. Cost invoice with NDC required. Restricted to ICD-10 C86.4. Minimum age of 2 years. |
| C9050 | Injection, emapalumab- Izsg, 1 mg. | Gamifant | Yes | ML | Immune globulin | None | Х | Х | | | | | | | | | | | Closed 9/30/19. See J9210 after this date. Effective 7/1/19. Cost invoice with NDC required. |
| C9052 | Injection, ravulizumab- cwvz, 10 mg | Ultomiris | Yes | ML | Anti-anemia | 360 units daily | Х | Х | | | | | | | | | | | Closed 9/30/19. See J1303 after this date. Effective 71/19. Cost invoice with NDC required. Restricted to ICD-10 D59.5. Minimum age of 16 years. |
| C9053 | Injection, crizanlizumab- tmca, 1 mg. | Adakveo | Yes | ML | Sickle cell disease | None | Х | Х | | | | | | | | | | | Closed 6/30/20. See J0791 after this date. Effective 4/1/20. Cost invoice with NDC required. to ICD-10 D57.0 - D57.819. Minimum of 16 years. |
| C9054 | Injection, lefamulin, 1 mg | Xenleta | N/A | | | | | | | | | | | | | | | | Not Covered. See pharmacy POS. |
| C9055 | Injection, brexanolone, 1 mg. | Zulresso | Yes | ML | Anti-depressant | N/A | Х | Х | | | | | | | | | | | Closed 9/30/20. See J1632 after this date. Effective 1/1/20. Cost invoice with NDC required. Kepro at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria. Note: Reimbursement of drug is separately billed from hospital in-patient on a UB claim by using bill type 0111 for this service. Outpatient billing uses bill type 0131 on the UB claim form. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | I HS | PO | ОРІ | Н | ID TF | DC | Special Instructions |
|-------|---|--------------------|---|---------------------------|---------------------------------|---|----------|-----------|---|----|----|----|------|----|-----|---|----------|----|--|
| C9056 | Injection, givosiran, 0.5 mg. | Givlaari | Yes | ML | Acute hepatic porphyria | 756 units monthly | X | Х | | | | | | | | | | | Closed 6/30/20. See J0223 after this date. 4/1/20. Cost invoice with NDC required. Restricted to ICD-10 E80.21. Minimum age of 16 years. |
| C9057 | Injection, cetirizine hydrochloride, 1 mg | Quzytir | N/A | | | | | | | | | | | | | | | | Not covered. |
| C9058 | Injection, pegfilgrastim- bmez, biosimilar, 0.5 mg. | Ziextenzo | Yes | ML | Colony stimulating factor | None | X | Х | | | | | | | | | | | Closed 6/30/20. See Q5120 after this date. 4/1/20. Cost invoice with NDC required. Restricted to ICD-10 D70.1, T45.1X5A, T45.1X5D, T45.1X5S. Minimum age of 16 years. |
| C9059 | Injection, meloxicam, 1 mg | Anjeso | N/A | | | | | | | | | | | | | | | | Not covered. See pharmacy POS. |
| C9061 | Injection, teprotumumab- trbw, 10 mg | Tepezza | Yes | UN | IGFR inhibitor | None | Х | Х | | | | | | | | | | | Closed 9/30/20. See J3241 after this date. Effective 7/1/20. Cost invoice with NDC required. Restricted to ICD-10 E05.00. Minimum age 16 years. Covered to |
| C9062 | Injection, daratumumab 10 mg and hyaluronidase-fihj | Darzalex Faspro | Yes | ML | Anti-neoplastic | Max. 1800/30K mg weekly (15 ml vial) | X | Х | | | | | | | | | | | Closed 12/31/20. See J9144 after this date. Effective 10/1/20. Cost invoice with NDC required. Restricted to ICD-10 C90.00 - C90.02. Minimum age of 16 years. |
| C9063 | Injection, eptinezumab- jjmr, 1 mg | Vyepti | Yes | ML | Anti-migraine | 300 mg. | X | Х | | | | | | | | | | | Closed 9/30/20. See J3032 after this date. 7/1/20. Cost invoice with NDC required. Restricted to ICD-10 G43.001 - G43.919, G43.B0, G43.B1. Minimum age 16 years. |
| C9064 | Mitomycin pyelocalyceal instillation, 1 mg | Jelmyto | Yes | UN | Anti-neoplastic | Max. 60 units weekly | Х | Х | | | | | | | | | | | Closed 12/31/20. See J9281 after this date. Effective 10/1/20. Cost invoice with NDC required. Restricted to ICD-10 C65.1, C65.2. Minimum ages of 16 years. |
| C9065 | Injection, romidepsin, non-lypohilized (e.g. liquid), 1mg | N/A | Yes | ML | Anti-neoplastic | None | Х | Х | | | | | | | | | | | Closed 9/30/21. See J9318 after this date. 10/1/20. Cost invoice with NDC required. ICD-10 C84.00 - C84.19. |
| C9066 | Injection, sacituzumab govitecan-hziy, 10 mg | Trodelvy | Yes | UN | Anti-neoplastic | None | Х | Х | | | | | | | | | | | Closed 12/31/20. See J9317 after this date. Effective 10/1/20. Cost invoice with NDC required. Restricted to ICD-10 C50.01 - C50.929. Minimum age of 16 years. |
| C9069 | Injection, belantamab mafodontin-blmf, 0.5 mg | Blenrep | Yes | UN | Anti-neoplastic | None | X | Х | | | | | | | | | | | Closed 3/31/21. See J9037 after this date. Effective 1/1/21. Restricted to ICI 10 C90.0 - C90.02. Minimum age of 10 years. |
| C9070 | Injection, tafasitamab- cxix, 2 mg | Monjuvi | Yes | UN | Anti-neoplastic | None | Х | Х | | | | | | | | | | | Closed 3/31/21. See J9349 after this date. 1/1/21. 10 C83.30 - C83.39. Minimum age of 16 years. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | ОРН | H | II IC | C Special Instructions |
|-------|--|------------|---|---------------------------|------------------------|-------------------|----------|-----------|---|----|----|----|----|----|-----|---|-------|--|
| C9071 | Injection, viltolarsen, 10 mg | Viltepso | Yes | ML | Genetic therapy | None | X | Х | | | | | | | | | | Closed 3/31/21. See J1427 after thisi date. 1/1/21. Restricted to ICD-10 G71.01. Minimum age of 4 years. |
| C9072 | Injection, immune globulin, 500 mg | Asceniv | Yes | ML | Immune globulin | None | Х | Х | | | | | | | | | | Closed 3/31/21. See J1554 after this date. Effective 1/1/21. Restricted to ICD-10 D80.0 - D80.9, D81.0 - D81.4, D81.7, D81.89, D81.9, D82.0 - D82.9, D83.0, D83.2, D83.8, D83.9. Minimum age of 12 years. |
| C9073 | Brexucabtagene autoleucel, up to 200 million autologous anti- cd19 car positive viable t cells, including leukapheresis and dose preparation procedures, per therapeutic dose | Tecartus | Yes | UN | Genetic therapy | N/A | Х | Х | | | | | | | | | | Closed 3/31/21. See Q2053 after this date. Effective 1/1/21. Contact Kepro at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria. Note: Reimbursement of drug is separately billed from hospital in-patient on a UB claim by using bill type 0111 for this service. Outpatient billing uses bill type 0131 on the UB claim form. |
| C9076 | Lisocabtagene maraleucel, up to 110 million autologous anti- cd19 car-positive viable t cells, including leukapheresis and dose preparation procedures, per therapeutic dose | Breyanzi | Yes | UN | Genetic therapy | | X | Х | | | | | | | | | | Closed 9/30/21. See Q2054 after this date. 7/1/21. Cost invoice with NDC required. Contact Kepro at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria. Note: Reimbursement of drug is separately billed from hospital in-patient on a UB claim by using bill type 0111 for this service. Outpatient billing uses bill type 0131 on the UB claim form. |
| C9077 | Injection, cabotegravir and rilpivirine, 2mg/3mg | Cabenuva | Yes | ML | Antiretroviral | None | X | Х | | | | | | | | | | Closed 9/30/21. See J0741 after this date. 7/1/21. Cost invoice with NDC required. 10 B20. Restricted to ICD- Minimum age of 16 years. |
| C9078 | Injection, trilaciclib, 1 mg | Cosela | Yes | UN | Antineoplastic | None | X | Х | | | | | | | | | | Closed 9/30/21. See J1448 after this date. Effective 7/1/21. Cost invoice with NDC required. Restricted to ICD-10 C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.92. Minimum age of 16 years. |
| C9079 | Injection, evinacumab- dgnb, 5 mg | Evkeeza | Yes | ML | Antihyperlipide mic | None | Х | Х | | | | | | | | | | Closed 9/30/21. See J1305 after this date. Effective 7/1/21. Cost invoice with NDC required. Restricted to ICD-10 E78.01. Minimum age of 12 years. |
| C9080 | Injection, melphalan flufenamide hydrochloride, 1 mg | Pepaxto | Yes | UN | Antineoplastic | 40 units daily | Х | Х | | | | | | | | | | Closed 9/30/21. See J9247 after this date. Effective 7/1/21. Cost invoice with NDC required. Restricted to ICD-10 C90.00, C90.02. Minimum age of 16 years. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | ОРН | Н | HI III | C Special Instructions |
|-------|--|------------|---|---------------------------|------------------------------------|--------------------|----------|-----------|---|----|----|----|----|----|-----|---|--------|---|
| C9081 | Idecabtagene vicleucel, up to 460 million autologous anti-bcma car-positive viable t cells, including leukapheresis and dose preparation procedures, per therapeutic dose | Abecma | Yes | UN | Genetic therapy | N/A | X | | | | | | | | | | | Closed 12/31/21. See Q2055 after this date. Effective 10/1/21. Cost invoice with NDC required. Contact Kepro at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria. Note: Reimbursement of drug is separately billed from hospital in-patient on a UB claim by using bill type 0111 for this service. Outpatient billing uses bill type 0131 on the UB claim form. |
| C9082 | Injection, dostarlimab- gxly, 100 mg | Jemperli | Yes | ML | Antineoplastic | 5 units daily | Х | Х | Х | | | | | | | | | Closed 12/31/21. See J9272 after this date. 10/1/21. Cost invoice with NDC required. Restricted to ICD-10 C54.1. Miniimum age 16 years. |
| C9083 | Injection, amivantamab- vmjw, 10 mg | Rybrevant | Yes | ML | Antineoplastic | 140 units daily | Х | Х | Х | | | | | | | | | Closed 12/31/21. See J9061 after this date. Effective 10/1/21. Cost invoice with NDC required. Restricted to ICD-10 C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92. Minimum age 16 years. |
| C9084 | Injection, loncastuximab tesirine-lpyl, 0.1 mg | Zynlonta | Yes | UN | Antineoplastic | None | Х | Х | Х | | | | | | | | | Closed 3/31/22. See J9359 after this date. Effective 10/1/21. Cost invoice with NDC required. Restricted to ICD-10 C83.30 - C83.39. Minimum age 16 years. |
| C9085 | Injection, avalglucosidase alfa- ngpt, 4 mg | Nexviazyme | Yes | UN | Metabolic Enzyme Replacement | None | Х | Х | | | | | | | | | | Closed 3/31/22. See J9219 after this date. Effective 1/1/22. Cost invoice with NDC required. Restricted to ICD-10 E74.02. Minimum age of 1 year. |
| C9086 | Injection, anifrolumab- fnia, 1 mg | Saphnelo | Yes | SOL | Immunosuppres sive | 300 units daily | Х | Х | | | | | | | | | | Closed 3/31/22. See J0491 after this date. Effective 1/1/22. Cost invoice with NDC required. Restricted to ICD-10 M32.10 - M32.19, M32.8, M32.9. Minimum age of 18 years. |
| C9087 | Injection, cyclophosphamide, (auromedics), 10 mg | N/A | Yes | SOL | Anti-neoplastic | None | Х | Х | | | | | | | | | | Closed 3/31/22. See J9071 after this date. Effective 1/1/22. Cost invoice with NDC required. |
| C9088 | Instillation, bupivacaine and meloxicam, 1 mg/0.03 mg | Zynrelef | Yes | SOL | Anesthetic | None | Х | Х | | | | | | | | | | Effective 1/1/22. Cost invoice with NDC required. Reimburses to ASC. |
| C9091 | Injection, sirolimus protein-bound particles, 1 mg | Fyarro | Yes | EA | Antineoplastic | None | Х | Х | | | | | | | | | | Closed 6/30/22. See J9331 after this date. Effectvie 4/1/22. Cost invoice with NDC required. Restricted to ICD-10 C49.4, C49.6, C49.8, or C49.9. Minimum of 16 years. |
| C9092 | Injection, triamcinolone acetonide, suprachoroidal, 1 mg | Xipere | Yes | ML | Anti- inflammatory | None | Х | Х | | | | | | | | | | Closed 6/30/22. See J3299 after this date. Effectivie 4/1/22. Cost invoice with NDC required. Restricted to ICD-10 H20.011 - H20.043, H20.11 - H20.23, H20.821, H20.822, H20.823, H30.001 - H30.043, H30.101 - H30.133, H30.21, H30.22, H30.23, H30.811, H30.812, H30.813, H30.891, H30.892, H30.893, H30.91, H30.92, H30.93, H35.021, H35.022, H35.023, H35.061, H35.062, H35.063, H43.89, H44.001 - H44.023, H44.111, H44.112, H44.113. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | MI | н | IS | PO | ОРН | н | TF | C Special Instructions |
|-------|--|------------|---|---------------------------|---------------------------------|-------------------|----------|-----------|---|----|----|----|---|----|----|-----|---|----|---|
| C9093 | Injection, ranibizumab, via sustained release intravitreal implant, 0.1 mg | Susvimo | Yes | EA | VEGF inhibitor | None | Х | Х | | | | | | | | | | | Closed 6/30/22. See J2779 after this date. Effective 4/1/22 Cost invoice with NDC required. Restricted to ICD-10 H35.3210 - H35.3212, H35.3220 - H35.3222, H35.3230 - H35.3232, H35.3290 - H35.3292. |
| C9094 | Inj, sutimlimab-jome, 10 mg | Enjaymo | Yes | ML | Complement inhibitor | None | Х | Х | | | | | | | | | | | Closed 9/30/22. See J1302 after this date. 7/1/22. Cost invoice with NDC required. Restricted to ICD-10 D59.12. Minimum age of 16 years. |
| C9095 | Inj, tebentafusp-tebn, 1 mcg | Kimmtrak | Yes | ML | Antineoplastic | 68 units daily | Х | Х | | | | | | | | | | | Closed 9/30/22. See J9274 after this date. Effective 7/1/22. Cost invoice with NDC required. Restricted to ICD-10 C69.30, C69.31, C69.32, C69.40, C69.41, C69.42, C69.60, C69.61, C69.62, C69.90, C69.91, C69.92, Z51.11, Z51.89, Z51.840. Minimum of 16 years. |
| C9096 | Injection, filgrastim- ayow, biosimilar, 1 microgram | Releuko | Yes | ML | Colony stimulating factor | None | Х | Х | | | | | | | | | | | Closed 9/30/22. See Q5125 after this date. Effective 7/1/22. Cost invoice with NDC required. |
| C9097 | Inj, faricimab-svoa, 0.1 mg | Vabysmo | Yes | ML | VEGF inhibitor | None | Х | Х | | | | | | | | | | | Closed 9/30/22. See J2777 after this date. Effective 7/1/22. Cost invoice with NDC required. Restricted to ICD-10 H35.3210 - H35.3213, H35.3220 - H35.3223, H35.3230 - H35.3233, H35.3290 - H3293 or E08.311, E08.321, E08.331, E08.341, E08.351, E09.311, E09.321, E09.331, E09.341, E09.351, E10.311, E10.321, E10.331, E10.341, E10.351, E11.311, E11.321, E11.331, E11.341, E11.351, E13.311, E13.321, E13.331, E13.341, E13.351. |
| C9098 | Ciltacabtagene autoleucel, up to 100 million autologous b-cell maturation antigen (bcma) directed carpositive t cells, including leukapheresis and dose preparation procedures, per therapeutic dose | Carvykti | Yes | UN | Genetic therapy | N/A | X | X | | | | | | | | | | | Closed 9/30/22. See Q2056 after this date. 7/1/22. Cost invoice with NDC required. Contact Kepro at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria. Note: Reimbursement of drug is separately billed from hospital in-patient on a UB claim by using bill type 0111 for this service. Outpatient billing uses bill type 0131 on the UB claim form. |
| C9113 | Inj pantoprazole sodium, via | Protonix | N/A | | Gastric Reflux, Esophogitis | | | | | | | | | | | | | | Not Covered |
| C9121 | Injection, argatroban | Argatroban | N/A | | Thrombin Inhibitor | | | | | | | | | | | | | | Not Covered |
| C9122 | Mometasone furoate sinus implant, 10 mcg | Sinuva | Yes | UN | Steroidal | 1 unit | Х | Х | | | | | | | | | | | Closed 3/31/21. See J7402 after this date. 7/1/20. Cost invoice with NDC required. Restricted to ICD-10 J33.0 - J33.9. Minimum age 18 years. Covered to ASC. |
| C9131 | Injection, ado- trastuzumab emtansine, 1 mg. | Kadcyla | Yes | EA | Anti-neoplastic | none | Х | Х | | | | | | | | | | | Closed 12/31/13. See J9354. Effective 7/1/13. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 174.0 - 174.9 or 175.0 - 175.9. Minimum age restriction of 16 years. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | MI | н | S | PO | OPH | НІ | ID TF | C Special Instructions |
|-------|---|------------|---|---------------------------|-----------------------|-------------------------|----------|-----------|---|----|----|----|---|---|----|-----|----|----------|---|
| C9132 | Prothrombin complex concentrate (human), per i.u. of factor ix activity | Kcentra | Yes | UN | Coagulation factor | | Х | Х | | | | | | | | | | | Closed 6/30/21. See pharmacy point of sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes D68.32 or D68.4 Effective 10/1/13. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis code of 286.7. Minimum age restriction of 16 years. |
| C9133 | Factor IX (antihemophilic factor, recombinant), per i.u. | Rixubis | Yes | UN | Anti-hemophilic | none | Х | Х | | | | | | | | | | | Closed 12/31/14. See J7200 after this date. Effective 1/1/14. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 286.1. Minimum age restriction of 16 years. |
| C9134 | Injection, Antihemophilic factor XIIIA, recombinant | Tretten | Yes | UN | Anti-hemophilic | none | Х | Х | | | | | | | | | | | Closed 12/31/14. See J7181 after this date. Effective 7/1/14. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 286.3. |
| C9135 | Injection, factor ix (antihemophilic factor, recombinant), per IU | Alprolix | Yes | UN | Anti-hemophilic | | Х | Х | | | | | | | | | | | Closed 12/31/14. See J7201 after this date. Effective 10/1/14. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 286.1. |
| C9136 | Injection, factor viii, fc fusion protein, (recombinant), per IU | Eloctate | Yes | UN | Anti-hemophilic | | Х | Х | | | | | | | | | | | Closed 3/31/15. See Q9975 after this date. Effective 1/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 286.0. Minimum age restriciton of 2 years. |
| C9137 | Injection, Antihemophilic factor VIII, recombinant, PEGylated, 1 IU | Adynovate | Yes | IU | Anti-hemophilic | none | Х | Х | | | | | | | | | | | Closed 12/31/16. See J7207 after this date. Effective 4/1/16. Cost invoice with NDC required. Restricted to ICD-10 D66. Minimum age restriction of 12 years. |
| C9138 | Injection, antihemophilia factor VIII, recombinant, 1 IU | Nuwiq | Yes | IU | Anti-hemophilic | none | Х | Х | | | | | | | | | | | Closed 12/31/16. See J7209 after this date. Effective 4/1/16. Cost invoice with NDC required. Restricted to ICD-10 D66. Minimum age restriction of 2 years. |
| C9139 | Injection, factor IX, albumin fusion protein, recombinant, 1 IU | Idelvion | Yes | IU | Anti-hemophilic | | Х | Х | | | | | | | | | | | Closed 12/31/16 See J7202 after this date. Effective 10/1/16. Cost invoice with NDC required. Restricted to ICD-10 diagnosis D67. |
| C9140 | Injection, factor VIII (antihemophilic factor, recombinant), 1 IU | Afstyla | Yes | IU | Anti-hemophilic | | Х | Х | | | | | | | | | | | Closed 12/31/17. See pharmacy point of sale (POS). Effective 1/1/17. Cost invoice with NDC required. Restricted to ICD-10 diagnosis D66. |
| C9142 | Injection, bevacizumab- maly, biosimilar, 10 mg | Alymsys | Yes | ML | VEGF inhibitor | None | Х | Х | | | | | | | | | | | Closed 12/31/22. See Q5126 after this date. Effective 10/1/22. Restricted to ICD-10 C18.0 - C18.9, C19, C20, C33, C34.01 - C34.92, C53.0 - C53.9, C56.1 - C56.3, C65.1, C62.2, C66.1, C66.2, C67.0 - C67.9, C68.0, C68.8, C71.0 - C71.9. |
| C9143 | Cocaine hydrochloride nasal solution, 1 mg | Numbrino | Yes | ML | Local anesthetic | Max. 160 units daily | Х | Х | | | | | | | | | | | Effective 1/1/23. Minimum age of 18 years. |
| C9145 | Injection, aprepitant, 1 mg | Aponvie | Yes | ML | Anti-emetic | None | Х | Х | | | | | | | | | | | Effective 4/1/23. Cost invoice with NDC required. |
| C9146 | Injection, mirvetuximab soravtansine-gynx, 1 mg | Elahere | Yes | ML | Antineoplastic | None | Х | Х | | | | | | | | | | | Closed 6/30/23. See J9063 after this date. 4/1/23. Cost invoice with NDC required. to ICD-10 C48.1, C48.8, C56.1, C56.2, C56.3, C57.01, C57.02, C57.11, C57.12, C57.21, C57.22, C57.3, C57.4, C57.8, C79.61, C79.62, C79.63. Minimum age of 16 years. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | M | H HS | S F | PO | ОРН | НІ | ID TF | Special Instructions |
|-------|--|------------|---|---------------------------|----------------------|-------------------|----------|-----------|---|----|----|---|------|-----|----|-----|----|----------|--|
| C9147 | Injection, tremelimumabactl, 1 mg | Imjudo | Yes | ML | Antineoplastic | None | Х | Х | | | | | | | | | | | Closed 6/30/23. See J9347 after this date. 4/1/23. Cost invoice with NDC required. Restricted to ICD-10 C22.0, C34.00, C34.01, C34.02, C34.10, C34.11, C34.12, C34.2, C34.30, C34.31, C34.32, C34.80, C34.81, C34.82, C34.90, C34.91, C34.92. Minimum age of 16 years. |
| C9148 | Injection, teclistamab- cqyv, 0.5 mg | Tecvayli | Yes | ML | Antineoplastic | None | Х | Х | | | | | | | | | | | Closed 6/30/23. See J9380 after this date. 4/1/23. Cost invoice with NDC required. 10 C90.00, C90.02. Minimum age of 16 years. |
| C9149 | Injection, teplizumab- mzwv, 5 mcg | Tzield | Yes | ML | Anti-diabetic | None | Х | X | | | | | | | | | | | Closed 6/30/23. See J9381 after this date. Effective 4/1/23. Cost invoice with NDC required. Restricted to ICD-10 E10.10, E10.21, E10.22, E10.29, E10.3211, E10.3212, E10.3213, E10.3291, E10.3292, E10.3293, E10.3311, E10.3312, E10.3213, E10.3391, E10.3393, E10.3411, E10.3412, E10.3413, E10.3491, E10.3492, E10.3493, E10.3511, E10.3512, E10.3513, E10.3521, E10.3522, E10.3523, E10.3533, E10.3541, E10.3542, E10.3543, E10.3551, E10.3552, E10.3553, E10.3592, E10.3593, E10.36, E10.37X1, E10.37X2, E10.37X3, E10.39, E10.41, E10.42, E10.43, E10.49, E10.51, E10.52, E10.59, E10.610, E10.618, E10.620, E10.622, E10.628, E10.630, E10.638, E10.649, E10.65, E10.69, E10.9, O24.011, O24.012, O24.013, O24.02, O24.03. Minimum age of 8 years. |
| C9151 | Injection, pegcetacoplan, 1 mg | Syfovre | Yes | ML | Complement inhibitor | 30 units daily | Х | Х | | | | | | | | | | | Closed 9/30/23. See J2781 after this date. Effective 7/1/23. Restricted to ICD-10 H35.3113, H35.3123, H35.3133 or H35.3114, H35.3124, H35.3134. |
| C9153 | Injection, amisulpride, 1 mg | Barhemsys | Yes | ML | Antiemetic | 10 units daily | Х | Х | | | | | | | | | | | Closed 12/31/23. See J0184 after this date. Effective 10/1/23. Cost invoice with NDC required. |
| C9155 | Injection, epcoritamab- bysp, 0.16 mg | Epkinly | Yes | ML | Antineoplastic | None | Х | Х | | | | | | | | | | | Closed 12/31/23. See J9321 after this date. 10/1/23. Cost invoice with NDC required. Restricted to ICD-10 C83.30 - C83.39. Minimum age of 16 years. |
| C9157 | Injection, tofersen, 1 mg | Qalsody | Yes | ML | ALS agent | None | Х | Х | | | | | | | | | | | Closed 12/31/23. See J1304 after this date. 10/1/23. Cost invoice with NDC required. Restricted to ICD-10 G12.21. |

| Code | Description | Brand Name | NDC | NDC unit | Category | Service | AC | CAH | Р | NP | MM | МН | I HS | D.C | OF | ы | ш | ın | DC | Special Instructions |
|-------|---|------------|-------------|----------|--|----------------|----|-----|---|-----|--------|-------|------|-----|----|---|---|----|----|--|
| Code | Description | Brand Name | req. | of | Category | Limits | OP | OP | - | INF | 101 00 | IVIII | 1113 | - | 0 | " | | TF | ь | Special instructions |
| | | | for | measure | | | | | | | | | | | | | | | | |
| | | | drug | | | | | | | | | | | | | | | | | |
| | | | rebate ? | | | | | | | | | | | | | | | | | |
| | | | ŕ | | | | | | | | | | | | | | | | | |
| C9161 | Injection, aflibercept hd, | Eylea HD | Yes | ML | Neovascular- | None | Х | Х | | | | | - | | | | | | | Closed 3/31/24. See J0177 after this date. |
| | 1 mg | 3,73. | | | Age related Macular Degeneration | | | | | | | | | | | | | | | Effective 1/1/24. Cost invoice with NDC required. Restricted to ICD-10 E08.3211 - E08.3213, E08.3311 - E08.3313, E08.3411 - E08.3413, E08.3511 - E08.3513, E08.3511 - E08.3211 - E08.3213, E08.3311 - E09.3413, E09.3511 - E09.3513, E09.3511 - E09.3513, E09.3511 - E10.3213, E10.3311 - E10.3313, E10.3311 - E10.3313, E10.3311 - E10.3313, E10.3311 - E10.3313, E11.3311 - E11.3313, E11.3311 - E11.3313, E11.3311 - E11.3313, E13.3411 - E11.3413, E13.3511 - E13.3513, E13.311, E08.3291 - E08.3293, E08.3391 - E08.3393, E08.3491 - E08.3493, E08.3521 - E08.3523, E09.3531 - E08.3533, E08.3541 - E08.3543, E09.3551 - E08.3553, E08.3551 - E08.3553, E08.3551 - E09.3553, E09.3551 - E09.3553, E10.3551 - E10.3553, E10.3551 - E11.3553, E11.3551 - E11.3553, E |
| | | | | | | 40 13 | , | | | | | | | | | | | | | E13.3391 - E13.3393, E13.3491 - E13.3493, E13.3521 - E13.3523, E13.3531 - E13.3533, E13.3541 - E13.3543, E13.3551 - E13.3553, E13.3591 - E13.3593, E13.319, H35.3211 - H35.3231, H35.3212 - H35.3232, H35.3213 - H35.3233, H35.3210 - H35.3230. |
| C9162 | Injection, avacincaptad pegol, 0.1 mg | Izervay | Yes | ML | Complement inhibitor | 40 units daily | Х | Х | | | | | | | | | | | | Closed 3/31/24. See J2782 after this date. Effective 1/1/24. Cost invoice with NDC required. Restricted to ICD-10 H35.3113, H35.3123, H35.3133, H35.3114, H35.3124, or H35.3134. |
| C9163 | Injection, talquetamab- tgvs, 0.25 mg | Talvey | Yes | ML | Antineoplastic | None | Х | Х | | | | | | | | | | | | Closed 3/31/24. See J3055 after this date. Effective 1/1/24. Cost invoice with NDC required. Restricted to ICD-10 C90.00 or C90.02. |
| C9164 | Cantharidin for topical administration, 0.7%, single unit dose applicator (3.2 mg) | Ycanth | Yes | UN | Irritant | None | Х | Х | | | | | | | | | | | | Closed 3/31/24. See J7354 after this date. Effective 1/1/24. Cost invoice with NDC required. Restricted to B08.1. Minimum age of 2 years. |
| C9165 | Injection, elranatamab- bcmm, 1 mg | Elrexfio | Yes | ML | Antineoplastic | None | Х | Х | | | | | | | | | | | | Closed 3/31/24. See J1323 after this date. Effective 1/1/24. Cost invoice with NDC required. Restricted to ICD-10 90.00, C90.01, or C90.02. |
| C9232 | Injection, idursulfase | Elaprase | N/A | | Metabolic Enzyme Replacement | | | | | | | | | | | | | | | Closed 12/31/07. See J1743 Effective 1/1/08 |
| C9233 | Injection, ranibizumab | Lucentis | N/A | | neovascular- Age related Macular Degeneration | | | | | | | | | | | | | | | Closed 12/31/07 - remove from J3490 list. See J2778 effective 1/1/08 |
| C9234 | Inj, alglucosidase alfa | Myozyme | N/A | | Metabolic Enzyme Replacement | | | | | | | | | | | | | | | Closed 12/31/07 See J0220 effective 1/1/08 |
| C9235 | Injection, panitumumab | Vectibix | N/A | | Colorectal Cancer | | | | | | | | | | | | | | | Closed 12/31/07 See J9303 effective 1/1/08 |
| C9236 | Injection, Eculizumab 10 mg | | | | 23 | | | | | | | | | | | | | | | Closed 12/31/07 See J1300 effective 1/1/08 |
| C9239 | Injection, temsirolimus, 1 mg. | Torisel | Yes | UN | Anti-neoplastic | | Х | Х | Х | | | | | | | | | | | Opened 1/1/08. Closed 12/31/08. Cost invoice required with ICD-9 diagnosis of 189.0-189.9, advanced renal cell carcinoma See J9330. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | OP | Н | ID TF | DC | Special Instructions |
|-------|--|--------------------|---|---------------------------|----------------------------|----------------------|----------|-----------|---|----|----|----|----|----|----|---|-------|----|--|
| C9240 | Injection, ixabepilone, 1 mg. | Ixempra | Yes | UN | Anti-neoplastic | | Х | Х | Х | | | | | | | | | | Opened 1/1/08. Closed 12/31/08. Cost invoice required with ICD-9 diagnosis of 174.0-174.9, metastatic/locally advanced breast cancer. See J9207 |
| C9245 | Injection, romiplostim, 10 mcg. | Nplate | Yes | UN | | | | | | | | | | | | | | | Closed 12/31/09. See J2796. |
| C9246 | Injection, gadoxetate disodium, per ml. | Eovist | | | | | | | | | | | | | | | | | |
| C9248 | Injection, clevidipine butyrate, 1 mg. | Cleviprex | Yes | ML | Calcium channel blocker | None | Х | Х | | | | | | | | | | | Effective 1/1/23. Cost invoice with NDC required. |
| C9249 | Injection, certolizumab pegol, 1 mg. | Cimzia | Yes | UN | TNF blocker | | | | | | | | | | | | | | Closed 12/31/09. See J0717. |
| C9250 | human plasma ,fibrin sealant, 2 ml. | Artiss | Yes | ML | Wound care adhesive | None | Х | Х | | | | | | | | | | | Effective 1/1/23. Cost invoice with NDC required. |
| C9251 | Injection, C1 esterase inhibitor (human), 10 U | Cinryze | Yes | UN | C1 protein inhibitor | | | | | | | | | | | | | | Closed 12/31/09. See J0598. |
| C9252 | Injection, plerixafor, 1 mg. | Mozobil | Yes | ML | Hematopoietic | | | | | | | | | | | | | | Closed 12/31/09. See J2562. |
| C9253 | Injection, temozolomide, 1 mg. | Temodar | Yes | UN | | | | | | | | | | | | | | | Closed 12/31/09. See J9328. |
| C9254 | Injection, lacosamide, 1 mg. | Vimpat | Yes | ML | Anti-convulsive | 400 units per day | X | X | | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes G40.001, G40.009, G40.011, G40.019, G40.101, G40.109, G40.111, G40.119, G40.201, G40.209, G40.211, G40.219, G40.301, G40.309, G40.311, G40.319, G40.401, G40.409, G40.411, G40.419, G40.501, G40.509, G40.801- G40.804, G40.811- G40.814, G40.821- G40.824, G40.891, G40.901, G40.909, G40.911, G40.919, G40.A01, G40.A09, G40.A11, G40.A19, G40.B01, G40.B09, G40.B11 or G40.B19 Effective 1/1/10. Cost invoiice with NDC is required with claim. ICD-9 restriction 345.00 - 345.91. Approved for age 17 and above. See J3490 for coverage of other providers. |
| C9255 | Injection, paliperidone palmitate, 1 mg. | Invega Sustenna | Yes | SOL=ML | Anti-psychotic | 234 units | Х | Х | | | | | | | | | | | Closed 12/31/10. See J2426. Effective 1/1/10. Cost invoice with NDC is required with claim. ICD-9 restriction 295.00 - 295.95. Approved for age 18 and above. See J3490 for coverage of other providers. |
| C9256 | Injection, dexamethasone intravitreal, implant, 0.1 mg. | Ozurdex | Yes | EA | Anti- inflammatory | | Х | Х | | | | | | | | | | | Closed 12/31/10. See J7312. Effective 1/1/10. Cost invoice with NDC is required with claim. ICD-9 restriction 362.83 and 362.35, or 362.83 and 362.36. Approved for age 16 and above. See J3490 for coverage of other providers. |
| C9257 | Injection, bevacizumab, 0.25 mg. | Avastin | Yes | SOL=ML | Anti-neoplastic | 20 u. per month | X | X | | | | | | | | | | | Effective 6/1/19, H34.8310, H34.8311, H34.8312, H34.8320, H34.8321, H34.8322, H34.8330, H34.8331, H34.8332, H34.8390, H34.8391, H34.8392 added. ICD-10 diagnosis of E11.3211 - E11.3213, E11.3291 - E11.3293, E11.3311 - E11.3313, E11.3391 - E11.3393, E11.3413, E11.3491 - E11.3493, E11.3511 - E11.3513, E11.3521 - E11.3523, E11.3531 - E11.3533, E11.3541 - E3543, E11.3551 - E11.3553, E11.3591 - E11.3593 added. Effective 10/1/2015 ICD-10 diagnosis codes E08.311, E08.319, E08.321, E08.329, E08.331, E08.339, E08.341, E08.349, E09.311, E09.319, E09.321, E09.329, E09.331, E09.339, E09.341, E08.349, E08.341, E08.319, E08.341, E08.319, E08.341, E08.319, E08.341, E08.319, E08.341, E08.319, E08.341, E08.319, E09.349, E09.341, E09.349, E09.341, E08.311, E13.311, E13.319, H34.811 - H34.813, H34.819, H34.831 - H34.833, H34.839, H34.9, H35.051 - H35.053, H35.059, H35.071 - H35.073, H35.079, H35.20 - H35.23, H35.32, H35.351 - H35.353, H35.359, H35.723, H35.729, H35.81, H35.82, or H40.89 Opthalmologists use J3490. Effective 1/1/10. ICD-9 restriction 362.01 - 362.07, 362.15, 362.16, 362.29, 362.30, 362.35, 362.36, 362.42, 362.52, 362.53, 362.83, 362.84, 365.63, and 365.89. |
| C9258 | Telavancin HCI., inj., 10 mg. | Vibativ | Yes | UN | Anti-Infective | None | Х | Х | | | | | | | | | | | Closed 12/31/10. See J3095. Effective 4/1/10. Cost invoice with NDC required with claim. ICD-9 restriction of 680.0 - 686.9 and 041.0 - 041.9. Minimum age restriction of 18 years. See J3490 for coverage of other providers. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | Р | NP | MW | МН | нѕ | PO | ОР | Н | ID TF | DC | Special Instructions |
|-------|---|-----------------|---|---------------------------|--------------------------|--|----------|-----------|---|----|----|----|----|----|----|---|----------|----|---|
| C9259 | Pralatrexate, inj., 1mg. | Folotyn | Yes | ML | Anti- neoplastic | None | Х | Х | | | | | | | | | | | Closed 12/31/10. See J9307. Effective 4/1/10. Cost invoice with NDC is required with claim. ICD-9 restriction of 202.70 - 202.78. Minimum age restriction of 18 years. See J3490 for coverage of other providers. |
| C9260 | Ofatumumab, inj., 10 mg. | Arzerra | Yes | ML | Anti-neoplastic | 200 u. Daily | Х | Х | | | | | | | | | | | Closed 12/31/10. See J9302. Effective 4/1/10. Cost invoice with NDC is required with claim. ICD-9 restriction of 204.10 - 204.12. Minimum age restriction of 18 years. See J3490 for coverage of other providers. |
| C9261 | Ustekinumab, inj., 1 mg. | Stelara | N/A | | Anti-neoplastic | | | | | | | | | | | | | | Not covered. |
| C9262 | Fludarabine phosphate, oral, 1 mg. | Oforta | N/A | | Anti-metabolite | | | | | | | | | | | | | | Not covered. |
| C9263 | Injection, ecallantide 1 mg | Kalbitor | Yes | ML | Hematological | 30 u. daily | Х | Х | | | | | | | | | | | Closed 12/31/10. See J1290 after this date. Effective 4/1/10. Cost invoice with NDC is required with claim. ICD-9 restriction of 277.6. Minimum age restriction of 16 years. See J3490 for coverage of other providers. |
| C9264 | Injection, tocilizumab, 1 mg. | Actemra | Yes | ML | Immunologic | Maximum servicd limit of 800 u. monthly | Х | Х | | | | | | | | | | | Closed 12/31/10. See J3262. Effective 7/1/10. Cost invoice with NDC requried with claim. ICD-9 restriction of 714.0 - 714.2. Minimum age restriction of 16 years. |
| C9265 | Injection, romidepsin, 1 mg. | Istodax | Yes | UN | Antineoplastic | None | Х | Х | | | | | | | | | | | Closed 12/31/10. See J9315. Effective 7/1/10. Cost invoice with NDC required with claim. ICD-9 restriction of 202.10 - 202.28. Minimum age restriction of 18. |
| C9266 | Injection, Collagenase clostridium histolyticum, 0.1 mg. | Xiaflex | Yes | UN | Enzymatic | None | Х | Х | | | | | | | | | | | Closed 12/31/10. See J0775. Effective 7/1/10. Cost invoice with NDC required with claim. ICD-9 restriction of 728.6. Minimum age restriction of 18 years. |
| C9267 | Injection, von Willebrand factor complex(human), per 100 IU | Wilate | Yes | UN | Coagulation factor | None | Х | Х | | | | | | | | | | | Closed 12/31/10. See J7184. Effective 7/1/10. Cost invoice with NDC required with claim. ICD-9 restriction of 286.4. Minimum age restriction of 5 years. |
| C9268 | Capsaicin patch | Qutenza | Yes | UN | Anallgesic | 1 patch per 90 days | Х | Х | | | | | | | | | | | Closed 12/31/10. See J7335. Effective 7/1/10. Cost invoice with NDC required with claim. ICD-9 diagnosis restriction of 053.19. Minimum age restriction of 18 years. |
| C9269 | Injection, C-1 Esterase inhibitor (human), 10 u. | Berinert | Yes | UN | Protein C-1 inhibitor | Maximum service limit 28 u. daily | Х | Х | | | | | | | | | | | Closed 12/31/10. See J0597. Effective 10/1/10. Cost invoice with NDC required with claim. ICD-9 restriction of 277.6. Minimum age restriction 4 years and above. |
| C9270 | Injection, Immune globulin, IV, non- lyophilized (e.g. liquid), 500 mg. | Gammaplex | N/A | | Immune globulin | | | | | | | | | | | | | | Not covered. |
| C9271 | Injection, velaglucerase alfa, 100 u. | Vpriv | Yes | UN | Enzymatic | Maximum service limit 1650 u. monthly | Х | X | | | | | | | | | | | Closed 12/31/10. See J3385. Effective 10/1/10. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 272.7. Minimum age restriction of 4 years. |
| C9272 | Injection, denosumab, 1 mg. | Prolia Xgeva | Yes | ML | Osteoporotic | Maximum service limit of 60 u. twice yearly | Х | X | | | | | | | | | | | Closed 12/31/11. Effective 10/1/10. Cost invoice with NDC required with claim. ICD-9 diagnosis restriction of 733.01. |
| C9273 | Sipuleucel-T, minimum of 50 millioin autologous cells, including all preparatory procedures, per infusion | Provenge | | | | | | | | | | | | | | | | | Not covered. See Q2043. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | нѕ | PO | ОРН | НІ | ID TF | Special Instructions |
|-------|--|------------|---|---------------------------|--|----------------------------|----------|-----------|---|----|----|----|----|----|-----|----|----------|---|
| C9274 | Crotalidae polyvalent immune fab (ovine), 1 vial | Crofab | | | | | | | | | | | | | | | | Not covered. |
| C9276 | Injection, cabazitaxel, 1 mg. | Jevtana | Yes | ML | Antineoplastic | None | Х | Х | | | | | | | | | | Closed 12/31/11. See J9043. Effective 1/1/11. Cost invoice with NDC requred with claim. ICD-9 restriction of 185.0. |
| C9277 | Injection, alglucosidase alfa, 1 mg. | Lumizyme | Yes | UN | Enzymatic | None | Х | Х | | | | | | | | | | Closed 12/31/11. See J0221. Effective 1/1/11. Cost invoice with NDC requred with claim. ICD-9 restriction of 271.0. Minimum age restriction of 8 years. |
| C9278 | Injection, incobotulinimtoxins, 1 u | Xeomin | N/A | | | | | | | | | | | | | | | Not covered. See Q2040. |
| C9279 | Injection, ibuprofen, 100 mg. | | N/A | | | | | | | | | | | | | | | Not covered. |
| C9280 | Injection, eribulin mesylate, 1 mg. | Halaven | Yes | ML | Antineoplastic | 8 u. in 21 days | Х | Х | | | | | | | | | | Closed 12/31/11. See J9179. Effective 4/1/11. Cost invoice with NDC required with claim. ICD-9 restriction of 174.0 - 175.9 or 198.81. Minimum age restriction of 18 years. |
| C9281 | Injection, pegloticase, 1 mg. | Krystexxa | Yes | ML | Hyperuricemic | 16 u. monthly | Х | Х | | | | | | | | | | Closed 12/31/11. See J2507. Effective 4/1/11. Cost invoice with NDC required with claim. ICD-9 restriction of 274.0 - 274.89. Minimum age restriction of 18 years. |
| C9282 | Injection, cetaroline fosamil, 10 mg. | Teflaro | Yes | UN | Antibiotic | 12 units per dose | Х | Х | | | | | | | | | | Closed 12/31/11. See J0712. Effective 4/1/11. Cost invoice with NDC required with claim. ICD-9 restriction of 041.00 - 041.89 or 482.0 - 482.89. Minimum age restriction of 18 years. |
| C9284 | Injection, ipilimumab, 1 mg. | Yervoy | Yes | UN | Antineoplastic | 400 units per 21 days | Х | Х | | | | | | | | | | Closed 12/31/11. See J9228. Effective 7/1/11. Restricted to ICD-9 diagnosis of 154.2, 154.3, 172.0 - 172.9, 184.0 - 184.4, 187.1 - 187.9, 196.0 - 196.9, 197.0 - 197.8, 198.0 - 198.8. Minimum age restriction of 16 years. |
| C9285 | Patch, lidocaine, 70 mg. & tetracaine, 70 mg. | Synera | Yes | UN | Anallgesic | None | Х | Х | | | | | | | | | | Effective 7/1/11. Cost invoice with NDC required. |
| C9286 | Injection, belatacept, 250 mg. | Nulojix | Yes | UN | Immunosuppres sive | 5.4 units daily maximum | Х | Х | | | | | | | | | | Closed 12/31/12. See J0485 after this date. Effective 10/1/11. Must submit V42.0 with claim. Minimum age restriction of 18 years. |
| C9287 | Injection, brentuximab vedotin, 1 mg. | Adcetris | Yes | UN | Antineoplastic | 180 units per day | Х | Х | | | | | | | | | | Closed 12/31/12. See J9042 after this date. Effective 1/1/12. Cost invoice with NDC required with claim. ICD-9 restriction of 200.60 - 200.68 or 201.00 - 201.98. Minimum age restriction of 18 years. |
| C9289 | Injection, asparaginase erwinia chrysanthemia, 1000 U. | Erwinaze | Yes | UN | Antineoplastic | None | Х | Х | | | | | | | | | | Closed 12/31/12. See J9019 after this date. Effective 4/1/12. Cost invoice with NDC required with claim. ICD-9 restriction of 204.00 - 204.02. |
| C9291 | Injection, aflibercept, 2 mg. | Eylea | Yes | ML | neovascular- Age related Macular Degeneration | 2 units weekly | Х | Х | | | | | | | | | | Closed 6/30/12. See Q2046 after this date. Effective 4/1/12. Cost invoice with NDC requried with claim. ICD-9 restriction of 362.52. Minimum age restriction of 16 years. |
| C9292 | Injection, pertuzumab, 10 mg. | Perjeta | Yes | ML | Antineoplastic | 84 units per 21 days | Х | Х | | | | | | | | | | Closed 12/31/13. See J9306. Effective 10/1/12. Cost invoice with NDC required with claim. ICD-9 diagnosis restriction of 174.0 - 174.9 or 175.0 - 175.9. Minimum age restriction of 16 years. |
| C9294 | Injection, taliglucerase alfa, 10 units | Elelyso | Yes | UN | Enzymatic | 82 units per 14 days | Х | X | | | | | | | | | | Closed 12/31/12. See J3060. Effective 1/1/13. Cost invoice with NDC required with claim. ICD-9 diagnosis restriction of 272.7. Minimum age restriction of 16 years. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | Р | NP | MW | МН | I HS | PO | OPH | 1 | HI | ID TF | DC | Special Instructions |
|-------|--|------------|---|---------------------------|-----------------|--------------------------|----------|-----------|---|----|----|----|------|----|-----|---|----|----------|----|--|
| C9295 | Injection, carfilzomib, 1 mg | Kyprolis | Yes | UN | Antineoplastic | None | Х | Х | | | | | | | | | | | | Closed 12/31/13. See J9047. Effective 1/1/13. Cost invoice with NDC required with claim. ICD-9 diagnosis restriction of 203.02. Minimum age restriction of 16 years. |
| C9296 | Injection, ziv-aflibercept, 1 mg | Zaltrap | Yes | ML | Antineoplastic | 550 units per 14 days | Х | Х | | | | | | | | | | | | Closed 12/31/13. See J9400. Effective 1/1/13. Cost invoice with NDC required with claim. ICD-9 diagnosis restriction of 153.0 - 153.9, 154.0, 154.1, or 154.8. Minimum age restriction of 16 years. |
| C9297 | Injection, omacetazine mepesuccinate, 0.01 mg. | Synribo | Yes | UN | Antineoplastic | None | Х | Х | | | | | | | | | | | | Closed 12/31/13. See J9262. Effective 4/1/13. Cost invoice with NDC required with claim. ICD-9 diagnosis restriction of 205.10 - 205.12. Minimum age restriction of 16 years. |
| C9298 | Injection, ocriplasmin, 0.125 mg. | Jetrea | Yes | ML | Ophthalmic | None | Х | Х | | | | | | | | | | | | Closed 12/31/13. See J7316. Effective 4/1/13. Cost invoice with NDC required with claim. ICD-9 diagnosis restriction of 379.27. Minimum age restriction of 16 years. |
| C9399 | Unclassified drugs or biolog | Misc Drugs | N/A | | | | | | | | | | | | | | | | | Not Covered |
| C9441 | Injection, ferric carboxymaltose, 1 mg | Injectafer | yes | ML | Iron supplement | none | Х | Х | | | | | | | | | | | | Closed 6/30/14. See Q9970 after this date. Effective 1/1/14. Cost invoice with NDC required. Restricted to ICD-9 diagnosis of 280.1 - 280.9. Minimum age restriction of 16 years. |
| C9442 | Injection, belinostat, 10 mg | Beleodaq | Yes | UN | Antineoplastic | | Х | Х | | | | | | | | | | | | Closed 12/31/15. See J9032 after this date. Effective 10/1/2015 ICD-10 diagnosis codes C84.40 - C84.49 Effective 1/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 202.7. Minimum age restriction of 16 years. |
| C9443 | Injection, dalbavancin HCl, 10 mg. | Dalvance | Yes | UN | Anti-infective | | X | X | | | | | | | | | | | | Closed 12/31/15. See J0875 after this date. diagnosis codes B78.1, K12.2, L01.00 - L01.03, L01.09, L01.1, L02.01 - L02.03, L02.11 - L02.13, L02.211 - L02.216, L02.229, L02.229, L02.2231 - L02.236, L02.239, L02.31 - L02.33, L02.411 - L02.416, L02.419, L02.421 - L02.226, L02.229, L02.231 - L02.236, L02.239, L02.31 - L02.33, L02.411 - L02.419, L02.419, L02.426, L02.429, L02.431 - L02.436, L02.439, L02.511, L02.512, L02.519, L02.521, L02.522, L02.529, L02.531, L02.532, L02.539, L02.611, L02.612, L02.619, L02.621, L02.622, L02.629, L02.631, L02.632, L02.639, L02.811, L02.818, L02.821, L02.828, L02.831, L02.838, L02.91 - L02.93, L03.011, L03.012, L03.019 - L03.022, L03.029, L03.031, L03.032, L03.039, L03.041, L03.042, L03.049, L03.111 - L03.116, L03.119, L03.121 - L03.126, L03.129, L03.211, L03.212, L03.221, L03.222, L03.311 - L03.317, L03.319, L03.321 - L03.327, L03.329, L03.811, L03.818, L03.891, L03.898, L03.90, L03.91, L04.0 - L04.3, L04.8, L04.9, L05.01, L05.02, L05.91, L05.92, L08.0, L08.81, L08.82, L08.89, L08.9, L88, L92.8, L98.0 or L98.3 Effective 1/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 680.0 - 686.9. Minimum age restriction of 16 years. |

| Code | Description | Brand Name | NDC req. for | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | Р | NP | MW | MI | H HS | P | 90 (| ОРН | НІ | ID TF | DC | Special Instructions |
|-------|--|------------|---------------------|---------------------------|-----------------------|----------------------|----------|-----------|---|----|----|----|------|---|------|-----|----|----------|----|--|
| | | | drug rebate ? | measure | | | | | | | | | | | | | | | | |
| C9444 | Injection, oritavancin, 10 mg | Orbactiv | Yes | UN | Anti-infective | | X | X | | | | | | | | | | | | Closed 12/31/15. See J2407 after this date. Effective 10/1/2015 ICD-10 diagnosis codes B78.1, K12.2, L01.00 - L01.03, L01.09, L01.1, L02.01 - L02.03, L02.11 - L02.13, L02.211 - L02.216, L02.219, L02.221 - L02.226, L02.229, L02.231 - L02.236, L02.239, L02.31 - L02.33, L02.411 - L02.416, L02.419, L02.421 - L02.426, L02.429, L02.431 - L02.436, L02.439, L02.511, L02.512, L02.519, L02.521, L02.522, L02.529, L02.531, L02.532, L02.539, L02.611, L02.612, L02.619, L02.621, L02.622, L02.629, L02.631, L02.632, L02.639, L02.811, L02.818, L02.821, L02.828, L02.831, L02.838, L02.91 - L02.93, L03.011, L03.012, L03.019 - L03.022, L03.029, L03.031, L03.032, L03.039, L03.041, L03.042, L03.049, L03.111 - L03.116, L03.121 - L03.126, L03.129, L03.211, L03.212, L03.221, L03.221, L03.317, L03.317, L03.319, L03.327, L03.329, L03.811, L03.818, L03.891, L03.898, L03.99, L03.91, L04.0 - L04.3, L04.8, L04.9, L05.01, L05.02, L05.91, L05.92, L08.0, L08.81, L08.82, L08.89, L08.9, L88, L92.8, L98.0 or L98.3 Effective 1/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 680.0 - 686.9. Minimum age restriction of 18 years. |
| C9445 | Injection, C-1 Esterase inhibitor (human), 10 u. | Ruconest | Yes | EA | Enzymatic | | Х | Х | | | | | | | | | | | | Closed 12/31/15. See J0596 after this date. diagnosis codes D81.810 or D84.1 Effective 4/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 277.6. Minimum age restriction of 13 years. |
| C9449 | Injection, blinatumomab, 1 mcg. | Blincyto | Yes | EA | Antineoplastic | | Х | Х | | | | | | | | | | | | Closed 12/31/15. See J9039 after this date. diagnosis codes C91.00 - C91.02 Effective 4/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 204.00 - 204.02. Minimum age restriction of 13 years. |
| C9450 | Injection, fluocinolone acetonide intravitreal implant, 0.01 mg. | Iluvien | Yes | EA | Anti- inflammatory | | X | X | | | | | | | | | | | | Closed 12/31/15. See J7313 after this date. diagnosis codes E10.311, E10.319, E10.321, E10.329, E10.331, E10.339, E10.341, E10.349, E10.351, E10.359, E10.36, E10.39, E10.65, E11.311, E11.319, E11.321, E11.329, E11.331, E11.339, E11.331, E11.339, E11.341, E11.351, E11.359, E11.36, E11.39, E11.65, E13.311, E13.319, E13.321, E13.329, E13.331, E13.339, E13.341, E13.349, E13.349, E13.351, E13.359, E13.36 or E13.39 Effective 4/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 250.50-250.53. |
| C9451 | Injection, peramivir, 1 mg. | Rapivab | Yes | ML | Anti-influenza | 600 units per day | X | X | | | | | | | | | | | | Closed 12/31/15. See J2547 after this date. Effective 10/1/2015 ICD-10 diagnosis codes J09.X1 - J09.X3, J09.X9, J10.00, J10.01, J10.08, J10.1, J10.2, J10.81, J10.89, J11.00, J11.08, J11.1, J11.2, J11.81 or J11.89 Effective 4/1/15. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 487.0 - 487.8 or 488.01 - 488.89. Minimum age restriction of 18 years. |
| C9452 | Injection, ceftolozane/tazobactam 1.5 G. | Zerbaxa | Yes | EA | Anti-infective | | Х | Х | | | | | | | | | | | | Closed 12/31/15. See J0695 after this date. Effective 4/1/15. Cost invoice with NDC required with claim. Minimum age restriction of 18 years. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | MF | н | P | 0 0 | PH | ID TF | DC | Special Instructions |
|-------|--|-------------------|---|---------------------------|------------------------|-------------------------|----------|-----------|---|----|----|----|---|---|-----|----|----------|----|---|
| C9453 | Injection, nivolumab 1 mg. | Opdivo | Yes | ML | Antineoplastic | none | X | X | | | | | | | | | | | Closed 12/31/15. See J9299 after this date. Effective 10/1/15 ICD-10 diagnosis codes C00.5, C33, C34.00, C34.01, C34.02, C34.10, C34.11, C34.12, C34.2, C34.30, C34.31, C34.32, C34.80, C34.81, C34.82, C34.90, C34.91, C34.92, C43, C43.10, C43.11, C43.12, C43.20, C43.21, C43.22, C43.30, C43.31, C43.39, C43.4, C43.51, C43.59, C43.51, C43.59, C43.61, C43.62, C43.70, C43.71, C43.72, C43.8, C43.9, C44.00, C44.01, C44.02, C44.09, C44.101, C44.102, C44.109, C44.111, C44.112, C44.119, C44.112, C44.129, C44.129, C44.220, C44.290, C44.21, C44.211, C44.221, C44.222, C44.229, C44.299, C44.300, C44.301, C44.309, C44.310, C44.311, C44.319, C44.320, C44.321, C44.322, C44.390, C44.391, C44.399, C44.4, C44.40, C44.41, C44.42, C44.49, C44.500, C44.501, C44.502, C44.650, C44.501, C44.602, C44.609, C44.611, C44.612, C44.619, C44.621, C44.622, C44.629, C44.691, C44.692, C44.602, C44.609, C44.611, C44.612, C44.619, C44.61, C44.722, C44.729, C44.791, C44.792, C44.792, C44.793, C44.81, C44.89, C44.90, C44.91, C44.99, C44.791, C44.792, C44.799, C44.81, C44.89, C44.90, C44.91, C44.99, C44.701, C44.702, C44.701, C44.89, C44.80, C44.81, C44.89, C44.90, C44.91, C44.99, C44.791, C44.792, C44.792, C44.793, C44.81, C44.89, C44.90, C44.91, C44.99, C44.99, C4A.701, C40.702, C40.703, C03.30, D03.39, D03.49, D03.51, D03.59, D03.60, D03.60, D03.61, D03.11, D03.70, D03.71, D03.72, D03.8, D03.9. 7/1/15. Cost invoice with NDC required with claim. Restricted to diagnosis of ICD-9 162.0 - 162.8, 172.0 - 172.9, 173.0 - 173.9. Minimum age restriction of 16 years. |
| C9455 | Injection, siltuximab 10 mg. | Sylvant | Yes | EA | Monoclonal antibody | none | Х | Х | | | | | | | | | | | Closed 12/31/15. See J2860 after this date. Effective 7/1/15. Cost invoice with NDC required with claim. Restricted to diagnosis of ICD-9 785.6 or ICD-10 R59.0, R59.1, or R59.9. Minimum age restriction of 16 years. |
| C9456 | Injection, isavuconazonium sulfate, 1 mg. | Cresemba vial | Yes | EA | Anti-Infective | none | X | Х | | | | | | | | | | | Closed 12/31/15. See J1833 after this date. Effective 10/1/15. Cost invoice with NDC required with claim. Restricted to diagnosis of ICD-10 B44.0, B44.1, B44.2, B44.7, B44.89, B44.9. Minimum age restriction of 18 years. |
| C9462 | Injection, delafloxacin, 1 mg | Baxdela | Yes | EA | Anti-Infective | None | Х | Х | | | | | | | | | | | Effective 4/4/18. Cost invoice with NDC required. |
| C9463 | Injection, aprepitant, 1 mg. | Cinvanti | Yes | ML | Anti-emetic | none | Х | Х | | | | | | | | | | | Closed 12/31/18. See J0185 after this date. Effective 4/1/18. Cost invoice with NDC required. |
| C9466 | Injection, benralizumab, 1 mg | Fasenra | Yes | ML | Anti-asthmatic | None | Х | Х | | | | | | | | | | | Closed 12/31/18. See J0517 after this date. Effective 4/4/18. Cost invoice with NDC required. Restricted to ICD-10 J45.50. Minimum age of 12 years. |
| C9467 | Injection, rituximab and hyaluronidase, 10 mg | Rituxan Hycela | Yes | ML | Anti-neoplastic | None | Х | Х | | | | | | | | | | | Closed 12/31/18. See J9311 after this date. Effective 4/1/18. Cost invoice with NDC required. Restricted to ICD-10 diagnosis of C82.00 - C82.99, C83.30 - C83.39, C91.10, C91.12. Minimum age of 16 years. |
| C9469 | Injection, triamcinolone acetonide, preservative- free, extended-release, microsphere formulation, 1 mg. | Zilretta | Yes | EA | Anti- inflammatory | Max. 32 mg. once yearly | х | Х | | | | | | | | | | | Closed 6/30/18. See Q9993 after this date. 4/1/18. Cost iinvoice with NDC required. diagnosis of M17.1 - M17.9. |
| C9472 | Injection, talimogene laherparepvec, 1 M PFU | Imlygic | Yes | ML | Anti-neoplastic | none | Х | Х | | | | | | | | | | | Closed 12/31/16. See J9325 after this date. Effective 4/1/16. Cost invoice with NDC required with claim. Minimum age restriction of 16 years. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | OP | Н | ID TF | Specia | al Instructions |
|-------|--|------------|---|---------------------------|------------------------------------|---------------------|----------|-----------|---|----|----|----|----|----|----|---|----------|-------------------|---|
| C9473 | Injection, mepolizumab, 1mg. | Nucala | Yes | EA | Monoclonal antibody | none | Х | Х | | | | | | | | | | | d 12/31/16. See J2182 after this date. Effective 4/1/16. Cost invoice with NDC required with claim. cted to ICD-10 J45.50. Minimum age restriction of 12 years. |
| C9474 | Injection, irinotecan liposome, 1 mg. | Onivyde | Yes | ML | Anti-neoplastic | none | Х | Х | | | | | | | | | | | d 12/31/16. See J9205 after this date. Effective 4/1/16. Cost invoice with NDC required with claim. ted to ICD-10 C25.0, C25.1, C25.2, C25.3, C25.4, C25.7, C25.8, C25.9. Minimum age restriction of 16 |
| C9475 | Injection, necitumumab 1 mg. | Portrazza | Yes | ML | Anti-neoplastic | 800 units daily | Х | Х | | | | | | | | | | Restric | d 12/31/16. See J9295 after this date. Effective 4/1/16. Cost invoice with NDC required with claim. cted to ICD-10 diagnosis C34.01, C34.02, C34.11, C34.12, C34.2, C34.31, C34.32, C34.81, C34.82, 1, C34.92, C38.4, C78.01, C78.02. Minimum age restriction of 16 years. |
| C9476 | Injection, daratumumab, 10 mg. | Darzalex | Yes | ML | Anti-neoplastic | 210 units dailiy | Х | Х | | | | | | | | | | | d 12/31/16. See J9145 after this date. Effective 7/1/16. Cost invoice with NDC required with claim. cted to ICD-10 C90.02. Minimum age restriction of 16 years. |
| C9477 | Injection, elotuzumab, 1 mg. | Empliciti | Yes | UN | Anti-neoplastic | None | Х | Х | | | | | | | | | | | d 12/31/16. See J9176 after this date. Effective 7/1/16. Cost invoice with NDC required with claim. cted to ICD-10 C90.00, C90.01, C90.02. Minimum age restriction of 16 years. |
| C9478 | Injection, sebelipase alfa, 1 mg. | Kanuma | Yes | ML | Metabolic Enzyme Replacement | None | Х | Х | | | | | | | | | | Closed | d 12/31/16. See J2840 after this date. Effective 7/1/16. Cost invoice with NDC required with claim. |
| C9479 | Injection, ciprofloxacin otic, 6 mg. | Otiprio | Yes | ML | Anti-Infective | None | Х | Х | | | | | | | | | | Closed | d 12/31/16. See J7342 after this date. Effective 7/1/16. Cost invoice with NDC required with claim. |
| C9480 | Injection, trabectedin, 0.1 mg. | Yondelis | Yes | EA | Anti-neoplastic | None | Х | Х | | | | | | | | | | | d 12/31/16. See J9352 after this date. Effective 7/1/16. Cost invoice with NDC required with claim. cted to ICD-10 C49.9. Minimum age restriction of 16 years. |
| C9481 | Injection, reslizumab, 1 mg. | Cinqair | Yes | ML | Anti-asthmatic | None | Х | Х | | | | | | | | | | | d 12/31/16 See J2786 after this date. Effective 10/1/16. Cost invoice with NDC required. Restricted -10 J45.50. Minimum age of 18 years. |
| C9483 | Injection, atezolizumab, 10 mg. | Tecentriq | Yes | ML | Anti-Infective | 120 units daily. | Х | Х | | | | | | | | | | C34.92 | d 12/31/17. See J9022 after this date. Effective 10/18/16, approved ICD-10 diagnosis of C34.00 - 2. Effective 6. Cost invoice with NDC required. Restricted to ICD-10 C65.1, C65.2, C65.9, C66.1, C66.2, C66.9, C67.1, C67.2, C67.3, C67.4, C67.5, C67.6, C67.7, C67.8, C67.9, C68.0. Minimum age restriction of 16 |
| C9484 | Injection, eteplirsen 10 mg. | Exondys 51 | Yes | ML | Genetic therapy | none | Х | Х | | | | | | | | | | Closed | d 12/31/17. See J1428 after this date. Effective 4/1/17. Cost invoice with NDC required. |
| C9485 | Injection, oloratumab 10 mg. | Lartruvo | Yes | ML | Antineoplastic | none | Х | Х | | | | | | | | | | Closed | d 12/31/17. See J9285 after this date. Effective 4/1/17. Cost invoice with NDC required. |
| C9487 | Ustekinumab, IV injection, 1 mg. | Stelara | Yes | ML | Antipsoriatic | none | Х | Х | | | | | | | | | | L30.5, | d 6/30/17. See Q9989. Effective 4/1/17. Cost invoice with NDC required. Restricted to ICD-10 L40.0 - L40.4, L40.50 - L40.54, L40.59, L40.8, L40.9, L41.0, L41.1, L41.3 - L41.5, L41.8, L41.9, L42, L44.8, L45 or L94.5. |
| C9490 | Injection, bezlotoxumab 10 mg. | Zinplava | Yes | ML | Anti-Infective | none | Х | Х | | | | | | | | | | Effectiv | d 12/31/17. See J0565 after this date. ve 10/1/17, ICD-10 diagnosis restriction modified to A04.71 or A04.72. Effective Restricted to ICD-10 diagnosis A04.7. Minimum age restriction of 18 years. |
| C9491 | Injection, avelumab, 10 mg. | Bavencio | Yes | ML | Antineoplastic | None | Х | Х | | | | | | | | | | 10/1/17 C4A.30 | d 12/31/17. See J9023 after this date. Fiffective 7. Cost invoice with NDC required. Restricted to ICD-10 of C4A.0, C4A.10 - C4A.12, C4A.20 - C4A.22, 0 - C4A.39, C4A.4, C4A.51 - C4A.59, C4A.60 - C4A.62, C4A.70 - C4A.72, C4A.8, C4A.9; C65.1, C65.2, C66.2, C67.0 - C67.9, C68.0, C68.8. Minimum age of 12 years. |

| | | | | | | | | , | | | | | _ | | | , | | |
|-------|------------------------------------|-----------------------------------|---|---------------------------|-----------------------|-------------------------------|----------|----|---|----|----|----|----|----|-----|---|------|--|
| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | OP | P | NP | MW | МН | нѕ | PO | ОРН | Н | I ID | Special Instructions |
| C9492 | Injection, durvalumab, 10 mg. | Imfinzi | Yes | ML | Antineoplastic | None | Х | Х | | | | | | | | | | Closed 12/31/18. See J9173 after this date. Effective 2/16/18, ICD-10 C33, C34.01, C34.02, C34.11, C34.12, C34.2, C34.31, C34.32, C34.81, C34.82, C34.91, C34.92 added. Effective 10/1/17. Cost invoice with NDC required. Restricted to ICD-10 C65.1, C65.2, C66.1, C66.2, C67.0 - C67.9, C68.0, C68.8. Minimum age of 16 years. |
| C9493 | Injection, edaravone, 1 mg. | Radicava | Yes | ML | Antineoplastic | 60 units daily | Х | Х | | | | | | | | | | Closed 12/31/18. See J1301 after this date. Effective 10/1/17. Cost invoice with NDC required. Restricted to ICD-10 G12.21. Minimum age of 16 years. |
| C9494 | Injection, ocrelizumab, 1 mg. | Ocrevus | Yes | ML | Multiple sclerosis | 600 units per day | Х | Х | | | | | | | | | | Closed 12/31/17. See 2350 after this date. Effective 10/1/17. Cost invoice with NDC required. Restricted to ICD-10 G35. |
| G9020 | Rimantadine HCL 100mg oral | Flumadine | N/A | | Antiviral | | | | | | | | | | | | | Not Covered |
| G9033 | Amantadine HCL oral brand | Symmetrel | N/A | | Parkinsons Disease | | | | | | | | | | | | | Not Covered |
| G9034 | Zanamivir, inh pwdr, brand | Relenza | N/A | | Antiviral | | | | | | | | | | | | | Not Covered |
| G9035 | Oseltamivir phosp, brand | Tamiflu | N/A | | Antiviral | | | | | | | | | | | | | Not Covered |
| G9036 | Rimantadine HCL, brand | Flumandine | N/A | | Antiviral | | | | | | | | | | | | | Not Covered |
| J0120 | Injection tetracycline up to 250mg | Achromycin Sumycin Panmycin | Yes | UN | Antibiotic | 4 per day | Х | Х | Х | X | | | | | | | | Effective 2/29/24, code is closed. |
| J0128 | Injection abarelix 10mg | Plenaxis | Yes | UN | Gonadotropin | None | Х | Х | Х | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis code C61 Maximum dosage 100 mg on days 1, 15 & 29, then maximum 100 mg every 4 weeks thereafter. ICD-9 code 185 required on claim form. |
| J0129 | Injection, Abatecept, 10 mg | Orencia | Yes | UN | Anti-rheumatic | 100 units every 2 weeks | x | X | X | X | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes M05.00, M05.011, M05.012, M05.019, M05.021, M05.022, M05.029, M05.031, M05.032, M05.039, M05.041, M05.042, M05.049, M05.051, M05.052, M05.059, M05.061, M05.062, M05.069, M05.061, M05.062, M05.069, M05.071, M05.072, M05.079, M05.09, M05.01, M05.111, M05.112, M05.119, M05.121, M05.122, M05.139, M05.131, M05.132, M05.139, M05.141, M05.142, M05.141, M05.151, M05.152, M05.159, M05.619, M05.619, M05.619, M05.629, M05.629, M05.631, M05.639, M05.639, M05.641, M05.642, M05.661, M05.652, M05.659, M05.651, M05.662, M05.662, M05.664, M05.671, M05.672, M05.679, M05.699, M05.711, M05.712, M05.719, M05.711, M05.722, M05.729, M05.731, M05.732, M05.733, M05.741, M05.742, M05.749, M05.751, M05.752, M05.759, M05.769, M05.769, M05.811, M05.812, M05.819, M05.821, M05.829, M05.831, M05.832, M05.8341, M05.832, M05.8341, M05.832, M05.8341, M05.832, M05.831, M05.832, M05.839, M05.741, M05.762, M06.079, M06.071, M06.072, M06.079, M06.1, M06.211, M06.212, M06.221, M06.221, M06.229, M06.231, M06.232, M06.239, M06.241, M06.242, M06.249, M06.251, M06.259, M06.269, M06.811, M06.812, M06.851, M06.851, M06.832, M06.832, M06.839, M06.841, M06.852, M06.851, M06.851, M06.862, M06.831, M06.851, M06.851, M06.862, M06.831, M06.832, M06.851, M06.852, M06.833, M06.841, M06.862, M06.8644, M06.8651, M06.8651, M06.8651, M06.8651, M06.8661, M06.8 |
| J0130 | Injection abciximab 10mg | ReoPro | N/A | | Antiplatelet | | | | | | | | | | | | | Not Covered |
| J0131 | Injection, acetaminophen, 10 mg. | | N/A | | | | | | | | | | | | | | | Not Covered |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | MH | I HS | S PC | OP | Н | ID TF | DC | Special Instructions |
|-------|---|---|---|---------------------------|------------------------|-------------------|----------|-----------|---|----|----|----|------|------|----|---|----------|----|---|
| J0132 | Injection, acetylcysteine, 100 mg | Acetadote Mucomyst | Yes | ML | Antidote | None | X | X | X | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes T39.012A, T39.014A, T39.014D, T39.014S, T39.092A, T39.094A, T39.094D, T39.094S, T39.1X1A -T39.1X4A, T39.2X2A, T39.2X4A, T39.2X4D, T39.2X4S, T39.311D, T39.311S, T39.312A, T39.312B, T39.313D, T39.313D, T39.313S, T39.314A, T39.34D, T39.314D, T39.392A, T39.394A, T39.394A, T39.394S, T39.4X2A, T39.4X4A, T39.4X4D, T39.4X4D, T39.4X4B, T39.8X2A, T39.8X4A, T39.9XA, T39.9XA, T30.0X2A, T40.0X2A, T40.0X4A, T40.0X4D, T40.0X4S, T40.1X2A, T40.1X4A, T40.1X4D, T40.1X4S, T40.2X2A, T40.2X4A, T40.2X4D, T40.2X4S, T40.3X2A, T40.3X4A, T40.3X4D, T40.3X4S, T40.4X2A, T40.4X4A, T41.1X2A, T41.202A, T41.292A, T41.3X2A or T41.42XA ICD-9 codes required on claim form: 965.4, E850.4, E935.4, E950.0, E962.0, E980.0 |
| J0133 | Injection, acyclovir, 5mg | | Yes | PWD=UN SOL=ML | Antiviral | None | Х | Х | Х | Х | | | | | | | | | Nurse practitioner added 1/1/09. |
| J0135 | Injection adalimumab 20mg | Humira | N/A | | Anti-rheumatic | | | | | | | | | | | | | | Not Covered |
| J0150 | Injection adenosine 6mg | Adenoscan Adenocard | Yes | ML | Anti-arrhythmic | None | | | | | | | | | | | | | Not Covered |
| | Injection, adenosine for diagnostic use, 1 mg (Not to be used to report any adenosine phosphate compounds, instead use a9270) | Adenocard | Yes | ML | Diagnostic Agent | None | X | X | X | | | | | | | | Х | | Closed 12/31/14. See J0153 after this date. Effective 1/1/14. |
| J0152 | Injection adenosine for diag. use 30mg | Adenocard | Yes | PWD=UN SOL=ML | Diagnostic Agent | None | Х | Х | Х | | | | | | | | Х | | Closed 12/31/13. See J0151. Replaces J0151. Use only for stress testing. Separate billing when test provided in physician's office or IDTF. Adults only. |
| | Injection, adenosine, 1 mg (not to be used to report any adenosine phosphate compounds) | Adenocard | Yes | ML | Diagnostic Agent | None | Х | Х | Х | | | | | | | | Х | | Effective 1/1/15. |
| J0170 | Injection adrenalin epi- nephprine up to 1ml ampule | Epipen Adrenalin Chloride, SusPhrine | Yes | ML | Respiratory | 1 per day | Х | Х | Х | Х | | | | | | | | | Closed 12/31/10. See J0171 after this date. |
| J0171 | Injection, epinephrine, 0.1 MG. | Adrenalin | Yes | ML | Antidote | None | Х | Х | Х | Х | | | | | | | | | New code effective 1/1/11. |
| J0172 | Injection, aducanumab- avwa, 2 mg | Aduhelm | Yes | SOL | Alzheimer's agent | None | Х | Х | Х | | | | | | | | | | Effective 3/1/22, prior authorization is required. Please contact Kepro at 800-346-8272, or wymedicalservices@kepro.com. Service limit is removed. 1/1/22. Minimum age of 50 years. |
| J0174 | Injection, lecanemab- irmb, 1 mg | Leqembi | Yes | ML | Monoclonal Antibody | Nione | Х | Х | Х | | | | | | | | | | Effective 7/25/23. Restricted to ICD-10 diagnosis G30.0, G30.1, G30.8, G30.9, G31.84. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | MI | н н | S | PO | ОРН | НІ | ID TF | | C Special Instructions |
|-------|---|------------|---|---------------------------|--|---------------------|----------|-----------|---|----|----|----|-----|---|----|-----|----|----------|---|--|
| J0177 | Injection, affibercept hd, 1 mg | Eylea HD | Yes | ML | neovascular- Age related Macular Degeneration | None | X | × | х | | | | | | | | | | | Effective 4/1/24 Covered to ASC. Restricted to ICD-10 E08.3211 - E08.3213, E08.3311 - E08.3313, E08.3411 - E08.3413, E08.3511 - E08.3513, E08.311, E09.3211 - E09.3213, E09.3311 - E09.3313, E09.3311 - E09.3311 - E09.3513, E09.3311 - E09.3513, E09.3311 - E10.3213, E10.3311 - E10.3213, E10.3311 - E10.3313, E10.3313, E10.3411 - E10.3413, E3511 - E3513, E10.311, E11.3211 - E11.3213, E11.3311 - E11.3313, E11.3311 - E11.3313, E11.3311 - E11.3313, E11.3311 - E13.3313, E13.3311 - E13.3313, E13.3411 - E13.3413, E13.3511 - E13.3513, E13.311, E08.3291 - E08.3293, E08.3391 - E08.3393, E08.3491 - E08.3593, E08.3521 - E08.3553, E08.3531 - E08.3553, E08.3541 - E08.3554, E08.3551 - E08.3553, E08.3591 - E09.3593, E08.3591 - E09.3593, E09.3591 - E10.3593, E10.3591 - E11.3593, E11.3591 - E13.3593, E13.3591 - E13.359 |
| | Injection, aflibercept, 1 mg | Eylea | Yes | ML | neovascular- Age related Macular Degeneration | 4 units per week | X | X | X | | | | | | | х | | | | Effective 7/1/21, added ICD-10 E08.3211 - E08.3213, E08.3311 - E08.3313, E08.3411 - E08.3413, E08.3511 - E08.3513, E09.3211 - E09.3213, E09.3211 - E09.3313, E09.3311 - E09.3313, E09.3411 - E09.3513, E09.3511 - E09.3513, E10.3211 - E10.3213, E10.3311 - E10.3313, E10.3411 - E10.3413, E10.3511 - E10.3513, E11.3211 - E11.3213, E11.3311 - E11.3313, E11.3411 - E11.3413, E11.3511 - E11.3513, E13.3211 - E13.3213, E13.3311 - E13.3313, E13.3411 - E13.3413, E13.3511 - E13.3513, E13.3511 - E13.3513, E13.3211 - E13.3513, E13.3311 - E13.3513, E13.3311 - E13.3513, E13.3311 - E13.3513, E13.3511 - E13.3513, E13.3511 - E13.3593. Effective 5/13/19, added ICD-10: E08.319, E08.3291 - E08.3293, E08.3391 - E08.3393, E08.3591 - E08.3553, E08.3591 - E08.3593, E08.3591 - E08.3593, E08.3591 - E08.3593, E09.3591 - E09.3593, |
| J0180 | dbll, 1 mg (Beovu) Injection agalsidase beta | Fabrazyme | Yes | UN | degeneration Enzyme | None | Х | X | Х | | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes E75.21, E75.22, E75.240 - E75.243, E75.248, E75.249, E75.3, |
| | 1mg | | | | , <u>-</u> | | - | | | | | | | | | | | | | E77.0, E77.1, E77.8, or E77.9 Requires Prior Authorization for children 16 Requires Prior Authorization for children 16 Submit copies of physician's medical records, specialist's medical records (as appropriate), member's weight, signs and symptoms and diagnostic test results to confirm diagnosis of ICD-9-CM code 272.7 to BMS Medical Director. Children 16> years of age, do not require prior authorization. ICD-9-CM Code 272.7 must be documented on the claim form. |
| J0184 | Injection, amisulpride, 1 mg | Barhemsys | Yes | ML | Anti-emetic | 10 units daily | Х | Х | Х | | | | | l | | | | | | Effective 1/1/24. Covered to ASC. |
| J0185 | Injection, aprepitant, 1 mg. | Cinvanti | Yes | ML | Anti-emetic | None | Х | Х | Х | | | L | | 1 | | | | | İ | Effective 1/1/19. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | MH | н | PO | 0 0 | РН | | ID TF | DC | Special Instructions |
|-------|---|-----------------------------|---|---------------------------|------------------------------------|---|----------|-----------|---|----|----|----|---|----|-----|----|---|----------|----|--|
| J0190 | Injection biperiden lactate 5mg | Akineton | Yes | UN | Anti-dyskinetic | 4 per day | Х | Х | Х | | | | | | | | | | | Closed 6/30/20. No drug manufacturer participation in federal drug rebate program. |
| J0200 | Injection alatroflaxacin mesylate 100mg | Trovan IV Trova-floxacin | N/A | | Antibiotic | | | | | | | | | | | | | | | Not Covered |
| J0202 | Injection, alemtuzumab, 1 mg | Lemtrada | Yes | ML | Anti-schlerotic | none | Х | Х | Х | | | | | | | | | | | Effective 1/1/16. Restricted to diagnosis ICD-10 G35. Minimum age restriction of 17 years. |
| J0205 | Injection alglucerase 10U | Ceredase | Yes | ML | Enzyme | None | Х | Х | Х | | | | | | | | | | | Effective 2/29/24, code is closed. Effective 10/1/2015 ICD-10 diagnosis codes E75.21, E75.22, E75.240 - E75.243, E75.248, E75.249, E75.3, E77.0, E77.1, E77.8, or E77.9 ICD-9 code 272.7 required on claim form. |
| J0207 | Injection amifostine 500mg | Ethyol | Yes | UN | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | | |
| J0208 | Injection, sodium thiosulfate, 100 mg | Pedmark | Yes | ML | Antidote | None | Х | Х | | | | | | | | | | | | Effective 4/1/123. Restricted to ICD-10 T45.1X5A, T45.1X5D, T45.1X5S. |
| J0210 | Injection methyldopate HCl up to 250mg | Aldomet Aldoril | Yes | ML | Anti- hypertensive | None | Х | Х | Х | | | | | | | | | | | |
| J0215 | Injection alefacept 0.5mg | Amevive | Yes | UN | Monoclonal Antibody | 30 units per week X 12 weeks in 6 month period per lifetime | X | X | Х | | | | | | | | | | | Effective 2/29/24, code is closed. 30 units per week X 12 weeks in a 6 month period per lifetime. |
| J0217 | Injection, velmanase alfa- tycv, 1 mg | Lamzede | Yes | UN | Enzymatic | None | Х | Х | Х | | | | | | | | | | | Effective 1/1/24. Covered to ASC. Restricted to ICD-10 E77.1. Minimum age of 3 years. |
| J0218 | Injection, olipudase alfa- rpcp, 1 mg | Xenpozyme | Yes | EA | Metabolic Enzyme Replacement | None | Х | Х | Х | | | | | | | | | | | Effective 4/1/123. Restricted to ICD-10 E75.240, E75.241, E75.244, E75.248, or E75.249. |
| J0219 | Injection, avalglucosidase alfa- ngpt, 4 mg | Nexviazyme | Yes | EA | Enzymatic | None | Х | Х | Х | | | | | | | | | | | Effective 4/1/22. Restricted to ICD-10 E74.02, Pompe disease. Minimum age of 1 year. |
| J0220 | Injection, alglucosidase alfa, 10 mg. | Myozyme | Yes | UN | Metabolic Enzyme Replacement | None | Х | Х | Х | | | | | | | | | | | Closed 6/30/20. No drug manufacturer participation in federal drug rebate program. New code effective 1/1/08. Replaces C9234. |
| J0221 | Injection, alglucosidase alfa, 10 mg. | Lumizyme | Yes | UN | Enzymatic | none | Х | Х | Х | | | | | | | | Х | | | Effective 10/1/2015 ICD-10 diagnosis codes E74.00 - E74.04 or E74.09 Effective 8/1/14, minimum age restriction removed. Effective 1/1/12. Restricted to ICD-9 diagnosis 271.0. Minimum age restriction of 8 years. |
| J0222 | Injection, patisiran, 0.1 mg | Onpattro | Yes | ML | Amyloidosis agent | 300 units daily | Х | Х | Х | | | | | | | | | | | Effective 10/1/19. Restricted to ICD-10 E85.1. Minimum age restriction of 18 years. |
| J0223 | Injection, givosiran, 0.5 mg | Givlaari | Yes | ML | Acute hepatic porphyria | 756 units monthly | Х | Х | Х | | | | | | | | | | | Effection 7/1/20. Restricted to ICD-10 E80.21. Minimum age 16 years. |
| J0248 | Injection, remdesivir, 1 mg | Veklury | Yes | UN ML | Monoclonal Antibody | None | Х | Х | Х | Х | | | | | | | | | | Effective 12/23/21. Includes coverage to FQHCs. |

| Code | Description | Brand Name | NDC | NDC unit | Category | Service | AC | CAH | Р | NP | MW | МН | HS | PO | ОРН | н | ID | DC | Special Instructions |
|-------|--|---|------------------------------------|------------------|---------------------------|-----------------------|----|-----|---|----|----|----|----|----|-----|---|----|----|--|
| | 2000. | | req. for drug rebate ? | of measure | Calogory | Limits | OP | OP | | | | | | | | | TF | | |
| J0256 | Injection alpha 1 proteinase inhibitor human 10mg | Prolastin-C Aralast Zemaira | Yes | UN | Alpha-1 antitrypsin | 800 u. weekly | Х | Х | Х | | | | | | | | | | Service limit adjusted upward, 10/1/10. |
| | Injection, alpha-1 proteinase inhibitor (human), 10 MG | Glassia | Yes | UN | Enzymatic | 820 units per week | Х | Х | | | | | | | | Х | | | Effective 10/1/2015 ICD-10 diagnosis codes J43.0 - J43.2, J43.8 or J43.9 Effective 1/1/12. Restricted to ICD-9 diagnosis 492.8. Minimum age restriction of 16 years. |
| J0270 | Injection alprostadil 1.25mcg | Caverject Muse Prostin VR Pediatric | Yes | PWD=UN SOL=ML | Pro-staglandin | None | Х | Х | Х | | | | | | | | | | Not for self administration. IV only |
| | Alprostadil urethral suppository | Muse | N/A | | Pro-staglandin | | | | | | | | | | | | | | Not Covered |
| J0278 | Injection, amikacin sulfate, 100 mg | Amikin | Yes | PWD=UN SOL=ML | Antibiotic | None | Х | Х | Х | Х | | | | Х | | | | | Nurse practitioner added 1/1/09. |
| | Injection aminophyllin up to 250mg | Phyllocontin | Yes | PWD=UN SOL=ML | Broncho-dilator | None | Х | Х | Х | | | | | | | | | Х | |
| J0282 | Injection, amiodarone HCl 30 mg | Cordarone | Yes | | Anti-arrhythmic | | Х | Х | | | | | | | | | | | Effective 2/1/16, coverage added for OP hospitals. |
| | Injection amphotericinB 50mg | Abelcent, Amphocin, Fungizonef | Yes | UN | Anti-fungal | None | Х | Х | Х | | | | | | | | | | |
| | Injection amphotericinB lipid complex 10mg | Abelcet | Yes | ML | Anti-fungal | None | Х | Х | Х | | | | | | | | | | |
| | Injection amphotericinB cholesteryl sulfate complex 10mg | Amphotec | Yes | UN | Anti-fungal | None | Х | Х | Х | | | | | | | | | | Effective 2/29/24, code is closed. |
| | Injection amphotericinB liposome 10mg. | Ambisome | Yes | UN | Antibiotic | None | Х | Х | Х | | | | | | | | | | |
| | Injection ampicillin sodium 500mg. | Totacillin-N Omnipen-N | Yes | UN | Antibiotic | None | Х | Х | Х | Х | | | | | | | | Х | |
| | Injection ampicilllin sodium sulbactam sodium 1.5g | Unasyn | Yes | UN | Antibiotic | None | Х | Х | Х | Х | | | | | | | | | |
| | Injection amobarbital up to 125mg. | Amytal | Yes | UN | Anti-convulant | None | Х | Х | Х | | | | | | | | | | |
| | Injection succinylcholine chloride up to 20mg. | Anectine Quelicin Sucostrin | Yes | PWD=UN SOL=ML | Neuro-muscular blocker | None | X | Х | Х | | | | | | | | | | |
| | Injection, anidulafungin, 1 mg | Eraxis | Yes | UN | Anti-fungal | 200 units per day | Х | Х | Х | Х | | | | | | | | | New code effective 1/1/07. Nurse practitioner added 1/1/09. |
| | Injection, rezafungin, 1 mg | Rezzayo | Yes | EA | Antifungal | None | X | Х | Х | | | | | | | | | | Effective 10/1/23. Restricted to ICD-10 B37.1, B37.49, B37.7, B37.8, B37.81, B37.82, or B37.89. Minimum of 18 years. |
| | Injection anistreplase 30U | Eminase | N/A | | Thrombolytic agent | | | | | | | | | | | | | | Not Covered |
| J0360 | Injection hydralazine HCI up to 20mg | Apresoline | Yes | PWD=UN SOL=ML | Anti- hypertensive | None | Х | Х | Х | | | | | | | | | | |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | ОРН | н | ID TF | DC | Special Instructions |
|-------|---|--------------------------------|---|---------------------------|-----------------------------|------------------------|----------|-----------|---|----|----|----|----|----|-----|---|----------|----|---|
| J0364 | Injection, apomorphine HCl, 1 mg | Apokyn | Yes | PWD=UN SOL=ML | Dopamine Agonist | 20 units per day | Х | Х | Х | Х | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes G20 or G21.4 New code effective 1/1/07. ICD-9 code 332.0 required on claim form. Nurse practitioner added 1/1/09. |
| J0365 | Injection, aprotonin, 10,000kiu | Trasylol | N/A | | Blood Product Derivative | | | | | | | | | | | | | | Not covered. |
| J0380 | Injection metaraminol bitartrate 10mg | Aramine | Yes | PWD=UN SOL=ML | Adrenergic agonist | None | Х | Х | Х | | | | | | | | | | Effective 2/29/24, code is closed. |
| J0390 | Injection chloroquine HCI up to 250mg | Aralen | N/A | | Anti-infective | | | | | | | | | | | | | | Not Covered |
| J0391 | Injection, artesunate, 1 mg | NA | Yes | UN | Antimalarial | None | Х | Х | Х | | | | | | | | | | Effective 1/1/24. Covered to ASC. Resticted to ICD1-0 B50.0, B50.8, B59.9. |
| J0395 | Injection arbutamine HCI 1 mg | GenESA | Yes | UN | Thrombolytic agent | None | Х | Х | Х | | | | | | | | Х | | Effective 2/29/24, code is closed. |
| J0400 | Injection, Aripiprazole IM, 0.25 mg | Abilify | N/A | | Atypical anti- psychotic | | | | | | | | | | | | | | New code effective 1/1/08. Not covered. See POS pharmacy. |
| J0401 | Injection, aripiprazole, extended release, 1 mg | Abilify Maintena | N/A | | Atypical anti- psychotic | | | | | | | | | | | | | | New code effective 1/1/14. Not covered. See POS pharmacy. |
| J0456 | Injection azithromycin 500 mg. | Zithromax | Yes | UN | Antibiotic | 1 per day | Х | Х | Х | | | | | | | | | | |
| J0457 | Injection, aztreonam, 100 mg | NA | Yes | UN | Anti-bacterial | None | Х | Х | | | | | | | | | | | Effective 7/1/23. Cost invoice required. |
| J0460 | Injection atropine sulfate up to 0.3mg | AtroPen | Yes | ML | Anti-cholenergic | 3 per day | Х | Х | Х | Х | | | | | | | | | Closed 12/31/09. See J0461. |
| J0461 | Injection, atropine sulfate, 0.01 mg. | AtroPen | Yes | ML | Anti-cholenergic | None | Х | Х | Х | Х | | | | | | | | | Effective 1/1/10. |
| J0470 | Injection dimercaprol 100 mg. | BAL in oil | Yes | ML | Antidote | None | Х | Х | Х | | | | | | | | | | |
| J0475 | Injection baclofen 10mg | Lioresal | Yes | PWD=UN SOL=ML | Skeletal muscle relaxant | 4 per day | X | X | X | | | | | | | | | X | Effective 10/1/2015 ICD-10 diagnosis codes G04.1, G40.401, G40.409, G40.411, G40.419, G80.0 - G80.2, G80.4, G80.8 - G81.14, G82.20 - G82.29, G82.50 - G82.54, G83.0, G83.10 - G83.14, G83.20 - G83.24, G83.30 - G83.34, G83.4, G83.5, G83.81 - G83.84, G83.89, G83.9, I63.50, I63.511, I63.512, I63.519, I63.521, I63.522, I63.529, I63.531, I63.532, I63.541, I63.542, I63.549, I63.59, R25.0 - R25.3, R25.8 or R25.9 ICD-9 diagnosis of 342.1 to 342.10, 342.11, 342.12, 343.0 - 344.9, 345.60 - 345.61, 434.91, or 781.0 must be documented on claim form. |
| J0476 | Injection baclofen 50mcg | Lioresal for intrathecal trial | Yes | ML | Skeletal muscle relaxant | 1 per week | Х | Х | Х | | | | | | | | | Х | For intrathecal trial only. |
| J0480 | Injection, basiliximab, 20 mg | Simulect | N/A | | Immuno- suppressant | | | | | | | | | | | | | | Not Covered |
| J0485 | Injection, belatacept, 1 mg | Nulojix | Yes | UN | Immuno- suppressant | 1350 units daily | Х | Х | Х | | | | | | | | | | Effective 12/1/18, ICD-10 diagnosis code restricted to: Z94.0 - Z94.9 only. Effective 10/1/2015 ICD-10 diagnosis codes Z48.22 or Z94.0 Effective 1/1/13. Must be billed with V42.0. Minimum age restriction of 18 years. |
| J0490 | Injection, belimumab, 10 mg. | Benlysta | Yes | UN | Immunlologic | 260 units per month | Х | Х | Х | | | | | | | Х | | | Effective 10/1/2015 ICD-10 diagnosis codes M32.0, M32.10 - M32.15, M32.19, M32.8 or M32.9 Effective 1/1/12. Restricted to ICD-9 diagnosis 710.0. Minimum age restriction of 16 years. |
| J0491 | Injection, anifrolumab- fnia, 1 mg | Saphnelo | Yes | ML | Immunosuppres sive | 300 units daily | Х | Х | Х | | | | | | | | | | Effective 4/1/122. Restricted to ICD-10 M32.10 - M32.19, M32.8, M32.9. Minimum age of 18 years. |

| | | | | | | | | | - | | | | 1 | | 1 | | | 1 | |
|-------|---|--|---|---|---------------------|--------------------|----------|----|---|----|----|----|----|----|-----|---|----|----|---|
| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | OP | P | NP | MW | МН | HS | PO | ОРН | Н | TF | DC | Special Instructions |
| | Injection dicyclomine HCI up to 20mg | Bentyl Antispas Dilomine Dibent DiSpaz Neoquess | Yes | PWD=UN SOL=ML | Anti-cholenergic | None | X | X | X | | | | | | | | | | |
| | Injection benztropine mesylate 1mg | Cogentin | Yes | SOL=ML | Anti-cholenergic | None | Х | Х | Х | Х | | Х | | | | | | | |
| J0517 | Injection, benralizumab, 1 mg | Fasenra | Yes | ML | Anti-asthmatic | None | Х | Х | Х | | | | | | | | | | Effective 1/1/19. Restricted to J45.50. Minimum of 12 years. |
| | Injection bethanechol chloride up to 5mg | Urecholine Mytonachol | Yes | UN | Cholenergic | None | Х | Х | Х | | | | | | | | | | |
| | Injection penicillinG benzathine & penicillinG procaine up to 600K U | Bicillin CR | Yes | ML | Antibiotic | None | Х | Х | Х | Х | | | | | | | | | Closed12/31/09. See J0559. |
| | Injection penicillinG benzathine & penicillinG procaine up to 1.2m U | Bicillin CR | Yes | ML | Antibiotic | None | Х | Х | Х | Х | | | | | | | | | Closed 12/31/09. See J0559. |
| | Injection penicillin G benzathine & penicillinG procaine up to 2.4m U | Bicillin CR | Yes | ML | Antibiotic | None | Х | Х | Х | Х | | | | | | | | | Closed 12/31/09. See J0559. |
| | Injection, penicillin G benzathine & penicillin G procaine, 100,000 U. | Bicillin CR | Yes | ML | Antibiotic | none | Х | Х | Х | Х | | | | | | Х | | | Effective 1/1/11. |
| | Injection, penicillin G benzathene and penicillin G procaine, 2500 U | Bicillin CR | Yes | ML | Antibiotic | none | Х | Х | Х | X | | | | | | Х | | | Closed 12/31/10. See J0558 after this date. Original effective date, 1/1/10. Deny with ICD-9 diagnosis of 090.0 - 097.9 |
| | Injection penicillinG benzathine up to 600K U | Bicillin LA Permapen | Yes | ML | Antibiotic | None | Х | Х | Х | Х | | | | | | | | | Closed 12/31/10. See J0561 after this date. |
| | Injection, penicillin G benzathine, 100,000 U. | Bicillin LA Permapen | Yes | ML | Antibiotic | None | Х | Х | Х | | | | | | | Х | | | New code effective 1/1/11. |
| J0565 | Injection, bezlotoxumab, 10 mg. | Zinplava | Yes | ML | Anti-infective | None | Х | Х | Х | Х | | | | | | | | | Effective 1/1/18. Restricted to ICD-10 A04.71, A04.72. Minimum age of 18 years. |
| | Injection, cerliponase alfa, 1 mg | Brineura | Yes | ML (individual syringe) UN (kit) | Enzymatic | None | Х | Х | Х | | | | | | | | | | Effective 1/1/19. Restricted to ICD-10 E75.4. Minimum of 3 years. |
| J0570 | Buprenorphine implant, 74.2 mg | Probuphine | Yes | ML | Anti- dependence | Eight units yearly | | | Х | | | | | | | | | | Effective 1/1/17. Restricted to ICD-10 diagnosis F11.20, F11.21, F11.229, F11.259, F11.23, F11.93. Minimum age of 16 years. |
| J0571 | Buprenorphine, oral, 1 mg. | Subutex | Yes | EA | Anti- dependence | 24 units daily | | | | | | Х | | | | | | | Effective 7/1/17. Covered entities are Mental Health Clinic & Mental Health Rehabilitation. |
| J0572 | Buprenorhpine/Naloxone , oral, 2 mg./0.5 mg. | Suboxone | Yes | EA | Anti- dependence | 3 units daily | | | | | | Х | | | | | | | Effective 7/1/17. Covered entities are Mental Health Clinic & Mental Health Rehabilitation. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | ОРН | НІ | ID TF | DC | Special Instructions |
|-------|--|------------|---|---------------------------|---------------------------|--|----------|-----------|---|----|----|----|----|----|-----|----|----------|----|---|
| J0574 | Buprenorhpine/Naloxone , oral, 8 mg./2 mg. | Suboxone | Yes | EA | Anti- dependence | 3 units daily | | | | | | Х | | | | | | | Effective 7/1/17. Covered entities are Mental Health Clinic & Mental Health Rehabilitation. |
| J0583 | Injection bivalirudin 1mg | Angiomax | Yes | UN | Anti-coagulant | None | Х | Х | | | | | | | | | | | 0 |
| J0584 | Injection, burosumab- twza 1 mg | Crysvita | Yes | ML | Hypophosphate mia | 90 units daily | Х | Х | Х | | | | | | | | | | Effective 1/1/19. Restricted to ICD-10 E83.31 |
| J0585 | Botulinum toxin type A per unit. | Botox | Yes | UN | Neuro-muscular blocker | none | Х | Х | Х | | | | | | | | | | See previous webpage for Botulinim Code Coverage and diagnoses. Prior authorization required. Contact Kepro Healthcare at 800-346-8272 or 304-343-9663. Effective 1/1/07. CPT codes 31513, 31570, 31571, 43201, 43236, 46505, 52287, 64615, 64616, 64617, 64640, 64642, 64643, 64644, 64645, 64646, 64647, 64650, 64653 or 67345 must be billed on claim form. |
| J0586 | Injection, abobotulinumtoxinA, 5 U | Dysport | Yes | UN | Neuro-muscular blocker | none | Х | Х | Х | | | | | | | | | | See previous webpage for Botulinim Code Coverage and diagnoses. Prior authorization required. Contact Kepro Healthcare at 800-346-8272 or 304-343-9663 Effective 1/1/10. CPT codes 31513, 31570, 31571, 43201, 43236, 46505, 64616, 64617, 64614, 64640, 64642, 64643, 64644, 64645, 64646, 64647, 64650, 64653 or 67345 must be billed on claim form. |
| J0587 | Botulinum toxin type B per 100 U | Myobloc | Yes | ML | Neuro-muscular blocker | none | Х | Х | Х | | | | | | | | | | See previous webpage for Botulinim Code Coverage and diagnoses. Prior authorization required. Contact Kepro Healthcare at 800-346-8272 or 304-343-9663 Effective 1/1/07. CPT codes 31513, 31570, 31571, 43201, 43236, 46505, 64616, 64617, 64614, 64640, 64642, 64643, 64644, 64645, 64646, 64647, 64650, 64653 or 67345 must be billed on claim form. |
| J0588 | Injection, incobotulinimtoxin A, 1 unit | Xeomin | Yes | UN | Neuro-muscular blocker | none | Х | Х | X | | | | | | | | | | See previous webpage for Botulinim Code Coverage and diagnoses. Prior authorization required. Contact Kepro Healthcare at 800-346-8272 or 304-343-9663 Effective 1/1/12. CPT codes 31513, 31570, 31571, 43201, 43236, 46505, 64616, 64617, 64614, 64640, 64642, 64643, 64644, 64645, 64647, 64650, 64653 or 67345 must be billed on claim form. Minimum age restriction of 5 years. |
| J0591 | Injection, deoxycholic acid, 1 mg | Kybella | N/A | | | | | | | | | | | | | | | | Not covered. |
| J0592 | Injection buprenorphine HCl 0.1mg | Buprenix | Yes | PWD=UN SOL=ML | Analgesic narcotic | 6 per day | Х | Х | Х | | | | | | | | | | |
| J0594 | Injection, busulfan, 1 mg | Busulfex | Yes | ML | Alkylating agent | None | Х | Х | Х | | | | | | | | | | New code effective 1/1/07. |
| J0595 | Injection butorphanol tartrate 1mg | Stadol | Yes | PWD=UN SOL=ML | Analgesic narcotic | None | Х | Х | Х | | | | | | | | | | |
| J0596 | Injection, c1 esterase inhibitor (recombinant), 10 units | Ruconest | Yes | UN | Enzymatic | None | Х | Х | Х | | | | | | | | | | Effective 1/1/16. Restricted to ICD-10 D81.810, D84.1. Minimum age restriction of 13 years. |
| J0597 | Injection, C-1 esterase inhibitor (human), 10 U. | Berinert | Yes | UN | C1 protein inhibitor | Maximum service limit 280 u. daily | Х | Х | Х | | | | | | | Х | | | Effective 10/1/2015 ICD-10 diagnosis codes D81.810 or D84.1 Update to service limit, effective 1/1/11. New code effective 1/1/11. Restricted to ICD-9 diagnosis 277.6. Restricted to age 16 and above. |
| | Injection, C1 esterase inhibitor (human), 10 U | Cinryze | Yes | UN | C1 protein inhibitor | none | Х | X | Х | Х | | | | | | Х | | | Effective 10/1/2015 ICD-10 diagnosis codes D81.810 or D84.1 Service limit update, effective 4/1/11. Code effective 1/1/10. Restricted to ICD-9 diagnosis 277.6. Restrict to age 16 and above. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | Р | NP | MW | МН | HS | PO | ОРН | F | II ID | | C Special Instructions |
|-------|--|--|---|---------------------------|-------------------------------|--|----------|-----------|---|----|----|----|----|----|-----|---|-------|---|--|
| J0600 | Injection edetate calcium disodium up to 1000mg. | Calcium Disodium Versenate, Calcium EDTA | Yes | PWD=UN SOL=ML | Antidote | None | х | X | Х | | | | | | | | | | |
| | Injection, etelcalcetide, 0.1 mg. | Parsabiv | Yes | ML | Parathyroid | None | Х | Х | Х | Х | | | | | | | | | Effective 1/1/18. Restricted to ICD-10 N25.81. Minimum age of 16 years. |
| J0610 | Injection calcium gluco- nate 10ml | Kaleinate | Yes | UN | Electrolyte Supplement | None | Х | Х | | | | | | | | | | | Closed 3/31/23. |
| J0611 | Injection, calcium gluconate (wg critical care), per 10 ml | NA | Yes | ML | Electrolyte Supplement | None | X | Х | Х | | | | | | | | | | Closed 3/31/23. Effective 1/1/23. |
| J0612 | Injection, calcium gluconate (fresenius kabi), per 10 mg | NA | Yes | ML | Electrolyte Supplement | None | Х | Х | Х | | | | | | | | | | Effective 4/1/23. |
| J0613 | Injection, calcium gluconate (wg critical care), per 10 mg | NA | Yes | | Electrolyte Supplement | None | Х | Х | Х | | | | | | | | | | Effective 4/1/23. |
| J0620 | Injection calcium glycer- ophosphate & calcium lactate 10ml | Calphosan | Yes | ML | Electrolyte Supplement | 1 per day | Х | Х | Х | | | | | | | | | | Effective 2/29/24, code is closed. |
| J0630 | Injection calcitonin salmon up to 400 U | Miacalcin Caalcimar | N/A | | Antidote | | | | | | | | | | | | | | Not covered. |
| J0636 | Injection calcitrol 0.1mcg | Calcijex | Yes | ML | Vitamin, fat soluble | 30 per day | Х | Х | Х | | | | | | | | | Х | (|
| J0637 | Injection caspofungin acetate 5mg | Cancidas | Yes | UN | Anti-fungal | 14 per day | Х | Х | Х | | | | | | | | | | |
| J0638 | Injection, canakinumab, 1 mg. | llaris | Yes | UN | Interleukin- 1beta blocker | Maximum service limit 150 u. daily | Х | Х | Х | | | | | | | Х | | | Code closed 10/31/13. Refer to Pharmcy Point of Sale. New code effective 1/1/11. Restricted to ICD-9 diagnosis 708.2. Restricted to age 4 and above. |
| J0640 | Injection Leucovorin calcium 50mg | Wellcovorin | Yes | PWD=UN SOL=ML | Antidote | 25 per day | Х | Х | Х | | | | | | | | | | |
| J0641 | Injection, levoleucovorin, 0.5 mg | Fusilev | Yes | UN | Folate analog | | Х | Х | Х | | | | | | | | | | Physician added to covered providers, effective 1/1/10. New code effective 1/1/09. |
| J0642 | Injection, levoleucovorin, 0.5 mg | Khapzory | Yes | UN | Folate analog | None | Х | Х | Х | | | | | | | | | | Effective 10/1/19. |
| J0651 | Injection, levothyroxine sodium (fresenius kabi) not therapeutically equivalent to j0650, 10 mcg | NA | Yes | UN | Thyroid hormone | None | Х | X | X | | | | | | | | | | Effective 4/1/24. Covered to ASC. |
| J0688 | Injection, cefazolin sodium (hikma), not therapeutically equivalent to j0690, 500 mg | NA | Yes | UN | Antibiotic | None | Х | Х | Х | | | | | | | | | | Effective 1/1/24. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | ОРН | НІ | ID TF | | Special Instructions |
|-------|---|---|---|---------------------------|---------------------|-------------------|----------|-----------|---|----|----|----|----|----|-----|----|----------|---|---|
| J0689 | Injection, cefazolin sodium (baxter), not therapeutically equivalent to j0690, 500 mg | NA | Yes | ML | Antibiotic | None | X | X | Х | | | | | | | | | | Effective 1/1/23. |
| J0670 | Injection mepivacine HCL 10ml. | Carbocaine Polocaine Isocaine HCL | Yes | ML | Local Anesthetic | 1 per day | Х | Х | Х | | | | | | | | | | |
| J0690 | Injection cefazolin sodium 500mg. | Ancef Kefzol Zolicef | Yes | PWD=UN SOL=ML | Antibiotic | None | Х | Х | Х | Х | | | | | | | | Х | |
| J0691 | Injection, lefamulin, 1 mg | Xenleta | N/A | | | | | | | | | | | | | | | | Not covered. See pharmacy POS. |
| J0692 | Injection cefepime HCL 500mg | Maxipime | Yes | UN | Antibiotic | 8 per day | Х | Х | Х | Х | | | | | | | | | |
| J0693 | Injection, cefiderocol, 5 mg | Fetroja | Yes | EA | Antibiotic | None | Х | Х | Х | | | | | | | | | | Closed 9/30/21. See J0699 after this date. Effective 1/1/21. Restricted to ICD-10 N10, N11.0 - N11.9, N12, N13.6, N16, N30.00, N30.01, N30.20, N30.21, N30.80, N30.81, N30.90, N30.91, N34.1, N34.2, N39.0. Minimum age of 18 years. |
| J0694 | Injection cefoxitin sodium 1g | Mefoxin | Yes | PWD=UN SOL=ML | Antibiotic | 1 per day | Х | Х | Х | Х | | | | | | | | | |
| J0695 | Injection, ceftolozane 50 mg and tazobactam 25 mg | Zerbaxa | Yes | UN | Antibiotic | None | Х | Х | Х | Х | | | | | | | | | Effective 1/1/16. Minimum age of 18 years. |
| J0696 | Injection ceftriaxone sodium 250 mg. | Rocephin | Yes | PWD=UN SOL=ML | Antibiotic | 8 per day | Х | Х | Х | Х | Х | | | | | | | Х | |
| J0697 | Injection sterile cefuroxime sodium 750mg | Kefurox Zinacef | Yes | PWD=UN SOL=ML | Antibiotic | 2 per day | Х | Х | Х | Х | | | | | | | | Х | |
| J0698 | Cefotaxime sodium per g | Claforan | Yes | PWD=UN SOL=ML | Antibiotic | 1 per day | Х | Х | Х | Х | | | | | | | | Х | |
| J0701 | Injection, cefepime hydrochloride (baxter), not therapeutically equivalent to maxipime, 500 mg | NA | Yes | ML | Antibiotic | None | X | Х | Х | | | | | | | | | | Effective 1/1/23. |
| | Injection, cefepime hydrochloride (b braun), not therapeutically equivalent to maxipime, 500 mg | NA | Yes | EA | Antibiotic | None | X | X | X | | | | | | | | | | Effective 1/1/23. |
| J0699 | Injection, cefiderocol, 10 mg | Fetroja | Yes | EA | Antibiotic | None | Х | Х | Х | | | | | | | | | | Effective 10/1/21. Restricted to ICD-10 N10, N11.0 - N11.9, N12, N13.6, N16, N30.00, N30.01, N30.20, N30.21, N30.80, N30.81, N30.90, N30.91, N34.1, N34.2, N39.0. Minimum age of 18 years. |

| 0-1 | December 11 and | Daniel Mar | NDC | NDO' | 0-1 | 0 | | | - | NIE. | | | 110 | В. | ODI: | | | ъ. | On a stable street to a |
|------|---|---------------------------|---|---------------------------|-----------------------|----------------------|----|----|---|------|----|----|-----|----|------|---|----|----|--|
| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | OP | OP | P | NP | MW | МН | нъ | РО | ОРН | н | TF | DC | Special Instructions |
| | Injection betamethasone acetate & betamethasone sodium phosphate 3mg | Celestone Soluspan | Yes | ML | Anti- inflammatory | 9 per day | Х | Х | Х | Х | | | | X | | | | | |
| | Injection bemethasone sodium phosphate 4mg. | Adbeon | Yes | UN | Anti- inflammatory | 2 per day | Х | Х | Х | Х | Х | | | Х | | | | | |
| | Injection caffeine citrate 5 mg | Cafcit | Yes | PWD=UN SOL=ML | Analeptic | None | Х | Х | Х | | | | | | | | | | |
| | Injection cephapirin sodium up to 1g | Cefadyl | Yes | UN | Antibiotic | 1 per day | Х | Х | Χ | | | | | | | | | Х | Effective 2/29/24, code is closed. |
| | Injection, ceftaroline fosamil, 10 mg. | Teflaro | Yes | UN | Antibiotic | 120 units per day | X | Х | X | Х | | | | | | Х | | | Effective 10/1/2015 ICD-10 diagnosis codes A48.1, A49.02, A49.1 - A49.3, A49.8, B95.0, B95.1 - B95.5, B95.61, B95.62, B95.7, B95.8, B96.0, B96.1, B96.20, B96.23, B96.29, B96.3 - B96.7, B96.81, B96.89, J14, J15.0, J15.1, J15.20, J15.211, J15.212, J15.29, J15.3 - J15.6 or J15.8 Effective 1/1/12. Restricted to ICD-9 diagnosis 041.00 - 041.89 or 482.0 - 482.89. |
| | Injection ceftazidime 500 mg | Ceptaz Fortaz Tazidime | N/A | | Antibiotic | | | | | | | | | | | | | | Not Covered |
| | Injection, ceftazidime and avibactam, 0.5 g/0.125 g | Avycaz | Yes | UN | Antibiotic | None | Х | Х | Х | X | | | | | | | | | Effective 1/1/16. Minimum age of 18 years. |
| | Injection ceftizoxime sodium 500 mg | Ceflzox | Yes | PWD=UN SOL=ML | Antibiotic | 2 per day | Х | Х | Х | Х | | | | | | | | | Effective 2/29/24, code is closed. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | MI | HS | PC | 0 0 | PH | | ID TF | DC | Special Instructions |
|-------|---|---------------------------------------|---|---------------------------|--------------------------------|----------------------|----------|-----------|---|----|----|----|----|----|-----|----|---|----------|----|---|
| J0717 | Injection, certolizumab pegol, 1 mg | Cimzia | Yes | UN | TNF blocker | 400 units per day | х | X | х | x | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes K50.00, K50.011 - K50.014, K50.018, K50.019, K50.10, K50.111 - K50.114, K50.118, K50.119, K50.10, K50.811 - K50.814, K50.818, K50.819, K50.90, K50.901 + K50.914, K50.918, K50.919, M05.004, M05.014, M05.019, M05.021, M05.022, M05.022, M05.029, M05.031, M05.032, M05.039, M05.041, M05.042, M05.044, M05.051, M05.052, M05.059, M05.061, M05.062, M05.069, M05.071, M05.072, M05.079, M05.09, M05.10, M05.111, M05.112, M05.119, M05.121, M05.122, M05.129, M05.131, M05.132, M05.139, M05.141, M05.142, M05.149, M05.151, M05.152, M05.159, M05.161, M05.162, M05.169, M05.171, M05.172, M05.179, M05.179, M05.30, M05.601, M05.611, M05.612, M05.619, M05.611, M05.612, M05.622, M05.629, M05.631, M05.632, M05.632, M05.634, M05.641, M05.642, M05.649, M05.651, M05.651, M05.659, M05.661, M05.662, M05.669, M05.661, M05.662, M05.669, M05.671, M05.722, M05.731, M05.732, M05.739, M05.741, M05.742, M05.749, M05.751, M05.752, M05.752, M05.761, M05.762, M05.769, M05.811, M05.812, M05.811, M05.822, M05.822, M05.822, M05.829, M05.831, M05.832, M05.839, M05.841, M05.842, M05.849, M05.841, M05.852, M05.859, M05.861, M05.662, M06.842, M06.831, M06.842, M06.831, M06.842, M06.841, M06.842, M06.841, M06.842, M06.841, M06.842, M06.841, M06.842, M06.841, M06.842, M06.841, M06.822, M06.829, M06.261, M06.262, M06.283, M06.841, M06.842, M06.821, M06.822, M06.829, M06.831, M06.841, M06.842, M06.841, M06.852, M06.859, M06.871, M06.872, M06.879, M06.841, M06.842, M06.841, M06.842, M06.841, M06.842, M06.841, M06.842, M06.8441, M08.442, M06.844, M08.441, M08.442, M08.449, M08.451, M08.462, M08.469, M06.871, M06.872, M06.879, M06.971, M08.472, M08.471, M08.472, M08.471, M08.472, M08.471, M08.472, M08.471, M08.472, M08.471, M08.472, M08.471, M08.472, M08.484, M08.4841, M08.4844, M08.4841, M08.4841, M08.4841, M08.4841, M08.4841, M08.4849, M08.4811, M08.482, M08.485, M08.489, M06.871, M06.879, M06.971, M12.032, M12.039, M12.041, M12.042, M12.049, M12.051, M12.059, M12.059, M12.061, M12.062, M12.069, M12.071, M12.079, M12.08 |
| J0718 | Injection, certolizumab pegol, 1 mg. | Cimzia | Yes | UN | TNF blocker | 400 units per day | Х | Х | Х | Х | | | | | | | Х | | | Closed 12/31/13. See J0717. Effective 1/1/10. Restricted to ICD-9 diagnosis 555.0 - 555.9 or 714.0 - 714.9 . Restrict to age 18 and above. |
| J0720 | Injection chloramphenicol sodium succinate up to 1 g | Chloromyceti n Sodium Succinate | Yes | UN | Antibiotic | None | Х | Х | Х | | | | | | | | | | | |
| J0725 | Injection, chorionic gonadotropin per 1000 USP units | Novarel Profasi Pregnyl | Yes | UN | Gonadotropin | 10 per day | Х | Х | Х | | | | | | | | | | | Not for fertility treatment and diagnosis. Restricted to female, maximum age of 21 years. Service limit updated, effective 11/1/09. |
| J0735 | Injection clonidine HCI 1mg | Catapres Duraclon | Yes | PWD=UN SOL=ML | Alpha Adrenergic Agonist | None | Х | Х | Х | | | | | | | | | | | |
| J0739 | Injection, cabotegravir, 1 mg | Apretude | Yes | ML | Anti-viral | None | Х | Х | Х | | | | | | | | | | | Effective 7/1/22. Minimum age of 12 years. |
| J0740 | Injection cidofovir 375mg | Vistide | Yes | ML | Anti-viral | None | Х | Х | Х | | | | + | | t | 1 | | | | |
| J0741 | Injection, cabotegravir and rilpivirine, 2mg/3mg | Cabenuva | Yes | ML | Antiviral | None | Х | Х | Х | | | | | | | | | | | Effective 10/1/21. Restricted to ICD-10 B20. Minimum age of 16 years. |
| J0742 | Injection, imipenem 4 mg, cilastatin 4 mg and relebactam 2 mg | Recarbrio | Yes | UN | Antibiotic | 4 units daily | Х | Х | Х | | | | | | | | | | | Effective 7/1/20. Minimum age 18 years. |

| | | | 1156 | | | | | | _ | | | | 1116 | | | | | | | |
|-------|--|------------------------------------|---|---------------------------|------------------------|----------------------|----|-----------|---|----|----|----|------|----|-----|---|---|-----|----|--|
| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | OP | CAH OP | Р | NP | MW | МН | HS | PC | OPH | | | D I | DC | Special Instructions |
| J0743 | Injection cilastatin sodium imipenem 250 mg. | Primaxin | Yes | UN | Anti-infective | None | Х | Х | Х | Х | | | | | | | | | X | |
| J0744 | Injection ciprofloxacin for IV infusion 200mg | Cipro Ciloxan | Yes | ML | Antibiotic | None | Х | Х | Х | Х | | | | | | | | | | |
| | Injection codeine phosphate 30mg | Phenaphen with codeine | Yes | PWD=UN SOL=ML | Analgesic narcotic | None | Х | Х | Х | | | | | | | | | | | |
| J0760 | Injection colchicine 1mg | | Yes | PWD=UN SOL=ML | Anti-gout | None | Х | Χ | Х | | | | | | | | | | | |
| J0770 | Injection colistimethate sodium up to 150mg. | Coly-Mycin M | Yes | UN | Antibiotic | None | Х | Х | Х | | | | | | | | | | | |
| | Injection, collagenase, clostridium histolyticum, 0.01 mg. | Xiaflex | Yes | UN | Enzymatic | None | X | X | X | Х | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis code M72.0 New code effective 1/1/11. Restricted to ICD-9 diagnosis 728.6 Restricted to ages 18 years and above. |
| J0780 | Injection prochlorperazine up to 10mg | Compazine Compa-Z Contrazine | Yes | PWD=UN SOL=ML | Antiemetic | None | Х | Х | Х | Х | | | | | | | | | | |
| J0791 | Injection, crizanlizumab- tmca, 5 mg | Adakveo | Yes | ML | Sickle cell disease | None | Х | Х | Х | | | | | | | | | | | Effective 7/1/20. Restricted to ICD019 D57.0 - D57.819. Minimum age 16 years. |
| J0795 | Injection, corticorelin ovine triflutate, 1 mcg | ACTHREL | Yes | | Diagnostic Agent | | | | | | | | | | | | | | | Not covered. |
| | Injection corticotropin up to 40U | Cortrosyn ACTH Acthar | Yes | ML | Adrenal | None | | | Х | | | | | | | |) | Х | | Closed 9/30/23. See J0801, J0802 after this date. |
| J0801 | Injection, corticotropin (acthar gel), up to 40 units | Acthar | Yes | ML | Adrenal | None | Х | Х | Х | | | | | | | | | | | Effective 10/1/23. |
| J0802 | Injection, corticotropin (ani), up to 40 units | NA | Yes | ML | Adrenal | None | Х | Х | Х | | | | | | | | | | | Effective 10/1/23. |
| | Injection, cosyntropin, NOS, 0.25 mg. | | | | Diagnostic Agent | | | | | | | | | | | | | | | Not covered. |
| | Injection, cosyntropin, 0.25 mg. | Cortrosyn | Yes | UN | Diagnostic Agent | 3 per day | Х | X | Х | X | | | | | | > | X | | | Diagnosis restrictions removed, effective 1/1/12. Code opened 1/1/10. Restricted to ICD-9 diagnosis 255.41 - 255.42. |
| | Injection cosyntropin 0.25mg | Cortrosyn | Yes | UN | Diagnostic Agent | 3 per day | | | Х | | | | | | | |) | X | | Closed 12/31/09. See J0833 & J0834. |
| J0840 | Injection, crotalidae polyvalent immune fab (ovine), up to 1 gram | CroFab | No | N/A | Anti-venom | Maximum of 4 unit | X | Х | | | | | | | | | | | | Effective 8/1/18. |
| | Injection cytomegalovirus immune globulin IV (human) per vial | CytoGam | N/A | | Immune globulin | | | | | | | | | | | | | | | Not covered. |
| | Injection, daptomycin (xellia) not therapeutically equivalent to j0878, 1 mg | NA | Yes | UN | Antibiotic | None | Х | Х | Х | | | | | | | | | | | Effective 1/1/24. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | MI | н | S F | PO | ОРН | НІ | ID TF | DC | Special Instructions |
|-------|--|--------------------|---|---------------------------|---------------------------------|-------------------|----------|-----------|---|----|----|----|---|-----|----|-----|----|----------|----|--|
| J0874 | Injection, daptomycin (baxter), not therapeutically equivalent to j0878, 1 mg | NA | Yes | ML | Antibiotic | None | Х | X | Х | | | | | | | | | | | Effective 10/1/23. |
| J0875 | Injection, dalbavancin, 5mg | Dalvance | Yes | UN | Antibiotic | none | X | X | х | | | | | | | | | | | Effective 7/23/21, age restriction has been removed. Effective 9/1/21, ICD-10 R78.81 added. Effective 9/22/20, ICD-10 diagnosis of A40.0 - A40.9, A41.01 - A41.2, A49.01, A49.02, A49.1, B95.0, B95.1, B95.3 - B95.8 added. Effective 1/1/16. Restricted to diagnosis ICD-10 B78.1, K12.2, L01.00 - L01.03, L01.09, L01.1 - L02.03, L02.11 - L02.216, L02.219, L02.221 - L02.226, L02.229, L02.231 - L02.236, L02.239, L02.31 - L02.33, L02.411 - L02.416, L02.419, L02.421 - L02.426, L02.429, L02.421 - L02.436, L02.439, L02.511, L02.512, L02.519, L02.521, L02.522, L02.529, L02.531, L02.531, L02.633, L02.611, L02.611, L02.612, L02.629, L02.629, L02.631, L02.632, L02.639, L02.811, L02.818, L02.821, L02.828, L02.831, L02.838, L02.91 - L02.93, L03.011, L03.012, L03.019, L03.021, L03.022, L03.029, L03.031, L03.032, L03.039, L03.041, L03.042, L03.049, L03.111 - L03.116, L03.119, L03.121 - L03.126, L03.129, L03.221, L03.221, L03.222, L03.391, L03.391, L03.317, L03.319, L03.319, L03.326, L03.327, L03.329, L03.811, L03.818, L03.891, L03.898, L03.90, L03.91, L04.0 - L04.3, L04.8, L04.9, L05.01, L05.01, L05.02, L05.91, L05.92, L08.0, L08.81, L08.82, L08.89, L08.9, L88, L92.8, L98.0 or L98.3. Minimum age of 16 years. |
| J0877 | Injection, daptomycin (hospira), not therapeutically equivalent to j0878, 1 mg | NA | Yes | EA | Antibiotic | None | Х | Х | Х | | | | | | | | | | | Effective 1/1/23. |
| J0878 | Injection daptomycin 1mg. | Cubicin | Yes | UN | Antibiotic | | Х | Х | Х | | | | | | | | | | | Service limit removed, effective 6/1/18. Maximum dose 4 units per day X 14 days. Adults only. |
| J0879 | Injection, difelikefalin, 0.1 mcg | Korsuva | Yes | ML | Anti-priuritic | | Х | Х | Х | | | | | | | | | | Х | Effective 4/18/22. Restricted to ICD-10 L29.8. |
| J0881 | Injection, darbepoetin alfa, 1 mcg(non-ESRD use) | Aranesp | Yes | ML | Colony stimulating factor | None | Х | Х | Х | Х | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes N18.6 (End Stage Renal Disease) Exclude ICD-9 585.6(End Stage Renal Disease). Nurse practitioner added 1/1/09. |
| J0882 | Injection, darbepoetin alfa, 1 mcg(for ESRD on dialysis) | Aranesp | Yes | ML | Colony stimulating factor | None | Х | Х | Х | Х | | | | | | | | | Х | Effective 10/1/2015 ICD-10 diagnosis codes N18.6 (End Stage Renal Disease) ICD-9 585.6(End Stage Renal Disease) needed on claim form. Nurse practitioner added 1/1/09. |
| J0883 | Injection, argatroban, 1 mg (for non-ESRD use) | | | | Thrombolytic agent | | | | | | | | | | | | | | | Effective 1/1/17. Not covered. |
| J0884 | Injection, argatroban, 1 mg (for ESRD on dialysis) | | | | Thrombolytic agent | | | | | | | | | | | | | | | Effective 1/1/17. Not covered. |
| J0885 | Injection, epoetin alfa, 1000 units(for non- ESRD use) | Epogen, Procrit | Yes | ML | Colony stimulating factor | None | Х | Х | Х | Х | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes N18.6 (End Stage Renal Disease) Exclude ICD-9 585.6(End Stage Renal Disease). Nurse practitioner added 1/1/09. |
| J0886 | Injection, epoetin alfa, 1000 units(for ESRD on dialysis) | Epogen, Procrit | Yes | ML | Colony stimulating factor | None | Х | Х | Х | Х | | | | | | | | | Х | Closed 12/31/15. See Q4081. Effective 10/1/2015 ICD-10 diagnosis codes N18.6 (End Stage Renal Disease) ICD-9 585.6(End Stage Renal Disease) needed on claim form. Nurse practitioner added 1/1/09. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | OPH | НІ | ID TF | DC | Special Instructions |
|-------|--|------------|---|---------------------------|--|-------------------|----------|-----------|---|----|----|----|----|----|-----|----|----------|----|---|
| | Injection, epoetin beta, 1 mcg. (ESRD use) | Mircera | Yes | ML | Erythropoieton Stimulating agent | none | | | | | | | | | | | | Х | Effective 1/1/15. Include diagnosis of ICD-9 585.6 or ICD-10 N18.6. |
| | Injection, epoetin beta, 1 mcg. (non-ESRD use) | Mircera | Yes | ML | Erythropoieton Stimulating agent | none | | | | | | | | | | | | Х | Effective 1/1/15. Exclude diagnosis of ICD-9 585.6 or ICD-10 N18.6. |
| | Injection, peginesatide, 0. 1 mg | Omontys | Yes | ML | Erythropoieton Stimulating agent | None | | | | | | | | | | | | Х | Voluntary Drug Recall: Effective 2/24/13, until further notice. Effective 1/1/13. Restricted to ICD-9 diagnosis of 285.21 and 585.6. Minimum age restriction of 16 years. |
| | Injection, argatroban (accord), not therapeutically equivalent to j0883, 1 mg (for non-esrd use) | NA | Yes | ML | Thrombolytic agent | None | Х | Х | Х | | | | | | | | | | Effective 1/1/23. |
| | Injection, argatroban (accord), not therapeutically equivalent to j0884, 1 mg (for esrd on dialysis) | NA | Yes | ML | Thrombolytic agent | None | х | Х | Х | | | | | | | | | | Effective 1/1/23. |
| | Injection, decitabine (sun pharma) not therapeutically equivalent to j0894, 1 mg | NA | Yes | EA | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Effective 1/1/23. |
| J0894 | Injection, decitabine, 1 mg | Dacogen | Yes | UN | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | New code effective 1/1/07. |
| | Injection deferoxamine mesylate 500mg | Desferal | Yes | UN | Antidote | 12 per day | Х | Χ | Х | | | | | | | | | Χ | |
| | Injection, luspatercept- aamt, 0.25 mg | Reblozyl | Yes | UN | Hematopoietic | None | Х | Х | Х | | | | | | | | | | Effective 7/1/20. Restricted to ICD-10 D46.1, D46.A, D46.B, D46.4, D46.Z, D46.9, D56.1, D56.5. |

| Code | Description | Brand Name | NDC req. for drug | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | ОРН | Н | I ID | C Special Instructions |
|-------|--|-----------------|----------------------------|---------------------------|--------------------|--------------------------|----------|-----------|---|----|----|----|----|----|-----|---|------|--|
| J0897 | Injection, denosumab, 1 mg. | Prolia Xgeva | rebate ? Yes | ML | Osteoporotic | 120 units per 27 days | X | X | x | X | | | | | | × | | As of 10/1/22, diangosis restrictions are removed. Effective 4/1/19, ICD-10 added: C40.00 - C40.92, C41.9, and D48.0. Effective 10/1/2015 ICD-10 adged: C40.00 - C40.92, C41.9, and D48.0. Effective 10/1/2015 ICD-10 diagnosis codes: For Hospital and Physician restricted to: C33, C34.00, C34.01, C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.80, C34.81, C34.82, C34.90 - C34.92, C50.012, C50.019, C50.021, C50.022, C50.029, C50.111, C50.112, C50.119, C50.121, C50.122, C50.129, C50.211, C50.219, C50.221, C50.229, C50.211, C50.112, C50.119, C50.121, C50.122, C50.129, C50.211, C50.219, C50.221, C50.222, C50.229, C50.311, C50.312, C50.319, C50.322, C50.329, C50.411, C50.412, C50.419, C50.421, C50.422, C50.429, C50.511, C50.512, C50.519, C50.521, C50.522, C50.529, C50.611, C50.619, C50.621, C50.622, C50.629, C50.611, C50.619, C50.612, C50.629, C50.611, C50.619, C50.612, C50.629, C50.611, C50.619, C50.612, C50.629, C50.629, C50.629, C61. C64.1, C64.2, C64.9, C65.1, C65.2, C65.9, C73, C79.51, C79.52 and those identified for Nurse Practitioners below. For Nurse Practitioner and Home infusion restricted to: M48.50xA - M48.58xA, M80.00xA, M80.02D, M80.00xG, M80.00xK, M80.00xP, M80.00xS, M80.011A, M80.012A, M80.019A, M80.021A, M80.022A, M80.029A, M80.031A, M80.032A, M80.03A, M80.041A, M80.042A, M80.049A, M80.051A, M80.022A, M80.059A, M80.069A, M80.069B, M80.069B, M80.069B, M80.069P, M80.069A, M80.069A, M80.069A, M80.069A, M80.83A, M80.83A, M80.83D, M80.831A, M80.831A, M80.832A, M80.831A, M80.832A, M80.831A, M80.832A, M80.831A, M80.831A, M80.831A, M80.834A, M80.831A, M80.834A, M80.834A, M80.852A, M80.852A, M80.859A, M80.861A, M80.861P, M80.454A, M84.452A, M84.453A, M84.553A, M84.65 |
| J0898 | Injection, argatroban (auromedics), not therapeutically equivalent to j0883, 1 mg (for non-esrd use) | NA | Yes | ML | Thrombolytic agent | None | Х | Х | Х | | | | | | | | | Effective 1/1/23. |
| J0899 | Injection, argatroban (auromedics), not therapeutically equivalent to j0884, 1 mg (for esrd on dialysis) | NA | Yes | ML | Thrombolytic agent | None | Х | Х | Х | | | | | | | | | Effective 1/1/23. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | Р | NP | MW | МН | HS | PO | ОРН | HI | I ID | Special Instructions |
|-------|---|--|---|---------------------------|-------------------------|--------------------|----------|-----------|---|----|----|----|----|----|-----|----|------|--|
| J0900 | Injection testosterone enanthate & estradiol valerate up to 1cc | Andro-Estro 90-4 Androgyn LA | Yes | UN | Androgen | 1 every 3 weeks | Х | Х | Х | | | | | | | | | Female only. |
| | Injection brompherinamine maleate10mg | ND Stat | Yes | PWD=UN SOL=ML | Respiratory agent | 1 per day | Х | Х | Х | | | | | | | | | |
| J0970 | Injection estradiol valerate up to 40mg | Delestrogen Estradiol LA Valergen Estra-L | Yes | PWD=UN SOL=ML | Contraceptive | 1 every 3 weeks | Х | Х | Х | Х | | | | | | | | Female only. |
| J1000 | Injection depoestradiol cyplonate up to 5mg | Estradiol Cypionate Estra-D Estra-Cyp Estro-LA | Yes | PWD=UN SOL=ML | Hormonal Replacement | 1 per 3 weeks | Х | Х | Х | Х | | | | | | | | Female only. |
| J1010 | Injection, methylprednisolone acetate, 1 mg | NA | Yes | UN | Anti- inflammatory | None | Х | X | X | | | | | | | | | Effective 4/1/24. |
| J1020 | Injection methylprednisolone acetate 20mg | DepoMedrol | Yes | UN | Anti- inflammatory | None | Х | Х | Х | Х | | | | Х | | | | Closed 3/31/24. |
| J1030 | Injection methylprednisolone acetate 40mg | DepoMedrol MPrednisol Rep-Pred | Yes | PWD=UN SOL=ML | Anti- inflammatory | None | Х | Х | Х | Х | | | | Х | | | | Closed 3/31/24. |
| J1040 | Injection methylprednisolone acetate 80mg | DepoMedrol Medralone Prednisol RedPred | Yes | ML | Anti- inflammatory | None | Х | Х | Х | Х | | | | Х | | | | Closed 3/31/24. Podiatrist added as covered provider, effective 1/1/10. |
| J1050 | Injection, medroxyprogesterone acetate, 1 mg | Depo-Provera | Yes | ML | Contraceptive | None | Х | Х | Х | Х | Х | | | | | | | Effective 1/1/13. |
| J1051 | Injection medroxyprogesterone acetate 50mg | Depo-Provera | Yes | ML | Contraceptive | 20 per day | Х | Х | Х | | | | | | | | | Closed 12/31/12. See J1050 after this date. Female only. |
| J1055 | Injection medroxyprogesterone acetate 150 mg | Depo-Provera | Yes | ML | Contraceptive | 1 per day | Х | Х | Х | Х | Х | | | | | | | Closed 12/31/12. See J1050 after this date. Female only. |
| J1056 | Injection medroxyprogesterone acetate/estradiol cypionate 5mg/25mg | Lunelle | Yes | ML | Contraceptive | 1 per day | Х | Х | Х | Х | Х | | | | | | | Female only. |
| J1060 | Injection testosterone cypionate & estradiol cypionate up to 1ml | Depo- Testadiol Andro/Fem | Yes | ML | Androgen | 1 per 3 weeks | Х | Х | Х | | | | | | | | | Female only. |
| J1070 | Injection testosterone cypionate up to 100mg | Depo- Testosterone Depotest | Yes | PWD=UN SOL=ML | Androgen | Male only. | Х | Х | Х | Х | | | | | | | | Closed 12/31/14. See J1071 after this date. Service limit removed 1/1/13. Nurse practitioner added 1/1/09. |

| | | I | NEC | | | | | | _ | | | | 1 | | | | T | 150 | |
|-------|---|---|---|---------------------------|-----------------------|-----------------------|----------|----|---|----|----|----|----|----|-----|---|----|-----|---|
| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | OP | P | NP | MW | МН | HS | PO | ОРН | Н | TF | DC | Special Instructions |
| J1071 | Injection, testosterone cypionate, 1mg | Depo- Testosterone Depotest | Yes | PWD=UN SOL=ML | Androgen | Male only. | Х | Х | Х | Х | | | | | | | | Х | Effective 1/1/24, restricted to male only. Effective 1/1/15. |
| | Injection testosterone cypionate 1cc 200mg | Depo- Testosterone Depotest Andro-Cyp 200 | Yes | ML | Androgen | 1 per week | Х | Х | х | Х | | | | | | | | | Closed 12/31/14. See J1071 after this date. Male only. Nurse practitioner added 1/1/09. |
| J1094 | Injection dexamethasone acetate 1mg | Dalalone LA | Yes | PWD=UN SOL=ML | Anti- inflammatory | 20 per day | Х | Х | Х | | | | | Х | | | | | |
| | Dexamethasone, lacrimal ophthalmic insert, 0.1 mg | Dextenza | Yes | UN | Anti- inflammatory | Four units per eye | Х | Х | Х | | | | | | | | | | Effective 10/1/19. |
| | Phenylephrine 10.16 mg/ml and ketorolac 2.88 mg/ml ophthalmic irrigation solution, 1 ml. | Omidria | Yes | ML | Anti- inflammatory | None | Х | Х | Х | | | | | | | | | | Effective 10/1/19. |
| | Injection, dexamethosone sodium phosphate 1mg | Cortastat Dalalone | Yes | ML | Anti- inflammatory | None | Х | Х | Х | Х | | | | Х | | | | | Service limit removed, effective 1/1/11. |
| J1110 | Injection dihydroergotamine mesylate 1mg | DHE 45 | Yes | PWD=UN SOL=ML | Anti-migraine | 3 per day | Х | Х | Х | | | | | | | | | | |
| | Injection acetazolamide sodium up to 500mg | Diamox | Yes | UN | Glaucoma | None | Х | Х | Х | | | | | | | | | | |
| | Injection, diclofenac sodium, 0.5 mg | | | | | | | | | | | | | | | | | | Effective 1/1/17. Not covered. See pharmacy POS. |
| | Injection digoxin up to 0.5 mg | Lanoxin | Yes | PWD=UN SOL=ML | Anti-arrhythmic | None | Х | Х | Х | | | | | | | | | | |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | Po | 0 0 | PH | НІ | ID TF | DC | Special Instructions |
|-------|---|----------------------|---|---------------------------|-----------------------------|---------------------|----------|-----------|---|----|----|----|----|----|-----|----|----|----------|----|--|
| J1162 | Injection, digoxin immune fav (ovine), per vial | Digitind, Digifab | Yes | UN | Antidote | 10 vials | X | X | X | | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes T36.0X2A, T36.0X2A, T36.0X2S, T36.0X4A, T36.0X4D, T36.0X4S, T36.1X2A, T36.1X4A, T36.2X2A, T36.2X2A, T36.3X2D, T36.3X2S, T36.3X2A, T36.3X2A, T36.3X2B, T36.3X2A, T36.3X2B, T36.3X2A, T36.3X2B, T36.3X2A, T36.3X2B, T36.3X4A, T36.3X4D, T36.3X4S, T36.4X2A, T36.4X2D, T36.4X2S, T36.4X4A, T36.6X4D, T36.4X2B, T36.5X2D, T36.5X2B, T36.6X4A, T36.6X4D, T36.6X4S, T36.6X4A, T36.6X4D, T36.6X4A, T36.6X4D, T36.6X2A, T36.6X2D, T36.6X2B, T36.6X2A, T36.6X2D, T36.6X2B, T36.6X2A, T36.6X2D, T36.6X2B, T36.6X2A, T36.6X4A, T36.6X4D, T36.6X2A, T36.7X2D, T36.7X2D, T36.7X2D, T37.0X2B, T37.0X4A, T37.0X4D, T37.0X4B, T37 |
| J1165 | Injection phenytoin sodium 50mg | Dilantin | Yes | PWD=UN SOL=ML | Anti-convulsant | None | Х | Х | Х | | | | | | | | | | | |
| J1170 | Injection hydromorphone up to 4mg | Dilaudid | Yes | PWD=UN SOL=ML | Analgesic narcotic | 12 units per day | Х | Х | Х | | | | | | | | | | | |
| J1180 | Injection dyphylline up to 500mg | Lufyllin Diler | Yes | PWD=UN SOL=ML | Broncho-dilator | None | Х | Х | Х | | | | | | | | | | | |
| J1190 | Injection dexrazoxane HCl per 250mg | Zinecard | Yes | UN | Cardio- protective Agent | None | Х | Х | Х | | | | | | | | | | | |
| J1200 | Injection diphenhydramine HCl up to 50mg. | Benadryl | Yes | PWD=UN SOL=ML | Anti-histamine | None | Х | Х | Х | Х | | | | | | | | | | |
| J1201 | Injection, cetirizine hydrochloride, 0.5 mg | Quzytir | N/A | | | | | | | | | | | | | | | | | Not covered. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | нѕ | PC | O OP | 4 | | ID TF | DC | Special Instructions |
|-------|---|-----------------------------|---|---------------------------|-------------------------|---------------------------------|----------|-----------|---|----|----|----|----|----|------|---|---|----------|----|--|
| J1203 | Injection, cipaglucosidase alfa- atga, 5 mg | Pombiliti | Yes | UN | Enzymatic | None | X | X | X | | | | | | | | | | | Effective 4/1/24. Restricted to ICD-10 E74.02. |
| J1205 | Injection chlorothiazide sodium 500mg | Diuril Sodium | Yes | UN | Anti- hypertensive | None | Х | Х | Х | Х | | | | | | | | | | |
| J1212 | Injection DMSO di- methylsulfoxide 50%, 50 ml | Rimso | Yes | ML | Anti- inflammatory | 1 per day | Х | Х | Х | | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes N30.10 or N30.11 ICD-9 code 595.1 required on claim form. |
| J1230 | Injection methadone HCI up to 10mg | Dolphine HCL | Yes | PWD=UN SOL=ML | Analgesic narcotic | None | Х | Х | Х | | | | | | | | | | | |
| J1240 | Injection dimenhydrinate up to 50mg | Dramamine | N/A | | Antiemetic | | | | | | | | | | | | | | | Not Covered |
| J1245 | Injection dipyridamole 10 mg | Persantine | Yes | PWD=UN SOL=ML | Antiplatelet | None | Х | Х | Х | | | | | | | | | Х | | |
| J1250 | Injection dobutamine HCl 250mg. | Dobutrex | Yes | PWD=UN SOL=ML | Adrenergic agonist | None | Х | Х | Х | | | | | | | | | Х | | |
| J1260 | Injection dolasetron mesylate 10mg | Anzemet | Yes | ML | Antiemetic | None | Х | Х | Х | | | | | | | | | | | |
| J1265 | Injection, dopamine Hcl, 40mg | Hydrochlor- ide Intorpin | Yes | PWD=UN SOL=ML | Adrenergic agonist | None | Х | Х | Х | Х | | | | | | | | | | Nurse practitioner added 1/1/09. |
| J1267 | Injection, Doripenem, 10 mg. | Doribax | Yes | UN | Antibiotic | limited to 18 years or older | Х | Х | | | | | | | | | | | | New code effective 1/1/09. Approved for maximum dose of 1500 mg. administered over 24 hours. |
| J1270 | Injection doxercalciferol 1mcg. | Hectorol | Yes | ML | Vitamin D analog | 20 per day | Х | Х | Х | | | | | | | | | | Χ | |
| J1290 | Injection, ecallantide 1 mg. | Kalbitor | Yes | ML | Hematological | 30 u. daily | Х | Х | Х | Х | | | | | | | Х | | | Effective 10/1/2015 ICD-10 diagnosis codes D.81.810 or D84.1 Effective 6/1/14, minimum age restriction modified to 12 years. New code effective 1/1/11. Restricted to ICD-9 diagnosis 277.6. Restricted to age 16 and above. |
| J1300 | Injection, Eculizumab 10 mg | Soliris | Yes | ML | Monoclonal Antibody | None | Х | Х | Х | | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes D59.3, D59.5, D59.6 or D59.8 ICD-9 diagnosis codes expanded to include 283.11, effective 10/1/11. New code effective 1/1/08. Replaces C9236. ICD-9 code 283.2 required on claim form. |
| J1301 | Injection, edaravone, 1 mg | Radicava | Yes | ML | ALS agent | None | Х | Х | Х | | | | | | | | | | | Effective 1/1/19. Restricted to ICD-10 G12.21. Minimum age of 16 years. |
| J1302 | Injection, sutimlimab- jome, 10 mg | Enjaymo | Yes | ML | complement inhibitor | None | Х | Х | Х | | | | | | | | | | | Effective 10/1/22. Rerstricted to ICD-10 D59.12. Minimum age of 16 years. |
| J1303 | Injection, ravulizumab- cwvz, 10 mg. | Ultomiris | Yes | ML | Monoclonal Antibody | 360 units daily | Х | Х | X | | | | | | | | | | | Effective 4/27/22, ICD-10 diagnosis G70.00, G70.01 added. Minimum age is removed. Effective 10/18/19, ICD-10 C95.3 added. Effective 10/1/19. Restricted to ICD10 diagnosis D59.5. Minimum age of 16 years. |
| J1304 | Injection, tofersen, 1 mg | Qalsody | Yes | ML | ALS agent | None | Х | Х | Х | | | | | | | | | | | Effective 1/1/24. Restricted to ICD-10 G12.21. |
| J1305 | Injection, evinacumab- dgnb, 5mg | Evkeeza | Yes | ML | Antihyperlipide mic | None | Х | Х | Х | | | | | | | | | | | Effective 10/1/21. Restricted to ICD-10 E78.01. Minimum age of 12 years. |
| J1320 | Injection amitriptyline HCl up to 20mg | Elavil Enovil | Yes | PWD=UN SOL=ML | Anti-depressant | 1 per day | Х | Х | Х | Х | | Х | | | | | | | | |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | OPH | l l | D C | С | Special Instructions |
|-------|---|--|---|---------------------------|------------------------|-------------------|----------|-----------|---|----|----|----|----|----|-----|-----|-----|---|--|
| J1322 | Injection, elosulfase alfa, 1mg | Vimizim | yes | ML | Enzymatic | None | Х | Х | Х | | | | | | | | | | Effective 1/1/15. Restricted to ICD-9 277.5. Minimum age restriction of 5 years. |
| J1323 | Injection, elranatamab- bcmm, 1 mg | Elrexfio | Yes | UN | Antineoplastic | None | Х | Х | Х | | | | | | | | T | | Effective 4/1/24. Covered to ASC. Restricted to ICD-10 C90.00 - C90.02. |
| J1324 | Injection, enfuvirtide, 1 mg | Fuzeon | N/A | | Fusion inhibitor | | | | | | | | | | | | | | Not covered. Refer to Pharmacy Point of Sale. |
| J1325 | Injection epoprostenol 0.5mg. | Flolan | Yes | UN | Prostaglandin | None | Х | Х | Х | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes 110, 27.0 - 27.2, 27.81, 27.82, 27.89 or 27.9 Requires ICD-9 code 416.XX on claim form. |
| J1327 | Injection eptifibatide 5mg | Integrillin | Yes | ML | Antiplatelet | None | Х | Х | | | | | | | | | | | |
| J1330 | Injection ergonovine maleate up to 0.2mg | Ergotrate Maleate | Yes | PWD=UN SOL=ML | Antimigraine | None | Х | Х | Х | | | | | | | | | | Effective 2/29/24, code is closed. |
| | Injection ertapenem sodium 500mg | Invanz | Yes | UN | Antibiotic | None | Х | Х | Х | | | | | | | | | | |
| J1364 | Injection erythromycin lactobionate 500 mg | | Yes | UN | Antibiotic | 4 per day | Х | Х | Х | | | | | | | | | | |
| J1380 | Injection estradiol valerate up to 10mg | Delestrogen Estradiol Gynogen | N/A | | Contraceptive | | | | | | | | | | | | | | Not Covered |
| J1390 | Inection estradiol valerate up to 20mg | Delestrogen Dioval Estradiol Gynogen Valergan Estra L | Yes | ML | Contraceptive | None | X | X | X | Х | Х | | | | | | | | Female only. |
| | Injection estrogen conjugated 25mg | Premarin IV | Yes | UN | Estrogen Derivative | 1 per day | Х | Х | Х | | | | | | | | | | Female only. |
| | Injection, valoctocogene roxaparvovec-rvox, per ml, containing nominal 2 x 10^13 vector genomes | Roctavian | Yes | UN | Genetic therapy | None | Х | Х | | | | | | | | | | | Effective 1/1/24. Restricted to ICD=10 D66. |
| | Injection, delandistrogene moxeparvovec-rokl, per therapeutic dose | Elevidys | Yes | UN | Genetic therapy | None | Х | х | | | | | | | | | | | Effective 1/1/24. Restricted to ICD-10 G71.01. |
| J1427 | Injection, viltolarsen, 10 mg | Viltepso | Yes | SOL=ML | Muscular dystrophy | None | Х | Х | | | | | | | | | | | Effective 4/1/21. Restricted to ICD-10 G71.01. Minimum age of 4 years. |
| J1428 | Injection, eteplirsen, 10 mg. | Exondys 51 | Yes | ML | Genetic therapy | N/A | Х | Х | | | | | | | | | | | Effective 1/1/18. As of 6/1/18, contact Kepro at 800-346-8272 for prior authorization requests. |
| J1429 | Injection, golodirsen, 10 mg | Vyondys 53 | Yes | ML | Genetic therapy | N/A | Х | Х | | | | | | | | | | | Effective 7/1/20. Contact Kepro at 800-346-8272 for prior authorization requests. |
| | Injection, ethanolamine oleate, 100 mg | Ethatrolin | Yes | ML | Sclerosing Agent | None | Х | Х | Х | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes 185.00, 185.01, 185.10, 185.11, 186.0 - 186.3, 186.8, K92.0 - K92.2 or N43.3 ICD-9 code 456.XX, 578.XX, or 603.9 on claim form. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | ОРН | Н | I ID TF | | Special Instructions |
|-------|---|--|---|---------------------------|---------------------------------|-----------------------|----------|-----------|---|----|----|----|----|----|-----|---|------------|---|---|
| J1435 | Injection estrone 1mg | Theelin Aqueous Estone 5 Kestrone 5 | N/A | | Hormonal Replacement | | | | | | | | | | | | | | Not Covered |
| | Injection etidronate disod ium 300mg | Didronel | Yes | ML | Bone Restorative Agent | None | Х | Х | Х | | | | | | | | | | Effective 2/29/24, code is closed. |
| J1437 | Injection, ferric derisomaltose, 10 mg | Monoferric | Yes | ML | Iron replacement | None | Х | Х | Х | Х | | | | | | | | | Effective 7/1/21. |
| | Injection etanercept 25mg | Enbrel | Yes | PWD=UN SOL=ML | Anti-rheumatic | 2 per day | Х | Х | Х | | | | | | | | | | |
| | Injection, ferric carboxymaltose, 1mg | Injectafer | Yes | ML | iron therapy | none | Х | Х | X | | | | | | | | | | Effective 12/17/21, minimum age restriction of 16 years reduced to 1 year. Effective 10/1/2015 ICD-10 diagnosis codes D50.0, D50.1, D50.8, D50.9, D53.8 or D64.9 Effective 1/1/15. Restricted to ICD-9 diagnosis of 280.0 - 280.9. Minimum age restriction of 16 years. |
| J1440 | Fecal microbiota, live - jslm, 1 ml | Rebyota | Yes | ML | Fecal transplantation | None | Х | Х | Х | | | | | | | | | | Effective 7/1/23. Restricted to ICD-10 A04.71, A04.72. Minimum of 18 years. |
| | Injection filgrastim (G- CSF) 480mcg | Neupogen | Yes | ML | Colony stimulating factor | 2 per day | Х | Х | Х | | | | | | | | | | Closed 12/31/13. See J1442. |
| | Injection, filgrastim (g- csf), excludes biosimilars, 1 microgram | Neupogen | Yes | ML | Colony stimulating factor | 1500 units per day | Х | Х | Х | | | | | | | | | | Effective 1/1/14. |
| J1446 | Injection, tbo-filgrastim, 5 micrograms | Granix | Yes | ML | Colony stimulating factor | 140 units per day | Х | Х | Х | | | | | | | | | Х | Closed 12/31/15. See J1447 after this date. diagnosis codes D70.0 - D70.4, D70.8 or D70.9 Effective 1/1/14. Restricted to ICD-9 diagnosis of 288.00 - 288.09. Minimum age restriction of 16 years. |
| J1447 | Injection, tbo-filgrastim, 1 microgram | Granix | Yes | ML | Colony stimulating factor | 700 units per day | Х | Х | Х | | | | | | | | | Х | Effective 7/1/22, ICD-10 diagnosis restriction have been removed. Effective 1/1/16. Restricted to diagnosis ICD-10 D70.0 - D70.4, D70.8 or D70.9. Minimum age restriction of 16 years. |
| J1448 | Injection, trilaciclib, 1mg | Cosela | Yes | UN | Antineoplastic | None | Х | Х | Х | | | | | | | | | | Effective 10/1/21. Restricted to ICD-10 C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.92. Minimum age of 16 years. |
| | Injection fluconazone 200mg | Diflucan | Yes | PWD=UN SOL=ML | Antifungal | None | Х | Х | Х | | | | | | | | | | |

| Code | Description | Brand Name | NDC req. for drug rebate | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PC | O | РН | ID TF | DC | Special Instructions |
|-------|--|------------|--------------------------------------|---------------------------|------------------------|-------------------|----------|-----------|---|----|----|----|----|----|---|----|----------|----|---|
| | | | ? | | | | | | | | | | | | | | | | |
| J1451 | Injection, fomepizole, 15 mg | Antizol | Yes | ML | Antidote | None | x | X | X | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes T46.2X4S, T51.0X2A - T51.0X4A, T51.1X1A, T51.1X1D, T51.1X1S, T51.1X2A - T51.1X4A, T51.2X2A - T51.2X4A, T51.3X2A - T51.3X4A, T51.8X2A - T51.8X4A, T51.91xA - T51.94xA, T52.0X2A - T52.0X4A, T52.8X1A - T52.94xA, T52.2X4A, T52.3X1A - T52.3X4A, T52.4X1A - T52.4X4A, T52.8X1A - T52.8X4A, T52.4X1A - T52.94xA, T53.0X2A, T53.0X4A, T53.1X2A, T53.1X4A, T53.2X2A, T53.2X4A, T53.2X2A, T53.3X4A, T53.4X2A, T53.4X4A, T53.6X2A, T53.5X2A, T53.7X2A, T53.7X2A, T53.7X4A, T53.92xA, T53.9x4A, T55.0X3A, T55.4X2A, T53.4X4A, T56.6X2A - T56.0X4A, T56.6X2A - T56.1X4A, T56.2X2A - T56.2X4A, T56.7X2A - T56.7X4A, T56.8X2A - T56.844A, T56.6X2A - T56.6X4A, T56.6X2A - T56.94xA, T57.0X3A - T57.3X3A, T57.9X2A - T57.8X4A, T57.9x4A, T57.9x4A, T56.92XA - T56.94xA, T67.0X3A - T67.3X3A, T67.0X3A - T67.3X4A, T67.3X4A - T67.3X4A |
| J1452 | Injection omivirsen sodium intraocculur 1.65mg. | Vitravene | Yes | ML | Anti-viral | | Х | Х | | | | | | |) | (| | | Effective 2/29/24, code is closed. |
| J1453 | Injection, fosaprepitant, 1 mg. | Emend | Yes | UN | Anti-emetic | | Х | Х | Х | | | | | | | | | | New code effective 1/1/09. |
| J1455 | Injection foscarnet sodium 1000ma | Foscavir | Yes | ML | Anti-viral | None | Х | Х | Х | | | | | | | | | | Effective 2/29/24, code is closed. |
| J1456 | Injection, fosaprepitant (teva), not therapeutically equivalent to j1453, 1 mg | NA | Yes | EA | Antiemetic | None | Х | X | Х | | | | | | | | | | Effective 1/1/23. |
| J1457 | Injection gallium nitrate 1 mg | Ganite | N/A | | Anti- hypercalcemic | | | | | | | | | | | | | | Not Covered |
| J1458 | Injection, galsulfase, 1 mg | Naglazyme | Yes | ML | Enzyme replenisher | None | Х | Х | Х | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes E76.01 - E76.03, E76.1, E76.210, E76.211, E76.219, E76.22, E76.29, E76.3, E76.8 or E76.9 New code effective 1/1/07. Given weekly based on weight. Age restricted to 5 years and older. ICD-9 code 277.5 required on claim form. |
| J1459 | Injection, immune globulin, IV, nonlyophilized(liquid), 500 mg. | Privigen | Yes | SOL=ML | Immune globulin | | Х | Х | | | | | | | | | | | New code effective 1/1/09. |

| | | 1 | | | | | | | | | | | T | | | | | |
|-------|---|--------------------|---|---------------------------|-----------------|-------------------|----------|----|---|----|----|----|----|----|-----|----|----|---|
| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | OP | P | NP | MW | МН | HS | PO | ОРН | НІ | TF | Special Instructions |
| J1460 | Injection gamma globulin IM 1cc | Gammar Gamastan | Yes | ML | Immune globulin | 1 per day | Х | Х | Х | | | | | | | | | |
| | Injection gamma globulin IM 2cc | Gammar Gamastan | Yes | ML | Immune globulin | 1 per day | Х | Х | Х | | | | | | | | | |
| | Injection gamma globulin IM 3cc | Gammar Gamastan | Yes | ML | Immune globulin | 1 per day | Х | Х | Х | | | | | | | | | |
| | Injection gamma globulin IM 4cc | Gammar Gamastan | Yes | ML | Immune globulin | 1 per day | Х | Х | Х | | | | | | | | | |
| J1500 | Injection gamma globulin IM 5cc | Gammar Gamastan | Yes | ML | Immune globulin | 1 per day | Х | Х | Х | | | | | | | | | |
| | Injection gamma globulin IM 6cc | Gammar Gamastan | Yes | ML | Immune globulin | 1 per day | Х | Х | Х | | | | | | | | | |
| | Injection gamma globulin IM 7cc | Gammar Gamastan | Yes | ML | Immune globulin | 1 per day | Х | Χ | Х | | | | | | | | | |
| | Injection gamma globulin IM 8cc | Gammar Gamastan | Yes | ML | Immune globulin | 1 per day | Х | Х | Х | | | | | | | | | |
| | Injection gamma globulin IM 9cc | Gammar Gamastan | Yes | ML | Immune globulin | 1 per day | Х | Х | Х | | | | | | | | | |
| | Injection gamma globulin IM 10cc | Gammar Gamastan | Yes | ML | Immune globulin | 1 per day | Х | Х | Х | | | | | | | | | |
| | Injection, immune globulin, 500 mg | Asceniv | Yes | ML | Immune globulin | None | Х | Х | Х | | | | | | | | | Effective 4/1/21. Restricted to ICD-10 D80.0 - D80.9, D81.0 - D81.39, D81.4, D81.7, D81.89, D81.9, D82.0 - D82.9, D83.0, D83.2, D83.8, D83.9. Minimum age of 12 years. |
| | Injection, immune globulin (cuvitru), 100 mg | Cuvitru | Yes | ML | Immune globulin | None | Х | Х | Х | | | | | | | | | Effective 1/1/18. Restricted to D83.0 - D83.9. Minimum age of 2 years. |
| J1556 | Injection, immune globulin, 500 mg | Bivigam | N/A | | | | | | | | | | | | | | | New code effective 1/1/14. Not Covered. See pharmacy POS. |
| | Injection, immune globulin, intravenous, non-lyophilized (e.g. liquid), 500 mg. | Gammaplex | Yes | ML | Immune globulin | none | Х | Х | Х | | | | | | | Х | | Effective 10/1/2015 ICD-10 diagnosis codes D69.3, D80.0 - D80.9, D81.0 - D81.2, D81.4, D81.6, D81.7, D81.89, D81.9, D82.0, D82.1, D83.0, D83.1, D83.2, D83.8 or D83.9 Effective 3/8/13, new ICD-9 diagnosis restriction of 287.31 added. Effective 1/1/12. Restricted to ICD-9 diagnosis 279.00 - 279.2. |
| | Injection, immune globulin, 100 mg | Xembify | Yes | ML | Immune globulin | None | Х | Х | Х | | | | | | | | | Effective 7/1/20. Restricted to ICD-10 D80.0 - D80.9, D81.0 - D81.9, D82.0 - D82.9. Minimum age 2 years. |
| J1559 | Injection, immune globulin, 100 mg | Hizentra | N/A | | | | | | | | | | | | | | | Not covered. Refer to Pharmacy Point of Sale. |
| | Injection gamma globulin IM over 10cc | Gammar Gamastan | Yes | | Immune globulin | 5 per day | Х | Χ | Х | Х | | | | | | | | |
| | Injection, immune globulin, (Gamunex/Gamunex- C/Gammaked), nonlyophilized (e.g., liquid), 500 mg | Gamunex-C | Yes | ML | Immune globulin | None | Х | Х | | | | | | | | | | New code effective 1/1/08. Replaces Q4092. |
| | Injection, immune globulin, subcutaneous, 100 mg | | N/A | | Immune globulin | | | | | | | | | | | | | Not covered. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | Р | NP | MW | МН | HS | PO | ОРН | НІ | ID TF | | Special Instructions |
|-------|--|-----------------------------------|---|---------------------------|-----------------------|-------------------|----------|-----------|---|----|----|----|----|----|-----|----|----------|---|---|
| J1565 | Injection RSV immune globulin IV 50mg | RespiGam | Yes | ML | Immune globulin | None | Х | X | Х | Х | | | | | | | | | Closed effective 4/01/08. |
| | Injection, immune globulin, intravenous, lyophilized (e.g., powder), not otherwise specified, 500 mg | Carimune Gammagard S/D | Yes | UN | Immune globulin | None | Х | Х | Х | | | | | | | | | | Effective 1/1/09. |
| | Injection, immune globulin, IV, lyophilized, 500mg | | Yes | ML | Immune globulin | None | Х | Х | Х | | | | | | | | | | Closed effective 12/31/07. |
| J1568 | Octagam injection, immune globulin, (Octagam) IV, non- lyophilized (i.e., liquid), 500mg | Octagam | Yes | ML | Immune globulin | None | Х | Х | Х | | | | | | | | | | Physician added as covered provider, effective 1/1/16. New code effective 1/1/08. Replaces Q4087. |
| J1569 | Injection, immune globulin, (Gammagard liquid), nonlyophilized, (e.g., liquid), 500 mg | Gammagard | Yes | ML | Immune globulin | None | Х | X | Х | | | | | | | | | | New code effective 1/1/08. Replaces Q4088. Approved for physician billing, effective 1/1/08. |
| J1570 | Injection ganciclovir sodium 500mg | Cytovene | Yes | UN | Anti-viral | None | Х | Х | Х | | | | | | | | | | |
| J1571 | HepaGam B Injection - Injection, hepatitis B immune globulin (HepaGam B), IM, 0.5m | Hepagam B | Yes | ML | Immune globulin | None | Х | X | | | | | | | | | | | New code effective 1/1/08. Replaces Q4090. |
| | Fiebogamma Injection - Injection, immune globulin (Fiebogamma), IV, non-lypohilized (e.g., liquid), 500mg. | Flebogamma | Yes | ML | Immune globulin | None | Х | Х | | | | | | | | | | | New code effective 1/1/08. Replaces Q4091. |
| J1573 | Injection, Hepatitis B immune globulin (Hepagam B) IV 0.5 m. | Hepagam B | Yes | ML | Immune globulin | None | Х | Х | | | | | | | | | | | New code effective 1/1/08. |
| J1574 | Injection, ganciclovir sodium (exela) not therapeutically equivalent to j1570, 500 mg | NA | Yes | ML | Antiviral | None | Х | Х | Х | | | | | | | | | | Effective 1/1/23. |
| | Injection Garamycin gentamicin up to 80mg | Gentamine Sulfate Jenamicin | Yes | ML | Antibiotic | None | Х | Х | Х | | | | | | | | | Х | |
| J1590 | Injection gatifloxacin 10 mg | Tequin Zymar | Yes | ML | Antibiotic | 40 per day | Х | Χ | Х | | | | | | | | | | |
| J1595 | Injection glatiramer acetate | Copaxone | N/A | | Multiple Sclerosis | | | | | | | | | | | | | | Not Covered |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | OPI | 1 | ID I | DC | Special Instructions |
|-------|---|-------------------------|---|---------------------------|----------------|---------------------|----------|-----------|---|----|----|----|----|----|-----|---|------|----|--|
| J1599 | injection, immune globulin, intravenous, non-lyophilized(liquid), NOS, 500 mg. | N/A | N/A | | | | | | | | | | | | | | | | Not Covered |
| J1600 | Injection gold sodium thiomalate up to 50mg | Aurolate Myochrysine | Yes | PWD=UN SOL=ML | Anti-rheumatic | None | Х | Х | Х | | | | | | | | | | |
| J1602 | Injection, golimumab, 1 mg, for intravenous use | Simponi Aria | Yes | ML | TNF blocker | 300 units per month | X | X | × | X | | | | | | | | | Effective 9/1/19, add ICD-10 L40.50, L40.51, L40.52, L40.59, M05.70, M06.00, M45.9. Effective 10/1/2015 ICD-10 diagnosis codes M05.00, M05.011, M05.012, M05.019, M05.021, M05.022, M05.031, M05.032, M05.039, M05.031, M05.042, M05.049, M05.051, M05.055, M05.059, M05.061, M05.062, M05.069, M05.071, M05.072, M05.079, M05.09, M05.10, M05.111, M05.112, M05.119, M05.121, M05.122, M05.129, M05.129, M05.131, M05.132, M05.139, M05.141, M05.142, M05.149, M05.151, M05.152, M05.159, M05.161, M05.621, M05.622, M05.629, M05.631, M05.631, M05.632, M05.631, M05.621, M05.622, M05.629, M05.629, M05.631, M05.632, M05.639, M05.641, M05.642, M05.642, M05.669, M05.671, M05.652, M05.659, M05.661, M05.662, M05.669, M05.671, M05.672, M05.679, M05.69, M05.711, M05.712, M05.719, M05.721, M05.721, M05.722, M05.729, M05.731, M05.732, M05.739, M05.741, M05.742, M05.749, M05.751, M05.752, M05.759, M05.761, M05.762, M05.769, M05.841, M05.842, M05.841, M05.822, M05.889, M05.861, M05.832, M05.839, M05.841, M05.842, M05.849, M05.851, M05.859, M05.861, M05.822, M05.869, M06.071, M06.072, M06.079, M06.11, M06.212, M06.219, M06.221, M06.221, M06.222, M06.229, M06.231, M06.322, M06.231, M06.831, M06.842, M06.841, M06.841, M06.841, M06.842, M06.849, M06.861, M06.864, M06.841, M06.849, M06.851, M06.859, M06.859, M06.864, M06.871, M06.871, M06.872, M06.849, M06.841, M06.842, M06.849, M06.841, M06.849, M06.841, M08.842, M08.849, M06.859, M06.864, M06.864, M06.849, M06.847, M06.849, M06.849, M06.841, M06.842, M08.849, M08.841, M08.845, M08.849, M08.841, M08.845, M08.849, M08.841, M08.845, M08.849, M08.849, M08.841, M08.845, M08.849, M08.849, M08.841, M08.845, M08.849, M08.849, M08.849, M08.841, M08.845, M08.849, M08.849, M08.841, M08.845 |
| J1610 | Injection glucagon HCI 1mg. | Glucagon GlucaGen | Yes | UN | Antidote | None | Х | Х | Х | | | | | | | | | | |
| J1611 | Injection, glucagon hydrochloride (fresenius kabi), not therapeutically equivalent to j1610, per 1 mg | NA | Yes | EA | Antidote | None | Х | Х | Х | | | | | | | | | | Effective 1/1/23. |
| J1620 | Injection gonadorelin HCI 100mcg | Factrel Lutrepulse | Yes | UN | Gonadotropin | None | Х | Х | Х | | | | | | | | | | Effective 2/29/24, code is closed. Not for fertility treatment and diagnosis. |
| J1626 | Injection granisetron HCI 100mcg | Kytril | Yes | ML | Antiemetic | 20 per day | Х | Х | Х | | | | | | | | 1 | | |
| J1630 | Injection haloperidol up to 5mg | Haldol | Yes | PWD=UN SOL=ML | Anti-psychotic | 2 per day | Х | Х | Х | Х | | Х | | | | | | | Nurse practitioner added 1/1/09. |
| J1631 | Injection haloperidol decanoate 50mg | Haldol Decanoate 50 | Yes | ML | Anti-psychotic | 1 per day | Х | Х | Х | Х | | Х | | | | | | | Nurse practitioner added 1/1/09. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | OPI | Н | | ID TF | DC | Special Instructions |
|-------|---|--|---|---------------------------|-----------------------|---|----------|-----------|---|----|----|----|----|----|-----|---|---|----------|----|---|
| J1632 | Injection, brexanolone, 1 mg | Zulresso | Yes | ML | Anti-depressant | N/A | X | X | Х | | | | | | | | | | | Effective 10/1/20. Contact Kepro at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BM5%20Pharmacy/Pages/PA-Criteria.aspx to view criteria. Note: Reimbursement of drug is separately billed from hospital in-patient on a UB claim by using bill type 0111 for this service. Outpatient billing uses bill type 0131 on the UB claim form. |
| J1640 | Injection, hemin, 1mg | Panhematin | Yes | UN | Enzyme inhibitor | None | Х | Х | Х | | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes E70.20, E70.21, E70.29, E70.30, E70.310, E70.311, E70.318 - E70.321, E70.328 - E70.331, E70.338, E70.339, E70.39, E70.5, E70.8, E70.9, E80.0, E80.1, E80.20, E80.21, E80.29, P70.8, P72.0, P72.2, P72.8, P74.5, P74.6, P74.8 or P84 ICD-9 code 277.1, 270.2, 775.8. 775.81, 775.89 required on claim form. |
| J1642 | Injection heparin sodium (heparin lock flush) 10U. | HepLock HepLock U/P | Yes | PWD=UN SOL=ML | Anti-coagulant | 5 per day | Х | Х | | | | | | | |) | Х | | | |
| | Injection, heparin sodium (pfizer), not therapeutically equivalent to j1644, per 1000 units | NA | Yes | ML | Anti-coagulant | None | Х | Х | Х | | | | | | | | | | | Effective 1/1/23. |
| J1644 | Injection heparin sodium 1000U | Heparin Sodium Liqusemin Sodium | Yes | PWD=UN SOL=ML | Anti-coagulant | 1 unit X 7 consecutive days - lifetime | Х | Х | Х | Х | | | | | | | | | Х | Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime. Nurse practitioner added 1/1/09. |
| | Injection dalteparin sodium 2500IU | Fragmin | Yes | ML | Anti-coagulant | 1 unit X 7 consecutive days - lifetime | Х | Х | Х | Х | | | | | | | | | | Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime. |
| | Injection enoxaparin sodium 10mg | Lovenox | Yes | ML | Anti-coagulant | 1 unit X 7 consecutive days - lifetime | X | Х | Х | Х | | | | | | | | | | Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime. |
| | Injection fondaparinux sodium 0.5 mg | Atrixtra | Yes | ML | Anti-coagulant | 1 unit X 7 consecutive days - lifetime | Х | Х | Х | Х | | | | | | | | | | Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime. |
| | Injection tinzaparin sodium 1000 IU. | Innohep | Yes | ML | Anti-coagulant | 1 unit X 7 consecutive days - lifetime | Х | Х | Х | Х | | | | | | | | | | Effective 2/29/24, code is closed. Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime. |
| | Injection tetanus immune globulin human up to 250U | HyperTet | Yes | ML | Immune globulin | 1 per 10 years | Х | Х | Х | Х | | | | | | | | | | |
| J1675 | Injection, histrelin acetate, 10mcg | Vantas | Yes | UN | Gonadotropin | 1 per year | Х | Х | Х | | | | | | | T | ı | | | Cost invoice required with claim form |
| J1680 | Injection, human fibrinogen concentrate, 100 mg. | RiaSTAP | Yes | UN | Antifibrinolytic | none | Х | Х | Х | | | | Х | | |) | Х | | | Closed 12/31/12. See J7178 after this date. Effective 1/1/10. Restricted to ICD-9 diagnosis 286.3 or 286.6. |
| | Injection hydrocortisone acetate up to 25mg | Hydrocortone Acetate | Yes | PWD=UN SOL=ML | Anti- inflammatory | None | Х | Х | Х | Х | | | | | | | | | | |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | ОРН | Н | II IC | oc | Special Instructions |
|-------|---|----------------------------|---|---------------------------|------------------------------------|---|----------|-----------|---|----|----|----|----|----|-----|---|-------|----|---|
| J1710 | Injection hydrocortisone sodium phosphate up to 50mg | Hydrocortone Phosphate | Yes | PWD=UN SOL=ML | Anti- inflammatory | None | Х | Х | Х | Х | | | | | | | | | Effective 2/29/24, code is closed. |
| J1720 | Injection hydrocortisone sodium succinate up to 100mg | Solu-Cortef A-Hydrocort | Yes | UN | Anti- inflammatory | None | Х | Х | Х | Х | | | | | | | | | |
| J1725 | Injection, hydroxyprogesterone caproate, 1 mg. | Makena | Yes | ML | | 250 u. weekly | Х | Х | Х | Х | Х | | | | | | | | Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes O09.211 - O09.213, O09.219, O47.00, O47.9, O47.02, O47.03, O47.1, O47.9, O60.00, O60.02, O60.03. Effective 11/1/12. Restricted to ICD-9 diagnosis 644.0 - 644.2 or V23.41. Cost invoice with NDC required with claim. Minimum age restriction of 16 years. Service limit of 250 units weekly at 16 - 36 weeks gestation. Please note: If product on cost invoice indicates a multi-dose vial, then reimbursement will be one-fifth invoice amount. |
| J1730 | Injection diazoxide up to 300mg | Hyperstat IV | Yes | PWD=UN SOL=ML | Anti- hypertensive | 1 per day | Х | Х | Х | | | | | | | | | | |
| J1738 | Injection, meloxicam, 1 mg. | Anjeso | Yes | ML | Anti- inflammatory | None | Х | Х | Х | Х | | | | | | | | | Effective 1/1/22. |
| J1740 | Injection, ibandronate sodium, 1 mg | Boniva | Yes | PWD=UN SOL=ML | Bisphosphonate | 3 units every 3 months | Х | Х | Х | Х | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes M81.0, M81.6 or M81.8 New code effective 1/1/07. ICD-9 codes 733.00-733.09 are required on claim form. Restricted to females. Providers should be able to document why patient cannot take oral bisphosphonate. Nurse practitioner added 1/1/09. |
| J1741 | Injection, ibuprofen, 100 mg | Caldolor | Yes | ML | Anti- inflammatory | None | Х | Х | Х | Х | | | | | | | | | Effective 1/1/22. |
| J1742 | Injection ibutilide fumarate 1mg | Corvert | Yes | ML | Anti-arrhythmic | None | Х | Х | Х | | | | | | | | | | |
| J1743 | Injection, idursulfase 1 mg | Elaprase | Yes | ML | Metabolic Enzyme Replacement | None | Х | Х | Х | | | | | | | | | | New code effective 1/1/08. Replaces Q9232. |
| J1745 | Injection, infliximab, excludes bio-similar, 10 mg. | Remicade | Yes | UN | Anti-rheumatic | None | Х | Х | Х | | | | | | | | | | |
| J1746 | Injection, ibalizumab- uiyk, 10 mg | Trogarzo | Yes | ML | Anti-retroviral | None | Х | Х | Х | | | | | | | | | | Effective 1/1/19. Restricted to ICD-10 B20. |
| J1747 | Injection, spesolimab- sbzo, 1 mg | Spevigo | Yes | ML | Antipsoriatic | None | Х | Х | Х | | | | | | | | | | Effective 4/1/23. Restricted to ICD-10 L40.1. Minimum age of 16 years |
| J1750 | Injection, iron dextran, per 50 mg. | Infed Dexferrum | Yes | ML | iron salt | None | Х | Х | Х | Х | | | | | | | | Х | New code effective 1/1/09. Nurse practitioner added 1/1/09. |
| J1751 | Injection, iron dextran 165, 50 mg | Infed Dexferrum | Yes | ML | Iron salt | None | Х | Х | Х | Х | | | | | | | | | Code closed effective 6/30/08. See Q4098. |
| J1752 | Injection, iron dextran 267, 50 mg | Infed Dexferrum | Yes | ML | Iron salt | None | Х | Х | Х | Х | | | | | | | | | Code closed effective 6/30/08. See Q4098. |
| J1756 | Injection iron sucrose 1mg IV | Venofer | Yes | ML | Iron supplement | 1000 mg. per 13 days, effective 2/1/16 | Х | Х | Х | | | | | | | Х | | Х | Home infusion provider added, effective 4/1/12. |

| Code | Description | Brand Name | NDC | NDC unit | Category | Service | AC | CAH | Р | NP | MW | МН | HS | РО | ОРН | F | | | С | Special Instructions |
|-------|---|-----------------------------|------------------------------------|------------------|-------------------------------------|--|----|-----|---|----|----|----|----|----|-----|---|---|---|---|---|
| | | | req. for drug rebate ? | of measure | | Limits | OP | OP | | | | | | | | | | F | | |
| J1785 | Injection imiglucerase per unit | Cerezyme | Yes | UN | Enzyme | None | Х | Х | Х | | | | | | | | | | | Code closed 12/31/10. See J1786 after this date. ICD-9 code 272.7 required on claim form. |
| J1786 | injection, imiglucerase, 10 units | Cerezyme | Yes | UN | Enzyme | Maximum service limit 1650 u. monthly | Х | Х | Х | | | | | | | Х | Κ | | | Effective 10/1/2015 ICD-10 diagnosis codes E75.21, E75.22, E75.240 - E75.243, E75.248, E75.249, E75.3, E77.0, E77.1, E77.8, or E77.9 Home Infusion provider added, effective 1/1/11. New code effective 1/1/11. Restricted to ICD-9 diagnosis 272.7. Minimum age restriction of 2 years and above. |
| J1790 | Injection droperidol up to 5mg | Inapsine | Yes | PWD=UN SOL=ML | Antiemetic | 1 per day | Х | Х | Χ | | | | | | | | | | | |
| J1800 | Injection propranolol HCI up to 1mg. | Inderal | Yes | PWD=UN SOL=ML | Anti-anginal | None | Х | Х | Χ | | | | | | | | | | | |
| J1810 | Injection droperidol & fentanyl cit-rate up to 2ml ampule | Innovar | Yes | UN | Antiemetic | None | Х | Х | Х | | | | | | | | | | | Effective 2/29/24, code is closed. |
| J1815 | Injection insulin 5U | Humalog Humulin Lispo | Yes | ML | Anti-diabetic | 20 per day | Х | X | X | X | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes E10.10, E10.11, E10.21, E10.22, E10.29, E10.311, E10.319, E10.321, E10.329, E10.331, E10.339, E10.341, E10.349, E10.351, E10.359, E10.36, E10.39 - E10.44, E10.49, E10.51, E10.52, E10.59, E10.610, E10.618, E10.620 - E10.622, E10.628, E10.630, E10.638, E10.641, E10.649, E10.65, E10.69, E10.8, E10.9, E11.00, E11.01, E11.21, E11.22, E11.29, E11.311, E11.319, E11.321, E11.329, E11.331, E11.339, E11.341, E11.349, E11.351, E11.359, E11.36, E11.39 - E11.44, E11.49, E11.51, E11.52, E11.59, E11.610, E11.618, E11.620 - E11.622, E11.629, E11.630, E11.638, E11.641, E11.649, E11.65, E11.69, E11.8, E11.9, E13.00, E13.01, E13.11, E13.21, E13.22, E13.29, E13.311, E13.319, E13.321, E13.329, E13.331, E13.339, E13.341, E13.349, E13.351, E13.359, E13.36, E13.39 - E13.44, E13.49, E13.61, E13.62, E13.69, E13.8 or E13.9 ICD-9 code 250.00 - 250.9X required on claim form. |
| J1817 | Insulin for administration thru insulin pump per 50 U | Humalog | N/A | | Anti-diabetic | | | | | | | | | | | | | | | Not Covered |
| J1823 | Injection, inebilizumab- cdon, 1 mg | Uplizna | Yes | SOL | Immunosuppres sive | 300 units daily | Х | Х | Х | | | | | | | | | | | Effective 1/1/21. Restricted to ICD-10 G36.0. Minimum age of 16 years. |
| J1825 | Injection interferon beta 1a 33mcg | Avonex | N/A | | Biological Response Modulator | | | | | | | | | | | | | | | Not covered. Refer to Pharmacy Point of Sale. |
| J1826 | Injection, interferon beta- 1a, 30 mcg. | Avonex Rebif | N/A | | Biological Response Modulator | | | | | | | | | | | | | | | Not covered. Refer to Pharmacy Point of Sale. |
| J1830 | Injection interforon beta 1b 0.25mg | Betaseron | N/A | | Biological Response Modulator | | | | | | | | | | | | | | | Not covered. Refer to Pharmacy Point of Sale. |
| J1833 | Injection, isavuconazonium, 1 mg vial | Cresemba vial | Yes | UN | Anti-Infective | None | Х | Х | Х | | | | | | | | | | | Effective 1/1/16. Restricted to diagnosis ICD-10 B44.0, B44.1, B44.2, B44.7, B44.89, B44.9, B48.4. Minimum age of 18 years. |
| J1835 | Injection itraconazole 50 mg. | Sporanox | Yes | UN | Anti-fungal | None | Х | Х | Х | | | | | | | | | | | |
| J1840 | Injection kanamycin sulfate up to 55mg | Kantrex Klebcil | Yes | PWD=UN SOL=ML | Antibiotic | None | Х | Х | Х | | | | | | | | | | | Effective 2/29/24, code is closed. |
| J1850 | Injection kanamycin sulfate up to 75mg | Kantrex Klebcil | Yes | UN | Antibiotic | None | Х | Х | Х | | | | | | | | | | | Effective 2/29/24, code is closed. |
| J1885 | Injection ketoralac tro- methamine 15mg | Toradol | Yes | PWD=UN SOL=ML | Analgesic | None | Х | Х | Х | Х | | | | Х | | | | | Х | |

| Code | Description | Brand Name | NDC | NDC unit | Category | Service | AC | CAH | Р | NP | MW | МН | HS | РО | OPH | F | HI II | D [| DC | Special Instructions |
|-------|--|---------------------------------|------------------------------------|------------------|-----------------------------------|---------------------------------|----|-----|---|----|----|----|----|----|-----|---|-------|-----|----|---|
| | | | req. for drug rebate ? | of measure | | Limits | OP | OP | | | | | | | | | Т | ΓF | | |
| J1890 | Injection cephalothin sodium up to to 1g | Cephalothin Sodium Keflin | Yes | N/A | Antibiotic | None | Х | Х | Х | | | | | | | | | | | Effective 2/29/24, code is closed. |
| J1930 | Injection, lanreotide, 1 mg. | Somatuline Depot | Yes | UN | Somatostatic agent | | X | х | X | | | | | | | | | | | Effective 4/1/22, added to physician's contracts. Effective 10/1/2015 ICD-10 diagnosis codes C25.4, C7A.010 - C7A.012, C7A.019 - C7A.026, C7A.029, C7A.092 - C7A.096, D13.7, D3A.010 - D3A.012, D3A.019 - D3A.026, D3A.029, D3A.092 - D3A.096, E22.0 or E34.4 New ICD-9 diagnoses added, effective 12/16/14. Full range includes 157.4, 209.00 - 209.03, 209.10 - 209.17, 209.23 - 209.27, 209.40 - 209.43, 209.50 - 209.57, 209.63 - 209.67, 211.7, 253.0. New code effective 1/1/09. |
| J1931 | Injection laronidase 0.1 mg | Aldurazyme | Yes | ML | Enzyme | None | Х | Х | Х | | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes E76.01 - E76.03, E76.1, E76.210, E76.211, E76.219, E76.22, E76.29, E76.3, E76.8 or E76.9 ICD-9 code 277.5 required on claim form. |
| J1932 | Injection, lanreotide, (Cipla), 1 mg | N/A | Yes | ML | Somatostatic agent | None | Х | Х | Х | | | | | | | | | | | Effective 10/1/22. |
| J1940 | Injection furosemide up to 20mg. | Lasix Furomide | Yes | PWD=UN SOL=ML | Anti- hypertensive Diuretic | None | Х | Х | Х | Х | | | | | | | | | | |
| J1942 | Injection, aripiprazole lauroxil, 1 mg | | | | | | | | | | | | | | | | | | | Effective 1/1/17. Not covered. See pharmacy POS. |
| J1945 | Injection, lelpirudin, 50 mg | Refludan | Yes | UN | Anti-coagulant | None | Χ | Х | Х | | | | | | | | | | | Effective 2/29/24, code is closed. |
| J1950 | Injection leuprolide acetate 3.75mg. | Lupron Depot | Yes | UN | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | | |
| J1953 | Injection, levetiracetam, 10 mg. | Keppra | Yes | UN | Anti-epileptic | limited to 16 years or older | Х | Х | Х | | | | | | | | | | | New code effective 1/1/09. |
| J1955 | Injection levocarnitine1g. | Carnitor | N/A | | Nutritional Supplement | | | | | | | | | Х | | | | | | Added to Podiatry contract, effective 4/1/21. |
| J1956 | Injection, levofloxacin, 250 mg. | Levaquin | Yes | ML | Antibiotic | 3 per day | Х | Х | Х | | | | | | | | | | | |
| J1960 | Injection levorphanol tartrate up to 2mg | Levo Dromoran | Yes | PWD=UN SOL=ML | Analgesic narcotic | 1.5 per day | Х | Х | Х | | | | | | | | | | | |
| J1980 | Injection hyoscyamine sulfate up to 0.25mg. | Levsin | Yes | PWD=UN SOL=ML | Anti-cholenergic | 2 per day | Х | Х | Х | Х | | | | | | | | | | |
| J1990 | Injection chlordiazepoxide HCL up to 100mg. | Librium | N/A | | Benzodiazepine | | | | | | | | | | | | | | | Not Covered |
| J2001 | Injection lidocaine HCI IV infusion 10mg | Xylocaine | Yes | PWD=UN SOL=ML | Anti-arrhythmic | None | Х | Х | | | | | | | | | | | | |
| J2010 | Injection lincomycin HCl up to 300mg | Lincocin | Yes | PWD=UN SOL=ML | Antibiotic | None | Х | Х | Х | Х | | | | | | | | İ | | |
| J2020 | Injection linezolid 200 mg | Zyvox | Yes | ML | Antibiotic | 6 per day | Х | Х | Х | | | | | | | | | | | |
| J2021 | Injection, linezolid (hospira) not therapeutically equivalent to j2020, 200 mg | NA | Yes | ML | Antibiotic | None | Х | Х | Х | | | | | | | | | | | Effective 1/1/23. |

| Code | · | Brand Name | req. for drug rebate ? | | Category | Service Limits | AC OP | CAH | P | | MW | | HS | PO | ОРН | Н | II IC | F | | Special Instructions |
|-------|---|------------|------------------------------------|------------------|-------------------------------|-------------------|----------|-----|---|---|----|---|----|----|-----|---|-------|---|---|---|
| | Injection lorazepam 2mg | Ativan | Yes | PWD=UN SOL=ML | Anti-anxiety | 2 per day | Х | Х | Х | Х | | Х | | | | | | | Х | Nurse practitioner added 1/1/09. |
| | Injection mannitol in 25% in 50ml | Osmitrol | Yes | PWD=UN SOL=ML | Diuretic | None | Х | Х | Х | Х | | | | | | | | | | Nurse practitioner added 1/1/09. |
| | Injection, mecasermin, 1 mg | Increlex | N/A | | Insulin-like growth factor | | | | | | | | | | | | | | | Not covered. |
| | Injection meperidine HCI per 100mg | Demerol | Yes | PWD=UN SOL=ML | Analgesic narcotic | 2 per day | Х | Х | Χ | Х | | | | | | | | | | Nurse practitioner added 1/1/09. |
| | Injection meperidine & promethazine HCl up to 50mg | Mepergan | Yes | ML | Analgesic combo narcotic | 2 per day | Х | Х | Х | Х | | | | | | | | | | Effective 2/29/24, code is closed. |
| J2182 | Injection, mepolizumab, 1 mg | Nucala | Yes | UN | Anti-asthmatic | None | Х | Х | Х | Х | | | | | | | | | | Effective 12/12/17, ICD-10 diagnosis M30.1 added. 1/1/17. Restricted to ICD-10 45.50. Minimum age of 12 years. |
| | Injection, meropenem (b. braun) not therapeutically equivalent to j2185, 100 mg | NA | Yes | EA | Antibiotic | None | X | Х | X | | | | | | | | | | | Effective 1/1/23. |
| J2185 | Injection meropenem 100 mg | Merrem | Yes | UN | Antibiotic | None | Х | Х | Х | Х | | | | | | | | | | Nurse practitioner added 1/1/09. |
| | Injection methylergonovine maleate up to 0.2mg. | Methergine | Yes | ML | Ergot alkaloid & derivative | 1 per day | Х | Х | Х | | | | | | | | | | | |
| | Injection, micafungin sodium (par pharm) not thereapeutically equivalent to j2248, 1 mg | NA | Yes | EA | Anti-fungal | None | Х | Х | X | | | | | | | | | | | Effective 1/1/23. |
| | Injection, micafungin sodium, 1 mg | Mycamine | Yes | UN | Anti-fungal | 150 units per day | Х | Х | Х | X | | | | | | | | | | New code effective 1/1/07. Nurse practitioner added 1/1/09. |
| J2249 | Injection, remimazolam, 1 mg | Byfavo | Yes | UN | Anesthetic | None | Х | Х | Х | | | | | | | | | | | Effective 7/1/123. |
| | Injection midazolam HCI per 1mg | Versed | N/A | | Benzodiazepine | | | | | | | | | | | | | | | Not Covered. |
| J2251 | Injection, midazolam hydrochloride (wg critical care) not therapeutically equivalent to j2250, per 1 mg | NA | Yes | ML | Benzodiazepine | None | Х | Х | X | | | | | | | | | | | Effective 1/1/23. |
| | Injection milrinone lactate 5mg | Primacor | Yes | ML | Enzyme | None | Х | Х | Х | | | | | | | | | | | |
| | Injection, minocycline hydrochloride, 1 mg. | Minocin | N/A | | | | | | | | | | | | | | | | | Not covered. |
| | Injection morphine sulfate up to 10mg | Roxanol | Yes | ML | Analgesic narcotic | 5 per day | Х | Х | Х | Х | | | | | | | | | | Nurse practitioner added 1/1/09. |
| | Injection morphine sulfate 100mg. | Roxanol | Yes | PWD=UN SOL=ML | Analgesic narcotic | None | Х | Х | Х | | | | | | | | | | | Closed 12/31/14. See J2274 after this date. |

| Code | Description | Brand Name | NDC | NDC unit | Cotogony | Service | AC | CAH | Р | NP | BANA/ | МП | HS | BO | OPI | ні і | חו | DC | Special Instructions |
|-------|---|--|------------------------------------|------------------|------------------------------------|--------------------------|----|-----|---|----|-------|------|----|----|-----|----------|----|----|--|
| Code | Description | Brand Name | req. for drug rebate ? | of measure | Category | Limits | OP | OP | r | NP | WW | IVIN | ПЭ | PO | OPI | | TF | DC | Special instructions |
| | Injection, morphine sulfate (fresenius kabi) not therapeutically equivalent to j2270, up to 10 mg | NA | Yes | ML | Analgesic narcotic | None | Х | Х | Х | | | | | | | | | | Effective 1/1/23. |
| | Injection, morphine sulfate, preservative-free for epidural or intrathecal use, 10mg | | Yes | ML | Analgesic narcotic | None | Х | Х | Х | | | | | | | | | Х | Effective 1/1/15. Must be billed with CPT 62310, 62311, 62318, 62319, 62360, 62361, 62362, 62365, 62367, 62368, 62369, or 62370. |
| J2275 | Injection,morphine sulfate (preservative-free sterile solution)10mg | Astramorph PF Duramorph | Yes | ML | Analgesic narcotic | None | Х | Х | Х | | | | | | | | | Х | Closed 12/31/14. See J2274 after this date. |
| J2277 | Injection, motixafortide, 0.25 mg | Aphexda | Yes | UN | Hematopoietic | None | Х | Х | Х | | | | | | | | | | Effective 4/1/24. Covered to ASC. Minimum 16 years. |
| J2278 | Injection, ziconotide, 1mcg | Prialt | Yes | ML | Analgesic | Max. 500 per day | Х | Х | Х | | | | | | | | | | Change to service limit effective 7/1/17. |
| J2280 | Injection moxifloxacin 100 mg | Avelox | Yes | ML | Antibiotic | 5 per day | Χ | Х | Х | Х | | | | | | | | | |
| J2281 | Injection, moxifloxacin (fresenius kabi) not therapeutically equivalent to j2280, 100 mg | NA | Yes | ML | Antibiotic | None | Х | X | X | | | | | | | | | | Effective 1/1/23. |
| J2300 | Injection nalbuphine HCI per 10mg | Nubain | Yes | PWD=UN SOL=ML | Analgesic narcotic | 6 per day | Х | Х | Х | Х | | | | | | | | | Nurse practitioner added 1/1/09. |
| J2310 | Injection naloxone HCI per 1mg | Narcan | Yes | PWD=UN SOL=ML | Antidote | None | Х | Х | Х | Х | | | | | | | | | Nurse practitioner added 1/1/09. |
| J2315 | Injection, naltrexone, depot form, 1 mg | Depade, ReVia, Vivitrol | Yes | UN | Opioid receptor antagonist | 380 units per 4 weeks | Х | Х | Х | | | Х | | | | | | | Effective 1/1/21, restricted to ICD-10 of F10.20, F10.21, or F11.20 - F11.29. Effective 10/1/2015 ICD-10 diagnosis codes F10.20, F10.21 or F10.229 New code effective 1/1/07. ICD-9 code 303.XX required on claim form. |
| J2320 | Injection nandrolone decanoate up to 50mg. | Decadura- bolin | Yes | PWD=UN SOL=ML | Anabolic steroid | 1 per week | Х | Х | Х | | | | | | | | | | Effective 2/29/24, code is closed. |
| | Injection nandrolone decanoate up to 100mg. | Decadur- abolin Hybolin Decanoate | Yes | PWD=UN SOL=ML | Anabolic steroid | 1 per week | Х | Х | Х | | | | | | | | | Х | |
| J2322 | Injection nandrolone decanoate up to 200mg | Decaduraboli n Neo- burabolic | Yes | ML | Anabolic steroid | 1 per week | Х | Х | X | | | | | | | | | | |
| J2323 | Injection, Natalizumab 1 mg | Tysabri | Yes | ML | Leukocyte Adhesion Inhibitor | None | Х | Х | Х | | | | | | | | | | New code effective 1/1/08. Replaces Q4079. |
| J2325 | Injection, nesiritide, 0.1mg | Natrecor | Yes | UN | Vasodilator | None | Х | Х | | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes I50.20, I50.21, I50.23, I50.30, I50.31, I50.33, I50.40 - I50.43, or I50.9 ICD-9 code 428.0, 428.20, 428.21, 428.23, 428.30, 428.31, 428.33, 428.40, 428.41, or 428.43 required on claim form. Not for office use. |

| | | , | | | | | | | | | | | | | | | | _ | - |
|-------|--|-------------------------------|---|---------------------------|------------------------|---|----------|----|---|----|----|----|----|----|-----|---|-------|---|---|
| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | OP | P | NP | MW | МН | HS | PO | ОРН | H | II ID | | C Special Instructions |
| J2326 | Injection, nusinersen 0.1 mg. | Spinraza | Yes | SOL=ML | Genetic therapy | N/A | Х | Х | | | | | | | | | | | Effective 1/1/18. Contact Kepro at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteia. |
| J2327 | Injection, risankizumab- rzaa, 1 mg. | Skyrizi | Yes | ML | Monoclonal antibody | NA | Х | Х | Х | | | | | | | | | | Effecive 3/1/23. Contact Kepro at 800-346-8272 for prior authorization requests. |
| J2329 | Injection, ublituximab- xiiy, 1mg | Briumvi | Yes | ML | Multiple Sclerosis | None | Х | Х | Х | | | | | | | | | | Effective 7/1/23. Restricted to ICD-10 G35. |
| J2350 | Injection, ocrelizumab, 1 mg. | Ocrevus | Yes | ML | Multiple Sclerosis | 600 units daily | Х | Х | Х | | | | | | | | | | Effective 1/1/18. Restricted to ICD-10 G35. Minimum age of 16 years. |
| J2353 | Injection octreotide depot form for IM 1mg | Sandostatin | Yes | UN | Antidiarrheal | None | Х | Χ | Х | | | | | | | | | | |
| | Injection onctreotide non- depot form for SQ or IV 25 mcg | Sandostatin | Yes | ML | Antidiarrheal | 1 unit X 7 consecutive days - lifetime | X | X | X | | | | | | | | | | For IV route only. Physician reimbursement for administration is limited to 1 unit X 7 consecutive days per lifetime. |
| J2355 | Injection oprelvekin 5 mg | Neumega | Yes | UN | Platelet growth factor | 2 per day | Х | Х | Х | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes D69.51 or D69.59 ICD-9 code 287.4 required on claim form. |
| J2356 | Injection, tezepelumab- ekko, 1 mg | Tezspire | Yes | ML | Anti-asthmatic | None | Х | Х | Х | Х | | | | | | | | | Effective 7/1/22. Restricted to ICD-10 J45.50 or J45.52. Minimum age of 12 years. |
| J2357 | Injection omalizumab 5 mg. | Xolair | Yes | UN | Anti-asthmatic | None | Х | Х | Х | | | | | | | | | | Effective 7/6/16, Minimum age restriction of 6 years. 10/1/2015 ICD-10 diagnosis codes J44.0, J44.1, J44.9, J45.20 - J45.22, J45.30 - J45.32, J45.40 - J45.42, J45.50 - J45.52, J45.901, J45.909, J45.990, J45.991, J45.998 or L50.1 Effective 3/21/14, ICD-9 diagnosis of 708.1 added. ICD-9 code 493.XX required on claim form. For children: the first dose may be split into 2 doses the first week. |
| | Injection, olanzapine, long-acting, 1 mg. | Zyprexa Relprevv | Yes | UN | Antipsychotic | Maximum service limit 405 u. monthly | Х | Х | Х | Х | | Х | | | | Х | | | Effective 10/1/2015 ICD-10 diagnosis codes F20.0 - F20.3, F20.5, F20.81, F20.89, F20.9 or F25.9 New code effective 1/1/11. Restricted to ICD-9 diagnosis 295.00 - 295.95. Restricted to age 18 and above. |
| J2360 | Injection orphenadrine citrate up to 60 mg. | Norflex | Yes | PWD=UN SOL=ML | Muscle relaxant | 1 per day | Х | Х | Х | | | | | | | | | | |
| J2370 | Injection phenylephrine HCl up to 1ml | Neo- Synephrine | Yes | ML | Adrenergic agonist | 1 per day | Х | Х | Х | | | | | | | | | | Closed 6/30/23. See J2371 or J2372. |
| J2371 | Injection, phenylephrine hydrochloride, 20 micrograms | NA | Yes | ML | Adrenergic agonist | None | Х | Х | Х | | | | | | | | | | Effective 7/1/23. |
| | Injection, phenylephrine hydrochloride (biorphen), 20 micrograms | Biorphen | Yes | ML | Adrenergic agonist | None | Х | X | Х | | | | | | | | | | Effective 7/1/23. |
| J2400 | Injection chloroprocaine HCl 30ml | Nesacaine Nesacaine MPF | Yes | ML | Local Anesthetic | 1 per day | Х | Х | Х | | | | | | | | | | Closed 12/31/22. See J2401 or J2402 after this date. |

| Code | Description | Brand Name | NDC req. | NDC unit | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | OPH | Н | ID TF | DC | Special Instructions |
|-------|---|---------------------------|-----------------------|------------------|------------------------|--|----------|-----------|---|----|----|----|----|----|-----|---|----------|----|--|
| | | | for drug rebate | measure | | | | | | | | | | | | | | | |
| | | | ? | | | | | | | | | | | | | | | | |
| J2401 | Injection, chloroprocaine hydrochloride, per 1 mg | NA | Yes | ML | Local Anesthetic | None | Х | Х | X | | | | | | | | | | Effective 1/1/23. |
| | Injection, chloroprocaine hydrochloride, per 1 mg | Clorotekal | Yes | ML | Local Anesthetic | None | Х | Х | Х | | | | | | | | | | Effective 1/1/23. |
| J2405 | Injection ondansetron HCl 1mg | Zofran | Yes | PWD=UN SOL=ML | Antiemetic | 32 per day | Х | Х | Х | | | | | | | | | | |
| J2406 | Injection, oritavancin, 10 mg | Kimyrsa | Yes | UN | Antibiotic | 120 units daily | Х | Х | Х | Х | | | | | | | | | Effective 10/1/21. Minimum age of 18 years. |
| | Injection, oritavancin, 10 mg | Orbactiv | Yes | UN | Antibiotic | None | Х | Х | | | | | | | | | | | Effective 1/1/16. Restricted to diagnosis ICD-10 B78.1, K12.2, L01.00 - L01.03, L01.09, L01.1 - L02.03, L02.11 - L02.13, L02.211 - L02.216, L02.219, L02.221 - L02.226, L02.229, L02.231 - L02.326, L02.239, L02.31 - L02.33, L02.411 - L02.416, L02.419, L02.421 - L02.426, L02.429, L02.431 - L02.436, L02.439, L02.511, L02.512, L02.519, L02.521, L02.522, L02.529, L02.531, L02.532, L02.539, L02.611, L02.612, L02.619, L02.621, L02.629, L02.629, L02.631, L02.639, L02.639, L02.811, L02.818, L02.821, L02.828, L02.831, L02.838, L02.91 - L02.93, L03.011, L03.012, L03.019, L03.021, L03.022, L03.029, L03.031, L03.032, L03.039, L03.041, L03.042, L03.049, L03.111 - L03.116, L03.119, L03.121 - L03.126, L03.129, L03.211, L03.212, L03.222, L03.222, L03.331 - L03.316, L03.317, L03.319, L03.321 - L03.326, L03.327, L03.329, L03.811, L03.818, L03.891, L03.898, L03.90, L03.91, L04.0 - L04.3, L04.8, L04.9, L05.01, L05.02, L05.91, L05.92, L08.0, L08.81, L08.82, L08.89, L08.9, L88, L92.8, L98.0 or L98.3. Minimum age of 18 years. |
| J2410 | Injection oxymorphone HCl up to 1 mg | Numorphan | Yes | ML | Analgesic- narcotic | 9 per day | Х | Х | Х | | | | | | | | | | |
| J2425 | Injection, palifermin, 50 mcg | Kepivance Keratinocyte | Yes | UN | Growth factor | None | Х | Х | Х | | | | | | | | | | 3 days before + 3 days after chemo. |
| J2426 | Injection, paliperidone palmitate extended release, 1 mg. | Invega Sustenna | Yes | ML | Antipsychotic | Maximum service limit 234 u. daily | Х | Х | Х | | | Х | | | | | Х | | Effective 10/1/2015 ICD-10 diagnosis codes F20.0 - F20.3, F20.5, F20.81, F20.89, F20.9 or F25.9 New code effective 1/1/11. Restricted to ICD-9 diagnosis 295.00 - 295.95. Restricted to age 18 and above. |
| J2430 | Injection, pamidronate disodium 30 mg | Aredia | Yes | PWD=UN SOL=ML | Antidote | None | Х | Х | Х | | | | | | | | | | |
| | Injection papaverine HCL up to 60 mg. | Para-Time SR | N/A | | Vasodilator | | | | | | | | | | | | | | Not covered |
| | Injection oxytetracycline HCl up to 50 mg | Terramycin | Yes | UN | Antibiotic | 4 per day | Х | Х | Х | | | | | | | | | | |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | Р | NP | MW | / M | IH F | HS | PO | ОРН | НІ | I ID | | C Special Instructions |
|-------|---|------------|---|---------------------------|-----------------------|--------------------|----------|-----------|---|----|----|-----|------|----|----|-----|----|------|---|--|
| J2469 | Injection palonesetron HCl 25mcg | Aloxi | Yes | ML | Antiemetic | None | X | X | X | | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes C00.0 - C00.9, C01, C02.0 - C02.9, C03.0, C03.1, C03.9, C04.0, C04.1, C04.8, C04.9, C05.0 - C05.2, C05.8, C05.9, C06.0 - C06.2, C06.80, C06.89, C06.9, C07, C08.0, C08.1, C08.9, C09.0, C09.1, C09.8, C09.9, C10.0 - C10.9, C11.0 - C11.3, C11.8, C11.9, C12, C13.0 - C13.2, C13.8, C13.9, C14.0, C14.2, C14.8, C15.3 - C15.5, C15.8, C15.9, C16.0 - C16.6, C16.8, C16.9, C17.0 - C13.2, C13.8, C13.9, C14.0, C14.2, C14.8, C15.3 - C15.5, C15.8, C15.9, C16.0 - C16.6, C16.6, C16.8, C16.9, C17.0 - C17.3, C17.8, C17.9, C18.0 - C18.9, C19.0, C21.0 - C21.2, C21.8, C22.0 - C22.4, C22.7 - C22.9, C23, C24.0, C24.1, C24.8, C24.9, C25.0 - C25.4, C25.7 - C25.9, C26.0, C26.1, C26.9, C30.0, C30.1, C31.0 - C31.3, C31.8, C31.9, C32.0 - C32.3, C32.8, C32.9, C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.2, C34.30 - C34.32, C33.8, C32.9, C33.9, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92, C37, C38.0 - C38.8, C39.0, C39.9, C40.00 - C40.02, C40.10 - C40.12, C40.20 - C40.22, C40.30 - C40.32, C40.80 - C40.82, C40.90 - C40.92, C41.0 - C41.4, C43.0, C43.10 - C43.12, C43.20 - C43.22, C43.30, C43.31, C43.39, C43.31, C43.51, C43.52, C43.59 - C43.62, C43.62, C44.10, C44.12, C44.120, C44.221, C44.221, C44.222, C44.222, C44.222, C44.292, C44.292, C44.290, C44.300, C44.301, C44.301, C44.301, C44.301, C44.301, C44.301, C44.301, C44.301, C44.301, C44.501, C44.502, C44.502, C44.599, C44.501, C44.699, C44.602, C44.604, C44.602, C44.602, C44.603, C44.602, C44.603, C44.602, C44.603, C4 |
| J2501 | Injection paricalcitol 1 | Zemplar | Yes | ML | Vitamin D
analog | None | Х | Х | Х | | | | | | | | | | 7 | C64.99, C64.A9 - C64.A9, C64.29 - C64.29, C65.10 - C65.29, C65.80 - C65.99, C66.0 - C66.6, C66.2 - C66.4, C67.99 - C66.09
| J2503 | Injection, pegaptanib sodium, 0.3 mg | Macugen | Yes | ML | Ophthmalogic Agent | 1 every 6 weeks | Х | Х | | | | | | | | Х | | | | Closed 6/30/22. Effective 10/1/2015 ICD-10 diagnosis code H35.32 plus CPT 67028-RT or 67028-LT required on claim form. ICD-9 code 362.52 plus CPT 67028-RT or 67028-LT required on claim form. |
| J2504 | Injection, pegademase bovine, 25 mcg | Adagen | Yes | ML | Enzyme | None | Х | Х | X | | | | | | | | | | | Effective 2/29/24, code is closed. Effective 10/1/2015 ICD-10 diagnosis codes D80.0 - D80.9, D81.0 - D81.2, D81.4, D81.6, D81.7, D81.89, D81.9, D82.0 - D82.4, D82.8, D82.9, D83.0 - D83.2, D83.8, D83.9, D84.0, D84.1, D84.8, D84.9, D89.3, D89.810 - D89.813, D89.82, D89.89 or D89.9 ICD-9 code 279.XX required on claim form. ICD-9 restriction of 279.41 and 279.49 added, effective 10/1/09. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | ОРН | I F | ID I | DC | Special Instructions |
|-------|---|--------------------------|---|---------------------------|---------------------------------|--------------------|----------|-----------|---|----|----|----|----|----|-----|-----|------|----|--|
| J2505 | Injection pegfilgrastim 6mg | Neulasta | Yes | ML | Colony stimulating factor | 1 per day | Х | Х | Х | | | | | | | | | | Closed 12/31/21. See J2506 after this date. |
| | Injection, pegfilgrastim, excludes biosimilar, 0.5 mg | Neulasta | Yes | ML | Colony stimulating factor | 12 per day | Х | Х | Х | | | | | | | | | | Effective 1/1/22. |
| J2507 | Injection, pegloticase, 1 mg. | Krystexxa | Yes | ML | Hyperuricemic | 16 units per month | X | X | X | X | | | | X | | × | | | Effective 10/1/2015 ICD-10 diagnosis codes M10.00, M10.011, M10.012, M10.019, M10.021, M10.022, M10.029, M10.031, M10.032, M10.039, M10.041, M10.069, M10.112, M10.129, M10.131, M10.132, M10.139, M10.141, M10.142, M10.149, M10.151, M10.152, M10.159, M10.161, M10.162, M10.169, M10.171, M10.172, M10.179, M10.18, M10.29, M10.201, M10.221, M10.229, M10.231, M10.239, M10.234, M10.241, M10.242, M10.269, M10.261, M10.262, M10.269, M10.271, M10.272, M10.279, M10.26, M10.261, M10.262, M10.269, M10.271, M10.272, M10.279, M10.28, M10.29, M10.30, M10.311, M10.312, M10.319, M10.321, M10.322, M10.329, M10.331, M10.332, M10.339, M10.341, M10.352, M10.359, M10.369, M10.369, M10.369, M10.371, M10.371, M10.372, M10.389, M10.389, M10.389, M10.341, M10.352, M10.359, M10.369, M10.361, M10.362, M10.371, M10.371, M10.372, M10.389, M10.341, M10.342, M10.439, M10.341, M10.442, M10.442, M10.442, M10.443, M10.442, M10.442, M10.443, M10.442, M10.444, M10.442, M10.449, M10.451, M10.452, M10.459, M10.469, M10.469, M10.471, M10.472, M10.479, M10.489, M10.49, M10.9, M10.400, M1A.0021, M1A.0021, M1A.0021, M1A.0021, M1A.0021, M1A.0021, M1A.0031, M1A.0310, M1A.0311, M1A.0320, M1A.0321, M1A.0321, M1A.0320, M1A.0321, M1A.0320, M1A.0321, M1A.0320, M1A.0321, M1A.0321, M1A.0320, M1A.0321, M1A.0331, M1A.3321, M1A.3321, M1A.3321, M1A.3321, M1A.3321, M1A.3321, M1A.3321, M1A.3321, M1A.3321, M1A.3320, M1A.3321, M1A.3320, M1A.3321, M1A.3321, M1A.3320, M1A.3321, M1A.3321, M1A.3320, M1A.3321, M1A.3320, M1A. |
| J2510 | Injection penicillinG procaine aqueous up to 600K U | Wycillin Pfizerpen AS | Yes | ML | Antibiotic | None | Х | Х | Х | | | | | | | | | | |
| J2513 | Injection, pentastarch, 10% solution, 100 ml | Pentaspan | N/A | | Plasma volume expander | | | | | | | | | | | | | | Not covered. |
| J2515 | Injection pentobarbital sodium per 50 mg. | Nembutal | Yes | PWD=UN SOL=ML | Anti-convulsant | 10 per day | Х | Х | Х | | | | | | | | | | Not covered effective 12/31/07 |

| | | | | | | | | | _ | | Leco | | 1 | T - | | | | | | |
|-------|--|------------------------|---|---------------------------|---|--------------------|----------|----|---|----|------|----|----|-----|----|----|---|----------|----|---|
| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | OP | P | NP | MW | МН | HS | PO | OP | PH | | ID TF | DC | Special Instructions |
| | Injection penicillinG potassium up to 600K U | Pfizerpen | Yes | PWD=UN SOL=ML | Antibiotic | None | Х | Х | Х | | | | | | | | | | | |
| | Injection piperacillin sodium/tazobactam sodium 1g/0.125g (1.125 g) | Zosyn | Yes | PWD=UN SOL=ML | Antibiotic | 24 per day | Х | Х | Х | | | | | | | | | | | |
| | Pentamidine isethionate inhalation solution 300mg | Nebupent Pentam 300 | Yes | | Antibiotic | None | Х | Х | Х | Х | | | | | | | | | | Effective 5/1/21. |
| J2547 | Injection, peramivir, 1 mg | Rapivab | Yes | ML | Anti-influenza | 600 units daily | Х | Х | Х | Х | | | | | | | | | | Effective 1/1/16. Restricted to diagnosis ICD-10 J09.X1 - J09.X3, J09.X9, J10.00, J10.01, J10.08, J10.1, J10.2, J10.81, J10.89, J11.00, J11.08, J11.1, J11.2, J11.81 or J11.89. Minimum of 18 years. |
| J2550 | Injection promethazine HCl up to 50mg | Phenergan Prorex-25 | Yes | PWD=UN SOL=ML | Antiemetic | 6 per day | Х | Х | Х | Х | | | | | | | | | Χ | |
| | Injection phenobarbital sodium up to 120mg | Luminal Sodium | Yes | PWD=UN SOL=ML | Anti-convulsant | 3 per day | Х | Х | Х | | | | | | | | | | | 20/mg/kg for status epilepticus. |
| | Injection, phenobarbital sodium (sezaby), 1 mg | NA | Yes | UN | Anti-convulsant | None | Х | Х | Х | | | | | | | | | | | Effective 7/1/23. |
| J2562 | Injection, plerixafor, 1 mg. | Mozobil | Yes | ML | Hematopoietic | None | × | X | X | | | | | | | | X | | | Effective 1/1/15 diagnosis of ICD-9 201.00 - 201.78 added to original diagnosis restriction. Effective 10/1/15 diagnosis of ICD-10 C81.00, C81.01, C81.02, C81.03, C81.04, C81.05, C81.06, C81.07, C81.08, C81.09, C81.10, C81.11, C81.12, C81.13, C81.14, C81.15, C81.16, C81.17, C81.18, C81.19, C81.20, C81.21, C81.23, C81.23, C81.24, C81.25, C81.26, C81.27, C81.28, C81.29, C81.30, C81.31, C81.32, C81.33, C81.34, C81.35, C81.36, C81.37, C81.38. C81.39, C81.40, C81.41, C81.42, C81.43, C81.44, C81.45, C81.46, C81.47, C81.48, C81.49, C81.70, C81.71, C81.72, C81.73, C81.74, C81.75, C81.76, C81.77, C81.78, C81.79 added to original diagnosis restriction. Effective 10/1/2015 ICD-10 diagnosis codes C82.07, C82.17, C82.00 - C82.69, C82.80 - C82.99, C83.01-C83.08, C83.10 - C83.19, C83.30 - C83.39, C83.50 - C83.59, C83.70 - C83.99, C84.00 - C84.19, C84.40 - C84.49, C84.60 - C84.79, C84.90 - C84.99, C84.A0 - C84.A9, C84.20 - C84.29, C85.10 - C85.29, C85.80 - C85.99, C86.0 - C86.4, C86.6, C88.2 - C88.4, C88.8, C88.9, C90.00 - C90.02, C90.10 - C90.12, C90.20 - C90.22, C90.30 - C90.32, C91.40 - C91.42, C96.0, C96.2, C96.A, C96.9 Effective 1/1/10. Restricted to ICD-9 diagnosis 200.00 - 200.88, 201.00 - 201.98, 202.00 - 202.98, 203.00 - 203.82. Must be billed with J1440 (closed, see J1442), J1441 (closed, see J1442), J1442 (added effective 1/1/14), or J2505 (granulocyte colony stimulating factor). Restrict to 18 years and above. |
| | Injection oxytocin up to 10U. | Pitocin | Yes | ML | Oxytocic agent | 4 per day | Х | | Х | | | | | | | | | | | May increase to maximum 4 units for post partum hemorrhage. |
| | Injection desmopressin acetate 1mcg | DDAVP Stimate | Yes | ML | Anti-diuretic | None | Х | Х | | | | | | | | | | | | Effective 7/1/19. |
| | Injection, vasopressin (american regent) not therapeutically equivalent to j2598, 1 unit | NA | Yes | ML | Anti- diuretic/vasopre sser combo | None | Х | Х | Х | | | | | | | | | | | Effective 7/1/23. |

| <u> </u> | | | | | | | | | - | | | | T | | T | | т | | | |
|----------|---|---|---|---------------------------|--|-------------------|----------|----|---|----|----|----|----|----|-----|---|---|------|----|---|
| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | OP | P | NP | MW | МН | HS | PO | OPH | 1 | | ID I | DC | Special Instructions |
| J2650 | Injection prednisolone acetate up to 1ml | AK-Pred Inflammase Forte Pediapred Prelone Key-Pred Predcor Predoject Predalone | Yes | PWD=UN SOL=ML | Anti- inflammatory | None | Х | Х | X | | | | | | | | | | | |
| J2670 | Injection tolazoline HCl up to 25mg | Priscoline | Yes | PWD=UN SOL=ML | Alpha- adrenergic blocking agent | 8 per day | Х | Х | Х | | | | | | | | | | | Effective 2/29/24, code is closed. |
| J2675 | Injection progesterone 50 mg | Crinone Progestasert | Yes | OIL=ML PWD=UN | Progestin | 8 per day | Х | Х | Х | Х | Х | | | | | | | | | Not for fertility treatment and diagnosis. For menorrhagia, amenorrhea. |
| J2680 | Injection fluphenazine decanoate up to 25mg | Prolixin Decanoate | Yes | OIL=ML PWD=UN | Anti-psychotic | 2 per day | Х | Х | Х | Х | | Х | | | | | | | Χ | Nurse practitioner added 1/1/09. |
| J2690 | Injection procainamide HCl up to 1g | Pronestyl Procanbid | Yes | PWD=UN SOL=ML | Anti-arrhythmic | None | Х | Х | Х | | | | | | | | | | | Weight based 50mg/kg/day. |
| J2700 | Injection oxacillin sodium up to 250mg | Bactocill Prostaphlin PCN Methyl-phenyl Isoxazolyl | Yes | PWD=UN SOL=ML | Antibiotic | None | Х | Х | X | | | | | | | | | | | |
| J2704 | Injection, propofol, 10 | Diprivan | Yes | ML | Sedative Hypnotic | none | Х | Х | Х | | | | | | | | | | | Effective 1/1/15. |
| J2710 | Injection neostigmine methylsulfate up to 0.5 mg | Prostigmin | Yes | PWD=UN SOL=ML | Acetychol- inesterase inhibitor | 4 per day | Х | Х | Х | | | | | | | | | | | |
| J2720 | Injection protamine sulfate 10mg | | Yes | PWD=UN SOL=ML | Antidote for heparin | None | Х | Х | Х | | | | | | | | | | | |
| J2724 | Injection, Protein C Concentrate, IV, Human, 10 IU | Ceprotin | Yes | UN | Thrombolytic agent | None | Х | Х | Х | | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes D68.51, D68.59 or D68.62 New code effective 1/1/08. Home Infusion added as provider, effective 1/1/10. Restricted to ICD-9 diagnosis code 289.81. |
| J2725 | Injection protirelin 250 mcg | Relefact TRH Thypi-nome | Yes | PWD=UN SOL=ML | Diagnostic agent | 2 per day | Х | Х | Х | | | | | | | | | | | |
| J2730 | Injection pralidoxime chloride up to 1g | Protopam Chloride | Yes | UN | Antidote | None | Х | Х | Х | | | | | | | | | | | |
| | Injection phentolamine mesylate up to 5mg | Regitine | N/A | | Diagnostic agent | 1 per day | | | | | | | | | | | | | | Not covered |
| J2765 | Injection metoclopramide HCl up to 10mg | Reglan | Yes | PWD=UN SOL=ML | Antiemetic | 8 per day | Х | Х | Х | X | | | | | | | | | | |
| J2770 | Injection quinupristin/dalfopristin 500mg (150/350) | Synercid | N/A | | Antibiotic | | | | | | | | | | | | | | | Not Covered |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | OP | CAH OP | | NP | MW | МН | I HS | PO | ОРН | ŀ | ID I | DC | Special Instructions |
|-------|--|------------|---|---------------------------|--|-------------------|----|-----------|---|----|----|----|------|----|-----|---|------|----|--|
| J2777 | Injection, faricimab-svoa, 0.1 mg | Vabysmo | Yes | ML | VEGF inhibitor | None | X | X | X | | | | | | | | | | Effective 10/26/23, ICD-10 H34.8110, H34.8120, H34.8130, H34.8310, H34.8320, H34.8330 added. Effective 10/1/22. Restricted to ICD-10 H35.3210 - H35.3213, H35.3220 - H35.3223, H35.3230 - H35.3233, H35.3290 - H3293 or E08.311, E08.3211 - E08.3213, E08.3311 - E08.3313, E08.3411 - E08.3413, E08.3511 - E08.3513, E09.311, E09.3211 - E09.3213, E09.3311 - E09.3411 - E09.3413, E09.3511 - E09.3513, E10.311, E10.3211 - E10.3213, E10.3311 - E10.3313, E10.3411 - E10.3413, E10.3511 - E10.3513, E11.311, E11.3211 - E3213, E11.3311 - E11.3313, E11.3411 - E11.3413, E11.3511 - E11.3513, E13.3311, E13.3211 - E13.3213, E13.3411 - E13.3413, E13.3511 - E13.3513. Minimum age of 16 years. |
| J2778 | Inection, ranibizumab 0.1 mg. | Lucentis | Yes | ML | Neovascular- Age related Macular Degeneration | None | X | x | | | | | | | x | | | | Effective 10/1/16, ICD-10 diagnosis restrictions of E08.3211, E08.3212, E08.3213, E08.3291, E08.3292, E08.3293, E08.3311, E08.3312, E08.3313, E08.3391, E08.3392, E08.3393, E08.3411, E08.3412, E08.3413, E08.3491, E08.3492, E08.3493, E08.3713, E09.3312, E09.3312, E09.3312, E09.3312, E09.3392, E09.3393, E09.3212, E09.3291, E09.3393, E09.3313, E09.3391, E09.3392, E09.3393, E09.3411, E09.3412, E09.3413, E09.3492, E09.3493, E09.3473, E09.3772, E09.3773, E10.3211, E10.3212, E10.3213, E10.3291, E10.3292, E10.3293, E10.3341, E10.3341, E10.3312, E10.3391, E10.3392, E10.3393, E10.3411, E10.3212, E10.3293, E10.3491, E10.3493, E10.3511, E10.3512, E10.3513, E10.3521, E10.3522, E10.3523, E10.3531, E10.3592, E10.3553, E10.3551, E10.3552, E10.3553, E10.3551, E10.3592, E10.3593, E10.3774, E10.3772, E10.3783, E11.3211, E11.3212, E11.3213, E11.3292, E11.3293, E11.3311, E11.3312, E11.3313, E11.3391, E11.3392, E11.3393, E11.3411, E11.3512, E11.3513, E11.3522, E11.3523, E11.3533, E11.3511, E11.3512, E11.3513, E11.3552, E11.3553, E11.3553, E11.3592, E11.3593, E11.3774, E11.3772, E11.3773, E13.3211, E13.3312, E13.3313, E13.3391, E13.3392, E13.3393, E13.3391, E13.3393, E13.3391, E13.3393, E13.3391, E13.3392, E13.3393, E13.3391, E13. |
| J2779 | Injection, ranibizumab, via intravitreal implant, 0.1 mg | Susvimo | Yes | ML | VEGF inhibitor | None | Х | Х | Х | | | | | | | | | | Effective 7/1/22. Restricted to ICD-10 H35.3210 - H35.3212, H35.3220 - H35.3222, H35.3230 - H35.3232, H35.3290 - H35.3292. |
| J2780 | Injection ranitidine HCI 25mg | Zantac | Yes | PWD=UN SOL=ML | Anti-histamine | 6 per day | Х | Х | Х | | | | | | | | | | |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | OPF | · · | | D C | C Spec | cial Instructions |
|-------|--|---|---|---------------------------|---------------------------------|---------------------------------|----------|-----------|---|----|----|----|----|----|-----|-----|---|-----|--------------|--|
| J2781 | Injection, pegcetacoplan, intravitreal, 1 mg | Syfovre | Yes | ML | complement inhibitor | 30 units daily | Х | Х | Х | | | | | | | | | | | ective 10/1/23. tricted to ICD-10 H35.3113, H35.3123, H35.3133 or H35.3114, H35.3124, H35.3134. |
| J2782 | Injection, avacincaptad pegol, 0.1 mg | Izervay | Yes | UN | complement inhibitor | 40 units daily | Х | Х | X | | | | | | | | | | | ective 4/1/24. Covered to ASC. tricted to ICD-10 H35.3113, H35.3123, H35.3133, H35.3114, H35.3124, or H35.3134. |
| J2783 | Injection rasburicase 0.5 mg | Elitek | Yes | UN | Enzyme | None | Х | Х | Х | | | | | | | | | | | |
| J2785 | Injection, regadenoson, 0.1 mg. | Lexiscan | Yes | ML | Vasodilator | limited to 18 years or older | Х | Х | Х | | | | | | | | ; | X | New | v code effective 1/1/09. Approved for physicians and to IDTF. effective 1/1/09. |
| J2786 | Injection, reslizumab, 1 mg | Cinqair | Yes | ML | Anti-asthmatic | None | Х | Х | Х | Х | | | | | | | | | Effec | active 1/1/17. Restricted to ICD-10 45.50. Minimum age of 18 years. |
| | Injection Rhod immune globulin human minidose 50 mcg | MicrhoGam HyperRho S/D | Yes | EA=UN SOL=ML | Immune globulin | none | Х | Х | Х | Х | Х | | | | | | | | Effec | ective 4/1/13. Replacing 90385. |
| | Injection Rhod immune globuliln human full dose 300 mcg | Gamulin RH HyperRho S/D Rhogam | Yes | EA=UN SOL=ML | Immune globulin | none | Х | Х | X | X | Х | | | | | | | | Effec | ective 4/1/13. Replacing 90384. |
| J2791 | Rhophylac Injection - Injection, Rho(d) immune globulin (human), 100 IU | Rhophylac | Yes | ML | Immune globulin | None | Х | Х | Х | X | Х | | | | | | | | New 3/1/0 | v code effective 1/1/08. Replaces Q4089. Open to physician, nurse practitioner, and midwife, effective 08. |
| J2792 | Injection RhoD immune globulin IV human solvent detergent 100 IU | Winrho SDF | N/A | ML | Immune globulin | 1 unit daily | | Х | | | | | | | | | | | Effec | ective 1/1/13. |
| J2793 | Injection, rilonacept, 1 mg. | Arcalyst | Yes | UN | Anti- inflammatory | none | Х | Х | Х | Х | | | | | |) | X | | | sed 6/30/20. No drug manufacturer participation in federal drug rebate program. ctive 1/1/10. |
| J2794 | Injection Risperidone long acting 0.5mg | Risperdal Consta IM | Yes | UN | Anti-psychotic | 100 units every 2 weeks | Х | Х | Х | Х | | Х | | | | | | | | ective 10/1/2015 ICD-10 diagnosis codes F20.0 - F20.3, F20.5, F20.81, F20.89, F20.9 or F25.9 -9 code 295XX.required on claim form. Age limit 18>years. Nurse practitioner added 1/1/09. |
| J2795 | Injection ropivacaine HCI 1mg | Naropin | N/A | | Local Anesthetic | | | | | | | | | | | | | | Not C | Covered |
| J2796 | Injection, romiplostim, 10 mcg. | Nplate | Yes | UN | Hematopoietic | none | Х | | X | Х | | | | | | | | | Effec | active 12/1/19, IDC-10 D69.59 added. active 10/1/2015 ICD-10 diagnosis codes D47.3, D69.3, D69.41, D69.42, D69.49 or D69.6 active 1/1/12, age restriction of 18 years removed. Effective 1/1/10. Restricted to ICD-9 diagnosis .30 - 287.33. Restrict to age 18 and above. |
| J2800 | Injection methocarbamol up to 10ml | Robaxin | Yes | PWD=UN SOL=ML | Skeletal muscle relaxant | 3 per day | Х | Х | X | | | | | | | | | | | |
| J2805 | Injection, sincalide, 5 mcg | Kinevac | Yes | UN | Diagnostic agent | None | Х | Х | | | | | | | | | 7 | Х | Clos | sed 8/31/19. No drug manufacturers partitipating in federal drug rebate program. |
| J2810 | Injection theophylline 40 mg | Theo-Dur | N/A | | Broncho-dilator | | | | | | | | | | | | | | Not C | Covered |
| J2820 | Injection sargramostim (GM-CSF) 50mcg | Leukine Prokine | Yes | PWD=UN SOL=ML | Colony stimulating factor | 20 per day | Х | Х | Х | | | | | | | | | | | |

| | r | T | | | | | | | | | | | | | | | | | T |
|-------|--|-------------------------------------|---|---------------------------|-----------------------------|-------------------|----------|----|---|----|----|----|----|----|-----|---|----------|----|---|
| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | OP | Р | NP | MW | МН | нѕ | PO | ОРН | Н | ID TF | DC | Special Instructions |
| J2840 | Injection, sebelipase alfa, 1 mg | Kanuma | Yes | ML | Enzyme replacement | None | Х | Х | Х | | | | | | | | | | Effective 1/1/17. |
| J2850 | Injection, secretin, synthetic, human, 1 mcg | | Yes | UN | Hormonal Replacement | None | Х | Х | | | | | | | | | Х | | Use with CPT 43271, 89105, or 82938 |
| | Injection, siltuximab, 10 mg | Sylvant | Yes | UN | Monoclonal antibody | None | Х | Х | Х | | | | | | | | | | Effective 1/1/16. Restricted to diagnosis ICD-10 R59.0, R59.1, or R59.9. Minimum age of 18 years. |
| | Injection aurothioglucose up to 50mg | Solganal | Yes | ML | Anti- inflammatory | 1 per day | Х | Х | X | | | | | | | | | | Effective 2/29/24, code is closed. |
| J2912 | Injection sodium chloride 0.9% per 2ml | | N/A | | | None | | | | | | | | | | | | | CMS closed code effective 12/31/06 |
| | Injection, sodium ferric gluconate complex in sucrose injection, 12.5mg | Ferrlecit | Yes | ML | Iron supplement | 20 per day | Х | Х | X | | | | | | | | | Х | |
| J2919 | Injection, methylprednisolone sodium succinate, 5 mg | NA | Yes | UN | Anti- inflammatory | None | Х | Х | X | | | | | | | | | | Effective 4/1/24. |
| | Injection methylprednisolone sodium succinate up to 40mg | SoluMedrol Ametha-Pred | Yes | UN | Anti- inflammatory | None | Х | Х | Х | Х | | | | | | | | | Closed 3/31/24. |
| | Injection methlprednisolone sodium succinate up to 125mg | SoulMedrol Ametha-Pred | Yes | UN | Anti- inflammatory | None | Х | Х | Х | Х | | | | | | | | | Closed 3/31/24. |
| J2940 | Injection somatrem 1mg | Protropin | N/A | | Growth hormone | | | | | | | | | | | | | | Not Covered |
| J2941 | Injection somatropin 1mg | Humatrope Genotropin Nutropin | N/A | | Growth hormone | | | | | | | | | | | | | | Not Covered |
| J2950 | Injection promazine HCl up to 25mg | Sparine Prozine-50 | Yes | PWD=UN SOL=ML | Anti-psychotic Analgesic | 40 per day | Х | Х | Х | | | Х | | | | | | | Effective 2/29/24, code is closed. |
| J2993 | Injection reteplase 18.1 mg | Retavase | Yes | UN | Fibrinolytic | none | Х | Х | Х | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes I21.01, I21.02, I21.09, I21.11, I21.19, I21.21, I21.29, I21.3, I21.4, I22.0 - I22.2, I22.8 or I22.9 Restricted to ICD-9 diagnoses 410.00 - 410.92; with minimum age 18 years and above, effective 1/1/10. |
| J2995 | Injection streptokinase per 250KIU | Streptase | Yes | UN | Fibrinolytic | 4 per day | Х | Х | Х | | | | | | | | | | Effective 2/29/24, code is closed. |
| | Injection alteplase recombinant 1mg | Activase | Yes | | Fibrinolytic | | Х | Х | | | | | | | | | | | Effective 10/1/13. |
| J3000 | Injection streptomycin up to 1g | Streptomy-cin Sulfate | Yes | UN | Antibiotic | 2 per day | Х | Х | Х | | | | | | | | | | |
| J3010 | Injection fentanyl citrate 0.1mg | Sublimaze Duragesic | Yes | PWD=UN SOL=ML | Analgesic narcotic | 1 per day | Х | Х | | | | | | | | | | | |
| J3030 | Injection sumatriptan succinate 6mg | Imitrex | N/A | | Antimigraine | 1 per day | | | | | | | | | | | | | Not covered |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | ОРН | НІ | ID TF | DC | Special Instructions |
|-------|--|-------------|---|---------------------------|---------------------------------|------------------------|----------|-----------|---|----|----|----|----|----|-----|----|----------|----|---|
| J3032 | Injection, eptinezumab- jjmr, 1 mg | Vyepti | Yes | ML | Antimigraine | 300 units daily | Х | Х | Х | | | | | | | | | | Effective 10/1/20. Restricted to ICD-10 G43.001 - G43.919, G43.B0, G43.B1. Minimum age of 16 years. |
| J3055 | Injection, talquetamab- tgvs, 0.25 mg | Talvey | Yes | ML | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Effective 4/1/24. Covered to ASC. Restricted to ICD-10 C90.00 or C90.02. |
| J3060 | Injection, taliglucerace alfa, 10 units | Elelyso | Yes | UN | Enzyme replacement | 41 units bi- weekly | Х | Х | Х | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes E75.21, E75.22, E75.240 - E75.243, E75.248, E75.249, E75.3, E77.0, E77.1, E77.8, or E77.9 Effective 8/27/14, minimum age restriction reduced to 4 years from 16 years of age. Effective 1/1/14. Restricted to ICD-9 diagnosis of 272.7. Minimum age restriction of 16 years. |
| J3070 | Injection pentazocine 30 mg | Talwin | Yes | ML | Analgesic narcotic | 12 per day | Х | Х | Х | | | | | | | | | Х | |
| J3095 | Injection, televancin, 10 mg. | Vibativ | Yes | UN | Antibiotic | None | Х | X | X | X | | | | | | X | | | Effective 10/1/2015 ICD-10 diagnosis codes B78.1, K12.2, L01.00 - L01.03, L01.09, L01.1, L02.01 - L02.03, L02.11 - L02.13, L02.211 - L02.216, L02.219, L02.221 - L02.226, L02.229, L02.231 - L02.236, L02.239, L02.31 - L02.33, L02.411 - L02.416, L02.416, L02.419, L02.421 - L02.426, L02.429, L02.431 - L02.436, L02.439, L02.511, L02.512, L02.519, L02.521, L02.522, L02.529, L02.531, L02.532, L02.539, L02.611, L02.612, L02.619, L02.622, L02.629, L02.631, L02.632, L02.639, L02.811, L02.818, L02.821, L02.828, L02.831, L02.838, L02.91 - L02.93, L03.011, L03.012, L03.019 - L03.022, L03.029, L03.031, L03.032, L03.039, L03.041, L03.042, L03.049, L03.111 - L03.116, L03.119, L03.121 - L03.126, L03.129, L03.211, L03.212, L03.221, L03.222, L03.311 - L03.317, L03.319, L03.321 - L03.327, L03.329, L03.811, L03.818, L03.891, L03.898, L03.90, L03.91, L04.0 - L04.3, L04.8, L04.9, L05.01, L05.02, L05.91, L05.92, L08.0, L08.81, L08.82, L08.99, L08.9, L98, L92.8, L98.0 or L98.3 New code effective 1/1/11. Restricted to ICD-9 diagnosis 680.0 - 686.9. Restricted to age 18 and above. |
| J3100 | Injection tenecteplase 50 mg | TNKase | Yes | UN | Fibrinolytic | 1 per day | | | | | | | | | | | | | See J3101. |
| J3101 | Injection, tenecteplase, 1 mg. | TNKase | Yes | UN | Fibrinolytic | | Х | Х | | | | | | | | | | | New code effective 1/1/09. |
| J3105 | Injection terbutaline sulfate up to 1mg | Brethine | Yes | ML | Broncho-dilator | 2 per day | Х | Х | Х | | | | | | | | | | |
| J3110 | Injection teriparatide 10 mcg | Forteo | N/A | | Parathyroid hormone | | | | | | | | | | | | | | Not Covered |
| J3111 | Injection, romosozumab- aqqg, 1 mg | Evenity | Yes | ML | Bone Resorption Inhibitor | None | Х | Х | Х | Х | | | | | | | | | Effective 10/1/19. |
| J3120 | Injection testosterone enanthate up to 100mg | Delatestryl | Yes | ML | Androgen | 1 per day | Х | Х | Х | Х | | | | | | | | | Closed 12/31/14. See J3121 after this date. Nurse practitioner added 1/1/09. |
| J3121 | Injection, testosterone enanthate, 1mg | Delatestryl | Yes | ML | Androgen | 400 u. per week | Х | Х | Х | Х | | | | | | | | Х | Effective 1/1/24, restricted to male only. Effective 1/1/15. |
| J3130 | Injection testosterone enanthate up to 200mg | Delatestryl | Yes | OIL=ML PWD=UN | Androgen | 2 per week | Х | Х | Х | Х | | | | | | | | Х | Closed 12/31/14. See J3121 after this date. Nurse practitioner added 1/1/09. |
| J3140 | Injection testosterone suspension up to 50mg | Andronaq 50 | Yes | PWD=UN SOL=ML | Androgen | 3 per week | Х | Х | Х | Х | | | | | | | | | Effective 1/1/24, restricted to male only. |
| J3145 | Injection, testosterone undecanoate, 1 mg. | Aveed | Yes | ML | Androgen | | Х | Х | Х | | | | | | | | | | Effective 1/1/24, restricted to male only. Effective 5/1/17. Restricted to ICD-10 diagnosis of E29.1, E19.8. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | ОРН | НІ | ID TF | | Special Instructions |
|-------|---|------------|---|---------------------------|---------------------|--|----------|-----------|---|----|----|----|----|----|-----|----|----------|---|---|
| J3150 | Injection testosterone propionate up to 100mg | Testex | Yes | OIL=ML PWD=UN | Androgen | 3 per week | Х | Х | Х | Х | | | | | | | | | Effective 1/1/24, restricted to male only. |
| J3230 | Injection chlorpromazine HCl up to 50mg | Thorazine | Yes | PWD=UN SOL=ML | Anti-psychotic | 10 per day | Х | Х | Х | Х | | Х | | | | | | | Nurse practitioner added 1/1/09. |
| J3240 | Injection thyrotropin alpha 0.9 mg provided in 1.1 mg vial | Thyrogen | Yes | UN | Diagnostic agent | 3 per day | Х | Х | Х | | | | | | | | | | |
| J3241 | Injection, teprotumumab- trbw, 10 mg | Tepezza | Yes | EA | Thyroid eye disease | None | Х | Х | Х | | | | | | | | | | Effective 10/1/20. Restricted to ICD-10 E05.00. Mimimum age of 16 years. |
| J3243 | Injection, tigecycline, 1 | Tygacil | Yes | UN | Antibiotic | 150 units per day | Х | Х | Х | Х | | | | | | | | | New code effective 1/1/07. Nurse practitioner added 1/1/09. |
| J3244 | Injection, tigecycline (accord) not therapeutically equivalent to j3243, 1 mg | NA | Yes | EA | Antibiotic | None | Х | Х | Х | | | | | | | | | | Effective 1/1/23. |
| J3246 | Injection tirofiban HCL 0.25mg IV | Aggrastat | Yes | ML | Antiplatelet | None | Х | Х | Х | | | | | | | | | | Must be billed daily. |
| J3250 | Injection trimeth- obenzamide HCl up to 200mg | Tigan | N/A | | Antiemetic | | | | | | | | | | | | | | Not Covered |
| J3260 | Injection tobramycin sulfate up to 80mg | Nebcin | Yes | ML | Antibiotic | None | Х | Х | Х | | | | | | | | | Х | |
| J3262 | Injection, tocilizumab, 1 mg. | Actemra | Yes | ML | Immunologic | Maximum service limit 1100 u. monthly | X | X | X | | | | | | | | | | Effective 2/28/22, ICD-10 M31.5, M31.6 added. Effective 1/1/17, service limit incresed to 1100 units. Effective 1/1/17, service limit incresed to 1100 units. Effective 1/1/14, age restriction removed AND diagnosis ICD-9 714.30, 714.31, 714.32, 714.33 and ICD-10 M08.00, M08.3, M08.471, M08.472, M08.479, M08.40, M08.411, M08.412, M08.491, M08.421, M08.422, M08.429, M08.431, M08.432, M08.439, M08.441, M08.442, M08.449, M08.451, M08.452, M08.459, M08.459, M08.479, M08.40, M08.48 added. Effective 10/1/2015 ICD-10 diagnosis codes M05.00, M05.011, M05.012, M05.019, M05.021, M05.022, M05.039, M05.031, M05.032, M05.039, M05.042, M05.042, M05.049, M05.051, M05.052, M05.059, M05.061, M05.062, M05.069, M05.071, M05.072, M05.079, M05.09, M05.30, M05.60, M05.611, M05.612, M05.619, M05.621, M05.622, M05.629, M05.631, M05.632, M05.639, M05.641, M05.642, M05.649, M05.661, M05.662, M05.669, M05.671, M05.672, M05.679, M05.699, M05.711, M05.712, M05.719, M05.721, M05.722, M05.729, M05.723, M05.739, M05.741, M05.744, M05.742, M05.749, M05.751, M05.752, M05.759, M05.761, M05.762, M05.842, M05.841, M05.842, M05.841, M05.842, M05.841, M05.842, M05.841, M05.841, M05.842, M05.849, M05.851, M05.852, M05.859, M05.861, M05.862, M05.863, M06.803, M06.803, M06.8041, M06.811, M06.811, M06.822, M06.231, M06.823, M06.833, M06.841, M06.842, M06.249, M06.251, M06.252, M06.259, M06.261, M06.262, M06.269, M06.811, M06.812, M06.852, M06.852, M06.852, M06.852, M06.871, M06.872, M06.879, M06.852, M06.852, M06.862, M06.862, M06.871, M06.872, M06.879 or M06.90, M06.871, M06.872, M06.852, M06.852, M06.852, M06.852, M06.852, M06.871, M06.872, M06.879 or M06.90, New code effective 1/1/111. Restricted to ICD-9 diagnosis 714.0 - 714.2. Restricted to age 16 and above. |

| Code | Description | Brand Name | NDC | NDC unit | Category | Service | AC | CAH | Р | NP | MW | МН | HS | РО | ОРН | Н | | | C Special Instructions |
|-------|---|--|------------------------------------|------------------|---|----------------------------|----|-----|---|----|----|----|----|----|-----|---|----|---|---|
| | | | req. for drug rebate ? | of measure | | Limits | OP | OP | | | | | | | | | TF | = | |
| J3265 | Injection torsemide 10mg/ml | Demadex | Yes | ML | Anti- hypertensive | | Х | Х | | | | | | | | | | | Effective 2/29/24, code is closed. |
| J3280 | Injection thiethylperazine maleate up to 10mg | Torecan Norzine | Yes | ML | Antiemetic | 1 per day | Х | Х | Х | | | | | | | | | | Effective 2/29/24, code is closed. |
| J3285 | Injection, treprostinil, 1 mg | Remodulin | Yes | ML | Vasodilator | None | Х | Х | Х | Х | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes I10, I27.0 - I27.2, I27.81, I27.82, I27.89 or I27.9 or P29.3 ICD-9 code 416.XX or 747.83 required on claim form. Nurse practitioner added 1/1/09. |
| J3299 | Injection, triamcinolone acetonide, 1 mg | Xipere | Yes | ML | Ophthalmic Anti- inflammatory | None | Х | Х | Х | | | | | | | | | | Effective 7/1/22. Restricted to ICD-10 H20.011 - H20.043, H20.11 - H20.23, H20.821, H20.822, H20.823, H30.001 - H30.043, H30.101 - H30.133, H30.21, H30.22, H30.23, H30.811, H30.812, H30.813, H30.891, H30.892, H30.893, H30.91, H30.92, H30.93, H35.021, H35.022, H35.023, H35.061, H35.062, H35.063, H43.89, H44.001 - H44.023, H44.111, H44.112, H44.113. |
| J3300 | Injection, triamcinolone acetonide, PF, 1 mg. | Triesence | Yes | UN | Ophthalmic Anti- inflammatory | | Х | Х | | | | | | | Х | | | | New code effective 1/1/09. Covered to Ophthalmology physician specialty only, effective 10/1/10. |
| J3301 | Injection triamcinolone acetonide 10mg | Kenalog-10 Kenalog-40 Triam-A | Yes | PWD=UN SOL=ML | Anti- inflammatory | 4 per day | Х | Х | Х | Х | | | | Х | | | | | |
| J3302 | Injection triamcinolone diacetate 5mg | Aristocort Intralesional Aristocort Forte Cinolone Trilone Clinacort | Yes | PWD=UN SOL=ML | Anti- inflammatory | 8 per day | Х | Х | X | Х | | | | Х | | | | | |
| J3303 | Injection triamcinolone hexacetonide 5mg | Aristospan Intralesional Aristospan Intra-articular | Yes | ML | Anti- inflammatory | 4 per day | Х | Х | Х | Х | | | | Х | | | | | |
| J3304 | Injection, triamcinolone acetonide, preservative- free, extended-release, microsphere formulation, 1 mg | Zilretta | Yes | UN | Anti- inflammatory | Max. 32 mg. once yearly | Х | х | Х | х | | | | | | | | | Effective 1/1/19. Restricted to ICD-10 M17.1 - M17.9. |
| J3305 | Injection trimetrexate glucoronate 25mg | Neutraxin | Yes | UN | Anti- inflammatory | None | Х | Х | Х | | | | | | | | | | Effective 2/29/24, code is closed. Weight based. |
| J3310 | Injection perphenazine up to 5mg | Trilafon | Yes | PWD=UN SOL=ML | Anti-psychotic | 3 per day | Х | Х | Х | Х | | Х | | | | | | t | Effective 2/29/24, code is closed. |
| J3315 | Injection triptorelin pamoate 3.75mg | Trelstar LA | Yes | UN | Luteinizing hormone- releasing hormone | 3 per month | Х | Х | Х | | | | | | | | | | Effective 1/1/24, minimum age restriction of 18 years. |
| J3316 | Injection, triptorelin, extended-release, 3.75 mg | Triptodur | Yes | UN | Luteinizing hormone- releasing hormone | 6 units per 23 weeks | Х | Х | Х | | | | | | | | | | Effective 1/1/24, minimum age restriciton of 18 years. Effective 1/1/19. Restricted to ICD-10 E30.1. Minimum age of 2 years. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | OPH | 1 1 | | ID I | DC | Special Instructions |
|-------|--|----------------------|---|---------------------------|-------------------------|---|----------|-----------|---|----|----|----|----|----|-----|-----|---|------|----|---|
| J3320 | Injection spectinomycin dihydrochloride up to 2g | Trobicin | Yes | UN | Antibiotic | None | Х | Х | Х | | | | | | | | | | | Effective 2/29/24, code is closed. |
| J3350 | Injection urea up to 40g | Ureaphil | N/A | | Diuretic | | | | | | | | | | | | | | | Not Covered |
| J3355 | Injection, urofollitropin, 75 IU | Metrodin Bravelle | N/A | | Hormonal Replacement | | | | | | | | | | | | | | | Not Covered. |
| J3357 | Injection, ustekinumab, 1 mg. | Stelara | Yes | ML | Antipsoriatic | None | Х | Х | Х | | | | | | | | | | | Closed 6/30/17. See Q9989. Effective 10/1/2015 ICD-10 diagnosis codes L30.5, L40.0 - L40.4, L40.50 - L40.54, L40.59, L40.8, L40.9, L41.0, L41.1, L41.3 - L41.5, L41.8, L41.9, L42, L44.0, L44.8, L45 or L94.5 Effective 7/1/15, remove physician as covered provider. Refer to pharmacy POS coverage. New code effective 1/1/11. Restricted to ICD-9 diagnosis 696.0 - 696.8. Restricted to age 18 and above. |
| J3358 | Ustekinumab, for intravenous injection, 1 mg. | Stelara | Yes | ML | Monoclonal antibody | None | Х | Х | X | | | | | | | | | | | As of 1/1/23, this IV drug form of Stelara requies prior authorization. Contact Kepro at 800-346-8272. Effective 5/1/18, ICD-10 K50.00, K50.01, K50.011 - K50.019, K50.10, K50.111 - K50.119, K50.80, K50.811 - K50.819, K50.90, K50.911 - K50.919 added. Effective 1/1/18. Restricted to ICD-10 L30.5, L40.0 - L40.4, L40.50 - L40.54, L40.59, L40.8, L40.9, L41.0, L41.1, L41.3 - L41.5, L41.8, L41.9, L42, L44.0, L44.8, L45 or L94.5. |
| J3360 | Injection diazepam up to 5mg | Valium | N/A | | Benzodiaze- pine | | | | | | | | | | | | | | | Not Covered |
| J3364 | Injection urokinase 5000 IU vial | Abbokinase open cath | Yes | UN | Fibrinolytic | 2 per day | Х | Х | Х | | | | | | | | | | Χ | Effective 2/29/24, code is closed. |
| J3365 | Injection IV urokinaase 250000 IU vial | Abbokinase | N/A | | Fibrinolytic | | | | | | | | | | | | | | | Not Covered |
| J3370 | Injection vancomycin HCl 500mg | Varocin Vancocin | Yes | PWD=UN SOL=ML | Antibiotic | None | Х | Х | Х | | | | | | | | | | Χ | |
| J3371 | Injection, vancomycin hcl (mylan) not therapeutically equivalent to j3370, 500 mg | NA | Yes | EA | Antibiotic | None | Х | Х | X | | | | | | | | | | | Effective 1/1/23. |
| J3372 | Injection, vancomycin hcl (xellia) not therapeutically equivalent to j3370, 500 mg | NA | Yes | EA | Antibiotic | None | Х | Х | X | | | | | | | | | | | Effective 1/1/23. |
| J3380 | Injection, vedolizumab, 1 mg | Entyvio | Yes | UN | Anti-Infective | None | X | Х | X | | | | | | | | | | | Effective 1/1/16. Restricted to diagnosis ICD-10 K50.00, K50.011 - K50.014, K50.018, K50.019, K50.10, K50.111 - K50.114, K50.118, K50.119, K50.80, K50.811 - K50.814, K50.818, K50.819, K50.90, K50.911 - K50.914, K50.918, K50.919, K51.001 - K51.0014, K51.018, K51.019, K51.20, K51.211 - K51.214, K51.218, K51.219, K51.30, K51.311 - K51.314, K51.318, K51.319, K51.40, K51.411 - K51.414, K51.418, K51.419, K51.50, K51.511 - K51.514, K51.518, K51.519, K51.80, K51.811 - K51.814, K51.818, K51.819, K51.90, K51.911 - K51.914, K51.918 or K51.919. Minimum age of 16 years. |
| J3385 | Injection, velaglucerase alfa, 100 units. | Vpriv | Yes | UN | Enzyme | Maximum service limit 165 u. monthly | Х | Х | X | | | | | | |) | X | | | Effective 10/1/2015 ICD-10 diagnosis codes E75.21, E75.22, E75.240 - E75.243, E75.248, E75.249, E75.3, E77.0, E77.1, E77.8, or E77.9 New code effective 1/1/11. Restricted to ICD-9 diagnosis 272.7. Restricted to ages 4 and above. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | ОРН | НІ | ID TF | | C Special Instructions |
|-------|---|-----------------------------------|---|---------------------------|----------------------------|------------------------|----------|-----------|---|----|----|----|----|----|-----|----|----------|---|---|
| J3396 | Injection, verteporfin 0.1mg | Visudyne | Yes | UN | Macular degeneration | None | X | X | | | | | | | X | | | | Effective 1/1/15 diagnosis of ICD-9 362.41 added, and effective 10/1/15 diagnosis of ICD-10 H35.711, H35.712, and H35.713 added. ICD-10 diagnosis codes B39.4, B39.5, B39.9, H32, H35.051 - H35.053, H35.059, H35.32 or H44.20 - H44.23 ICD-9 code 115.02, 115.12, 115.92, 360.21, 362.16, OR 362.52 required on claim form. Only bill CPT codes 67221 or 67225 with J3396. Must be billed daily. |
| J3398 | Injection, voretigene neparvovec-rzyl, 1 billion vector genomes | Luxturna | Yes | UN | Retinal enzyme replacement | N/A | X | | | | | | | | | | | | Effective 1/1/19. Contact Kepro at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria. |
| | Injection, onasemnogene abeparvovec-xioi, per treatment, up to 5x10^15 vector genomes | Zolgensma | Yes | UN | Genetic therapy | N/A | Х | Х | | | | | | | | | | | Effective 7/1/20. Contact Kepro at 800-346-8272 for prior authorization requests. |
| J3400 | Injection triflupromazine HCl up to 20mg | Vesprin | Yes | ML | Anti-psychotic | 150 mg per day | Х | Х | Х | | | Х | | | | | | | Effective 2/29/24, code is closed. |
| | Beremagene geperpavec-svdt for topical administration, containing nominal 5 x 10/9 pfu/ml vector genomes, per 0.1 ml | Vyjuvek | Yes | ML | Genetic therapy | 25 units per 6 days | Х | Х | Х | | | | | | | | | | Effective 1/1/24. Restricted to ICD-10 Q81.2. |
| J3410 | Injection hydroxyzine up to 25mg | Vistaril Hyzine-50 Atarax | Yes | PWD=UN SOL=ML | Antianxiety | None | Х | Х | Х | Х | | Х | | | | | | | |
| J3411 | Injection thiamine HCL 100mg | Thiamilate | Yes | PWD=UN SOL=ML | Vitamin supplement | 2 per day | Х | Х | Х | | | | | Х | | | | | Added to Podiatry contract, effective 4/1/21. |
| J3415 | Injection pyridoxine HCI 100mg | Nestrex | Yes | PWD=UN SOL=ML | Vitamin supplement | 2 per day | Х | Х | Х | | | | | Х | | | | | Added to Podiatry contract, effective 4/1/21. |
| | Injection vitamin B-12 cyanocobalamin up to 1000mcg | Sytobex Residol Rubramin PC | Yes | PWD=UN SOL=ML | Vitamin supplement | 1 per day | X | Х | Х | X | | | | Х | | | | | Added to Podiatry contract, effective 4/1/21. |
| J3430 | Injection phytonadione (viatamin K) per 1mg | Aqua Mephyton Konakion | Yes | PWD=UN SOL=ML | Vitamin supplement | 25 per day | Х | Х | X | | | | | | | | | Х | |
| J3465 | Injection voriconazole 10mg | VFEND | Yes | UN | Anti- fungal | None | Х | Х | Χ | | | | | | | | | | |
| J3470 | Injection hyaluronidase up to 150units | Wydase | Yes | PWD=UN SOL=ML | Enzyme | 1 per day | Х | Х | Х | | | | | | | | | | |
| | Injection, hyaluronidase, ovine, preservative free, per 1 USP unit (up to 999 USP units) | | Yes | ML | Enzyme | None | Х | Х | | | | | | | Х | | | | |

| <u> </u> | T | | | | • | | | | | | T | T = | T | | 1 | | T | 1=- | |
|----------|--|---------------------|---|----------------------------|---------------------------------|----------------------|----------|----|---|----|----|-----|----|----|-----|----|----|-----|--|
| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | OP | P | NP | MW | МН | HS | PO | ОРН | HI | TF | | Special Instructions |
| | Injection, hyaluronidase, ovine, preservative free, per 1000 USP units | | Yes | UN | Enzyme | None | Х | Х | | | | | | | Х | | | | |
| J3473 | Injection,hyaluronidase, recombinant, 1 USP unit | Vitrase | Yes | ML | Enzyme | 300 units per day | Х | Х | Х | | | | | | | | Х | | New code effective 1/1/07. |
| J3475 | Injection magnesium sulfate 500mg | Sulfamag | Yes | | Mineral supplement | | Х | Х | Х | | | | | | | | | | Effective 2/1/17, Oncology physician specialty restriction removed. Effective 10/1/2015 ICD-10 diagnosis codes E83.40 - E83.49 or E83.89 Effective 1/1/10, coverage restricted to Oncology physician specialty only. Restrict to ICD-9 diagnosis code 275.2. Must be billed with CPT 96365 - 96368(infusion) or CPT 96401 - 96411, or 96413 - 96417, or 96420 - 96425, or 96440 - 96450, or 96542 - 96549(chemotherapy). |
| J3480 | Injection potassium chloride 2mEq | Kdur Kaon-Cl | Yes | PWD=UN SOL=ML | Electrolyte Supplement | None | Х | Х | Х | Х | | | | | | | | | |
| J3485 | Injection zidovudine 10mg | Retrovir | N/A | | Anti-retroviral | | | | | | | | | | | | | | Not Covered |
| J3486 | Injection ziprasidone mesylate 10mg | Geodon | Yes | UN | Anti-psychotic | 10 per day | Х | Х | Х | Х | | Х | | | | | | | Nurse practitioner added 1/1/09. |
| J3487 | Injection zoledronic acid 1mg | Zometa | Yes | PWD=UN SOL=ML | Antidote | 4 per day | Х | Х | Х | | | | | | | | | | Closed 12/31/13. See J3489. |
| | Zoledronic Acid/Mannitol/Water Reclast, 1 mg. (5 mg/100 ml package) | Reclast | Yes | ML | Bone Resorption Inhibitor | Max. 5 mg. yearly | Х | Х | Х | X | | | | | | | | | Closed 12/31/13. See J3489. New code effective 1/1/08. Replaces Q4095. Nurse practitioner added 1/1/09. |
| J3489 | Injection, zoledronic acid, 1 mg | Zometa Reclast | Yes | ML | Bone Resorption Inhibitor | None | Х | Х | Х | Х | | | | | | | | | Effective 1/1/14. |
| | Unclassified drugs. Used only if a more specific code is not available. | | Yes | KIT=UN SOL=ML PWD=UN | | | | | | | | | | | | | | | Refer to the list of Approved Drugs from preceding page billed with HCPCS Code J3490. Cost invoice may be required with claim form. |
| J3520 | Edetate disodium 10mg | Endrate Disotate | Yes | PWD=UN SOL=ML | Antidote | None | Х | Х | Х | | | | | | | | | | Covered only for treatment for lead or heavy metal poisoning; duration <2 weeks. |
| J3530 | Nasal vaccine inhalation | | N/A | | | | | | | | | | | | | | | | Not Covered |
| J3535 | Drug administered thru a metered dose inhaler. | | N/A | | | | | | | | | | | | | | | | Not Covered |
| J3570 | Laetrile amygdalin vitamin B-17. | | N/A | | Vitamin | | | | | | | | | | | | | | Not Covered |
| | Unclassified biologics. Used only if a more specific code is not available. | | Yes | KIT=UN SOL=ML PWD=UN | | | | | | | | | | | | | | | Refer to the list of Approved Drugs from preceding page billed with HCPCS Code J3490. Cost invoice may be required with claim form. |
| J7030 | Infusion normal saline solution 1000cc | | Yes | ML | | None | Х | Х | Х | Х | | | | | | | | | |
| J7040 | Infusion normal saline solution sterile (500ml = 1 unit) | | Yes | ML | | None | Х | Х | Х | Х | | | | | | | | | |

| Codo | Deceriation | Drond Now: | NDC | NDC ····· | Cotomani | Comiles | ۸.۰ | CALL | - | NID | R#NA' | NAI - | LIC | D.C. | ODII | | בו | D.C | Consid Instructions |
|-------|---|-----------------------------|---|---------------------------|------------------------------|-------------------|----------|------|---|-----|-------|-------|-----|------|------|----|----|-----|---|
| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | OP | P | NP | MW | МН | HS | PO | ОРН | HI | TF | DC | Special Instructions |
| J7042 | 5% dextrose/normal saline (500ml - 1 unit) | | Yes | ML | | None | Х | Х | Х | Х | | | | | | | | | |
| J7050 | Infusion normal saline solution 250cc | | Yes | ML | | None | Х | Х | Х | Х | | | | | | | | | |
| J7060 | 5% dextrose/water (500 ml = 1 unit) | | Yes | ML | | None | Х | Х | Х | Х | | | | | | | | | |
| J7070 | Infusion D-5-W 1000cc | | Yes | PWD=UN SOL=ML | | None | Х | Х | Х | Х | | | | | | | | | |
| J7100 | Infusion dextran 40 500ml | Rheomacrode x Gentran 75 | Yes | ML | | None | Х | Х | Х | | | | | | | | | | |
| | Infusion dextran 75 500ml | Gentran 75 | Yes | ML | | None | Х | Х | Х | | | | | | | | | | |
| J7120 | Ringer's lactate infusion up to 1000cc | | Yes | ML | | None | Х | Х | Х | | | | | | | | | | |
| J7130 | Hypertonic saline solution 50 or 100 mEq 20cc vial | | Yes | ML | | None | Х | Х | Х | | | | | | | | | | Closed 12/31/11. See J7131. |
| J7131 | Hypertonic saline solution, 1 ml. | N/A | Yes | ML | | None | Х | Х | Х | | | | | | | Х | | | Effective 1/1/12. |
| | Injection, coagulation Factor Xa (recombinant), inactivated, 10 mg | Andexxa | Yes | UN | Anticoagulant reversal agent | None | Х | Х | Х | | | | | | | | | | Effective 7/1/20. |
| J7175 | Injection, Coagulation Factor X, human | Coagadex | Yes | IU | | | Х | Х | Х | | | | Х | | | | | | Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 1/1/17. Restricted to D68.2. Minimum age of 12 years. |
| J7178 | Injection, human fibrinogen concentrate, NOS, 1 mg | RiaSTAP | Yes | EA | Antifibrinolytic | None | Х | Х | Х | | | | Х | | | | | | Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). 10/1/2015 ICD-10 diagnosis codes D68.2 or D65 Effective 1/1/13. Restricted to ICD-9 diagnosis 286.3 or 286.6. |
| J7179 | Injection, von willebrand factor (recombinant), 1 | Vonvendi | | | | | | | | | | | | | | | | | Effective 1/1/17. Not covered. |
| J7180 | Injection, Factor XIII (antihemophilic factor, human), 1 IU | Corifact | Yes | UN | Anti-hemophilic | None | Х | Х | Х | | | | | | | Х | | | Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis code D68.2 Effective 1/1/12. Restricted to ICD-9 diagnosis 286.3. |
| J7181 | Injection, factor xiii a- subunit, (recombinant), per IU | Tretten | Yes | UN | Anti-hemophilic | None | Х | Х | Х | | | | | | | | | | Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). 10/1/2015 ICD-10 diagnosis codes D68.2 Effective 1/1/15. Restricted to ICD-9 diagnosis of 286.3. |
| J7182 | Injection, factor viii, antihemophilic factor, recombinant, per iu | Novoeight | Yes | UN | Anti-hemophilic | none | Х | Х | Х | | | | | | | | | | Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes D66 Effective 4/1/15. Restricted to ICD-9 diagnosis restriction of 286.0. Minimum age restriction of 6 years. |
| J7183 | Injection, von Willebrand factor complex (human), 1 IU, VWF:RCO | Wilate | Yes | UN | Anti-hemophilic | None | Х | Х | Х | | | | | | | Х | | | Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes D68.0 Effective 1/1/12. Restricted to ICD-9 diagnosis 286.4. Restrict to age 5 and above. |
| J7184 | Injection, von Willebrand factor complex (human), per 100 IU, VFW:RCO | Wilate | Yes | UN | Coagulation factor | None | Х | Х | Х | | | | Х | | | Х | | | Closed 12/31/11. See J7183. Effective 1/1/11. Restricted to ICD-9 diagnosis 286.4. Restrict to age 5 and above. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | ОРН | F | | D I | C Spe | ecial Instructions |
|-------|--|---|---|---------------------------|-----------------|-------------------|----------|-----------|---|----|----|----|----|----|-----|---|---|-----|----------------------------|--|
| J7185 | Injection, Factor VIII(antihemophilic factor, recombinant), per IU | Xyntha | Yes | UN | Anti-hemophilic | none | X | X | X | | | | Х | | | Х | (| | Effe | osed 6/30/17. Refer to Pharmacy Point of Sale (POS). fective 10/1/2015 ICD-10 diagnosis codes D66 or D68.311, D68.312, or D68.318 fective 1/1/10. Restricted to ICD-9 diagnosis 286.0 or 286.5. |
| J7186 | Injection, antihemophilic factor VIII/von Willebrand factor complex(human), per factor VIII I.U. | Alphanate | Yes | UN | Anti-hemophilic | | Х | Х | X | | | | X | | | | | | Effe Nev | osed 6/30/17. Refer to Pharmacy Point of Sale (POS). fective 10/1/2015 ICD-10 diagnosis codes D66 or D68.0 w code effective 1/1/09. Claim form requires ICD-9 codes 286.0 or 286.4, DOS, POS, J code, scription of code, brand name of factor, total units dispensed, NDC# and total charges. Physician's der/provider's Rx with units dispensed must be attached. |
| J7187 | Injection, Von Willebrand factor complex, human, ristocetin cofactor, per IU | Biopool Humate-P | Yes | IU | Anti-hemophilic | None | X | X | X | | | | X | | | | | | D65 Nev | osed 8/31/17. Refer to Pharmacy Point of Sale (POS). fective 10/1/2015 ICD-10 diagnosis codes D66, D67, D68.1, D68.2, D68.0, D68.311, D68.312, D68.318, 15, D68.32, or D68.4 to code effective 1/1/07. Claim form requires ICD-9 codes 286.0 -286.7, DOS, POS, J code, description of de, brand name of factor, total units dispensed, NDC# and total charges. Physician's order/provider's Rx th units dispensed must be attached. |
| J7188 | Injection, Von Willebrand factor complex, human, IU | Obizur | N/A | | Anti-hemophilic | None | Х | Х | Х | | | | Х | | | | | | | osed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 1/16. Restricted to diagnosis ICD-10 D68.32 or D68.4. Minimum age of 16 years. |
| J7189 | Factor VIIa (antihemophilic factor, recombinant), per 1 mcg | NovoSeven | Yes | F2=IU | Anti-hemophilic | None | X | X | X | | | | X | | | | | | Effe Nev 286 J co | osed 8/31/17. Refer to Pharmacy Point of Sale (POS). iective 10/1/2015 ICD-10 diagnosis codes D66, D67, D68.1, D68.2, D68.0, D68.32, or D68.4 we code 1/1/06. Replaces Q0187. Requires completed claim form to include documentation of ICD-9 code 6.0 - 286.4; and ICD-9 code 286.7 added, effective 10/13/06; dates of service, place of service, appropriate code, description of code and brand name of factor, total units or mg dispensed, appropriate NDC# and total arges. Physician's order and provider's Rx form documenting units dispensed must be attached to the claim. |
| J7190 | Factor VIII human per IU | Kogenate Monarc-M Koate HP Hemofil-M Alphanate Humate P Koate DVI MonoclateP | Yes | F2=IU | Anti-hemophilic | None | X | X | X | | | | Х | | | | | | 10/ Red of s | osed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective /1/2015 ICD-10 diagnosis codes D66, D67, D68.1, D68.2 or D68.0 equires completed claim form to include documentation of ICD-9 code 286.0 - 286.4; dates of service, place service, appropriate J code, description of code and brand name of factor, total units or mg dispensed, propriate NDC# and total charges. Physician's order and provider's Rx form documenting units dispensed ast be attached to the claim. |
| J7191 | Factor VIII porcine per IU | Hyate-C | Yes | UN | Anti-hemophilic | None | Х | Х | Х | | | | Х | | | | | | Red of s | osed 6/30/17. Refer to Pharmacy Point of Sale (POS). dective 10/1/2015 ICD-10 diagnosis codes D66, D67, D68.1, D68.2 or D68.0 equires completed claim form to include documentation of ICD-9 code 286.0 - 286.4; dates of service, place service, appropriate J code, description of code and brand name of factor, total units or mg dispensed, propriate NDC# and total charges. Physician's order and provider's Rx form documenting units dispensed ust be attached to the claim. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | ОРН | HI | I ID | C Special Instructions |
|-------|---|--|---|---------------------------|--|-------------------|----------|-----------|---|----|----|----|----|----|-----|----|------|---|
| J7192 | Factor VIII recombinant per IU | Bioclate Genarc Human Method M Recombinate Kogenate Helixate FS Refacto Advate Kovaltry | Yes | F2=IU | Anti-hemophilic | None | X | X | X | | | | X | | | | | Closed 8/31/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis code D.66 Requires completed CMS 1500 claim form to include documentation of ICD-9 code 286.0; dates of service, place of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed, appropriate NDC# and total charges. Physician's order and provider's Rx form documenting units dispensed must be attached to the claim for payment consideration. |
| J7193 | Factor IX purified, non- combinant per IU | AlphaNine SD Mononine | Yes | F2=IU | Anti-hemophilic | None | Х | х | Х | | | | Х | | | | | Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis code D.66 Requires completed claim form to include documentation of ICD-9 code 286.0 dates of service, place of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed, appropriate NDC# and total charges. Physician's order and provider's Rx form documenting units dispensed must be attached to the claimfor payment consideration. |
| J7194 | Factor IX complex per IU | Alphanine SD Bebulin VH Profilnine HT & SD Konyne-80 Proplex T, SX-T | Yes | F2-IU | Anti-hemophilic | None | Х | Х | X | | | | X | | | | | Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes D.66 or D.67 Requires completed claim form to include documentation of ICD-9 code 286.0 - 286.1; dates of service, place of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed, appropriate NDC# and total charges. Physician's order and provider's Rx form documenting units dispensed must be attached to the claim. |
| J7195 | Factor IX (antihemophilic factor, recombinant) per IU | Proplex T Konyne 80 Benefix | Yes | W/DIL=IU PWD=UN | Anti-hemophilic | None | х | Х | Х | | | | Х | | | | | Closed 8/31/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis code D.67 Requires completed claim form to include documentation of ICD-9 code 286.1; dates of service, place of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed, appropriate NDC#and total charges. Physician's order and provider's Rx form documenting units dispensed must be attached to the claim. |
| J7197 | Antithrombin III human per IU | Throbate III Atnativ | Yes | F2-IU | Anti-hemophilic | None | Х | Х | Х | | | | Х | | | | | Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis code D.66 Requires completed claim form to include documentation of ICD-9 code 286.0; dates of service, place of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed, appropriate NDC# and total charges. Physician's order and provider's Rx form documenting units dispensed must be attached to the claim. |
| J7198 | Anti-inhibitor per IU | Autoplex T FEIBA | Yes | F2=IU | Anti-inhibitor coagulant complex | None | Х | Х | Х | | | | Х | | | | | Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis codes D.66 or D.67 Requires completed claim form to include documentation of ICD-9 code 286.0 - 286.1; dates of service, place of service, appropriate J code, description of code and brand name of factor, total units or mg dispensed, appropriate NDC# and total charges. Physician's order and provider's Rx form documenting units dispensed must be attached to the claim. |
| J7199 | Hemophilia clotting factor NEC. Used only if a more specific code is not available. | | N/A | | Anti-hemophilic | | | | | | | | | | | | | Not covered |
| J7200 | Injection, factor ix, (antihemophilic factor, recombinant), per IU | Rixubis | Yes | UN | Anti-hemophilic | none | Х | Х | Х | | | | | | | | | Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 10/1/2015 ICD-10 diagnosis code D.67 Effective 1/1/15. Restricted to ICD-9 diagnosis of 286.1. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | ОРН | н | ID TF | DC | Special Instructions |
|-------|---|-----------------------|---|---------------------------|-----------------|----------------------|----------|-----------|---|----|----|----|----|----|-----|---|----------|----|---|
| J7201 | Injection, factor ix, fc fusion protein (recombinant), per IU | Alprolix | yes | | Anti-hemophilic | none | Х | Х | Х | | | | | | | | | | Closed 8/31/17. Refer to Pharmacy Point of Sale (POS). 10/1/2015 ICD-10 diagnosis code D.67 Effective 1/1/15. Restricted to ICD-9 diagnosis of 286.1. |
| J7202 | Injection, factor ix, albumin fusion protein, (recombinant), 1 IU | Idelvion | Yes | IU | Anti-hemophilic | None | Х | Х | Х | | | | Х | | | | | | Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 1/1/17. Restricted to D67. |
| J7205 | Injection, factor VIII fc fusion (recombinant), per IU | Eloctate | yes | UN | Anti-hemophilic | none | Х | Х | Х | | | | Х | | | | | | Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Effective 1/1/16. Restricted to diagnosis ICD-10 D66. Minimum age of 2 years. |
| J7207 | Injection, factor viii, (antihemophilic factor, recombinant), pegylated, 1 i.u. | Adynovate | Yes | IU | Anti-hemophilic | None | Х | Х | Х | | | | X | | | | | | Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). Restricted to D66. Minimum age of 12 years. |
| J7209 | Injection, factor viii, (antihemophilic factor, recombinant), 1 IU | Nuwiq | Yes | IU | Anti-hemophilic | None | Х | Х | Х | | | | Х | | | | | | Closed 6/30/17. Refer to Pharmacy Point of Sale (POS). 1/1/17. Restricted to D66. Minimum age of 2 years. |
| J7296 | Levonorgestrel-releasing intrauterine contraceptive system, 19.5 mg. | Kyleena | Yes | UN | Contraceptive | 1 unit in 5 years | Х | Х | Х | Х | Х | | | | | | | | Effective 1/1/24, restricted to female only. Effective 1/1/18. |
| | Levonorgestrel-releasing intrauterine contraceptive system, 52mg, 3 year duration | Liletta | Yes | UN | Contraceptive | 1 unit in 3 years | Х | Х | Х | Х | Х | | | | | | | | Effective 1/1/24, restricted to female only. Effective 1/1/16. |
| | Levonorgestrel-releasing intrauterine contraceptive system, 52 mg, 5 year duration | | Yes | UN | Contraceptive | 1 unit in 5 years | Х | Х | Х | Х | Х | | | | | | | | Effective 1/1/24, restricted to female only. Effective 1/1/16. |
| J7300 | Intrauterine copper contraceptive. | Paragard T380A | Yes | UN | Contraceptive | None | Х | Х | Х | Х | Х | | | | | | | | Effective 1/1/24, restricted to female only. |
| J7301 | Levonorgestrel-releasing intrauterine contraceptive system (Skyla), 13.5 mg | | Yes | EA | Contraceptive | 1 per 3 years | Х | Х | Х | Х | Х | | | | | | | | Effective 1/1/24, restricted to female only. 1/1/14. Minimum age restriction of 16 years. |
| J7302 | Levonorgestrel releasing intrauterine contraceptive system | Mirena Liletta | Yes | UN | Contraceptive | None | Х | Х | Х | Х | Х | | | | | | | | Closed 12/31/15. See J7297 and J7298. |
| J7303 | Contraceptive supply hormone containing vaginal ring each | | N/A | | Contraceptive | | | | | | | | | | | | | | Not Covered |
| J7304 | Contraceptive supply, hormone containing I patch each | | N/A | | Contraceptive | | | | | | | | | | | | | | Not Covered |
| | Levonorgestrel (contraceptive) implant system, including implants and supplies | Norplant | Yes | UN | Contraceptive | 1 every 3 years | Х | Х | Х | Х | Х | | | | | | | | Code closed 6/30/11. Females only. Cost invoice required with claim form. |
| J7307 | Etonogestrel implant system | Implanon Nexplanon | Yes | UN | Contraceptive | 1 every 3 years | Х | Х | Х | Х | Х | | | | | | | | New code effective 1/1/08. Replaces S0180. Females only. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | I HS | PO | ОРН | Н | I ID | C Special Instructions |
|-------|--|-----------------------|---|---------------------------|-------------------------|----------------------------|----------|-----------|---|----|----|----|------|----|-----|---|------|--|
| | Aminolevulinic acid HCl for topical administra- tion 20%, single unit dosage form (354mg) | Levulan Kerastick | Yes | UN | Photo-sensitivity agent | None | | | Х | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis code L57.0 Restricted to ICD-9 code 702.0, Actinic keratosis, effective 2/1/09. Covered to physician's only, effective 2/1/09. |
| J7309 | methyl aminolevulinate (mal) for topical administration, 16.8%, 1 gram | Metvixia | Yes | GR | Photo-sensitivity agent | None | | | Х | | | | | | | | | Effective 2/29/24, code is closed. Effective 10/1/2015 ICD-10 diagnosis code L57.0 New code effective 1/1/11. Restricted to ICD-9 diagnosis 702.0. Restricted to age 18 and above. |
| J7310 | Ganciclovir 4.5 mg long- acting implant | Vitrasert Cytovene | Yes | UN | Anti-viral | None | Х | Х | | | | | | | Х | | | Effective 2/29/24, code is closed. One per each eye per 5 months. |
| J7311 | Injection, fluocinolone acetonide, intravitreal implant (retisert), 0.01 mg | Retisert | Yes | UN | Corticosteroid | 1 per eye per 30 months | Х | Х | | | | | | | Х | | | Effective 10/1/2015 ICD-10 diagnosis codes H30.001 - H30.003, H30.009, H30.011 - H30.013, H30.019, H30.021 - H30.023, H30.029, H30.031 - H30.033, H30.039, H30.041 - H30.043, H30.049, H30.101 - H30.103, H30.109, H30.111 - H30.113, H30.119, H30.121 - H30.123, H30.129, H30.131 - H30.133, H30.139, H30.141 - H30.143, H30.149, H30.891 - H30.893, H30.890 or H30.90 - H30.93 New code effective 1/1/07. Claim form requires ICD-9 363.00-363.08, 363.10-363.15, or 363.20. Must bill with CPT 67027. |
| J7312 | Injection, dexamethasone, intravitreal implant, 0.1 mg. | Ozurdex | Yes | UN | Anti- inflammatory | None | Х | х | | | | | | | X | | | Effective 1/1/19, approved ICD-10 diagnoses: E10.311, E10.3211 - E10.3513, E11.311, E11.3211 - E11.3513, H30.001 - H30.101, H30.891, H30.892, H30.893, H30.91, H30.92, H30.93, H34.8110, H34.8120, H34.8130, H34.89, H34.821, H34.822, H34.823, H35.81, H34.8310, H34.8320, H34.8330, H34.8330, H34.8330, H34.8330, H34.8330, H30.003, H30.009, H30.0011 - H30.0013, H30.0019, H30.021 - H30.023, H30.029, H30.031 - H30.033, H30.039, H30.041 - H30.043, H30.049, H34.811 - H34.813, H34.819, H34.831 - H34.833, H34.839 or H35.81 Effective 6/30/14, ICD-9 diagnosis of 362.07 added. New code effective 1/1/11. Restricted to ICD-9 diagnosis 362.83 and 362.35 or 362.83 and 362.36, or 363.00 - 363.08. Restricted to ages 16 and above. |
| J7313 | Injection, fluocinolone acetonide, intravitreal implant (Iluvien), 0.01 mg | Iluvien | Yes | UN | Anti- inflammatory | None | X | X | | | | | | | X | | | Effective 10/1/16, E10.3211, E10.3212, E10.3213, E10.3311, E10.3312, E10.3313, E10.3411, E10.3412, E10.3413, E10.3511, E10.3512, E10.3513, E10.3521, E10.3522, E10.3523, E11.3211, E11.3212, E11.3213, E11.3311, E11.3312, E11.3313, E11.3411, E11.3412, E11.3413, E11.3511, E11.3512, E11.3513 added. Effective 11/1/16. Restricted to diagnosis of ICD-10 E10.311, E10.319, E10.321, E10.329, E10.331, E10.339, E10.341, E10.349, E10.351, E10.359, E10.36, E10.39, E10.65, E11.311, E11.319, E11.321, E11.329, E11.331, E11.339, E11.341, E11.349, E11.351, E11.359, E11.36, E11.39, E11.65, E13.311, E13.319, E13.321, E13.329, E13.331, E13.339, E13.341, E13.349, E13.351, E13.359, E13.36 or E13.39. |
| J7314 | Injection, fluocinolone acetonide, intravitreal implant, 0.01 mg | Yutiq | Yes | UN | Anti inflammatory | Eighteen units per eye | Х | Х | Х | | | | | | | | | Effective 10/1/19. Minimum age of 16 years. |
| J7316 | Injection, ocriplasmin, 0.125 mg | Jetrea | Yes | ML | Ophthalmic | None | Х | Х | | | | | | | Х | | | Effective 10/1/2015 ICD-10 diagnosis codes H43.821 - H43.823 or H43.829 Effective 1/1/14. Restricted to ICD-9 diagnosis of 379.27. Minimum age restriction of 16 years. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | ОРН | Н | II ID | Special Instructions |
|-------|---|--|---|---------------------------|-----------------------------------|--|----------|-----------|---|----|----|----|----|----|-----|---|-------|--|
| J7317 | Sodium hyaluronate per 20 to 25 mg dose for intra-articular injection | Hyalgan 20 Supartz 25 | No | | Osteoarthritic | 10 injections (5 per knee) X 6 months | Х | Х | Х | Х | | | | | | | | CMS closed code effective 12/31/06. See J7319 |
| J7318 | Sodium hyaluronate for intra-articular injection, 30 mg | Orthovisc | No | | Osteoarthritic | 8 injections (4 per knee) X 6 months | Х | Х | Х | Х | | | | | | | | CMS closed code effective 12/31/06. See J7319. ICD-9 code 715.16, 715.25, 715.36, or 715.96 billed with CPT 20610 required on claim form. Cost invoice required with claim form. |
| J7319 | Hyaluronan (sodium hyaluronate) or derivative, intra-articular injection, per dose | Hyalgan 20 Supartz 25 Synvisc Orthovisc Euflexxa | No | | Osteoarthritic | 10 injections (5 per knee) X 6 months | Х | Х | Х | Х | | | | | | | | New code effective 1/1/07. ICD-9 code 715.XX or 716.XX required on claim form. Must be billed with 20610 on claim. Code closed effective 10/1/08. See J7321-J7324. |
| J7320 | Hylan G-F20 16mg/2ml for intra-articular injection | Synvisc | No | | Osteoarthritic | 6 injections (3 per knee) X 6 months | Х | Х | Х | Х | | | | | | | | CMS closed code effective 12/31/06. See J7319. ICD-9 code 715.XX or 716.XX required on claim form. |
| J7321 | Hyalgan/Supartz | Visco-3 | No | ML | Sodium Hyaluronate Solution | 10 per six months | Х | Х | Х | Х | | | | Х | | | | Effective 10/1/15. |
| J7322 | Hyaluronan or derivate, Synvisc, for intra- articular injections, per dose | Synvisc | No | ML | Osteoarthritic | 6 injections (3 per knee) per 170 rolling days | Х | Х | Х | | | | | | | | | New code effective 1/1/08. Replaces Q4084. Requires ICD-9 code 715.XX or 716.XX on claim form for payment consideration. Closed 12/3/109. See J7325. |
| J7323 | Hyaluronan or derivate, Euflexxa, for intra- articular injections, per dose | Euflexxa | No | ML | Osteoarthritic | 10 injections (5 per knee) per 170 rolling days | X | X | X | X | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes M12.10, M12.111, M12.112, M12.119, M12.121, M12.122, M12.129, M12.131, M12.132, M12.139, M12.139, M12.141, M12.142, M12.149, M12.151, M12.152, M12.159, M12.161, M12.162, M12.169, M12.179, M12.179, M12.18, M12.19, M12.511, M12.512, M12.519, M12.151, M12.521, M12.529, M12.521, M12.529, M12.521, M12.529, M12.521, M12.531, M12.532, M12.532, M12.539, M12.541, M12.542, M12.549, M12.551, M12.552, M12.559, M12.561, M12.562, M12.562, M12.569, M12.571, M12.572, M12.579, M12.58, M12.59, M12.80, M12.811, M12.812, M12.819, M12.821, M12.824, M12.829, M12.831, M12.839, M12.841, M12.842, M12.849, M12.851, M12.852, M12.859, M12.861, M12.862, M12.869, M12.871, M12.879, M12.881, M12.882, M12.89, M13.0, M13.10, M13.111, M13.112, M13.119, M13.121, M13.122, M13.129, M13.131, M13.132, M13.139, M13.141, M13.142, M13.149, M13.151, M13.152, M13.159, M13.161, M13.162, M13.169, M13.171, M13.179, M13.80, M13.811, M13.812, M13.819, M13.821, M13.822, M13.829, M13.831, M13.832, M13.839, M13.841, M13.842, M13.849, M13.851, M13.852, M13.859, M13.861, M13.862, M13.869, M13.871, M13.872, M13.879, M13.88, M13.89, M13.841, M13.82, M13.89, M13.841, M13.89, M13.89, M13.801, M13.811, M13.812, M13.859, M13.859, M13.861, M13.862, M13.869, M13.871, M13.872, M13.879, M13.881, M13.89, M13.874, M13.892, M13.893, M13.841, M13.893, M13.841, M13.893, M13.841, M13.893, M13.841, M13.893, M13.841, M13.893, M13.841, M13.893, M13.894, M13.893, M13.894, M13.894, M13.894, M13.893, M13.894, M13.8 |

| Code | Description | Brand Name | NDC | NDC unit | Category | Service | AC | CAH | Р | NP | MW | МН | HS | PΩ | ОРН | Н | -11 10 | пΙг | DC Special Instructions |
|-------|---|----------------------|------------------------------------|---------------|----------------|---|----|-----|---|----|------|-------|----|----|------|---|----------|-----|--|
| Code | Description | Brand Name | req. for drug rebate ? | of measure | Calegory | Limits | OP | OP | r | N | MIVV | IVIII | | 10 | OFII | | | F | o Special ilistificions |
| J7324 | Hyaluronan or derivative, Orthovisc, for intra- articular injections, per dose | Orthovisc | No | ML | Osteoarthritic | 8 injections (4 per knee) per 170 rolling days | X | X | X | X | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes M12.10, M12.111, M12.112, M12.119, M12.121, M12.122, M12.132, M12.133, M12.133, M12.133, M12.141, M12.142, M12.149, M12.151, M12.152, M12.159, M12.161, M12.162, M12.169, M12.171, M12.172, M12.179, M12.184, M12.19, M12.501, M12.511, M12.512, M12.519, M12.521, M12.521, M12.522, M12.529, M12.531, M12.532, M12.539, M12.541, M12.542, M12.549, M12.551, M12.552, M12.559, M12.561, M12.562, M12.569, M12.571, M12.572, M12.579, M12.58, M12.59, M12.80, M12.811, M12.812, M12.819, M12.821, M12.822, M12.829, M12.831, M12.832, M12.839, M12.841, M12.828, M12.889, M12.841, M12.854, M12.854, M12.859, M12.870, M12.811, M13.10, M13.10, M13.111, M13.112, M13.119, M13.121, M13.122, M13.129, M13.131, M13.132, M13.139, M13.141, M13.142, M13.149, M13.151, M13.152, M13.169, M13.161, M13.162, M13.169, M13.171, M13.172, M13.179, M13.80, M13.841, M13.849, M13.851, M13.852, M13.861, M13.862, M13.863, M13.831, M13.839, M13.841, M13.842, M13.849, M13.851, M13.859, M13.861, M13.862, M13.869, M13.871, M13.872, M13.879, M13.881, M13.89, M15.0 - M15.4, M15.8, M15.9, M16.0, M16.10 - M16.12, M16.2, M16.30 - M16.32, M16.4, M16.50 - M16.52, M16.6, M16.7, M16.9, M17.0, M17.10 - M17.12, M17.2, M17.30 - M17.32, M17.4, M17.5, M17.9, M18.0, M18.10 - M18.12, M18.2, M18.30 - M18.32, M18.40, M18.50 - M18.52, M18.9, M19.011, M19.012, M19.019, M19.021, M19.022, M19.029, M19.031, M19.032, M19.039, M19.041, M19.042, M19.049, M19.071, M19.072, M19.079, M19.111, M19.112, M19.119, M19.121, M19.122, M19.129, M19.131, M19.132, M19.139, M19.141, M19.142, M19.149, M19.171, M19.172, M19.244, M19.249, M19.271, M19.272, M19.279 or M19.90 - M19.93 Nurse practitioner added, effective 1/1/12. New code effective 1/1/08. Replaces Q4086. Requires ICD-9 code 715.XX or 716.XX on claim form for payment consideration. |
| J7325 | Hyaluronan or derivative, Synvisc or Synvisc-1, for intra-articular use | Synvisc Synvisc-1 | No | ML | Osteoarthritic | 2 injections maximum every 180 days | X | х | X | X | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes M12.10, M12.111, M12.112, M12.119, M12.121, M12.122, M12.129, M12.131, M12.132, M12.139, M12.141, M12.142, M12.149, M12.151, M12.152, M12.159, M12.151, M12.162, M12.169, M12.171, M12.172, M12.179, M12.18, M12.19, M12.50, M12.511, M12.512, M12.519, M12.521, M12.522, M12.529, M12.531, M12.532, M12.539, M12.541, M12.542, M12.549, M12.551, M12.552, M12.559, M12.561, M12.522, M12.569, M12.569, M12.571, M12.572, M12.579, M12.58, M12.80, M12.80, M12.81, M12.812, M12.819, M12.821, M12.822, M12.829, M12.831, M12.832, M12.839, M12.841, M12.842, M12.849, M12.851, M12.852, M12.859, M12.861, M12.862, M12.869, M12.871, M12.872, M13.139, M13.10, M13.111, M13.112, M13.119, M13.121, M13.122, M13.129, M13.132, M13.139, M13.141, M13.142, M13.149, M13.152, M13.159, M13.161, M13.162, M13.169, M13.171, M13.172, M13.179, M13.80, M13.811, M13.812, M13.819, M13.821, M13.822, M13.829, M13.831, M13.832, M13.839, M13.841, M13.842, M13.89, M13.851, M13.852, M13.859, M13.861, M13.862, M13.869, M13.87, M13.872, M13.889, M13.88, M13.89, M15.0 - M15.4, M15.8, M15.9, M16.0, M16.10 - M16.12, M16.2, M16.30 - M16.32, M16.4, M16.50 - M16.52, M16.6, M16.7, M16.9, M17.0, M17.10 - M17.12, M17.2, M17.30 - M17.32, M17.4, M17.5, M17.9, M18.0, M18.10 - M18.12, M18.2, M18.30 - M18.32, M18.4, M18.50 - M18.52, M18.9, M19.011, M19.012, M19.019, M19.021, M19.029, M19.031, M19.032, M19.033, M19.041, M19.042, M19.049, M19.071, M19.072, M19.079, M19.111, M19.112, M19.112, M19.121, M19.122, M19.129, M19.131, M19.132, M19.39, M19.241, M19.229, M19.231, M19.232, M19.239, M19.241, M19.242, M19.249, M19.271, M19.272, M19.279 or M19.90 - M19.93 Effective 1/1/10. Restricted to ICD-9 diagnosis 715.00 - 715.98 or 716.00 - 716.99. |
| J7326 | Hyaluronan or derivative, for intra-articular injection, per dose | Gel-One | No | | | | | | | | | | | | | | | | Not covered. See J7325. |
| J7327 | Hyaluronan or derivative, for intra-articular injection, per dose | Monovisc | No | | | | | | | | | | | | | | | | Not covered. See J7325. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | ОРН | НІ | ID TF | Special Instructions |
|-------|--|------------|---|---------------------------|----------------|-------------------------|----------|-----------|---|----|----|----|----|----|-----|----|----------|--|
| J7335 | Capsaicin 8% patch, per 10 square centimeters | Qutenza | Yes | UN | Analgesic | 1 patch per 90 days | Х | Х | Х | | | | | | | | | Closed 12/31/14. See J7336 after this date. New code effective 1/1/11. Restricted to ICD-9 diagnosis 053.19. Restricted to 18 years and above. |
| J7336 | Capsaicin 8% patch, per square centimeter | Qutenza | Yes | UN | Analgesic | 1 patch per 90 days | Х | Х | Х | | | | | | | | | Effective 10/1/2015. Effective 1/1/15. Restricted to ICD-9 diagnosis 053.19. Restricted to 18 years and above. |
| J7340 | Dermal & empidermal(substitute) bioengineered or processed elements with metabolically active elements per square cm. | Apligraf | No | | | See special intructions | х | Х | X | | | | | Х | | | | For diabetes: ICD-9 code 250.xx and 707.xx for surgeons; or, ICD-9 code 250.xx and 707.13, 707.14, or 707.15 for podiatrists. For venous stasis ulcer: ICD-9 code 454.0, 454.1, or 454.2 and 707.xx for surgeons; or ICD-9 code 454.0, 454.1, or 454.2 and 707.13, 707.14, or 707.15 for podiatrists required on claim form. Service limits for diabetic ulcer are: 3 applications in 9 weeks per year per ulcer. Service limits for venous stats ulcer are: 3 applications in 12 weeks per year per ulcer. Closed 12/31/08. See Q4101 |
| | Dermal (substitute) tissue of nonhuman origin, with or without other bioengineered or processed elements, with metabolically active elements, per square cm. | | No | | | None | Х | Х | X | | | | | X | | | | New code 1/1/06. Closed 12/31/08. See Q4102 and Q4103. |
| J7342 | Installation, ciprofloxacin otic suspension, 6 mg | Otiprio | Yes | ML | Anti-Infective | 1 unit daily | Х | Х | Х | Х | | | | | | | | Effective 1/1/17. Covered to ASC. |
| | Dermal & epidermal (substitute) tissue nonhuman origin with or without other bioengineered or processed elements without metabolically elements per square cm. | | No | | | None | Х | Х | Х | | | | | X | | | | For surgeons ; ICD-9 code 941.30 - 941.39; 941.40 - 941.49; 942.30 - 942.39; 942.40 - 942.49; 943.30 - 943.39; 943.40 - 943.49; 944.30 - 944.38; 944.40 - 944.48; 945.30 - 945.39; 945.40 - 945.49; 946.3; 946.4; 949.3 or 949.4 required on claim form. For podiatrists ; ICD-9 code 945.x2 or 945.x3 required on claim form. Closed 12/31/08. See Q4104 and Q4105. |
| J7344 | Dermal (substitute) human origin with or without bioengineered or processed elements without metabolically active elements per square cm. | | No | | | None | X | X | X | | | | | X | | | | Closed 12/31/08. See Q4107. |
| | Dermal (substitute) tissue of nonhuman origin, with or without other bioengineered or processed elements, without metabolically active elements, per square cm. | | No | | | None | X | Х | X | | | | | X | | | | New code effective 1/1/07. Closed 12/31/07. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | Р | NP | MW | МН | HS | PO | ОРН | Н | ID TF | DC | Special Instructions |
|------|---|------------|---|---------------------------|-----------------------|-------------------|----------|-----------|---|----|----|----|----|----|-----|---|----------|----|--|
| | Aminolevulinic acid HCl for topical administration, 10% gel, 10 mg | Ameluz | Yes | GR | Photo-dynamic therapy | None | Х | Х | Х | | | | | | | | | | Effective 7/1/20. Minimum age 18 years. |
| | Dermal (substitute) tissue of human origin, injectable, with or without other bioengineered or processed elements, but without metabotically active elements, 1 cc | | No | | | None | X | X | X | | | | | X | | | | | New code effective 1/1/07. Closed 12/31/08. |
| | Dermal (substitute) tissue of nonhuman origin, with or without other bioengineered or processed elements; without metabolically active elements(Integra Matrix); per sq. cm. | N/A | No | | | | | | | | | | | | | | | | Not covered. See Q4108. |
| | Dermal (substitute) tissue of nonhuman origin, with or without other bioengineered or processed elements; without metabolically active elements(TissueMend); per sq. cm. | N/A | No | | | | | | | | | | | | | | | | Not covered. See Q4109. |
| | Dermal (substitute) tissue of nonhuman origin; with or without other bioengineered or processed elements; without metabolically active elements (PriMatrix), per sq. cm. | N/A | No | | | | | | | | | | | | | | | | Not covered. See Q4110. |
| | Dermal (substitute) tissue, human origin, injectable, with or without other bioengineered or processed elements but without metabolized active elements per 10 mg. | | No | | | None | Х | X | X | | | | | X | | | | | CMS closed code effective 12/31/06. See J7346. |

| | | r | | | | | | | | | | | T | | | | | - | |
|-------|---|------------------------------------|---|---------------------------|---------------------------|-------------------|----------|----|---|----|----|----|----|----|-----|---|----|---|---|
| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | OP | Р | NP | MW | МН | HS | PO | ОРН | Н | TF | | Special Instructions |
| | Injection, bimatoprost, intracameral implant, 1 microgram | Durysta | Yes | EA | Anti-miotic (glaucoma) | 20 units daily | Х | Х | Х | | | | | | | | | | Effective 10/1/20. |
| J7352 | Afamelanotide implant, 1 mg. | Scenesse | N/A | | | | | | | | | | | | | | | | Not covered. |
| | Cantharidin for topical administration, 0.7%, single unit dose applicator (3.2 mg) | Ycanth | Yes | UN | Irritant | None | X | X | X | | | | | | | | | | Effective 4/1/24. Covered to ASC. Restricted to ICD-10 B08.1. Minimum of 2 years. |
| | Mometasone furoate sinus implant, 10 micrograms | Sinuva | Yes | EA | Anti- inflammatory | 1 per lifetime | Х | Х | Х | | | | | | | | | | Effective 4/1/21. Restricted to ICD-10 J33.0 - J33.9. Minimum age of 18 years. |
| J7500 | Azathioprine oral 50mg | Imuran | Yes | | Immuno- suppressant | | | | | | | | | | | | | | Medicare X-over |
| J7501 | Azathioprine parenteral 100mg | Imuran | Yes | UN | Immuno- suppressant | None | Х | Х | Х | | | | | | | | | | |
| J7502 | Cyclosporine oral 100mg | Neoral Sandimmune | Yes | | Immuno- suppressant | | | | | | | | | | | | | | Medicare X-over |
| | Lymphocyte immune globulin antihymocyte globulin equine parenteral 250mg | Atgam | Yes | ML | Immune globulin | None | Х | Х | Х | | | | | | | | | | |
| J7505 | Muromonab-CD3 parenteral 5mg | Orthoclone OKT3 | Yes | ML | Immuno- suppressant | 1 per day | Х | Х | Х | | | | | | | | | | Effective 2/29/24, code is closed. |
| J7506 | Prednisone oral per 5mg | Deltasone Meticorten Orasone | Yes | | Immuno- suppressant | | | | | | | | | | | | | | Medicare X-over |
| J7507 | Tacrolimus, immediate release, oral, 1 mg | Prograf | Yes | | Immuno- suppressant | | | | | | | | | | | | | | Medicare X-over |
| J7508 | Tacrolimus, extended release, oral, 0.1 mg | Astagraf | N/A | | | | | | | | | | | | | | | | New code effective 1/1/14. Not covered. See pharmacy POS. |
| J7509 | Methylprednisol-one oral per 4mg | Medrol | Yes | | Immuno- suppressant | | | | | | | | | | | | | | Medicare X-over |
| J7510 | Prednisolone oral per 5mg | Deltacortef | Yes | | Immuno- suppressant | | | | | | | | | | | | | | Medicare X-over |
| | Lymphocyte immune globulin antithymocyte globulin rabbit parenteral 25mg | Thymoglob- ulin | Yes | UN | Immune globulin | None | Х | Х | Х | | | | | | | | | | Weight based. |
| J7513 | Daclizumab parenteral 25 mg | Zenapax | Yes | ML | Immuno- suppressant | None | Х | Х | Х | | | | | | | | | | Effective 2/29/24, code is closed. |
| | Cyclosporine oral 25mg | Neoral Sandimmune | Yes | | Immuno- suppressant | | | | | | | | | | | | | | Medicare X-over |
| J7516 | Cyclosporine parenteral 250mg | Neoral Sandimmune | Yes | PWD=UN SOL=ML | Immuno- suppressant | 6 per day | Х | Х | Х | | | | | | | | | | |
| J7517 | Mycophenolate mofetil oral 250mg | CellCept | Yes | | Immuno- suppressant | | | | | | | | | | | | | | Medicare X-over |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | MH | HS | PO | ОРН | НІ | ID TF | DC | Special Instructions |
|-------|---|------------------------------------|---|---------------------------|------------------------|-------------------|----------|-----------|---|----|----|----|----|----|-----|----|----------|----|---|
| J7518 | Mycophenolic acid oral 180mg | Myfortic | Yes | | Immuno- suppressant | | | | | | | | | | | | | | Medicare X-over |
| J7520 | Sirolimus oral 1mg | Rapamune | Yes | | Immuno- suppressant | | | | | | | | | | | | | | Medicare X-over |
| J7525 | Tacrolimus parenteral 5 mg | Prograf | Yes | ML | Immuno- suppressant | None | Х | Х | Х | | | | | | | | | | |
| | Immunosuppressive drug NOS. Used only if a more specific code is not available | | Yes | | | | | | | | | | | | | | | | Medicare X-over |
| | Albuterol, all formulations including separated isomers, inhalation solution, FDA approved final product, non-compounded, administered through DME, concentrated form, per 1 mg (albuterol) or per 0.5 mg (levalbuterol). | Proventil, Ventolin, Xopenex | N/A | ML | Broncho-dilator | None | X | X | X | X | | | | | | | | | New code effective 1/1/08. Replaces Q4093. Code closed 3/31/08. |
| | Albuterol, all formulations including separated isomers, inhalation solution, FDA approved final product, non-compounded, administered through DME, unit dose, per 1 mg. (albuterol), or 0.5 mg. (levalbuterol). | Proventil, Ventolin, Xopenex | N/A | ML | Broncho-dilator | None | x | X | X | X | | | | | | | | | New code effective 1/1/08. Replaces Q4094. Code closed 3/31/08. |
| | Acetylcysteine inhalation solution compounded product, administered through | | | | Mucolytic | None | | | | | | | | | | | | | Not covered |
| | Arformoterol, inhalation solution, FDA approved, final product, non- compounded | Brovana | Yes | ML | Broncho-dilator | None | Х | Х | | | | | | | | | | | New code effective 1/1/08 |
| | Formoterol fumarate, inhalation solution, FDA approved final product, noncompounded, administered through DME, unit dose form, 20 mcg. | Perforomist | N/A | | Broncho-dilator | | | | | | | | | | | | | | Not covered. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | нѕ | PO | ОРН | Н | ID TF | DC | Special Instructions |
|-------|--|---|---|---------------------------|------------------------------|-------------------|----------|-----------|---|----|----|----|----|----|-----|---|----------|----|--|
| | Levalbuterol, inhalation solution, compounded product, administered through DME | Xopenex | N/A | | Adrenergic bronchodilator | | | | | | | | | | | | | | Not covered. |
| J7608 | Acetylcysteine inhalation solution unit dose form per mg. | Mucomyst Mucosil | Yes | ML | Mucolytic | | Х | Х | Х | Х | | | | | | | | | New code effective 1/1/08. Nurse practitioner added 1/1/09. |
| | Albuterol, inhalation solution, compounded product, administered through DME | Proventil, Proventil Repetabs, Ventolin, Volmax | N/A | | Broncho-dilator | | | | | | | | | | | | | | Not covered. |
| | Albuterol, inhalation solution, compounded product, administered through DME | Proventil, Proventil Repetabs, Ventolin, Volmax | N/A | | Broncho-dilator | | | | | | | | | | | | | | Not covered. |
| J7611 | Albuterol inhalation concentrated form 1mg | Proventil, Proventil Repetabs, Ventolin, Volmax | Yes | | Broncho-dilator | None | Х | Х | Х | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes A22.1, A37.91, A48.1, B25.0, B44.0, B44.1, J05.0, J09.X1, J09.X2, J09.X3, J09.X9, J10.00, J10.01, J10.08, J10.1, J10.2, J10.81, J10.89, J11.00, J11.08, J11.1, J11.2, J11.81, J11.89, J12.0, J12.0, J12.1, J12.3, J12.81, J12.89, J12.9, J13, J14, J15.0, J15.1, J15.1, J15.2, J15.21, J15.29, J15.3, J15.4, J15.5, J15.6, J15.7, J15.8, J15.9, J16.0, J16.8, J17, J18.0, J18.1, J18.8, J18.9, J20.9, J21.0, J21.8, J21.9, J40, J41.1, J41.8, J42, J43.0, J43.1, J43.2, J43.8, J43.9, J44.0, J44.1, J44.9, J45.20, J45.21, J45.22, J45.30, J45.31, J45.32, J45.40, J45.41, J45.42, J45.50, J45.51, J45.52, J45.901, J45.902, J45.909, J45.990, J45.991, or J45.998 Opened effective 1/1/07. ICD-9 codes 464.4, 466-466.19, 480-487.8, 490-491.9, 492-492.8 and 493-493.9 required on claim form. Code closed effective 12/31/07. Code opened 4/1/08 with above ICD-9 restrictions. |
| J7612 | Levalbuterol inhalation solution concentrated form 0.5mg | Xopenex | Yes | | Broncho-dilator | None | X | X | X | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes A22.1, A37.91, A48.1, B25.0, B44.0, B44.1, J05.0, J09.X1, J09.X2, J09.X3, J09.X9, J10.00, J10.01, J10.08, J10.1, J10.2, J10.81, J10.89, J11.00, J11.08, J11.1, J11.2, J11.81, J11.89, J12.0, J12.1, J12.2, J12.3, J12.81, J12.89, J12.9, J13, J14, J15.0, J15.1, J15.20, J15.211, J15.212, J15.29, J15.3, J15.4, J15.5, J15.6, J15.7, J15.8, J15.9, J16.0, J16.8, J17, J18.0, J18.1, J18.8, J18.9, J20.8, J20.9, J21.0, J21.8, J21.9, J40, J41.1, J41.8, J42, J43.0, J43.1, J43.2, J43.8, J43.9, J44.0, J44.1, J44.9, J45.20, J45.21, J45.22, J45.30, J45.31, J45.32, J45.40, J45.41, J45.42, J45.50, J45.51, J45.52, J45.901, J45.902, J45.909, J45.991, or J45.998 Opened effective 1/1/07. ICD-9 codes 464.4, 466-466.19, 480-487.8, 490-491.9, 492-492.8 and 493-493.9 required on claim form. Code closed effective 12/31/07. Code opened 4/1/08 with above ICD-9 restrictions. |
| J7613 | Albuterol inhalation solution unit dose 1mg | Accuneb Proventil Respirol Ventolin | Yes | SOL=ML | Broncho-dilator | | Х | X | Х | Х | | | | | | | | | Code change; re-opened 1/1/09. Code closed effective 12/31/07. |
| J7614 | Levalbuterol inhalation solution unit dose 0.5mg | Xopenex | Yes | SOL=ML | Broncho-dilator | | Х | Х | Х | Х | | | | | | | | | Code change; re-opened 1/1/09. Code closed effective 12/31/07. |

| 0.4. | D | D I N | NDC | NDC unit | 0-1 | 0 | 1 40 | 0411 | Р | ND | MW | | | | OBL | | Lin | J. | |
|-------|--|----------------------------------|------------------------------------|------------------|--|-------------------|----------|------|---|----|-------|----|----|----|-----|---|-----|----|---|
| Code | Description | Brand Name | req. for drug rebate ? | of measure | Category | Service Limits | AC OP | OP | Р | NP | IVIVV | WH | HS | PO | ОРН | Н | TF | | C Special Instructions |
| | Levalbuterol, inhalation solution, compounded product, adminstered through DME | Xopenex | N/A | | Adrenergic bronchodilator | | | | | | | | | | | | | | Not covered. |
| J7620 | Albuterol, up to 2.5 mg and ipratropium bromide, up to 0.5 mg, non- compounded | Duoneb | N/A | | Broncho-dilator | | | | | | | | | | | | | | Not covered. |
| J7622 | Betamethasone inhalation solution unit dose form per mg | | N/A | | Corticosteroid | | | | | | | | | | | | | | Not Covered |
| | Betamethasone inhalation solution unit dose form per mg | | N/A | | Corticosteroid | | | | | | | | | | | | | | Not Covered |
| | Budesonide inhalation solution, non- compounded, administered thru DME, unit dose, up to 0.5mg. | Pulmicort Respules | N/A | | Corticosteroid | | | | | | | | | | | | | | Not Covered |
| | Budesonide, powder, compounded for inhalation solution, administered through DME, unit dose form up to 0.5mg. | Pulmicort | N/A | | Corticosteroid | | | | | | | | | | | | | | Not covered. |
| J7628 | Bitolterol mesylate inhalation solution con- centrated form per mg | Tornalate | N/A | | Sympathomimet ic | | | | | | | | | | | | | | Not Covered |
| | Bitolterol mesylate inhalation solution unit dose form per mg | Tornalate | N/A | | Sympathomimet ic | | | | | | | | | | | | | | Not Covered |
| | Cromolyn sodium inhaltion solution unit dose form per 10mg | Gastrocrom Intal Nasalcrom | Yes | PWD=UN SOL=ML | Anti-allergic | None | Х | Х | Х | Х | | | | | | | | | New code effective 1/1/08. Nurse practitioner added 1/1/09. |
| J7632 | Cromolyn Sodium inhalation solution, compounded product, administered through | | | | Mast cell stabilizer | | | | | | | | | | | | | | Not covered. |
| | Budesonide inhalation solution concentrated form per 0.25mg | Pulmicort | N/A | | Cortico steroid | | | | | | | | | | | | | | Not Covered |
| | Budesonide, inhalation solution, compounded product, administered through DME | Rhinocort | N/A | | Anti- inflammatory, corticosteroid | | | | | | | | | | | | | | Not covered. |
| J7635 | Atropine inhalation solution concentrated form per mg. | Sal-Tropine | N/A | | anticholinergics/ antispasmodics | | | | | | | | | | | | | | Not Covered |

| 0.4. | B | D I N | NDO | NDO'r | 0-1 | 0 | 1.0 | 0411 | - | NID. | | | 1110 | | Lonu | т. | | - 1- | 20 On relative transitions |
|-------|---|---------------------------|---|---------------------------|-------------------------------------|-------------------|----------|-----------|---|------|----|----|------|----|------|----|--------------|------|----------------------------|
| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | Р | NP | MW | WH | HS | PO | ОРН | r | 11 II T | | OC Special Instructions |
| | Atropine inhalation solution administered through DME unit dose form per mg | Sal-Tropine | N/A | | anticholinergics/ antispasmodics | | | | | | | | | | | | | | Not Covered |
| | Dexamethasone inhalation solution concentrated form per mg | Decadron | N/A | | Corticosteroid | | | | | | | | | | | | | | Not Covered |
| | Dexamethasone inhalation administered through DME unit dose form per mg | Decadron | N/A | | Corticosteroid | | | | | | | | | | | | | | Not Covered |
| | Dornase alpha inhalation solution unit dose form per mg | Pulmozyme | N/A | | Enzyme | | | | | | | | | | | | | | Not Covered |
| | Formoterol, inhalation solution, administered through DME, unit dose form, 12 micrograms | Foradil | N/A | | Corticosteroid | | | | | | | | | | | | | | Not covered. |
| J7641 | Flunisolide inhalation solution unit dose per mg | Nasalide | N/A | | Corticosteroid | | | | | | | | | | | | | | Not Covered |
| | Glycopyrrolate inhalation solution concentrated form per mg | Robinul | N/A | | Anti-cholinergic | | | | | | | | | | | | | | Not Covered |
| | Glycopyrrolate inhalation solution unit dose form per mg | Robinul | N/A | | Anti-cholinergic | | | | | | | | | | | | | | Not Covered |
| | Ipratropium bromide inhalation solution unit dose form per mg | Atrovent | N/A | | Broncho-dilator | | | | | | | | | | | | | | Not Covered |
| | Ipratropium bromide, inhalation solution, compounded product, administered thru DME | Atrovent | N/A | | Broncho-dilator | | | | | | | | | | | | | | Not covered. |
| | Isoetharine HCI, inhalation solution, compounded product, administered through DME | Bronkometer, Bronkosol | N/A | | Broncho-dilator | | | | | | | | | | | | | | Not covered. |
| J7648 | Isoetharine HCI inhalation solution concentrated form per mg | Bronkometer, Bronkosol | N/A | | Broncho-dilator | | | | | | | | | | | | | | Not Covered |
| J7649 | - | Bronkometer, Bronkosol | N/A | | Broncho-dilator | | | | | | | | | | | | | | Not Covered |

| 0 | D | D 7.11 | NES | NDC : | 0-1- | 0 | | | - | | B.01.47 | 8000 | Luc | F. | 05:- | | u I | O Our colet be described |
|----------|--|----------------------------------|---|---------------------------|--|-------------------|----------|----|---|----|---------|------|-----|----|------|---|-------|--|
| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | OP | Р | NP | MW | МН | HS | PO | ОРН | Н | II ID | C Special Instructions |
| J7650 | Isoetharine HCI, inhalation solution, compounded product, administered through DME | Bronkometer, Bronkosol | N/A | | Broncho-dilator | | | | | | | | | | | | | Not covered. |
| | Isoproterenol HCI, inhalation solution, compounded product, administered through DME | Isuprel HCI Medihaler- 150 | N/A | | Vasopressor | | | | | | | | | | | | | Not covered. |
| | Isoproterenol HCI inhalation solution concentrated form per mg | Isuprel HCI Medihaler- 150 | N/A | | Vasopressor | | | | | | | | | | | | | Not Covered |
| | Isoproterenol HCI inhalation solution unit dose form per mg | Isuprel HCI Medihaler- 150 | N/A | | Vasopressor | | | | | | | | | | | | | Not Covered |
| | Isoproterenol HCI, inhalation solution, compounded product, administered through DME | Isuprel HCI Medihaler- 150 | N/A | | Vasopressor | | | | | | | | | | | | | Not covered. |
| J7665 | Mannitol, administered via inhaler, 5 mg. | Aridol | N/A | | | | | | | | | | | | | | | Not covered. |
| J7667 | Metaporterenol sulfate, inhalation solution, compounded product, concentrated | Alupent | N/A | | Broncho-dilator | | | | | | | | | | | | | Not covered. |
| J7668 | Metaproterenol sulfate inhalation solution concentrated form per 10mg | Alupent | Yes | ML | Broncho-dilator | None | | | Х | Х | | | | | | | | Code closed 6/30/11. Opened effective 1/1/07. ICD-9 codes 464.4, 466-466.19, 480-487.8, 490-491.9, 492.8 and 493-493.9 required on claim form. |
| | Metaproterenol sulfate inhalation solution unit dose form per 10 mg | Alupent | Yes | PWD=UN SOL=ML | Broncho-dilator | None | | | X | X | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes A22.1, A37.91, A48.1, B25.0, B44.0, B44.1, J05.0, J09.X1, J09.X2, J09.X3, J09.X9, J10.00, J10.01, J10.08, J10.1, J10.2, J10.81, J10.89, J11.00, J11.08, J11.1, J11.2, J11.81, J11.89, J12.0, J12.1, J12.2, J12.3, J12.81, J12.89, J12.9, J13, J14, J15.0, J15.1, J15.20, J15.211, J15.22, J15.29, J15.3, J15.4, J15.5, J15.6, J15.7, J15.8, J15.9, J16.0, J16.8, J17, J18.0, J18.1, J18.8, J18.9, J20.8, J20.9, J21.0, J21.8, J21.9, J40, J41.0, J41.1, J41.8, J42, J43.0, J43.1, J43.2, J43.8, J43.9, J44.0, J44.1, J44.9, J45.20, J45.21, J45.22, J45.30, J45.31, J45.32, J45.40, J45.41, J45.42, J45.50, J45.51, J45.52, J45.901, J45.902, J45.909, J45.990, J45.991, or J45.998 Opened effective 1/1/07. ICD-9 codes 464.4, 466-466.19, 480-487.8, 490-491.9, 492-492.8 and 493-493.9 required on claim form. Nurse practitioner added 10/1/09. |
| J7670 | Metaproterenol sulfate, inhalation solution, compounded product, administered | Alupent | N/A | | Broncho-dilator | | | | | | | | | | | | | Not covered. |
| J7674 | Methacholine chloride as inhalation solution through a nebulizer per 1mg | Provocholine | N/A | | Cholinergic broncho- constrictor | | | | | | | | | | | | | Not Covered |

| | | | | | | | | | | | | | | | | | 1 | 1== | le con con |
|-------|---|----------------------------|---|---------------------------|---------------------------------|-------------------|----------|----|---|----|----|----|----|----|-----|---|----|-----|----------------------|
| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | OP | P | NP | MW | МН | нѕ | PO | ОРН | н | TF | DC | Special Instructions |
| J7676 | Pentamidine Isethionate inhalation solution, compounded product, administered through | | | | Anti-protozoal | | | | | | | | | | | | | | Not covered |
| J7680 | Terbutaline sulfate inhalation solution concentrated form per mg | Brethine Bricanyl | N/A | | Broncho-dilator | | | | | | | | | | | | | | Not Covered |
| J7681 | Terbutaline sulfate inhalation solution unit dose form per mg | Brethine Bricanyl | N/A | | Broncho-dilator | | | | | | | | | | | | | | Not Covered |
| | Tobramycin unit dose form 300mg inhalation solution | Tobi | N/A | | Antibiotic | | | | | | | | | | | | | | Not Covered |
| | Triamcinolone inhalation solution concentrated form per mg | Azmacort | N/A | | Corticosteroid | | | | | | | | | | | | | | Not Covered |
| J7684 | Triamcinolone inhalation solution unit dose form per mg | Azmacort | N/A | | Corticosteroid | | | | | | | | | | | | | | Not Covered |
| | Tobramycin, inhalation solution, compounded product, administered through DME | Tobrex | N/A | | Anti-bacterial, opthalmic | | | | | | | | | | | | | | Not covered. |
| | Treprostinil, inhalation solution, FDA-approved final product, non-compounded, administered through DME, unit dose form, 1.74 mg. | Tyvaso | N/A | | Pulmonary Anti- hypertensive | | | | | | | | | | | | | | Not covered. |
| | NOC drugs in-halation drugs. Used only if a more specific code is not available. | | N/A | | | | | | | | | | | | | | | | Not Covered |
| | NOC drugs other than inhalation drugs. Used only if a more specific code is not available | | N/A | | | | | | | | | | | | | | | | Not Covered |
| J8498 | Antiemetic drug, rectal/suppository, not otherwise specified | | N/A | | | | | | | | | | | | | | | | Not covered. |
| J8499 | Prescription drug oral non-chemotherapeutic NOS | | N/A | | | | | | | | | | | | | | | | Not Covered |
| J8501 | Aprepitant oral 5mg | Emend Emend Tri-Fold | N/A | | Antiemetic | | | | | | | | | | | | | | Not Covered |

| Cada | Decembries | Drawd Name | NDC | NDCit | Catamami | Camilaa | 40 | CALL | - | ND | B#NA/ | NAI I | ш | DO. | OBL | | ı I ın | l De | Charlet Instructions |
|-------|--|-------------------------|---|---------------------------|-------------------------------------|-------------------|----------|------|---|----|-------|-------|----|-----|-----|---|--------|------|--|
| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | OP | Р | NP | MW | WH | HS | PO | ОРН | Н | TF | | Special Instructions |
| J8510 | Bulsulfan oral2 mg | Myleran | N/A | | Anti-neoplastic | | | | | | | | | | | | | | Not Covered |
| J8515 | Cabergoline, 0.25 mg | Dostinex | N/A | | | | | | | | | | | | | | | | Not Covered. |
| J8520 | Capecitabine oral 150mg | Xeloda | N/A | | Anti-neoplastic | | | | | | | | | | | | | | Not Covered. |
| J8521 | Capecitabine oral 500mg | Xeloda | N/A | | Anti-neoplastic | | | | | | | | | | | | | | Not Covered. |
| J8530 | Cyclophosphamide oral 25mg | Cytoxan Procytox | N/A | | Anti-neoplastic | | | | | | | | | | | | | | Not Covered. |
| J8540 | Dexamethasone, oral, 0.25 mg | Decadron | N/A | | Anti- inflammatory | | | | | | | | | | | | | | Not Covered. |
| J8560 | Etoposide oral 50mg | VePesid | N/A | | Anti-neoplastic | | | | | | | | | | | | | | Not Covered. |
| J8561 | Everolimus, oral, 0.25 mg. | Afinitor | N/A | | | | | | | | | | | | | | | | Not Covered. |
| | Fludarabine phosphate, oral, 10 mg. | Oforta | N/A | | Anti-neoplastic | | | | | | | | | | | | | | Not covered. |
| J8565 | Gefitnib oral 250mg | Iressa | N/A | | Anti-neoplastic | | | | | | | | | | | | | | Not Covered. |
| | Antiemetic drug, oral, not othrwise specified | | N/A | | | | | | | | | | | | | | | | Not Covered. |
| J8600 | Melphalan oral 2mg | Alkeran | N/A | | Anti-neoplastic | | | | | | | | | | | | | | Not Covered. |
| J8610 | Methotrexate oral 2.5mg | Rheumatrex Dose Pack | N/A | | Anti-rheumatic | | | | | | | | | | | | | | Not Covered. |
| J8650 | Nabilone, oral, 1 mg | Cesamet | N/A | | Antiemetic | | | | | | | | | | | | | | Not Covered. |
| | Rolapitant, oral, 1 mg | Varubi | | | | | | | | | | | | | | | | | Effective 1/1/17. Not covered. See pharmacy POS. |
| | Temozolomide oral 5mg | Temodar | N/A | | Anti-neoplastic | | | | | | | | | | | | | | Not Covered. |
| | Topotecan, oral, 0.25 mg. | Hycamtin | N/A | | Anti-neoplastic | | | | | | | | | | | | | | Not covered. |
| | Prescription drug oral chemotherapeutic NOS. Used only if a more specific code is not available. | | N/A | | | | | | | | | | | | | | | | Not Covered. |
| J9000 | Doxorubicin HCl 10mg | Adriamycin | Yes | PWD=UN SOL=ML | Anti-neoplastic | 20 per day | Х | Х | Х | | | | | | | | | | |
| | Doxorubicin HCl, all lipid formulations, 10mg | Doxil | Yes | ML | Anti-neoplastic | 10 per day | Х | Х | Х | | | | | | | | | | Closed 12/31/12. |
| | Injection, doxorubicin hydrochloride, liposomal, 10 mg | Doxil | Yes | ML | Anti-neoplastic | 10 per day | Х | Х | Х | | | | | | | | | | Effective 1/1/13. |
| J9010 | Injection, alemtuzumab, 10mg | Campath | Yes | ML | Anti-neoplastic | 3 per day | Х | Х | Х | | | | | | | | | | Drug not available on market, effective 9/4/12. |
| J9015 | Aldesleukin per single use vial. | Proleukin | Yes | UN | Biological Response Modulator | 3 per day | Х | Х | Х | | | | | | | | | | |

| Code | Description | Brand Name | NDC | NDC unit | Category | Service | AC | CAH | Р | NP | MW | МН | HS | РО | ОРН | | | | OC Special Instructions |
|-------|--|----------------------|------------------------------------|------------------|-------------------------------------|--------------------|----|-----|---|----|----|----|----|----|-----|--|---|----|--|
| | | | req. for drug rebate ? | of measure | | Limits | OP | OP | | | | | | | | | Т | ΓF | |
| J9017 | Arsenic trioxide 1mg | Trisenox | Yes | PWD=UN SOL=ML | Anti-neoplastic | 15 per day | Х | Х | Х | | | | | | | | | | |
| J9019 | Injection, asparaginase, 1,000 iu | Erwinaze | Yes | UN | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes C91.00 - C91.02 Effective 1/1/13. Restricted to ICD diagnosis of 204.00 - 204.02. |
| J9020 | Asparaginase 10000U | Elspar | Yes | UN | Anti-neoplastic | 3 per day | Х | Х | Х | | | | | | | | | | Effective 2/29/24, code is closed. |
| J9021 | Injection, asparaginase, recombinant, 0.1 mg | Rylaze | Yes | SOL | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Effective 1/1/22. Restricted to ICD-10 C91.00 - C91.02, C83.50 - C83.59. Minimum age of 1 month. |
| J9022 | Injection, atezolizumab, 10 mg. | Tecentriq | Yes | ML | Anti-neoplastic | 120 units daily | X | X | X | | | | | | | | | | Effective 3/1/22, ICD -10 C22.0 - C22.9 added. Effective 2/1/19, added ICD-10: C50.911 - C50.929, C61, C7A.1, C78.00, C78.01, C78.02, C79.31, C79.51, C79.52, D05.00 - C05.92, D09.0, Z17.0, Z17.1, Z51.11, Z51.12, Z80.0 - Z80.3, Z80.41 - Z80.49, Z80.51 - Z51.59, Z85.118, Z85.3, Z85.51, Z85.59. Code made effective 1/1/18. Comprehensive list of indications: As of April 17, 2017, ICD-10 of C65.1, C65.2, C65.9, C66.1, C66.2, C66.9, C67.0, C67.2, C67.2, C67.4, C67.5, C67.6, C67.7, C67.8, C67.9, C68.0. As of March 8, 2019, ICD-10 of C50.011 - C50.819, and C50.021 - C50.829. Minimum age of 16 years. |
| J9023 | Injection, avelumab, 10 mg. | Bavencio | Yes | ML | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Effective 5/14/19, ICD-10 added: C4A.111, C4A.112, C4A.121, C4A.122, C61, C64.1, C64.2, C64.9, C66.9, D09.0, Z85.51, Z85.528. Effective 1/1/18. Restricted to ICD-10 C4A.0, C4A.10 - C4A.12, C4A.20 - C4A.22, C4A.30 - C4A.39, C4A.4, C4A.51 - C4A.59, C4A.60 - C4A.62, C4A.70 - C4A.72, C4A.8, C4A.9; C65.1, C65.2, C66.1, C66.2, C67.0 - C67.9, C68.0, C68.8. Minimum age of 12 years. |
| J9025 | Injection, azacitidine, 1 mg | Vidaza | Yes | UN | Anti-neoplastic | None | X | X | X | | | | | | | | | | Effective 6/1/19, ICD-10 added: C92.00, C92.01, C92.02, C92.50, C92.51, C92.52, C92.60, C92.61, C92.62, C92A0, C92.A1, C92.A2, E83.42. Effective 10/1/2015 ICD-10 diagnosis codes C88.8, C92.10, C92.20, C94.40, C94.41, C94.42, C94.6, D46.0, D46.1, D46.20, D46.21, D46.22, D46.4, D46.9, D46.A, D46.B, D46.C, D46.Z, D47.1, D47.3, D47.9, or D47.Z9 ICD-9 code 238.7, 238.71, 238.72, 238.73, 238.74, 238.75, 238.76, 238.79 or 205.10 required on claim form. |
| J9027 | Injection, clofarabine, 1 | Clolar | Yes | ML | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | New code effective 1/1/06. |
| J9029 | Injection, nadofaragene firadenovec-vncg, per therapeutic dose | Adstiladrin | Yes | EA | Anti-neoplastic | None | Х | Х | | | | | | | | | | | Effective 7/1/23. Restricted to ICD-10 C67.0 - C67.9, D09.0. |
| J9030 | BCG live intravesical instillation, 1 mg | BCG Tice | Yes | UN | Biological Response Modulator | None | Х | Х | Х | | | | | | | | | | Effective 7/1/19. |
| J9031 | BCG live (intravesical) per instillation | TheraCys Tice BCG | Yes | UN | Biological Response Modulator | 3 per day | Х | Х | Х | | | | | | | | | | Code can be used for therapeutic reasons, and claim must include the NDC being billed. |
| J9032 | Injection, belinostat, 10 mg | Beleodaq | Yes | UN | Anti-neoplastic | | Х | Х | Х | | | | | | | | | | Effective 1/1/16. Restricted to diagnosis ICD-10 C84.40 - C84.49. Minimum age of 16 years. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | М | H HS | S F | PO (| OPH | HI | ID TF | DC | Special Instructions |
|-------|--|------------|---|---------------------------|-------------------------|--------------------|----------|-----------|---|----|----|---|------|-----|------|-----|----|----------|----|--|
| J9033 | Injection, bendamustine HCl, 1 mg. | Treanda | Yes | UN | Anti-neoplastic | None | Х | X | X | | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes C82.00 - C82.69, C82.80 - C82.99, C83.01 - C83.08, C83.10 - C83.19, C83.30 - C83.39, C83.50 - C83.59, C83.70 - C83.99, C84.00 - C84.19, C84.40 - C84.49, C84.60 - C84.79, C84.90 - C84.99, C84.A0 - C84.A9, C84.20 - C84.29, C85.10 - C85.29, C85.80 - C85.99, C86.0 - C86.4, C86.6, C86.2, C86.4, C86.6, C86.2, C86.4, C86.6, C86.2, C86.4, C86.4, C86.6, C86.2, C86.4, C86.4, C86.4, C86.4, C86.4, C86.4, C86.4, C86.4, C86.5, C86.4, C86.4, C86.5, C86.4, C86.5, C86.4, C86.5, C86. |
| J9034 | Injection, bendamustine HCl, 1 mg. | Bendeka | Yes | ML | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | | Effective 1/1/17. Restricted to ICD-10 diagnosis C82.00 - C82.69, C82.80 - C82.99, C83.01 - C83.08, C83.10 - C83.19, C83.30 - C83.39, C83.50 - C83.59, C83.70 - C83.99, C84.00 - C84.19, C84.40 - C84.49, C84.60 - C84.79, C84.90 - C84.99, C84.A0 - C84.A9, C84.Z0 - C84.Z9, C85.10 - C85.29, C85.80 - C85.99, C86.0 - C86.4, C86.6, C88.2 - C88.4, C88.8, C88.9, C90.00, C90.10, C90.20, C90.30, C91.10 - C91.12, C91.40 - C91.42, C96.0, C96.2, C96.A, or D47.Z9. |
| J9035 | Injection bevacizumab 10 mg | Avastin | Yes | ML | Anti-neoplastic | None | X | × | X | | | | | | | | | | | Effective 8/1/22, ICD-10 C56.3 added. Effective 3/1/22, ICD-10 C22.0 - C22.9 added. Effective 1/1/21, ICD-10 E10.311 - E10.3599 and E11.311 - E11.3599 added. Effective 1/1/17, add ICD-10 diagnoses C54.1, C54.2, C54.3, and C54.9. Effective 10/1/2015 ICD-10 diagnosis codes C18.0 - C18.9, C19, C20, C21.0 - C21.2, C21.8, C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92, C38.4, C44.500, C44.501, C44.509, C44.509, C44.50, C45.1, C48.0, C48.1, C48.8, C53.0, C53.1, C53.8, C56.1, C56.2, C56.9, C57.00 - C57.02, C57.10 - C57.12, C57.20 - C57.22, C57.3, C57.4, C64.1, C64.2, C64.9, C65.1, C65.2, C65.9, C66.1, C66.2, C66.9, C68.0, C68.1, C68.8, C68.9, C70.0, C70.1, C70.9, C71.0 - C71.9, C72.0, C72.1, C72.20 - C72.22, C72.30 - C72.32, C72.40 - C72.42, C72.50, C72.9, D43.0 - D43.2, or D43.4 Effective 11/14/14, ICD-9 diagnosis restriction of 158.0 - 158.8 and 183.0 - 183.8 added. Effective 8/14/14, ICD-9 diagnosis restriction of 180.0, 180.1, and 180.8 added. Effective 10/1/13, ICD-9 diagnosis restriction of 180.0 - 180.8 added. Effective 10/1/13, ICD-9 diagnosis restriction of 180.0 - 180.9, representation. ICD-9 codes 153.0-154.8, 173.5, 174.0-174.9 or 175.0-175.9 required on claim form. New ICD-9 diagnosis code of 162.0 - 163.0, effective 9/20/07. New ICD-9 diagnosis code of 191.0-192.9, effective 5/5/09. New approved ICD-9 diagnosis of 189.0 - 189.9, effective 8/1/09. Bill J3490 for provider specialty Ophthalmology. |
| J9037 | Injection, belantamab mafodontin-blmf, 0.5 mg | Blenrep | Yes | UN | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | | Effective 4/1/21. Restricted to ICD-10 C90.00 - C90.02. Minimum age of 16 years. |
| J9039 | Injection, blinatumomab, 1 microgram | Blincyto | Yes | UN | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | | Effective 6/1/18, minimum age restriction was removed. 1/1/16. Restricted to diagnosis ICD-10 C91.00 - C91.02. Minimum age of 13 years. |
| J9040 | Bleomycin sulfate 15U | Blenoxane | Yes | UN | Anti-neoplastic | 4 per day | Х | Х | Х | | | | | | | | | | | |
| J9041 | Injection bortezomib (Velcade), 0.1 mg | Velcade | Yes | UN | Proteasome Inhibitor | None | Х | X | Х | | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes C83.10 - C83.19, C90.00, C90.02, T86.00 - T86.03, T86.09 - T86.13, T86.19 - T86.23, T86.290, T86.298, T86.30 - T86.33, T86.39 - T86.43, T86.810 - T86.812, T86.818, T86.819, T86.850 - T86.852, T86.858, T86.859, T86.890 - T86.892, T86.898 or T86.899 ICD-9 diagnosis restriction of 996.81 - 996.87 added, effective 3/1/15. ICD-9 code 203.00 or 203.02, initial or relapsed multiple myeloma, required on claim form. New indication of mantle cell lymphoma added effective 7/1/08. Claim must include ICD-9 range of 200.40 to 200.48. |
| J9042 | Injection, brentuximab vedotin, 1 mg | Adcetris | Yes | UN | Anti-neoplastic | 180 units daily | Х | Х | Х | | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes C81.00 - C81.49, C81.70 - C81.79, C81.90 - C81.98, or C84.60 - C84.79 Effective 1/1/13. Restricted to ICD-9 diagnosis of 200.60 - 200.68 or 201.00 - 201.98. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | MH | H HS | S Po | 0 0 | PH | Н | ID TF | DC | Special Instructions |
|-------|---|------------|---|---------------------------|-------------------------|-------------------|----------|-----------|---|----|----|----|------|------|-----|----|---|----------|----|--|
| J9043 | Injection, cabazitaxel, 1 mg. | Jevtana | Yes | ML | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis code C61 Effective 1/1/12. Restricted to ICD-9 diagnosis 185.0. |
| | Injection, bortezomib, not otherwise specified, 0.1 mg | NA | Yes | UN | Proteasome Inhibitor | None | х | Х | Х | | | | | | | | | | | Closed 12/31/22. See J9046, J9048, or J9049 after this date. Effective 1/1/19. Restricted to ICD-10 C83.10 - C83.19, C90.00, C90.02, and T86.00 - T86.03, T86.09 - T86.13, T86.19 - T86.23, T86.290, T86.298, T86.30 - T86.33, T86.39 - T86.43, T86.810 - T86.812, T86.818, T86.819, T86.850 - T86.852, T86.858, T86.859, T86.859, T86.892, T86.898 or T86.899. |
| J9045 | Carboplatin 50mg | Paraplatin | Yes | PWD=UN SOL=ML | Anti-neoplastic | 18 per day | Х | Х | Х | | | | | | | | | | | |
| J9046 | Injection, bortezomib, (dr. reddy's), not therapeutically equivalent to j9041, 0.1 mg | NA | Yes | EA | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | | Effective 1/1/23. |
| J9047 | Injection, carfilzomib, 1 mg | Kyprolis | Yes | UN | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes C90.00, C90.01 or C90.02 Effective 1/1/14. Restricted to ICD-9 diagnosis of 203.00 - 203.02. Minimum age restriction of 16 years. |
| | Injection, bortezomib (fresenius kabi), not therapeutically equivalent to j9041, 0.1 mg | NA | Yes | EA | Anti-neoplastic | None | Х | X | Х | | | | | | | | | | | Effective 1/1/23. |
| | Injection, bortezomib (hospira), not therapeutically equivalent to j9041, 0.1 mg | NA | Yes | EA | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | | Effective 1/1/23. |
| J9050 | Carmustine 100mg | BICNU | Yes | PWD=UN SOL=ML | Anti-neoplastic | 5 per day | Х | Х | Х | | | | | | | | | | | |
| | Injection, carmustine (accord), not therapeutically equivalent to j9050, 100 mg | NA | Yes | UN | Antineoplastic | None | Х | Х | Х | | | | | | | | | | | Effective 1/1/24. |
| J9055 | Injection Cetuximab 10 mg | Erbitux | Yes | ML | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes C00.0 - C00.6, C00.8, C00.9, C01, C02.0 - C02.4, C02.8, C02.9, C03.0, C03.1, C03.9, C04.0, C04.1, C04.8, C04.9, C05.0 - C05.2, C05.8, C05.9, C06.0 - C06.2, C06.80, C06.89, C06.9, C07, C08.0, C08.1, C08.9, C09.0, C09.1, C09.8, C09.9, C10.0 - C10.0 - C11.0 - C11.3, C11.8, C11.9, C12, C13.0 - C13.2, C13.8, C13.9, C14.0, C14.2, C14.8, C18.0 - C18.9, C19, C20, C21.0 - C21.2, C21.8, C30.0, C30.1, C31.0 - C31.3, C31.8, C31.9, C32.0 - C32.3, C32.8, C32.9, C4A.0 or C76.0 ICD-9 code 140.0-149.9, 153.0-154.8, 160.0-161.9, or 195.0 is required on claim form. |
| J9056 | Injection, bendamustine hydrochloride, 1 mg | Vivimusta | Yes | ML | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | | Effective 7/1/23. |
| J9057 | Injection, copanlisib, 1 mg | Aliqopa | Yes | UN | Anti-neoplastic | 60 units daily | Х | Х | Х | | | | | | | | | | | Effective 1/1/19. Restricted to ICD-10 C82.00 - C82.99. Minimum age of 16 years. |

| Code | Description | Brand Name | NDC | NDC unit | Category | Service | AC | CAH | Р | NP | MW | МН | HS | PO | ОРН | н | ΙD | DC | Special Instructions |
|-------|--|------------------------|------------------------------------|------------------|-----------------|--------------------|----|-----|---|----|----|----|----|----|-----|---|----|----|---|
| Gode | Sessiphon | Draine Haine | req. for drug rebate ? | of measure | Guidgery | Limits | OP | OP | | | | | | | 0 | | TF | | |
| J9058 | Injection, bendamustine hydrochloride (apotex), 1 mg | NA | Yes | ML | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Effective 7/1/23. |
| J9059 | Injection, bendamustine hydrochloride (baxter), 1 mg | NA | Yes | ML | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Effective 7/1/23. |
| J9060 | Cisplatin powder or solution per 10mg | Platinol AQ | Yes | PWD=UN SOL=ML | Anti-neoplastic | 18 per day | Х | Х | Х | | | | | | | | | | |
| J9061 | Injection, amivantamab- vmjw, 2 mg | Rybrevant | Yes | SOL | Anti-neoplastic | 700 units daily | Х | Х | Х | | | | | | | | | | Effective 1/1/22. Restricted to ICD-10 C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92. Minimum age of 16 years. |
| J9062 | Cisplatin 50mg | Platinol AQ | Yes | ML | Anti-neoplastic | 6 per day | Х | Х | Х | | | | | | | | | | Closed 12/31/10. See J9060. |
| | Injection, mirvetuximab soravtansine-gynx, 1 mg | Elahere | Yes | ML | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Effective 7/1/23. Restricted to ICD-10 C48.1, C48.8, C56.1, C56.2, C56.3, C57.01, C57.02, C57.11, C57.12, C57.21, C57.22, C57.3, C57.4, C57.8, C79.61, C79.62, C79.63. Minimum of 16 years. |
| J9065 | Injection cladribine per 1 mg | Leustatin | Yes | ML | Anti-neoplastic | 40 per day | Х | Х | Х | | | | | | | | | | |
| J9070 | Cyclophosphamide 100mg | Cytoxan Neosar | Yes | UN | Anti-neoplastic | 68 per day | Х | Х | Х | | | | | | | | | | |
| J9071 | Injection, cyclophosphamide, (auromedics), 5 mg | NA | Yes | ML | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Effective 4/1/22. |
| J9073 | Injection, cyclophosphamide (ingenus), 5 mg | NA | Yes | ML | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Effective 4/1/24. Covered to ASC. |
| J9074 | Injection, cyclophosphamide (sandoz), 5 mg | NA | Yes | UN | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Effective 4/1/24. Covered to ASC. |
| J9080 | Cyclophosphamide 200 mg | Cytoxan Neosar | Yes | UN | Anti-neoplastic | 34 per day | Х | Х | Х | | | | | | | | | | Closed 12/31/10. See J9070 after this date. |
| J9090 | Cyclophosphamide 500 mg | Cytoxan Neosar | Yes | UN | Anti-neoplastic | 14 per day | Х | Х | Х | | | | | | | | | | Closed 12/31/10. See J9070 after this date. |
| J9091 | Cyclophosphamide 1g | Cytoxan Neosar | Yes | UN | Anti-neoplastic | 7 per day | Х | Х | Х | | | | | | | | | | Closed 12/31/10. See J9070 after this date. |
| J9092 | Cyclophosphamide 2g | Cytoxan Neosar | Yes | UN | Anti-neoplastic | 4 per day | Х | Х | Х | | | | | | | | | | Closed 12/31/10. See J9070 after this date. |
| | Cyclophosphamide lyophilized 100mg | Cytoxan Lyophilized | Yes | UN | Anti-neoplastic | 68 per day | Х | Х | Х | | | | | | | | | | Closed 12/31/10. See J9070 after this date. |
| | Cyclophosphamide lyophilized 200 mg | Cytoxan Lyophilized | Yes | UN | Anti-neoplastic | 34 per day | Х | Х | Х | | | | | | | | | | Closed 12/31/10. See J9070 after this date. |
| | Cyclophosphamide lyophilized 500 gm | Cytoxan Lyophilized | Yes | UN | Anti-neoplastic | 14 per day | Х | Х | Х | | | | | | | | | | Closed 12/31/10. See J9070 after this date. |
| | Cyclophosphamide lyophilized 1g | Cytoxan Lyophilized | Yes | UN | Anti-neoplastic | 7 per day | Х | Х | Х | | | | | | | | | | Closed 12/31/10. See J9070 after this date. |
| J9097 | Cyclophosphamide lyophilized 2g | Cytoxan Lyophilized | Yes | UN | Anti-neoplastic | 4 per day | Х | Х | Х | | | | | | | | | | Closed 12/31/10. See J9070 after this date. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | OPH | ŀ | ID I | DC | Special Instructions |
|-------|--|--------------------|---|---------------------------|--|---------------------------|----------|-----------|---|----|----|----|----|----|-----|---|------|----|--|
| J9098 | Cytarabine liposome 10 mg | DepoCyt | Yes | ML | Anti-neoplastic | 5 per day | Х | Х | Х | | | | | | | | | | |
| J9100 | Cytarabine 100mg | Cytosar-U | Yes | PWD=UN SOL=ML | Anti-neoplastic | 75 per day | Х | Х | Х | | | | | | | | | | |
| J9110 | Cytarabine 500mg | Cytosar-U | Yes | PWD=UN SOL=ML | Anti-neoplastic | 15 per day | Х | Х | Х | | | | | | | | | | Closed 12/31/10. See J9100. |
| J9118 | Injection, calaspargase pegol-mknl, 10 units | Asparlas | Yes | ML | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Effective 10/1/19. Restricted to ICD-10 of C91.00, C91.01, C91.02. |
| J9119 | Injection, cemiplimab- rwlc, 1 mg. | Libtayo | Yes | SOL | Anti-neoplastic | 350 units daily | Х | Х | Х | | | | | | | | | | Effective 10/1/19. Minimum age of 16 years. |
| J9120 | Dactinomycin 0.5mg | Cosmegen | Yes | UN | Anti-neoplastic | 2 per day | Х | Х | Х | | | | | | | | | | |
| J9130 | Dacarbazine 100mg | DTIC-Dome | Yes | UN | Anti-neoplastic | 9 per day | Х | Х | Х | | | | | | | | | | |
| J9140 | Dacarbazine 200mg | DTIC-Dome | Yes | UN | Anti-neoplastic | 5 per day | Х | Х | Х | | | | | | | | | | Closed 12/31/10. See J9130. |
| | Injection, daratumumab, 10 mg and hyaluronidase-fihj | Darzalex Faspro | Yes | SOL | Anti-neoplastic | 180 units every 7 days | Х | Х | Х | | | | | | | | | | Effective 3/1/23, ICD-10 N03.0, N03.1, N03.2, N03.3, N03.4, N03.5, N03.6, N03.7, N03.8, N03.9, N03.A, N05.0, N05.1, N05.2, N05.3, N05.4, N05.5, N05.6, N05.7, N05.8, N05.9, N05.A added. Effective 1/1/21. Restricted to ICD-10 C90.00 - C90.02. Minimum age of 16 years. |
| J9145 | Injection, daratumumab, 10 mg | Darzalex | Yes | ML | Anti-neoplastic | 210 units daily | Х | Х | Х | | | | | | | | | | Effective 3/1/23, ICD-10 N03.0, N03.1, N03.2, N03.3, N03.4, N03.5, N03.6, N03.7, N03.8, N03.9, N03.A, N05.0, N05.1, N05.2, N05.3, N05.4, N05.5, N05.6, N05.7, N05.8, N05.9, N05.A added.Effective 1/1/19, ICD-10 diagnosis C90.00 added. Effective 1/1/17. Restricted to ICD-10 diagnosis C90.02. Minimum age of 16 years. |
| J9150 | Daunorubicin HCI 10mg | Cerubidine | Yes | PWD=UN SOL=ML | Anti-neoplastic | 11 per day | Х | Х | Х | | | | | | | | | | |
| J9151 | Daunorubicin citrate liposomal formulation 10 mg | Daunoxome | Yes | ML | Anti-neoplastic | 11 per day | Х | Х | Х | | | | | | | | | | Effective 2/29/24, code is closed. |
| | Injection, liposomal, 1 mg daunorubicin and 2.27 mg cytarabine | Vyxeos | Yes | UN | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Effective 1/1/19. Restricted to ICD-10 C92.00 - C92.02. Minimum age of 16 years. |
| J9155 | Injection, degarelix, 1 | Firmagon | Yes | UN | Anti-neoplastic | 240 units per day | Х | Х | Х | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis code C61 Effective 1/1/10. Restricted to ICD-9 diagnosis 185. Exclude female. Restrict to age 18 and above. |
| J9160 | Denileukin diftitox 300mcq | Ontak | N/A | | Anti-neoplastic | | | | | | | | | | | | 1 | | Closed 12/31/23. |
| J9165 | Diethylstilbestrol diphosphate 250 mg | Stilphostrol | Yes | UN | Palliative therapy prostate cancer | 4 per day | Х | Х | Х | | | | | | | | | | Effective 2/29/24, code is closed. Only for cancer diagnosis. |
| J9170 | Docetaxel 20mg | Taxotere | Yes | ML | Anti-neoplastic | 10 per day | Х | Х | Х | | | | | | | T | 1 | | Closed 12/31/09. See J9171. |

| 0 - 1 - | December the second | Daniel Manage | NDO | NDO' | 0-1 | 0 | 40 | 0411 | | NID | 84147 | | 1110 | | OBL | | Lin | T _D | On a list be described. |
|----------|--|---------------------------|-------------|----------------|-----------------|-------------------|----------|------|---|-----|-------|----|----------|----|-----|----|-----|----------------|--|
| Code | Description | Brand Name | NDC req. | NDC unit of | Category | Service Limits | AC OP | CAH | Р | NP | IVIVV | МН | HS | PO | ОРН | HI | TF | | Special Instructions |
| | | | for | measure | | | ٠. | ٠. | | | | | | | | | | | |
| | | | drug | | | | | | | | | | | | | | | | |
| | | | rebate | | | | | | | | | | | | | | | | |
| | | | ? | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | <u> </u> | | | | | - | |
| | njection, docetaxel, 1 | Taxotere | Yes | ML | Anti-neoplastic | 200 u. per day | X | X | × | | | | | | | × | | | Effective 10/1/2015 ICD-10 diagnosis codes C00.0 - C00.6, C00.8, C00.9, C15.3 - C15.5, C15.8, C15.9, C16.0 - C16.6, C16.8, C16.9, C25.0 - C25.4, C25.7 - C25.9, C30.0, C30.1, C31.0 - C31.3, C31.8, C31.9, C32.0 - C32.3, C32.8, C32.9, C33. C34.00, C34.01, C34.02, C34.10 - C34.12, C34.2, C34.20 - C34.22, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92, C44.00, C34.40, C34.40, C44.201, C44.202, C44.209, C44.201, C44.211, C44.212, C44.219, C44.221, C44.229, C44.229, C44.299, C44.201, C44.309 - C44.301, C44.310 - C44.321, C44.329, C44.390, C44.391, C44.391, C44.391, C44.399, C44.40 - C44.42, C44.49, C45.1, C45.9, C47.0, C47.10 - C47.12, C47.20 - C47.22, C47.4, C47.8, C47.9, C48.0 - C48.2, C48.8, C49.0, C49.10 - C49.12, C49.20 - C49.22, C49.4, C49.8, C49.9, C4A.0, C4A.4, C50.011, C50.012, C50.019, C50.021, C50.022, C50.029, C50.111, C50.112, C50.119, C50.121, C50.122, C50.129, C50.211, C50.212, C50.211, C50.212, C50.222, C50.311, C50.312, C50.312, C50.319, C50.321, C50.322, C50.329, C50.411, C50.412, C50.419, C50.421, C50.422, C50.429, C50.511, C50.512, C50.519, C50.521, C50.522, C50.529, C50.611, C50.612, C50.619, C50.621, C50.622, C50.629, C50.811, C50.812, C50.812, C50.819, C50.822, C50.829, C50.911, C50.912, C50.919, C50.922, C50.929, C51.0 - C51.2, C51.8, C51.9, C52, C53.0, C53.1, C53.8, C53.9, C54.0 - C54.3, C54.8, C54.9, C55, C56.1, C56.2, C56.9, C57.0 - C57.10, C57.12, C57.12, C57.20 - C57.22, C57.3, C57.4, C57.7 - C57.9, C61, C65.1, C65.2, C66.9, C67.0 - C67.0, C78.00, C78.00, C78.00, C78.01, C78.0 |
| J9172 Ir | njection, docetaxel | NA | Yes | ML | Antineoplastic | None | Х | Х | Х | | | | | | | | | | Effective 1/1/24. |
| th e | ingenus) not herapeutically equivalent to j9171, 1 ng | | | | | | | | | | | | | | | | | | |
| | njection, durvalumab, 10 mg | Imfinzi | Yes | ML | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Effective 11/17/22, ICD-10 C22.0, C22.1, C23, C24.0, C24.8, and C24.9 added. Effective 17/1/19. Restricted to ICD-10 C33, C34.01, C34.02, C34.11, C34.12, C34.2, C34.31, C34.32, C34.81, C34.82, C34.91, C34.91, C65.1, C65.2, C66.1, C66.2, C67 - C67.9, C68.0, C68.8. Minimum age of 16 years. |
| | njection, Eliotts' B solution, 1 ml | dextrose/ electsol, IV | Yes | ML | | None | Х | Х | | | | | | | | | | | Effective 2/29/24, code is closed. |
| | njection, elotuzumab, 1 | Empliciti | Yes | UN | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Effective 1/1/17. Restricted to ICD-10 diagnosis C90.00, C90.01, C90.92. Minimum age of 16 years. |
| | njection, enfortumab vedotin-ejfv, 0.25 mg | Padcev | Yes | UN | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Effective 7/1/20. Restricted to ICD-10 C65.1, C65.2, C65.9, C66.1, C66.2, C66.9, C67.0 - C67.9, C68.0. Minimum age 16 years. |
| J9178 Ir | njection epirubicin HCl 2 | Ellence | Yes | | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | |
| | ng | | | SOL=ML | | | l | l | | | l | | 1 | l | | | | 1 | |

| Code | Description | Brand Name | NDC | NDC unit | Category | Service | AC | CAH | Р | NP | MW | МН | I HS | PC | OF | ЭН | н | ID | DC | Special Instructions |
|-------|--|---------------------|------------------------------------|------------------|-----------------|-------------------------|----|-----|---|----|----|----|------|----|----|----|---|----|----|--|
| Out | Bossiphon | Diana Name | req. for drug rebate ? | of measure | Surgery | Limits | OP | OP | • | | | | | | | | | TF | 50 | |
| J9179 | Injection, eribulin mesylate, 0.1 mg. | Halaven | Yes | ML | Anti-neoplastic | 80 units per 21 days | X | X | Х | | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes C50.011, C50.012, C50.019, C50.021, C50.022, C50.029, C50.111, C50.112, C50.119, C50.121, C50.122, C50.129, C50.211, C50.212, C50.221, C50.222, C50.229, C50.311, C50.312, C50.319, C50.321, C50.322, C50.329, C50.411, C50.412, C50.419, C50.421, C50.422, C50.429, C50.511, C50.512, C50.519, C50.522, C50.529, C50.611, C50.612, C50.619, C50.621, C50.622, C50.629, C50.811, C50.812, C50.812, C50.812, C50.822, C50.829, C50.911, C50.912, C50.919, C50.921, C50.922, C50.929, C79.10, C79.11, C79.19 or C79.81 Effective 1/1/12. Restricted to ICD-9 diagnosis 198.81 or 174.0 - 175.9. Minimum age restriction of 18 years. |
| J9181 | Etoposide 10mg | VesPesid Toposar | Yes | PWD=UN SOL=ML | Anti-neoplastic | 25 per day | Х | Х | Х | | | | | | | | | | | |
| J9182 | Etoposide 100mg | VesPesid Toposar | Yes | UN | Anti-neoplastic | 3 per day | Х | Х | Х | | | | | | | | | | | |
| J9185 | Fludarabine phosphate 50mg | Fludara | Yes | PWD=UN SOL=ML | Anti-neoplastic | 5 per day | Х | Х | Х | | | | | | | | | | | |
| J9190 | Fluorouracil 500 mg | Adrucil | Yes | PWD=UN SOL=ML | Anti-neoplastic | 5 per 27 days | Х | Х | Х | | | | | | | | | | | |
| J9196 | Injection, gemcitabine hydrochloride (accord), not therapeutically equivalent to j9201, 200 mg | NA | Yes | ML | Antineoplastic | None | X | X | X | | | | | | | | | | | Effective 4/1/23. |
| J9198 | Injection, gemcitabine HCl, 100 mg | Infugem | N/A | | | | | | | | | | | | | | | | | Not covered. |
| J9199 | Injection, gemcitabine HCl, 200 mg | Infugem | N/A | | | | | | | | | | | | | | | | | Not covered. |
| J9200 | Floxuridine 500 mg | FUDR | Yes | UN | Anti-neoplastic | 2 per day | Х | Х | Х | | | | | | | | | | | |
| J9201 | Gemcitabine HCl 200mg | Gemzar | Yes | UN | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | | |
| J9202 | Goserelin acetate implant per 3.6mg | Zoladex | Yes | UN | Anti-neoplastic | 1 per month | Х | Х | Х | | | | | | | | | | | Closed 8/31/22. Manufacturer is no longer producing drug NDCs participating with Medicaid, as of 10/1/21. |
| J9203 | Injection, gemtuzumab ozogamicin, 0.1 mg. | Mylotarg | Yes | UN | Anti-neoplastic | 800 units per day | Х | Х | Х | | | | | | | | | | | Effective 1/1/18. |
| J9204 | Injection, mogamulizumab-kpkc, 1 mg. | Poteligeo | Yes | ML | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | | Effective 10/1/19. Restricted to ICD-10 of C84.01 - C84.09, C84.11 - C84.19. |
| J9205 | Injection, irinotecan liposome, 1 mg | Onivyde | Yes | ML | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | | Effective 1/1/17. Restricted to ICD-10 diagnosis C25.0, C25.1, C25.2, C25.3, C25.4, C25.7, C25.8, C25.9. Minimum age of 16 years. |

| | T | | | | | | | T | _ | | | | T. | 1 | | | Т. | т. | - 1- | |
|-------|---|--------------|---|----------------------------|-----------------|---|----------|----|---|----|----|-----|--------|----|----|-----|----|--------|---|--|
| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | OP | P | NF | MW | / M | ин н | HS | PO | ОРН | | ID I | oc s | Special Instructions |
| J9206 | Irinotecan 20mg | Camptosar | Yes | ML | Anti-neoplastic | 35 per day | X | X | Х | | | | | | | | | | 000000000000000000000000000000000000000 | Effective 10/1/2015 ICD-10 diagnosis codes C15.3 - C15.5, C15.8, C15.9, C16.0 - C16.6, C16.8, C16.9, C17.0 - C17.3, C17.8, C17.9, C18.0 - C18.9, C19, C20, C21.0 - C21.2, C21.8, C25.0 - C25.4, C25.7 - C25.9, C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92, C45.9, C53.0, C53.1, C53.8, C53.9, C56.1, C56.2, C56.9, C57.00 - C57.02, C57.10 - C57.12, C57.20 - C57.22, C57.3, C57.4, C71.0 - C71.9, C80.0, C80.1, C82.00 - C82.69, C82.80 - C82.99, C83.01 - C83.08, C83.10 - C83.39, C83.30 - C83.39, C83.50 - C83.59, C83.70 - C83.99, C84.00 - C84.19, C84.40 - C84.49, C84.60 - C84.79, C84.90 - C84.99, C84.00 - C84.90, C86.6, C84.40, C84.40 - C84.49, C84.20 - C84.29, C85.10 - C85.29, C85.20 - C85.29, C85.80 - C85.99, C86.0 - C86.4, C86.6, C88.4, C91.40 - C91.42, C96.0, C96.2, C96.4, C96.9, C96.A, C96.Z, C7B.00 - C7B.04, C7B.1, C7B.8, D49.0 - D49.7, D49.81, D49.89, or D49.9 ICD-9 diagnosis code required on claim form: Effective 5/1/10, the following are approved, 150.0 - 150.9, 151.0 - 151.9, 152.0 - 152.9, 153.0 - 154.8, 157.0 - 157.9, 162.0, 162.2, 162.3, 162.4, 162.5 162.8, 162.9, 180.0, 180.1, 180.8, 180.9, 183.0, 183.2 - 183.5, 183.8, 183.9, 191.0 - 191.9, 199.0 - 199.1, 200.00 - 200.88, 202.00 - 202.88, 202.70 - 202.78, 202.80 - 202.88, 202.90 - 202.98, 209.70 - 209.79, and 239.0 - 239.9. |
| J9207 | Injection, ixabepilone, 1 mg. | Ixempra | Yes | UN | Anti-neoplastic | Limit removed effective, 1/1/16 | X | X | Х | | | | | | | | | | 0 | Effective 10/1/2015 ICD-10 diagnosis codes C50.011, C50.012, C50.019, C50.111, C50.112, C50.119, C50.211, C50.212, C50.219, C50.211, C50.312, C50.319, C50.311, C50.312, C50.311, C50.312, C50.319, C50.411, C50.412, C50.419, C50.511, C50.512, C50.519, C50.611, C50.612, C50.619, C50.811, C50.812, C50.819, C50.911, C50.912, C50.919 New code effective 1/1/09. Restricted to ICD-9 code 174.0 - 174.9, metastatic or locally advanced breast cancer. Covered to physicians effetive 1/1/09. Minimum age of 18 years. Replaces C9240. |
| J9208 | Ifosfamide per 1g | Ifex | Yes | UN | Anti-neoplastic | 3 per day | Х | Х | Х | | | | | | | | | | | |
| J9209 | Mesna 200mg | Mesnex | Yes | ML | Anti-neoplastic | 3 per day | Х | Х | Х | | | | | | | | | | | |
| J9210 | Injection, emapalumab- lzsg, 1 mg. | Gamifant | Yes | SOL | Immune globulin | None | Х | Х | Х | | | | | | | | | | | Effective 10/1/19. Restricted to D76.1. |
| J9211 | Idarubicin HCI 5mg | Idamycin Pfs | Yes | ML | Anti-neoplastic | 12 per day | Х | Х | Х | | | | | | | | | | | |
| J9212 | Injection interferon alfa- con1 recombinant 1mcg | Infergen | Yes | ML | Anti-viral | 1 per day X 7 consecutive days - lifetime | X | X | Х | | | | | | | | | | | Effective 2/29/24, code is closed. Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime. |
| J9213 | Interferon alfa-2A recombinant 3 million U | Roferon-A | Yes | KIT=UN SOL=ML | Anti-viral | 1 per day X 7 consecutive days - lifetime | Х | Х | Х | | | | | | | | | | | Effective 2/29/24, code is closed. Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime. |
| J9214 | Interferon alfa-2B recombinant 1 million U | Intron-A | Yes | PWD=UN SOL=ML KIT=UN | Anti-viral | none | Х | Х | Х | | | | | | | | | | E | Effective 4/1/14, service limit removed. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | ОРН | н | II ID | C Special Instructions |
|-------|---|---|---|---------------------------|-------------------------------------|---|----------|-----------|---|----|----|----|----|----|-----|---|-------|---|
| J9215 | Interferon alfo-n3 human leukocyte derived 250,000 IU | Alferon-N | Yes | ML | Biological Response Modulator | 1 per day X 7 consecutive days - lifetime | X | X | X | | | | | | | | | Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime. |
| J9216 | Interferon gamma 1B 3 million U | Actimmune | Yes | ML | Biological Response Modulator | 1 per day X 7 consecutive days - lifetime | Х | х | х | | | | | | | | | Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime. |
| J9217 | Leuprolide acetate for depot suspension 7.5mg | Lupron Depot Eligard Lupron Depot- Ped | Yes | UN | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | Effective 1/1/24, minimum age restriction of 18 years. |
| J9218 | Leuprolide acetate 1mg | Lupron | Yes | PWD=UN SOL=ML | Anti-neoplastic | 1 per day X 7 consecutive days - lifetime | Х | Х | Х | | | | | | | | | Effective 1/1/24, minimum age restriction of 18 years. Physician reimbursement for administraton is limited to 1 unit X 7 consecutive days per lifetime. |
| J9219 | Leuprolide acetate implant 65mg | Lupron | Yes | UN | Anti-neoplastic | 1 per 3 months | Х | Х | Х | | | | | | | | | Effective 1/1/24, minimum age restriction of 18 years. Per manufacturer's notification, Viadur is no longer made as of December 2007. |
| J9223 | Injection, lurbinectedin, 0.1 mg | Zepzelca | Yes | EA | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | Effective 1/1/21. Restricted to ICD-10 C34.0 - C34.92. Minimum age of 16 years. |
| J9225 | Histrelin implant, 50 mg | Vantas | Yes | UN | Gonadotropin | 1 per year | Х | Х | Х | | | | | | | | | Effective 1/1/24, minimum age restriction of 18 years. 10/1/2015 ICD-10 diagnosis code C61 ICD-9 code 185 required on claim form. Males only. |
| J9226 | Histrelin implant, 50 mg | Supprelin LA | Yes | UN | Gonadotropin | Age: 2 yrs and older | х | Х | Х | Х | | | | | | | | Effective 1/1/24, minimum age restriction of 18 years. Effective 10/1/2015 ICD-10 diagnosis codes E30.1, E30.8 or E30.9 New code effective 1/1/08. Diagnosis restriction, central precocious puberty(259.1). Nurse practitioner added 1/1/09. |
| J9227 | Injection, isatuximab-irfc, 10 mg | Sarclisa | Yes | ML | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | Effective 10/1/20. Restricted to ICD-10 C90.00 - C90.02. Minimum age of 16 years. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | I HS | PO | ОРІ | Н | | ID | C Special Instructions |
|-------|--|---|---|---------------------------|-------------------------------|--------------------------|----------|-----------|---|----|----|----|------|----|-----|---|---|----|--|
| J9228 | Injection, ipilimumab, 1 mg. | Yervoy | Yes | ML | Antibody(anti- neoplastic) | 400 units per 20 days | X | X | X | | | | | | | | X | | Effective 3/13/23, ICD-10 diagnoses of Z85.038, Z85.118, Z85.528, Z85.53, and Z85.820 added. Effective 1/1/15, the service limit of 21 days was reduced to 20 days. Providers are encouraged to examine previous claims for accuracy from date of service 1/1/15. Effective 10/1/2015 ICD-10 diagno codes C21.1, C21.0, C43.0, C43.4, C43.10 - C43.12, C43.20 - C43.22, C43.30, C43.31, C43.39, C43.51, C43.52, C43.59 - C43.62, C43.70 - C43.72, C43.8, C43.9, C51.0 - C51.2, C51.9, C52, C60.0 - C60.2, C60.8, C60.9, C63.00 - C63.02, C63.10 - C63.12, C63.2, C63.7 - C63.9, C77.0 - C77.5, C77.8, C77.9, C78.00 - C78.02, C78.1, C78.2, C78.30, C78.39, C78.39, C78.6, C78.7, C78.80, C78.89, C79.00 - C79.02, C79.11, C79.11, C79.12, C79.2, C79.31, C79.32, C79.40, C79.49, C79.51, C79.52, C79.60 - C79.62, C79.7, C79.72, C79.81, C79.82, C79.89, C79.9, D03.0, D03.4, D03.8, D03.9, D03.10 - D03.12, D03.20 - D03.22, D03.30, D03.39, D03.51, D03.52, D03.59 - D03.62, or D03.70 - D03.72 Effective 1/1/12. Restricted to ICD-9 diagnosis 154.2, 154.3, 172.0 - 172.9, 184.0 - 184.4, 187.1 - 187.9, 196.0 - 196.9, 197.0 - 197.8, 198.0 - 198.8 (Date of change: April 2012). Minimum age restriction of 16 years. |
| J9229 | Injection, inotuzumab ozogamicin, 0.1 mg | Besponsa | Yes | UN | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Effective 1/1/19. Restricted to ICD-10 C91.00 - C91.02. Minimum age of 16 years. |
| J9230 | Mechlorethamine HCI nitrogen mustard 10mg | Mustargen | Yes | UN | Anti-neoplastic | 5 per day | Х | Х | Х | | | | | | | | | | |
| J9245 | Injection melphalan HCI 50mg | Alkeran Lphenylala- nine mustard | Yes | UN | Anti-neoplastic | 2 per day | X | Х | Х | | | | | | | | | | |
| J9246 | Injection, melphalan, 1 mg | Evomela | Yes | UN | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Effective 7/1/20. Restricted to ICD-10 C90.00 - C90.02. |
| J9247 | Injection, melphalan flufenamide, 1mg | Pepaxto | Yes | UN | Antineoplastic | 40 units daily | Х | Х | Х | | | | | | | | | | Effective 10/1/21. Restricted to ICD-10 C90.00, C90.02. Minimum age of 16 years. |
| J9250 | Methotrexate sodium 5mg | Rheumatrex Trexall Methotrexate sodium Lpf | Yes | PWD=UN SOL=ML | Anti-neoplastic | 10 per day | Х | Х | Х | | | | | | | | | | |
| J9255 | Injection, methotrexate (accord) not therapeutically equivalent to j9250 and j9260, 50 mg | NA | Yes | ML | Antineoplastic | None | Х | Х | Х | | | | | | | | | | Effective 1/1/24. |
| J9258 | Injection, paclitaxel protein-bound particles (teva) not therapeutically equivalent to j9264, 1 mg | NA | Yes | ML | Antineoplastic | None | Х | Х | Х | | | | | | | | | | Effective 1/1/24. |

| | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | OPH | 1 | D C | Special Instructions Effective 7/1/23. |
|-------|---|---|---|---------------------------|-----------------|-------------------|----------|-----------|---|----|----|----|----|----|-----|---|-----|---|
| | protein-bound particles (american regent) not therapeutically equivalent to j9264, 1 mg | | | | | | | | | | | | | | | | | |
| | Methotrexate sodium 50mg | Rheumatrex Trexall Methotrexate sodium Lpf | Yes | UN | Anti-neoplastic | 3 per day | Х | X | X | | | | | | | | | |
| J9261 | Injection, nelarabine, 50 | Arranon | Yes | ML | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | New code effective 1/1/07. |
| | Injection, omacetaxine mepesuccinate, 0.01 mg | Synribo | Yes | UN | Anti-neoplastic | None | Х | X | Х | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes C92.10 - C92.12 or C92.20 Effective 1/1/14. Restricted to IDC-9 diagnosis of 205.10 - 205.12. Minimum age restriction of 16 years. |
| | Injection oxaliplatin 0.5mg | Eloxatin | Yes | PWD=UN SOL=ML | Anti-neoplastic | None | X | X | X | | | | | | | | | Effective 1/1/21, ICD-10 diagnosis restrictions are removed. Effective 10/1/2015 ICD-10 diagnosis codes C15.3 - C15.5, C15.8, C15.9, C16.0 - C16.6, C16.8, C16.8, C16.9, C18.0 - C18.9, C19, C20.1 - C21.2, C21.8, C22.1, C23, C24.0, C24.1, C24.8, C24.9, C25.0 - C25.3, C25.7 - C25.9, C26.0, C26.1, C26.9, C45.1, C48.1, C48.2, C48.8, C56.1, C56.2, C56.9, C57.00 - C57.02, C57.10 - C57.12, C57.20 - C57.22, C57.3, C57.4, C62.00 - C62.02, C62.10 - C62.12, C62.90 - C62.92, C81.90, C82.01 - C82.08, C82.11 - C82.18, C82.21 - C82.28, C82.31 - C82.38, C82.41 - C82.48, C82.50 - C82.59, C82.61 - C82.68, C82.81 - C82.88, C82.91 - C82.98, C83.31 - C83.39, C83.80 - C83.89, C84.90 - C84.99, C84.40 - C84.A9, C84.Z0 - C84.Z9, C85.10 - C85.29, C85.80 - C85.99, C86.0 - C86.4 or C88.4 Effective 3/19/11, new list of approved ICD-9 diagnosis codes: 150.0 - 150.9, 151.0 - 151.9, 153.0 - 154.8, 155.1, 156.0 - 156.9, 157.0 - 157.3, 157.8, 157.8, 158.8, 183.0 - 183.9, 186.0, 186.9, 200.30 - 200.38, 200.70 - 200.78, 201.90, 202.01 - 202.08, 202.80 - 202.88. Added ICD-9 code 201.90 effective 1/1/08. ICD-9 code 153.0 - 154.8 required on claim form. |
| | Injection, paclitaxel protein-bound particles, 1 mg | Abraxane | Yes | UN | Anti-neoplastic | None | X | X | × | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes C25.0 - C25.4, C25.7 - C25.9, C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92, C50.011, C50.012, C50.019, C50.021, C50.022, C50.029, C50.111, C50.112, C50.112, C50.121, C50.122, C50.129, C50.211, C50.212, C50.221, C50.222, C50.229, C50.311, C50.312, C50.312, C50.321, C50.322, C50.329, C50.411, C50.412, C50.419, C50.421, C50.422, C50.429, C50.511, C50.512, C50.519, C50.521, C50.522, C50.529, C50.611, C50.612, C50.619, C50.621, C50.622, C50.629, C50.811, C50.812, C50.819, C50.821, C50.822, C50.829, C50.911, C50.912, C50.919, C50.920 or C50.929 Approved ICD-9 diagnosis codes of 157.0 - 157.9 added, 9/6/13. Nurse practitioner removed as covered provider, effective 7/1/13. Effective 10/11/12, approved ICD-9 diagnosis 162.0 - 162.9 added. ICD-9 code 174.0 - 175.9 with chemo agent required on claim form. Nurse practitioner added 1/1/09. |
| J9265 | Paclitaxel 20mg | Taxol Onxol | Yes | PWD=UN SOL=ML | Anti-neoplastic | 20 per day | Х | Х | Х | | | | | | | | | Closed 12/31/14. See J9267 after this date. |
| J9266 | Pegaspargase per single dose vial | Oncaspar | Yes | ML | Anti-neoplastic | 8 per day | Х | Х | Х | | | | | | | | | |
| J9267 | Injection, paclitaxel, 1 mg | Taxol Onxol | Yes | ml | Anti-neoplastic | 400 u. per day | Х | Х | Х | | | | | | | | | Effective 1/1/15. |
| J9268 | Pentostatin per 10mg | Nipent | Yes | UN | Anti-neoplastic | 1 per day | Х | Χ | Х | | | | | | | | | |
| J9269 | Injection, tagraxofusperzs, 10 mcg. | Elzonris | Yes | ML | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | Effective 10/1/19. Restricted to ICD-10 of C86.4. |

| Code | Description | Brand Name | NDC | NDC unit | Category | Service | AC | CAH | Р | NP | MW | МН | HS | BC. | ОР | | ш | ID. | DC | Special Instructions |
|--------|----------------------------|---------------|-------------|----------|------------------|----------------|-----|-----|---|-----|-------|------|----|-----|---------|---|----------|-----|----|--|
| Code | Description | Diana Name | req. | of | Category | Limits | OP | OP | r | INF | IVIVV | IVIT | ПЗ | | UP | - | | TF | ьс | Special instructions |
| | | | for | measure | | | | | | | | | | | | | | | | |
| | | | drug | | | | | | | | | | | | | | | | | |
| | | | rebate ? | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |
| J9270 | Plicamycin 2.5mg | Mithracin | Yes | UN | Anti-neoplastic | 2 per day | Х | Х | Х | | | | | | | | | | | Effective 2/29/24, code is closed. |
| | | Mithramycin | | | - | | | | | | | | | | | | | | | |
| J9271 | Injection, | Keytruda | Yes | UN | Antineoplastic | | Х | Х | Х | | | | | | | | | | | Effective 2/24/23, ICD-10 C34.90, C78.7, and C79.51 added. |
| | pembrolizumab, 1 mg | | | ML | | | | | | | | | | | | | | | | Effective 3/1/22, ICD-10 C78.00 - C78.02 added. Effective 11/13/20, ICD-10 C50.011 - C50.929 added. |
| | | | | | | | | | | | | | | | | | | | | Effective 6/29/20, ICD-10 C17, C21, C21.8 added. |
| | | | | | | | | | | | | | | | | | | | | Effective 1/8/20, ICD-10 C67.0 - C67.9 added. |
| | | | | | | | | | | | | | | | | | | | | Effective 9/17/19, ICD-10 C54.0, C54.1, C54.3, C54.8, C54.9, C55, C57.8 added. |
| | | | | | | | | | | | | | | | | | | | | Effective 7/30/19, ICD-10 C15.3, C15.4, C15.5, C15.8, C15.9 added. |
| | | | | | | | | | | | | | | | | | | | | Effective 4/19/19, ICD-10 C64.1, C64.2, C65.1, C65.2 added. |
| | | | | | | | | | | | | | | | | | | | | Effective 2/15/19, ICD-10 C43.9 added. Effective 12/19/18, ICD-10 C4A.111, C4A.112, C4A.121, C4A.122, C4A.21, C4A.22, C4A.30 - C4A.39, C4A.4, |
| | | | | | | | | | | | | | | | | | | | | C4A.51 - C4A.59, C4A.60 - C4A.62, C4A.70 - C4A.72, C4A.8, C4A.9 added. Effective 11/09/18, ICD-10 |
| | | | | | 1 | | | | | l | | | | | | | | | | C22.0, C22.8 added. Effective 6/12/18, ICD-10 |
| | | | | | | | | | | | | | | | | | | | | C53.0 - C53.9, C85.20 - C85.29 added. Effective 9/22/17, ICD-10 |
| | | | | | 1 | | | | | l | | | | | | | | | | C16.0, C16.1, C16.2, C16.3, C16.4, C16.5, C16.6, C16.8, C16.9 added. |
| | | | | | | | | | | | | | | | | | | | | Effective 5/23/17, ICD-10 C18.0, C18.1, C18.2, C18.3, C18.4, C18.5, C18.6, C18.7, C18.8, C18.9, C19, C20 |
| | | | | | | | | | | | | | | | | | | | | added. Effective 5/18/17, ICD-10 C65.1, C65.2, C66.1, C66.2, C67.0, C67.1, C67.2, C67.3, C67.4, C67.5, C67.6, C67.7, C67.8, |
| | | | | | | | | | | | | | | | | | | | | C67.9, C68.0, C68.8, Z85.50, Z85.51, Z85.53, Z85.54, Z85.59 added. |
| | | | | | | | | | | | | | | | | | | | | Effective 3/4/17, ICD-10 C81.10, C81.11, C81.12, C81.13, C81.14, C81.15, C81.16, C81.17, C81.18, C81.19, |
| | | | | | | | | | | | | | | | | | | | | C81.20, C81.21, C81.22, C81.23, C81.24, C81.25, C81.26, C81.27, C81.28, C81.29, C81.30, C81.31, C81.32, |
| | | | | | | | | | | | | | | | | | | | | C81.33, C81.34, C81.35, C81.36, C81.37, C81.38, C81.39, C81.40, C81.41, C81.42, C81.43, C81.44, C81.45, |
| | | | | | | | | | | | | | | | | | | | | C81.46, C81.47, C81.48, C81.49, C81.70, C81.71, C81.72, C81.73, C81.74, C81.75, C81.76, C81.77, C81.78, C81.79 added. Effective 8/5/16 |
| | | | | | | | | | | | | | | | | | | | | C81.79 added. Effective 8/5/16 ICD-10 C00.0, C00.1, C00.2, C00.3, C00.4, C00.5, C00.6, C00.8, C00.9, C01, C02.0, C02.1, C02.3, C02.4, |
| | | | | | | | | | | | | | | | | | | | | C02.8, C02.9, C03.0, C03.1, C03.9, C04.0, C04.1, C04.8, C04.9, C05.0, C05.1, C05.2, C05.8, C05.9, C06.0, |
| | | | | | | | | | | | | | | | | | | | | C06.1, C06.2, C06.80, C06.89, C06.9, C07, C08.0, C08.1, C08.9, C09.0, C09.1, C09.8, C09.9, C10.0, C10.1, |
| | | | | | | | | | | | | | | | | | | | | C10.2, C10.3, C10.4, C10.8, C10.9, C11.0, C11.1, C11.2, C11.3, C11.8, C11.9, C12, C13.0, C13.1, C13.2, |
| | | | | | | | | | | | | | | | | | | | | C13.8, C13.9, C14.0, C14.2, C14.8, C30.0, C30.1, C31.0, C31.1, C31.2, C31.3, C31.8, C31.9, C32.0, C32.1, |
| | | | | | | | | | | | | | | | | | | | | C32.2, C32.3, C32.8, C32.9, C44.02, C44.121, C44.122, C44.129, C44.221, C44.222, C44.229, C44.320, |
| | | | | | | | | | | | | | | | | | | | | C44.321, C44.329, C44.42, C69.51, C69.52, C69.61, C69.62, C76.0, Z85.21, Z85.22, Z85.810, Z85.818, Z85.819 added |
| | | | | | | | | | | | | | | | | | | | | Effective 1/1/16, ICD10 C43.0, C43.11, C43.12, C43.21, C43.22, C43.31, C43.39, C43.4, C43.51, C43.52, |
| | | | | | | | | | | | | | | | | | | | | C43.59, C43.61, C43.62, C43.71, C43.72, C43.8, C20, C21.0, C21.1, C51.0, C51.1, C51.2, C51.8, C51.9, |
| | | | | | | | | | | | | | | | | | | | | C52, C57.7, C57.8, C57.9, C60.0, C60.1, C60.2, C60.8, C60.9, C63.01, C63.02, C63.11, C63.12, C63.2, |
| | | | | | | | | | | | | | | | | | | | | C63.7, C63.8, C69.01, C69.02, C69.11, C69.12, C69.21, C69.22, C69.31, C69.32, C69.41, C69.42, C69.51, |
| | | | | | | | | | | | | | | | | | | | | C69.52, C69.61, C69.62, C69.81, C69.82, Z85.820, C33, C34.01, C34.02, C34.11, C34.12, C34.2, C34.31, C34.32, C34.81, C34.82, C34.91, C34.92 added. |
| | | | | | | | | | | | | | | | | | | | | Effective 1/1/16. |
| | | | | | <u> </u> | | L | L | | L | | L | | | \perp | | | | | Minimum age of 16 years. |
| J9272 | Injection, dostarlimab- | Jemperli | Yes | SOL | Anti-neoplastic | 50 units daily | Х | Х | Х | | | | | | | | | | | Effective 1/1/22. |
| | gxly, 10 mg | | | | 1 | | | | | l | | | | | | | | | | Restricted to ICD-10 C54.1. |
| | | | | | | | | | | | | | | | | | | | | Minimum age of 16 years. |
| J9273 | Injection, tisotumab | Tivdak | Yes | EA | Anti-neoplastic | 200 units | Х | Х | Х | | | | | | | | | | | Effective 4/1/22. |
| | vedotin-tftv, 1 mg | | | | | daily | | | | | | | | | | | | | | Restricted to ICD-10 C53.0 - C53.9, D06.0 - D06.9, R87.610 - R87.619. |
| | | | | | | | | | | | | | | | | | | | | Minimum age of 16 years. |
| J9274 | Injection, faricimab-svoa, | Kimmtrak | Yes | ML | Anti-neoplastic | None | Х | Х | Х | | | | | | | T | T | | | Effective 10/1/22. |
| | 0.1 mg | | | | 1 | | | | | l | | | | | | | | | | Restricted to ICD-10 C69.3 - C69.32, C69.40 - C69.42, C69.60 - C69.62, C69.90 - C69.92. |
| | | | | | | | | | | | | | | | | | | | | Minimum age of 16 years. |
| .19280 | Mitomycin 5mg | Mutamycin | Yes | UN | Anti-neoplastic | 10 per day | Х | Х | Х | | 1 | | - | | + | + | \dashv | | | |
| 00200 | omyour only | wiatairiyoiii | 100 | 014 | , and mooplastic | 10 por day | _ ^ | ^ | ^ | l | | | | | | | | | | |
| | | · | | | | · | | | • | | • | | | • | | | | _ | | |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | ОРН | Н | II ID | C Special Instructions |
|-------|--|------------|---|---------------------------|-----------------|--------------------|----------|-----------|---|----|----|----|----|----|-----|---|-------|---|
| | Mitomycin pyelocalyceal instillation, 1 mg | Jelmyto | Yes | UN | Anti-neoplastic | 60 units weekly | Х | Х | Х | | | | | | | | | Effective 1/1/21. Restricted to ICD-10 C65.1, C65.2. Minimum age of 16 years. |
| | Injection, olaratumab, 10 mg. | Lartruvo | Yes | ML | Anti-neoplastic | None | Х | Χ | Х | | | | | | | | | Effective 2/29/24, code is closed. Effective 1/1/18. |
| J9286 | Injection, glofitamab- gxbm, 2.5 mg | Columvi | Yes | ML | Antineoplastic | None | Х | Х | Х | | | | | | | | | Effective 1/1/24. Restricted to ICD-10 C83.30 - C83.39. |
| J9290 | Mitomycin 20mg | Mutamycin | Yes | UN | Anti-neoplastic | 3 per day | Х | Х | Х | | | | | | | | | Closed. See J9280. |
| J9291 | Mitomycin 40mg | Mutamycin | Yes | UN | Anti-neoplastic | | Х | Х | Х | | | | | | | | | Closed. See J9280. |
| | Injection mitaxan-trone HCI 5mg | Navatrone | Yes | ML | Anti-neoplastic | 6 per day | Х | Х | Х | | | | | | | | | |
| | Injection, pemetrexed (hospira) not therapeutically equivalent to j9305, 10 mg | NA | Yes | SOL EA | Antineoplastic | None | Х | Х | Х | | | | | | | | | Effective 4/1/23. |
| J9295 | Injection, necitumumab, 1 mg | Portrazza | Yes | ML | Anti-neoplastic | 800 units daily | Х | Х | Х | | | | | | | | | Effective 1/1/17. Restricted to ICD-10 diagnosis C34.01, C34.02, C34.11, C34.12, C34.2, C34.31, C34.32, C34.81, C34.82, C34.91, C34.92, C38.4, C78.01, C78.02. Minimum age of 16 years. |
| | Injection, pemetrexed (accord) not therapeutically equivalent to j9305, 10 mg | NA | Yes | SOL EA | Antineoplastic | None | Х | X | X | | | | | | | | | Effective 4/1/23. |
| | Injection, pemetrexed (sandoz), not therapeutically equivalent to j9305, 10 mg | NA | Yes | SOL | Antineoplastic | None | Х | Х | Х | | | | | | | | | Effective 4/1/23. |
| J9298 | Injection, nivolumab and relatlimab-rmbw, 3 mg/1 mg | Opdualag | Yes | ML | Anti-neoplastic | None | Х | X | Х | | | | | | | | | Effective 10/1/22. Restricted to ICD-10 C21.0, C21.1, C43.0, C43.10, C43.111, C43.112, C43.121, C43.122, C43.20, C43.21, C43.22, C43.30, C43.31, C43.39, C43.4, C43.5, C43.51, C43.52, C43.59, C43.60, C43.61, C43.62, C43.70, C43.71, C43.72, C43.8, C43.9, C51.0, C51.1, C51.2, C51.9, C52, C57, C57.7, C57.8, C57.9, C60.0, C60.1, C60.8, C60.9, C63, C63.00, C63.01, C63.02, C63.10, C63.11, C63.12, C63.2, C63.7, C63.8, C63.9, Z51.12. Minimum age of 12 years. |

| Code | Description | Brand Name | NDC req. | NDC unit | Category | Service Limits | AC OP | CAH OP | P | NP | MW | MI | н н | S | РО | ОРН | Н | ID TF | C Special Instructions |
|-------|-----------------------------------|------------|----------------------------|----------|-----------------|---|----------|-----------|---|----|----|----|-----|---|----|-----|---|----------|---|
| | | | for drug rebate ? | measure | | | | | | | | | | | | | | | |
| J9299 | Injection, nivolumab, 1 mg | Opdivo | Yes | ML | Antineoplastic | None | х | X | x | | | | | | | | | | Code made effective 1/1/16. Comprehensive list of indications: As of 12/22/14, ICD-10 diagnosis of C21.0, C21.1, C43.0, C43.1, C43.10, C43.11, C43.111, C43.112, C43.12, C43.121, C34.122, C43.2, C43.20, C43.21, C43.22, C43.3, C43.30, C43.31, C43.39, C43.4, C43.5, C43.51, C43.52, C43.59, C43.60, C43.61, C43.62, C43.7, C34.70, C43.71, C43.72, C43.8, C43.9, C51.0, C51.1, C51.2, C51.9, C52, C57, C57.7, C57.8, C57.9, C60, C60.0, C60.1, C60.8, C60.9, C63.0, C63.00, C63.01, C63.02, C63.1, C63.10, C63.11, C63.12, C63.2, C63.7, C63.8, C63.9, Z51.12 added. As of 5/17/16, ICD=10 diagnosis of ICD-10 C81.10 - C81.19, C81.20 - C81.29, C81.30 - C81.39, C81.40 - C81.49, and C81.70 - C81.79, Z94.84 added. As of 2/2/17, ICD-10 diagnosis of ICD-10 C65, C65.1, C65.2, C65.9, C66, C66.1, C66.2, C66.9, C67, C67.0, C67.1, C67.2, C67.3, C67.4, C67.5, C67.6, C67.8, C67.9, C68, C68.0, C68.8, C68.9 added. As of 9/22/17, ICD-10 diagnosis of C22.0, C22.8 added. As of 9/22/17, ICD-10 diagnosis of C32.0, C22.8 added. As of 7/10/18, ICD-10 diagnosis of C18.0 - C18.9, C19, C20 added. As of 8/16/18, ICD-10 diagnosis of C18.0 - C18.9, C19, C20 added. As of 8/16/18, ICD-10 diagnosis of C32.0, C22.8, C34.00, C34.01, C34.02, C34.1, C34.10, C34.11, C34.12, C34.2, C34.2, C34.3, C34.30, C34.31, C34.32, C34.8, C34.80, C34.81, C34.82, C34.9, C34.90, C34.91, C34.92 added. As of 8/16/18, ICD-10 diagnosis of C00.0 - C00.9, C01, C02.0 - C02.9, C03.0 - C03.9, C04.0 - C04.9, C05.0 - C05.9, C06.0, C06.1, C06.2, C06.80, C06.89, C06.9, C09.0 - C09.9, C10.0 - C10.8, C12, C13.0 - C13.9, C14.0 - C14.8, C32.0 - C32.9, C76.0 added. As of 9/28/18, ICD-10 diagnosis of C00.0 - C00.9, C01, C02.0 - C02.9, C03.0 - C03.9, C04.0 - C04.9, C05.0 - C05.9, C06.0, C06.1, C06.2, C06.80, C06.89, C06.9, C09.0 - C09.9, C10.0 - C10.8, C12, C13.0 - C13.9, C14.0 - C14.8, C32.0 - C32.9, C76.0 added. As of 6/10/20, C15.3, C15.4, C15.5, C15.8, and C15.9 added. As of 4/16/21, C16.0 - C16.9 added. Minimum age of 16 years. |
| J9300 | Gemtuzumab ozogamicin 5mg | Mylotarg | Yes | UN | Anti-neoplastic | 4 per day | Х | Х | Х | | | | | | | | | | Closed 12/31/17. See J9203 after this date. |
| J9301 | Injection, obinutuzumab, 10 mg | Gazyva | Yes | ML | Anti-neoplastic | 100 units maximum dose | Х | Х | Х | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis code C91.10 Effective 1/1/15. Restricted to 204.10. Minimum age restriction of 16 years. |
| J9302 | Injection, ofatumumab, 10 mg. | Arzerra | Yes | ML | Anti-neoplastic | Maximum service limit 200 u. weekly | Х | Х | Х | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes C91.10 - C91.12 New code effective 1/1/11. Restricted to ICD-9 diagnosis 204.10 - 204.12. Restricted to age 18 and above. |
| J9303 | Injection, panitumumab | Vectibix | Yes | ML | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | New code effective 1/1/08. |
| J9304 | Injection, pemetrexed, 10 mg | Pemfexy | N/A | | | | | | | | | | | | | | | | Not covered. |
| J9305 | Injection pemetrexed 10mg | Alimta | Yes | UN | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Effective 6/1/15, ICD-9 diagnosis of 146.0 - 146.8 and 195.0 added and IDC-10 daignosis of C09.0, C09.1, C09.8, C09.9, C10.1, C10.2, C10.3, 10.4, C10.8 and C76.0 added. Effective 10/1/2015 ICD-10 diagnosis codes C33, C34.00 - C34.02, or C34.10 - C34.12 Restricted to ICD-9 diagnosis 162-163.9. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | H HS | S PC | OP | 'H | | ID TF | DC | Special Instructions |
|-------|--|-------------------|---|---------------------------|---------------------|--------------------------------|----------|-----------|---|----|----|----|------|------|----|----|---|----------|----|--|
| J9306 | Injection, pertuzumab, 1 mg | Perjeta | Yes | ML | Anti-neoplastic | 900 units per 20-day period | Х | Х | Х | | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes C50.011, C50.012, C50.019, C50.021, C50.022, C50.029, C50.111, C50.112, C50.119, C50.122, C50.129, C50.121, C50.212, C50.221, C50.221, C50.221, C50.221, C50.221, C50.221, C50.321, C50.311, C50.312, C50.312, C50.321, C50.322, C50.329, C50.411, C50.412, C50.419, C50.421, C50.422, C50.429, C50.511, C50.512, C50.519, C50.522, C50.529, C50.611, C50.612, C50.619, C50.622, C50.629, C50.621, C50.821, C50.821, C50.822, C50.822, C50.821, C50.822, C50.821, C50.922 or C50.929 Effective 4/1/14, change to service limit. Effective 1/1/14. Restricted to ICD-9 diagnosis of 174.0 - 174.9 or 175.0 - 175.9. Minimum age restriction of 16 years. |
| J9307 | Injection, pralatrexate, 1 mg. | Folotyn | Yes | ML | Metabolic inhibitor | None | Х | Х | Х | | | | | | | | Х | | | Effective 10/1/2015 ICD-10 diagnosis codes C84.40 - C84.49 New code effective 1/1/11. Restricted to ICD-9 diagnosis 202.70 - 202.78. Restricted to age 18 and above. Open to Oncology specialty for Physician provider type. |
| | Injection, ramucirumab, 5 mg | Cyramza | Yes | ML | Antineoplastic | None | Х | Х | Х | | | | | | | | | | | Effective 12/1/18, ICD-10 C15.3, C15.4, C15.5, and C15.8 added. Effective 1/1/16. Restricted to diagnosis ICD-10 C16.0 - C16.9, C18.0 - C18.9, C19, C20, C21.0 - C21.2, C21.8, C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, or C34.80 - C34.82. Minimum age of 16 years. |
| J9309 | Injection, polatuzumab vedotin-piiq, 1 mg. | Polivy | Yes | UN | Antineoplastic | None | Х | Х | Х | | | | | | | | | | | Effective 1/1/20. Restricted to ICD-10 C83.30 - C83.39. |
| J9310 | Rituximab 100mg | Rituxan | Yes | ML | Anti-neoplastic | 10 per day | Х | Х | Х | | | | | | | | | | | Closed 12/31/18. See J9312 after this date. |
| J9311 | Injection, rituximab 10 mg. and hyaluronidase | Rituxan Hycela | Yes | ML | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | | Diagnosis restrictions are removed effective 5/1/22. Effective 1/1/19. Restricted to ICD- 10 C82.00 - C82.99, C83.00 - C83.39, C91.10, C91.12. Minimum age of 16 years. Minimum age of 16 |
| J9312 | Injection, rituximab, 10 | Rituxan | Yes | ML | Anti-neoplastic | 10 per day | Х | Х | Х | | | | | | | | | | | Effective 1/1/19. |
| | Injection, moxetumomab pasudotox-tdfk, 0.01 mg. | Lumoxiti | Yes | EA | Antineoplastic | None | Х | Х | Х | | | | | | | | | | | Effective 10/1/19. Restricted to ICD-10 of C91.40, C91.41, C91.42. Minimum age of 16 years. |
| | Injection, pemetrexed (Teva), not therapeutically equivalent to J9305, 10 mg | NA | Yes | ML | Antineoplastic | None | Х | X | Х | | | | | | | | | | | Effective 1/1/23. |
| J9315 | Injection, romidepsin, 1 mg. | Istodax | Yes | UN | Anti-neoplastic | None | Х | Х | X | | | | | | | | Х | | | Closed 9/30/21. See J9318 after thsi date. Effective 10/1/2015 ICD-10 diagnosis codes C84.00 - C84.19 New code effective 1/1/11. Restricted to ICD-9 diagnosis 202.10 - 202.28. Restricted to age 18 and above. Open to Oncology specialty for Physician provider type. |
| | Injection, pertuzumab, trastuzumab, and hyaluronidase-zzxf, per 10 mg | Phesgo | Yes | SOL | Anti-neoplastic | 180 units daily | Х | Х | Х | | | | | | | | | | | Effective 1/1/21, change to service limit. 1/1/21. Restricted to ICD- 10 C50.011 - C50.929. Minimum age of 16 years. |
| | Injection, sacituzumab govitecan-hziy, 2.5 mg | Trodelvy | Yes | EA | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | | Effective 1/1/21. Restricted to ICD-10 C50.011 - C50.929. Minimum age of 16 years. |
| J9318 | Injection, romidepsin, non-lyophilized, 0.1 mg | N/A | Yes | ML | Anti-neoplastic | | Х | Х | Х | | | | | | | | | | | Effective 10/1/21. Restricted to ICD-10 C84.00 - C84.19. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | ОРН | н | ID TF | Special Instructions |
|-------|--|--------------------|---|---------------------------|-----------------|--|----------|-----------|---|----|----|----|----|----|-----|---|----------|--|
| J9319 | Injection, romidepsin, lyophilized, 0.1 mg | Istodax | Yes | UN | Anti-neoplastic | | Х | Х | Х | | | | | | | | | Effective 10/1/21. Restricted to ICD-10 C84.00 - C84.19. |
| J9320 | Streptozocin 1g | Zanosar | Yes | UN | Anti-neoplastic | 3 per day | Х | Х | Х | | | | | | | | | |
| J9321 | Injection, epcoritamab- bysp, 0.16 mg | Epkinly | Yes | UN | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | Effective 1/1/24. Restricted ICD=10 C83.30 - C83.39. Minimum of 16 years. |
| J9322 | Injection, pemetrexed (bluepoint) not therapeutically equivalent to j9305, 10 mg | NA | Yes | UN | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | Effective 7/1/23. |
| | Injection, pemetrexed (hospira) not therapeutically equivalent to j9305, 10 mg | NA | Yes | ML | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | Effective 7/1/23. |
| | Injection, talimogene laherparepvec, per 1 million plaque forming units | Imlygic | Yes | ML | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | Effective 1/1/17. Minimum age of 16 years. |
| J9328 | Injection, temozolomide, 1 mg. | Temodar | Yes | UN | Anti-neoplastic | none | Х | Х | Х | | | | | | | Х | | Effective 10/1/2015 ICD-10 diagnosis codes C71.0 - C71.9 Effective 1/1/10. Restricted to ICD=9 diagnosis 191.0 - 191.9. restrict to age 18 and above. |
| J9330 | Injection, temsirolimus, 1 mg. | Torisel | Yes | UN | Anti-neoplastic | Limit removed effective, 1/1/16 | Х | Х | Х | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes C64.1, C64.2, C64.9, C65.1, C65.2, C65.9, C66.1, C66.2, C66.9, C68.0, C68.1, C68.8 or C68.9 New code effective 1/1/09. Restricted to ICD-9 code 189.0 - 189.9, advanced renal cell carcinoma, with a maximum dose of 25 mg/mL. Covered to physicians effective 1/1/09. Minimum age of 18 years. |
| J9331 | Injection, sirolimus protein-bound particles, 1 mg | Fyarro | Yes | UN | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | Effective 7/1/22. Restricted to ICD-10 C49.4, C49.6, C49.8, or C49.9. Minimum age of 16 years. |
| J9332 | Injection, efgartigimod alfa-fcab, 2mg | Vyvgart | Yes | ML | Anti-myasthenia | None | Х | Х | Х | Х | | | | | | | | Effective 7/1/22. Restricted to ICD-10 G70.00 or G70.01. |
| J9333 | Injection, rozanolixizumab-noli, 1 mg | Rystiggo | Yes | ML | FCRN | None | Х | Х | Х | | | | | | | | | Effective 1/1/24. Restricted to ICD-10 G70.00, G70.01. Minimum age of 16 years. |
| | Injection, efgartigimod alfa, 2 mg and hyaluronidase-qvfc | Vyvgart Hytrulo | Yes | ML | FCRN | None | Х | Х | Х | | | | | | | | | Effective 1/1/24. Restricted to ICD-10 G70.00, G70.01. |
| J9340 | Thiotepa 15mg | Thioplex | Yes | UN | Anti-neoplastic | 10 per day | Х | Х | Х | | | | | | | | | For Bone Marrow Transplants. |
| J9345 | Injection, retifanlimab- dlwr, 1 mg | Zynyz | Yes | ML | Antineoplastic | 500 units daily | Х | Х | Х | | | | | | | | | Effective 10/1/23. Resticted to ICD-10 C4A.0, C4A.10, C4A.111, C4A.112, C4A.121, C4A.122, C4A.20, C4A.21, C4A.22, C4A.30, C4A.31, C4A.39, C4A.4, C4A.51, C4A.52, C4A.59, C4A.60, C4A.61, C4A.62, C4A.70, C4A.71, C4A.72, C4A.8, C7B.1. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | ОРН | HI | ID TF | DC | Special Instructions |
|-------|--|----------------------|---|---------------------------|-----------------|----------------------|----------|-----------|---|----|----|----|----|----|-----|----|----------|----|---|
| J9347 | Injection, tremelimumabactl, 1 mg | Imjudo | Yes | ML | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Effective 7/1/23. Restricted to ICD-10 C22.0, C34.00, C34.01, C34.02, C34.10, C34.11, C34.12, C34.2, C34.30, C34.31, C34.32, C34.80, C34.81, C34.82, C34.90, C34.91, C34.92. Minimum of 16 years. |
| J9348 | Injection, naxitamab- gqgk, 1 mg | Danyelza | Yes | SOL | Anti-neoplastic | 150 units daily | Х | Х | Х | | | | | | | | | | Effective 7/1/21. Restricted to ICD-10 C74.00 - C74.92. Minimum age of 1 year. |
| J9349 | Injection, tafasitamab- cxix, 2 mg | Monjuvi | Yes | UN | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Effective 4/1/21. Restricted to ICD-10 C83.30 - C83.39. Minimum age of 16 years. |
| J9350 | Injection, mosunetuzumab-axgb, 1 mg | Lunsumio | Yes | UN | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Effective 7/1/23. Restricted to IDC-10 C82.00 - C82.09, C82.10 - C82.19, C82.30 - C82.39, C82.80 - C82.89, C82.90 - C82.99. Minimum of 16 years. |
| J9351 | Injection, topotecan, 0.1 mg. | Hycamtin | Yes | UN | Anti-neoplastic | None | Х | X | Х | | | | | | | X | | | Effective 10/1/2015 ICD-10 diagnosis codes C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92, C53.0, C53.1, C53.8, C53.9, C56.1, C56.2, C56.9, C57.00 - C57.02, C57.10 - C57.12, C57.20 - C57.22, C57.3, C57.4, C79.60 - C79.62 or C79.82 New code effective 1/1/11. Restricted to ICD-9 162.0 - 162.9, 180.0 - 180.9, 183.0 - 183.9, 198.6, 198.82. Restricted to ages 18 and above. Open to Oncology specialty for Physician provider type. |
| J9352 | Injection, trabectedin, 0.1 mg | Yondelis | Yes | UN | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Effective 1/1/17. Restricted to ICD-10 diagnosis C49.9. Minimum age of 16 years. |
| J9353 | Injection, margetuximab- cmkb, 5 mg | Margenza | Yes | SOL | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Effective 7/1/21. Restricted to ICD-10 C50.011 - C50.929. Minimum age of 16 years. |
| J9354 | Injection, ado- trastuzumab emtansine, 1 mg | Kadcyla | Yes | UN | Anti-neoplastic | None | х | Х | Х | | | | | | | | | | Effective 12/1/17, ICD-10 diagoses C77.1, C79.51, C79.52, D05.11, and D05.12 added. Effective 10/1/2015 ICD-10 diagnosis codes C50.011, C50.012, C50.019, C50.021, C50.022, C50.029, C50.111, C50.112, C50.119, C50.121, C50.129, C50.211, C50.212, C50.219, C50.229, C50.211, C50.311, C50.312, C50.319, C50.321, C50.322, C50.329, C50.311, C50.312, C50.319, C50.321, C50.322, C50.329, C50.411, C50.412, C50.419, C50.421, C50.422, C50.429, C50.511, C50.512, C50.519, C50.521, C50.522, C50.529, C50.611, C50.612, C50.619, C50.621, C50.622, C50.629, C50.811, C50.812, C50.812, C50.821, C50.822, C50.829, C50.911, C50.912, C50.919, C50.921, C50.922, C50.929, C79.10, C79.11, or C79.19 Effective 1/1/14. Restricted to ICD-9 diagnosis of 174.0 - 174.9 or 175.0 - 175.9. Minimum age restriction of 16 years. |
| J9355 | Trastuzumab 10mg | Herceptin | Yes | UN | Anti-neoplastic | 220 units monthly | Х | Х | Х | | | | | | | | | | Service limit added, effective 10/1/15. |
| | Injection, trastuzumab, 10 mg and hyaluronidase-oysk | Herceptin Hylecta | Yes | ML | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Effective 7/1/19. Restricted to ICD-10 C82.00 -C82.99, C83.00 - C83.39, C91.10, C91.12. Minimum age restriction of 16 years. |
| J9357 | Valrubicin intravesical 200mg | Valstar | Yes | ML | Anti-neoplastic | 6 per day | Х | Х | Х | | | | | | | | | | |
| J9358 | Injection, fam- trastuzumab deruxtecan- nxki, 1 mg | Enhertu | Yes | UN | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Efective 8/11/22, ICD-10 C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80, C34.82, C34.9 - C34.92 added. Effective 7/1/20. Restricted to ICD-10 C50.011 - C50.929, Z85.3, C77.0 - C77.9, C78.00 - C78.39, C78.7, C79.31, C79.32, C79.51, C79.52. Minimum age 16 years. |

| | | | | | | | | | _ | | 1 | | | | 1 | 1 . | 1 | | |
|-------|--|----------------------------------|---|---------------------------|-----------------|-------------------------|----------|----|---|----|----|----|----|----|-----|---------|----|----|--|
| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | OP | Р | NP | MW | МН | HS | PO | ОРН | | TF | DC | Special Instructions |
| J9359 | Injection, loncastuximab tesirine-lpyl, 0.075 mg | Zynlonta | Yes | EA | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Effective 4/1/22. Restricted to ICD-10 M32.10 - M32.19, M32.8, M32.9. Minimum age of 16 years. |
| J9360 | Vinblastine sulfate 1mg | Vinblastine Sulfate Velban | Yes | SOL=ML | Anti-neoplastic | 46 per day | Х | Х | Х | | | | | | | | | | |
| J9370 | Vincristine sulfate 1mg | Oncovin Vincasar Pfs | Yes | PWD=UN SOL=ML | Anti-neoplastic | 7 per day | Х | Х | Х | | | | | | | | | | |
| J9371 | Injection, vincristine sulfate liposome, 1 mg | Marqibo | Yes | UN | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes C91.00 - C91.02, C91.10 - C91.12, C91.30 - C91.32, C91.50 - C91.52, C91.60 - C91.62, C91.91, C91.92, C91.A0 - C91.A2 or C91.Z0 - C91.Z2 Effective 1/1/14. Restricted to ICD-9 diagnosis of 204.00 - 204.82. Minimum age restriction of 16 years. |
| J9375 | Vincristine sulfate 2mg | Oncovin Vincasar Pfs | Yes | ML | Anti-neoplastic | 4 per day | Х | Х | Х | | | | | | | | | | Closed 12/31/10. |
| J9380 | Injection, teclistamab- cqyv, 0.5 mg | Tecvayli | Yes | ML | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Effective 7/1/23. Restricted to ICD-10 C90.00, C90.02. Minimum of 16 years. |
| J9381 | Injection, teplizumab- mzwv, 5 mcg | Tzield | Yes | ML | Anti-diabetic | None | X | X | X | | | | | | | | | | Effective 7/1/23. Restricted to ICD-10 E10.10, E10.21, E10.22, E10.29, E10.3211, E10.3212, E10.3213, E10.3291, E10.3292, E10.3293, E10.3311, E10.3312, E10.3213, E10.3391, E10.3392, E10.3393, E10.3411, E10.3412, E10.3413, E10.3491, E10.3492, E10.3493, E10.3511, E10.3512, E10.3513, E10.3521, E10.3522, E10.3523, E10.3531, E10.3532, E10.3533, E10.3541, E10.3542, E10.3543, E10.3551, E10.3552, E10.3553, E10.3592, E10.3593, E10.36, E10.37X1, E10.37X2, E10.37X3, E10.39, E10.41, E10.42, E10.43, E10.49, E10.51, E10.59, E10.69, E10 |
| J9390 | Vinorelbine tartrate | Navelbine | Yes | ML | Anti-neoplastic | 10 per day | Х | Х | Х | | | | | | | | | | |
| | Injection, fulvestrant (teva) not therapeutically equivalent to j9395, 25 mg | NA | Yes | ML | Anti-neoplastic | None | Х | Х | X | | | | | | | | | | Effective 1/1/23. |
| | Injection, fulvestrant (fresenius kabi) not therapeutically equivalent to j9395, 25 mg | NA | Yes | ML | Anti-neoplastic | None | X | X | X | | | | | | | | | | Effective 1/1/23. |
| J9395 | Injection fulvestrant 25mg | Faslodex | Yes | ML | Anti-neoplastic | 20 units daily | Х | Х | Х | | | | | | | | | | Update to service limit, effective 9/9/10. |
| J9400 | Injection, ziv-aflibercept, 1 mg | Zaltrap | Yes | ML | Anti-neoplastic | 550 units bi- weekly | Х | Х | Х | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis codes C18.0 - C18.9, C19, C20, C21.2 or C21.8 Effective 1/1/14. Restricted to ICD-9 diagnosis of 153.0 - 153.9, 154.0, 154.1, or 154.8. Minimum age restriction of 16 years. |
| J9600 | Porfimer sodium 75mg | Photofrin | Yes | UN | Anti-neoplastic | 3 per day | Х | Х | Х | | | | | | | | | | Closed 10/31/19. No drug manufacturers partitipating in federal drug rebate program. |

| Code | Description | Brand Name | NDC req. for | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | Р | NP | MW | МН | HS | РО | ОРН | НІ | ID TF | | Special Instructions |
|-------|---|----------------------------------|---------------------|----------------------------|---------------|--------------------|----------|-----------|---|----|----|----|----|----|-----|----|----------|---|--|
| | | | drug rebate ? | measure | | | | | | | | | | | | | | | |
| | Unclassified Antineoplastics. Use only if a more specific code is not available. | | Yes | KIT=UN SOL=ML PWD=UN | | | Х | X | Х | | | | | | | | | | Refer to the list of Approved Drugs from preceding page billed with HCPCS Code J3490. Cost invoice may be required with claim form. |
| Q0090 | Levonorgestrel-releasing intrauterine contraceptive system, 13.5 mg. | Skyla | Yes | UN | Contraceptive | 1 unit per 3 years | Х | Х | Х | Х | Х | | | | | | | | Closed 12/31/13. See J7301. Effective 7/1/13. Minimum age restriction of 16 years. |
| Q0112 | All potassium hydroxide (KOH) preparations | | N/A | | | | | | | | | | | | | | | | Not covered |
| Q0138 | Injection, ferumoxytol, for treatment of iron deficiency anemia, 1 mg. (non-ESRD) | Feraheme | Yes | ML | Iron salt | none | X | X | Х | X | | | | | | X | | Х | Effective 1/1/17, ICD-10 diagnosis restriction of D63.1 added. Effective 10/1/2015 ICD-10 diagnosis codes D50.0, D50.1, D50.8, D50.9, D53.8 or D64.9 Deny if billed with ICD10 diagnosis N18.6 Effective 1/1/10. Restricted to ICD-9 diagnosis 280.0 - 280.9. Deny if billed with ICD-9 diagnosis 585.6. Restrict to age 16 and above. |
| Q0139 | Injection, ferumoxytol, for treatment of iron deficiency anemia, 1 mg. (ESRD use) | Feraheme | Yes | ML | Iron salt | none | Х | X | Х | X | | | | | | Х | | Х | Effective 1/1/17, ICD-10 diagnosis restriction of D63.1 added. 10/1/2015 ICD-10 diagnosis codes D50.0, D50.1, D50.8, D50.9, D53.8, D64.9 or N18.6 Effective 1/1/10. Restricted to ICD-9 diagnosis 280.0 - 280.9 and 585.6. Restrict to age 16 and above. |
| Q0144 | Azithromycin dehydrate, oral, capsules/powder, 1 gram | Zithromax Zithromax Z- pak | Yes | UN | | | | | Х | Х | | | | | | | | | New code effective 1/1/08. |
| Q0162 | Ondansetron 1 mg., oral, FDA-approved prescription anti-emetic, not to exceed a 48-hour dosage regimen | Zofran | N/A | | | | | | | | | | | | | | | | Not covered. |
| Q0163 | Diphenhydramine HCI 50 mg, oral, FDA approved prescription antiemetic, for use as a complete therapeutic substitute for an IV antiemetic at time of chemotherapy treatment not to exceed a 48 hour dosage regimen | Truxadryl | Yes | SOL=ML | | None | Х | Х | X | Х | | | | | | | | | Must be billed with chemo agent. |

| Code | Description | Brand Name | | NDC unit | Category | Service | AC | CAH | Р | NP | MW | МН | HS | РО | ОРН | НІ | ID | DC | Special Instructions |
|------|--|------------|------------------------------------|---------------|----------|---------|----|-----|---|----|----|----|----|----|-----|----|----|----|----------------------------------|
| | | | req. for drug rebate ? | of measure | | Limits | OP | OP | | | | | | | | | TF | | |
| | Prochlorperazine maleate, 5mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitue for an IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen | Compa-zine | Yes | UN | | None | X | X | X | X | | | | | | | | | Must be billed with chemo agent. |
| | Prochlorperazine maleate, 10mg, oral, FDA approved antiemetic, for use as a complete therapeutic substitue for an IV antiemetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen | Compazine | Yes | UN | | None | X | X | X | X | | | | | | | | | Must be billed with chemo agent. |
| | Granisetron HCI, 1mg, oral, FDA approved anti- emetic, for use as a complete therapeutic substitute for an IV anti- emetic at the time of chemotherapy treatment, not to exceed a 24 hour dosage regimen | Kytril | Yes | SOL=ML | | None | Х | X | Х | X | | | | | | | | | Must be billed with chemo agent. |
| | Dronabinol, 2.5mg, oral, FDA approved anti- emetic, for use as a complete therapeutic susbstitute for an IV anti- emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen | Marinol | Yes | UN | | None | Х | Х | Х | X | | | | | | | | | Must be billed with chemo agent. |

| Code | Description | Brand Name | NDC req. | NDC unit | Category | Service Limits | AC OP | CAH OP | Р | NP | MW | МН | HS | РО | ОРН | НІ | ID TF | Special Instructions |
|------|---|------------|----------------------------|----------|----------|-------------------|----------|-----------|---|----|----|----|----|----|-----|----|----------|----------------------------------|
| | | | for drug rebate ? | measure | | Lillito | Ö. | 6 | | | | | | | | | | |
| | Dronabinol, 5mg, oral, FDA approved anti- emetic, for use as a complete therapeutic susbstitute for an IV anti- emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen | Marinol | Yes | UN | | None | X | X | X | X | | | | | | | | Must be billed with chemo agent. |
| | Promethazine HCl, 12.5mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitute for an IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen | | Yes | UN | | None | X | X | X | X | | | | | | | | Must be billed with chemo agent. |
| | Promethazine HCl, 25mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitute for an IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen | | Yes | SYR=ML | | None | X | X | X | X | | | | | | | | Must be billed with chemo agent. |
| | Chlorpromazine HCI, 10mg, oral, FDA approved antiemetic, for use as a complete therapeutic substitute for an IV antiemetic at the time of chemotherapy treatment, not to exceed a 48 hour regimen | Thorazine | Yes | SYR=ML | | None | Х | Х | Х | Х | | | | | | | | Must be billed with chemo agent. |

| | T | | | | | | | | | | | | | | | | | | Ta |
|------|---|--|---|---------------------------|----------|-------------------|----------|-----------|---|----|----|----|----|----|-----|---|----------|----|----------------------------------|
| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | Р | NP | MW | МН | HS | PO | ОРН | н | ID TF | DC | Special Instructions |
| | Chlorpromazine HCI, 25mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitute for an IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour regimen | | Yes | SOL=ML | | None | X | X | X | X | | | | | | | | | Must be billed with chemo agent. |
| | Trimethobenzamide HCI, 250mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitute for an IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen | Gen Ticon Tigan Triban Thimazide | N/A | | | | | | | | | | | | | | | | Not Covered |
| | Thiethylperazine maleate, 10mg, oral, FDA approved antiemetic, for use as a complete therapeutic substitute for an IV antiemetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen | Torecan | Yes | UN | | None | X | X | X | X | | | | | | | | | Must be billed with chemo agent. |
| | Perphenzaine, 4mg, oral, FDA approved anti- emetic, for use as a complete therapeutic substitute for an IV anti- emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen | Trilifon | Yes | UN | | None | Х | X | Х | X | | | | | | | | | Must be billed with chemo agent. |

| Perphenzaine, 8mg, oral, FDA approved anti- emetic, for use as a complete therapeutic substitute for an IV anti- | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | X | X | MW | МН | нѕ | PO | ОРН | н | ID TF | Special Instructions Must be billed with chemo agent. |
|---|------------|---|---------------------------|----------|-------------------|----------|-----------|---|---|----|----|----|----|-----|---|----------|--|
| emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen | | | | | | | | | | | | | | | | | |
| Hydroxyzine pamoate, 25mg, oral, FDA approved antiemetic, for use as a complete therapeutic substitute for IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen | | Yes | SUS=ML | | None | X | X | X | X | | | | | | | | Must be billed with chemo agent. |
| Hydroxyzine pamoate, 50mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitute for IV anti-emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen | | Yes | PWD=UN | | None | Х | Х | Х | х | | | | | | | | Must be billed with chemo agent. |
| Ondansetron HCl, 8mg, FDA approved anti- emetic, for use as a complete therapeutic substitute for an IV anti- emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen | Zofran | Yes | UN | | None | X | X | Х | X | | | | | | | | Must be billed with chemo agent. |

| | | | | | 1 - | | | | | | | | | | | - | | _ | |
|-------|---|-----------------------|---|---------------------------|--------------------------|-----------------------|----------|----|---|----|----|----|----|----|-----|---|----------|----|--|
| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | OP | P | NP | MW | МН | HS | PO | ОРН | Н | ID TF | DC | Special Instructions |
| | Dolasetron mesylate, 100mg, oral, FDA approved anti-emetic, for use as a complete therapeutic substitute for an IV anti-emetic at the time of chemotherapy treatment, not to exceed a 24 hour dosage regimen | Anzemet | Yes | UN | | None | х | X | x | x | | | | | | | | | Must be billed with chemo agent. |
| | Unspecified oral dosage form, FDA approved anti- emetic, for use as a complete therapeutic substitute for an IV anti- emetic at the time of chemotherapy treatment, not to exceed a 48 hour dosage regimen | | N/A | | | | | | | | | | | | | | | | Not covered |
| Q0222 | Injection, bebtelovimab, 175 mg | N/A | Yes | ML | Monoclonal antibody | None | Х | Х | Х | Х | | | | | | | | | Effective 8/15/22. |
| | Pharmacy supply fee for oral anticancer, oral antiemetic or immunosuppressive | | N/A | | | | | | | | | | | | | | | | Medicare X-over |
| | Injection, sermorelin acetate, 1 microgram | Geref - Diagnostic | N/A | | | | | | | | | | | | | | | | Not covered |
| Q2004 | Irrigation solution for treatment of bladder calculi, for example Renacidin, per 500 ml | Renacidin | N/A | | | | | | | | | | | | | | | | Not covered |
| | Injection, fosphenytoin, 50 mg | Cerebyx | N/A | | | | | | | | | | | | | | | | Not covered |
| | Injection, bevacizumab, 0.25 mg. | | | | | | Х | Х | Х | | | | | | Х | | | | Closed 12/31/09. See J3490 for Ophthalmology . |
| | Injection, incobotulinim toxin A, 1 u. | Xeomin | Yes | UN | Neuromuscular blocker | 120 u. per 90 days | Х | Х | Х | | | | | | | | | | Closed 12/31/11. See J0588. Effective 4/1/11. Restricted to ICD-9 diagnosis codes of 333.81 & 333.83. Minimum age restriction of 18 years. |
| Q2040 | Injection, tisagenlecleucel | Kymriah | Yes | UN | Anti-neoplastic | N/A | Х | Х | | | | | | | | | | | Closed 12/31/18. See Q2042 after this date. Effective 1/1/18. Contact Kepro at 800-346-8272 for prior authorization requests. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | MF | н н | S P | 0 0 | ОРН | HI | ID TF | DC | Special Instructions |
|-------|--|-----------------------|---|---------------------------|--|-------------------|----------|-----------|---|----|----|----|-----|-----|-----|-----|----|----------|----|--|
| Q2041 | Axicabtagene ciloleucel, up to 200 million autologous anti-CD19 CAR positive T cells, including leukapheresis and dose preparation procedures, per therapeutic dose | Yescarta | Yes | EA | Anti-neoplastic | N/A | X | | | | | | | | | | | | | Effective 4/1/18. Contact Kepro at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria. |
| Q2042 | Tisagenlecleucel, up to 600 million CAR-positive viable T cells, including leukapheresis and dose preparation procedures, per therapeutic dose | Kymriah | Yes | UN | Anti-neoplastic | N/A | X | Х | | | | | | | | | | | | Effective 1/1/19. Contact Kepro at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria. |
| Q2043 | Sipuleucel-T, minimum of 50 million autologous cells, including all preparatory procedures, per infusion | Provenge | Yes | UN | Anti-neoplastic | 1 per 14 days | Х | X | X | | | | | | | | | | | Effective 10/1/2015 ICD-10 diagnosis code C61 Effective 7/1/11. Restricted to ICD-9 diagnosis 185. Minimum age restriction of 18 years. |
| Q2046 | Injection, aflibercept 1 mg. | Eylea | Yes | ML | neovascular- Age related Macular Degeneration | 4 units weekly | Х | Х | | | | | | | | Х | | | | Effective 10/1/2015 ICD-10 diagnosis codes H34.811 - H34.813, H34.819, H35.32 or H35.81 Ophthalmology physician specialty added 7/1/12. New ICD-9 diagnosis restriction of 362.83 and 362.35 added, effective 9/21/12. Code opened 7/1/12. Restricted to ICD-9 diagnosis code of 362.52. Minimum age restriction of 16 years. |
| Q2047 | Injection, peginesatide 0.1 mg. | Omontys | Yes | ML | Erythropoiesis stimulating agent | | | | | | | | | | | | | | Х | Effective 10/1/2015 ICD-10 diagnosis codes D63.1 or N18.6 Effective 7/1/12. Restricted to ICD-9 diagnosis 285.21 and 585.6. Minimum age restriction of 16 years. |
| Q2049 | Injection, doxorubicin HCl., liposomal, 10 mg. | Lipodox (imported) | Yes | ML | Anti-neoplastic | 10 per day | Х | Х | Х | | | | | | | | | | | Effective 2/29/24, code is closed. Effective 7/1/12. |
| Q2050 | Injection, doxorubicin hydrochloride, liposomal, not otherwise specified, 10mg | Doxil | Yes | ML | Anti-neoplastic | 10 per day | Х | Х | Х | | | | | | | | | | | Effective 1/1/14. |
| Q2053 | Brexucabtagene autoleucel, up to 200 million autologous anti- cd19 car positive viable t cells, including leukapheresis and dose preparation procedures, per therapeutic dose | Tecartus | Yes | UN | Anti-neoplastic | | Х | | | | | | | | | | | | | Effective 4/1/21. Contact Kepro at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria. |

| | | In | T | | | - | | | - | | l secon | | 1, | 1 = - | 1 | ., | | | |
|-------|--|-------------------|---|---------------------------|------------------------------------|-----------------------------|----------|----|---|----|---------|----|----|-------|-----|----|----------|----|--|
| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | OP | P | NP | MW | МН | HS | PO | OPI | H | ID TF | DC | Special Instructions |
| | Lisocabtagene maraleucel, up to 110 million autologous anti- cd19 car-positive viable t cells, including leukapheresis and dose preparation procedures, per therapeutic dose | Breyanzi | Yes | UN | Antineoplastic | N/A | X | | | | | | | | | | | | Effective 10/1/21. Contact Kepro at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria. |
| | Idecabtagene vicleucel, up to 460 million autologous b-cell maturation antigen (bcma) directed carpositive t cells, including leukapheresis and dose preparation procedures, per therapeutic dose | Abecma | Yes | UN | Antineoplastic | | X | | | | | | | | | | | | Effective 1/1/22. Contact Kepro at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria. |
| | Ciltacabtagene autoleucel, up to 100 million autologous B-cell maturation antigen (BCMA) directed CARpositive T cells, including leukapheresis and dose preparation procedures, per therapeutic dose | Carvykti | Yes | EA | Antineoplastic | | Х | | | | | | | | | | | | Effective 10/1/22. Contact Kepro at 800-346-8272 for prior authorization requests. Go to https://dhhr.wv.gov/bms/BMS%20Pharmacy/Pages/PA-Criteria.aspx to view criteria. |
| | Injection, interferon beta-1a, 11 mcg for intramuscular use | Rebif Avonex | Yes | UN | | 4 daily | Х | Х | Х | Х | | | | | | | | | For IM only. |
| | Injection, interferon beta-1a, 11 mcg for subcutaneous use | Rebif Avonex | N/A | | | | | | | | | | | | | | | | Closed 7/1/05 |
| | lloprost, inhalation solution, FDA-approved final product, non- compounded | | | | | | | | | | | | | | | | | | Not covered. |
| Q4079 | Injection, Natalizumab 1 mg | Tysabri | Yes | | Leukocyte Adhesion Inhibitor | | | | | | | | | | | | | | Code closed 12/31/07. See J2323 effective 1/1/08. |
| | lloprost inhalation solution administered thru DME up to 20 mcg | Ventavis | N/A | | | | | | | | | | | | | | | | Not Covered. Closed 12/31/09. See Q4074 |
| Q4081 | Injection, Epoetin Alfa, 100 units (for ESRD on dialysis) | Epogen Procrit | Yes | ML | | 900 units 3 times weekly | Х | Х | Х | Х | | | | | | | | X | Effective 10/1/2015 ICD-10 diagnosis code N18.6 New code 1/1/07. If more than 900 units needed, bill with J0886. ICD-9 585.6 needed on claim form. |

| | 5 1.0 | | Lunc | | • | | | | | | T | T | . 1 | | . 1 - | | | | | |
|-------|---|--------------------|---|---------------------------|----------------|---|----|-----------|---|----|-----|-----|------|---|--------------|----|---|----|----|--|
| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | OP | CAH OP | P | NP | MVV | MIH | H HS | P | 0 | PH | н | TF | DC | Special Instructions |
| Q4082 | Drug or Biological, not otherwise classified, Part B drug | | N/A | | | | | | | | | | | | | | | | | New code 1/1/07. Not covered. |
| Q4083 | Hyaluronan or derative, Hyalgan or Supartz, for intra-articular injection per dose | Hyalgan Supartz | No | | Osteoarthritic | 10 injection (5 per knee) per 170 rolling days | | | | | | | | | | | | | | Code closed 12/31/07. Claims will deny when billed with Q code with dates of service after 12/31/07. See J7321 effective 1/1/08. |
| Q4084 | Hyaluronan or derivative, Synvisc, for intra- articular injection, per dose | Synvisc | No | | Osteoarthritic | 6 injections (3 per knee) per 170 rolling days | | | | | | | | | | | | | | Code closed 12/31/07. Claims will deny when billed with Q code with dates of service after 12/31/07. See J7322 effective 1/1/08. |
| Q4085 | Hyaluronan or derivative, Euflexxa, for intra- articular injection, per dose | Euflexxa | No | | Osteoarthritic | 10 injection (5 per knee) per 170 rolling days | | | | | | | | | | | | | | Code closed 12/31/07. Claims will deny when billed with Q code with dates of service after 12/31/07. See J7323 effective 1/1/08. |
| | Hyaluronan or derivative, Orthovisc, for intra- articular injections, per dose | Orthovisc | No | | Osteoarthritic | 8 injections (4 per knee) per 170 rolling days | | | | | | | | | | | | | | Code closed 12/31/07. Claims will deny when billed with Q code with dates of service after 12/31/07. See J7324 effective 1/1/08. |
| Q4087 | Octagam injection - injection , immune globulin,(Octagam) IV, non-lyophilized (i.e., liquid), 500mg | | N/A | | | | | | | | | | | | | | | | | New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J1568 effective 1/1/08. |
| Q4088 | Gammagard Liquid Injection - Injection,immune globulin (Gammagard Liquid), IV, non- lyophilized (e.e., liquid), 500mg. | | N/A | | | | | | | | | | | | | | | | | New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J1569 effective 1/1/08. |
| Q4089 | Rhophylac Injection - Injection, Rho(d) immune globulin (human), (Rhohylac), IM or IV, 100iu - Note that currently Rhophylac is the only product that should be billed using code Q0489. If other products under the Food and Drug Administration (FDA) approval for Rhophylac become available, Q4089 would be used to bill for such products. | | N/A | | | | | | | | | | | | | | | | | New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J2791 effective 1/1/08. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | ОРН | НІ | ID TF | DC | Special Instructions |
|------|---|------------|---|---------------------------|---------------------------------|-------------------|----------|-----------|---|----|----|----|----|----|-----|----|----------|----|---|
| | HepaGam B Injection - Injection, hepatitis B immune globulin (HepaGam B, IM, 0.5 ml) | | N/A | | | | | | | | | | | | | | | | New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J1571 effective 1/1/08. |
| | Fiebogamma Injection - Injection, immune globulin (Flebogamma), IV, non-lypohilized (e.g., liquid), 500mg. | | N/A | | | | | | | | | | | | | | | | New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J1572 effective 1/1/08. |
| | Gamunex Injection - Injection, immune globulin (Gamunex), IV, non-lypohilized (e.g., liquid), 500mg | | N/A | | | | | | | | | | | | | | | | New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J1561 effective 1/1/08. |
| | Albuterol, all formulations including separated isomers, inhaltion solution, FDA approved final product, non-compounded, administered through DME, concentrated form, per 1 mg (albuterol) or per 0.5mg (levalbuterol). | | N/A | | | | | | | | | | | | | | | | New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J7602 effective 1/1/08. |
| | Albuterol, all formulations including separated isomers, inhaltion solution, FDA approved final product, non-compounded, administered through DME, concentrated form, per 1 mg (albuterol) or per 0.5mg (levalbuterol). | | N/A | | | | | | | | | | | | | | | | New code effective 7/1/07. Not covered. Code closed effective 12/31/07. See J7603 effective 1/1/08. |
| | Zoledronic Acid/Mannitol/Water Reclast 5mg/100ml bottles | Reclast | Yes | ML | Bone Resorption Inhibitor | | | | | | | | | | | | | | Code closed effective 12/31/07. See J3488 effective 1/1/08. |
| | Injection, Von Willebrand factor complex, human, Ristocetin cofactor, (NOS), per IU. VWF:RCO | Alphanate | N/A | IU | Anti-hemophilic | | | | | | | | | | | | | | Not covered. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PC | OF | РΗ | НІ | ID TF | DC | Special Instructions |
|-------|---|------------|---|---------------------------|---------------------------------|-------------------|----------|-----------|---|----|----|----|----|----|----|----|----|----------|----|---|
| Q4098 | Injection, iron dextrans, 50 mg. | Infed | Yes | ML | Iron salt | None | Х | Х | Х | Х | | | | | | | | | | New code. Opened 7/1/08. Closed 12/31/08. See J1750 after 1/1/09. |
| Q4100 | Skin substitute, NOS | N/A | No | | | None | Х | Х | Х | | | | | Х | | | | | | Requires description of skin substitute on claim form, requires cost invoice with claim form, add to edit 162 |
| Q4101 | Apligraf, per sq. cm. | | No | | | None | Х | Х | Х | | + | | | Х | + | | | | | Effective 1/1/09. Replaces J7340. |
| | Skin substitute, Oasis Wound Matrix, per sq. cm. | N/A | No | | | None | Х | Х | Х | | | | | Х | | | | | | Replaces J7341. |
| Q4103 | Skin substitute, Oasis Burn Matrix, per sq. cm. | N/A | No | | | None | Х | Х | Х | | | | | Х | | | | | | Replaces J7341. |
| Q4107 | Skin substitute, Graft Jacket, per sq. cm. | N/A | No | | | None | Х | Х | Х | | | | | Х | | | | | | |
| Q4108 | Skin substitute, Integra Matrix, per sq. cm. | N/A | No | | | None | Х | Х | Х | | | | | Х | | | | | | Replaces J7347. |
| Q4109 | Skin substitute, Tissuemend, per sq. cm. | N/A | No | | | None | Х | Х | Х | | | | | Х | | | | | | Replaces J7348. |
| Q4110 | Skin substitute, Primatrix, per sq. cm. | N/A | No | | | None | Х | Х | Х | | | | | Х | | | | | | Replaces J7349. |
| Q4111 | Skin substitute, GammaGraft, per sq. cm. | N/A | No | | | None | Х | Х | Х | | | | | Х | | | | | | |
| Q4112 | Allograft, Cmyetra, injectable, 1 cc. | N/A | No | | | None | Х | Х | Х | | | | | Х | | | | | | Replaces J7346. |
| Q4113 | Allograft, GRAFTJACKET express, injectable, 1 cc. | N/A | No | | | None | Х | Х | Х | | | | | Х | | | | | | Replaces J7346. |
| Q4114 | Integra flowable wound matrix, injectable, 1 cc. | N/A | No | | | None | Х | Х | Х | | | | | Х | | | | | | |
| Q4121 | Theraskin, per sq. cm. | N/A | No | | | None | Х | Х | Х | | | | | Х | | | | | | Effective 7/1/15. Covered to ASC, effective 7/1/15. Restricted to physician specialties of Podiatrist and Podiatric Surgeon, General Surgeon, Plastic Surgeon, and Dermatologist. |
| Q5101 | Injection, filgrastim G- CSF, biosimiliar, 1 mg. | Zarxio | Yes | | | 1500 units daily | Х | Х | Х | | | | | | | | | | | Effective 10/1/15. |
| Q5102 | Infliximab, bio-similar, 10 mg. | Inflectra | Yes | | Anti-rheumatic | | Х | Х | Х | | | | | | | | | | | Closed 3/31/18. See Q5103 after this date. Effective 1/1/17. |
| Q5103 | Injection, infliximab-dyyb, bio-similar, 10 mg. | Inflectra | Yes | EA | Anti-rheumatic | None | Х | Х | Х | | | | | | | | | | | Effective 4/1/18. |
| Q5104 | Injection, infliximab- abda, bio-similar, 10 mg. | Renflexis | Yes | EA | Anti-rheumatic | None | Х | Х | Х | | | | | | | | | | | Effective 4/1/18. |
| Q5105 | Injection, epoetin alfa- epbx, bio-similar, 100 units (for ESRD on dialysis) | Retacrit | Yes | ML | Colony stimulating factor | None | Х | Х | Х | Х | | | | | | | | | | Effective 8/1/22, added to dialysis center conracts. Effective 1/1/20. Must include ICD-10 N18.6. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | н | S P | 0 0 | PH | НІ | ID TF | DC | Special Instructions |
|-------|--|------------|---|---------------------------|---------------------------------|-------------------|----------|-----------|---|----|----|----|---|-----|-----|----|----|----------|----|---|
| Q5106 | Injection, epoetin alfa- epbx, bio-similar, 1000 units (for non-ESRD use) | Retacrit | Yes | ML | Colony stimulating factor | None | X | Х | Х | Х | | | | | | | | | Х | Effective 8/1/22, added to dialysis center contracts. Effective 1/1/20. Exclude ICD-10 N18.6. |
| Q5107 | Injection, bevacizumab- awwb, biosimilar, 10 mg. | Mvasi | Yes | ML | Anti-neoplastic | None | Х | х | X | | | | | | | | | | | Effective 8/1/22, ICD-10 C56.3, C78.6, D56.3, Z51.11, and Z51.12 added. Effective 3/1/22, ICD-10 C22.0 - C22.9 added. Effective 1/1/19. Restricted to ICD-10 C18.0 - C18.9, C19, C20, C21.8, C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92, C53.0, C53.1, C53.8, C53.9, C64.1 - C64.2, C64.9, C65.1, C65.2, C65.9, C71.0 - C71.9. Mimimum age of 18 years |
| Q5108 | Injection, pegfilgrastim- jmdb, biosimilar, 0.5 mg | Fulphila | Yes | ML | Colony stimulating factor | None | Х | Х | Х | Х | | | | | | | | | | Effective 10/1/18. |
| Q5110 | Injection, filgrastim-aafi, biosimilar, 1 mcg | Nivestym | Yes | ML | Colony stimulating factor | None | Х | Х | Х | | | | | | | | | | | Effective 6/1/23. |
| Q5111 | Injection, pegfilgrastim- cbqv, biosimilar, 0.5 mg | Udenyca | Yes | ML | Colony stimulating factor | 12 units daily | Х | Х | Х | | | | | | | | | | | Effective 4/1/20, restricted to ICD-10 D70.1, T45.1X5A, T45.1X5D, T45.1X5S. Effective 1/1/19. Minimum age of 16 years. |
| Q5113 | Injection, trastuzumab- pkrb, biosimilar, 10 mg. | Herzuma | Yes | UN | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | | Effective 7/1/19. Restricted to ICD-10 C50.011 - C50.929, C16.0 - C16.9. Minimum age of 16 years. |
| Q5114 | Injection, trastuzumab- dkst, biosimilar,10 mg. | Ogivri | Yes | UN | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | | Effective 7/1/19. Restricted to ICD-10 C50.011 - C50.929, C16.0 - C16.9. Minimum age of 16 years. |
| Q5115 | Injection, rituximab-abbs, biosimilar, 10 mg. | Truxima | Yes | ML | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | | Diagnosis restrictions are removed effective 5/1/22. Effective 7/1/20: Restricted to ICD-10 C82.00 - C82.99, C83.00 - C83.89, C85.10 - C85.19, C85.80 - C85.89, C85.90 - C85.99, C91.10, C91.12, M31.30, M31.31, M31.7. Effective 7/1/19. Restricted to ICD-10 C82.00 - C82.99, C83.00 - C83.89, C85.80 - C85.89, C88.4. Minimum age of 16 years. |
| Q5116 | Injection, trastuzumab- qyyp, 10 mg. | Trazimera | Yes | UN | None | None | Х | Х | Х | | | | | | | | | | | Effective 10/1/19. Restricted to ICD-10 diagnosis of C16.0 - C16.9, C50.011 - C50.929. Minimum age of 16 years. |
| Q5117 | Injection, trastuzumab- anns, biosimilar, 10 mg. | Kanjinti | Yes | UN | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | | Effective 7/1/21, ICD-10 diagnoses C15.3 - C15.9 and C16.0 - C16.9 added. Effective 10/1/19. Restricted to ICD-10 diagnosis of C50.011 - C50.911, C50.021 - C50.921. Restricted to minimum age of 16 years. |
| Q5118 | Injection, bevacizumab- bvzr, bio-similar, 10 mg. | Zirabev | Yes | ML | Anti-neoplastic | None | X | Х | Х | | | | | | | | | | | Effective 10/1/19. Restricted to ICD-10 diagnosis of C18.0, C18.1, C18.2 - C18.9, C19, C20, C21.8, C33, C34.00 - C34.02, C34.10 - C34.12, C34.2, C34.30 - C34.32, C34.80 - C34.82, C34.90 - C34.92, C53.0, C53.1, C53.8, C53.9, C64.1, C64.2, C64.9, C65.1, C65.2, C65.9, C71.0 - C71.9. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | H HS | PC | 0 0 | РН | ID TF | DC | Special Instructions |
|-------|---|--|---|---------------------------|---|-----------------------|----------|-----------|---|----|----|----|------|----|-----|----|----------|----|--|
| Q5119 | Injection, rituximab-pvvr, biosimilar, 10 mg | Ruxience | Yes | ML | Anti-neoplastic | None | Х | х | Х | | | | | | | | | | Diagnosis restrictions are removed effective 5/1/22. Effective 7/1/20. Restricted to ICD-10 C82.00 - C82.99, C83.00 - C83.89, C85.10 - C85.19, C85.80 - C85.89, C85.90 - C85.99, C91.10, C91.12, M31.7, M31.30, M31.31. Minimum age of 16 years. |
| Q5120 | Injection, pegfilgrastim- bmez, biosimilar, 0.5 mg | Ziextenzo | Yes | ML | Colony stimulating factor | None | Х | Х | Х | | | | | | | | | | Effective 7/1/20. Restricted to ICD-10 D70.1, T45.1X5A, T45.1X5D, T45.1X5S. Minimum age of 16 years. |
| Q5121 | Injection, infliximab-axxq, biosimilar, 10 mg | Avsola | Yes | UN | Anti-rheumatic | None | Х | Х | Х | | | | | | | | | | As of 10/1/22, ICD-10 diagnosis of K50.811, K50.812, K50, 813, K50.814, K50.818 and K50.819 added. Effective 7/1/20. Restricted to ICD-10 K50.00, K50.10, K50.80, K50.90, K51.00, K51.20, K51.30, K51.50, K51.80, K51.90, K60.3, K60.4, L40.0, L40.50, M05.60, M50.70, M06.00, M45.9. |
| Q5122 | Injection, pegfilgrastim- apgf, biosimilar, 0.5 mg | Nyvepria | Yes | SOL | Colony stimulating factor | None | Х | Х | Х | | | | | | | | | | Effective 1/1/21. |
| Q5123 | Injection, rituximab-arrx, biosimilar, 10 mg | Riabni | Yes. | SOL | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Diagnosis restrictions are removed effective 5/1/22. Effective 7/1/21. Restricted to ICD-10 C83.00 - C83.09, C83.30 - C83.39, C85.80 - C85.89, C85.90 - C85.99, C91.10, C91.12, C95.9. |
| Q5125 | Injection, filgrastim- ayow, biosimilar, 1 mcg | Releuko | Yes | ML | Colony stimulating factor | None | Х | Х | Х | | | | | | | | | | Effective 10/1/22. |
| Q5126 | Injection, bevacizumab- maly, biosimilar, 10 mg | Alymsys | Yes | ML | Anti-neoplastic | None | Х | Х | Х | | | | | | | | | | Effective 1/1/23. Restricted to ICD-10 C18.0 - C18.9, C19, C20, C33, C34.01 - C34.92, C53.0 - C53.9, C56.1 - C56.3, C65.1, C62.2, C66.1, C66.2, C67.0 - C67.9, C68.0, C68.8, C71.0 - C71.9. |
| Q5127 | Injection, pegfilgrastim- fpgk, biosimilar, 0.5 mg | Stimufend | Yes | ML | Colony stimulating factor | None | Х | Х | Х | | | | | | | | | | Effective 4/1/23. |
| Q5128 | Injection, ranibizumab- eqrn, biosimilar, 0.1 mg | Cimerli | Yes | ML | VEGF inhibitor | max. 5 units daily | Х | Х | Х | | | | | | | | | | Effective 4/1/23. |
| Q9951 | Low osmolar contrast material, 400 mg/.ml or greater,iodine concentration per ml | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | | Paper Claim. Send copy of the invoice which includes the NDC billed |
| Q9952 | Injection Gadolinim- based magnetic resonance contrast agent , per ml | Magnevist 46.9% Prohance Multihance Omniscan Omnimark | No | | Diagnostic agent Radio- pharmaceutical | | Х | х | | | | | | | | | X | | Closed. Paper Claim. Send copy of the invoice which includes the NDC billed |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | ОРН | Н | ID TF | DC | Special Instructions |
|-------|---|--|---|---------------------------|---|-------------------|----------|-----------|---|----|----|----|----|----|-----|---|----------|----|--|
| | Injection iron-based magnetic resonance contrast agent, per ml | Feridex IV | No | | Diagnostic agent Radio- pharmaceutical | | X | X | X | | | | | | | | X | | Paper Claim. Send copy of the invoice which includes the NDC billed |
| | Oral magnetic resonance contrast agent, per 100ml | Gastromark | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | | Paper Claim. Send copy of the invoice which includes the NDC billed |
| Q9955 | Injection, perflexane lipid microsphere, per ml | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | | Paper Claim. Send copy of the invoice which includes the NDC billed |
| Q9956 | Injection octafluoropropane microspheres, per ml | Optison | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | | Paper Claim. Send copy of the invoice which includes the NDC billed |
| Q9957 | Injection , perfluitren lipid microspheres, per ml | Definity | Yes | | Diagnostic agent Radio- pharmaceutical | | Х | Х | X | | | | | | | | Х | | Paper Claim. Send copy of the invoice which includes the NDC billed. Cardiology specialty added as covered provider, effective 1/1/09. |
| | High osmolar contrast material, up to 149 mg/ml iodine concentration, per ml | Cystografin Reno-30 Cystografin Hypaque Cysto-Conray Conray -30 | No | | Diagnostic agent Radio- pharmaceutical | | Х | X | X | | | | | | | | X | | Paper Claim. Send copy of the invoice which includes the NDC billed |
| | High osmolar contrast material, 150-199 mg/ml iodine concentration, per ml | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | | Paper Claim. Send copy of the invoice which includes the NDC billed |
| Q9960 | High osmolar contrast material, 200-249 mg/ml iodine concentration, per ml | Conray 43 | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | | Paper Claim. Send copy of the invoice which includes the NDC billed |

| Code | Description | Brand Name | req. | NDC unit | Category | Service Limits | AC OP | CAH OP | Р | NP | MW | МН | HS | РО | ОРН | НІ | ID TF | DC | Special Instructions |
|-------|--|---|----------------------------|----------|---|-------------------|----------|-----------|---|----|----|----|----|----|-----|----|----------|----|---|
| | | | for drug rebate ? | measure | | | | | | | | | | | | | | | |
| | High osmolar contrast material, 250-299 mg/ml iodine concentration, per ml | Cholografin Reno-60 Renografin- 60 Hypaque Conray | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | | Paper Claim. Send copy of the invoice which includes the NDC billed |
| | High osmolar contrast material, 300-349 mg/ml iodine concentration, per ml | | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | X | | Paper Claim. Send copy of the invoice which includes the NDC billed |
| | High osmolar contrast material, 350-399 mg/ml iodine concentration, per ml | Gastrografin Sinografin Renocal-76 Hypaque Md-76R Md Gastroview | No | | Diagnostic agent Radio- pharmaceutical | | х | х | Х | | | | | | | | X | | Paper Claim. Send copy of the invoice which includes the NDC billed |
| | High osmolar contrast material, 400 or greater mg/ml iodine concentration, per ml | Conray 400 | No | | Diagnostic agent Radio- pharmaceutical | | Х | Х | Х | | | | | | | | Х | | Paper Claim. Send copy of the invoice which includes the NDC billed |
| | Low osmolar contrast material, 100-199 MG/ML IODINE CONCENTRATION, PER ML | | No | | Diagnostic agent Radio- pharmaceutical | | х | х | Х | | | | | | | | Х | | Paper Claim. Send copy of the invoice which includes the NDC billed |
| | Low osmolar contrast material, 200-299 MG/ML lodine Concentration, Per ML | | No | | Diagnostic agent Radio- pharmaceutical | | х | Х | Х | | | | | | | | Х | | Paper Claim. Send copy of the invoice which includes the NDC billed |
| | Low osmolar contrast material, 300-399 MG/ML lodine Concentration, Per ML | | Yes | | Diagnostic agent Radio- pharmaceutical | | х | х | х | | | | | | | | Х | | Effective 6/1/17, claim must be submitted with NDC participating in federal rebate program. Paper Claim. Send copy of the invoice which includes the NDC billed |
| | Injection, non- radioactive, non- contrast, visualization adjunct | | | | | | | | | | | | | | | | | | Not covered. |
| Q9970 | Injection, ferric carboxymaltose, 750 mg./15 ml. | Injectafer | Yes | ML | Iron therapy | None | Х | Х | Х | | | | | | | | | | Closed 12/31/14. See J1439 after this date. Effective 7/1/14. Cost invoice with NDC required with claim. Restricted to ICD-9 diagnosis of 280.1 - 280.9. Minimum age restriction of 16 years. |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | Р | NP | MW | МН | HS | PO | ОРН | HI | ID TF | DC | Special Instructions |
|-------|---|------------|---|---------------------------|---------------------------|-------------------------|----------|-----------|---|----|----|----|----|----|-----|----|----------|----|---|
| | Injection, morphine sulfate, preservative-free for epidural or intrathecal use, 10mg | | yes | ML | Analgesic narcotic | None | Х | Х | Х | | | | | | | | | | Closed 12/31/14. See J2274 after this date. Effective 7/1/14. Cannot be billed with J2271 or J2275 for same DOS. |
| Q9975 | Injection, factor viii, fc fusion protein, (recombinant), per IU | Eloctate | Yes | IU | Anti-hemophilic | | Х | Х | Х | | | | | | | | | | Closed 12/31/15. See J7205 after this date. Effective 10/1/2015 ICD-10 diagnosis code D66 Effective 4/1/15. Restricted to ICD-9 diagnosis of 286.0 Minimum age restriction of 2 years. |
| Q9979 | Injection, alemtuzumab 1 mg. | Lemtrada | Yes | ML | Anti-schlerotic | None | Х | Х | Х | | | | | | | | | | Closed 12/31/15. See J0202 after this date. Effective 10/1/2015. Restricted to diagnosis ICD-10 G35. Minimum age restriction of 17 years. |
| Q9984 | Levonorgetrel-releasing IUD contraceptive, 19.5 mg. | Kyleena | Yes | EA | Contraceptive | Once in five years | Х | Х | Х | Х | Х | | | | | | | | Closed 12/31/17. See J7296 after this date. Effective 7/1/17. |
| Q9989 | Ustekinumab 10 mg. IV injection | Stelara | Yes | ML | Antipsoriatic | None | X | Х | Х | | | | | | | | | | Closed 12/31/17. See J3358 after this date. Effective 7/1/17. Restricted to ICD-10 L30.5, L40.0 - L40.4, L40.50 - L40.54, L40.59, L40.8, L40.9, L41.0, L41.1, L41.3 - L41.5, L41.8, L41.9, L42, L44.0, L44.8, L45 or L94.5. |
| | Injection, triamcinolone acetonide, preservative-free, extended-release, microsphere formulation, 1 mg. | Zilretta | Yes | EA | Anti- inflammatory | Max. 32 mg. once yearly | Х | Х | Х | Х | | | | | | | | | Closed 12/31/18. Effective 7/1/18. Restricted to ICD-10 diagnosis of M17.1 - M17.9. |
| | | | | | | | | | | | | | | | | | | | |
| | Butorphanol tartrate, nasal spray, 25 mg. | | N/A | | | | | | | | | | | | | | | | Not covered. |
| | Tacrine HCl, 10 mg. Injection, aminocaproic | | N/A N/A | | Homorrhogo | | | | | | | | | | | | - | | Not covered. Not Covered |
| 30017 | acid | | IN/A | | Hemorrhage | | | | | | | | | | | | | | Not Covered |
| S0020 | Injection, bupivicaine hydro | | N/A | | Anesthetic | | | | | | | | | | | | | | Not Covered |
| S0021 | Injection, cefoperazone sod | | N/A | | Antibiotic | | | | | | | | | | | | | | Not Covered |
| S0023 | Injection, cimetidine hydroc | | N/A | | Anti-Ulcer Preparation | | | | | | | | | | | | | | Not Covered |
| S0028 | Injection, famotidine, 20 | | N/A | | Anti-Ulcer Preparation | | | | | | | | | | | | | | Not Covered |
| S0030 | Injection, metronidazole | | N/A | | Anti-protoxoal | | | | | | | | | | | | | | Not Covered |
| S0032 | Injection, nafcillin sodium, 2 G. | | Yes | EA | Penicillin- Antibiotic | | Х | Х | | | | | | | | | | | Effective 7/1/20. |
| S0034 | Injection, ofloxacin, 400 | | N/A | | Quinolone- Antibiotic | | | | | | | | | | | | | | Not Covered |
| S0039 | Injection, sulfamethoxazole | | N/A | | Sulfa - Antibiotic | | | | | | | | | | | | | | Not Covered |
| S0040 | Injection, ticarcillin disod | | N/A | | Penicillin- Antibiotic | | | | | | | | | | | | | | Not Covered |
| S0073 | Injection, aztreonam, 500 mg | Actazam | Yes | UN | Betalactam- Antibiotic | Anti-bacterial | Х | Х | | | | | | | | | | | Closed 6/30/23. See J0457 after this date. Effective 1/1/20. Cost invoice with NDC required. |

| Code | Description | Brand Name | NDC | NDC unit | Category | Service | AC | CAH | Р | NP | MW | МН | нс | PO | ОРН | н | חו | חר | Special Instructions |
|-------|---|------------|---------------------|---------------|---|----------------|----|-----|---|----|-------|--------|----|----|-----|---|----|----|---|
| Code | Description | Brand Name | req. for drug | of measure | Calegory | Limits | OP | OP | F | NF | IVIVV | IVIITI | по | PU | OFF | п | TF | БС | Special insuluctions |
| | | | rebate | | | | | | | | | | | | | | | | |
| S0074 | Injection, cefotetan disodiu | | N/A | | Cephalosporin- Antibiotic | | | | | | | | | | | | | | Not Covered |
| S0077 | Injection, clindamycin phosp | | N/A | | Lincosamide- Antibiotic | | | | | | | | | | | | | | Not Covered |
| S0078 | Injection, fosphenytoin sodi | | N/A | | Anticonvulsant | | | | | | | | | | | | | | Not Covered |
| S0080 | Injection, pentamidine isethionate, 300 mg. | Pentam | Yes | UN | Antimicrobial | 1 per day | Х | Х | | | | | | | | | | | Effective 1/1/19. |
| S0081 | Injection, piperacillin sodi | | N/A | | Penicillin- Antibiotic | | | | | | | | | | | | | | Not Covered |
| S0088 | Imatinib 100 mg | | N/A | | Leukemia | | | | | | | | | | | | | | Not Covered |
| | Sildenafil citrate, 25 mg | | N/A | | Impotency | | | | | | | | | | | | | | Not Covered |
| S0091 | Granisetron 1mg | | N/A | | Antiemetic/ Antivertigo Agents | | | | | | | | | | | | | | Not Covered |
| S0092 | Hydromorphone 250 mg | | N/A | | Narcotic | | | | | | | | | | | | | | Not Covered |
| S0093 | Morphine 500 mg | | N/A | | Narcotic | | | | | | | | | | | | | | Not Covered |
| S0104 | Zidovudine, oral, 100 mg | | N/A | | HIV- Antiviral | | | | | | | | | | | | | | Not Covered |
| S0106 | Bupropion HCL SR 60 tablets | | N/A | | Anti-Smoking | | | | | | | | | | | | | | Not Covered |
| S0108 | Mercaptopurine 50 mg | | N/A | | Leukemia | | | | | | | | | | | | | | Not Covered |
| | Methadone oral 5mg | | Yes | EA | Narcotic | 20 units daily | | | | | | | | | | | | | Effective 7/1/17. Covered entities are Mental Health Clinic & Mental Health Rehabilitation. |
| | Tretinoin topical 5 g | | N/A | | Acne | | | | | | | | | | | | | | Not Covered |
| S0122 | Inj menotropins 75 iu | | N/A | | Follicle Stim /Lutenizing Homones | | | | | | | | | | | | | | Not Covered. Code closed effective 12/31/07. |
| S0126 | Inj follitropin alfa 75 iu | | N/A | | Follicle Stim /Lutenizing Homones | | | | | | | | | | | | | | Not Covered. Code closed effective 12/31/07. |
| S0128 | Inj follitropin beta 75 iu | | N/A | | Follicle Stim /Lutenizing Homones | | | | | | | | | | | | | | Not Covered. Code closed effective 12/31/07. |
| S0132 | Inj ganirelix acetat 250 mcg | | N/A | | LHRH (GNRH) Antagonist, Pituitary | | | | | | | | | | | | | | Not Covered. Code closed effective 12/31/07. |
| S0136 | Clozapine, 25 mg | | N/A | | Atypical Antipsychotic | | | | | | | | | | | | | | Not Covered |
| | Didanosine, 25 mg | | N/A | | HIV- Antiviral | | | | | | | | | | | | | | Not Covered |
| | Finasteride, 5 mg | | N/A | | Prostatic Hypertrophy | | | | | | | | | | | | | | Not Covered |
| | Minoxidil, 10 mg | | N/A | | Anti hypertensive | | | | | | | | | | | | | | Not Covered |
| | Saquinavir, 200 mg | | N/A | | HIV Antiviral | | | | | | | | | | | | | | Not Covered |
| | Zalcitabine, 0.375 mg , | | N/A | | HIV- Antiviral | | | | | | | | | | | | | | Not Covered |
| S0142 | Colistimethate inh sol mg | | N/A | | Polymyxin- Antibiotic | | | | | | | | | | | | | | Not Covered |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | ОРН | Н | D C | Speci | icial Instructions |
|-------|--|------------|---|---------------------------|--------------------------------------|-------------------|----------|-----------|---|----|----|----|----|----|-----|---|-----|-------|---|
| S0143 | Aztreonam, inh sol gram | | N/A | | Betalactam- Antibiotic | | | | | | | | | | | | | Not C | Covered |
| S0145 | Peg interferon alfa- 2A/180 | | N/A | | Hepatitis C | | | | | | | | | | | | | Not C | Covered |
| S0146 | Peg interferon alfa- 2b/10 | | N/A | | Hepatitis C | | | | | | | | | | | | | Not C | Covered |
| S0147 | Alglucosidase alfa 20 mg | | N/A | | Enzyme Replacement | | | | | | | | | | | | | Not C | Covered. Code closed effective 12/31/07. |
| S0155 | Sterile dilutant for epoprostenol, 50 ml | | N/A | | Diluent Solutions | | | | | | | | | | | | | Not C | Covered. Code closed effective 12/31/07. |
| S0156 | Exemestane, 25 mg | | N/A | | Antineoplastic | | | | | | | | | | | | | Not C | Covered. Code closed effective 12/31/07. |
| S0157 | Becaplermin gel 1%, 0.5 gm | | N/A | | Diabetic Ulcer Preparations | | | | | | | | | | | | | Not C | Covered. Code closed effective 12/31/07. |
| S0160 | Dextroamphetamine | | N/A | | ADHD, Narcolepsy | | | | | | | | | | | | | Not C | Covered |
| S0161 | Calcitrol | | N/A | | Vitamin D | | | | | | | | | | | | | Not C | Covered |
| S0162 | Injection efalizumab | | N/A | | Psoriasis | | | | | | | | | | | | | Not C | Covered |
| S0164 | Injection pantroprazole | | N/A | | Gastric Reflux, Esophogitis | | | | | | | | | | | | | Not C | Covered |
| S0166 | Inj olanzapine 2.5mg | | N/A | | Atypical Antipsychotic | | | | | | | | | | | | | Close | sed 12/31/23. |
| S0170 | Anastrozole 1 mg | | N/A | | Antineoplastic | | | | | | | | | | | | | Not C | Covered |
| S0171 | Bumetanide 0.5 mg | | N/A | | Loop Diuretics | | | | | | | | | | | | | Close | sed 12/31/23. |
| S0172 | Chlorambucil 2 mg | | N/A | | Alkylating Agents | | | | | | | | | | | | | Not C | Covered. Code closed effective 12/31/07. |
| S0174 | Dolasetron 50 mg | | N/A | | Antiemetic/ Antivertigo Agents | | | | | | | | | | | | | Not C | Covered. Code closed effective 12/31/07. |
| S0175 | Flutamide 125 mg | | N/A | | Antiandrogenic Agent | | | | | | | | | | | | | Not C | Covered. Code closed effective 12/31/07. |
| S0176 | Hydroxyurea 500 mg | | N/A | | Alkylating Agents | | | | | | | | | | | | | Not C | Covered. Code closed effective 12/31/07. |
| S0177 | Levamisole 50 mg | | N/A | | | | | | | | | | | | | | | Not C | Covered. Code closed effective 12/31/07. |
| S0178 | Lomustine 10 mg | | N/A | | Alkylating Agents | | | | | | | | | | | | | Not C | Covered. Code closed effective 12/31/07. |
| S0179 | Megestrol 20 mg | | N/A | | Appetite Stim. For Anorexia | | | | | | | | | | | | | Not C | Covered. Code closed effective 12/31/07. |
| S0180 | Etonogestrel implant system | | N/A | | Contraceptive, Implantable | | | | | | | | | | | | | | le closed effective 12/31/07. Claims will deny when S code billed after dates of service 12/31/07. See 07 effective 1/1/08. |

| Code | Description | Brand Name | NDC | NDC unit | Catagony | Convice | 40 | CAH | Р | NP | MW | MLI | пе | BO | ОРН | ш | ΙID | DC | Chaniel Instructions |
|-------|--|------------|------------------------------------|---------------|--|-------------------|----------|-----|---|----|-----|------|----|----|-----|---|-----|----|--|
| Code | Description | Brand Name | req. for drug rebate ? | of measure | Category | Service Limits | AC OP | OP | P | NP | MVV | IVIT | пэ | PO | OPH | H | TF | ЬС | Special Instructions |
| S0181 | Ondansetron 4 mg | | N/A | | Antiemetic/ Antivertigo Agents | | | | | | | | | | | | | | Not Covered. Code closed effective 12/31/07. |
| S0182 | Procarbazine 5 mg | | N/A | | Antineoplastic | | | | | | | | | | | | | | Not Covered. Code closed effective 12/31/07. |
| S0183 | Prochlorperazine 5 mg | | N/A | | Antiemetic/ Antivertigo Agents | | | | | | | | | | | | | | Not Covered. Code closed effective 12/31/07. |
| S0187 | Tamoxifen 10 mg | | N/A | | Selective Estrogen Receptor Modulators | | | | | | | | | | | | | | Not Covered. Code closed effective 12/31/07. |
| S0189 | Testosterone pellet 75 mg | | N/A | | Androgenic Agent | | | | | | | | | | | | | | Not Covered. Code closed effective 12/31/07. |
| S0190 | Mifepristone, oral, 200 mg | Mifeprex | Yes | | Abortifacient, Progesterone Receptor Antagonist | | | | Х | | | | | | | | | | |
| S0191 | Misoprostol, oral, 200 mcg | Cytotec | Yes | | Anti-Ulcer Prep/Abortifacie nt | | | | Х | | | | | | | | | | |
| S0196 | Poly-I-lactic acid 1ml face | | N/A | | | | | | | | | | | | | | | | Not Covered |
| S4989 | Contracept IUD | | N/A | | IUD Contraceptive | | | | | | | | | | | | | | Not Covered |
| S4990 | Nicotine patches, legend | | N/A | | | | | | | | | | | | | | | | Not Covered |
| S4991 | Nicotine patches, nonlegend | | N/A | | Anti-Smoking | | | | | | | | | | | | | | Not Covered |
| S4993 | Contraceptive pills for bc | | N/A | | Oral Contraceptive | | | | | | | | | | | | | | Not Covered |
| S4995 | Smoking cessation gum | | N/A | | Anti-Smoking | | | | | | | | | | | | | | Not Covered |
| S5000 | Prescription drug, generic | | N/A | | IV Fluid | | | | | | | | | | | | | | Not Covered |
| S5001 | Prescription drug,brand name | | N/A | | IV Fluid | | | | | | | | | | | | | | Not Covered |
| | 5% dextrose and 45% normal saline, 1000 ml | | N/A | | IV Fluid | | | | | | | | | | | | | | Not Covered |
| S5011 | 5% dextrose in lactated ringer's, 1000 ml | | N/A | | IV Fluid | | | | | | | | | | | | | | Not Covered |
| | 5% dextrose with potassium chloride, 1000 ml | | N/A | | IV Fluid | | | | | | | | | | | | | | Not Covered |
| S5013 | 5% dextrose/45% normal saline with potassium chloride and magnesium sulfate, 1000 ml | | N/A | | IV Fluid | | | | | | | | | | | | | | Not Covered |

| Code | Description | Brand Name | NDC req. for drug rebate ? | NDC unit of measure | Category | Service Limits | AC OP | CAH OP | P | NP | MW | МН | HS | PO | ОРН | HI | ID TF | DC | Special Instructions |
|-----------|--|----------------|---|---------------------------|----------|-------------------|----------|-----------|---|----|----|----|----|----|-----|----|----------|----|----------------------|
| | 5% dextrose/45% normal saline with potassium chloride and magnesium sulfate, 1500 ml | | N/A | | IV Fluid | | | | | | | | | | | | | | Not Covered |
| S5550 | Insulin rapid 5 u | | N/A | | Diabetes | | | | | | | | | | | | | | Not Covered |
| S5551 | Insulin most rapid 5 u | | N/A | | Diabetes | | | | | | | | | | | | | | Not Covered |
| S5552 | Insulin intermed 5 u | | N/A | | Diabetes | | | | | | | | | | | | | | Not Covered |
| S5553 | Insulin long acting 5 u | | N/A | | Diabetes | | | | | | | | | | | | | | Not Covered |
| | Insulin cartridge 150 u | | N/A | | Diabetes | | | | | | | | | | | | | | Not Covered |
| S5566 | Insulin cartridge 300 u | | N/A | | Diabetes | | | | | | | | | | | | | | Not Covered |
| | | | | | | | | | | | | | | | | | | | |
| | Acute Care Outpatient Hosp | | | | | | | | | | | | | | | | | | |
| | Critical Access Outpatient | Hospital | | | | | | | | | | | | | | | | | |
| *P - Phys | | | | | | | | | | | | | | | | | | | |
| | se Practitioner | | | | | | | | | | | | | | | | | | |
| *MW - Mi | dwife ntal Health/Rehabilitation | | | | | | | | | | | | | | | | | | |
| | ntal Health/Renabilitation nophilia Services | | | | | | | | | | | | | | | | | | |
| *PO - Pod | | | | | | | | | | | | | | | | | | | |
| | ohthalmologist | | | | | | | | | | | | | | | | | | |
| | ne IV Infusion | | | | | | | | | | | | | | | | | | |
| | dependent Diagnostic Trea | tment Facility | | | | | | | | | | | | | | | | | |
| | sis Center | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |